

FUSELAGE - HOOD JETTISON GEAR

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5275	E. 215670	HOOD JETTISON GEAR, ASSEMBLY	-	-	C.	5
	Std. 1954/45	Adaptor, for bell crank lever lubricator	1	L.65.C		
	F. 229402	Adaptor, at "T" barrel	2	S.96.B		
	D. 215814	ADDITIONAL DETAILS, ASSEMBLY	-	-	JE.1	
	C. 224218	Bracket, mounting (Mod. 378)	1	S.3		
	A. 216373	Bracket, pivot	1	-		
875	A. 189300	Cable, emergency release, group	1	-	B.	JE.1
28X/5870 29H/4186	Bowden	Consisting of :- Cable, 5 cwt.	QR	W.11	C.	
	Bowden PN.1997	Nipple	1	-	C.	
30B/1006	-	Ring, split key, 1.50" i/d.	1	Steel		
	-	Sleeve, Duratube, yellow, 5 mm. i/d x .45 mm. thick x 4.75" long	1	-		
9048	F. 218222	Wire, 26 S.W.G.	QR	Copper	C.	
6740	F. 210559	Cable, hood jettison	1	-	C.	
9766	F. 231429	Cap	1	S.96.B	C.	JE.1
9047	B. 228487	Disc, at hood cylinder	2	L.72	C.	
	F. 218197	Duct	1	-		
4882	F. 230906	Eye-end, for hood jettison cable (Mod. 281)	1	S.96.B	C.	
	F. 200921	Fork-end	1	S.94.B		
9141	B. 199424	Guard, pulley	1	L.72	MR/C	JE.1
9767	F. 229452	Handle	1	Stamping	B.	JE.1
4558	F. 199940	Buffer	1	Neoprene	C.	JE.1
	F. 231629	Latch	1	DTD. 610	C.	JE.1
9034	A. 214841	Latch	1	L.72	C.	JE.1
	A. 217885	Lever (Alternative to A. 217885)	1	BS.1648	C.	JE.1
9041	F. 216316	Lever (Alternative to A. 214841)	1	S.94.B	C.	JE.1
881	A. 189124	Lever	1	S.3 & S.92	C.	JE.1
	F. 218221	Lever	1	S.80	C.	JE.1
9046	F. 218221	Lever, group (Alternative to A. 218271)	1	-	C.	JE.1
	F. 218196	Bracket	1	DTD. 171		
4042	F. 216326	Lever	1	S.95.B		
	Std. 1509/23/030	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.30" long	1	T.4	MR/C	4
9033	A. 218271	Lever, group (Alternative to F. 218221)	1	-		
	F. 214646	Link	1	DTD. 166	C.	JE.1
	A. 211755	Nut, strip (Alternative to A. 217433)	2	-		
	A. 217433	Nut, strip (Alternative to A. 211755) (For use when tooling hole is in top longeron)	2	-		
	F. 211757	Packing (Alternative to F. 217432)	2	L.72		
	F. 217432	Packing (Alternative to F. 211757) (For use when tooling hole is in top longeron)	2	L.72		
885	F. 189708	Pin	1	S.95.B or S.96.B	C.	JE.1
699	F. 187671	Pin	1	S.1	C.	JE.1
	F. 214644	Pivot	1	S.96.B		
6739	A. 209223	Plate, catch	1	DTD. 166	C.	JE.1
28R/13515	AS. 104	Pulley	1	-	B.	
	F. 228481	Pulley, for jettison cable	1	-		JE.1
9035	F. 211758	Seal, at hood cylinder	2	Rubber	C.	JE.1
893	F. 189299	Shackle	1	S.1	C.	JE.1
	A. 228722	Shaft, cable anchorage	1	L.65.C		JE.1

FUSELAGE - HOOD JETTISON GEAR

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
9042	A. 216324	Spindle (Mod. 281)	1	S.95.B	C.	JE. 1
4559	F. 199942	Spring	1	Steel	C.	JE. 1
	Std. 1507/26/044	Tube, distance, 1/2" o/d x 17 S.W.G x 0.44" long	1	T. 26		4
	Std. 1509/23/148	Tube, distance, 5/16" o/d x 17 S.W.G. x 1.48" long	2	T. 4		4
3763	Std. 915/B/24	Washer, special, 4 B.A.	4	DTD. 364	C.	4
3764	Std. 915/C/24	Washer, special, 2 B.A.	4	DTD. 364	C.	4
	Std. 915/E/6	Washer, special	1	DTD. 364		4
	Std. 915/U/12	Washer, special	1	DTD. 364		4
5274	F. 205020	Bolt, greaser, for bell crank lever	2	S.95.B	C.	JE. 1
873	F. 189282	Bush, spherical	4	S.95.B	C.	JE. 1
1935	F. 196363	Bush, for emergency release cable	1	Rubber	C.	JE. 1
874	A. 189119	Cable, de-seal valve control, group	1	-	B.	JE. 1
		Consisting of :-				
	Std. 1920/1	Adjuster	1	DTD. 364		5
	Std. 1920	Adjuster, complete with sleeve and nut	1	-		5
28X/5870	Bowden	Cable, 5 cwt.	QR	W. 11	C.	
29H/	Bowden T. 3	Conduit, Bowdenex T. 3	QR	-	C.	
28U/15288	SP. 38A	Fork-end	2	-	C.	
29H/4110	Bowden PN. 23	Nut	1	-	C.	
	Std. 1920/2	Sleeve	1	DTD. 364		5
29H/	Bowden PN. 999	Stop	1	-	C.	
9043	A. 216335	Cable, ejection, group	1	-	B.	JE. 1
	Std. 1920	Adjuster	2	-		
	A. 216335/1	Cable, 5 cwt.	1	W. 11		
	A. 216335/2	Conduit, Bowdenex T. 3 B. W. C.	1	-		
	A. 224509	Fork-end	2	S. 1B		
29H/	Bowden PN. 999	Stop	1	-	C.	
	A. 230750 A. 230905	Cable, jettison handle to lever, group	1	-		JE. 1
	Std. 1920	Adjuster	2	-		
28X/5870	-	Cable, 5 cwt.	1	W. 11	C.	
29H/	-	Conduit, Bowdenex T. 3 B. W. C.	1	-	C.	
28U/16264	SP. 37A	Eye-end	1	-	C.	
29H/	Bowden PN. 999	Stop	1	-	C.	
28U/	SP. 36-C5	Tapped-end	1	-	B.	
877	A. 189120	Cable, jettison control to release unit, group	1	-	B.	JE. 1
		Consisting of :-				
	Std. 1920/1	Adjuster, stop	1	DTD. 364	-	5
	Std. 1920	Adjuster, complete with sleeve and nut	1	-		5
28X/5870	Bowden	Cable, 5 cwt.	QR	W. 11	C.	
29H/	Bowden T. 3	Conduit, Bowdenex T. 3	QR	-	C.	
28N/10084	AS. 1276	Eye-end	2	-	C.	
29H/4110	Bowden PN. 23	Nut	1	-	C.	
	Std. 1920/2	Sleeve	1	-		5
29H/	Bowden PN. 999	Stop	1	-	C.	

FUSELAGE - HOOD JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	Std. 2045/16/26	Clip, sleeved	2	S.510 or S.511		
9664	Std. 2045/22/24	Clip, sleeved	2	S.510 or S.511	C.	6
3745	Std. 841/17	Clip, support, 7/16" wide x 22 S.W.G. x 1.7" long					1	DTD. 610	C.	4
	F. 231116	Clip, securing cable	1	L. 72		
	B. 231232	Cover, for levers	1	Plastic		JE. 1
27L/5019	Martin Baker M. B. C. J. 36	Cylinder, hood, port	1	-	B.	
27L/5020	Martin Baker M. B. C. J. 37	Cylinder, hood, starboard	1	-	B.	
	A. 189296	Duct	1	T.26		JE. 1
27L/5021	Martin Baker M. B. C. J. 159	Gun, hood, group (With Martin Baker Mod. MB. CJ/83 embodied) (Mod. 1102)					1	-	A.	
12K/1403	Martin Baker M. B. C. J. 560	Cartridge, No. 2 Mk. 2	1	-	C.	
10473	F. 234618	Label, indicator, port (Mod. 846)	1	L. 72	C.	
10474	F. 234619	Label, indicator, starboard (Mod. 846)	1	L. 72	C.	
6083	F. 192126	Lever	2	S. 80	C.	JE. 1
883	F. 189280	Link	1	S.95.B	C.	JE. 1
28FP/469298	Aviation Dev. A. 407	Pin, pip	1	-	C.	
10227	F. 234620	Pin, special (Mod. 846)	2	S.95.B	C.	JE. 1
1714	F. 193684	Pin, special (Mod. 846)	2	S.95.B	C.	JE. 1
27L/5022	Martin Baker M. B. C. J. 310	Pipe, tee-piece to gun	1	-	C.	
27L/5023	Martin Baker M. B. C. J. 311	Pipe, cylinder to tee-piece, port	1	-	C.	
27L/5024	Martin Baker M. B. C. J. 312	Pipe, cylinder to tee-piece, starboard...	1	-	C.	
886	F. 189342/1	Plate, sealing	1	S. 3	C.	JE. 1
	F. 214716	Plate, stop	1	DTD. 124		
887	A. 189278	Rod, connecting	1	-	C.	JE. 1
10224	A. 235733	Rod, connecting, telescopic, group (Mod. 846)					2	-	B.	JE. 1
	F. 214530	Cap	1	S.96.B		
	F. 189276	Eye-end	1	S.95.B		
	F. 235736	Eye-end (Alternative to F. 235781) (Mod. 846)	1	S.96.B		
10225	F. 235735	Spring (Mod. 846)	1	Spr. Steel	C.	
	A. 235734	Sliding fitting (Mod. 846)	1	S.96.B		
10226	A. 234637	Rod, connecting, group (Mod. 846)	2	-	C.	JE. 1
	F. 234613	Eye-end (Mod. 846)	1	S.95.B		
6632	A. 213160	Rod, connecting, group	1	-	B.	JE. 1
6210	F. 212690	Bellows	1	Rubber	C.	JE. 1
892	F. 189342	Support	1	T.26 or S.3	C.	JE. 1
10223	A. 234652	Rod, connecting, group (Mod. 846)	2	-	B.	JE. 1
	A. 234611	Fork-end (Mod. 846)	1	S.95.B		
895	F. 189297	Spring	1	-	C.	JE. 1
27L/5013	Martin Baker T. 476/S	TEE Piece	1	-	C.	

Hunter Single Seater

FUSELAGE - HOOD JETTISON GEAR






Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1010658	A25.1.B	Bolt,	4	B.A.	-	-
28D/1008149	A25.2.B	Bolt,	4	B.A.	-	-
28D/9436920	A25.1.C	Bolt,	2	B.A.	-	-
28D/9133011	A25.2.C	Bolt,	2	B.A.	-	-
28D/1200119	A25.4.C	Bolt,	2	B.A.	-	-
28D/12517	A25.17.C	Bolt,	2	B.A.	-	-
28D/1011022	A25.18.C	Bolt,	2	B.A.	-	-
28D/1011024	A25.21.C	Bolt,	2	B.A.	-	-
28D/1011301	A25.8.J	Bolt,	$\frac{3}{8}$ "	B.S.F.	-	-
28D/1007975	AS.1242/1C	Bolt,	2	B.A.	-	-
28D/1007976	AS.1242/4C	Bolt,	2	B.A.	-	-
28D/10571	AS.1242/13E	Bolt,	$\frac{1}{4}$ "	B.S.F.	-	-
28D/8333	AS.1242/16E	Bolt,	$\frac{1}{4}$ "	B.S.F.	-	-
28D/9128739	AS.1248/ $\frac{1}{2}$ B	Bolt,	4	B.A.	-	-
28D/9744	AS.1248/2B	Bolt,	4	B.A.	-	-
28D/13789	AS.2920/1B	Bolt,	4	B.A.	-	-
28E/8182	AGS.605/0	Clip	-	-
28E/10154	AGS.605/00	Clip	-	-
28U/16264	SP.37A	Eye-end	-	-
28K/549	SP.3Y.412	Fork-end	-	-
28M/1006504	A27.BT	Nut,	4	B.A.	-	-
28M/5808573	A27.CS	Nut,	2	B.A.	-	-
28M/1006473	A27.CT	Nut,	2	B.A.	-	-
28M/1011467	A27.ES	Nut,	$\frac{1}{4}$ "	B.S.F.	-	-
28M/1011476	A27.JS	Nut,	$\frac{3}{8}$ "	B.S.F.	-	-
28M/1011470	A58.GT	Nut,	$\frac{5}{16}$ "	B.S.F.	-	-
28M/10287	AGS.2001.B1	Nut,	4	B.A.	-	-
28M/10288	AGS.2001.C1	Nut,	2	B.A.	-	-
28M/10290	AGS.2001.E1	Nut,	$\frac{1}{4}$ "	B.S.F.	-	-
28M/10327	AGS.2002.B1	Nut,	4	B.A.	-	-
28M/10328	AGS.2002.C1	Nut,	2	B.A.	-	-
28M/10330	AGS.2002.E1	Nut,	$\frac{1}{4}$ "	B.S.F.	-	-
28M/10331	AGS.2002.G1	Nut,	2	B.A.	-	-
28N/9156370	SP.21	Nipple, lubricating	-	-
28P/812	SP4.Y.A2	Pin	-	-
28P/816	SP4.Y.A6	Pin	-	-
28P/824	SP4.Y.A14	Pin	-	-
28P/828	SP4.Y.B2	Pin	-	-
28P/829	SP4.Y.B3	Pin	-	-
28P/831	SP4.Y.B5	Pin	-	-
28P/834	SP4.Y.B8	Pin	-	-
28P/835	SP4.Y.B9	Pin	-	-
28P/5960	SP4.Z.D9	Pin	-	-
28P/1006943	SP9.C6	Pin, split	-	-
28R/13515	AS.104	Pulley, 3" dia.	-	-
28S/1200040	A31.B.20	Screw, 4 B.A.	-	-
28S/9131095	A31.C14	Screw, 2 B.A.	-	-
28S/9992522	A32.B16	Screw, 4 B.A.	-	-

FUSELAGE - HOOD JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9031	B. 215644	Unit, release, group	1	-	B.	JE. 1
2A/9500491	B. S. I. SFE. $\frac{3}{8}$ "	Bearing	1	-	B.	
897	F. 189118	Bolt, special	3	S.95.B	C.	JE. 1
	F. 211177	Bolt, special	1	S. 96		
898	A. 127278	Bolt, special	4	S. 1	C.	JE. 1
899	F. 189074	Bolt	2	S. 1	C.	JE. 1
								S.95.B. or S.96.B	C.	JE. 1
	A. 189071	Casing	1	-		
900	F. 189069	Coupling	2	S.95.B or S.96.B	C.	JE. 1
								S.95.B or S.96.B	C.	JE. 1
901	F. 189068	Eye-end	2	S.95.B or S.96.B	C.	JE. 1
9032	F. 214647	Lever	1	BSI. 648	C.	JE. 1
903	F. 189077	Lever	1	S. 80	C.	JE. 1
904	A. 126610	Nut, special	1	S. 20	C.	JE. 1
	A. 127030	Packing	1	L. 1		
905	A. 189073	Plug	1	S. 1	C.	JE. 1
906	F. 189067	Plug	1	DTD. 364	C.	JE. 1
907	F. 169854	Plunger	1	DTD. 364	C.	JE. 1
8182	F. 210867	Rod	1	S.95.B or S.96.B	C.	JE. 1
								S. 1	C.	JE. 1
909	F. 189070	Sleeve	2	S. 1	C.	JE. 1
	A. 126828	Spring	1	DTD. 239		JE. 1
910	A. 127031	Washer	2	Rubber	C.	JE. 1
	Std. 915/E/6	Washer	1	DTD. 610		4
911	F. 189343	Washer, sealing	1	Rubber	C.	JE. 1
1570	Std. 914/B/24	Washer, special, 4 B.A.	1	S.1 or S.3	C.	4
2147	Std. 915/C/20	Washer, special	4	DTD. 364	C.	4
912	F. 176949	Window	1	Perspex	C.	JE. 1

FUSELAGE - HOOD JETTISON GEAR

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
SUMMARY OF STOCK ITEMS						
28W/3098	AGS. 162C	Washer, 2 B.A....	-	-	-	
28W/9419401	SP. 10B	Washer ...	-	-	-	
28W/9419454	SP. 10C	Washer, 2 B.A....	-	-	-	
28W/9419456	SP. 10J	Washer, $\frac{3}{8}$ " dia....	-	-	-	
28W/9436801	SP. 11.E	Washer ...	-	-	-	
28W/9418921	SP. 13.E	Washer ...	-	-	-	
28W/9419474	SP. 15.B	Washer ...	-	-	-	
28W/9419475	SP. 15.C	Washer, 2 B.A....	-	-	-	
28W/9419405	SP. 15.E	Washer, $\frac{1}{4}$ " dia....	-	-	-	
28W/9419476	SP. 15.G	Washer ...	-	-	-	
28W/9419404	SP. 16.C	Washer, 2 B.A....	-	-	-	
28W/9419487	SP. 16.E	Washer ...	-	-	-	
28W/9419489	SP. 16.J	Washer ...	-	-	-	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

