

FLYING CONTROLS - CENTRE FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
	B.199204	FLYING CONTROLS, CENTRE FUSELAGE, ASSEMBLY (E.177242 and E.199235 Modified)				
1928	F.196235	Bolt, attachment of aileron control tube to lever, frame 33	1	S.94.B	C	
282	A.169493	Bracket, for rudder and elevator idling links, at frames 33 and 38	4	DTD.610	C	DC.1
283	F.183798	Bracket, for rudder and elevator idling link, at frames 27 and 38	2	DTD.610	C	DC.1
7142	A.201016	Bracket, for cross shaft at frame 33	2	Stamping	MR/C	DC.1
7143	B.202890	Housing, bearing aileron torque shaft aft of rear spar, group	1	Stamping	MR/B	DC.1
2A/9500420	BRT.1.5/16	Bearing	2		B	
285	F.177841/2	Tube, distance, 1-1/2" o/d x 14 S.W.G. x 2.910" long	1	T.4 or DTD.464	C	DC.1
286	A.168403	Link, idling, rudder and elevator, between frames 33 and 34, group	2		C	DC.1
287	A.168404	Link, idling, rudder and elevator, between frames 38 and 39, 27 and 28, group	3		C	DC.1
288	A.170441	Link, idling and bracket, between frames 23 and 24, 27 and 28, group	4		C	DC.1
287	A.169495	Bracket	1	DTD.610		DC.1
	A.168404	Link, group	1		C	DC.1
	A.227805	Link, idling and bracket, between frames 27 and 28, group	1			DC.1
7144	A.227756	Bracket	1	M.S.		DC.1
	A.168405	Link	1			DC.1
	B.201292	Lever, aileron control, aft of rear spar, group	1		MR/B	DC.1
237	B.178823	Lever, aileron torque shaft, top aft of rear spar, group	1		C	DC.1
7145	B.205161	Lever, aileron torque shaft, bottom aft of rear spar, group	1		MR/B	DC.1
292	F.165986	Packing, for rudder and elevator levers	4	DTD.610	C	DC.1
7146	A.199242	Shaft, aileron torque, aft of rear spar	1	S.95.B	MR/B	DC.1
7147	A.201014	Shaft, cross, mounting of aileron, frame 32	2	T.50	MR/B	DC.1
299	A.180427	Tube, control, between frames 18 and 24, group	3		B	DC.1
6339	A.199290	Tube, control, between frames 24 and 28, group	3		B	DC.1
6340	A.199291	Tube, elevator and rudder control, between frames 27, 28, 33 and 34, group	2		B	DC.1
4113	A.199284	Tube, elevator and rudder control, between frames 33, 34, 38 and 39, group	2		B	DC.1
6341	A.199292	Tube, aileron control, between frames 28 and 33, group	1		B	DC.1
6342	A.199258	Tube, aileron control, aft of rear spar, group	2		B	DC.1
168	A.169527	Eye-end	1		C	DC.1
6343	A.199240	Tube, aileron control, aft of rear spar, group	1		B	DC.1
6344	A.199239	Tube, aileron control, aft of rear spar, group	1		B.	DC.1
306	A.171699	Tube, adjustable, elevator and rudder control, between frames 38 and 41, group	2		B	DC.1
2368	F.171710	Fork-end	1		MR/C	DC.1


FLYING CONTROLS - CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3790	Std.1509/24/050	Tube, distance, 3/8" o/d x 17 S.W.G. x 5" long (Make from 30B/557)					1	T.4	MR/C	DC.1
7148	F.201018	Tube, retaining cross shaft at frame 32 and 33					2	L.62	MR/C	
309	Std.1208/167/84/30	Washer, shim torque shaft					2	Shim Steel	C	DC.1
7149	Std.1208/140/68/30	Washer, shim aileron lever cross shaft					4	Shim Steel	MR/C	
	F.165985	Washer, at bracket attachment between frames 27 and 28					4			

FLYING CONTROLS - CENTRE FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/9133011	A25.2.C	Bolt,	2	B.A.						
28D/9133012	A25.3.C	Bolt,	2	B.A.						
28D/1200119	A25.4.C	Bolt,	2	B.A.						
28D/7002428	A25.6.C	Bolt,	2	B.A.						
28D/9419397	A25.12.C	Bolt,	2	B.A.						
28D/9133014	A25.13.C	Bolt,	2	B.A.						
28D/9453970	A25.15.C	Bolt,	2	B.A.						
28D/1012995	A25.22.C	Bolt,	2	B.A.						
28D/1011026	A25.26.C	Bolt,	2	B.A.						
28D/1213735	A30.9.E	Bolt,	1/4"	B.S.F.						
28D/1213737	A30.11.E	Bolt,	1/4"	B.S.F.						
28D/1213738	A30.12.E	Bolt,	1/4"	B.S.F.						
28D/1213739	A30.13.E	Bolt,	1/4"	B.S.F.						
28D/1213741	A30.15.E	Bolt,	1/4"	B.S.F.						
28D/1213753	A30.27.E	Bolt,	1/4"	B.S.F.						
28D/13263	A30.10.G	Bolt,	5/16"	B.S.F.						
28M/9403520	A27.CP	Nut,	2	B.A.						
28M/1007403	A27.ET	Nut,	1/4"	B.S.F.						
28M/7683	AGS.572.A	Nut,	1/4"	B.S.F.						
28M/8101	AGS.572.C	Nut,	5/16"	B.S.F.						
28M/13439	AGS.572.CP	Nut,	2	B.A.						
28M/12403	AGS.572.SP	Nut,	1/4"	B.S.F.						
28M/15496	A58.LT	Nut,	locking							
28M/14537	A58.GS	Nut,	5/16"	B.S.F.						
28P/9527619	SP.90.C7	Pin,	split							
28W/1200106	SP.42/C	Tab,	locking							
28W/9419475	SP.15.C	Washer,	2	B.A.						
28W/9419404	SP.16.C	Washer,	2	B.A.						
28W/9419405	SP.15.E	Washer,	1/4"	dia.						
28W/9419476	SP.15.G	Washer,	5/16"	dia.						
28W/9419487	SP.16.E	Washer,	1/4"	dia.						









This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.