

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	G.315265	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY				
5J/9101543	D.315268	Accumulator, lead acid 12v.	2		A	
	A.233799	ADDITIONAL DETAILS, ASSEMBLY				
	A.233800	Angle, mounting	1			
	A.271259	Angle, mounting	1			
	B.216606	Bracket, for switch	1	S.3.	MR/C	
	F.237852	Bracket, for switch	1	S.510		
5935-99	Plessey 508/1/41036	Bracket, mounting (Mod.848)	1			
-097-0056	Std.2045/14/24	Cap, protective	1		C	
10373	A.233798	Clip, sleeved	1	S.510		
10040	A.228894	Clip, strap, securing suppressor mounting	4		C	
10007	A.234614	Cover, for F.4 relay	1	L.72	C	
4L/9951273	A.237842	Guard, switch	1		C	
	A.237840	Lamp, filament, 28V, 3.5w (Mod.848)	2		B	
10475	A.237841	Lamp, mounting, assembly (Mod.848)	1		C	
10476	A.237838	Cover	1		C	
	F.237836	Mounting, lamp, group	1			
	F.237835	Block, terminal	1	L.72		
	A.236194	Bracket, lamp, mounting	1	L.72		
	F.267639	Plate	1	L.72		
1637	Std.1606/44/B14	Mounting, for suppressor	1	L.72		
4661	Std.1606/45/B12	Plate, adaptor	1			
1943	Std.1606/45/B16	Screw, roundhead, 4 B.A.	6	Brass	C	5
	Std.1953	Screw, roundhead, 4 B.A.	2	Brass	C	5
	Honeywell	Screw, roundhead, 6 B.A.	4	Brass	C	5
5CW/11616	ITL1-3F	Sleeve	12			
	Honeywell	Switch, D.P.	1		B	
5CW/9330	2TL1-10A	Switch	1		B	
5CW/6332	Rotax D.10007	Switch, D.P. (Mod.848)	1		B	
5D/4341029	B.308354	Switch (Alt. to B.308354)	1			
	F.217161	Switch (Alt. to 5D/1760)	1			
5CZ/4335604	Teddington	Washer	4			
	FLM/A/5	Amplifier, magnetic	1		A	
6A/4333796	Smiths Waymouth	Amplifier	2		A	
	FAB/18	Amplifier, magnetic	1		A	
5CZ/5291	Smiths EC1/3 or	Amplifier, Mk.1A	1		A	
5CZ/4335685	EC1/6 or	Angle, mounting, top, for circuit breaker	1	L.72		
5CZ/5040	Ultra A133/1	Angle, mounting, bottom, for circuit breaker	1	L.72		
6A/5465	A.315055	Bar, bus, 3-way	1			
	A.249060	Block, distance, for terminal block	2	LFS.21		
5H/55	F.197407	BLOCK, TERMINAL, No.2, AT FRAME 4, ASSEMBLY				
	A.206460	Block, terminal, 10-way	1		B	
5X/1004088	Plessey	Bracket, mounting	1			
	703/2/00244	Cover	1		C	
8545	A.218494	Clip, sleeved (AS.770/47)	1	S.510		
11305	F.220484	Link, commoning	2		C	
5940-99	Plessey	Mounting	4	Rubber	C	
-100-4082	703/2/00251	Pillar	2	S.95.B	C	
8543	F.218495	Sleeve, marker	1 set			
8544	F.217580	Strip, locking	1	S.84	C	
8546	Std.1953/1-10					
	Std.2008C.362					

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
8547	Std.2008.B.423 Std.1509/23/084	Strip, locking Tube, distance, 5/16" o/d x 17 S.W.G. x .84" long	1 2	S.84 T.4	C	
5407	Std.915/T/18 B.214699	Washer BLOCK, TERMINAL, No.3, 7 AND 85, AT PORT COCKPIT SHELF, ASSEMBLY	2	DTD.610	MR/C	
5X/1004088 5X/1957032 5940-99 -946-2765 5X/1957036	703/2/00244 703/1/00232 703/1/00265 703/1/00263 B.214699/2 B.283376/1 F.215298/1	Block, terminal, 10-way Block, terminal, 3-way Cover Cover Diagram, wiring TB.3 Diagram, wiring TB.7 Diagram, wiring TB.85	1 2 1 2 1 1 1		B B B C	
5940-99 -100-4082 5340-99 -945-0403	703/2/00251 703/2/00267 Std.1953/1-10 Std.1953/1-3 B.206739	Link, commoning Pillar Sleeve, marker Sleeve, marker BLOCK, TERMINAL, No.4 AND 6, AT PORT COCKPIT SHELF, ASSEMBLY	1 6 1 set 1 set		C C	
5X/1004088 5X/1957037 5940-99 -946-2765 5X/1957036	703/2/00244 703/1/00232 703/1/00265 703/2/00263 F.283375/1 F.214429/1	Block, terminal, 10-way Block, terminal, 3-way Cover Cover Diagram wiring TB.4 Diagram wiring TB.6	1 1 1 1 1 1		B B B B B	
5340-99 -945-0403	703/2/00267 Std.1953/1-10 Std.1953/1-3 A.214829	Pillar Sleeve, marker Sleeve, marker BLOCK, TERMINAL, No.5, ON FRAME 5, ASSEMBLY	4 1 set 1 set		C	
5X/1004088	703/2/00244 A.218494	Block, terminal, 10-way Bracket, mounting	1 1		B	
8545 20238 8543 8544	F.220484 Std.2046/30/22 F.218495 F.217580	Cover Clip, sleeved (AS.770/47) Mounting Pillar	1 1 4 2		C	
8546	Std.1953/1-10 Std.2008/C.362 Std.2008/C.423 Std.1509/23/084	Sleeve, marker Strip, locking Strip, locking Tube, distance, 5/16" o/d x 22 S.W.G. x .84" long	1 set 1 1 2		C	
5407	Std.915/T.18 A.206556	Washer BLOCK, TERMINAL, No.64, AT FRAME 12, ASSEMBLY	2	DTD.610	MR/C	
5940-99 -100-2694 5940-99 -914-9641 5340-99 -945-0403	703/1/00238 703/1/80264 703/2/00267 Std.1953/1-5 B.222375	Block, terminal, 5-way Cover Pillar Sleeve, marker BLOCK, TERMINAL, No.99, ASSEMBLY	1 1 2 set		B B C	
5X/1004088 5940-99 -946-2765 5340-99 -945-0403	703/2/00244 703/1/00265 703/2/00267 A.224250	Block, terminal, 10-way Cover Pillar BLOCK, TERMINAL, No.101, ASSEMBLY	1 1 2		B C C	
5X/1957032 5X/1957036 5340-99 -945-0403	703/1/00232 703/1/00263 703/2/00267	Block, terminal, 3-way Cover Pillar	1 1 2		B C C	
8482	A.216114 C.216112	Box, for standby batteries, group Box, group	1 1		B	
8483	F.216126 F.216127 A.216024	Clip, spring Packing, for spring clip Cable, P.C.13, group (See Cable Chart)	2 1 1	Sp.Stl.	C	

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
5CZ/4335501	D.303025	Box, junction, 3-way, type A	1		A	
		Box, a/c junction, for flight instruments and radar supply, group	1			
5X/4491482	703/1/00420	Block, fuse, with ident tags, less cover	4		B	
5940-99	703/1/00238	Block, terminal, 5-way	4		B	
-100-2694						
6731	F.210524	Bolt, for front, lid	6		C	
5CY/4376383		Breaker, circuit, type A.3	2		A	
1632	A.190855	Bus-bar	2	BSS.266	C	
	B.233803	Cable, AC3 (See Cable Chart)	1			
	B.233804	Cable, AC4 (See Cable Chart)	1			
	B.260856	Cable, F210 (Mod.1015) (See Cable Chart)	1			
	D.303024	Cable, assemblies consisting of:-	1			
6A/4333075	Smiths 213MV	Auto-transformer, 115/26V, 400 c/s	1		A	
6145-99		Cable, miniature 3C	QR	DEF.10	C	
-910-0011						
5E/3038		Cable, unipren 6	QR	EL.1470	C	
5E/3040		Cable, unipren 12	QR	EL.1470	C	
6145-99		Cable, type 2, 14/0.0076, blue	QR	DEF.12A	C	
-910-0176						
6145-99		Cable, type 2, 14/0.0076, green	QR	DEF.12A	C	
-910-0177						
6145-99		Cable, type 2, 14/0.0076, red	QR	DEF.12A	C	
-910-0175						
10C/0115260	Dubilier	Capacitor, 25mf, 250V wkg	1		C	
10C/0115333	Dubilier	Capacitor, 0.5mf, 250V wkg	3		C	
5935-99	Plessey 508-2	Gasket, outlet	1		C	
-011-9877	07705-200					
5935-99	Plessey 508-2	Gasket, union	1		C	
-097-0108	07719-200					
5X/1874	Plessey Z.1840	Grommet	1		C	
5X/6505	Plessey Z.70005	Lug, terminal	1		C	
5935-99	Plessey 508-1	Outlet, angle	1		C	
-097-0069	07630-003					
5935-99	Plessey 508-1	Plug, panel unit	1		C	
-999-3526	40062-320					
5935-99	Plessey 508-1	Plug, panel unit	1		C	
-999-3529	40061-320					
5975-99	Plessey 508-2	Ring, compression	1		C	
-097-0102	07746-207					
5310-99	Plessey 508-2	Ring, thrust	1		C	
-097-0096	07752-007					
	Hellermann	Sleeve, 150 HT. 15 x 3/4"	24		C	
	Hellermann	Sleeve, 150 H.T. 30 x 3/4"	1			
	Plessey 508-2	Sleeve, cable	1			
	07715-100					
	Std.2133/11	Sleeve, marker	49			
	Std.2134/11	Sleeve, marker	6			
5935-99	Plessey 508-1	Socket, panel unit	1		C	
-999-3530	40442-320					
5935-99	Plessey 508-1	Socket, panel unit	1		C	
-999-3522	40441-320					
5935-99	Plessey 508-1	Socket, panel mounting coupler	1		C	
-920-8924	40523-320					
5CW/9729123		Switch, magnetic relay, type S3	1		A	
5K/5866	RC.00	Tag (use 5K/301)	1			
5K/4346693	RC.2120	Tag, Q.R.	32			
5K/3623	Tucker S.79	Tag, eyelet	13		C	
5X/9462951	HC.294	Tag, ring	1		C	
5X/9450396	HC.490	Tag, Q.R.	1		C	
5CY/4520		Cap. protecting, circuit breaker	2		C	
	D.302939/1	Diagram, wiring	1	Photo cam	C	
10H/21797		Fuse, 2.5amp.	4		C	
10H/23865		Fuse, 2.5amp., type H.R.C.	8		C	
10H/21798		Fuse, 5amp.	1		C	
10H/21799		Fuse, 10amp.	1		C	
10H/21791		Fuse, dummy (5 off for FR.)	2		C	
5X/9009937		Grommet	1			

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.201758					Lead, D.C. inverter group (See Cable Chart)	1			
1633	B.190333					Lid, front	1	DTD.213	C	
9634	B.225929					Lid, top	1	DTD.213	C	
5940-99 -100-4083	703/2/00252					Link, commoning, 3-way	1		C	
5940-99 -100-4085	703/2/00254					Link, commoning, 5-way	1			
10CV/5174	ZS.10A					Rectifier	2		B	
	F.197020/2					Saddle (Not required with Type "C" torque switch)	1	DTD.610		
	B.190455					Screen, suppressor	1	DTD.610		
3837	Std.1606/44/B10					Screw, roundhead	1	Brass	C	
1178	Std.1608/44/B12					Screw, roundhead	17	Brass	C	5
3839	Std.1606/44/B16					Screw, roundhead	1	Brass	C	5
1639	Std.1606/44/A6					Screw, roundhead	4	Brass	C	5
	C.251297					Shell, outer (Mod.1054)	1	DTD.610		
5F/	Hellermann					Sleeve, Helsen 100 KP x 1/2"	2		C	
	5C/2682/SA.1					Suppressor, type F, No.2, sub-assembly, group	2			
						Consisting of:-				
						Block, terminal	2		C	
						Choke, assembly	3		B	
						Capacitor, type A.1004	3		B	
						Plate, earthing	1		C	
						Switch, torque	2		A	
5CY/2738										
5CY/2740										
5910-99 -437-6386										
5CY/2739										
5CW/5907	Smiths									
	EAP.2340									
3796	Std.1509/12/072					Tube, distance, 1/4" o/d x 20 S.W.G. x 0.72" long (Make from 30B/619)	8	T.4	MR/C	4
1641	D.189839					Unit, mounting, for A.C. junction box	1	DTD.213	B	
	A.218401					Unit, suppression, torque switch, group (AS.700/74)	1			
10C/0115590						Capacitor, 0.25mf. 500 Vac.	2		C	
	F.218439					Chip	1	L.72		
10W/0215162						Resistor, 220 ohms, 500 Vac.	2		C	
3837	Std.1606/44/B10					Screw, 4 B.A.	1	Brass	C	
5310-99 -097-0049	Plessey Z.54105					Washer, panel mounting	QR		C	
	C.226839					WIRING A.C. JUNCTION BOX, DETAIL "A", ASSEMBLY				
5E/3040						Cable, Unipren, 12 amp.	QR		C	
5E/3042						Cable, Unipren, 24 amp.	QR		C	
	A.190048					Channel, relay mounting	1	DTD.610		
	A.190049					Channel, relay mounting	1	DTD.610		
5K/1201019	SP.40/A8					Grommet	1		C	
5F/						Sleeve, Helsen, 150 H.T., 20 x 3/4"	2		C	
5F/						Sleeve, Helsen, 150 H.T., 30 x 1"	1		C	
5935-99 -056-0261	508/1/40043/321					Socket, panel unit, code 45	1		B	
5CW/6717						Switch, magnetic relay, type S.7	2		A	
5CW/6719						Switch, magnetic relay, type S.9	3		A	
5K/4346693	RC.2120					Tag, Q.R.	10			
5K/4346711	RC.2121					Tag, Q.R.	2			
	RC.2122					Tag, Q.R. (Use 5X/7017)	2			
5E/						Wire, 14/.0076, Type red	13"	D.E.F.12	C	
5E/						Wire, 14/.0076, Type blue	16"	D.E.F.12	C	
6145-99 -910-0178						Wire, 14/.0076, Type 2, yellow	QR	D.E.F.12	C	
	B.207457					WIRING A.C. JUNCTION BOX, DETAIL "D", ASSEMBLY				
5E/						Cable, 2.5amp.	QR		C	
5E/3042						Cable, Unipren, 24 amp.	QR		C	
5K/2893	SP.40/A6					Grommet	1		C	

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5935-99 -056-0080	Plessey 508/1 40063/320				Plug, panel, unit code 45	1		C		
5935-99 -056-0180	Plessey 508/1 40066/320				Plug, panel, unit code 44	1		C		
5935-99 -056-0050	Plessey 508/1 40060/320				Plug, panel, unit code 41	1		C		
5935-99 056-0230	Hellermann Hellermann Plessey 508/1 40020/300				Sleeve, Helsyn 150 H.T., 20 x 3/4"	QR				
5K/4346693	RC.2120				Sleeve, Helsyn 150 H.T., 30 x 1"	QR				
5K/	RC.2122				Socket, panel, unit code 41	1		C		
	C.292820				BOX, JUNCTION, BOMB/R.P. RELEASE AND CAMERA, ASSEMBLY					
5X/1997586	703/1/00190 C.292822				Block, terminal, 5-way	1		B		
5E/3896					Box, detail	1	L.59			
6145-99 -910-0009					Cable, Unitercil 16	QR	EL.1934	C		
6145-99 -951-6201					Cable, miniature 3A	QR	DEF.10	C		
10F/	Clare RP-9006 C.292826/1				Cable, equipt., type B, 19/0.0076	QR	EL.1930	C		
5X/9491421					Clip, retaining	1		C		
5X/2787					Diagram, wiring	1	Photo			
5940-99 -012-0202	Oxley				Grommet	1		C		
1437805					Grommet	1		C		
	B.268292				Insulator, Barb., type 156 (Red)	4		C		
	F.256387				Lid	1		C		
5K/4329335	AGS.1658/1				Link, commoning, 3-way	1	BSS.265			
	F.294630				Nut, gland	1		C		
	A.268296				Plate, mounting for relay	1	L.72			
	F.261123				Platform, components, group	1				
	F.261124				Plate, stud	2				
10F/	Ferranti ZS.78				Plate, stud	2				
	Ferranti ZS.178				Rectifier (alternative to ZS.178)	3		B		
5X/	Thorn				Rectifier (alternative to ZS.78)	3				
	PTO.7SE-16-8P				Receptacle, jam nut	1		C		
5X/	Thorn				Receptacle, jam nut	1		C		
	PTO.7SE-10-6P				Receptacle, jam nut	1		C		
5X/	Thorn				Receptacle, jam nut	1		C		
	PTO.7SE-10-6PA				Relay, 10B, No.15	2		B		
5CW/6853	Hendrey D.4210				Relay, type F	1		B		
10F/	Clare R.P.7641				Screw, roundhead, 2 B.A.	6	Brass	C	5	
1178	Std.1606/44/B12				Screw, countersunk, 4 B.A.	3	Brass	C	5	
	Std.1606/45/A8				Screw, countersunk, 4 B.A.	2	Brass	C	5	
5830	Std.1606/45/A14				Sleeve, marker	37				
	Std.2133/11				Sleeve, marker	10				
	Std.2134/11				Sleeve, marker	2				
	Std.2135/11				Sleeve, marker	1				
	Std.2136/11				Sleeve, Helsyn 150 HT., 20 x 1/2"	3				
5F/	Hellermann				Sleeve, 150 HT., 50 x 1"	2		C		
5K/4329287	Hellermann				Sleeve	1		C		
10F/	AGS.1651/4				Socket, relay	1		B		
	Clare RP.9005				Terminal	1				
	Hellermann HC.292				Terminal	27		C		
5X/1112831	Hellermann HC.296K				Terminal	9		C		
5X/	Hellermann HC.306A				Terminal	2		C		
5X/	Hellermann HC.4102				Terminal	3		C		
5X/1010324	Hellermann HC.296				Terminal					

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6145-99 -951-6201	B.292823					Unit delay, group (Mod.1331)	1			
	A.292825					Bracket	2	L.72		
6145-99 -910-0108						Cable, 19/0.0076, type B, black	QR	EL.1930	C	
						Cable, 7/0.0076, type 2, black	QR	DEF.12A	C	
	Thorn 568					Capacitor	1			
	15C3J1									
	International Rectifiers					Diode, 1R.10D1	1			
	Zenner, Texas CV7146					Diode, 1S8130A	1			
	Oxley Jermyn Ind. ELL.8L					Insulation, "Barb", type 156/20 Pad, mounting, for transistor	15 2			
	Thorn B.8055.202					Pin, contact, size 20	1			
	A.292824					Platform, components	1	L.72		
	Ferranti ZS78					Rectifier, C.V.9117	5			
	Clare Elliott RL.9003					Relay, F675	2			
5905-99 -013-5481	Electrosil					Resistor, type T.R.6, 430 ohms	1			
5905-99 -013-5430	Electrosil					Resistor, type T.R.6, 1 K ohms	1			
5905-99 -013-5522	Electrosil					Resistor, type T.R.6, 22 K ohms	1			
5905-99 -013-5474	Electrosil					Resistor, type T.R.6, 220 ohms	1			
	Clare Elliott RP.9005					Socket, relay	2			
5K/7617	Hellermann HC.296K					Tag, ring terminal	3		C	
	Texas 2N1711LL					Transistor, CV.7735	2			
	Painton 200L-1-103					Tripot, 10 K ohms	1			
	Std.1509/11/020					Tube, distance	4	T.4		
5868	C.206527					Box, junction, No.2, port, group	1		A	
5940-99 -100-2695	Plessey 703/1/00249					Block, terminal, 20-way	1		B	
	Plessey CZ.73118					Box, assembly	1			
	# B.205386					Cable, F.42, group	1			
	# B.205485					Cable, F.44, group	1			
	# B.205502					Cable, F.43, group	1			
	A.200034/1					Diagram, wiring	1			
	Plessey CZ.73106					Lid, assembly	1			
5940-99 -100-4082	Plessey 703/2/00251					Link, commoning	3		C	
5X/	Plessey CZ.72949					Plug, form F.24	1		C	
	Std.1953/1-20					Sleeve, marker	1 set			
	Plessey Z.73211					Transfer, outlet	1			
5X/	Plessey Z.73213					Washer, packing	1		C	
6A/4333735	Smiths Waymouth BW.13					Box, connector, port	1		B	
6A/4333736	Smiths Waymouth BW.14					Box, connector, starboard	1		B	
10433	B.216710					Box, relay control, for air brake, group	1		A	
	C.204561					Box	1	L.72		
4178	Rotax N.65291					Bung	1		C	
5E/3038						Cable, unipren 6	QR		C	
5CW/5253	Hellermann H.V.3710					Cap, sea grey	1		C	

See Cable Chart.

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8460	A.220906 B.219892				Lid		1		C	
					Plug, form, group		1			
					Consisting of:-					
5E/3038					Cable, unipren 6		QR		C	
5935-99	Plessey 508/1/				Plug, panel unit, Mk.4		1		C	
-056-0150	40069/320									
10894	Std.1948/11				Sleeve, marker		3		C	
	Std.1948/21				Sleeve, marker		5			
	Std.1950/11				Sleeve, marker		1			
5F/					Sleeve, Helsyn 150 HT., 20 x 1"		8		C	
5K/5867	Ross Courtney				Tag, terminal		3		C	
	RC.01									
5CW/5014					Relay, type 9B, No.1		2		A	
	A.216688				RELAY, R1 AND TERMINAL BLOCK, ASSEMBLY					
5X/1997586	Plessey 703/1/				Block, terminal, 5-way		1		B	
	00190									
	A.216690				Platform, mounting		1	L.72		
	A.216689				RELAY, R1 AND WIRING, ASSEMBLY					
5CW/6717					Relay, type S.7		1		B	
5K/5867	Ross Courtney				Tag, terminal		4		C	
	R.C.01									
1638	Std.1606/44/B6				Screw, 4 B.A.		4	Brass	C	5
5CW/7552	Rotax				Switch, double pole		1		B	
5CW/1056625					Transfer, "test"		1		C	
	C.307974				Box, junction, Bomb/R.P. selector, group		1			
	C.307975				Box, detail		1	L.59		
	F.220761				Bush		2		C	
8670					Cable, unifersil 16		QR	EL.1934	C	
5E/3896					Cable, unifersil 12		QR	EL.1934	C	
5E/3898					Cable, equipt., wire, type B, 19/0.0076		QR	EL.1930		
6145-99										
-951-6201										
5X/1069086	Thorn				Connector, plug		1		C	
	PTO.5SE-14-5P									
5X/1069083	Thorn				Connector, plug		1		C	
	PTO.5SE-12-10PA									
5X/11430	Thorn				Connector, plug		1		C	
	PTO.5SE-18-11P									
	C.307976/1				Diagram, wiring		1	Photo		
10CV/	Internl. Rects.				Diode, power, silicon, 12F80		4		C	
5X/	Thorn				Ferrule		2		C	
	05-0104-183									
5X/	Thorn				Ferrule		1		C	
	05-0104-143									
5X/	Thorn				Ferrule		1		C	
	05-0104-123									
5920-99	Belling Lee				Fuse, 5 amp.		2		C	
-059-0112	L.693/5									

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
5920-99	Belling Lee	Fuseholder	2		C	
-059-0231	L.1382					
5X/2787	B.267051	Grommet	1		C	
1437804	F.241887	Lid	1		C	
	F.267054	Link, commoning	1			
	B.267050	Plate, diode mounting	1			
	F.261123	Plate, relay, group	1			
	F.261124	Plate, stud	7			
	F.261124	Plate, stud	7			
5X/	Thorn	Receptacle, jam nut	1		C	
	PT0.7SE-19S					
5X/11462	Thorn	Receptacle, jam nut	1		C	
	PT0.7SE-14-19SA					
5X/1069036	Thorn	Receptacle, jam nut	1		C	
	PT0.7SE-14-19SB					
5X/1069052	Thorn	Receptacle, jam nut	1		C	
	PT0.7SE-14-19SC					
5CW/6853	Hendrey D.4210	Relay, 10B, No.15	6		B	
5245	Std.1606/44/A10	Screw, roundhead, 6 B.A.	4	Brass	C	
4617	Std.1606/44/C14	Screw, roundhead, 2 B.A.	6	Brass	C	
5X/1931343	Thorn	Sleeve, tapered	1		C	
	C10-330954-183					
5X/1068829	Thorn	Sleeve, tapered	1		C	
	C10-330954-143					
5X/1931341	Thorn	Sleeve, tapered	1		C	
	C10-330954-123					
5K/	HV.4193	Sleeve, single-way	1		C	
5K/	HV.4189	Sleeve, single-way	1		C	
5X/6818	HV.2034	Sleeve, single-way	1		C	
5F/	Hellermann	Sleeve, 150 HT., 50 x 1"	1		C	
5X/9709513	HC.294D	Terminal	17		C	
5X/1112831	HC.296K	Terminal	109		C	
5X/	HC.306A	Terminal	9		C	
5X/7012	HC.310	Terminal	2		C	
5X/4491841	HC.314G	Terminal	2		C	
8673	F.220762	Washer	2		C	
	C.315182	Box, A.C. distribution, assembly				
	C.315183	Box, distribution	1			
5X/1997586		Block, terminal, 5-way	2			
5E/3038		Cable, unipren 6	12ft.			
	B.315184/1	Diagram, wiring	1			
10H/0590109	Belling Lee	Fuse, 1 amp.	1			
	L/693/1					
10H/0590110	L/693/2	Fuse, 2 amp.	2			
10H/21790		Fuse, dummy	2			
	A.315245	Lid, group	1			
	A.315245/2	Strip, sealing, 1/2" x 1/16"	18 1/2"			
	F.195858	Link, commoning	2			
	Std.2134/11	Sleeves, HT 30 x 3/4"	10			
	508/1/40041/320	Sleeves, coded	16			
10H/0560240	508/1/40042/321	Socket, panel unit, code 42	1			
10H/0560251	508/1/40043/320	Socket, panel unit, code 43	1			
10H/0560260	Ross Courtney 01	Socket, panel unit, code 45	1			
5K/5867	Belling Lee	Tag 2.5amp.	10			
10H/0590100	L.1348	Unit, fuse	5			
	Std.915/A20	Washer	QR			

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
9615	B.229465	Box, G90 camera, group	1		B	
5L/9951273		Filament, 28V, 3.5watt	1		B	
5CX/4191		Lamp, warning	1		B	
5935-99	Plessey	Plug, code 45	1		C	
-056-0080	508/1/40063/322					
10F/0530453		Relay, SM5A No.25	1		A	
3837	Std.1606/44/B10	Screw	4	Brass	C	5
5935-99	Plessey	Socket, code 45	1		C	
-056-0260	508/1/40063/320					
9616	F.224534	Support, wire	1	LFS.21	C	
5CW/1047700		Switch, D.P.	1		B	
5CW/4485		Transfer, "Normal"	1		C	
5CW/1056625		Transfer, "Test"	1		C	
9637	B.220068	Box, top temperature A.C. control, group	1		A	
7139	F.208121	Bar, bridge	1	L.72	MR/C	
5X/1997586	Plessey	Block, terminal, 5-way	1		B	
	703/1/00190					
	B.220069	Box	1			
	F.220072	Bracket, mounting, for T.B.	1	L.72		
5E/3038		Cable, unipren, 6 amp.	QR		C	
10C/0115567		Capacitor, 0.5 MFD, 250V	3		C	
4818	Std.840/35	Clip, securing capacitors, 7/16" wide x 22 S.W.G. x 3.5" long (Make from 30B/1433)	1	DTD.610	MR/C	4
9337	A.220070	Lid	1	L.59	C	
	A.220071	Platform, mounting, for torque switch and relay	1			
5935-99	Plessey	Plug, panel mounting	1		C	
-056-0060	508/1/40061/320					
5935-99	Plessey	Plug, panel mounting	1		C	
-056-0565	508/1/40061/325					
10CV/5174	Ferranti ZS.10A	Rectifier, silicon	1		B	
10F/0530453		Relay, type SM5A-N.25	1		A	
5F/		Sleeve, Helsyn, 150 HT., 20 x 3/4"	12		C	
5F/		Sleeve, Helsyn, 150 HT., 30 x 1/2"	1		C	
5935-99	Plessey	Socket, panel mounting	1		C	
-056-0240	508/1/40041/320					
5CW/5907	Smiths EAP.2340	Switch, torque	1		A	
5K/5867	Ross Courtney 01	Tag	10		C	
5K/3623	Tucker S.79	Tag, eyelet	9		C	
5F/		Tube, 1-1/2" m/m i/d	QR	P.V.C.	C	
5X/9010	AS.2722	Bracket, insulating bus-bar	2		C	
5828	A.203115	Bracket, plug mounting	1		C	
	A.221292	Bracket, emergency, fuse, at frame 12	1	L.72		
12488	A.227828	Bracket, for levelling controller	2			
5CY/9550803		Breaker, circuit, type A2	1			
5925-99		Breaker, circuit, type A6, 45amp.	2		A	
-437-6060						
5CY/2559		Breaker, circuit, type A.1, 5 amp.	1			
5CY/4376383		Breaker, circuit, type A.3, 15 amp.	2			
	B.273272	Breaker, circuit, assembly (Port)				
	A.268200	Angle	2			
5CY/5311		Breaker, circuit, LGA-12B1	4		B	
5925-99		Breaker, circuit, LGA-18-B1	1		B	
-437-6488						
5925-99		Cap, protective	5		C	
-437-6068						

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
1437083	# B.205370	Cable, F38	group				1				
	# B.205371	Cable, F39	group				1				
	# B.205342	Cable, F41	group				1				
	# B.205372	Cable, F45	group				1				
	# B.268333	Cable, F47	group				1				
	# B.206429	Cable, F48	group				1				
	# B.283726	Cable, F51	group				1				
	# B.205399	Cable, F56	group				1				
	# B.206820	Cable, F58	group				1				
	# B.206369	Cable, F61	group				1				
	# B.205330	Cable, F68	group				1				
	# B.205331	Cable, F69	group				1				
	# B.205332	Cable, F70	group				1				
	# B.205694	Cable, F72	group				1				
	# A.287753	Cable, F75	group				1				
17132	# B.219746	Cable, F77	group				1				
	# B.212479	Cable, F78	group				1				
	# B.207872	Cable, F80	group (Mod.210)				1				
	# B.212477	Cable, F100	group				1				
	# B.215231	Cable, F108	group				1				
	# B.215818	Cable, F111	group				1				
	# B.220000	Cable, F112	group				1				
	# B.260911	Cable, F113	group				1				
	# A.215941	Cable, F117	group				1				
	# A.215875	Cable, F119	group				1				
	# B.219744	Cable, F131	group				1				
	# B.219747	Cable, F132	group				1				
	# B.219671	Cable, F133	group				1				
	12491	# A.221286	Cable, F134	group				1			
		# A.221287	Cable, F135	group				1			
# A.221288		Cable, F136	group				1				
12487	# A.221289	Cable, F137	group				1				
	# B.254649	Cable, F140	group				1				
11396	# B.221887	Cable, F141	group				1			M.R.	
	# B.254855	Cable, F142	group				1				
	# B.222565	Cable, F145	group				1				
	# B.222700	Cable, F146	group				1				
	# A.225389	Cable, F147	group				1				
	# A.255023	Cable, F186	group				1				
	# B.260913	Cable, F205	group				1				
	# B.205394	Cable, E5A	group				1				
	# B.226183	Cable, PC1	group				1				
	# B.215752	Cable, PC2	group				1				
	# B.225771	Cable, PC3	group				1				
	# B.225772	Cable, PC4	group				1				
	# A.216460	Cable, PC17	group				1				
	# F.203862	Cable, earth	group				1				

For details see Cable Chart.

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
	C.246124	Cable, loom, F.57, group (Mod.928) Consisting of:-	1			
	F.215876	Bracket (Mod.538)	1			
	F.216571	Bracket	1	L.72		
10534	F.228361	Bracket (Mod.538)	1	L.72	C	
5E/3038		Cable, unipren 6	QR		C	
	A.262441	Cable, for bridge light (Mod.1015)	1			
5CX/2454		Lamp, type "B" No.1 U/N	2		A	
5CX/4058		Lamp, type "C" No.2	10		B	
F.203673	F.203673	Screen, lamp	1		C	
5CX/3430		Screen, lamp	8		C	
5935-99		Steeve	1		C	
-100-5131						
5F/	Hellermann	Steeve, 100 HT., 20 x 4"	1		C	
5F/	Hellermann	Steeve, 100 HT., 30 x 1"	1		C	
5F/	Hellermann	Steeve, 100 HT., 75 x 4"	1		C	
10894	Std.1948/11	Steeve	QR		C	
	Std.1948/21	Steeve	QR			
10748	Std.1949/11	Steeve	QR			
	Std.1950/11	Steeve	QR			
5CW/11752		Switch, S.P. (Mod.1312)	1		B	
5X/3623	Tucker S.79	Tag, eyelet	20		C	
5X/6283	Z.55958	Tag	1		C	
5CW/1055544	Rotax	Transfer, switch "ON"	1		C	
	N.100397/1					
14A/4290115		Camera, G.90	1		A	
5935-99	508/1/41035	Cap, protective, at A.C. distributor box	2		C	
-097-0055						
4760	Std.841/32	Clip, securing cables at generator control panel, 7/16" wide x 22 S.W.G. x 3.2" long	1	DTD.610	MR/C	4
26VA/6041262	Std.2046/19/24	Clip, sleeved (AS.830/32)	1	S.510		
E.315266-7		CLIPPING OF ELECTRICAL CABLES, ASSEMBLY				
5K/4346060	Hellermann	Bung, forward face of frame 14	1		C	
	HV.3185					
	Thorn	Cap, protective	1		C	
	10-101964-123					
26VA/6044412	Std.2045/17/26	Clip, securing cable	4		C	
	Std.2045/40/22	Clip, securing cable	1			
	Std.2045/44/20	Clip, securing cable	1			
1	26VA/6044400	Std.2045/35/22	Clip, securing cable	1	C	
	26VA/6041256	Std.2045/54/20	Clip, securing cable	1	C	
	11303	Std.2046/17/26	Clip, securing cable	5	C	
	11304	Std.2046/21/24	Clip, securing cable	2	C	
	11795	Std.2046/22/24	Clip, securing cable	1	C	
		Std.2046/25/22	Clip, securing cable	2		
26VA/6041762	Std.2046/26/22	Clip, securing cable	1		C	
	Std.2046/28/22	Clip, securing cable	1			
	Std.2046/33/22	Clip, securing cable	2			
1	11797	Std.2046/38/22	Clip, securing cable	1	C	
	26VA/6044071	Std.2046/50/20	Clip, securing cable	1	C	
1		Std.2046/50/22	Clip, securing cable	1	C	
	F.317986	Fairlead	1			
	F.317987	Fairlead	1			

ELECTRICAL EQUIPMENT – FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/	Plessey Z.Z.139934/D					Ferrule	3		C	
5X/	Plessey Z.Z.139935/D					Ferrule	3		C	
5X/6700	Plessey Z.71632					Gland	3		C	
6733	A.207436					Nut, at bung, fwd. face of frame 14	1	L.65.C	C	
5X/	Thorn PTBJSE-12-10PS					Receptacle, plug, bulkhead	1		C	
5X/	Thorn PTBJSE-12-10PSA					Receptacle, plug, bulkhead	1		C	
5X/	Thorn PTBJSE-12-10PSB					Receptacle, plug, bulkhead	1		C	
5X/	Thorn PTRJSE-14-2PS					Receptacle, plug, bulkhead	1		C	
5X/	Thorn PTBJSE-14-5PS					Receptacle, plug, bulkhead	1		C	
5X/	Thorn PTBJSE-14-15PS					Receptacle, plug, bulkhead	1		C	
5X/	Thorn PTRJSE-18-11PS					Receptacle, plug, bulkhead	1		C	
5935-99	Plessey					Sleeve, adaptor	70		C	
-100-5131	Z.49428									
5X/4500093	508-1-03961					Socket, assembly	3		C	
5F/9454141	NY.18007A					Strapping, 1/2" wide	QR		C	
5F/9506025	NY.18067					Strapping, 5/16" wide	QR		C	
5F/9138822	NY.3342					Stud	QR		C	
5F/9138823	NY.3255					Stud	QR		C	
1	Std.1509/23/034					Tube, distance	1	T.4		
26VA/6034595	Std.1509/23/090					Tube, distance	1	T.4		
5F/	E & T.659					Tube, 5/16" i/d	30"	P.V.C.	C	
5F/						Tubing, 3/8" i/d	9"	P.V.C.	C	
6734	Std.1335/A18					Washer, for earth lead	2	L.4	C	4
6735	Hellermann 445232					Washer, at bung, forward face of frame 14 (Alt. to F.207437)	1		C	
7060	F.207437					Washer, at bung, forward of frame 14 (Alt. to Hellermann 4452/2)	1	DTD.171	C	
	D.273944					COCKPIT, LIGHTING EQUIPMENT, ASSEMBLY (Mod.1260)				
	A.244835					Bracket, for lamp on frame 9, starboard (Mod.928)	1			
	A.216545					Bracket, mounting, lamp and switch	1	L.72		
11312	A.227073					Bracket, mounting, for switch	1	L.72	C	
	F.262032					Bracket, (Mod.1015)	1	L.72		
4823	Std.841/42					Clip, securing bulb stowage	2		MR/C	
	Std.2045/19/26					Clip, sleeved	1	S.510 or S.511		
11227	Std.2045/21/24					Clip, sleeved	2	S.510 or S.511	C	
11795	Std.2046/22/24					Clip, sleeved	2	S.510 or S.511	C	
11304	Std.2046/23/24					Clip, sleeved	1	S.510 or S.511	C	
	Std.2046/30/22					Clip, sleeved	1	S.510 or S.511		
11384	Std.2046/34/22					Clip, sleeved	2	S.510 or S.511	C	
11208	Std.2045/15/26					Clip, sleeved	3	S.510 or S.511	C	

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
26VA/6044295	Std.2046/18/26	Clip, sleeved	1	S.510 or S.511		
	Std.2045/31/22	Clip, sleeved	2	S.510 or S.511		
11794	Std.2046/15/26	Clip, sleeved	3	S.510 or S.511	C	
20238	Std.2046/30/22	Clip, sleeved	1			
26VA/6041260	Std.2046/16/26	Clip, sleeved (AS.900/74)	1	S.510 or S.511		
5L/9951283		Lamp, filament, 28V., 3.5W (red)	11		B	
5L/9952261		Lamp, filament 12V., 7.5W	2		B	
5893	A.201372	Mounting	1		MR/C	
	F.203501	Plate, mounting, port (AS.900/74)	1	L.72		
	F.203502	Plate, mounting, starboard	1	L.72		
	F.244834	Plate, nut, for lamp bracket, on frame 9, starboard	1	S.510		
4871	Std.1606/44/A8	Screw, roundhead	4	Brass	C	5
5245	Std.1606/44/A10	Screw, roundhead	12	Brass	C	5
5246	Std.1606/44/A12	Screw, roundhead	2	Brass	C	5
5247	Std.1606/44/A16	Screw, roundhead	9	Brass	C	5
3838	Std.1606/44/B8	Screw, roundhead	2	Brass	C	5
5248	Std.1606/45/A8	Screw, countersunk	8	Brass	C	5
10535	F.223546	Stowage, bulb (Mod.538)	1	L.72		
5F/9454141	NY.18007A	Strapping	QR		C	
5F/9138822	NY.3342	Stud	QR		C	
5CW/2449		Switch, dimmer type "R" 5 ohms	1		B	
5CW/2451		Switch, dimmer, type "R" 22 ohms	1		B	
5CW/2530		Switch, dimmer, type "R" 75 ohms	2		B	
5CW/6431		Switch, S.P. change over centre off	1		B	
5X/9400382	Plessey Z.77451	Tag, closed end	1		C	
5K/86		Collet, split	2		C	
6A/5084		Controller, levelling (AS.90074)	1		A	
6B/2754		Compass, type E2B (AS.90074)	1		A	
5CY/4520		Cover, for circuit breakers	6		C	
5K/4329498		Disc, blanking	1		C	
	A.197111	EARTHING CONNECTION, No.1, ASSEMBLY				
4978	Std.1298/7	Stud	1	S.1	C	
4979	Std.1335/C/20	Washer	3	L.1	C	4
	A.197112-3	EARTHING CONNECTIONS, ASSEMBLY				
	Std.1298/1	Stud	2	S.1		
4613	Std.1335/C/18	Washer	6	L.4	C	
	AS.3360.B3B	Earthing connection	1			
5CZ/4335731	Teddington FHJ/A/7	Element, cable (Mod.210)	1		A	
11079	C.257555	Equipment, on port forward shelf, group (Mod. 1125)	1		A	
	B.238563	Box, switch, group (Mod.907)	1			
10966	B.238564	Box, group	1		B	
	A.238566	Cover	1			
	F.238573	Lever, operating	1	S.518 TH		
	F.238574	Lever, operating	1	S.518 TH		
	F.240559	Plate, back	1	L.73		
10495	F.238579	Spindle, tappet	1		C	
1642	F.190212	Spring	1	Sp.Steel	C	
10496	F.238576	Spring	1		C	
10542	F.240558	Spring	1	Sp.Steel	C	
	Std.1509-12-046	Tube, distance, 1/4" o/d x 20 S.W.G. 0.46" long	1	T.4		
5925-99 -437-6481	B.T.H. Ltd.	Breaker, circuit, type LGA.24 B1/1	1		A	
1638	Std.1606/44/B6	Screw, securing switch	2	Brass	C	
3838	Std.1606/44/B8	Screw, securing, circuit breaker	2	Brass	C	5

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/7539					Switch, S.P., change-over, centre "off", spring return both ways (Mod.1072)	1		B		
5CW/4405557					Transfer, "UP"	1		C		
5CW/1055022					Transfer, "DOWN"	1		C		
26VA/604119	Std.1509/12-078				Tube, distance, 1/4" o/d x 20 S.W.G. x 0.78" long	2	T.4			
	# C.212529				Cable, form F.19, port	1				
10745	B.238692				Cable, F.169	1		B		
	# B.205363				Cable, F.28	1				
5CW/5252	Hellermann HV.3711				Cap, Helvin, sea grey	2		C		
3734	Std.840/14				Clip	1	DTD.610	MR/C	4	
3741	Std.840/20				Clip	1	DTD.610	C	4	
11792	Std.2045/31/22				Clip, securing	1	DTD.610		4	
11078	F.257143				Cover, dolly (Mod.1125)	1	Neoprene	C		
	B.238964				Diagram, wiring	1	Photo			
5CW/9197	Honeywell 5PA.8				Guard, switch (Mod.1125)	1		C		
9422	F.219454				Guard, locking jet pipe temperature switch	1	L.72	C		
5CZ/4335566	Dowty C.5165Y Mk.1				Indicator, magnetic	1		A		
6A/4333339	Smiths 501/FL				Indicator, position, trim	1		A		
5264	AW.88052				Lock, trim switch, group	1		B		
5700	AW.49162				Plunger	1	S.1	MR/C		
5701	AW.49163				Spring	1	Steel	MR/C		
	F.254505				Plate, switch adaptor (Mod.1125)	1				
1638	Std.1606/44/B6				Screw, securing D.P. "on-off" switch	6	Brass	C		
3837	Std.1606/44/B10				Screw, securing clips	2	Brass	C	5	
1178	Std.1606/44/B12				Screw, securing clips (Mod.907)	13		C		
3839	Std.1606/44/B16				Screw, securing position indicator	2	Brass	C	5	
3838	Std.1606/44/B8				Screw, securing switches S.P.	8	Brass	C	5	
3856	Std.1606/44/C20				Screw, securing trim switch	4	Brass	C	5	
	B.205523				Shelf, group	1				
	F.238658				Guard, plug mounting (Mod.907)	1	L.72			
	F.216695				Guard, for tail plane starboard actuator	1	L.72			
5CW/4400035	Western Manuf'g L.1611				Switch, trim, Mk.8/2	1		A		
5CW/6429					Switch, S.P., C.N.O.P. (Mod.907)	2		B		
5CW/9115	Honeywell 2TL1-3D				Switch, "ON/OFF" (Mod.1125)	1		B		
5CW/1055544					Transfer, "on"	2		C		
5CW/1055545					Transfer, "off"	2		C		
	Std.1509/12/104				Tube, distance, 1/4" o/d x 20 S.W.G. x 0.14" long	1	T.4			
	D.315438				Equipment, on port, rear shelf, group	1		A		
5X/6480	703/2/00465				Bar, commoning	2		C		
5X/6898	703/2/00467				Bar, commoning, L.H.	1		C		
5X/6899	703/2/00468				Bar, commoning, R.H.	1		C		
6076	F.207954				Bar, ganging	1	Fibre	C		
5X/4491482	703/1/00240				Block, fuse, Q/R with identification tags less cover	6		B		
5940-99	Plessey				Block, terminal, 20-way	2		B		
-100-2695	703/1/00249									
5X/1004088	703/2/00244				Block, terminal, 10-way	2		B		
5925-99	B.T.H. LGA.6.B1/1				Breaker, circuit, type 6 amp. 28V (Mod. 848)	1		A		
-437-6082										
5925-99					Breaker, circuit, type A, 15amp.	1		A		
-437-6383										
	# C.315437				Cable, form A for rear cockpit shelf, port group	1				
7814	F.206917				Plate, tapped	3	L.72	MR/C		
7815	F.206918				Plate, tapped	1	L.72	MR/C		
	# C.241843				Cable, form B, for rear cockpit shelf, port, group	1				
7815	F.206918				Plate, tapped	2	L.72	MR/C		

For details see Cable Chart.

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5E/3038										
5E/3042						28'	EL.1470	C		
5CW/5252	Hellermann HV.3711					78'	EL.1470	C		
	B.189231					1		C		
	Std.2045/23/24									
5CY/4520						1				
5925-99	A.E.I. Ltd.					2				
-437-6068	CX.119950					1		C		
	C.315424/1					1		C		
10H/21797						1	Photo			
10H/21798						4		C		
10H/21800						12		C		
10H/21791						2		C		
5CW/4222	Rotax ZA2401					6				
	F.237753					1		C		
	F.222697					1				
5940-99	703/2/00251					4		C		
-100-4082										
5940-99	703/2/00252					1		C		
-100-4083										
5X/6314	703/2/00255					1		C		
5X/1012122	703/2/00259					2		C		
	C.242646					1	DTD.610			
	A.207504					1				
5E/3038						1				
5F/						9		C		
5CW/6719						7		C		
	Std.1950/11					1		A		
10894	Std.1948/11					1				
5K/4346693	RC.2120					6		C		
9729123	A.205946					1				
5E/3038						1				
5F/						11'		C		
10894	Std.1948/11					8		C		
5CW/6719						1		C		
5K/4346693	RC.2120					1		A		
1639	Std.1606/44/A6					5		C		
1638	Std.1606/44/B6					4		C	5	
3837	Std.1606/44/B10					14		C	5	
1178	Std.1606/44/B12					4	Brass	C	5	
3839	Std.1606/44/B16					4	Brass	C	5	
4179	Std.1606/44/B20					2	Brass	C	5	
5CZ/4335603	Teddington FHK/A/26					3	Brass	C	5	
	C.242644					1		A		
1644	F.189202					1				
1645	F.189203					3	DTD.610	C		
28FP/9520205	Dzus A.3/20					1	DTD.610	C		
28FP/9144248	Dzus A.4/25					2		C		
28FP/1200486	Dzus S.3/150					4		C		
	Std.1952/1-40					2		C		
	Std.1953/1-24					1 set				
	Std.1953/1+24+					1 set				
	Std.2134/11					1 set				
	Std.2135/11					QR				
5CW/4400051	Kelvin & Hughes KSD/02/01					QR				
						1		A		
5CW/1047700						1		B		
5CW/1047693						5		B		

Hunter Single Seater
Issued with A/L No.1

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5CW/4679	Dowty C.1223Y Mk.12	Switch, lever, cabin temperature control	1		A	
1 5CW/7249	N.S.F. Ltd. 7675.B.102	Switch	1		A	
5CW/6453	R.C.2120	Switch, magnetic relay, type 9B, No.2A	1		A	
5K/4346693	R.C.2122	Tag, 4 amp., O/R	19			
5X/6439	703/2/00323	Tag, 19 amp., O/R	7			
5940-99	703/2/00341/020	Tag, 19 amp., closed	4		C	
-940-0066		Thimble, 19 amp.	4		C	
5CW/4485		Transfer, "normal"	1		C	
5CW/1056625		Transfer, "test"	1		C	
5CW/4334		Transfer, "manual"	1		C	
5CW/4335		Transfer, "auto"	1		C	
5CW/1055544		Transfer, "on"	3		C	
5CW/1055545		Transfer, "off"	3		C	
1	D.299467	Equipment, on leg panel, group (Mod.2586)	1		A	
5X/6480	703/2/00465	Bar, commoning, 4-way	3		C	
5X/4491482	703/1/00420	Block, fuse	4		B	
5X/1004088	703/2/00244	Block, terminal, 10-way	3		B	
	F.188304	Bracket, for plug socket	1	DTD.610		
5925-99		Breaker, circuit, type A2	1		A	
-9550-803						
1	D.268460	Cable, form, at leg panel, group	1			
5E/3038		Cable, unipren 6	QR	EL.1470	C	
5E/3040		Cable, unipren 12	QR	EL.1470	C	
5E/3042		Cable, unipren 24	QR	EL.1470	C	
	F.206919	Plate, mounting	1			
	F.206916	Plate, tapped	2			
	F.206918	Plate, tapped	1			
	F.206917	Plate, tapped	1			
5X/7159	2CZ.111229	Plug, high temp.	4		C	
5X/7152	2CZ.111227	Plug, high temp.	2		C	
5X/7154	2CZ.111224	Plug, high temp.	2		C	
5X/7146	2CZ.111404	Plug, high temp.	1		C	
	Std.2134/11	Sleeve, marker	40			
	Std.2134/21	Sleeve, marker	10			
5935-99	Z.49428	Sleeve, reducing	122		C	
-100-5131						
5X/6439	703/2/00323	Tag, closed end, 19 amp.	2		C	
5K/4346693	R.C.2120	Tag	29			
5K/4346711	R.C.2121	Tag	2			
	R.C.2122	Tag	5			
5940-99	703/2/00341/020	Thimble, 19 amp.	2		C	
-940-0066						
#	A.270593	Cable, assembly, A11	1			
#	B.205375	Cable, assembly, E3/A	1			
#	B.208112	Cable, form, F.32	1			
5E/3038		Cable, unipren, 6 amp.	18 ¹		C	
5E/3040		Cable, unipren, 12 amp.	4 ¹		C	
5E/3042		Cable, unipren, 24 amp.	19 ¹		C	
5X/1089	Z.13032	Cap, screening	1		C	
5CY/3610		Cover, protective	1		C	
or						
5CY/4520						
5K/9573173		Cover, spring	1		C	
1	C.299299	Diagram, wiring	1	Photo		
5CX/4264	Std.1512/1	Disc, identification	2		C	
5L/9951273		Filament, 28V, 3.5W	2		B	
10H/23865		Fuse, 2.5amp., type H.R.C.	2		C	
10H/21797		Fuse, 2.5amp., type 5	2		C	
10H/21799		Fuse, 10 amp.	3		C	
10H/23801		Fuse, 20 amp.	1		C	
10h/21798		Fuse, 5 amp.	1		C	
5X/4491389	Plessey Z.23201/B	Gasket, sealing	1		C	
5K/	Hellermann 3033	Grommet, dummy	1		C	
5CX/1553		Lamp, earning, type B	2		B	
5X/1012122	703/2/00259	Link, commoning, 10-way	1		C	
5940-99	703/2/00252	Link, commoning, 3-way	1		C	

For details see Cable Chart.

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5940-99 -100-4082	703/2/00251					Link, commoning, 2-way	1		C	
4490	F.199451					Nut, special, at transfer "on" and "off" switch	1	L.65.C	C	
10448	D.272443					Panel, leg, group	1	DTD.610		
6020	A.188306					Bar, ganging	1	M.S.	C	
6021	F.202763					Bracket, for relays	1		MR/C	
	F.202764					Bracket, for relay	1		MR/C	
	A.196162					Bracket, for terminal block	1	DTD.610		
4615	B.188298					Door, group	1	DTD.610	C	
28FP/9144248	Dzus A.4/25					Fastener	3		C	
	A.188310					Lever, rudder bar release, group	1			
1649	F.188308					Lever	1	T.26 or T.45	C	
1650	F.188311					Shackle	1	S.3	C	
5706	A.191440					Panel, front (top portion)	1	L.72	MR/C	
7820	B.204949					Panel, front (bottom portion)	1	L.72	MR/C	
5705	A.203256					Panel, access	1	L.72	MR/C	
10502	A.192533					Plate, identification	1	DTD.610	C	
	F.272187					Plate, locking	1			
4211	Std.1687/2					Saddle	4	DTD.610	C	
4661	Std.1606/45/B12					Screw, for relay mountings	4	Brass	C	
3190	F.151094					Spring, for ganging bar	1		MR/C	
	F.199450					Plate, locking, at transfer "on" and "off" switch (Make from 30B/172, 1-3/4" x 3/4")	1	L.73		
6A/4333267	Smiths 2 A.C.R.					Ratiometer, indicator, for oil pressure	1		A	
1639	Std.1606/44/A6					Screw, securing protective cover	2	Brass	C	5
5247	Std.1606/44/A16					Screw, securing DP. switch	4	Brass	C	5
1638	Std.1606/44/B6					Screw, securing fuse block	8	Brass	C	5
3838	Std.1606/44/B8					Screw, securing, "on-off" switches	11	Brass	C	5
3837	Std.1606/44/B10					Screw, securing, bracket, for plug socket	4	Brass	C	5
4179	Std.1606/44/B20					Screw, securing magnetic relay switch	2	Brass	C	5
1720	Std.1606/44/B24					Screw, securing ratiometer oil indicator	4	Brass	C	5
3840	Std.1606/44/B28					Screw, securing terminal block, 10-way	6	Brass	C	5
	Std.1953/1-16					Sleeve, marker	2 sets			
	Std.1953/17-30					Sleeve, marker	1 set			
	Std.1953/1+16+					Sleeve, marker	1 set			
	Std.2135/11					Sleeve, marker	QR			
4491	F.199449					Stud, at transfer "on" and "off" switch	1	S.95.B	C	
5CW/1047690						Switch, S.P., "on-off", "upright off"	4		B	
5CW/1047699						Switch, D.P., "on-off", "upright off"	1		B	
5CW/6453						Switch, magnetic, type 9B No.2A	1		A	
5CW/1102662	Rotax D.0701					Switch, D.P., type B	1		A	
5X/6439	703/2/00323					Tag, closed end	2		C	
5K/4346693	RC.2120					Tag, quick release, 6 amp.	9			
5K/4346711	RC.2121					Tag, quick release, 12 amp.	3			
	RC.2122					Tag, quick release, 24 amp.	8			
5X/6215	703/2/00320					Tag, closed end	1		C	
5CW/1055545						Transfer, "off"	5		C	
5CW/1055544						Transfer, "on"	5		C	
5K/4329551						Transfer, "engine starting"	1		C	
	E.315286					Equipment, on starboard cockpit shelf, group	1			
5X/6480	703/2/00465					Bar, commoning	2		C	
5X/6898	703/2/00467					Bar, commoning (Make from 5X/6480)	1			
5X/6904	703/2/00472					Bar, commoning	1			
5X/6903	703/2/00471					Bar, commoning	1			
5X/4491482	703/1/00420					Block, fuse Q/R with identification tags, less cover	4		B	
5X/1004088	703/2/00244					Block, terminal, 10-way	3		B	
5940-99- -100-2695	703/1/00249					Block, terminal, 20-way	2		B	
	B.210684					Bracket, shelf end	1	DTD.610		
5925-99 -999-2777						Breaker, circuit, type A, No.14	2		A	

Hunter Single Seater
Issued with A/L No.1

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5925-99 -437-6060						Breaker, circuit, type A, No.6	1		A	
	# C.315367					Cable, assembly, F.33	1			
	# B.215816					Cable, assembly, F.109	1			
	# D.315366					Cable, Form "A", Group	1			
7815	F.206918					Plate	2	L.72	MR/C	
	F.233330					Plate, reinforcing (AS.770/82)	2	L.72		
	# B.205662					Cable, form "B"	1			
	# B.268469					Cable, form "C", group	1			
7813	F.206916					Plate	1	L.72	MR/C	
5E/3038						Cable, unipren, 6 amp.	QR		C	
5E/3042						Cable, unipren, 24 amp.	QR		C	
5CY/4520						Cap, protective	3		C	
	B.190259					Channel, mounting, fuse and terminal block	1			
	Std.2045/32/22					Clip, securing	1			
	Std.2045/24/24					Clip, securing	1			
	Std.2045/28/22					Clip, securing	2			
5940-99 -914-9643	703/1/00266					Cover, transparent	2		C	
	C.314892/1					Diagram, wiring	1	Photo	C	
6A/4333728	Smiths Waymouth A0.26					Gauge, fuel contents	2		A	
	Rotax N.65290					Grommet	3		C	
5CW/5045	Dowty					Indicator, magnetic	2		A	
5CZ/5210	C.5165Y Mk.7									
5CZ/4335580	Plessey CZ.74109/2					Indicator, magnetic, eyeball type	2		A	
5CZ/5074						Indicator, magnetic, fuel tank	2		B	
5L/9951273						Lamp, filament, 28V, 3.6W, type A	2		B	
5CX/5154	Rotax H.2805					Lamp, warning	2		B	
5940-99 -100-4085	703/2/00254					Link, commoning, 5-way	1	DTD.213	C	
5X/1012122	703/2/00259					Link, commoning, 10-way	2		C	
5940-99 -100-4083	703/2/00252					Link, commoning, 3-way	2		C	
5CZ/4350503						Lug, cable	6		C	
	B.315287					Mounting	1			
	F.264749					Mounting, at circuit breakers	6	Rubber		
4490	F.199451					Nut, special	2	L.65	C	
	Std.1546/19/12					Packing	6			
	C.215977					Panel, top, for starboard cockpit shelf	1	L.72	C	
5340-99 -945-0403	703/2/00267					Pillar	4		C	
1	A.318319					Plate, cover	1			
	F.236326					Plate	1			
7966	F.214772					Plate, guard	2	L.72	C	
5CY/596						Plug, type "F"	1		B	
1639	Std.1606/44/A6					Screw, securing protection cap	6	Brass	C	5
1638	Std.1606/44/B6					Screw, securing switches	8	Brass	C	5
	Std.1606/44/B12					Screw, securing cover plate	2			
	Std.1606/44/B14					Screw, securing switches	2	Brass	C	5
3839	Std.1606/44/B16					Screw, securing switch	2	Brass	C	5
4179	Std.1606/44/B20					Screw, securing socket, type "E"	2	Brass	C	5
1	C.318418					Shelf, group	1	DTD.610		

For details see Cable Chart.

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28FP/9488815	Dzus A.4/30					Fastener	1		C	
	Std.2136/11					Sleeve, marker	QR		C	
	Std.2134/11					Sleeve, marker	QR		C	
	Std.1953/1-16					Sleeve, marker	2sets			
	Std.1953/17-70					Sleeve, marker	1 set			
	Std.1953/1+16+					Sleeve, marker	1 set			
	Hellermann					Sleeve, Helsyn, 150 HT. 20	QR		C	
5935-99						Socket, type F	1		B	
-105-9467										
7965	F.214771					Stud, for guard, plate	2	S.95.B	C	
	Honeywell					Switch	1			
	ITL1-3									
	Honeywell					Switch	1			
	2TL1-3									
5CW/7552						Switch, D.P., change-over, centre and one side on spring return to centre	1		B	
5CW/1047698						Switch, D.P., change-over, centre "off" spring return both positions	1		B	
5CW/1047690						Switch, S.P., "on-off", upright "off"	2		B	
5CW/1047694						Switch, S.P., change-over, centre "off"	2		V	
5CZ/4335753	Plessey Z.97676					Spacer	4		C	
	Hellermann					Tag, twingrip	3			
	HC.294									
5K/5866	RC.00					Tag	2			
5K/4346693	RC.2120					Tag, 6 amp.	23			
	RC.2122					Tag, 24 amp.	12			
5X/6439	703/2/00323					Tag, closed end, 19 amp.	4		C	
5CW/1055544						Transfer, "on"	3		C	
5CW/1055545						Transfer, "off"	4		C	
5CW/4481						Transfer, "port"	1		C	
5CW/4485						Transfer, "normal"	1		C	
5CW/4482						Transfer, "starboard"	1		C	
5CW/4335						Transfer, "auto"	2		C	
5CW/5887						Transfer, "wing"	2		C	
5CW/1056625						Transfer, "test"	4		C	
6145-99						Wire, equipment, type 2, yellow	QR	DEF.12	C	
-910-0178										
10H/11718	Belling Lee					Fuse, 5 amp. emergency at frame 12	2		B	
	L.1055/5									
10H/0590100	Belling Lee L.356					Fuse, holder, emergency at frame 12	2		B	
5CW/4222	Rotax ZA.2401					Guard, locking	1		B	
5CZ/4335753	Plessey					Indicator, magnetic	1		B	
	7CZ.97636/2									
5UB/4938						Inverter, type 100A	2		A	
5CX/446						Lamp, cockpit, Mk.1A (Service light)	2		B	
5L/9953271						Lamp, filament, 28V, 7W	2		B	
5L/9959121						Lamp, filament, 20V., 0.40amp.(AS.900/74)	1		B	
5L/9951273						Lamp, filament, 28V., 3.5W (AS.900/74)	2		B	
5CX/4192						Lamp, warning, type "B" (AS.900/74)	2		A	
6B/2755						Lead and socket (AS.900/74)	1		B	
6022	A.201761					Lead, inverter connection	2		B	
8543	F.218495					Mounting, for G.90 camera box	8	Rubber	C	
	D.264749					Mounting	8	Rubber		
	B.315287					Mounting	1			
	C.273939					MQUNTING, INVERTER, ASSEMBLY	1			
	A.244347					Bracket, mounting, inverter	1		A	
1 5UB/74C1						Inverter, type 300	1			
	Std.2051/5/AC					Link-wire	1			
	Std.1509/23/146					Tube, distance	4	T.4		

Hunter Single Seater

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.233555	MOUNTING, MAGNETIC AMPLIFIER, ASSEMBLY (AS.900/74)				
7058	B.209359	Channel, mounting	2		C	
7059	F.209362	Screw, special U.N.F. thread	4	S.95.B	C	
6712	F.203133	Washer	2	Rubber	C	
5K/4329334		Nut, securing	1		C	
5CZ/	Teddington CON.5738/3	Nut, for adaptor plate	4		C	
	D.300067	Panel, generator control, group (Mod.968)	1		A	
5X/4491482	703/1/00420	Block, fuse, with identification tags, less cover	2		B	
5X/1004088	703/2/00244	Block, terminal, 10-way	1		B	
	F.196207	Bolt, special, for securing links	2	BSS.250.B	A	
5925-99 -437-6383		Breaker, circuit, type A3, 15 amp.	2		A	
5CY/2853		Breaker, circuit, type D	2		A	
	A.198117	Bracket, mounting	1	DTD.610	C	
10965	A.222498	Bracket, "test-normal" flight inverter switch	1	L.27	C	
4178	Rotax N.65291	Bung, sealing	4		C	
	# D.243101	Cable, form and assembly, F.49	1			
	# B.205481	Cable, assembly, F.52	1			
5CY/4520		Cap, protective	2		C	
	Std.2045/21/24	Clip, securing cable	2	S.510		4
	Std.2045/25/24	Clip, securing cable	1	S.510		4
	Std.2045/38/22	Clip, securing cable	1	S.510		4
4768	Std.841/14	Clip, securing cable	1	DTD.610	MR/C	4
4769	Std.843/10	Clip, securing cable	1	S.3	MR/C	4
	Std.2045/24/24	Clip, sleeve, securing cable	3	S.510		
5925-99 -437-6508		Cut-out, differential, type A, Mk.2	2		A	
	C.237126/1	Diagram, wiring	1	Photo		
5X/9131181		Grommet	3		C	
	Hellermann 3111	Grommet	8			
5CZ/6000		Indicator, magnetic, type 1B	2		B	
5X/1012122	703/2/00259	Link, commoning, 10-way	1		C	
4181	A.190681	Link, connecting	1	BSS.1433	C	
4182	A.190682	Link, connecting	1	BSS.1433	C	
4183	A.190683	Link, connecting	1	BSS.1433	C	
4184	A.190684	Link, connecting	1	BSS.1433	C	
4185	F.190685	Link, connecting	1	BSS.1433	C	
	B.190680	Link, connecting	1	BSS.1433	C	
	D.300066	Panel, group	1	DTD.610		
28FP/9425773	Dzus AJW.5/35	Fastener	4		C	
	A.187946	Label, amps and volts	1	L.16 or L.59		
	A.187947	Label, "Generator No.1"	1	L.16 or L.59		
	A.187948	Label, "Generator No.2"	1	L.16 or L.59		
	A.187949	Label, "Reset"	2	L.16 or L.59		
1651	F.186573	Lug, hinge	2	DTD.364	C	
	F.209814	Packing	2			
4211	Std.1687/2	Saddle	4		C	5
5UC/4379166		Regulator, voltage, type 94	2		A	
5CW/6719		Relay, type S, No.9	4		A	
5UC/4376135		Resistance, trimmer remote, type 3,5 ohms	2		A	
5Q/4347802		Shunt, ammeter, 200 amps., 50M/V	2		B	
	Std.1953/1-8	Sleeves, marker	2 sets			
	Std.1953/1+8+	Sleeves, marker	1 set			
	Std.1953/9-10	Sleeve, marker	1 set			
5K/	Helsyn	Sleeve, HT.20 x 3/4"	24			
5935-99 -437-6392		Socket, 3 pole, 2 amps.	4		B	
5CW/1047697		Switch, D.P., change-over, no "off" position	2		B	
5CW/5014		Switch, magnetic relay, type 9B, No.1	4		A	
5CW/6185		Switch, magnetic relay, type R.3	1		A	
5CW/1047695		Switch, S.P. change-over, no "off" position	1		B	
5CW/4485		Transfer, "Normal"	2		C	
		# For details see Cable Chart				

RESTRICTED

Hunter Single Seater
Issued with A/L No.1

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
5781	Std.1509/12/174	Tube, distance, at relay bolt	1			
	Std.915/E/20	Washer, at differential cut-out	4	DTD.610	C	4
	Std.1546/36/16	Washer, profile	1			
5UC/4939	Rotax E.2801	Panel, control, type 12	2		B	
	C.314682	Panel, gun firing, group	1			
5X/1002695	703/1/00249	Block, terminal, 20-way	1		B	
5X/1957037	703/1/00232	Block, terminal, 3-way	2		B	
5CY/2559		Breaker, circuit, type A.1, 5 amp.	1		A	
	C.314682/1	Cable, earthing	1			
5E/3038		Cable, unipren 6	QR		C	
5E/3040		Cable, unipren 12	QR		C	
6145-99		Cable, wire, equipt., type B, 19/0.0076,	QR	EL.1930	C	
-951-6201						
5E/3896		Cable, unifersil 16	QR		C	
5CY/4520		Cap, protective	1		C	
12376	B.273221	Cover, for gun firing panel	1		C	
	F.244349	Clip, securing relays	1	L.72		
	C.314683/1	Diagram, wiring	1	Photo		
5920-99		Fuse, 2 amp.	4		C	
-059-0110						
10H/0590112		Fuse, 5 amp.	2		C	
10H/0590100	Belling Lee	Holder, fuse	6		C	
	L.1348					
5940-99	703/2/00252	Link, commoning, 3-way	1		C	
-100-4083						
5940-99	703/2/00254	Link, commoning, 5-way	1		C	
-100-4085						
	C.272099	Panel, detail	1			
	B.268275	Relays, "A" & "B", assembly				
5E/9516201		Cable, equipt., wire, type B, 19/0.0076,	QR	EL.1930	C	
		black				
	F.268274	Channel, relay mounting	1			
5935-99	LP.736720	Holder, base	2		C	
-911-4121						
10F/0530473		Relay, type SM5A-M4	2		B	
5F/	Hellermann	Sleeve, 150 HT., 15 x 1/2"	12		C	
	Std.2133/11	Sleeve, marker	1			
	Std.2135/11	Sleeve, marker	6			
	HC.490	Terminal, 6 B.A.	1		C	
5X/9450396		Relay, No.9, type S, 10 amp.	2		B	
5CW/6719		Screw, roundhead, 6 B.A.	2	Brass	C	
1639	Std.1606/44/A6	Sleeve, 150 HT., 15 x 1/2"	QR		C	
5F/	Hellermann	Sleeve, 150 HT., 20 x 3/4"	QR		C	
5F/	Hellermann	Sleeve, 150 HT., 50 x 1/2"	QR			
5F/	Hellermann	Sleeve, marker	1 set			
	Std.1953	Sleeve, marker	QR			
	Std.2135/11	Switch, relay, magnetic, A1, 5 amp.	1		B	
5CW/6452		Tag, Q.R.	23		C	
5K/4346693	Ross Courtney					
	RC.2120					
5X/9014365	HC.300	Terminal	2		C	
5X/9482491	HC.500	Terminal	2		C	
	Std.1507/1/025	Tube, distance	2			
	D.315360	PANEL, SUPPLY, ASSEMBLY				
5X/6903	703/2/00471/100	Bar, commoning, 2-way	1		C	
	703/2/00472	Bar, commoning R.H., 2-way	1			
	F.197407	Block, distance	16	LFS.21		
5X/4491482	703/1/00420	Block, fuse	8		B	
5940-99	703/1/00249	Block, terminal, 20-way	7		B	
-100-4082						
5X/1004088	703/2/00244	Block, terminal, 10-way	1		B	
5940-99	703/1/00238	Block, terminal, 5-way	1		B	
-100-2694						
	D.315361	Cable, form, group (See Cable Chart)	1			
7814	F.206917	Plate, tapped	1	L.72	MR/C	
7815	F.206918	Plate, tapped	4	L.72	MR/C	

RESTRICTED

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
5K/4346711	Std.2134/11	Sleeve, marker	QR			
	Std.2135/11	Sleeve, marker	QR			
5K/4346693	RC.2121	Tag, Q/R, 12 amp.	2			
	RC.2120	Tag, Q/R, 6 amp.	3			
3796	Std.1509/12/072	Tube, distance	1		MR/C	
	F.317990	Plate, adaptor	1			
	A.306445	Plate, adaptor (Alt. to 5CZ/5534)	1			
5CZ/4335682	FLM.224	Plate, adaptor (Alt. to A.306445)	1			
5UC/6581	Rotax F.1306	Relay, hood motor (AS.830/99)	1		C	
5CZ/3838	CON.5737/3	Screw, for adaptor plate	4		A	
4871	Std.1606/44/B8	Screw, for switches	4	Brass	C	5
1637	Std.1606/44/A8	Screw, for magnetic indicator	2	Brass	C	5
	Std.1606/44/B14	Screw, for compass	2	Brass	C	5
	Std.1606/44/B20	Screw	2			
5F/9454141	NY.18007A	Strapping	2ft.		C	
5F/9138822	NY.3342	Stud	2		C	
5X/4500038	AS.2719	Studs, terminal	3		C	
5910-99		Suppressor, type P, No.1	1		A	
-437-6043						
5CY/5420	Standard Telephones Ltd. 335/LWA/140BA	Suppressor	2		A	
5CW/1047695		Switch on-on	1			
5CW/1047693		Switch, S.P. change-over, no "off" position	1		B	
27N/93		Switch, inertia, Mk.1, type S3	1		A	
5930-99		Switch, micro, type 1A	1		B	
-943-8275						
or						
5CW/6375						
5CW/9994686		Switch, micro, type 4A	1		B	
or						
5CW/6376						
5891	F.190440	Switch, hood control, group	1		C	
	A.183030	Bracket, mounting	1	DTD.610		
	A.184397	Label	1	DTD.213		
5CW/1047698		Switch, change-over, centre "off", spring return, both positions	1		B	
5CV/4405550		Transfer, "open"	1		C	
5CW/4405554		Transfer, "closed"	1		C	
5CW/6257	FHM/A/68	Switch, time delay	1		A	
5CW/6000	FHM/A/57	Switch, time	1		A	
5CW/6977	Dowty C.1831.Y Mk.102C	Switch, limit	1		A	
5CW/4405550		Transfer, "open"	1		C	
5CW/4405551		Transfer, "shut"	1		C	
5CZ/4335589	Electronic Co. 22508/685/C	Trimmer, single datum	1		B	
4052	Std.1509/23/030	Tube, distance, at JB2 mounting, 5/16" o/d x 17 S.W.G. x .30" long (Make from 30B/556)	2	T.4	MR/C	4
11190	Std.1509/23/082	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.82" long	4	T.4	C	
3802	Std.1507/23/085	Tube, distance, at mounting for cabin element, 5/16" o/d x 17 S.W.G. x .85" long	2	T.4	MR/C	4
10754	C.241185	Unit, control, firewire, group (Mod.960)	1			
	A.241189	Bracket, mounting, firewire, D.C. control unit	1		C	
1680-99	Graviner	Unit, control, D.3600 (AS.1150/72)	1		B	
-103-5782						
5CZ/4340133	Graviner	Unit, control, D.165 (2) Altered to D.3600	1		B	
870	Std.915/B/18	Washer	2	L.4	C	
4612	Std.915/B/22	Washer	1	DTD.610	C	
5407	Std.915/T/18	Washer	4		MR/C	
5CZ/5CZ/	CON.5740/3	Washer, spring, at amplifier fixings	4			
5CZ/	CON.6068/14	Washer, spring, at amplifier fixings	4			

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1008147	A.25.1A	Bolt	6	B.A.						
28D/1007971	A.25.1/2B	Bolt	4	B.A.						
28D/1010658	A.25.1B	Bolt	4	B.A.						
28D/1011006	A.25.5B	Bolt	4	B.A.						
28D/1009984	A.25.7B	Bolt	4	B.A.						
28D/1011011	A.25.8B	Bolt	4	B.A.						
28D/1010142	A.25.9B	Bolt	4	B.A.						
28D/9435711	A.25.10B	Bolt	4	B.A.						
28D/1200120	A.25.14B	Bolt	4	B.A.						
28D/1212278	A.25.18B	Bolt	4	B.A.						
28D/9436920	A.25.1C	Bolt	2	B.A.						
28D/9133011	A.25.2C	Bolt	2	B.A.						
28D/9133012	A.25.3C	Bolt	2	B.A.						
28D/1200119	A.25.4C	Bolt	2	B.A.						
28D/9133013	A.25.5C	Bolt	2	B.A.						
28D/7002428	A.25.6C	Bolt	2	B.A.						
28D/1010030	A.25.7C	Bolt	2	B.A.						
28D/9140644	A.25.9C	Bolt	2	B.A.						
28D/9140645	A.25.10C	Bolt	2	B.A.						
28D/9419397	A.25.12C	Bolt	2	B.A.						
28D/9453970	A.25.15C	Bolt	2	B.A.						
28D/1214311	A.25.17C	Bolt	2	B.A.						
28D/1011022	A.25.18C	Bolt	2	B.A.						
28D/1011024	A.25.21C	Bolt	2	B.A.						
28D/1012995	A.25.22C	Bolt	2	B.A.						
28D/1008151	A.25.4E	Bolt	1/4"	B.S.F.						
28D/1011246	A.25.11E	Bolt	1/4"	B.S.F.						
28D/1007285	AS.1242.1B	Bolt	4	B.A.						
28D/9130080	AS.1242.9B	Bolt	4	B.A.						
28D/1215078	AS.1246.5C	Bolt	2	B.A.						
28D/1215328	AS.1246.2E	Bolt	1/4"	B.S.F.						
28D/1215329	AS.1246.3E	Bolt	1/4"	B.S.F.						
28D/9128739	AS.1248.1/2B	Bolt	4	B.A.						
28D/8337	AS.1248-1B	Bolt	4	B.A.						
28D/1218385	AS.1248-2B	Bolt	4	B.A.						
28D/1213720	AS.1248-11B	Bolt	4	B.A.						
28D/1007981	AS.1248-1/2C	Bolt	2	B.A.						
28D/1007982	AS.1248-1C	Bolt	2	B.A.						
28D/1013284	AS.1248-2C	Bolt	2	B.A.						
28D/9142406	AS.1248-3C	Bolt	2	B.A.						
28D/1013301	AS.1248-4C	Bolt	2	B.A.						
28D/10471	AS.1248-11C	Bolt	2	B.A.						
28N/9451836	SP.58-C	Burr	1/8"	diam.						
28N/1006978	SP.58-D	Burr	5/32"	diam.						
5K/15	AGS.1696/1	Grommet								
5K/	SP.40.A6	Grommet								
5K/	SP.40.A8	Grommet								
5K/1200724	SP.40.B8	Grommet								
5K/9560937	SP.93.A8	Grommet								
28N/12732	AS.1854/80	Hinge								
28N/11866	AS.1855/10	Hinge								
5K/3390	AS.3360/B3B	Lead, banding								
5K/3417	AS.3360/B7C	Lead, banding								
28M/10286	AGS.2001.A1	Nut	6	B.A.						
28M/10287	AGS.2001.B1	Nut	4	B.A.						
28M/10280	AGS.2001.B3	Nut	4	B.A.						
28M/10274	AGS.2001.B4	Nut	4	B.A.						
28M/10288	AGS.2001.C1	Nut	2	B.A.						
28M/10276	AGS.2001.E4	Nut	1/4"	B.S.F.						

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Hunter Single Seater

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28M/10326	AGS.2002.A1	Nut,	6	B.A.						
28M/10327	AGS.2002.B1	Nut,	4	B.A.						
28M/10309	AGS.2002.B4	Nut,	4	B.A.						
28M/10328	AGS.2002.C1	Nut,	2	B.A.						
28M/7062430	AGS.2002.E1	Nut,	1/4"	B.S.F.						
28M/9434253	AGS.2007.B1	Nut,	4	B.A.						
28M/11957	AGS.2007.C1	Nut,	2	B.A.						
28M/9434251	AGS.2008.B1	Nut,	4	B.A.						
28M/9435067	AGS.2008.C1	Nut,	2	B.A.						
28M/1005619	AGS.2009.B1	Nut,	4	B.A.						
28M/10211	AGS.2008.B3	Nut,	4	B.A.						
28M/9435648	AGS.2018.A1	Nut,	6	V.A.						
28M/13774	AGS.2019.B1	Nut,	4	B.A.						
28M/1200096	A.27.A.T.	Nut,	6	B.A.						
28M/9403519	A.27.B.P.	Nut,	4	B.A.						
28M/1006504	A.27.B.T.	Nut,	4	B.A.						
28M/9403520	A.27.C.P.	Nut,	2	B.A.						
28M/1006473	A.27.C.T.	Nut,	2	B.A.						
28M/9136152	A.54/B	Nut,	4	B.A.						
28M/9123528	A.54/C	Nut,	2	B.A.						
28P/815	SP.4.Y.A.5	Pin								
28P/826	SP.4.Y.A.16	Pin								
28P/840	SP.4.Y.A.14	Pin								
28P/9483204	SP.4.Y.D.10	Pin								
28P/1021104	SP.90.C3	Split, pin								
28P/9486478	SP.90.C5	Split, pin								
28P/19231	SP.90.C.13	Split, pin								
28S/1200045	A.31.A.10	Screw,	6	B.A.						
28S/1200044	A.31.A.14	Screw,	6	B.A.						
28S/1008152	A.31.B.6	Screw,	4	B.A.						
28S/9435712	A.31.B.8	Screw,	4	B.A.						
28S/9419453	A.31.B.14	Screw,	4	B.A.						
28S/1200034	A.31.B.16	Screw,	4	B.A.						
28S/1200036	A.31.B.18	Screw,	4	B.A.						
28S/1200040	A.31.B.20	Screw,	4	B.A.						
28S/1200033	A.31.B.24	Screw,	4	B.A.						
28S/1005622	A.31.B.28	Screw,	4	B.A.						
28S/1200039	A.31.B.32	Screw,	4	B.A.						
28S/1200035	A.31.B.40	Screw,	4	B.A.						
28S/9435912	A.31.B.44	Screw,	4	B.A.						
28S/9437020	A.31.C.12	Screw,	2	B.A.						
28S/9131095	A.31.C.14	Screw,	2	B.A.						
28S/1009109	A.32.A.6	Screw,	6	B.A.						
28S/1006979	A.32.A.10	Screw,	6	B.A.						
28S/1006948	A.32.A.12	Screw,	6	B.A.						
28S/1017747	A.32.A.14	Screw,	6	B.A.						
28S/1009986	A.32.B.6	Screw,	4	B.A.						
28S/1200080	A.32.B.8	Screw,	4	B.A.						
28S/1012450	A.32.B.10	Screw,	4	B.A.						
28S/9992525	A.32.B.12	Screw,	4	B.A.						
28S/1008327	A.32.B.14	Screw,	4	B.A.						
28S/9992522	A.32.B.16	Screw,	4	B.A.						
28S/9995376	A.32.B.20	Screw,	4	B.A.						

ELECTRICAL EQUIPMENT - FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28S/1007817	A.32.B.24	Screw,	4	B.A.						
28S/1011488	A.32.B.28	Screw,	4	B.A.						
28S/1008085	A.32.B.32	Screw,	4	B.A.						
28S/5694	A.32.B.40	Screw,	4	B.A.						
28S/9133016	A.32.C.12	Screw,	2	B.A.						
28S/1011490	A.32.C.16	Screw,	2	B.A.						
28S/9992533	A.32.C.20	Screw,	2	B.A.						
28S/1011491	A.32.C.24	Screw,	2	B.A.						
28S/1200058	A.33.A.12	Screw,	6	B.A.						
28S/9131780	A.33.B.6	Screw,	4	B.A.						
28S/9995325	A.33.B.8	Screw,	4	B.A.						
28S/9419438	A.33.B.10	Screw,	4	B.A.						
28S/9435716	A.33.B.12	Screw,	4	B.A.						
28S/9435715	A.33.B.16	Screw,	4	B.A.						
28S/1007469	A.33.B.14	Screw,	4	B.A.						
28S/1200066	A.33.B.20	Screw,	4	B.A.						
28S/9992521	A.33.B.24	Screw,	4	B.A.						
28S/1200065	A.33.B.28	Screw,	4	B.A.						
28S/1006947	A.33.B.40	Screw,	4	B.A.						
28S/1008081	A.33.C.10	Screw,	2	B.A.						
28S/9140926	A.33.C.12	Screw,	2	B.A.						
28S/1200053	A.33.C.16	Screw,	2	B.A.						
28S/9148119	A.43.A.10	Screw,	6	B.A.						
28S/9993003	A.43.B.8	Screw,	4	B.A.						
28S/9148118	A.43.B.10	Screw,	4	B.A.						
28S/9134016	A.43.B.14	Screw,	4	B.A.						
28S/1012357	A.43.B.16	Screw,	4	B.A.						
28S/9144116	A.43.B.20	Screw,	4	B.A.						
28S/9130752	A.43.B.24	Screw,	4	B.A.						
28S/9446305	A.43.B.28	Screw,	4	B.A.						
28S/9473865	A.43.C.12	Screw,	2	B.A.						
28S/9134791	A.44.B.6	Screw,	4	B.A.						
28S/9133023	A.45.B.14	Screw,	4	B.A.						
28F/9429636	AGS.1186-3	Seal,	bonded							
28W/9419465	SP.13.B	Washer								
28W/9419402	SP.13.C	Washer								
28W/9419475	SP.15.C	Washer								
28W/9419474	SP.15.B	Washer								
28W/9419405	SP.15.E	Washer								
28W/9419473	SP.15.A	Washer								
28W/9419486	SP.16.B	Washer								
28W/9419404	SP.16.C	Washer								
28W/9419487	SP.16.E	Washer								
28W/1206055	AGS.2034A	Washer								
28W/1007776	AGS.2034B	Washer								
28W/9419185	AGS.2035/A	Washer								
28W/1206041	AGS.2035/B	Washer								
28W/1006946	AGS.2035C	Washer								
28W/1206046	AGS.2035L	Washer								
28W/12746	SP.19.B	Washer								
28W/9416642	SP.47.B	Washer,	spring							



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

