

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
	E.203311	ANCILLARY EQUIPMENT, ASSEMBLY				
2726	A.195020	Adaptor, union, for pressure gauge pipe	1	DTD.364	MR/C	GA.3
4Q/4230852		Adaptor, head, Mk.102	3		A	
4Q/4230806		Adaptor, head, Mk.42	1		B	
105G/11		Adaptor	1		B	
95527	A.208035	Adaptor, for external air supply, group	1		B	GA.9
	A.208029	Adaptor	1	Brass		
1731	F.193381	Ring, sealing	1	Rubber	C	GA.9
95723	Ben Patents SA.179	Socket, swivelling, "instantair", 3/8"	1		B	
4GB/4175		Arm, forward towing, Mk.1	1		A	
4GB/3070		Arm, forward steering	1		A	
95142	B.199011	Bar, levelling, transverse	1	S.1	B	GA.4
95220	A.201222	Bar, levelling, longitudinal	1	S.1	B	GA.8
95736	D.231154	Base, clinometer to tail plane	1		B	GA.9
95633	D.228419	Board, elevator movement checking	1		B	
4Q/1050356		Body, jack, 5 ton hydraulic	3		A	
95229	B.200424	Box, for alignment sights, complete with key and sights, group	1		A	GA.8
95230	B.200424/1	Box	1		C	
95152	A.193839	Key, locking	1	S.3, T.6 & S.21.B	B	GA.4
95157	A.193753	Sight, front, port	1		B	GA.4
95158	A.193754	Sight, front, starboard	1		B	GA.4
95159	A.193755	Sight, rear	1		B	GA.4
95515	F.214607	Cap, protective, for assembly of gun pack rear mounting bolts	QR	S.1	C	GA.9
	D.219659	Container, for gun barrel alignment tool	1			
95144	D.199059	Control, column and rudder bar rigging fixture	1		B	GA.3
95428	B.214194	Covers, blanking, for air intake, group	1 Pair		B	GA.5
	D.197865	Cover, blanking, for air intake, port, group	1			
	D.197866	Cover, blanking, for air intake, starboard, group	1			
	C.200079	Bung, top, port	1			
	C.200080	Bung, top, starboard	1			
	C.200081	Bung, bottom, port	1			
	C.200082	Bung, bottom, starboard	1			
95782	A.192941	Catch, port	1		C	
95783	A.192942	Catch, starboard	1		C	
	F.193287	Eye-bolt	2	Comm'l	C	
95786	F.193285	Lever	2	M.S.B.	C	
95787	F.193286	Link	2	Comm'l	C	
95788	F.193288	Plunger	2	M.S.B.	C	
95785	A.194620	Spindle	2	Comm'l	C	
95789	F.184342	Spring	2	M.S.B.	C	
				Spr.Stl.		

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9138										
95065	A.164139 or									
26VA/	S.60/18									
6043980										
95422	B.214194/2									
	C.209810									
	Std.1996/12									
95065	A.164139 or									
26VA/	S.60/18									
6043980										
9371										
27D/3130	B.227411									
	A.226665									
95022	D.194044									
6133	Std.1996/7									
	A.180683									
	Aerolex									
	F48/7/513									
95023	D.194045									
6133	Std.1996/7									
	A.180683									
	Aerolex									
	F48/7/513									
	E.192668									
	B.192252									
	D.232488									
95161	B.192253									
28FP/	Aviation Dev.									
9703072	A.615									
95162	B.192254									
28FP/	Aviation Dev.									
9703072	A.615									
4GC/4232153	D.232488/1									
95043	A.183955									
95037	C.177141									
	B.177752									
	B.177753									
95066	C.177141/5									
95153	B.196709									
27Y/5000	S.B.A.C.									
	RS.181/45									
27Y/2373	S.B.A.C.									
	RS.181/32									

## EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95036	B.177142					Spigot, group	2		B	GA.4
95044	B.183954					Tool, locking, for gun package	2		B	GA.4
95201	D.197310					Tool, lifting, for 30 m/m, "Aden" gun	1		B	GA.6
95516	C.215976					Tool, for alignment of gun barrel support, group	1		A	GA.6
	C.215999					Barrel	1	M.S.		
95557	B.215975					Bearing, rotation tool	1	M.S.	B	GA.6
	B.215997					Sleeve	1	E.N.33		
	A.215998					Spigot	1	E.N.33		
	F.216000					Screw, special	3	E.N.33		
95004	F.191165					Extension, jacking, main wheel, group (Pre Mod.241)	1		B	
95609	B.205914					Extension, jacking, main wheel, group (Mod.241)	1		B	GA.2
	F.192139					Pin	1	S.1		
	F.176122					Plug	1	S.1		
	F.176124					Spring	1	DTD.239		
95058	A.191552					Extractor, for front spar joint pin	1		B	GA.3
95059	A.191655					Extractor, for rear spar joint pin	1		B	GA.3
95303	Dunlop A.10054					Extractor, for main wheels	1		A	
95032	Dunlop A.5826					Extractor, for nose wheel	1		A	
95140	B.198963					Extractor, for main spar wing joint bush	1		B	GA.3
95141	C.198962					Extractor, for rear spar wing joint bush	1		B	GA.3
27G/5062	Dunlop A.10039					Fixture, brake alignment	1		B	
4GB/4176						Fork unit, adjustable, Mk.2	1		A	
95005	C.191642					Gauge, incidence, for main plane, group (Pre Mod.669)	1		B	
	F.192067					Bar, contact	2	BSS.251		
95644	C.224263					Gauge, incidence, for main plane, group (Mod.669)	1		B	GA.4
	F.192067					Bar, contact	1	BSS.251		
95007	B.201624					Gauge, incidence, for tail plane	1		B	GA.4
95006	A.192534					Gauge, dihedral, main plane	1		B	GA.4
	A.231118					Gauge, feeler, for aileron hydrobooster adjustment (Local manufacture (Mod.684)	1			
	A.231119					Gauge, feeler, for aileron hydrobooster adjustment (Local Manufacture) (Mod.684)	1			
95860	A.249091					Gauge, for undercarriage lever setting, rear lock, group (Mod.1021)	1		B	
	Std.1996/12					Chain	2	Brass		
	F.249045					Gauge, rear lock	1	Cast Steel		
95871	F.249580					Nut, knurled	1	B.11	C	
95065	A.164139 or					Pennant	1		C	
26VA/	S.60/18					Pennant	1			
6043980										
9136						Ring, key, 3/4" dia.	3	Steel	C	
95870	F.249044					Screw, knurled	2	S.94.B	C	
95861	A.249092					Gauge, for undercarriage lever setting, front lock, group (Mod.1021)	1		B	GA.10
	Std.1996/12					Chain	2	Brass		
	F.249046					Gauge, front lock	1	Cast Steel		
95871	F.249580					Nut, knurled	1	B.11	C	
95065	A.164139 or					Pennant	1		C	
26VA/	S.60/18					Pennant	1			
6043980										
9136						Ring, key, 3/4" dia.	3	Steel	C	
95870	F.249044					Screw, knurled	3	S.94.B	C	
95508	A.210921					Gauge, setting, undercarriage nosewheel down	1		B	GA.10
95513	B.214835					Gauge, setting for micro switch	1		B	
	C.188374					GROUND LOCKING GEAR, FOR FLYING CONTROLS, ASSEMBLY				
95137	C.189263					Ground locking gear, for aileron, group	2		B	GA.7
6133	Std.1996/7					Chain, 7" long	1	Brass	C	
95155	A.111811					Cord, shock absorber	2	F.16	C	GA.7

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9136	A.208394									
9137	C.206419									
95514	A.189264									
95138	C.192836									
95068	A.192835									
95139	B.189267									
95069	A.193038									
6133	Std.1996/7									
9136	A.208394									
95135	B.188483									
	A.88468									
	A.192829									
	A.200724									
	B.188483/1									
	B.188483/2									
	A.188484									
	A.200718									
	F.186679									
95030	A.208393									
	B.188480									
	A.188482									
	B.188481									
95518	B.188481/2									
6133	Std.1996/7									
95065	A.164139 or									
26VA/	S.60/18									
6043980										
	Aerolex									
	F48/7/607									
9136										
95413	D.211231									
95414	D.211232									
95782	A.192941									
95783	A.192942									
26AQ/5893	F.193287									
95786	F.193285									
95787	F.193286									
95788	F.193288									
	A.194621									
95789	F.184342									
95867	C.211215									
95086	A.194464									
95421	A.214536									
95083	A.195014									
95505	D.210928									
95506	D.210929									
95293	Smith Y.62692									
4Q/2604										
95390	A.212332									
95510	A.215979									

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
95136	D.202713	Ladder, for pilot, group	1		A	GA.5
	C.201125/12	Tread-plate	1	Alum.		
95306	A.201030	Lock, rigging, elevator control tube	1		C	GA.7
95307	A.201031	Lock, rigging, aileron or rudder control tubes	2		C	GA.7
4G/3966		Mats, for main plane	2		B	
95854	B.205907	Pad, jacking, at frame No.11, group	1		B	GA.2
6133	Std.1996/7	Chain, 7" long	2	Brass	C	
	Aerolex	Pin, quick release (use 28FP/15)	2			
	F48/7/508					
9136		Ring, split type, 3/4" dia.	4	Steel	C	
95606	B.205909	Pad, jacking, for main plane, group	2		B	GA.2
6133	Std.1996/7	Chain, 7" long	2	Brass	C	
	Aerolex	Pin, quick release (use 28FP/923)	2			
	F48/7/509					
9136		Ring, split, 3/4" dia.	4	Steel	C	
95608	A.205912	Pad, jacking, for nose undercarriage, group	1		B	GA.2
6133	Std.1996/7	Chain, 7" long	1		C	
	B.205911	Pad, jacking	1	Casting		
95065	F.164139 or	Pennant	1		C	
26VA/	S.60/18	Pennant	1			
6043980						
	Aerolex	Pin, quick release (use 28FP/4062669)	1			
	F48/7/830					
	D.193482	PICKETING AND REARWARD TOWING, ASSEMBLY				
95203	F.159908	Bolt, picketing, for rear fuselage, group	1		B	GA.5
6133	Std.1996/7	Chain, 7" long	1	Brass	C	
95632	F.159909	Eye-bolt	1	S.95.B	C	
95065	A.164139 or	Pennant	1		C	GA.2
26VA/	S.60/18	Pennant	1			
6043980						
9137		Ring, split type, 1" dia.	2		C	
4GB/		Bridle, towing, 35ft. long (ASH.1150/55)	1		A	
4409986						
95205	A.176437	Shackle, picketing, for main undercarriage, group	2		B	GA.5
6133	Std.1996/7	Chain, 7" long	3	Brass	C	
95071	F.176436	Collar, locking	1	T.45 & S.3	C	GA.5
95065	A.164139	Pennant	1		C	GA.2
	Aerolex	Pin, quick release (use 28FP/17)	1			
	F48/7/512					
9136		Ring, split type, 3/4" dia.	4	Steel	C	
95204	A.176434	Shackle, picketing, for nose undercarriage group	1		B	GA.5
6133	Std.1996/7	Chain, 7" long	2	Brass	C	
95065	A.164139 or	Pennant	1		C	GA.2
26VA/	S.60/18	Pennant	1			
6043980						
9136		Ring, split type, 3/4" dia.	3	Steel	C	
	D.191909	PICKETING AND REARWARD TOWING, ASSEMBLY (S.O.O. for embalmed aircraft only)				
95203	F.159908	Bolt, picketing, for rear fuselage, group	1		B	GA.5
6133	Std.1996/7	Chain, 7" long	1	Brass	C	
95632	F.159909	Eye-bolt	1	S.95.B	C	
95065	A.164139 or	Pennant	1		C	GA.2
26VA/	S.60/18	Pennant	1			
6043980						
9137		Ring, split type, 1" dia.	2		C	

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
4GB/ 4409986	B.191910	Bridle, rearward towing, 50 feet	1		A	
6133 95071	Std.1996/7 F.176436	Fitting, picketing and rearward towing, at main undercarriage, group	2			GA.5
95065 26VA/ 6043980	A.164139 or S.60/18	Chain, 7" long	3	Brass M.S.P. & M.S.T.	C	GA.2
		Collar	1		C	
9137	Aerolex F48/7/512	Pennant	1		C	
		Pennant	1			
		Pin, quick release (use 28FP/17)	1			
6133 95065 26VA/ 6043980	Std.1996/7 A.164139 or S.60/18	Ring, split type, 1" dia.	5	Comm'l	C	GA.5
		Fitting, picketing, at nose undercarriage, group	1			
		Chain, 7" long	2	Brass	C	GA.2
		Pennant	1		C	
		Pennant	1			
		Pin, quick release (use 28FP/638)	1			
9136 95309	A.204865	Ring, split type, 1" dia.	2	Comm'l M.S.B.	C	GA.8
		Piece, distance, for use at front fuselage attachment nuts	1		C	
95839	C.207506	PIPE, DE-FUELLING EQUIPMENT, FOR "WHEELS UP", ASSEMBLY				
	C.207507	Pipe, group	1		B	GA.7
	A.207512	Elbow	1	B.11 Comm'l		
	B.207509	Handle, for coupling	1			
	F.209903	Nut, special	4	M.S.		
	C.207508	Pipe, de-fuelling	1			
	Avica 1/12/72/AA	Pipe, flexible, 1-1/2"	1			
	Flight Refuelling C.0724000/1	Valve, coupling, group (Alternative to 27F/2227)	1			
27F/2227	Avery Hardoll F.C.110	Valve, coupling, group (Alternative to C.0724000/1)	1		A	
95423	B.202832	Rail, for engine between frames 34 and 37, group	1		B	GA.6
6133	Std.1996/7	Chain, 7" long	1	Brass	C	
	Std.1996/18	Chain, 18" long	1		Brass	
	F.201826	Label	1			
	Aerolex F48/7/514	Pin, quick release (use 28FP/19)	1			
	B.191737/1	Ring, retaining adjustable stop	1	Comm'l M.S. Wire		
9137 95722	B.203904	Ring, split type, 1" dia.	3	S.95.B & S.1	C	GA.6
		Stop, adjustable	1		B	
5P/2908 95029	C.191636	Rectifier, metal transportable, type 37	1		A	
		Sleeve, locking, for main undercarriage, group	2		B	GA.7
6133 95721	Std.1996/7 F.191640	Chain, 7" long	1	Brass Comm'l	C	
		Eye-bolt	2			
	F.191638	Flange	1	M.S.B. Comm'l		
95072 9136	A.193720	Pennant	1	M.S.B.	C	GA.7
	F.191639	Ring, split type, 3/4" dia.	2	Steel Comm'l	C	
		Shim	4		M.S.B.	

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95011	D.188575						1		B	GA.2
95070	F.188573						4	S.95.B	C	GA.2
95074	A.188570						4	S.95.B	C	GA.2
	D.188575/1						4	B.S.302		
	B.188566						4	Stamping		
	A.188726						1			
	F.187729						2	S.94.B or		
	F.187728						1	S.95.B		
	A.188572						4	S.1		
	B.188565						2	Stamping		
	B.188567						2			
6133	Std.1996/7						2	Brass	C	
	Aerolex						2			
	F48/7/813						2			
9136							4		C	
	B.188568						2			
95369	D.206951						1		B	GA.5
95070	F.188573						2	S.95.B	C	GA.2
	D.206951/1						2	B.S.302		
	D.206951/2						2	B.S.302		
	F.200603						1	Brass		
	B.200600						2			
	B.207066						2			
	A.207187						1			
	F.187729						2	S.94.B		
	F.187728						1	or S.95.B		
	F.200668						4	S.1		
9138	B.194418						2		C	
	B.207178						2	Stamping		
	B.207179						1	Stamping		
	B.207179						1	Stamping		
	B.207180						1	Stamping		
	B.207181						1	Stamping		
	A.200602						2			
	B.200594						2			
	A.200598						1			
	A.200599						1			
	Std.1676						1			
95370	D.206952						1		B	GA.2
95070	F.188573						4	S.95.B	C	GA.2
95074	A.188570						4	S.96.B	C	GA.2
	D.206952/1						2	B.S.302		
	D.206952/2						2	B.S.302		

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	F.194575					Label	1	Brass		
	B.188566					Link, between spreader strut and aircraft attachment bolts	2			
	A.194422					Link, slinging, group	1			
	F.187729					Pin	2	S.94 or S.95.B		
	F.187728					Roller	1	S.1		
	F.194423					Piece, distance	2	M.S.		
	F.194424					Piece, distance	2	M.S.		
	F.194425					Piece, distance	2	M.S.		
9138						Ring, split type, 1-1/4" dia.	2	Steel	C	
	B.194418					Shackle, at sling to top link attachment	2	Stamping		
	A.207182					Shackle, at sling to spreader strut attachment, rear	2	Stamping		
	A.207183					Shackle, at sling to spreader strut attachment, forward	2	Stamping		
	B.188567					Strut, spreader, front and rear, group	2			
6133	Std.1996/7					Chain, 7" long	2	Brass	C	
	Aerolex F48/7/813					Pin, quick release (use 28FP/625)	2			
9136						Ring, split type, 3/4" dia.	4	Steel	C	
	B.188468					Strut, spreader, side	2			
	B.270334					SLINGING AND TRESTLING, FRONT FUSELAGE, ASSEMBLY (Mod.1280)				
95019	C.189917					Beam, at rear trestle, group	1		B	GA.1
6133	Std.1996/7					Chain, 7" long	4	Brass	C	
95512	F.180694					Eye-bolt	2	S.1	C	GA.1
	A.180683					Lever	4	S.1		
95073	A.191472					Pad, locating	2	LFS.21	C	GA.1
	Aerolex F48/7/513					Pin, quick release (use 28FP/18)	4			
9136						Ring, split type, 3/4" dia.	4	Steel	C	
95052	A.189921					Clip, at nose wheel leg	2	S.3 & L.16	C	GA.1
95018	C.189916					Cradle, front, group (Pre Mod.818)	1		B	
	C.233561					Cradle, front, group (Mod.818)	1			GA.1
6133	Std.1996/7					Chain, 7" long	5	Brass	C	
	F.189923					Eye-bolt	2	S.2		
	A.180683					Lever	4	S.1		
	Aerolex F48/7/513					Pin, quick release (use 28FP/18)	4			
	Aerolex F48/7/609					Pin, quick release (use 28FP/24)	1			
9136						Ring, split type, 3/4" dia.	4	Steel	C	
95053	A.189922					Link, at nose wheel leg	1	S.1 & S.3	C	GA.1
1437894	C.270333					Sling, lifting, group	1		B	GA.1
	C.270333/1					Cable, top portion, 100/110 ton	4	B.S.302		
	C.270333/2					Cable, forward bottom portion, 100/110 ton	2	B.S.302		
	C.270333/3					Cable, rear bottom portion	2	B.S.302		
	F.189925					Plate, link, forward	4	S.3		
	F.189926					Plate, link, rear	4	S.3		
	B.189219					Ring, lifting	1	S.92.B		
	C.270333/4					Shackle, 17 cwt.	1	B.S.825		
	C.270333/5					Shackle, 12 cwt.	1	B.S.825		
	B.189919					Strut, forward, group	1			
	B.189920					Strut, aft, group	1			

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95050	B.189929	Strut, bracing, between front and rear trestle, group	2		B	GA.1
6133	Std.1966/7	Chain, 7" long	2	Brass	C	
	Aerolex	Pin, quick release (use 28FP/640)	2			
	F48/7/1023					
9136		Ring, split type, 3/4" dia.	2	Steel	C	
4GB/		Trestle, Universal Jacking No.1	2		A	
	B.190381	SLINGING AND TRESTLING, CENTRE FUSELAGE, ASSEMBLY				
95020	C.190377	Cradle, group	2		B	GA.1
6133	Std.1996/7	Chain, 7" long	4	Brass	C	
	A.180683	Lever	4	S.1		
	Aerolex	Pin, quick release (use 28FP/18)	4			
	F48/7/513					
9136		Ring, split type, 3/4" dia.	4	Steel	C	
95049	C.190378	Sling, lifting, group	1		B	GA.1
	C.190378/1	Cable, aft 100/110 ton	1	B.S.302		
	C.190378/2	Cable, forward, 100/110 ton	1	B.S.302		
	F.190386	Plate, link	4	Comm'l M.S.		
	B.190380	Plate, link, group	4			
6133	Std.1996/7	Chain, 7" long	1	Brass	C	
	Aerolex	Pin, quick release (use 28FP/625)	1			
	F48/7/813					
9136		Ring, split type, 3/4" dia.	1	Steel	C	
	F.190384	Pin, forked	2	S.1		
	F.186238	Ring, lifting	1	S.92.B		
	B.190379	Strut, upper, group	1			
	A.190383	Strut, lower, group	2			
4GB/		Trestle, Universal Jacking No.1	2		A	
	C.207184	SLINGING AND TRESTLING, REAR FUSELAGE (WITHOUT TAIL UNIT), ASSEMBLY				
95041	C.190878	Cradle, front, group	1		B	GA.1
6133	Std.1996/7	Chain, 7" long	4	Brass	C	
95512	F.180694	Eye-bolt	2	S.1	C	
	A.180683	Lever	4	S.1		
	Aerolex	Pin, quick release (use 28FP/18)	4			
	F48/7/513					
9136		Ring, split type, 3/4" dia.	4	Steel	C	
95042	C.190877	Cradle, rear, group	1		B	GA.1
6133	Std.1996/7	Chain, 7" long	4	Brass	C	
95512	F.180694	Eye-bolt	2	S.1	C	
	A.180683	Lever	4	S.1		
	B.190881	Link, group	1			
6133	Std.1996/7	Chain, 7" long	1	Brass	C	
95632	F.159909	Eye-bolt	1	S.95.B	C	
	Aerolex	Pin, quick release (use 28FP/28)	1			
	F48/7/615					
9136		Ring, split type, 3/4" dia.	1	Steel	C	

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9136	Aerolex F48/7/513					Pin, quick release (use 28FP/18)	4			
95366	C.206953					Ring, split,type, 3/4" dia.	4	Steel	C	
	B.189219					Sling, lifting, group	1		B	GA.1
	C.206953/2					Ring, lifting	1	S.92.B		
95368	B.206954					Shackle	4	BS. 825		
6133	Std.1996/7					Strut, bracing, group	2		B	GA.1
	Aerolex F48/7/1023					Chain, 7" long	2	Brass	C	
						Pin, quick release (use 28FP/9482444)	2			
9136 4GB/						Ring, split type, 3/4" dia.	2	Steel	C	
	C.207184					Trestle, Universal Jacking No.1	2		A	
						SLINGING AND TRESTLING, REAR FUSELAGE (WITH TAIL UNIT), ASSEMBLY				
95367	B.207188					Sling, lifting, group	1		B	GA.1
	C.189220					Frame, spreader, for sling	1	T.6 & S.3		
	C.207226					Sling, upper, group	1			
	B.189219					Ring, lifting	1	S.92.B		
	B.189217					Sling, lower rear, group	2			
6133	B.198217/1					Cable, 100/110 ton, 13/32" dia.	1	BS.302		
95075	Std.1996/7					Chain, 7" long	1	Brass	C	
	F.188901					Eye-bolt	1	S.95.B	C	GA.1
	Aerolex F48/7/1017					Pin, quick release (use 28FP/4062670)	1			
9138	B.189218					Ring, split type, 1-1/4" dia.	1	Steel	C	
	B.289218/1					Sling, lower, front, group	2			
6133	Std.1996/7					Cable, 100/110 ton, 13/32" dia.	1	BS.302		
95075	F.188901					Chain, 7" long	1	Brass	C	
	Aerolex F48/7/1017					Eye-bolt	1	S.95.B	C	GA.1
						Pin, quick release (use 28FP/4062670)	1			
9138	Std.1676					Ring, split type. 1-1/4" dia.	1	Steel	C	
95215	C.200058					Tally	1			
	B.200212					Trolley, removal, for tail unit, group	1		A	GA.1
	D.200062					Arm, towing	1			
95868	D.200062/12					Aft-end, group	1			
	C.189645					Bush, for runner wheel	2	Bronze		
	C.189645/2					Jack, screw, group	2			
	C.189645/7					Bush	1	BSS.369		
	C.189645/5					Grub-screw	1	M.S.B.		
95076	C.189645/1					Nut	1	M.S.B.		
	D.200062/16					Shaft, screwed	1	M.S.B.	C	GA.1
	D.189637					Nut, wheel, attachment	4	M.S.		
95077	D.189638					Piece, distance, for wheel spindle	4	S.21.B		
95078	Dunlop WDM.564					Spindle	2	S.21.B	C	GA.1
	D.200062/11					Wheel, complete with solid tyre	2		B	GA.1
						Wheel, runner	2	M.S.B.		

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2A/9500503	C.200058/1					Bolt, attaching side frame	6	M.S.		
	C.200058/2					Bolt, attaching side frame	2	M.S.		
	C.200060					Cradle	1			
	B.200059					Frame, side	2			
	D.200061					Forward-end, group	1			
	Skefko 08					Bearing, thrust race	2		B	
	D.189642					Bush, for castor fork spindle	2	Bronze		
	D.200062/12					Bush, for runner wheel	2	Bronze		
	C.189645					Jack, screw, group	2			
	C.189645/2					Bush	1	BSS.369		
95076	C.189645/7					Grub-screw	1	M.S.B.		
	C.189645/5					Nut	1	M.S.B.		
	C.189645/1					Shaft, screwed	1	M.S.B.	C	GA.1
	D.200061/16					Nut, wheel attachment	4	M.S.B.		
95077	D.189637					Piece, distance, for wheel spindle	4	S.21.B		
	D.189638					Spindle	2	S.21.B	C	GA.1
95078	Dunlop WDM.564					Wheel, complete with solid tyre	2		B	GA.1
	D.200062/11					Wheel, runner	2	M.S.B.		
8601	F.200236					Lug, for tie-bar	4	M.S.		
	C.190463					Strap, attachment, group	1		B	
	A.179741					Bolt, with plate, group	1			
	F.179739					Bolt	1	S.1 & S.3		
95014	A.179741/1					Collar	1	S.1		
	A.200232					Tie-bar	2			
	C.188900					Sling, for outer wings, group	1		A	GA.2
	C.188900/1					Cable, forward, 100/110 ton, 5/16" dia.	1	BS.302		
6133	C.188900/2					Cable, rear, 100/110 ton, 5/16" dia.	1	BS.302		
	Std.1996/7					Chain, 7" long	3	Brass	C	
95075	F.188901					Eye-bolt	3	S.95.B	C	GA.1
	Aerolex F48/7/1017					Pin, quick release (use 28FP/639)	3			
9138	F.186238					Ring, split type, 1-1/4" dia.	3	Steel	C	
	C.199388					Ring, lifting	1	S.92.B		
95222	C.199388/1					Sling, outer wing for chord vertical lifting	1		B	GA.2
	C.199388/2					Cable, 100/110 ton, 5/16" dia., complete with lifting ring	4	BS.302		
95016	A.199389					Leather, strip, 1/16" thick	4			
	F.199390					Screw, anchorage	4			
	B.190526					Thimble	4			
	F.313999					Sling, for tailplane, fin and rudder (Alt. to F.313999)	1		B	GA.2
6133	B.190526/1					Sling (Alt. to B.190526)	1			
	Std.1996/7					Cable, 100/110 ton, 5/16" dia.	2	BS.302		
95520	F.190527					Chain, 7" long	4	Brass	C	
	F.199873					Pin	1	H.T.S.	C	
95519	Aerolex F48/7/612					Pin	1		C	
	F.180478					Pin, quick release (use 28FP/26)	2			
9138	F.180478					Ring, lifting	1	S.92.B		
						Ring, split type, 1-1/4" dia.	2	Steel	C	

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.		Plate No.
					Class of Store		
		1 2 3 4 5					
4G/5377	Rolls Royce	Sling, for "Avon" engine	1		A		
95087	A.194634	Spanner, for Dunlop brake adjustment	1	Comm'l	B		GA.3
95311	A.209612	Spanner, for flap hinge bolts	1		B		GA.8
95228	Britool Z.4948	Spanner, for rear fuselage transport joint nuts (Alt. to 13/16", 15/16" S.E.)	1		B		
		Spanner, single ended 13/16" WHIT., 15/16" BSF. Drop forged steel (Alt. to 95228)	1				
95085	A.194578	Spanner, for inverted flight valve connector	1	EN.33	B		GA.3
95226	A.201955	Spanner, special, for main fuel delivery joint	1	EN.33	B		GA.8
95163	A.197766	Spanner, for hydraulic system, .605" - 610" A/F	1	S.21 & S.3	B		GA.3
95165	A.197767	Spanner, for hydraulic system, .852" - .830" A/F	1	S.21 & S.3	B		GA.3
95166	A.197768	Spanner, for hydraulic system, 1.015" - 1.020" A/F	1	S.21 & S.3	B		GA.3
95164	F.199124	Spanner, for hydraulic system	1		B		GA.3
95304	F.199406	Spanner, for elevator outer hinge, .925" A/F	1	M.S.	B		GA.8
95305	F.199407	Spanner, for elevator outer hinge, .715" A/F	1	M.S.	B		GA.8
95308	B.204866	Spanner, for front fuselage attachment nuts	1	EN.351	B		GA.8
95084	A.194729	Spanner, for extension, fuel system, rear fuselage	1	EN.33	B		GA.9
95503	B.209815	Spanner, wing, fuel system	1	S.15	B		GA.9
95504	B.209816	Spanner, wing fuel system	1	S.15	B		GA.9
94545	B.224080	Spanner, crutching, for pylon attachment	1		B		GA.9
95502	B.212978	Spanner, for recuperator connection	1	EN.33	B		GA.3
95715	A.227530	Spanner, dial for aileron booster unit adjustment	1	EN.33	B		GA.10
95425	A.190295	Spanner, for fuel system	1	Comm'l	B		GA.9
				M.S.			
				EN.33			
95143	C.214603	Spanner	1		B		GA.3
6133	F.198704	Spigot, levelling, removeable, group	2				
96065	Std.1996/7	Chain, 7' long	1	Brass	C		GA.2
9136	A.164139	Pennant	1		C		GA.2
		Ring, split type, 3/4" dia.	1	Steel	C		
	F.261596	Spigot, adjustment for main u/c locks	2	M.S.			
95234	B.199253	Strut, bracing, for gun package removal, group	1		B		GA.8
	F.199257	Block, trunnion	1	M.S.			
95799	F.199255	Bolt, fork	1	M.S.B.	C		
	A.199254	Fork-end	1	M.S.			
	F.199256	Pin, trunnion	1	M.S.B.			
	F.261597	Stud, for main u/c locks	8	H.T.S.			
95427	C.208502	Test Equipment for Fuel system, group (S.O.O.)	1		A		GA.2
	A.211191	Adaptor, for spine connection, group	1				
	C.212514	Box, for test equipment	1				
	B.207700	Box, control, group	1				
	I.V. Pressure Controllers SK.342/1	Controller (Alt. to CV.345)	1				
	I.V. Pressure Controller CV.345	Controller (Alt. to SK.342/2)	1				
	Std.1371/C	Coupling	1	DTD.423			
	B.207700/1	Hose, 3/8" i/d x 12ft. long	1				
	F.207701	Nipple, special	1	L.65.C			
95723	B.E.N. Patents SA.179	Plug, "Instantair"	1		B		
95759	A.207563	Bung, for rear vent pipe	1		B		
	A.207568	Bolt	1	Comm'l			
				Brass			
				Rubber	C		
95668	A.207563/1	Gland	1				
	F.207577	Nut, wing	1	M.S.			
	A.207576	Sleeve	1	M.S.			

Hunter Single Seater

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
95760	F.207940	Bung, for recuperator vent pipe, group	1		B	GA.10
	F.207941	Barrel	1	M.S.		GA.10
	F.207942	Bolt	1	M.S.		GA.10
95666	F.207940/1	Gland	1	Rubber	C	
95757	A.207899	Bung, for forward vent pipe, group	1		B	
	A.194466	Bolt	1			
95665	A.194464/1	Gland	1		C	
	F.194467	Ring, locking	1			
	A.207818	Cover, blanking, for refuelling P.R.V., group	2			
	A.207800	Clamp	1	M.S.		
	A.207817	Nut, wing	1			
	F.207793	Plunger, group	1			
27QA/5	Dowty SP.597/9	Ring, seal	1		C	
	Fairey FS.553*	Ring, retaining	2		C	
	AS4573/1	Ring, retaining	2		C	
5269	A.209783	Interconnection, rear fuselage, group	1			
	A.208433	Coupling, hose	1	DTD.253		
	A.209783/1	Hose, 3/8" i/d x 6 ft. long	1			
28R/17665	A.209783/2	Hose, 3/8" i/d x 14 ft. long	1			
	B.191654	Tool, for undercarriage up lock	1		B	GA.3
	B.199582	Tool, belt removal	1		B	GA.4
95223	B.200521	Tool, for assembly of transport joint spigot	1		B	GA.8
95509	A.213921	Tool, cocking, for rear hood latch	1		B	GA.9
	A.236181	Tool, for hood lock control rod (Mod.882) (L.M. from 30A/538)	1	S.510		GA.7
4Q/4230819		Trestle, Mk.1	1		A	
4Q/2620		Trestle, Mk.3	2		A	
4GB/		Trestle, U.J. No.6	4		A	
95770	E.229359	Trolley, drop tank handling, group (Mod.894)	1		A	GA.10
95813	B.231705	Arm, towing	1		B	GA.10
95818	A.236313	Bar, tow	1	M.S.P.	C	GA.10
2A/9500507	S.F.L./1-1/2	Bearing, thrust	2		B	
	E.229359/1	Bolt, tie	4	M.S. Bar		
6098237	C.236263	Cradle, inboard (For use with 100 gallon drop tanks)	2	Hardwood & DTD.590		GA.10
6098238	C.236264	Cradle, outboard (For use with 100 gallon drop tanks)	2	Hardwood & DTD.590		GA.10
95824	C.231702	Fork, forward	2	M.S.P. & M.S. Bar	C	
95815	C.236626	Handle, jack operating, forward	2		B	GA.10
95816	C.236627	Handle, jack operating, aft	1		B	GA.10
95817	B.233333	Jack (Make from Lake & Elliott Jack type S41420428) (Alt. to B.311857)	3		A	
	D.189641	Link, towing	1	M.S. Plate M.S. Bar & B.S.C.103A		
95814	E.231700	MAIN FRAME, ASSEMBLY				
	F.231715	Bush, at forward end of frame	4	BSS.369	C	
	B.311857	Jack (Make from Lake & Elliott Jack type S.411) (Alt. to B.233333)	3			

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
95819	F.249007	Roller, at jack (Mod.GE.1008)	1	M.S.		
95820	A.235425	Strap, with buckle	2		C.	GA.10
	A.235426	Strap	2		C.	GA.10
95821	F.233326	Trunnion, at jacks	2	M.S.		
	F.235690	Washer	2	M.S.Plates	C	
	F.235291	Washer, taper, for jack attachment (use with B.233333)	12	M.S. Bar		
1	95822	F.311858	12	M.S. Bar	C	
	Flexello	Wheel, castor, assembly (Alt. to Flexello KV.8RX B.SP Wheel, castor, assy., fitted with Timken taper roller bearings and swivel lock, without wheel lock)	2		B.	
	KV.8RX B.SP					
1		Dunlop WSU.8TM	1			
1		Flexello	2			
	KV.8RX B.SP					
1	95823	Flexello	2		B.	
	REX.8RB.SP	Wheel, fitted with Timken taper roller bearings complete with bolt				
	C.203761	Trolley, engine and cradle adaptor, group	1			
		Consisting of:-				
95424	D.203762	Adaptor, cradle	1		B.	GA.10
28D/1008145	A25.6E	Bolt, 1/4" B.S.F.	32		C.	
28M/1011475	A27.EP	Nut, 1/4" B.S.F.	32		C.	
95216	D.200213	Trolley, removal, for engine unit, group	1		A.	GA.6
	B.200212	Arm, towing	1			
	D.200198	Aft-end, group	1			
	D.189644	Collar, wheel attachment	2	M.S.		
	C.189645	Jack screw, group	2			
	C.189645/2	Bush	1	BSS.369		
	C.189645/7	Grub screw	1	M.S.B.		
	C.189645/5	Nut	1	M.S.B.		
95076	C.189645/1	Shaft, screwed	1	M.S.B.	C	GA.1
	D.200198/16	Nut, wheel attachment	4	M.S.		
95079	D.189643	Spindle, for wheel	2	S.21.B	B	GA.6
95078	Dunlop WDM.564	Wheel, complete with solid tyre	2		B.	GA.1
	C.200058/1	Bolt, attaching side frames	6	M.S.		
	C.200058/2	Bolt, attaching side frames	2	M.S.		
	B.200191	Frame, centre	1			
	B.200188	Frame, side	2			
	D.200197	Forward, end, group	1			
2A/9500503	Skefko 08	Bearing, thrust race	2		B.	
	D.189642	Bush for castor fork spindle	2	Bronze		
95868	C.189645	Jack, screw, group	2			
	C.189645/2	Bush	1	BSS.369		
	C.189645/7	Grub screw	1	M.S.B.		
	C.189645/5	Nut	1	M.S.B.		
95076	C.189645/1	Shaft, screwed	1	M.S.B.	C	GA.1
	D.200197/12	Nut, wheel attachment	4	M.S.		
	D.189637	Piece, distance, for wheel spindle	4	S.21.B		
95077	D.189638	Spindle	2	S.21.B	B	GA.1
95078	Dunlop WDM.564	Wheel, complete with solid tyre	2		B	GA.1
	F.200238	Lug, for tie bar	2	M.S.		
	F.200237	Lug, for tie bar	2	M.S.		
	D.200210	Rail, group	1			
	F.196530	Bolt, at lower rail	1	S.95.B		
	D.200210/16	Bolt, special	2	M.S.		
	F.196531	Nut, at lower rail	1	S.95.B		
	Aerolex	Pin, pip (Use 28FP/42)	1			
	F48/7/817	Tommy-bar	2	M.S.		
	D.200210/19					
	A.200233	Tie-bar	2			
	F.203763	Washer, shim, for seating of cradle	AR			
	F.203764	Washer, profile, for attachment of cradle to rails	32			

EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
4F/1041044		Trolley, pressure cabin testing, Mk.1C	1		A	
4F/1685		Trolley, hydraulic, Mk.2	1		A	
4F/1690		Trolley, E/L, servicing and testing, Mk.1A	1		A	
4G/4220		Trolley, oxygen charging, Mk.2	1		A	
4G/4221		Trolley, charging H.P. air, Mk.2	1		A	
4G/		Trolley, for radar, cooling and testing	1		A	
4G/5561	ARM.92851	Trolley, transporting, gun package, Mk.2, group	1		A	
4G/5584		Cradle	1		A	
95038	ARM.33200	Trolley, gun package (Alvis type, gun firing)	1		A	
95317	ARM.70326	Adjuster	1		C	
95359	Benton & Stone Y.116	Adaptor, male elbow, 3/8" B.S.P. - 5/16" thread	2		C	
95362	Benton & Stone Y.108	Adaptor, male elbow, 1/2" B.S.P.	1		C	
95266	ARM.33146	Arm, draw, front	1		B	
95271	ARM.37910	Arm, draw, rear	1		B	
95272	ARM.70294	Axle, front	1		B	
95274	ARM.70234	Axle, rear	1		B	
95259	ARM.70165	Bar, torsion, short	2		C	
95260	ARM.70166	Bar, torsion, long	2		C	
95328	ARM.70143	Bar, toggle	1		C	
95250	ARM.70155	Bearing	12		C	
95251	ARM.70156	Bearing	4		C	
95329	ARM.70144	Body, filter and valve	1		C	
95268	ARM.70239	Bolt, for bearing housing	16		C	
95249	ARM.70176	Bracket, front	2		C	
95270	ARM.70154	Bracket, rear	2		C	
95323	ARM.70331	Bush, pressure	1		C	
95238	ARM.70189	Bush, flanged, short	8		C	
95262	ARM.70169	Bush, flanged, long	8		C	
95263	ARM.70171	Bush, flanged, long	32		C	
95352		Cap, screw, SKT/ND, 3/8" B.S.F. long	4		C	
95353		Cap, screw, SKT/ND, 2 B.A. x 3/8" long	1		C	
95235	ARM.33142	Chassis, sub-assembly	1		A	
95360	Z.325-20	Connector, reducing, 1/2" tube to 5/16" tube	1		C	
95361	X.10	Clip, single tubing	9		C	
95334	ARM.70319	Cylinder	2		C	
95294	ARM.70308	Damper	4		B	
95333	ARM.70227	Eye-end	2		C	
95282		Elbow, Y.581, for 5/16" tube	6		C	
95288	ARM.70202	Fork-end, centre	1		C	
95322	ARM.70330	Gasket	1		C	
95253	ARM.33145	Link, top	4		B	
95264	ARM.70173	Link, bottom, R.H.	4		B	
95265	ARM.70174	Link, bottom, L.H.	4		B	
95321	ARM.70329	Link	1		C	
95246	ARM.70211	Mudguard, R.H.	2		C	
95247	ARM.70212	Mudguard, L.H.	2		C	
95239	ARM.70197	Nut, tie pad	4		C	
95256	ARM.70162	Nut	8		C	
95287		Nut, tubing, No.Z.18	18		C	
95289	ARM.70201	Nut, clamp	1		C	


EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95347						Packing, chevron, with plastic head, 1.1/16" o/d x 11/16" i/d x 9/16"	1		C	
95237	ARM.70192					Pad	4		C	
95241	ARM.70195					Pad, stop	16		C	
95332	ARM.71751					Piece, catch	1		C	
95291	Mills GP.1					Pin, grooved, 1/4" dia. x 1-3/4" long	1		C	
95342	Mills GP.1					Pin, 1/2" dia. x 2-1/4" long	2		C	
95324	ARM.70332					Pin, lever	2		C	
95326	ARM.70334					Pin, piston rod	1		C	
95345						Pin, 1/16" dia. x 7/8" long	1		C	
95244	ARM.70183					Pin	1		C	
95261	ARM.70167					Pin	4		C	
95330	ARM.70145					Plug, breather	1		C	
95354						Plug, pressure, 1/8" B.S.P.	3		C	
95314	ARM.38078					Pump, snatching unit	1		B	
95327	ARM.70142					Restrictor	1		C	
95336	ARM.70276					Retainer, seal	2		C	
95243	ARM.70182					Retainer	1		C	
95337	ARM.70315					Ring, seal, retaining	2		C	
95340	George Angus R.170					Ring, "0", 2.625" i/d x .138" thick	2		C	
95343	George Angus R.133					Ring, "0", .984" i/d x .139" thick	2		C	
95348	George Angus R.103					Ring, "0", .176" i/d x .07" dia.	1		C	
95349	George Angus R.128					Ring, "0", .812" i/d x .103" dia.	1		C	
95350	George Angus R.114					Ring, "0", .437" i/d x 0.7" dia.	1		C	
95351	George Angus R.122					Ring, "0", .674" i/d x .103" dia.	1		C	
95344						Ring, rod ram, 1-1/4" dia. x 1-7/8" o/d x 13/32"	2		C	
95319	ARM.70327					Rod, piston	1		C	
95338	ARM.70316					Rod, piston	2		C	
95240	ARM.70198					Rod, tie	4		B	
95236	ARM.70196					Screw, jack	1		B	
95242	ARM.70181					Screw, set	1		C	
95248						Screw, countersunk head, 5/16" B.S.F. x 1/2" long	16		C	
95290	ARM.70204					Screw	1		C	
95312	ARM.70323					Seat, relief valve	1		C	
95339						Seal, "0", 2.7/8" o/d x 2.1/8" i/d x 9/16"	2		C	
95346	George Angus EXT/DE.100					Seal, distributor	1		C	
95355	Dowty PP.45/C					Seal, bonded	1		C	
95341						Set-screw, SKT head, 1/4" B.S.F. x 5/16" long	2		C	
95252	ARM.70157					Sleeve	2		C	
95286						Sleeve, tubing, No.Z.4	18		C	
95245	ARM.70233					Spring	1		C	
95316	ARM.70325					Spring	1		C	
95331	ARM.70300					Spring	1		C	
95315	ARM.70324					Spindle	1		C	
95320	ARM.70328					Stem, valve	1		C	
95313	ARM.38079					Tank	1		B	
95285						Tee, bracketed, 5/16" tube	1		C	


EQUIPMENT - ANCILLARY

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
95335	ARM.70317					Tie-rod	8		C	
95254	ARM.70175					Tube, torsion	4		B	
95277						Tube, copper, 5/16" o/d x 1/4" i/d x 18" long	1		C	
95278						Tube, copper, 5/16" o/d x 1/4" i/d x 22" long	1		C	
95279						Tube, copper, 5/16" o/d x 1/4" i/d x 8" long	1		C	
95280						Tube, copper, 5/16" o/d x 1/4" i/d x 12" long	2		C	
95281						Tube, copper, 5/16" o/d x 1/4" i/d x 41-1/2" long	1		C	
95356	Benton & Stone B.1738/12					Tubing, flexible	2		C	
95357						Tube, copper, 5/16" i/d x 1/4" i/d x 11" long	1		C	
95358						Tube, copper, 5/16" o/d x 1/4" i/d x 2" long	1		C	
95318	ARM.70310					Valve, poppet	1		C	
95325	ARM.70333					Valve, non-return	1		C	
95255	ARM.70161					Washer, tab	4		C	
95257	ARM.70163					Washer	4		C	
95258	ARM.70164					Washer, tab	4		C	
95267	ARM.70187					Washer	4		C	
95269	ARM.70243					Washer, sealing	4		C	
95273	ARM.70304					Yoke, steering	1		B	
	B.194028					Weather covers, assembly (Refer also to AP.1086 Section 27D/ )				
	B.310839					Cover, cockpit, lightweight	1			
	B.194026					Cover, gun package (for use when gun package removed from aircraft)	1			







































2

244














Faint, illegible markings or text on the left edge of the page.





This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.