

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
	C.314737	FUSELAGE, REAR, COMPLETE, GROUP (Fully equipped and complete with airbrake and tail cone, less tail parachute)	1		MR/A	JD.1
	F.262170	AIRBRAKE, ASSEMBLY (See Page No. JD.17)				
	E.314735	ELECTRICAL SYSTEM, ASSEMBLY (See Section EC)				
	C.202951	FIRE PROOFING AND TANK PANELS, ASSEMBLY (See Section JL)				
	D.202256	FUEL SYSTEM, ASSEMBLY (See Section NP)				
	E.217437	FLYING-CONTROL, ASSEMBLY (See Section DE)				
	D.234198	HYDRAULICS, ASSEMBLY (See Section HG)				
	E.247659	Tail cone, group (See Page JD.21)				
	E.315112	V.H.F. INSTALLATION, ASSEMBLY (See Section MD)				
	E.314869	VOR/ILS RADIO INSTALLATION (See Section M)				
	F.315726	FUSELAGE, REAR STRUCTURE, GROUP (Mod.1271)	1			JD.2
	A.182188	Angle, joint, at top of frame 51	1	DTD.610		
	F.182189	Angle, joint, port, at stringer H, frame 51	1	DTD.610		
	F.192190	Angle, joint, starboard, at stringer H, frame 51	1	DTD.610		
7661	F.183577	Angle, starboard, at frame 55 for stringers B, C, D, J, K & L	6	DTD.364	MR/C	
7662	F.183578	Angle, port at frame 55 for stringers A, B, C, D, J, K & L	7	DTD.364	MR/C	
6937	B.204673	Angle, reinforcing, port, frame 46	1	L.72	MR/C	
6938	B.204674	Angle, reinforcing, starboard, frame 46	1	L.72	MR/C	
	D.203888/3	Boom, inner, top, frame 50	1	DTD.364		
7663	D.203888/4	Boom, frame 50	1	DTD.364	MR/C	
7664	D.203888/5	Boom, frame 50	1	DTD.364	MR/C	
6943	A.203926	Bracket, support, for jet pipe rail at frame 40	1	L.72	MR/C	
	C.205594	COVER, PROTECTIVE, FOR HYDRAULIC COMPONENTS BETWEEN FRAMES 49 AND 50, ASSEMBLY				
	A.205598	Angle	1	L.72		
	F.205599	Angle	1	L.72		
	F.205600	Angle	1	L.72		
	A.205621	Angle	1	L.72		
	B.205597	Diaphragm	1	L.72		
8176	D.205595	Member, side	1	L.72	MR/C	
5702	C.205596	Panel, access	1	L.72	C	JD.2
	C.206138	DRAIN, RETRACTABLE, AT ENGINE SUMP, ASSEMBLY				
	A.214180	Bracket, support	1	L.72		JD.4
4024	F.195740	Clip	1	S.84 or S.3	MR/C	JD.4
8524	F.216645	Drain, extension	1	L.65	C	JD.4
6662	B.206377	Funnel	1	S.3 & T.26	C	JD.4
1871	B.193009	Guide	1	S.3 & T.26	C	JD.4
1872	F.193010	Spring	1	Spg.Stl.	C	JD.4
2379	F.193011	Washer, retaining	1	DTD.610	MR/C	JD.4

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
	A.198547 C.250552	Duct, cable FAIRING, FOR AIR BRAKE LEADING EDGE, ASSEMBLY (Mod.1025)	1	L.54		
10840	C.250552/B	Fairing, inner portion, group (Mod.1025)	1		C	JD.3
10839	C.250552/A	Fairing, outer portion, port (Mod.1025)	1	L.59	C	JD.3
10841	C.250552/C	Fairing, outer portion, port (Mod.1025)	1	L.59	C	JD.3
	D.223756	Fin, dorsal, group	1			JD.1
7666	A.185853	Bracket, front, for charging valve	1	DTD.610	MR/C	JD.5
7667	A.185854	Bracket, rear, for charging valve	1	DTD.610	MR/C	JD.5
711	B.186345	Bracket, clamp, for hydraulic accumulator	1	S.3 & Felt	C	JD.2
7668	B.204655	Bracket, flying control, group	1		MR/B	JD.3
713	F.173109	Bracket, bearing	1	DTD.364	C	JD.3
	F.183604	Bracket, port	1	DTD.610		
	F.209247	Bracket	1	DTD.610		
	B.204690	Bracket, starboard	1	L.72		
	A.204689	Channel	1	L.72		
	F.202691	Plate, reinforcing	2	L.72		
	F.183607	Shim	1	Laminum	C	JD.3
714	Std.1547/20/12	Washer, profile	4	DTD.610	MR/C	4
26FH/3474	F.186346	Clamp, for hydraulic accumulator	1	S.3 & Felt	C	JD.2
715	F.186245	Cleat	1	DTD.610		
3738	Std.840/29	Clip, support, for cable duct	1	DTD.610	MR/C	4
	A.207598	Duct, cable	1	L.67		
	A.207599	Duct, cable	1	L.67		
	C.211484	Former, at frame 46	1	L.72		
	B.183728	Former, at frame 47	1	DTD.610		
	B.211485	Former, at frame 48	1	L.72		
	C.183729	Former, at frame 49	1	DTD.610		
	C.211486	Former, at frame 50	1	L.72		
10721	C.204653	Former, at frame 51	1		C	
	F.185858	Label, at charging valve	1	DTD.610		
	B.225947	Landing, for access panel to flying controls	1	DTD.610		JD.2
2377	F.183736	Landing, for access panel to flying control bolt	2	DTD.610	MR/C	JD.2
	C.225946	Landing, for access panel to hydraulic accumulator, charging valve, electrical relays, terminal blocks and hydraulic connections	1	DTD.610		JD.2
7669	B.202689	Landing, for access panel to flying controls	1	L.72	MR/C	
7670	C.210096	Landing, for access panel	1	L.72	MR/C	
	C.215203	Landing, for access panel to micronic filter	1	L.72		
4728	Std.1231/4	Lug	2	S.3	MR/C	4
4242	Std.1231/7	Lug	1	S.3	C	4
	Std.1231/7B	Lug, locking	3	S.3		
	F.189514	Packing, starboard, on former, at frame 51	1	DTD.610		
	F.189515	Packing, port, on former at frame 51	1	DTD.610		
716	B.183735	Panel, access to flying controls	1	DTD.610	C	JD.1
717	F.183737	Panel, access to flying control bolt	2	DTD.610	C	JD.1

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
718	C.188863					Panel, access to hydraulic accumulator, charging valve, electrical relays, terminal block and hydraulic connections, group	1	DTD.610	B	JD.1
4888	Std.1509/1/012					Tube, distance, 5/16" o/d x 22 S.W.G. x 0.12" long (Make from 30B/618)	5	T.4	MR/C	4
4555	Std.915/A22					Washer	5	DTD.610	C	4
4602	A.200876					Window	1	Perspex	C	JD.1
9345	B.215202					Panel, access, to micronic filter	1	L.72	C	
7859	A.202690					Panel, access, to flying controls	1	L.72	C	JD.3
6666	B.210097					Panel, access, to elevator feel unit	1	L.72	C	JD.3
	B.188907					Panel, mounting	1	DTD.610		
	B.186243					Plate, side	1	DTD.610		
	C.183733					Rib, horizontal, between formers at frames 50 and 51	1	DTD.610		
7671	D.183727/1					Skin, port	1	DTD.610	MR/B	JD.1
	D.223756/2					Skin, starboard	1	DTD.610		JD.3
6907	D.183727/7					Stiffener, top, port, between formers at frames 50 and 51	1	DTD.610	MR/C	JD.2
6908	D.183727/8					Stiffener, top, starboard, between formers at frames 50 and 51	1	DTD.610	MR/C	JD.2
	A.184750					Stiffener, centre, port, between formers at frames 49 and 50	1	DTD.610		
	A.184751					Stiffener, centre, starboard, between formers at frames 49 and 50	1	DTD.610		
	A.186197					Stiffener, lower, port, between formers at frames 49 and 50	1	DTD.610		
	A.186198					Stiffener, port, between formers at frames 47 and 48	1	DTD.610		
	A.186199					Stiffener, starboard, between formers	1	DTD.610		
	A.186200					Stiffener, port, between formers at frames 46 and 47	1	DTD.610		
	A.186201					Stiffener, starboard, between formers at frames 46 and 47	1	DTD.610		
	A.186202					Stiffener, top, port, between formers at frames 49 and 50	1	DTD.610		
	A.186203					Stiffener, top, starboard, between formers at frames 49 and 50	1	DTD.610		
	A.186204					Stiffener, lower, port, between formers at frames 50 and 51	1	DTD.610		
	A.186205					Stiffener, lower, starboard, between formers at frames 50 and 51	1	DTD.610		
	D.183727/3					Strap, butt	1	DTD.610		
	D.183727/6					Strap	1	DTD.610		
	C.205130-1					FITTING, FORWARD HINGE, FOR AIR-BRAKE, SUB-ASSEMBLY				
5918	F.203982					Angle, attachment, inboard, for hinge fitting at frame 46	2	L.72	MR/C	JD.4
5919	F.203983					Angle, attachment, outboard, for hinge fitting at frame 46	2	L.72	MR/C	JD.4
5922	A.203986					Angle, attachment, port, at frame 45	1	DTD.364	MR/C	JD.4
5923	A.203987					Angle, attachment, starboard, at frame 45	1	DTD.364	MR/C	JD.4
7673	A.205076					Angle	1	L.72	MR/C	
5920	A.203984					Attachment, tee, port, at frame 45	1	L.40	MR/C	JD.4
5921	A.203985					Attachment, tee, starboard, at frame 45	1	L.40	MR/C	JD.4

RESTRICTED

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
8771	A.216746 C.219512	Cover, sealing Fitting, hinge, between frames 45 and 46, port, group	2 1	L.72 L.72	MR/C	JD.4
8772	C.219513	Fitting, hinge, between frames 45 and 46, starboard, group	1	L.72	MR/C	JD.4
5912	A.204798	LEVER, FOR MICRO-SWITCH, ASSEMBLY				
4949	A.204707 F.204706 F.216745	Bracket Lever Plate, sealing	1 1 1	L.72 DTD.364	MR/C C	JD.4 JD.4
5911	Std.1509/23/029	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.29" long (Make from 30B/556)	2	T.4	MR/C	4
5917	F.204170	Packing, for inboard angle at frame 46	2	L.72	MR/C	JD.4
5916	F.204971	Packing, for stop	2	L.72	MR/C	JD.4
5915	F.204970	Stop	2	L.72	MR/C	JD.4
4827	Std.1509/23/080	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.8" long (Make from 30B/556)	8	T.4	MR/C	4
5924	Std.1509/23/086	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.86" long (Make from 30B/556)	2	T.4	MR/C	4
7674	B.299486 F.163970	Frame 40B, group Angle, for spigot fitting at stringers B, C, E, G, K & L	1 12	DTD.364	MR/C	
7675	F.163971	Angle, for spigot fitting at stringers B, C, E, G, K & L	12	DTD.364	MR/C	
7676	F.171397	Angle, for spigot fitting at stringer J	2	DTD.364	MR/C	
7677	F.171398	Angle, for spigot fitting at stringer J	2	DTD.364	MR/C	
7678	A.181011	Fitting, for transport joint	8	S.99.B	MR/C	
7679	A.181012	Fitting, for transport joint	7	S.98.B	MR/C	
7680	Std.1231/3B	Lug, locking	6	S.3	MR/C	
7681	B.211922/3	Member, frame, bottom	1	L.72	MR/C	JD.2
719	F.175758	Nut, securing, at transport joint	15	S.98.B	C	JD.2
4156	F.200285	Packing, at rear of spigot	15	S.1 or S.3	C	JD.2
7682	B.181007	Plate, joint, port	1	DTD.610	MR/C	JD.2
7683	B.181008	Plate, joint, starboard	1	DTD.610	MR/C	JD.2
7684	A.209797	Plate, for flanged coupling, starboard	1	L.72	MR/C	
7685	A.209798	Plate, for flanged coupling, port, group	1	L.72	MR/C	
7686	F.212771	Plate, for spring clip, port and starboard	2	L.72	MR/C	
4729	F.199064	Plate, instruction	1	L.16	MR/C	
721	F.181010	Spigot, at transport joint	15	S.98.B	C	JD.2
7687	F.211473	Tube, distance	8	T.4	MR/C	
	D.177649	Frame 52, group	1			
7688	D.177575/10	Angle, aft, port	1	DTD.610	MR/C	
7689	D.177575/11	Angle, aft, starboard	1	DTD.610	MR/C	
7690	D.177575/12	Angle, forward, port	1	DTD.610	MR/C	
7691	D.177575/13	Angle, forward, starboard	1	DTD.610	MR/C	
7692	F.177575/14	Angle, joint, forward	1	DTD.610	MR/C	
6843	D.177575/15	Angle, joint, aft	1	DTD.610	MR/C	
2380	C.177113	Angle, forward, outer	1	DTD.364	MR/C	JD.4
2381	C.177114	Angle, aft, outer	1	DTD.364	MR/C	JD.4
2382	B.177115	Angle, inner	2	DTD.364	MR/C	JD.4
10445	A.189243	Angle, port	1		MR/C	
10446	A.189244	Angle, starboard	1		MR/C	
10753	F.249148	Bracket, securing fire wire element (Mod.960)	1	L.72	C	
4906	F.197241	Bracket, securing electric cables	1	DTD.610	MR/C	
2383	B.177579	Channel	1	DTD.610	MR/C	JD.4

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2384	B.167060					Fitting, for fin attachment, port	1	Stamping	MR/C	JD.4
2385	B.167061					Fitting, for fin attachment, starboard	1	Stamping	MR/C	JD.4
7693	A.177577					Plate, joint, aft port and forward starboard	2	DTD.610	MR/C	
7694	A.177578					Plate, joint, forward port, aft starboard	2	DTD.610	MR/C	
7695	F.178104					Plate, joint	4	DTD.610	MR/C	
4211	Std.1687/2					Saddle, securing electric cable	1	DTD.610	C	
	Std.1507/24/092					Tube, distance, 3/8" o/d x 17 S.W.G. x 0.92" long (Make from 30A/1469)	4	T.26		
2386	D.177575/1					Web, lower portion, forward	1	DTD.546	MR/C	JD.4
2387	D.177575/2					Web, lower portion, aft	1	DTD.546		
	D.177823					Frame 55, group	1			
	F.189386					Angle, for jet pipe mounting, port	1	DTD.610		
	F.189387					Angle, for jet pipe mounting, starboard	1	DTD.610		
2389	B.177788					Boom, bottom, front	1	DTD.364	MR/C	JD.4
2388	B.177789					Boom, bottom, rear	1	DTD.364	MR/C	JD.4
4269	A.177812					Channel, inner boom	1	DTD.364	MR/C	JD.4
2390	C.177119					Fitting, for rear attachment of tailplane and fin	1	Stamping	MR/C	JD.4
2391	A.177870					Plate, joint	2	DTD.610	MR/C	JD.4
7696	A.177871					Plate, joint	4	DTD.364	MR/C	
2392	A.187418					Plate, end	2	DTD.610	MR/C	JD.4
6661	F.190604					Shim-washer, for jet pipe mounting	2	Laminated Alum.	C	
	F.190145					Spacer, at jet mounting angle	2	DTD.364		
2393	D.177749/1					Web, rear	2	DTD.546	MR/C	
	D.177749/4					Web, front (Supplied as Ref.2393, D.177749/1)	2	DTD.546		JD.4
	E.204943					JET, PIPE SUPPORTS, ASSEMBLY				
6960	A.188249					Bracket, at frame 48	1	DTD.610	MR/C	
6941	A.188250					Bracket, at frame 50	1	DTD.610	MR/C	
	A.190913					Bracket, at frame 56, group	1	DTD.610		
	A.183191					Bracket, at frame 51	1	DTD.610		
	F.177687					Bracket, at frame 52	1	DTD.610		
	A.178068					Bracket, at frame 54	1	DTD.610		
6942	F.175708					Bracket, at frames 48, 50, 51 and 54	4	DTD.610	C	
	D.187408-9					MOUNTING, FOR JET PIPE, ASSEMBLY				
7873	B.216692					Channel, mounting, port (Mod.527)	1	DTD.166	C	JD.4
7874	B.216693					Channel, mounting, starboard (Mod.527)	1	DTD.166	C	JD.4
722	F.187724					Nut, special	4	S.1	C	JD.4
723	A.187721					Plate, serrated	2	S.95.B	C	JD.4
724	B.187722					Slide, mounting	2	Stamping	C	JD.4
726	F.187720					Shims, packing	QR	DTD.610	C	JD.4
1606	F.190541					Stud	2	S.94.B	C	JD.4
1607	F.190542					Stud	2	S.94.B	C	JD.4
1608	C.190691					Rail, mounting	1	DTD.364	C	JD.4
731	F.189443					Strap, aft, securing rail at frame 55	1	DTD.364	C	JD.4
732	F.189442					Strap, forward, securing rail at frame 55	1	DTD.364	C	JD.4
3813	Std.1547/22/10					Washer, profile	2	DTD.610	MR/C	4
2395	B.184011					Landing, aft, port, for detachable spine	1	DTD.610	MR/C	JD.1
2396	B.184012					Landing, aft, starboard, for detachable spine	1	DTD.610	MR/C	JD.1
2397	A.184009					Landing, forward, port, for detachable spine, group	1		MR/C	JD.1
28FP/341	Dzus S.5/325					Spring	1		C	
751	Std.915/A20					Washer	1	DTD.610	C	4

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
2398	A.184010	Landing, forward, starboard, for detachable spine, group	1		MR/C	JD.1
28FP/341	Dzus.S.5/325	Spring	1		C	
751	Std.915/A20	Washer	1	DTD.610	C	4
	D.177846	MOUNTING FOR TAILPLANE ACTUATOR, ASSEMBLY				
26AQ/1295	Std.1553/E/50	Bolt, securing pivot fitting	8	S.99.B	C	
10026	A.233319	Fitting, pivot for actuator	1	S.98.B	C	JD.5
	B.189589	MOUNTING AND STOWAGE POINTS, FOR HYDRAULIC COUPLINGS, ASSEMBLY				
8600	A.189590	Platform, mounting	1	DTD.610	C	
	F.236266	Screw, special at attachment of dummy, stowage (Make from 28S/1200066)	4			
6852	F.183903	Stowage, dummy	1	DTD.364	C	
6853	F.183904	Stowage, dummy	1	DTD.364	C	
	F.189441	Packing, taper, at stringers D, F, H and M	8	DTD.610		
733	B.185073	Panel, access to jet pipe coupling, fuel connections thermo-couples and igniter plug	2	DTD.610	C	JD.1
28FP/4062373	Dzus F.540	Fastener	3		C	
735	A.184848	Panel, access, to jet pipe rear mounting	2	DTD.610	C	JD.1
736	A.185009	Panel, access to fuel tank switch	2	DTD.610	C	JD.1
7697	B.202806	Panel, end on frame 47	1	S.3	MR/C	
9398	B.219229	Panel, access to fuel tank explosion suppression equipment	2		B	
9906	D.220464	PARACHUTE, BRAKING, FIXED PARTS, ASSEMBLY				
	F.230242	Bolt	1	S.80.B	C	
	F.237806	Bracket, mounting (Mod.848)	1	L.72		
	C.220507	Diaphragm, forward, port	1	L.72		
	C.220508	Diaphragm, forward, starboard	1	L.72		
	C.220328	Diaphragm, rear, port	1	L.72		
	C.220329	Diaphragm, rear, starboard	1	L.72		
	D.220464/1	Fairing, port	1	L.72		
	D.220464/2	Fairing, starboard	1	L.72		
	D.219321	MOUNTING, ATTACHMENT, FOR BRAKING PARACHUTE, ASSEMBLY				
9788	F.230690	Block, cable guard	1	LFS.21	C	
	C.219182	Channel, port	1	L.72		
	C.219183	Channel, starboard	1	L.72		
10479	F.237669	Guide (Mod.848)	1	S.96.B	C	
10478	F.237668	Guide (Mod.848)	1	S.96.B	C	
	C.218352	Member, side, port	1	L.72		
	C.218353	Member, side, starboard	1	L.72		
	C.219179	Plate, mounting, top	1			
	C.219180	Plate, mounting, bottom	1			
	B.219962	Plate, reinforcing	1	M.S.P.		
10482	F.240868	Screw, grub (Mod.848)	1	BS.94B	C	
10480	F.237670	Shim, top (Mod.848)	1	Laminated Alum.	C	
10481	F.237671	Shim, bottom (Mod.848)	1	Laminated Alum.	C	
9674	F.230236	Strip, bonding	1	S.3	C	
	Std.1547/22/12	Packing, profile, at mounting bracket (Mod.848) (Make from 30B/1724 1/2 x 1/2")	1	DTD.610		

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9326	A.220548					Panel, access, group	2		B	
28FP/4069761	Dzus F5/T/12					Fastener	1		C	
28FP/612	Dzus GH.5					Grommet	1		C	
9364	Vickers A.5931					Release, E.M., No.1, Mk.1 (Modified to Vickers Drawing No. 92574-Sheet 71) (Mod.835)	1		B	JD.2
	B.188783					PICKETING POINT AT FRAME 52, ASSEMBLY				
8603	A.188358					Bracket, port	1	DTD.610	C	
8604	A.188359					Bracket, starboard	1	DTD.610	C	
2399	A.180407					Socket, slinging, group	1	DTD.364	MR/C	JD.1
737	F.159451					Plug	1	DTD.364	C	JD.1
	Std.1509/2/152					Tube, distance, 1/4" o/d x 22 S.W.G. x 1.52" long (Make from 30B/555)	2	T.4		
	Std.1509/2/166					Tube, distance, 1/4" o/d x 22 S.W.G. x 1.66" long (Make from 30B/555)	2	T.4		
	Std.1547/28/16					Washer, packing	4	DTD.610		
	C.185991/2					Plate, doubling, bottom half, at frame 40B	1	DTD.610		
	B.204672					Plate, joint, top, frame 45	1	L.72		
6844	F.182976					Plate, joint	12	DTD.610	MR/C	
	F.183192					Plate, joint, at frames 48, 49 and 65	3	DTD.610		
	A.203882					Plate, joint, top, frame 50	1	L.72		
7698	A.203883					Plate, joint, at stringer "H", frame 50	1	L.72	MR/C	
7699	F.203885					Plate, joint, at stringers "K" and "D" for inner boom of frame 50	2	L.73	MR/C	
	A.183188					Plate, joint, top, frame 51	1	DTD.610		
6127	A.183187					Plate, joint, at stringer "H", frame 51	2	DTD.610	MR/C	
6846	F.190294					Plate, joint, at stringer "H", frame 54	2	DTD.610	MR/C	
6112	F.189187					Plate, joint, for attachment of stringer "M", to frame 55	2		MR/C	
6114	F.189335					Plate, nut attachment of stringer "M", to frame 55	2		MR/C	
	C.188585					PLATFORM, MOUNTING, FOR SELECTOR VALVE, ASSEMBLY				
2400	B.188584					Platform, mounting, group	1		MR/C	JD.2
	B.188584/1					Platform	1	DTD.610		
1920	Std.1341/8					Stud, special	2		C	4
7700	Std.1341/14					Stud, special	1		MR/C	
	B.190993					SKID, TAIL, ASSEMBLY				
6088	B.207372					Skid, tail	1	L.53	C	JD.3
6116	B.190993/1					Plug, wood	2	ASH	C	JD.3
	D.202162					SKIN, AND STRUCTURE SUPPORTING TANK, ASSEMBLY				
	A.202184					Cover, for fuel contents gauge, port	1	L.72		
	A.202185					Cover, for fuel contents gauge, starboard	1	L.72		
	A.214266					Plate, reinforcing, at float switch, frame 45	1	L.72		
	A.214267					Plate, reinforcing, at float switch, frame 45	1	L.72		
8472	A.214181					Plate, cover, for float switch, port	1	L.72	C	
8473	A.214182					Plate, cover, for float switch, starboard	1	L.72	C	
	B.214183					Plate, reinforcing, at float switch	1	L.72		
	C.315419					Spine, detachable, group (with trimming allowance)	1		B	JD.1
	D.315356					Mounting, upper anti collision lamp	1			
7701	C.211697/1					Skin	1	DTD.610	MR/B	JB.1
	B.183742					Stiffener, front, group	1	DTD.610		
28FP/341	Dzus S.5/325					Spring	2		C	

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		STRUCTURE BELOW TAILPLANE, ASSEMBLY								
7702	D.204652									
	F.186462					1	DTD.610	MR/C		
7703	F.186463					1	DTD.610	MR/C		
7704	A.209654					1	L.72	MR/C	JD.5	
7705	A.209655					1	L.72	MR/C	JD.5	
	A.186440					1	DTD.610			
745	B.188224					1	Stamping	C	JD.2	
744	B.188226					1	Stamping	C	JD.3	
4727	A.198686					1	DTD.610	MR/C		
7706	F.186244					1	DTD.610	MR/C		
10538	F.245091					1		B		
10539	F.236518					1	Sprg.Steel	C		
							Wire			
	C.209708					1	L.72			
	C.188582					1	DTD.610			
2414	B.186518					1	DTD.610	MR/C	JD.2	
2413	B.189167					1	DTD.610	MR/C	JD.1	
2412	C.188288					1	DTD.610	MR/C	JD.3	
2415	F.188747					2	DTD.610	MR/C	JD.3	
	F.214231					1	L.72			
	Std.1231-7B					3	S.3			
7707	F.188555					1	DTD.610	MR/C		
	D.186503/3					1	DTD.610			
	D.186503/4					2	DTD.610			
	D.186503/5					1	DTD.610			
748	B.186517					1	DTD.610	C	JD.1	
1580	F.188746					2	DTD.610	C	JD.3	
747	A.189166					1	DTD.610	C	JD.1	
5272	C.207286					1		B	JD.3	
5273	C.207286/2					1	L.72	C	JD.3	
	C.207286/4					1				
717	F.183737					1	DTD.610	C	JD.3	
	F.186388					2	DTD.610			
	B.186387					1	DTD.610			
	B.202352					1	L.72			
	B.204654					1	L.72			
4211	Std.1687/2					4	DTD.610	C	5	
1581	F.189937					AR	Laminated	C	JD.3	
1852	D.186503/1					1	DTD.610	B	JD.1	
1853	D.186503/2					1	DTD.610	B	JD.3	
	A.189165					1	DTD.610			
	D.186503/6					1	DTD.610			
	Std.1507/2/026					4	T.26			
	Std.1507/24/016					4	T.26			
3817	Std.1548/30/12					4	DTD.610	MR/C	4	
280	Std.1548/40/12					4	DTD.610	C	4	
	Std.1549/36/12					2	DTD.610			

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
		STRUCTURE, REAR, BELOW TAILPLANE, ASSEMBLY				
	C.224023/4	Angle, piece	2	DTD.610		
	F.190522	Angle, piece	1	DTD.610		
	F.190523	Angle, piece	1	DTD.610		
2410	A.186446	Bracket, attachment	1	DTD.610	MR/C	JD.1
2409	F.190513	Edge, trailing, aft portion	1	DTD.364	MR/C	JD.1
	F.192763	Edge, trailing, top portion	1	LFS.21		
	B.211427	Former, aft	1	L.72		
	B.224021	Former, centre	1	L.72		
	B.190484	Former, forward	1	L.72		
2411	A.186407	Landing, for access panel to elevator control lever	1	DTD.610	MR/C	JD.3
	C.211429	Landing, for access panel flying tail linkage	1	L.72		
1712	F.186406	Panel, access to elevator operating arm connection	1	DTD.610	C	JD.3
7932	B.211431	Panel, access to flying tail linkage	1	L.72	B	JD.1
	C.212321	Rib, tail, for attaching access and fairing panels	1	L.72		
	C.224022	Rib, tail, group	1	L.72		
	B.190521	Rib	1	DTD.610		
10000	C.224023/1	Skin, port	1	DTD.610	B	JD.1
10001	C.224023/2	Skin, starboard	1	DTD.610	B	JD.3
	B.212322	Stiffener, forward, port	1	L.72		
	B.212323	Stiffener, aft, port	1	L.72		
	B.212324	Stiffener, starboard	1	L.72		
	C.224023/3	Strap, butt	1	L.72		
	C.224023/4	Strap, butt	1	L.72		
7708	E.202159	Structure, bottom portion, group	1		MR/B	JD.5
7709	A.203857	Angle, on frames 48 and 49	2	L.72	MR/C	JD.5
7710	A.203886	Angle, port, on frame 50	1	DTD.364	MR/C	JD.5
7711	A.203887	Angle, starboard, on frame 50	1	DTD.364	MR/C	JD.5
7712	A.203894	Angle, port, on aft face of frames 47 and 50	2	L.40	MR/C	JD.5
7713	A.203895	Angle, starboard, on aft face of frames 47 and 50	2	L.40	MR/C	JD.5
7714	A.203896	Angle, port, on forward face of frames 47 and 50	2	DTD.364	MR/C	JD.5
7715	A.203897	Angle, starboard, on forward face of frames 47 and 50	2	DTD.364	MR/C	JD.5
7716	D.203912	Angle, port, on frame 47	1	DTD.364	MR/C	JD.5
7717	F.203913	Angle, starboard, on frame 47	1	DTD.364	MR/C	JD.5
7718	F.203914	Angle, port, on frames 47 and 48	2	L.72	MR/C	JD.5
7719	F.203915	Angle, starboard, on frames 47 and 48	2	L.72	MR/C	JD.5
7720	F.203916	Angle, port, on frames 47 and 48	2	L.72	MR/C	JD.5
7721	F.203917	Angle, starboard, on frames 47 and 48	2	L.72	MR/C	JD.5
7722	F.204089	Bracket, mounting, for hydraulic valves	2	DTD.610	MR/C	JD.5
5908	A.204212	Bracket, mounting, for micro-switch on frame 47	2	L.72	MR/C	JD.5
5925	A.204354	Bracket, mounting, for pressure switch	1	DTD.610	MR/C	
7723	C.203969	Diaphragm, port, between frames 47 and 48	1	L.72	MR/C	JD.5
7724	C.203970	Diaphragm, starboard, between frames 47 and 48	1	L.72	MR/C	JD.5
7725	C.203971	Diaphragm port, between frames 48 and 49	1	L.72	MR/C	JD.5
7726	C.203972	Diaphragm, starboard, between frames 48 and 49	1	L.72	MR/C	JD.5
7727	C.203973	Diaphragm, port, between frames 49 and 50	1	L.72	MR/C	JD.5
7728	C.203974	Diaphragm, starboard, between frames 49 and 50	1	L.72	MR/C	JD.5
8513	F.216608	Drain, extension, aft of frames, 41, 45, 50, 52 and 55	10	L.65	C	JD.1

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
7729	B.189503									
7730	B.189503/1									
7731	F.196126									
7732	B.204099									
7733	A.204256									
7734	F.189504									
	F.219380									
	A.221312									
	A.221313									
5909	A.203906									
7735	D.202199									
7736	D.181021									
7737	D.181024									
7738	D.181027									
7739	D.181030									
7740	D.204666									
7741	C.204667									
7742	C.205132									
7743	C.205133									
7744	C.204670									
7745	C.204671									
7746	D.204873									
7747	D.181048									
7748	D.181051									
7749	D.181054									
7750	C.203856									
8773	D.219540									
8774	D.219451									
7753	F.183785									
7754	F.204481									
7756	E.204792/2									
4945	B.204064									
4946	B.204065									
4948	F.204262									
7758	C.185646/3									
7755	B.203874									
7757	B.203875									
7759	C.203911									
7760	B.203962									
7761	B.203963									
7762	A.204072									
7763	A.204073									
7764	B.205569									
	F.216575									
	F.216576									

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.191817	PLUG, TELEBRIEFING, ASSEMBLY				
7765	F.191977	Angle	1	DTD.710	MR/C	JD.3
1611	Std.323/20N	Bolt, shoulder	2	S.2	C	JD.3
7766	F.191826	Bracket, stop	2	DTD.364	MR/C	JD.3
7767	F.191827	Bracket, anchorage, on frame 53	2	DTD.610	MR/C	
7768	F.191830	Bracket, hinge	1	DTD.610	MR/C	JD.3
7769	F.191831	Bracket, hinge	1	DTD.610	MR/C	JD.3
1609	A.191823	Cover	1	DTD.213	C	JD.3
1610	B.191822	Door, access	1	DTD.610	C	JD.3
7770	B.191819	Landing, for door access	1	DTD.610	MR/C	JD.3
7771	B.191820	Member, side	1	DTD.610	MR/C	JD.3
7772	B.191821	Member, side	1	DTD.610	MR/C	JD.3
1612	C.191817/1	Strip, rubber, 1/16" thick, 38" wide	1	DTD.560	C	JD.3
1613	C.191817/2	Strip, rubber, 1/16" thick, 38" wide	1	DTD.560	C	JD.3
1854	E.202159/1A	Skin	1	L.72	C	JD.1
7774	B.203905	Skin, top, for jack attachment beam	1	L.72	MR/B	JD.5
4947	F.204263	Spring, for micro-switch striker pin	1	Sp.Stl.	C	
5910	F.205570	Stop, at jack attachment, port, forward of frame 50	1	L.72	MR/C	JD.5
6120	C.186467	Strap, joint, aft of frame 55	1	DTD.610	MR/C	JD.2
7775	D.183532	Stringer, "L", port, between frames 44 and 52	1	DTD.364	MR/C	JD.5
7776	D.183533	Stringer, "L", starboard, between frames 44 and 52	1	DTD.364	MR/C	JD.5
7777	C.183543	Stringer, "J", "K" and "L", port, aft of frame 52	3	DTD.364	MR/C	JD.5
7778	C.183544	Stringer, "J", "K" and "L", starboard and "M" aft of frame 52	4	DTD.364	MR/C	JD.5
7779	D.183632	Stringer, "J", port, between frames 40B and 45	1	DTD.364	MR/C	JD.5
7780	D.183633	Stringer, "J", starboard, between frames 40B and 45	1	DTD.364	MR/C	JD.5
7781	D.183634	Stringer, port, forward of frame 43	1	DTD.364	MR/C	JD.5
7782	D.183635	Stringer, starboard, forward of frame 43	1	DTD.364	MR/C	JD.5
4203	D.183636	Stringer, "K", port, between frames 40B and 45	1	DTD.364	MR/C	JD.5
7783	D.183637	Stringer, "K", starboard, between frames 40B and 45	1	DTD.364	MR/C	JD.5
7784	D.183638	Stringer, port, forward, of frame 43	1	DTD.364	MR/C	JD.5
7785	D.183639	Stringer, starboard, forward of frame 43	1	DTD.364	MR/C	JD.5
7786	D.183640	Stringer, "L", port, between frames 40B and 45	1	DTD.364	MR/C	JD.5
7787	D.183641	Stringer, "L", starboard, between frames 40B and 45	1	DTD.364	MR/C	JD.5
7788	D.183642	Stringer, port, forward of frame 43	1	DTD.364	MR/C	HD.5
	D.183643	Stringer, starboard, forward of frame 43	1	DTD.364	MR/C	JD.5
7790	D.202506	Stringers, "J" and "K", port, between frames 44 and 52	2	DTD.364	MR/C	JD.5
7791	D.202507	Stringers, "J" and "K", starboard, between frames 44 and 52	2	DTD.364	MR/C	JD.5
7792	B.203876	Stringer, port, between frames 46 and 47	1	DTD.364	MR/C	JD.5
7793	B.203877	Stringer, starboard, between frames 46 and 47	1	DTD.364	MR/C	JD.5
7794	B.203878	Stringer, port, between frames 50 and 51	1	DTD.364	MR/C	JD.5
7795	B.203879	Stringer, starboard, between frames 50 and 51	1	DTD.364	MR/C	JD.5
7796	B.203880	Stringer, "M", between frames 50 and 52	1	DTD.364	MR/C	JD.5
7797	B.204818	Stringer, "M", between frames 40B and 47	1	DTD.364	MR/C	JD.5
6949	F.204224	Tube, support, for micro-switch striker	1	T.26 & S.3	MR/C	

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
6125	D.224027	Structure, rear extension, group	1			JD.1
6111	F.190667	Angle, for catch-pin bracket	4	DTD.610	MR/C	
	A.190584	Bracket, for lower lever and catch-pin, port and starboard	2	DTD.610	MR/C	JD.2
6115	A.190585	Bracket, for lower lever and catch-pin, port and starboard	2	DTD.610	MR/C	JD.2
1614	F.190589	Bracket, locating spigot on tail cone	4	DTD.364	C	JD.3
8513	F.216608	Drain, extension	3	L.65	C	JD.1
4907	King D.5067	Fitting, attachment	4		MR/C	JD.3
	D.190473	Frame 56, side portion, port	1	DTD.610		
	D.190474	Frame 46, side portion, starboard	1	DTD.610		
6122	D.190475	Frame 56, bottom portion	1	DTD.610	B	JD.4
	D.224024	Frame 57, side portion, port	1	L.72		
	D.224025	Frame 57, side portion, starboard	1	L.72		
	D.224026	Frame 57, bottom portion	1	L.72		JD.4
	B.190529	Landing, top, locating tail cone	1	DTD.610		
	B.190530	Landing, side, locating tail cone, port	1	DTD.610		
	B.190531	Landing, side, locating tail cone, starboard	1	DTD.610		
6119	B.190532	Landing, bottom, locating tail cone	1	DTD.610	C	JD.1
6109	King C.3103/H	Lever, and catch-pin	4		C	JD.3
	F.190590	Plate, top joint on frame 56	1	DTD.610		
6117	F.190591	Plate, joint, port and starboard, frame 56	2	DTD.610	MR/C	
6113	F.190592	Plate, joint, port and starboard, frame 57	2	DTD.610	MR/C	
	F.219856	Plate, top joint, frame 57	1			
4211	Std.1687/2	Saddle, on stringer "G", starboard and bottom portion of frame 57	3	DTD.610	C	5
1025	King D.3060/2	Screw, locking	4		C	JD.3
	D.224027/1	Skin, side, port	1	L.72		
	D.224027/2	Skin, side, starboard	1	L.72		
	D.224027/3	Skin, bottom	1	L.72		JD.1
6118	B.190669	Strap, joint, port and starboard	2	DTD.610	MR/C	JD.2
6124	A.190586	Stringer, forward of frame 56	19	DTD.610	MR/C	JD.2
6110	A.190588	Stringer, between frames 56 and 57	13	DTD.610	C	JD.2
4555	Std.915/A22	Washer	2	DTD.610	C	4
	D.202157	Structure, side portion, port, group	1			
	D.202158	Structure, side portion, starboard, group	1			
	A.188174	Beam, for slinging socket, group	2			
	B.188104	Beam, group	1			
2401	A.188105	Socket, slinging	1	DTD.364	MR/C	JD.2
113	F.180423	Plug, screwed	1	DTD.364	C	JD.2
5931	B.204353	Bracket, for control valve, port side only	2	DTD.610	MR/C	JD.2
	C.184956	Landing, for access panel to jet pipe coupling fuel connections, thermo-couple and igniter plug	2	DTD.610		
28FP/4062657	Dzus F.L.A.5/225	Fastner, housing type	3		C	

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
3771	Std.1231/6					Lug	2	S. 3	MR/C	4
2402	C.185010					Plate, reinforcing, for access panel to fuel tank switch, port	1	DTD.610	MR/C	JD.2
2403	C.185011					Plate, reinforcing, for access to fuel tank switch, starboard	1	DTD.610	MR/C	JD.2
2404	B.184847					Plate, reinforcing, for access panel to jet pipe rear mounting	1	DTD.610	MR/C	JD.2
4211	Std.1687/2					Saddle	5	DTD.610	C	5
1855	D.202157/1A					Skin, port	1	L.72	C	JD.1
1856	D.202158/1A					Skin, starboard	1	L.72	C	JD.3
	B.191149					VENTILATOR, BETWEEN FRAMES 46 AND 47, ASSEMBLY				
2405	A.191151					Louvre	2	L.59	MR/C	JD.1
	A.191150					Plate, reinforcing	2	DTD.610		
	Std.1507/3/094					Tube, distance, for attachment of stringers at frame 40B	32	T.26		

RESTRICTED

FUSELAGE - REAR PORTION

Hunter Single Seater

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				

RESTRICTED

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1010658	A25.1B	Bolt	4	B.A.						
28D/1011006	A25.5B	Bolt	4	B.A.						
28D/1009984	A25.7B	Bolt	4	B.A.						
28D/9436920	A25.1C	Bolt	2	B.A.						
28D/9133011	A25.2C	Bolt	2	B.A.						
28D/9133012	A25.3C	Bolt	2	B.A.						
28D/1200119	A25.4C	Bolt	2	B.A.						
28D/9133013	A25.5C	Bolt	2	B.A.						
28D/7002428	A25.6C	Bolt	2	B.A.						
28D/9140645	A25.10C	Bolt	2	B.A.						
28D/9435710	A25.11C	Bolt	2	B.A.						
28D/9419397	A25.12C	Bolt	2	B.A.						
28D/9140647	A25.14C	Bolt	2	B.A.						
28D/9453970	A25.15C	Bolt	2	B.A.						
28D/1011022	A25.18C	Bolt	2	B.A.						
28D/1017157	A25.25C	Bolt	2	B.A.						
28D/1010132	A25.12E	Bolt	1/4"	B.S.F.						
28D/1212313	A25.15E	Bolt	1/4"	B.S.F.						
28D/1011248	A25.16E	Bolt	1/4"	B.S.F.						
28D/13046	A25.19E	Bolt	1/4"	B.S.F.						
28D/14522	A25.23E	Bolt	1/4"	B.S.F.						
28D/1212389	A25.17G	Bolt	5/16"	B.S.F.						
28D/1007975	AS.1242.1C	Bolt	2	B.A.						
28D/1214091	AS.1242.2C	Bolt	2	B.A.						
28D/9709461	AS.1242.3C	Bolt	2	B.A.						
28D/1007976	AS.1242.4C	Bolt	2	B.A.						
28D/1007982	AS.1248.1C	Bolt	2	B.A.						
28D/1013284	AS.1248.2C	Bolt	2	B.A.						
28D/1214763	AS.2504.4E	Bolt	1/4"	B.S.F.						
28D/1214704	AS.2504.5E	Bolt	1/4"	B.S.F.						
28E/951854	AS.2294/8	Clip		spring						
5K/9140980	SP.40.A16	Grommet								
28N/9156370	SP.21	Nipple								
28M/9419526	A16.Y.CP	Nut	2	B.A.						
28M/756	A16.Y.EP	Nut	1/4"	B.S.F.						
28M/12619	A24.BT	Nut	4	B.A.						
28M/13274	A25.PP	Nut	9/16"	B.S.F.						
28M/9403520	A27.CP	Nut	2	B.A.						
28M/1011475	A27.EP	Nut	1/4"	B.S.F.						
28M/1007403	A27.ET	Nut	1/4"	B.S.F.						
28M/14555	A58.HS	Nut								
28M/13403	AGS.572.AP	Nut	1/4"	B.S.F.						
28M/10286	AGS.2001.A1	Nut	6	B.A.						
28M/10287	AGS.2001.B1	Nut	4	B.A.						
28M/9434252	AGS.2018.B1	Nut	4	B.A.						

FUSELAGE - REAR PORTION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28M/13774	AGS.2019.B1	Nut,	4	B.A.						
28M/10288	AGS.2001.C1	Nut,	2	B.A.						
28M/10328	AGS.2002.C1	Nut,	2	B.A.						
28M/11957	AGS.2007.C1	Nut,	2	B.A.						
28M/9435067	AGS.2008.C1	Nut,	2	B.A.						
28M/9993192	AGS.2009.C1	Nut,	2	B.A.						
28M/9418918	AGS.2012.C1	Nut,	2	B.A.						
28M/12421	AGS.2018.C1	Nut,	2	B.A.						
28M/13279	AGS.2019.C1	Nut,	2	B.A.						
28M/13481	AGS.2020.C1	Nut,	2	B.A.						
28P/934	SP.4Y.H12	Pin,		shackle						
28P/841	SP.4Y.B15	Pin,		shackle						
28P/9143877	SP.9.C4	Pin,		split						
28P/5412	AGS.1551.2	Pin,		split						
28S/1008327	A32.B14	Screw,	4	B.A.						
28S/	A55.B2	Screw,	2	B.A.						
28S/1007405	A32.C14	Screw,	2	B.A.						
28S/1006948	A32.A12	Screw,	6	B.A.						
28S/9145235	A37.C16	Screw,	2	B.A.						
28S/1005569	A37.C20	Screw,	2	B.A.						
28W/9419475	SP.15C	Washer								
28W/9419404	SP.16C	Washer								
28W/9416642	SP.47B	Washer								
28W/9419491	SP.16N	Washer								
28W/9419476	SP.15G	Washer								

FUSELAGE - AIR BRAKE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		AIRBRAKE, ASSEMBLY				
11176	D.207295	Air Brake, group	1		A	JD.6
	F.262170	Anchorage, for jack, group	1	Stamping	C	JD.6
4939	B.204309	Bush	2	S.96.B	MR/C	JD.6
5970	F.204324	Angle, cleat, attaching former No.1, outer portion, port	1	DTD.364		
	F.204386	Angle, cleat, attaching former No.1, outer portion, starboard	2	DTD.364	MR/C	
5971	F.204387	Angle, cleat, attaching former No.1, centre portion, port	1	DTD.364	MR/C	
5972	F.204390	Angle, cleat, attaching former No.1, centre portion, starboard	1	DTD.364	MR/C	
5973	F.204391	Angle, cleat, attaching former No.2, outer portion, port	1	DTD.364	MR/C	
5974	F.204401	Angle, cleat, attaching former No.2, outer portion, starboard	1	DTD.364	MR/C	
5975	F.204402	Belt, securing jack anchorage	1	S.99.B	C	5
4940	Std.1553/G/140	Bolt, securing jack anchorage	3	S.99.B	C	5
4941	Std.1553/G/180	Channel, port, front	1	L.72	MR/C	JD.6
5976	B.204357	Channel, centre, rear	1	L.72	MR/C	JD.6
5977	B.204358	Fitting, hinge, port, group	1	Stamping	MR/C	JD.6
5978	B.204482	Bush	2	BSS.369	C	JD.6
4943	F.204036	Fitting, hinge, starboard, group	1	Stamping	MR/C	JD.6
5979	B.204483	Bush	2	BSS.369	C	JD.6
4944	F.205200	Former, No.1, centre portion	1	L.72	MR/C	JD.6
5980	D.204359	Former, No.1, outer portion, port	1	L.72	MR/C	JD.6
5981	D.204360	Former, No.1, outer portion, starboard	1	L.72	MR/C	JD.6
5982	D.204361	Former, No.1A, centre portion, port	1	L.72	MR/C	JD.6
5983	C.204369	Former, No.1A, centre portion, starboard	1	L.72	MR/C	JD.6
5984	D.204370	Former, No.2, centre portion	1	L.72	MR/C	JD.6
5985	D.204362	Former, No.2, outer portion, port	1	L.72	MR/C	JD.6
5986	D.204363	Former, No.2, outer portion, starboard	1	L.72	MR/C	JD.6
5987	D.204364	Member, leading edge, port	1	L.72	MR/B	JD.6
7798	D.207310	Member, leading edge, starboard	1	L.72	MR/B	JD.6
7799	D.207311	Rib, nose, centre	1	L.72	MR/B	JD.6
7800	B.207297	Rib, nose, outer, port	1	L.72	MR/B	JD.6
7801	B.207305	Rib, nose, outer, starboard	1	L.72	MR/B	JD.6
7802	B.207306	Rib, hinge, inner, port	1	L.72	MR/B	JD.6
7803	C.207298	Rib, hinge, inner, starboard	1	L.72	MR/B	JD.6
7804	C.207299	Rib, hinge, outer, port	1	L.72	MR/B	JD.6
7805	D.207300	Rib, hinge, outer, starboard	1	L.72	MR/B	JD.6
7806	D.207301	Skin, outer	1	L.72	MR/B	JD.6
5996	D.204379	Skin, inner	1	L.72	MR/B	JD.6
5995	D.204378	Skin, nose, outer, port	1	L.72	MR/B	JD.6
7807	D.207307	Skin, nose, outer, starboard	1	L.72	MR/B	JD.6
7808	D.207308	Skin, nose, inner, port	1	L.72	MR/B	JD.6
7809	D.207302	Skin, nose, inner, starboard	1	L.72	MR/B	JD.6
7810	D.207303	Spring, operating micro switch	1	DTD.187	C	JD.6
5826	A.205985	Strap, butt, between main and nose skins, port	1	L.72	MR/C	JD.6
6001	C.204380	Strap, butt, between main and nose skins, starboard	1	L.72	MR/C	JD.6
6002	C.204381	Strip, rubbing, group	1	SS.521	C	
10471	B.233294	Strip	1			
	B.233294/1		1			

FUSELAGE - AIR BRAKE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
4933	F.204144					Bolt, securing, jack to flap	1	S.99.B	C	JD.6
4934	Std.1551/5/135					Bolt, securing flap to forward hinge fittings	2	S.99.B	C	5
4935	Std.1551/8/475					Bolt, securing jack to fuselage, forward of frame 50	1	S.99.B	C	5
	Std.1996/8					Chain, rigid link	1	Comm'l Brass		
4936	A.204797					Clip, at jack, for check chain attachment	1	S.3	C	JD.6
27Q/1888	Dowty 08674Y.A03					Jack, hydraulic	1		A	
4037	Std.1921/QS					Nut, for jack attachment bolts	2	S.94.B	C	5


FUSELAGE - AIR BRAKE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/9133011	A25.2.C	Bolt,	2	B.A.						
28D/9133012	A25.3.C	Bolt,	2	B.A.						
28D/1200119	A25.4.C	Bolt,	2	B.A.						
28D/7002428	A25.6.C	Bolt,	2	B.A.						
28D/1011246	A25.11.E	Bolt,	1/4"	B.S.F.						
28D/1010132	A25.12.E	Bolt,	1/4"	B.S.F.						
28D/1212202	A57.2.E	Bolt,	1/4"	B.S.F.						
28M/9403520	A27.CP	Nut,	2	B.A.						
28M/9403519	A27.EP	Nut,	1/4"	B.S.F.						
28M/1006939	A27.GP	Nut,	5/16"	B.S.F.						
28M/15199	A58.LS	Nut,	7/16"	B.S.F.						
28P/9706457	SP.4.Y.A1	Pin								
28P/1021104	SP.90.C3	Pin,	split							
28P/19234	SP.90.E8	Pin,	split							
28P/19157	SP.90.G10	Pin,	split							
28W/9419474	SP.15.B	Washer								
28W/9419475	SP.15.C	Washer								
28W/9419405	SP.15.E	Washer								
28W/9419476	SP.15.G	Washer								
28W/9419490	SP.16.L	Washer								
28W/9419493	SP.16.Q	Washer								

RESTRICTED
FUSELAGE - AIR BRAKE


Hunter Single Seater

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				




REAR FUSELAGE






REAR FUSELAGE





















FUSELAGE - TAIL CONE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
10620	E.247659	TAIL CONE, GROUP, less Parachute and Towing Cable (AS.970/76)	1		A	JD.7
150/	B.246487	Cable, towing, group (Supplied with Parachute Pack)	1		B	
150/590	A.222111	Cable	1		C	
150/632	F.234352	Pin, shear	1	S.80.B	C	
150/721	F.246486	Shackle, group (Mod.848)	1		B	
150/722	Std.1551/1/65	Bolt	2		C	
150/723	F.237558	Fork (Mod.848)	1	S.98.B	C	
4488	Std.1718/1	Nut	2		C	
150/	F.228548	Shackle	1	S.98.B	C	
150/591	F.222207	Shackle	1		C	
8513	F.216608	Drain, extension Electrical Installation (See Section EC) (Appropriate parts to be fitted when Tail Cone is supplied as spare)	2	L.65	C	JD.1
937	King C.3102 E.222063	Housing, fastener MECHANISM, RELEASE, FOR PARACHUTE DOORS, ASSEMBLY	4		C	JA.2
9304	Std.1639/18/EX	Bolt, attaching link to starboard door	1	S.95.C	C	JD.7
9305	B.223075	Cable, door release	1		C	JD.7
9306	A.220003	Lever, operating, port door	1		C	JD.7
9307	A.220330	Lever, operating, starboard door	1		C	JD.7
9308	F.222994	Link, connecting	1		C	JD.7
9309	A.220002	Link, operating, port and starboard	2		C	JD.7
9310	B.222895	Lock, for door	1		B	JD.7
9311	F.223076	Plate, serrated, at lock attachment	1	S.95.B or S.520	C	JD.7
9312	F.221345	Plug, for spring box, port	1	L.65.C	C	
9313	F.220615	Shim, laminated, at lock attachment	1	Shim.Alum.	C	
	F.219838	Spring	2	Spr.Stl.	C	JD.7
	F.220315	Tube, distance	6	T.26		
	F.220319	Tube, distance, at attachment of link to door	2	T.26		
	F.220320	Tube, distance, at lever attachment	1	T.26		
	F.220321	Tube, distance, at lever attachment	1	T.26		
	F.220323	Tube, distance, at attachment of spring box, starboard	1	BSS.369		
	A.220009	Tube, outer, for spring box, port	1			
	A.220111	Tube, outer, for spring box, starboard	1			
10949	A.220010	Tube, inner, for spring box	2		C	
	B.221759	Unit, spring, release, group	1			
	B.221760	Bracket, mounting	1			
9314	A.221762	Lever	1		C	JD.7
9315	A.221857	Lever, group	1		B	JD.7
2A/9500409	BRA.3/16"	Bearing	1		B	
9316	F.221967	Shim, laminated, 1/32" thick	1	Alum.	C	JD.7
5CW/6694	Rotax D.5320	Solenoid	1		A	
	F.221763	Tube, distance	1	S.62.B		
	F.221807	Tube, distance	1	T.26		
	Std.1507/2/225	Tube, distance, 1/4" o/d x 22 S.W.G. x 2.25" long (Make from 30A/9610294)	1	T.26		
9317	F.222024	Washer, at attachment of spring box, starboard	2	BSS.369	C	JD.7

FUSELAGE - TAIL CONE


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
5CW/6741	E.224297	PARACHUTE, BRAKING, ASSEMBLY	1		C	
	Burgess	Actuator, auxiliary type C8 (Mod.848)	1	L.72		
	F.235724	Angle, support (Mod.848)	1			
	B.222315	Bracket, mounting, at access panel in fin fairing	1			
	B.221093	Bracket, mounting, for micro switch	1			
	A.221094	Bracket, stop, at micro switch	1	L.62		
	B.224259	Bracket, support, at cable duct	1			
	G.250612	Door, port, group (Mod.1055)	1		A	JD.7
	G.250613	Door, starboard, group (Mod.1055)	1		A	JD.7
	F.220325	Boss, special, starboard	1			
F.222112	Bracket, attachment, port	1				
A.222993	Bracket, latch, port	1	S.95.B			
D.233811	DETAILS OF STARBOARD DOOR, ASSEMBLY					
F.221355	Landing, group	1				
Dzus R.5	Receptacle	1		C		
F.222166	Packing, for door landing	1	L.72			
Std.1231/7B	Lug, locking	1	S.3			
A.222104	Panel, access. group	1		B	JD.7	
Dzus F5/T/14	Fastener	1		C		
Dzus GH.5	Grommet	1		C		
G.250612-3A	Fairing (supplied loose) (Mod.1055)	1		C		
C.223963	Hinge, door	2				
Std.1507/2/048	Tube, distance, at latch bracket, 1/4" o/d x 22 S.V.G. x 0.48" long (Make from 30A/9610294)	2	T.26			
B.220131	Duct	1				
C.224295	Duct, for cable, port	1		MR/C		
C.246293	GUARD, FORWARD DOOR LOCK, ASSEMBLY (Mod.947)					
A.245322	Bracket	1	S.510	C	JD.7	
B.245172	Guard	1		C	JD.7	
A.220529	Landing, access panel, group	1				
A.220530	Landing, access panel, group	1				
Dzus R.5	Receptacle	1		C		
B.221882	Landing, for access panel, in fin fairing, group	1	L.72			
Dzus R.5	Receptacle	1		C		
F.222114	Lever, micro switch operating	1		C	JD.7	
F.222113	Link, at micro switch	1		C	JD.7	
Std.1231/7	Lug, locking (Mod.848)	1	S.3	C		

FUSELAGE - TAIL CONE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.237526	Mechanical Switching Tail Parachute Slip, Assembly (Mod.848)				
10487	A.237529	Bracket, support, for micro switch	1		C	JD.7
10486	B.237528	Door, access, starboard, group	1		B	JD.7
28FP/9434076	Dzus AJ3/30	Fastener, Dzus	2		C	
10536	F.237531	Plate, nut		S.510	C	
9494	F.221158	Plate, locking	1		C	
	A.238436	Plate, stop	1			
	A.238437	Plate, stop	1			
5CW/6376		Switch, micro, type 4A	1		B	
	C.224296	MOUNTING, RELEASE MECHANISM, ASSEMBLY				
	F.222663	Bracket, mounting, for terminal block	1			
	F.220317	Bracket, anchorage, for spring box	1	L.72		
	A.220312	Bracket, stop, for release cable	1	S.510 & S.92.B		
9324	F.223077	Plate, serrated	1	S.95.B	C	JD.7
10485	A.237749	Panel, access, in fin fairing, for cocking test plug, group (Mod.848)	1		B	JD.7
28FP/4069761	Dzus F5/T/12	Fastener	1		C	
28FP/612	Dzus GH.5	Grommet	1		C	
9495	F.221085	Plate, nut (Mod.848)	1		C	
5CW/6376		Switch, micro, type 4A (Mod.848)	2		B	
4150	Std.915/C/22	Washer, at micro switch link	3	DTD.610	C	4
15D/732	G.Q.MR1.410 (issue 4)	Parachute pack, type LB.52 Mk.3 (ASH 50/77) (complete with towing cable, see page JD.21) (D.247659D)	1		A	
15D/595	GQ.30783	Canopy, bridle	1		A	
15D/		Cord, connecting (cut length 2' 10") (1200lb. nylon)	1	DTD.5502	C	
15D/	GQ.10334	Parachute, 10' 6" dia., ring slot	1		A	
15D/589	GQ.1716	Parachute, auxiliary vent type	1		A	
15D/588	GQ.10339	Pack, type LB.52, Mk.1	1		A	
15D/595	GQ.30681	Ripcord	1		C	
15D/594	GQ.20819	Sleeve	1		C	
15D/		Strap, auxiliary (cut length 6') (400lb. nylon)	1	DTD.5502		
10004	E.224471/1	Skin, port (alternative to E.247659/1)	1	L.72	MR/B	JD.7
10005	E.224471/2	Skin, starboard (alternative to E.247659/2)	1	L.72	MR/B	JD.7
	E.247659/1	Skin, port (alternative to E.224471/1)	1	L.72		JD.7
	E.247659/2	Skin, starboard (alternative to E.224471/2)	1	L.72		JD.7
938	F.190633	Spigot, lower, port	1	DTD.364	C	JA.2
939	F.190634	Spigot, lower, starboard	1	DTD.364	C	JA.2
940	F.168707	Spigot	2	DTD.364	C	JA.2
941	F.168708	Washer	4	Rubber	C	JA.2

FUSELAGE - TAIL CONE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1010658	A25.1B	Bolt	4	B.A.						
28D/1008149	A25.2B	Bolt	4	B.A.						
28D/9435711	A25.10B	Bolt	4	B.A.						
28D/9140639	A25.11B	Bolt	4	B.A.						
28D/9436920	A25.1C	Bolt	2	B.A.						
28D/9133011	A25.2C	Bolt	2	B.A.						
28D/1010030	A25.7C	Bolt	2	B.A.						
28D/9419397	A25.12C	Bolt	2	B.A.						
28D/1011025	A25.24C	Bolt	2	B.A.						
28D/1011247	A25.13E	Bolt	1/4"	B.S.F.						
28D/7002440	A25.18E	Bolt	1/4"	B.S.F.						
28D/13046	A25.19E	Bolt	1/4"	B.S.F.						
28D/12571	A25.21E	Bolt	1/4"	B.S.F.						
28D/1212595	A25.34E	Bolt	1/4"	B.S.F.						
28D/1007468	AS.1242/3B	Bolt	4	B.A.						
28D/1007975	AS.1242/1C	Bolt	2	B.A.						
28D/8308	AS.1242/3C	Bolt	2	B.A.						
28D/8309	AS.1242/4C	Bolt	2	B.A.						
28D/8311	AS.1242/7C	Bolt	2	B.A.						
28D/8310	AS.1242/6C	Bolt	2	B.A.						
28D/1007981	AS.1248/-1/2C	Bolt	2	B.A.						
28D/1007982	AS.1248/1C	Bolt	2	B.A.						
28D/1212806	AS.1248/6C	Bolt	2	B.A.						
28D/1212807	AS.1248/7C	Bolt	2	B.A.						
28D/1212358	AS.1248/25C	Bolt	2	B.A.						
28D/1212848	AS.1248/25E	Bolt	1/4"	B.S.F.						
28M/9403519	A27.BP	Nut	4	B.A.						
28M/9403520	A27.CP	Nut	2	B.A.						
28M/1006473	A27.CT	Nut	2	B.A.						
28M/10288	AGS.2001/C1	Nut, stiff	2	B.A.						
28M/10287	AGS.2002/B1	Nut	4	B.A.						
28M/10328	AGS.2002/C1	Nut, stiff	2	B.A.						
28M/7002430	AGS.2002/E1	Nut, stiff	1/4"	B.S.F.						
28M/9435066	AGS.2008/A1	Nut, anchor	6	B.A.						
28M/9435068	AGS.2008/E1	Nut, anchor	1/4"	B.S.F.						
28M/9993192	AGS.2009/C1	Nut, stiff	2	B.A.						
28M/12421	AGS.2018/1C	Nut								
28P/7002435	SP.4.Y.A3	Pin								
28P/9130722	SP.4.Y.B2	Pin								
28P/948	Sp.4.Y.J10	Pin								
28P/-	SP.4.Y.J11	Pin								
28P/12486	SP.4.Z.B10	Pin								
28P/19225	SP.90.C3	Pin, split								
28P/19152	SP.90.C4	Pin, split								
28P/19153	SP.90.C5	Pin, split								
28P/19128	SP.90.E4	Pin, split								
28P/16271	SP.113.C3	Pin								
28P/16272	SP.113.C7-1/2	Pin								
28S/1011491	A32.C24	Screw								
28W/9138816	SP.11.J	Washer	3/8"	B.S.F.						
28W/1007698	SP.14.J	Washer	3/8"	B.S.F.						
28W/9419474	SP.15.B	Washer								
28W/9419475	SP.15.C	Washer								
28W/9419405	SP.15.E	Washer								
28W/9419476	SP.15.G	Washer								
28W/9419477	SP.15.J	Washer								
28W/9419486	SP.16.B	Washer								
28W/9419404	SP.16.C	Washer								
28W/1006946	AGS.2035/C	Washer, shakeproof								





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

