

FUSELAGE - HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.	
					Class of Store		
		1	2	3	4	5	
5275	E.215670	HOOD JETTISON GEAR, ASSEMBLY	1	L.65.C	C	5	
	Std.1954/45	Adaptor, for bell crank lever lubricator	2	S.96.B			
875	F.229402	Adaptor, at "T" barrel					
	D.215814	ADDITIONAL DETAILS, ASSEMBLY					
	C.224218	Bracket, mounting (Mod.378)	1	S.3		JE.1	
	A.216373	Bracket, pivot	1				
	A.189300	Cable, emergency release, group	1		B	JE.1	
		Consisting of:-					
	28X/5870	Bowden	Cable, 5 cwt.	QR	W.11	C	
	29H/4186	Bowden PN.1997	Nipple	1		C	
			Ring, split key, 1.50" i/d	1	Steel		
		A.189300/2	Sleeve, Duratube, yellow, 5 mm i/d. x .45 mm thick x 4.57" long	1			
30B/1006		Wire, 26 S.W.G.	QR	Copper	C		
9048	F.218222	Cable, hood jettison	1		C		
6740	F.210559	Cap	1	S.96.B	C	JE.1	
9766	F.231429	Disc, at hood cylinder	2	L.72	C		
	B.228487	Duct	1				
9047	F.218197	Eye-end, for hood jettison cable (Mod.281)	1	S.96.B	C		
	F.230906	Fork-end	1	S.94.B			
4882	F.200921	Guard, pulley	1	L.72	MR/C	JE.1	
9141	B.199424	Handle	1	Stamping	B	JE.1	
9767	F.229452	Buffer	1	Neoprene	C	JE.1	
4558	F.199940	Latch	1	DTD.610	C	JE.1	
	F.231629	Latch (Make from 26FX/4881)	1	L.72		JE.1	
9034	A.214841	Lever (Alternative to A.217885)	1	BS.1648	C	JE.1	
	A.217885	Lever (Alternative to A.214841)	1	S.94.B			
9041	F.216316	Lever	1	S.3 & S.92	C	JE.1	
881	A.189124	Lever	1	S.80	C	JE.1	
9046	F.218221	Lever, group (Alternative to A.218271)	1		C	JE.1	
	F.218196	Bracket	1	DTD.171			
	F.216326	Lever	1	S.95.B			
4042	Std.1509/23/030	Tube, distance, 5/16" o/d x 17 S.W.G. x 0.30" long	1	T.4	MR/C	4	
	A.218271	Lever, group (Alternative to F.218221)	1				
9033	F.214646	Link	1	DTD.166	C	JE.1	
	A.211755	Nut, strip (Alternative to A.217433)	2				
	A.217433	Nut, strip (Alternative to A.211755) (For use when tooling hole is in top longeron)	2				
	F.211757	Packing (Alternative to F.217432)	2	L.72			
	F.217432	Packing (Alternative to F.211757) (For use when tooling hole is in top longeron)	2	L.72			
885	F.189708	Pin	1	S.95.B or S.96.B	C	JE.1	
699	G.187671	Pin	1	S.1	C	JE.1	
	F.214644	Pivot	1	S.96.B			
6739	A.209223	Plate, catch	1	DTD.166	C	JE.1	
28R/13515	AS.104	Pulley	1		B		
	F.228481	Pulley, for jettison cable	1				
9035	F.211758	Seal, at hood cylinder	2	Rubber	C	JE.1	
893	F.189299	Shackle	1	S.1	C	JE.1	
	A.228722	Shaft, cable anchorage	1	L.65.C		JE.1	

FUSELAGE - HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9042	A.216324					Spindle (Mod.281)	1	S.95.B	C	JE.1
4559	F.199942					Spring	1	Steel	C	JE.1
	Std.1507/26/044					Tube, distance 1/2" o/d x 17 S.W.G. x 0.44" long	1	T.26		4
	Std.1509/23/148					Tube, distance, 5/16" o/d x 17 S.W.G. x 1.48" long	2	T.4		4
3763	Std.915/B/24					Washer, special, 4 B.A.	4	DTD.364	C	4
3765	Std.915/C/24					Washer, special, 2 B.A.	4	DTD.364	C	4
	Std.915/E/6					Washer, special	1	DTD.364		4
	Std.915/U/12					Washer, special	1	DTD.364		4
5274	F.205020					Bolt, greaser, for bell crank lever	2	S.95.B	C	JE.1
873	F.189282					Bush, spherical	4	S.95.B	C	JE.1
1935	F.196363					Bush, for emergency release cable	1	Rubber	C	JE.1
874	A.189119					Cable, de-seal valve control, group	1		B	JE.1
						Consisting of:-				
	Std.1920					Adjuster, complete with sleeve and nut	1			5
28X/5870	Bowden					Cable, 5 cwt.	QR	W.11	C	
29H/	Bowden T.3					Conduit, Bowdenex T.3	QR		C	
28U/15288	SP.38A					Fork-end	2		C	
29H/1250113	Bowden PN.23					Nut	1		C	
	Std.1920/2					Sleeve	1	DTD.364		5
29H/	Bowden PN.199					Stop	1		C	
	Std.1920/1					Stop, adjusting	1	DTD.364		5
9043	A.216335					Cable, ejection, group	1		B	JE.1
	Std.1920					Adjuster	2			
	A.216335/1					Cable, 5 cwt.	1	W.11		
	A.216335/2					Conduit, Bowdenex T.3 B.W.C.	1			
	A.224509					Fork-end	2	S.1B		
29H/	Bowden PN.999					Stop	1		C	
	A.230905					Cable, jettison handle to lever, group	1			JE.1
	Std.1920					Adjuster	2			
28X/5870						Cable, 5 cwt.	1	W.11	C	
29H/						Conduit, Bowdenex T.3 B.W.C.	1		C	
28U/16264	SP.37A					Eye-end	1		C	
29H/	Bowden PN.999					Stop	1		C	
28U/	SP.36.C5					Tapped-end	1		B	
877	A.189120					Cable, jettison control to release unit, group	1		B	JE.1
						Consisting of:-				
	Std.1920					Adjuster, complete with sleeve and nut	1			5
28X/5870	Bowden					Cable, 5 cwt.	QR	W.11	C	
29H/	Bowden T.3					Conduit, Bowdenex T.3	QR		C	
28N/10084	AS.1276					Eye-end	2		C	
29H/4110	Bowden PN.23					Nut	1		C	
	Std.1920/2					Sleeve	1			5
29H/	Bowden PN.999					Stop	1		C	
	Std.1920/1					Stop, adjusting	1	DTD.364		5

FUSELAGE - HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	Std.2045/16/26	Clip, sleeved	2	S.510 or S.511		
9664	Std.2045/22/24	Clip, sleeved	2	S.510 or S.511	C	6
3745	Std.841/17	Clip, support, 7/16" wide x 22 S.W.G. x 1.7" long	1	DTD.610	C	4
	F.231116	Clip, securing cable	1	L.72		
	B.231232	Cover, for levers	1	Plastic		JE.1
27L/5019	Martin Baker M.B.C.J.36	Cylinder, hood, port	1		B	
27L/5020	Martin Baker M.B.C.J.37	Cylinder, hood, starboard	1		B	
	A.189296	Duct	1	T.26		JE.1
27L/5021	Martin Baker M.B.C.J.159	Gun, hood, group (With Martin Baker Mod. MB.CJ/83 embodied) (Mod.1102)	1		A	
12K/9629454	Martin Baker M.B.C.J.560	Cartridge, No.2 Mk.2	1		C	
10473	F.234618	Label, indicator, port (Mod.846)	1	L.72	C	
10474	F.234619	Label, indicator, starboard (Mod.846)	1	L.72	C	
6083	F.192126	Lever	2	S.80	C	JE.1
883	F.189280	Link	1	S.95.B	C	JE.1
10227	F.234620	Pin, special (Mod.846)	2	S.95.B	C	JE.1
1714	F.193684	Pin, special (Mod.846)	2	S.95.B	C	JE.1
27L/5022	Martin Baker M.B.C.J.310	Pipe, tee-piece to gun	1		C	
27L/5023	Martin Baker M.B.C.J.311	Pipe, cylinder to tee-piece, port	1		C	
27L/5024	Martin Baker M.B.C.J.312	Pipe, cylinder to tee-piece, starboard	1		C	
886	F.189342/1	Plate, sealing	1	S.3	C	JE.1
	F.214716	Plate, stop	1	DTD.124		
887	A.189278	Rod, connecting	1		C	JE.1
10224	A.235733	Rod, connecting, telescopic, group (Mod.846)	2		B	JE.1
	F.214530	Cap	1	S.96.B		
	F.189276	Eye-end	1	S.95.B		
	F.235736	Eye-end (Mod.846)	1	S.96.B		
10225	F.235735	Spring (Mod.846)	1	Spr.Steel	C	
	A.235734	Sliding, fitting (Mod.846)	1	S.96.B		
10226	A.234637	Rod, connecting, group (Mod.846)	2		C	JE.1
	F.234613	Eye-end (Mod.846)	1	S.95.B		
6632	A.213160	Rod, connecting, group	1		B	JE.1
6210	F.212690	Bellows	1	Rubber	C	JE.1
892	F.189342	Support	1	T.26 or S.3	C	JE.1
10223	A.234652	Rod, connecting, group (Mod.846)	2		B	JE.1
	A.234611	Fork-end (Mod.846)	1	S.95.B		
895	F.189297	Spring	1		C	JE.1
27L/5013	Martin Baker T.476/S	Tee-piece	1		C	

FUSELAGE - HOOD LOCKING AND JETTISON GEAR






Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
9031	B.215644						Unit, release, group		B	JE.1
2A/9500491	B.S.I.SFE, 3/8"						Bearing		B	
897	F.189118						Bolt, special	S.95.B	C	JE.1
	F.211177						Bolt, special	S.96		
898	A.127278						Bolt, special	S.1	C	JE.1
899	F.189074						Bolt	S.1	C	JE.1
								S.95.B or S.96.B		
	A.189071						Casing			
900	F.189069						Coupling	S.95.B or S.96.B	C	JE.1
901	F.189068						Eye-end	S.95.B or S.96.B	C	JE.1
9032	F.214647						Lever	BSI.648	C	JE.1
903	F.189077						Lever	S.80	C	JE.1
904	A.126610						Nut, special	S.20	C	JE.1
	A.127030						Packing	L.1		
905	A.189073						Plug	S.1	C	JE.1
906	F.189067						Plug	DTD.364	C	JE.1
907	F.169854						Plunger	DTD.364	C	JE.1
8182	F.210867						Rod	S.95.B or S.96.B	C	JE.1
909	F.189070						Sleeve	S.1	C	JE.1
	A.126828						Spring	DTD.239		JE.1
910	A.127031						Washer	Rubber	C	JE.1
	Std.915/E/6						Washer	DTD.610		4
911	F.189343						Washer, sealing	Rubber	C	JE.1
1570	Std.914/B/24						Washer, special, 4 B.A.	S.1 or S.3	C	4
2147	Std.915/C/20						Washer, special	DTD.364	C	4
912	F.176949						Window	Perspex	C	JE.1

FUSELAGE - HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1010658	A25.1.B	Bolt,	4	B.A.						
28D/1008149	A25.2.B	Bolt,	4	B.A.						
28D/9436920	A25.1.C	Bolt,	2	B.A.						
28D/9133011	A25.2.C	Bolt,	2	B.A.						
28D/1200119	A25.4.C	Bolt,	2	B.A.						
28D/1214311	A25.17.C	Bolt,	2	B.A.						
28D/1011022	A25.18.C	Bolt,	2	B.A.						
28D/1011024	A25.21.C	Bolt,	2	B.A.						
28D/1011301	A25.8.J	Bolt,	3/8"	B.S.F.						
28D/1007975	AS.1242/1C	Bolt,	2	B.A.						
28D/1007926	AS.1242/4C	Bolt,	2	B.A.						
28D/1212830	AS.1242/13E	Bolt,	1/4"	B.S.F.						
28D/1212833	AS.1242/16E	Bolt,	1/4"	B.S.F.						
28D/9128739	AS.1248/1/2B	Bolt,	4	B.A.						
28D/1218385	AS.1248/2B	Bolt,	4	B.A.						
28D/1214524	AS.2920/1B	Bolt,	4	B.A.						
28E/9429463	AGS.605/0	Clip								
28E/10154	AGS.605/00	Clip								
28U/16264	SP.37A	Eye-end								
28K/549	SP.3.412	Fork-end								
28M/1006504	A27.BT	Nut,	4	B.A.						
28M/5808573	A27.CS	Nut,	2	B.A.						
28M/1006473	A27.CT	Nut,	2	B.A.						
28M/1011467	A27.ES	Nut,	1/4"	B.S.F.						
28M/1011476	A27.JS	Nut,	3/8"	B.S.F.						
28M/1011470	A58.GT	Nut,	5/16"	B.S.F.						
28M/10287	AGS.2001.B1	Nut,	4	B.A.						
28M/10288	AGS.2001.C1	Nut,	2	B.A.						
28M/10290	AGS.2001.E1	Nut,	1/4"	B.S.F.						
28M/10327	AGS.2002.B1	Nut,	4	B.A.						
28M/10328	AGS.2002.C1	Nut,	2	B.A.						
28M/7002430	AGS.2002.E1	Nut,	1/4"	B.S.F.						
28M/7002431	AGS.2002.G1	Nut,	5/16"	B.S.F.						
28N/9156370	SP.21	Nipple, lubricating								
28P/1009706	SP.4Y.A2	Pin								
28P/816	SP.4Y.A6	Pin								
28P/824	SP.4Y.A14	Pin								
28P/9130722	SP.4Y.B2	Pin								
28P/9446312	SP.4Y.B3	Pin								
28P/831	SP.4Y.B5	Pin								
28P/1013114	SP.4Y.B8	Pin								
28P/1013002	SP.4Y.B9	Pin								
28P/9458747	SP.4Z.D9	Pin								
28P/9486478	SP.90.C5	Pin, split								
28R/13515	AS.104	Pulley, 3" dia.								
28S/1200040	A31.B.20	Screw, 4 B.A.								
28S/9131095	A31.C14	Screw, 2 B.A.								
28S/9992522	A32.B16	Screw, 4 B.A.								

FUSELAGE - HOOD LOCKING AND JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28W/1007983	AGS.162C	Washer								
28W/9419401	SP.10B	Washer								
28W/9419454	SP.10C	Washer								
28W/9419456	SP.10J	Washer								
28W/9436801	SP.11E	Washer								
28W/9418921	SP.13E	Washer								
28W/9419474	SP.15B	Washer								
28W/9419475	SP.15C	Washer								
28W/9419405	SP.15E	Washer								
28W/9419476	SP.15G	Washer								
28W/9419404	SP.16C	Washer								
28W/9419487	SP.16E	Washer								
28W/9419489	SP.16J	Washer								





This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

