

FUSELAGE - HOOD WINDING GEAR

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. | Plate No. |
|-----------|-----------------|--|---------|------------------------|----------------|-----------|
| | | | | | Class of Store | |
| | | 1 | 2 | 3 | 4 | 5 |
| | D.187117 | HOOD WINDING GEAR, ASSEMBLY | | | | |
| | D.186215 | Actuator and cross shaft, assembly | | | | |
| | B.186227 | Actuator, group | 1 | | | |
| 5W/309 | Rotax C.5209/1 | Actuator, rotary | 1 | | A | |
| 560 | B.186228 | Housing, group | 1 | | C | JF.1 |
| | Torrington | Bearing, needle roller | 1 | | | |
| | B.1012 | | | | | |
| 561 | F.186230 | Bush | 2 | BSS.369 | C | JF.1 |
| 562 | A.186231 | Sprocket | 1 | S.95.B | C | JF.1 |
| 563 | F.186232 | Washer, sprocket retaining | 1 | S.3 | C | JF.1 |
| 5256 | F.202895 | Bolt, for cross shaft pinion housing | 4 | S.95.B | C | JF.1 |
| 11401 | AS.924/48P | Chain | 1 | | B | |
| 567 | F.169576 | Eye-end, tension rod | 2 | S.1 | C | JF.1 |
| 568 | F.186217 | Eye-end, tension rod | 2 | S.1 | C | JF.1 |
| 569 | A.186224 | Housing, cross shaft pinion, group | 2 | | C | JF.1 |
| 570 | F.186225 | Bearing | 1 | BSS.369 | C | JF.1 |
| 571 | F.186226 | Bearing | 1 | BSS.369 | C | JF.1 |
| 573 | F.186219 | Pinion, cross shaft | 2 | S.95.B | C | JF.1 |
| 1503 | F.189478 | Rod, tension, for actuator | 2 | S.96.B | C | JF.1 |
| 575 | F.186218 | Shim, cross shaft housing | QR | L.2 | C | JF.1 |
| 5252 | B.202856 | Shaft, cross, group | 1 | | B | JF.1 |
| 564 | F.188564 | Block, bearing | 1 | Stamping | C | JF.1 |
| 4001 | Std.1292/9C | Bolt, attaching plug end | 2 | S.2 | MR/C | 4 |
| 565 | Std.1292/8C | Bolt, attaching plug end | 2 | S.2 | C | 4 |
| 1564 | Std.1292/10C | Bolt, attaching sprocket | 2 | S.2 | C | 4 |
| 27QA/369 | Dowty | Seal, "0" | 2 | | C | JF.1 |
| | GD.1309/6 | | | | | |
| 27QA/371 | Dowty | Seal, "0" | 2 | | C | JF.1 |
| | GD.1309/9 | | | | | |
| 577 | F.186865 | Sprocket | 1 | S.95.B | C | JF.1 |
| 3808 | Std.1509/23/040 | Tube, distance, 5/16" o/d x 17 S.W.G. x 0.40" long | 1 | T.4 | MR/C | 4 |
| 2192 | Std.915/C/14 | Washer, 2 B.A. | 2 | DTD.610 | C | 4 |
| 4117 | Std.1283/G | Washer, shim | 3 | Laminum | C | 4 |
| 578 | Std.1547/50/12 | Washer, profile | 2 | DTD.610 | C | 4 |
| 9553 | A.225246 | Box, control, group (Mod.685) | 1 | | B | JF.1 |
| 6204 | A.211786 | Box, actuator control, group (Mod.376) | 1 | | B | JF.1 |
| | A.211785 | Gate, group (Mod.376) | 1 | | | |
| 6206 | F.211257 | Piece, distance | 2 | L.65.C | C | JF.1 |
| 6205 | F.211244 | Spring, leaf | 1 | DTD.166 | C | JF.1 |
| 555 | F.188527 | Knob, lever | 1 | BSS.771 | C | JF.1 |
| 554 | A.188524 | Lever | 1 | S.3 | C | JF.1 |
| 559 | A.188987 | Cable, control box to bell crank lever, group | 1 | | B | JF.1 |
| | | Consisting of:- | | | | |
| | Std.1920 | Adjuster, complete with sleeve and nut | 1 | | | 5 |
| 28X/5870 | Bowden | Cable, 5 cwt | QR | | C | |
| 28H/ | Bowden T.3 | Conduit | QR | | C | |
| 28U/16264 | SP.37.A | Eye-end | 1 | | C | |
| 28U/15288 | SP.38.A | Fork-end | 1 | | C | |

RESTRICTED


FUSELAGE - HOOD WINDING GEAR

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|-----------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 5K/1200718 | SP.40.B-14 | | | | | | 2 | | C | |
| | F.178859 | | | | | | 1 | DTD.364 | | |
| 29H/ | Bowden PN.999 | | | | | | 1 | | C | |
| 9554 | A.225244 | | | | | | 1 | | A | JF.1 |
| | B.205376 | | | | | | 1 | | | JF.1 |
| | A.225245 | | | | | | 1 | L.72 | | |
| 9706 | F.225223 | | | | | | 1 | | C | |
| 586 | F.188532 | | | | | | 1 | S.80 | C | JF.1 |
| 587 | F.188531 | | | | | | 1 | S.80 | C | JF.1 |
| 588 | F.188533 | | | | | | 1 | S.3 | C | JF.1 |
| 589 | Mills GP.5 | | | | | | 2 | S.1 | C | JF.1 |
| 5F/ | Hellermann | | | | | | 1 | 1738 | C | |
| | P.9 Grey | | | | | | | Type B | | |
| 590 | F.188534 | | | | | | 1 | Sp.St. | C | JF.1 |
| 5CW/1047696 | | | | | | | 1 | | B | |
| 5CW/4331 | | | | | | | 1 | | C | |
| 5CW/4405551 | | | | | | | 4 | | C | |
| | Std.1509/12/064 | | | | | | 4 | T.4 | | 4 |
| | Std.1509/3/022 | | | | | | 4 | T.4 | | 4 |
| 556 | A.188986 | | | | | | 1 | | B | JF.1 |
| | | | | | | | | | | |
| | Std.1920 | | | | | | 2 | | | 5 |
| 28X/5870 | | | | | | | QR | W.11 | C | |
| 29H/ | Bowden T.3 | | | | | | QR | | C | |
| 28N/9943 | SP.38.A | | | | | | 1 | | C | |
| 557 | F.171912 | | | | | | 1 | BSS.250 | C | |
| 28M/12931 | A27.ET | | | | | | 1 | | C | |
| | F.172899 | | | | | | 1 | | | |
| | F.189131 | | | | | | 1 | M.S. | | |
| 1563 | F.191834 | | | | | | 1 | STD.610 | | |
| | F.190950 | | | | | | 1 | Sp.St. | C | JF.1 |
| | F.214243 | | | | | | 1 | DTD.364 | | |
| | F.214244 | | | | | | 1 | | | |
| 579 | F.188317 | | | | | | 1 | S.80 | C | JF.1 |
| 580 | F.188316 | | | | | | 1 | S.1 | C | JF.1 |
| 6207 | F.210854 | | | | | | 1 | | C | JF.1 |
| | F.187272 | | | | | | 1 | S.80.B | | JF.1 |
| | F.187273 | | | | | | 1 | Sp.St. | | JF.1 |
| 582 | F.182857 | | | | | | 1 | Sp.St. | C | JF.1 |
| 583 | F.188318 | | | | | | 1 | S.95.B | C | JF.1 |
| 584 | F.188319 | | | | | | 1 | Sp.St. | C | JF.1 |
| 3784 | Std.1507/4/036 | | | | | | 1 | T.25 | MR/C | 4 |

FUSELAGE - HOOD WINDING GEAR

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------------------|-------------|-------------|------|--------|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1010658 | A25.1B | Bolt | 4 | B.A. | | | | | | |
| 28D/1214865 | AS.1246/2B | Bolt | 4 | B.A. | | | | | | |
| 28D/9130082 | AS.1246/3B | Bolt | 4 | B.A. | | | | | | |
| 28D/12182 | AS.1246/6B | Bolt | 4 | B.A. | | | | | | |
| 28D/1218387 | AS.1248/4B | Bolt | 4 | B.A. | | | | | | |
| 28D/1213721 | AS.1248/10B | Bolt | 4 | B.A. | | | | | | |
| 28D/1007978 | AS.1242/7C | Bolt | 2 | B.A. | | | | | | |
| 28D/9133012 | A25.3C | Bolt | 2 | B.A. | | | | | | |
| 28D/1200119 | A25.4C | Bolt | 2 | B.A. | | | | | | |
| 28D/7002428 | A25.6C | Bolt | 2 | B.A. | | | | | | |
| 28D/1010030 | A25.7C | Bolt | 2 | B.A. | | | | | | |
| 28D/1214035 | AS.1242/13C | Bolt | 2 | B.A. | | | | | | |
| 28D/1008151 | A25.4E | Bolt | 1/4" | B.S.F. | | | | | | |
| 28D/1011242 | A25.7E | Bolt | 1/4" | B.S.F. | | | | | | |
| 28N/912579 | AGS.2031/6 | Circlep | | | | | | | | |
| 28M/9403518 | A27.AP | Nut | 6 | B.A. | | | | | | |
| 28M/9403520 | A27.CP | Nut | 2 | B.A. | | | | | | |
| 28M/1006473 | A27.CT | Nut | 2 | B.A. | | | | | | |
| 28M/1007403 | A27.ET | Nut | 1/4" | B.S.F. | | | | | | |
| 28M/13454 | A27.ETL | Nut | 1/4" | B.S.F. | | | | | | |
| 28M/10287 | AGS.2001/B1 | Nut | 4 | B.A. | | | | | | |
| 28M/10288 | AGS.2001/C1 | Nut | 2 | B.A. | | | | | | |
| 28M/10290 | AGS.2001/E1 | Nut | 1/4" | B.S.F. | | | | | | |
| 28M/7002430 | AGS.2002/E1 | Nut | 1/4" | B.S.F. | | | | | | |
| 28P/1021104 | SP.90.C3 | Pin, split | | | | | | | | |
| 28P/9486478 | SP.90.C5 | Pin, split | | | | | | | | |
| 28P/1009706 | SP.4Y.A2 | Pin | | | | | | | | |
| 28R/13502 | AS.111 | Pulley | | | | | | | | |
| 28S/9992531 | A33.A24 | Screw | 6 | B.A. | | | | | | |
| 28S/9419435 | A31.B12 | Screw | 4 | B.A. | | | | | | |
| 28S/9992525 | A32.B12 | Screw | 4 | B.A. | | | | | | |
| 28W/9419454 | SP.10.C | Washer | | | | | | | | |
| 28W/9419474 | SP.15.B | Washer | | | | | | | | |
| 28W/9419475 | SP.15.C | Washer | | | | | | | | |
| 28W/9419405 | SP.15.E | Washer | | | | | | | | |
| 28W/9419476 | SP.15.G | Washer | | | | | | | | |
| 28W/9419404 | SP.16.C | Washer | | | | | | | | |
| 28W/9419487 | SP.16.E | Washer | | | | | | | | |





HOOD WINDING GEAR



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.



**TELEBRIEF
CONNECTIONS**

E