


FUSELAGE - PITOT INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.263421	PITOT INSTALLATION IN FRONT FUSELAGE, ASSEMBLY (Mod.1015)								
	F.220412	Clamp, port side, frame 16 (Mod.417)					1	LFS.21		
2690	F.195016	Cleat, top					1	LFS.21	C	JJ.1
2691	F.195017	Cleat, bottom					1	LFS.21	C	JJ.1
3734	Std.840/14	Clip, earthing connection					22	DTD.610	MR/C	4
2149	F.133671	Pipe, drain					2	T.9	C	JJ.1
3576	B.187565/5	Pipe, pressure, joint to joint					1	L.54		JJ.1
3577	B.187565/6	Pipe, static, joint to joint					1	L.54		JJ.1
3578	B.187565/7	Pipe, pressure, joint to bulkhead connection					1	L.52		JJ.1
3579	B.187565/8	Pipe, static, joint to tee-piece					1	L.54		JJ.1
3580	B.187565/9	Pipe, static, tee-piece to elbow union					1	L.54		JJ.1
3581	B.187565/10	Pipe, static, tee-piece to bulkhead connection					1	L.54		JJ.1
4862	B.187565/13	Pipe, pressure, tee-piece to joint					1	L.54		JJ.1
4863	B.187565/14	Pipe, static, tee-piece to joint					1	L.54		JJ.1
4864	B.187565/15	Pipe, pressure, flexible pipe to tee-piece					1	L.54		JJ.1
4865	B.187565/16	Pipe, static, flexible pipe to tee-piece					1	L.54		JJ.1
	# B.187565/17	Pipe, pressure, bulkhead connection to tee-piece (Mod.417)					1	L.54		JJ.1
	# B.187565/18	Pipe, static, bulkhead connection to tee-piece (Mod.417)					1	L.54		JJ.1
	# B.187565/19	Pipe, pressure, tee-piece to union					1	L.54		
	# B.187565/20	Pipe, static, tee-piece to union					1	L.54		
5767	Std.1508/12/030	Tube, distance, 1/4" o/d x 22 S.W.G. x 3" long (Make from 30B/619)					1	T.4	MR/C	4
32C/679		Tubing, flexible, 9/16" o/d x .30" i/d (Maricon type "H") (For manufacture of C.187563/3 & 4) (AS.860/3)					QR		C	
# For details see Piping Chart										


**FUSELAGE - PITOT INSTALLATION**

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28F/5104	AGS.838/1	Body,	union							
28D/1010658	A25.1.B	Bolt,	4 B.A.							
28D/9419452	A25.3.B	Bolt,	4 B.A.							
28D/1010029	A25.6.B	Bolt,	4 B.A.							
28D/1009984	A25.7.B	Bolt,	4 B.A.							
28D/1010142	A25.9.B	Bolt,	4 B.A.							
28D/1213730	AS.1248/15B	Bolt,	4 B.A.							
28E/3321	AGS.606/D	Clip								
28E/3322	AGS.606/E	Clip								
28E/1890	SP.91A	Clip,	hose							
28F/5107	AGS.838/3	Elbow								
5K/3390	AS.3360/B/3/B	Lead,	bonding							
5K/3355	AS.3360/B/4/B	Lead,	bonding							
28F/17910	AGS.838/13	Nut,	union							
28M/10327	AGS.2002/B1	Nut,	4 B.A.							
28F/	AGS.838/2	Tee								
28F/11696	AGS.838/6	Trap,	drain							
28F/13604	AGS.838/9	Washer,	rubber							
28W/9419474	SP.15.B	Washer								



PITOT INSTALLATION





This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.