

Hunter Single Seater  
Issued with A/L No.1

FUSELAGE - SEAT INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	D.215254 IN.14286-1	SEAT INSTALLATION, ASSEMBLY Cable, operating bracket anchor section, MK.1A	1		C	
	12K/9629118	MBEU. Cartridge, seat ejection set No.3, Mk.4 Comprising of the following:-	1 set		C	
1	12K/9629125	MBEU.29644 Cartridge, drogue, No.3, Mk.3	1		C	
	12K/9629122	MBEU.646AVR Cartridge, primary No.3, Mk.3	1		C	
	12K/1312	MBEU.17621 Cartridge, secondary No.3, Mk.3	4		C	
	6D/1797 or 6D/2018 6D/1698	Clip, harness, swivel type  Aerolex Clip	1  1		C  C	
	27VA/4553	Dunlop ACM.17992 Hose, anti-G, assembly	1		C	
	462	F.174142 Link, emergency oxygen control cable (For A/c with Martin Baker Mk.2H (Pre Mod.ES.1150) or Mk.3H seats fitted	1	DTD.610	C	NK.1
1	11077	F.252717 Link, cockpit leg restraint anchorage	2	S.95.B or S.96.B	C	
1	8314	F.214861 Nut, profile (Mod.602)	4	S.96	C	
1	15A/671	Parachute, back type, Mk.9	1		A	
1		B.314644 Pack, survival (See Section HG)	1		A	
1	15A/780	Pad, back, Mk.9	1		B	
1	27L/50059	Martin Baker E/MBEU/4318 Rail, guide	1		A	
1	27L/50057	Martin Baker Seat, Mk.3H	1		A	
1	6D/2060	Set, emergency oxygen, Mk.7A	1		B	
1	6D/1464	Socket, anchor, outer housing	1		C	
1	6D/1652	Socket, quick release, oxygen, Mk.9	1		C	
1	6D/2061	Tube, upper oxygen	1		C	
1	6D/1689	Tubing, low pressure, flexible	1			
	Std.914/E.20	Washer	2			

FUSELAGE - SEAT INSTALLATION

Hunter Single Seater

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1011244	A25.9.E	Bolt,	1/4"	B.S.F.						
28D/1011245	A25.10.E	Bolt,	1/4"	B.S.F.						
28D/1212206	A57.6.E	Bolt,	1/4"	B.S.F.						
28E/9128961	AGS.605.1	Clip,	hose							
28M/1011475	A27.EP	Nut,	1/4"	B.S.F.						
28P/7002435	SP.4Y.A3	Pin								
28P/865	SP.4Y.D7	Pin								
28P/1021104	SP.90.C3	Pin,	split							
28P/9486478	SP.90.C5	Pin,	split							
28W/9419405	SP.15.E	Washer								
28W/9419487	SP.16.E	Washer								

