

MAIN PLANES - AILERON

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------|--------------|---|---------|------------------------|---------------------|-----------|
| | | | | | | |
| 10505 | G.244300 | AILERON, PORT GROUP (Mod.961) | 1 | | A | KB.1 |
| 10506 | G.244301 | AILERON, STARBOARD, GROUP (Mod.961) | 1 | | A | KB.1 |
| | F.244295 | Angle (Mod.961) | 2 | L.72 | | |
| | F.244309 | Angle (Mod.961) | 2 | L.72 | | |
| | F.244310 | Angle (Mod.961) | 2 | L.72 | | |
| | A.238950 | Angle, for attachment of auxiliary ribs | 10 | L.72 | MR | |
| | A.238951 | Angle, for attachment of auxiliary ribs | 2 | L.72 | MR | |
| | A.238952 | Angle, for attachment of auxiliary ribs | 2 | L.72 | MR | |
| | F.238953 | Angle, for attachment of auxiliary ribs | 3 | L.72 | MR | |
| | F.238986 | Angle | 2 | L.72 | MR | |
| 2A/9500557 | N.R.15 | Bearing | 2 | | B | |
| 2196 | B.181494 | Block, for centre hinge (Pre Mod.473) | 2 | Stamping | MR/C | |
| | B.233509 | Block, centre hinge (Mod.932) | 2 | Stamping | | KB.1 |
| 4086 | A.181542 | Block, for outer hinge | 2 | Stamping | MR/C | KB.1 |
| 4087 | Std.1639/3EX | Bolt, securing spigot to spar | 8 | | C | 5 |
| | F.215376 | Bolt, special, for attachment of hinge block (Mod.473) | 8 | S.99 | | |
| | F.215383 | Bolt, special, for attachment of hinge block (Mod.473) | 8 | S.99 | | |
| | F.233862 | Bolt, centre hinge attachment (Mod.932) | 4 | S.99 | | |
| | F.233861 | Bolt, centre hinge attachment (Mod.932) | 6 | S.99 | | |
| | F.233863 | Bolt, centre hinge attachment (Mod.932) | 4 | S.99 | | |
| 4902 | A.202935 | Bracket, mounting for transmitter | 1 | S.3 | C | KB.1 |
| | A.244845 | Bracket, reinforcing, at trim tab actuator bracket on spar, port only (Mod.956) | 1 | S.510 | | |
| 6759 | A.210699 | Bracket, stop, for indicator operating cable (Mod.349) | 1 | S.3 | C | KB.1 |
| 1318 | F.187794 | Cable, operating, indicator at the control | 1 | | C | KB.1 |
| 2197 | B.181541 | Channel, inboard front rib attachment | 2 | DTD.610 | MR/C | |
| 2198 | B.171976 | Channel, front rib attachment | 2 | DTD.610 | MR/C | |
| 2199 | B.171977 | Channel, rear rib attachment | 2 | DTD.610 | MR/C | KB.1 |
| 69 | F.181674 | Door, access, at washout skin, port | 1 | DTD.610 | C | KB.1 |
| 70 | F.181675 | Door, access, at washout skin, starboard | 1 | DTD.610 | C | KB.1 |
| | A.187807 | Duct, for electrical cables at trim tab transmitter | 1 | T.9 or L.54 | | |
| | B.181578 | Fitting, for rib attachment group | 2 | | | |
| | A.215183 | Plate, nut (Mod.473) | 4 | | | |
| | A.215240 | Plate, nut (Mod.473) | 2 | | | |
| 9572 | B.217243 | Former, forward, between tail ribs 11 and 12 | 2 | DTD.610 | MR/C | |
| 9573 | B.217244 | Former, forward, between tip rib and tail rib No.12 | 2 | DTD.610 | MR/C | |
| 9577 | B.217248 | Former, centre, between tip rib and tail rib No.12 | 2 | DTD.610 | MR/C | |
| 9575 | B.217246 | Former, rear, between tip rib and tail rib No.12 | 2 | DTD.610 | MR/C | |
| 2200 | C.181671 | Member, edge trailing, port | 1 | DTD.364 | MR/C | KB.1 |
| 2201 | C.181672 | Member, edge trailing, starboard | 1 | DTD.364 | MR/C | KB.1 |
| 10835 | Std.1921/PS | Nut, slotted | 2 | S.96.B | C | |
| | F.244419 | Packing, for auxiliary ribs (Mod.961) | 2 | L.72 | | |
| | F.244420 | Packing, for auxiliary ribs (Mod.961) | 2 | L.72 | | |
| | F.244421 | Packing, for auxiliary ribs (Mod.961) | 2 | L.72 | | |
| 1319 | B.187552 | Panel, access for trim tab control | 1 | DTD.610 | C | KB.1 |
| | A.247707 | Plate, shim (AS.970/69) | 2 | Lam.A1. | | |
| | F.237192 | Plate, gusset (Mod.961) | 2 | S.520 | | |
| | F.245130 | Plate, gusset (Mod.961) | 2 | S.520 | | |
| 10861 | A.220122 | Plate, gusset, top port, bottom starboard | 2 | S.520 | C | |
| | A.220123 | Plate, gusset, top starboard, bottom port | 2 | S.520 | | |
| | A.220124 | Plate, gusset, top port | 1 | S.520 | | |
| 10864 | A.220125 | Plate, gusset, top starboard | 1 | S.520 | C | |
| 10863 | A.220126 | Plate, gusset, bottom port | 1 | S.520 | C | |
| 10865 | A.220127 | Plate, gusset, bottom starboard | 1 | S.520 | C | |

RESTRICTED

MAIN PLANES - AILERON

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------|-------------|-----------------|----------------------------|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 2202 | B.180557 | Rib, | No.1, | port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2203 | B.180558 | Rib, | No.1, | starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2204 | B.187451 | Rib, | nose, | No.2, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2205 | C.188586 | Rib, | nose, | No.2, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2206 | C.188587 | Rib, | tail, | No.2, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2207 | C.188588 | Rib, | tail, | No.2, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2208 | B.187452 | Rib, | nose, | No.3, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2209 | C.188589 | Rib, | nose, | No.3, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2210 | C.188590 | Rib, | tail, | No.3, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2211 | C.188591 | Rib, | tail, | No.3, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2212 | C.188592 | Rib, | nose, | No.4, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2213 | C.188593 | Rib, | nose, | No.4, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2214 | B.187627 | Rib, | tail, | No.4, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2215 | C.188594 | Rib, | tail, | No.4, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2216 | B.181078 | Rib, | nose, | No.5, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2217 | B.181079 | Rib, | nose, | No.5, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2218 | B.181080 | Rib, | tail, | No.5, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2219 | B.196740 | Rib, | tail, | No.5, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2220 | B.181070 | Rib, | nose, | No.6, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2221 | B.181071 | Rib, | nose, | No.6, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2222 | B.181072 | Rib, | interspar, | No.6 | | 2 | DTD.610 | MR/C | KB.1 | |
| 2223 | B.181073 | Rib, | tail, | No.6 | | 2 | DTD.610 | MR/C | KB.1 | |
| 2224 | B.181074 | Rib, | nose, | No.7, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2225 | B.181075 | Rib, | nose, | No.7, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2226 | B.181076 | Rib, | interspar, | No.7 | | 2 | DTD.610 | MR/C | KB.1 | |
| 2227 | B.181077 | Rib, | tail, | No.7 | | 2 | DTD.610 | MR/C | KB.1 | |
| 2228 | B.181081 | Rib, | nose, | No.8, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2229 | B.181082 | Rib, | nose, | No.8, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2230 | B.181083 | Rib, | tail, | No.8, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2231 | B.196741 | Rib, | tail, | No.8, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2232 | C.188595 | Rib, | nose, | No.9, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2233 | C.188596 | Rib, | nose, | No.9, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2234 | C.188597 | Rib, | tail, | No.9, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2235 | B.196742 | Rib, | tail, | No.9, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2236 | C.188598 | Rib, | nose, | No.10, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2237 | C.188599 | Rib, | nose, | No.10, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2238 | C.188600 | Rib, | tail, | No.10, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2239 | B.196743 | Rib, | tail, | No.11, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2240 | B.181084 | Rib, | nose, | No.11, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2241 | B.181085 | Rib, | nose, | No.11, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 9605 | B.217254 | Rib, | tail, | No.11, port (Mod.518) | | 1 | DTD.610 | MR/C | KB.1 | |
| 9603 | A.217255 | Rib, | tail, | No.11, starboard (Mod.518) | | 1 | DTD.610 | MR/C | KB.1 | |
| 2244 | B.181436 | Rib, | nose, | No.12, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2245 | B.181437 | Rib, | nose, | No.12, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 9578 | B.217249 | Rib, | tail, | No.12 | | 2 | DTD.610 | MR/C | KB.1 | |
| 2247 | B.181089 | Rib, | nose, | No.6A, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2248 | B.181090 | Rib, | nose, | No.6A, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2249 | B.181091 | Rib, | interspar, | No.6A | | 2 | DTD.610 | MR/C | KB.1 | |
| 2250 | B.181092 | Rib, | nose, | No.7A, port | | 1 | DTD.610 | MR/C | KB.1 | |
| 2251 | B.181093 | Rib, | nose, | No.7A, starboard | | 1 | DTD.610 | MR/C | KB.1 | |
| 2252 | B.181094 | Rib, | interspar, | No.7A | | 2 | DTD.610 | MR/C | KB.1 | |
| | B.244658 | Rib, | inter | (Mod.961) | | 2 | L.72 | | | |
| 9604 | A.217256 | Rib, | No.12A | | | 2 | DTD.610 | MR/C | KB.1 | |
| 2254 | B.180967 | Rib, | diagonal centre | | | 2 | DTD.610 | MR/C | KB.1 | |
| 2255 | B.180968 | Rib, | diagonal centre | | | 2 | DTD.610 | MR/C | KB.1 | |
| 2256 | B.180933 | Rib, | diagonal outer | | | 2 | DTD.610 | MR/C | KB.1 | |
| 2257 | B.180934 | Rib, | diagonal, outer | | | 2 | DTD.610 | MR/C | KB.1 | |
| 2258 | B.181095 | Rib, | main tip | | | 2 | DTD.610 | MR/C | KB.1 | |
| 2259 | B.181365 | Rib, | tip, No.1 | | | 2 | DTD.610 | MR/C | KB.1 | |
| 2260 | B.181366 | Rib, | tip, No.2 | | | 2 | DTD.610 | MR/C | KB.1 | |
| | C.238276 | Rib, | auxiliary | | | 2 | L.72 | | | |
| | C.238277 | Rib, | auxiliary | | | 4 | L.72 | | | |

MAIN PLANES - AILERON

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------|----------------|---|---|--|---|----------------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| C.238278 | C.238278 | | | | | Rib, auxiliary | 4 | L.72 | | |
| | C.238279 | | | | | Rib, auxiliary | 6 | L.72 | | |
| | C.238280 | | | | | Rib, auxiliary | 2 | L.72 | | |
| | C.238281 | | | | | Rib, auxiliary | 2 | L.72 | | |
| | C.238282 | | | | | Rib, auxiliary | 2 | L.72 | | |
| | B.238985 | | | | | Rib, auxiliary | 2 | L.72 | | |
| | B.241523 | | | | | Rib, auxiliary | 10 | L.72 | | |
| | A.244935 | | | | | Rib (Mod.961) | 2 | L.72 | | |
| | C.245136-7 | | | | | RIBS, AUXILIARY ATTACHMENTS, CENTRE HINGE, ASSEMBLY (Mod.961) | | | | |
| | F.241514 | | | | | Angle, port | 1 | L.72 | | |
| | F.241515 | | | | | Angle, starboard | 1 | L.72 | | |
| | F.241516 | | | | | Angle, starboard | 1 | L.72 | | |
| | F.241517 | | | | | Angle, port | 1 | L.72 | | |
| | F.251518 | | | | | Angle, port outboard, starboard inboard | 2 | L.72 | | |
| | F.241519 | | | | | Angle, starboard outboard, port inboard | 2 | L.72 | | |
| | F.244295 | | | | | Angle (Mod.961) | 2 | L.72 | | |
| | F.244418 | | | | | Angle (Mod.961) | 2 | L.72 | | |
| | F.245535 | | | | | Packing (Mod.961) | 4 | L.72 | | |
| | F.244297 | | | | | Plate, gusset (Mod.961) | 4 | L.72 | | |
| | F.241521 | | | | | Plate, gusset | 4 | L.72 | | |
| | F.241522 | | | | | Plate, gusset | 4 | L.72 | | |
| | F.237192 | | | | | Plate, gusset (Mod.961) | 4 | S.520 | | |
| | C.188785 | | | | | SECTIONS AND DETAILS, ASSEMBLY | | | | |
| | A.190373 | | | | | ACTUATOR, GROUP | 1 | | | |
| | 5W/310 | Rotax C.5021/2 | | | | Actuator | 1 | | A | |
| | 5K/4346693 | RC.2120 | | | | Tag | 4 | | C | |
| | 8406 | F.217733 | | | | Bolt, actuator fins (Mod.578) | 4 | S.96 | C | |
| 1876 | F.193539 | | | | Bolt, securing mounting bracket | 1 | S.96.B | C | KB.1 | |
| 10507 | B.244624 | | | | Bracket, mounting group (Mod.956) | 1 | | C | KB.1 | |
| 2261 | F.187753 | | | | Bush, 7/16" i/d | 1 | BSS.369 | MR/C | KB.1 | |
| 3756 | Std.850/27 | | | | Clip, securing, 7/16" wide x 22 S.W.G. x 2.7" long | 1 | DTD.610 | MR/C | 4 | |
| 1321 | Std.1221/YB55 | | | | Pin, securing rod to trim tab (Pre Mod.568) | 1 | S.3 or S.11 | C | | |
| 4905 | F.204410 | | | | Pin, for transmitter | 1 | | C | KB.1 | |
| 1322 | Std.1221/YB30 | | | | Pin, securing rod and lever on shaft (Pre Mod.568) | 1 | S.3 or S.11 | C | 4 | |
| 8405 | F.217716 | | | | Plate, locking for actuator fixing bolts | 1 | S.3 | C | | |
| 1324 | A.187785 | | | | Rod, operating trim tab (Pre Mod.568) | 1 | T.4 or DTD.364 | C | | |
| 9350 | A.218102 | | | | Rod, operating, trim tab, group (Mod.568) | 1 | | B | KB.1 | |
| 9351 | F.218053 | | | | Fork-end | 1 | S.1 | C | | |
| 8422 | F.217360 | | | | Shaft, at actuator (Mod.578) | 1 | S.92 or S.3 | C | KB.1 | |
| 6A/4373 | Smiths 553/FL | | | | Transmitter (Pre Mod.349) | 1 | | A | | |
| 6A/4455 | Smiths 568/FL | | | | Transmitter (Mod.349) | 1 | | A | | |
| 7419 | Std.1509/23/140 | | | | Tube, distance | 1 | T.4 | MR/C | | |
| 2147 | Std.915/C/20 | | | | Washer | 2 | | C | | |
| 1327 | Std.1547/24/12 | | | | Washer, profile | 2 | DTD.610 | C | 4 | |
| 1328 | Std.1547/34/12 | | | | Washer, packing | 2 | DTD.610 | C | 4 | |
| 4868 | F.203094 | | | | Shackle, for trim tab control | 1 | S.3 | C | KB.1 | |
| 2262 | E.180551 | | | | Skin, nose, top port | 1 | DTD.610 | MR/B | KB.1 | |
| 2263 | E.180552 | | | | Skin, nose, top starboard | 1 | DTD.610 | MR/B | KB.1 | |
| 2264 | E.180553 | | | | Skin, nose, bottom port | 1 | DTD.610 | MR/B | KB.1 | |
| 2265 | E.180554 | | | | Skin, nose, bottom starboard | 1 | DTD.610 | MR/B | KB.1 | |
| 2266 | C.181396 | | | | Skin, nose, washout, port group | 1 | DTD.610 | MR/B | KB.1 | |
| 2267 | C.181397 | | | | Skin, nose, washout, starboard, group | 1 | DTD.610 | MR/B | KB.1 | |
| 71 | F.181676 | | | | Nut, anchor | 4 | S.3 | C | | |
| | G.244300/1 | | | | Skin, top, port (Alternative to G.232400/1) (Mod.961) (Use 26FX/9510) | 1 | L.72 | | | |
| | G.244300/2 | | | | Skin, bottom, port (Alternative to G.232400/3) (Mod.961) (Use 26FX/9511) | 1 | L.72 | | | |
| | G.244300/3 | | | | Skin, tip port (Alternative to G.232400/2) (Mod.961) (Use 26FX/9374) | 1 | L.72 | | | |

MAIN PLANES - AILERON

Hunter Single Seater

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|----------------|---|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| | G.244300/4 | Skin, reinforcing (Alternative to G.232400/4) (Mod.961) | | | | | 4 | | | |
| | G.244301/1 | Skin, top, starboard (Alternative to G.232401/1) (Mod.961) (Use 26FX/9512) | | | | | 1 | L.72 | | |
| | G.244301/2 | Skin, bottom, starboard (Alternative to G.232401/3) (Mod.961) (Use 26FX/9514) | | | | | 1 | L.72 | | |
| | G.244301/3 | Skin, tip, starboard (Alternative to G.232401/2) (Mod.961) (Use 26FX/9513) | | | | | 1 | L.72 | | |
| | E.245504 | Spar, main port group (Mod.961) | | | | | 1 | | | |
| | E.245505 | Spar, main starboard group (Mod.961) | | | | | 1 | | | |
| | A.219708 | Plate, nut (Mod.473) | | | | | 2 | | | |
| | F.215262 | Packing (Mod.473) | | | | | 2 | L.72 | | |
| 2268 | F.180559 | Spigot, for inner hinge | | | | | 2 | S.96.B | MR/C | KB.1 |
| 4469 | F.157015 | Spring, compression for trim tab control | | | | | 2 | DTD.215 | C | KB.1 |
| | C.244941 | Stiffener, No.1 top port, bottom starboard (Mod.961) | | | | | 2 | L.72 | | |
| | C.244942 | Stiffener, No.1 top starboard (Mod.961) | | | | | 1 | L.72 | | |
| | C.244943 | Stiffener, No.1 bottom port (Mod.961) | | | | | 1 | L.72 | | |
| | C.244944 | Stiffener, No.2 top port, bottom starboard (Mod.961) | | | | | 2 | L.72 | | |
| | C.244945 | Stiffener, No.2 top starboard (Mod.961) | | | | | 1 | L.72 | | |
| | C.244946 | Stiffener, No.2 bottom port (Mod.961) | | | | | 1 | L.72 | | |
| | C.236888 | Stiffener, No.3 top port, bottom starboard | | | | | 2 | L.72 | | |
| | C.236889 | Stiffener, No.3, top starboard, bottom port | | | | | 2 | L.72 | | |
| | C.244947 | Stiffener, No.4 top port, bottom starboard (Mod.961) | | | | | 2 | L.72 | | |
| | C.244948 | Stiffener, No.4 top starboard (Mod.961) | | | | | 1 | L.72 | | |
| | C.244949 | Stiffener, No.4 bottom port (Mod.961) | | | | | 1 | L.72 | | |
| | C.238948 | Stiffener, No.5 top port, bottom starboard | | | | | 2 | L.72 | | |
| | C.238949 | Stiffener, No.5 top starboard, bottom port | | | | | 2 | L.72 | | |
| 4728 | Std.1231/4 | Tab, locking | | | | | 1 | | MR/A | 4 |
| 1330 | C.187570 | Trim-tab, group (port only) (Pre Mod.568) | | | | | 1 | | B | |
| 9349 | C.218045 | Trim-tab, group (Mod.568) | | | | | 1 | | B | KB.1 |
| | B.187499 | Hinge | | | | | 1 | DTD.610 | | |
| | Std.1548-30-12 | Washer, packing, at hinge block | | | | | 3 | DTD.610 | MR/C | |
| 72 | F.180560 | Washer, special | | | | | 4 | DTD.610 | C | KB.1 |
| | C.247517 | Weight, balance, inboard, port (AS.970/73) | | | | | 1 | S.3 and Lead | | KB.1 |
| | C.247518 | Weight, balance, inboard, starboard (AS.970/73) | | | | | 1 | S.3 and Lead | | KB.1 |
| | C.247515 | Weight, balance, outboard, port (AS.970/73) | | | | | 1 | S.3 and Lead | | KB.1 |
| | C.247516 | Weight, balance, outboard, starboard (AS.970/73) | | | | | 1 | S.3 and Lead | | KB.1 |

MAIN PLANES - AILERON

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------------------|--------------|-------------|-------|--------|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1010658 | A25.1.B | Bolt, | 4 | B.A. | | | | | | |
| 28D/9436920 | A25.1.C | Bolt, | 2 | B.A. | | | | | | |
| 28D/9133011 | A25.2.C | Bolt, | 2 | B.A. | | | | | | |
| 28D/9133012 | A25.3.C | Bolt, | 2 | B.A. | | | | | | |
| 28D/1200119 | A25.4.C | Bolt, | 2 | B.A. | | | | | | |
| 28D/7002428 | A25.6.C | Bolt, | 2 | B.A. | | | | | | |
| 28D/12517 | A25.17.C | Bolt, | 2 | B.A. | | | | | | |
| 28D/1007975 | AS.1242/1C | Bolt, | 2 | B.A. | | | | | | |
| 28D/1011238 | A.25.3.E | Bolt, | 1/4" | B.S.F. | | | | | | |
| 28D/1011240 | A25.5.E | Bolt, | 1/4" | B.S.F. | | | | | | |
| 28D/1011242 | A25.7.E | Bolt, | 1/4" | B.S.F. | | | | | | |
| 28D/9128739 | AS.1248-1/2B | Bolt, | 4 | B.A. | | | | | | |
| 28D/9435000 | AS.30.16.J | Bolt, | 3/8" | B.S.F. | | | | | | |
| 28M/1278189 | AGS.2009/B1 | Nut, | 4 | B.A. | | | | | | |
| 28M/10288 | AGS.2001/C1 | Nut, | 2 | B.A. | | | | | | |
| 28M/10290 | AGS.2001/E1 | Nut, | 1/4" | B.S.F. | | | | | | |
| 28M/10327 | AGS.2002/B1 | Nut, | 4 | B.A. | | | | | | |
| 28M/10328 | AGS.2002/C1 | Nut, | 2 | B.A. | | | | | | |
| 28M/9403520 | A27.CP | Nut, | 2 | B.A. | | | | | | |
| 28M/12928 | A27.EP | Nut, | 1/4" | B.S.F. | | | | | | |
| 28M/7748 | AGS.572/J | Nut, | 9/16" | B.S.F. | | | | | | |
| 28M/14833 | A58/JS | Nut, | 3/8" | B.S.F. | | | | | | |
| 28P/7002433 | SP.4.Y.B1 | Pin | | | | | | | | |
| 28P/16271 | SP.133/C3 | Pin | | | | | | | | |
| 28P/16231 | SP.13/C4 | Pin | | | | | | | | |
| 28S/7002444 | A33.C14 | Screw, | 2 | B.A. | | | | | | |
| 28W/9419474 | SP.15.B | Washer | | | | | | | | |
| 28W/9419475 | SP.15.C | Washer | | | | | | | | |
| 28W/9419405 | SP.15.E | Washer | | | | | | | | |
| 28W/9419477 | SP.15.J | Washer | | | | | | | | |
| 28W/9419404 | SP.16.C | Washer | | | | | | | | |
| 28W/9419487 | SP.16.E | Washer | | | | | | | | |





This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

