



POWER INSTALLATION - GEARBOX AND ACCESSORIES

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1 2 3 4 5				
	E.204660	ACCESSORY DRIVE FOR GEARBOX AND EQUIPMENT, ASSEMBLY				
37L/322		Arm, drive, type G.A.7/2	1		A	
6391	F.194529	Bolt, special, for generator attachment	4	S.99.B	C	LB.1
6392	F.194530	Bolt, special, for generator attachment	2	S.99.B	C	LB.1
6393	F.200766	Bolt, "U", for safety bracket at frame 34	1	S.1	C	LB.1
6394	B.203089	Box, sealing, for drive shaft	1		B	LB.1
6395	F.188685	Channel, stop, for safety bracket "U" bolt at frame 34	1	DTD.610	C	LB.1
11303	Std.2046/17/26	Clip, sleeved	1	S.510 or S.511	C	
37L/196		Gearbox, type TG.5/5, group	1		A	
37L/2940	Rotal G.16095	Washer, for dipstick	1		C	
5UA/6088		Generator, type 517	2		A	
	C.212052	GENERATOR COOLING AIR OUTLET, ASSEMBLY (Mod.425)				
8342	C.212054	Cover, bottom	1	S.3	B	LB.1
8343	B.212053	Cover, top	1	S.3	B	LB.1
8346	F.212146	Eye-bolt, securing covers	2	S.1	C	LB.1
8344	B.212055	Strap, inboard generator	1	S.3	C	LB.1
8345	B.212056	Strap, outboard generator	1	S.3	C	LB.1
8347	F.217098	Washer, profile at strap	4	L.72	C	LB.1
2192	Std.915/C14	Washer, for eyebolt pin	1	DTD.610	C	4
	Std.1306/D/20	Hose, 1-3/4" i/d x 2" long (Make from 32C/455)	2	DTD.625A		
	F.226908	Piece, packing, for drive arm	1	L.72		LB.1
7171	F.205196	Pipe, breather, for generator	1	DTD.253	MR/C	LB.1
9944	F.230731	Pipe, cent (Mod.751)	1		C	LB.1
7173	F.206188	Pipe, drain, for drive arm	1	DTD.253	MR/C	LB.1
7174	F.213362	Pipe, drain, for oil filter	1	DTD.253	MR/C	LB.1
6398	A.204659	Plate, sealing, for oil filter	2	LFS.21	C	LB.1
37K/8006	Dowty	Pump, "Vardel", type A8003Y/RH/3000	1		A	
37L/325		Shaft, drive, type GD.9/100	1		A	
37L/369		Shaft, drive, type GD.9/37	1		A	
6396	B.205290	Spout, inlet, cooling, for outboard generator	1	L.54 & L.59	C	LB.1
6397	B.205291	Spout, inlet, cooling, for inboard generator	1	L.54 & L.59	C	LB.1
7175	Std.1509/23/028	Tube, distance, for oil filter sealing plate	6	T.4	MR/C	
7176	Std.1509/23/052	Tube, distance, for safety bracket 'U' bolt	2	T.4	MR/C	
26VA/6034610	Std.1509/23/060	Tube, distance, for clipping of pipe drain	1	T.4		

POWER INSTALLATION - GEARBOX AND ACCESSORIES

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/9436920	A.25.1.C	Bolt,	2	B.A.						
28D/9133012	A.25.3.C	Bolt,	2	B.A.						
28D/1200119	A.25.4.C	Bolt,	2	B.A.						
28D/7002428	A.36.6.C	Bolt,	2	B.A.						
28D/1011238	A.25.3.E	Bolt,	1/4"	B.S.F.						
28D/12814	A.25.29.E	Bolt,	1/4"	B.S.F.						
28E/9871	AGS.606/T	Clip,		hose						
28F/8011885	AGS.1142/B	Nipple								
28M/1011467	A.27.ES	Nut,	1/4"	B.S.F.						
28M/1011476	A.27.JS	Nut,		B.S.F.						
28M/10328	AGS.2002/C/1	Nut,	2	B.A.						
28P/9710567	SP.9.C4	Pin,		split						
28P/9527619	SP.90.C7	Pin,		split						
28P/9138818	BS.SP.4Y.B19	Pin								
28P/1011186	BS.SP.4Y.B17	Pin								
28W/9419475	SP.15.C	Washer,	2	B.A.						
28W/9419477	SP.15.J	Washer,	3/8"	B.S.F.						
28W/9419405	SP.15.E	Washer,	1/4"	dia.						
28W/9419487	SP.16.E	Washer,	1/4"	dia.						





This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rftm
Please see site for usage terms,
and more aircraft documents.

