

POWER INSTALLATION - FIRE EXTINGUISHER EQUIPMENT

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.203752 A.204175	FIRE EXTINGUISHER EQUIPMENT, ASSEMBLY BOTTLE, TYPE 12A (61b), ASSEMBLY				
27N/100		Bottle, type 12A	1		A	
27N/152		Bottle, type 4AX (Alternative to 27N/100)	1		A	
7167	C.202834	Harness, lifting, group	1	L.72	MR/B	
	Std.1547/24/16	Packing	6	DTD.610		
	Std.1547/26/16	Packing	2	DTD.610		
	F.204879	Ring, lifting	1			
	Std.1509/2/025	Tube, distance	1	T.4		
12K/1316	Graviner A.716/3 C.202975	Unit, cartridge	1		A	
		BOTTLE, TYPE 13A (121b), ASSEMBLY				
27N/99		Bottle, type 13A	1		A	
27N/153		Bottle, type 5AX (Alternative to 27N/99)	1		A	
7168	C.202835	Harness, lifting, group	1	L.72	MR/B	
11141	Std.1547/24/16	Packing	5	DTD.610	C	
	Std.1547/26/18	Packing	2	DTD.610		
	F.204879	Ring, lifting	1			
	Std.1509/2/025	Tube, distance	1	T.4		
6374	King C.5078	Strap, and toggle fastener	2		C	LE.1
12K/9635263	Graviner A.716/3 Std.843/22	Unit, cartridge	1		A	
		Clip, support, on frames 34 and 38 (Make from 30A/549 2-3/4" x 7/16")	21	S.3		
11310	Std.2045/33/22	Clip, sleeved, support, on frame 37	1	S.510 or S.511	C	
	Std.853/43	Clip, support, on frame 32	2	S.3		
11299	F.204176	Clip, support, between frames 33 and 34	1	L.72	C	
11300	F.204177	Clip, support, on fuel pressure pipe, between frames 33 and 34	1	L.72	C	
6375	F.204103	Fairlead, on frame 38	2	LFS.21	C	LE.1
6376	F.204104 C.202964	Fairlead, on frame 29	2	LFS.21	C	LE.1
		MOUNTING FOR EXTINGUISHER BOTTLE ON FRAME 26, ASSEMBLY				
6377	C.202441	Cradle	1	L.72		
	King C.5075	Strap and toggle fastener	2		C	LE.1
	Std.1509/24/020	Tube, distance	4	T.4		
6378	B.204097/1	Pipe, large bottle outlet to front tee-piece	1	T.55	C	LE.1
6379	B.204097/2	Pipe, small bottle outlet to front tee-piece	1	T.55	C	LE.1
6380	B.204097/3	Pipe, front tee-piece to rear tee-piece	1	T.55	C	LE.1
6381	B.204097/4	Pipe, rear tee-piece to front branch pipe	1	T.55	C	LE.1
6382	B.204097/5	Pipe, rear tee-piece to joint	1	T.55	C	LE.1
6383	B.204097/6	Pipe, joint to rear branch pipe	1	T.55	C	LE.1
6384	A.204098	Pipe, branch	2	T.55	C	LE.1
6385	C.204173/1	Pipe, spray, front port	1	T.55	C	LE.1
6386	C.204173/2	Pipe, spray, front starboard	1	T.55	C	LE.1
6387	C.204174/1	Pipe, spray, rear port	2	T.55	C	LE.1
6388	C.204174/2	Pipe, spray, rear starboard	1	T.55	C	LE.1
6389	A.204178	Tee-piece	2	Stamping	C	LE.1
7169	Std.915/C18	Washer	24	DTD.610	MR/C	

POWER INSTALLATION - FIRE EXTINGUISHER EQUIPMENT

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/9436920	A.25.1.C	Bolt,	2	B.A.						
28D/9133011	A.25.2.C	Bolt,	2	B.A.						
28D/9133012	A.25.3.C	Bolt,	2	B.A.						
28D/1200119	A.25.4.C	Bolt,	2	B.A.						
28D/9453970	A.25.15.C	Bolt,	2	B.A.						
28F/9525506	AGS.1143.D	Cone Plug								
28F/19141	AGS.2120	Nipple								
28F/10773	AGS.1170/F	Nipple								
28F/8011897	AGS.1142/F	Nipple								
28F/9486111	AGS.1142/H	Nipple								
28M/10288	AGS.2001/C1	Nut,	2	B.A.						
28M/10328	AGS.2002/C1	Nut,	2	B.A.						
28F/9713611	SP.4.Z.D24	Pin,	1/4"							
28P/19153	SP.90.C5	Pin,	1/16"							
28S/1011490	A.32.C16	Screw,	2	B.A.						
28W/9419404	SP.16/C	Washer,	2	B.A.						
28W/9419475	SP.15.C	Washer,	2	B.A.						



