

RADIO - V.H.F. INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	E.315112	Radio, V.H.F. Installation, Assembly	-			
1	Bendix LA17BT	Amplifier, audio	1			
	Elliot EAM/31B	Amplifier, mic-matching	1			
1	Dorne & Margolin C.25/1	Antenna, V.H.F. (Alt. to C.50/1)	1			
	Dorne & Magolin C.50/1	Antenna V.H.F. (Alt. to C.25/1)	1			
	Bendix MTA/17B	Base, mounting	2			
	B.283141	Block, terminal, No's 53 & 54, group	1			
5X/1002694	Plessey CZ.50207	Block, terminal, 5-way	1		B	
5X/3276	Plessey CZ.50205	Block, terminal, 2-way	1		B	
	F.283377/1	Label	1	Photo		
	F.283377/2	Label	1	Photo		
5CZ/1053794		Block, terminal, 2-way	3		B	
	C.314633	Box, junction, audio, group	1			
	A.314585	Angle, mounting	1	L.72		
	F.281832	Bar, bridge	1			
	C.314634	Box, detail	1			
8670	F.220761	Bush, for earth terminal	2	L.F.B.82	C	
5E/3040		Cable, unipren 12	QR		C	
5E/		Cable, P.T.F.E., type B, 19/0.20 m/m	QR	BSG.210	C	
5E/		Cable, P.T.F.E., type B.S.M. 19/0.20 m/m	QR	BSG.210	C	
	C.314635/1	Diagram, wiring	1	Photo		
10H/	Belling Lee L.562/1	Fuse, 1 amp.	1			
10H/0590109	Belling Lee L.693/1	Fuse, H.R.C. 1 amp.	1		C	
10H/0590110	Belling Lee L.693/2	Fuse, H.R.C. 2 amp.	1		C	
10H/0590111	Belling Lee L.693/3	Fuse, H.R.C. 3 amp.	2		C	
10H/0590231	Belling Lee L.1382	Fuse, holder	4		C	
10H/0590170	Belling Lee L.575	Fuse, holder	1		C	
10AD/3079		Holder, base	1		C	
1	PTO.7SE-8-33S	Jam, nut, receptacle (Thorn)	1		C	
	PTO.7SE-10-6S	Jam, nut, receptacle (Thorn)	2		C	
	PTO.7SE-12-8PC	Jam, nut, receptacle (Thorn)	1		C	
	PTO.7SE-12-10S	Jam, nut, receptacle (Thorn)	2			
	PTO.7SE-14-5P	Jam, nut, receptacle (Thorn)	1			
	PTO.7SE-14-15S	Jam, nut, receptacle (Thorn)	1			
	B.282454	Lid	1			
	A.314584	Platform, components	1			
10AS/1002528	Oxley 156	Insulator, bank, red	12			
10F/0119881		Plate	1			
	Clare RL.7631	Relay	1			
5905-99	Electrosil	Relay	5			
-013-6231		Resistor, type TR.4 1/4" W, 560 ohms	1			
5905-99	Electrosil	Resistor, type TR.4 1/4" W, 12K, ohms	5			
-013-6263						
1	Std.1606/45/B12	Screw, countersunk, 4 B.A.	2	Brass	C	5
	Std.1606/45/B14	Screw, roundhead, 4 B.A.	4	Brass	C	5
	Std.1606/44/C20	Screw, roundhead, 2 B.A.	4	Brass	C	5
	Std.2133/11	Sleeve, coded	QR			
	Std.2135/11	Sleeve, coded	4			
5F/	Hellermann	Sleeve, Helashrink, STM 32 x 1"	7			
	Raychem D100	Sleeve, Solder	3			
	Raychem D101	Sleeve, Solder	6			
	Raychem D103	Sleeve, Solder	4			
5F/		Sleeve, 150 HT.20 x 1"	2			
10AS/1002129		Spring, retainer	1			
5X/9462745	HC.304	Tag, ring tongue	2		C	
5X/9462951	HC.294	Tag, ring tongue	16		C	
8673	Std.1509/12/024	Tube, distance	2	T,4	C	
	F.220762	Washer, for earth terminal	2	L.F.B.82	C	

RADIO - V.H.F. INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
7139	D.287046	Box, radio relay, group	1			
	F.281832	Bar, bridge	1			
	B.207495	Box, for relay panel	1	L.59		
8670	F.220761	Bush, for earth terminal	1	L.F.B.82	C	
5E/3040		Cable, unipren 12	QR		C	
5E/9516201		Cable, P.T.F.E. type B, 19/0076, block	QR	EL.1930	C	
5E/		Cable, P.T.F.E. type B.S.M. 19/0076, block	QR	EL.1930	C	
	C.287005/1	Diagram, wiring	1	Photo		
	B.208211	Diaphragm, mounting	1			
10CV/	CV.9117	Diode, Ferranti ZS.78	5			
	Belling Lee L.562/1	Fuse, 1 amp.	2		C	
		Fuse, 5 amp.	2		C	
10H/21798		Fuseholder, type A	2			
10H/23998		Fuseholder	2			
10H/0590170	Belling Lee L.575	Holder, base	6			
10H/944121	STC.LP.736720	Jam nut, receptacle (Thorn)	1			
	PT0.7SE-14-15S	Jam nut, receptacle (Thorn)	1			
	PT0.7SE-12-10S	Jam nut, receptacle (Thorn)	2			
	PT0.7SE-12-10P	Jam nut, receptacle (Thorn)	1			
	PT0.7SE-14-5P	Jam nut, receptacle (Thorn)	1			
	PT0.7SE-14-15SC	Jam nut, receptacle (Thorn)	1			
	PT0.7SE-10-6S	Jam nut, receptacle (Thorn)	1			
	B.287043	Panel, face	1	L.59		
6138	F.207937	Piece, distance, for earth terminal	4	L.F.B.82	C	
	F.281795	Plate, diode mounting	1	L.72		
	F.281794	Plate, insulator	1	BSS.2966		
10AS/1002528		Plate	6			
	10-101033-10	Plug, sealing (Thorn)	3			
	10-101033-11	Plug, sealing (Thorn)	1			
		Relay	6			
10F/0119881		Relay "S" No.7, 25 amp. D.P. c/o	1		B	
5CW/6717		Resistor, 1 KΩ $\frac{1}{2}$ W. high stab., TR.6	1		C.	
10W/0135746	Electrosil	Sleeve, 150 HT.20 x 3/4"	5			
5F/	Hellermann	Sleeve, STM 32 x 1"	22			
5F/	Hellermann	Sleeve, 150 HT.15 x 1/2"	24			
5F/	Hellermann	Sleeve, 150 HT.15 x 1"	1			
5F/	Hellermann	Sleeve, solder	1			
	Raychem D.100	Sleeve, solder	9			
	Raychem D.101	Sleeve, solder	4			
	Raychem D.103	Spring, retainer	6			
10AS/1002129		Strapping	QR			
5F/9506025	NY.18067	Stud	QR			
5F/9138823	NY.3255	Support, relay	1			
	F.208120	Tag, ring tongue	10		C.	
5X/9462951	HC.294	Tag, ring tongue	2		C.	
5X/9462745	HC.304	Tube, distance	4	T.4		
	Std.1509/12/060	Washer, for earth terminal	1	L.F.B.82	C.	
8673	F.220762	Washer, resilient	8	Rubber	C.	
6137	F.207675	Washer	8	DTD.610	C.	
3767	Std.915/B/20	Bracket, mounting for mic/Amplifier	1	L.72		
	A.283151	Cable, A01, group	1			
	C.314886	Cable, A02, group	1			
	B.314835	Cable, A03, group	1			
	B.314836	Cable, TS3, group (See Cable Chart)	1			
	B.283215	Cable, TS4, group (See Cable Chart)	1			
	B.283318	Cable, TS5, group (See Cable Chart)	1			
	B.283319		1			

RADIO - V.H.F. INSTALLATION


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	B.283572	Cable, V.H.F. 1 group	1			
	B.283574	Cable, V.H.F. 3 group	1			
	C.283576	Cable, V.H.F. 5 group	1			
	B.283577	Cable, V.H.F. 6 group	1			
	B.283578	Cable, V.H.F. 7 group	1			
	B.283579	Cable, V.H.F. 9 group	1			
	F.211986	Clip, support for tele-brief cable	2	L.72	M.R.	
	Bowden PN.448	Clip, pliable	5		C	
1	29H/9437201	Std.2046/23/24	1			
1	26VA/6041265	Std.2046/45/20	2			
1	26VA/6044200	Std.2046/62/20	1			
1	26VA/6041277	Controller, V.H.F.	2			
	Bendix CNA-23C					
	5L/9951273	Filament, 28V., 3.5W	1		C	
1	5X/9491421	Generator, tone	1		C	
	Page C.7730/01	Grommet	1			
	Plessey Z.22431	Holder, grommet	1			
	F.204913	Mounting, for audio amplifier	2			
	Bendix MTA/12B					
	F.196149	Lamp, warning and cable, group	1			
	B.206537	Cable, assembly T.S.2	1			
	5X/4191	Lamp, warning, Type "A"	1			
	F.202760	Plate, adaptor	1			
	Std.1949/11	Sleeve, marker	1			
1	A.317375	Mounting and cable assembly, V.H.F., Set 1	Ref			
1	C.283573	Cable assembly V.H.F.2	1			
1	11834	Clip	1			
1	Std.2045/34/22	Shockmount, T/R	1			
	Bendix MSA-42A					
1	A.317874	Mounting and cable assembly, V.H.F., Set 2	Ref			
1	C.283575	Cable assembly V.H.F.4	1			
	Std.2045/34/22	Clip	1			
	Bendix MSA-42A	Shockmount, T/R	1			
	C.314678	Panel, controller	1	L.72		
1	P.T.B.J.10-6PS	Plug/socket (Thorn)	1			
	P.T.B.J.20-41PS	Plug/socket, bulkhead (Thorn)	1			
	P.T.B.J.20-41PSA	Plug/socket, bulkhead (Thorn)	1			
	5939-99-911-6831	Plug/socket, bulkhead	1			
	Plessey 508/1/40189/320					
	PSK.754915	Plug, blank (used with antenna C50/1)	1			
	C.191818	PLUG, TELE-BRIEFING, ASSEMBLY				
	A.283331	Plug, tele-briefing, group, Consisting of:-	1			
	10HA/9326	Connector, type 3570	1		B	
	Std.2134/11	Sleeve, marker	1			
	Hellermann	Sleeve, helashrink S.T.M.32 x 1"	2		C	
	C.181817/1	Strip, rubber	1	DTD.560D		
	C.181817/2	Strip, rubber	1	12		
	5X/9012365	Tag, quick release	7		C	
	Hellermann HC.300					
1681	F.191829	Spring	2	DTD.215	C	
1682	F.191957	Stop	1	L.53	C	
19F/17415		Relay, aerial, type 514	1		B	
	Std.1606/44/B16	Screw, roundhead, 4 B.A.	10	Brass	C	5
	Std.1606/44/C16	Screw, roundhead, 2 B.A.	2	Brass	C	5
	10H/2206	Socket, mic/tel. type 359	2		B	
5F/9454141	NY.18007A	Strapping	QR		C	
5F/9138822	NY.3342	Stud	QR		C	
5CW/	Honeywell 1T11-3D	Switch, S.P. change-over	1		B	
5CW/	Honeywell ITL1-21	Switch, ON/OFF	4		B	

For details see Cable Chart

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10F/1786 10H/0970050	F.196150						1			
	B.206414						1			
	Std.1949/11						1			
	Hellermann						2			
							1			
	Bendix RTA/42A						2		A	
	Std.1509/2/084						2			
							1		C	
	Std.915/E/18						2			
	Std.1335/E/18						2			
# For details See Cable Chart										

RADIO - V.H.F. INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class ature	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1008147	A25.1A	Bolt,	4	B.A.						
28D/1007971	A25.1/2B	Bolt,	4	B.A.						
28D/1010658	A25.1B	Bolt,	4	B.A.						
28D/1008149	A25.2B	Bolt,	4	B.A.						
28D/1010142	A25.9B	Bolt,	2	B.A.						
28D/9436920	A25.1C	Bolt,	2	B.A.						
28D/9133011	A25.2C	Bolt,	2	B.A.						
28D/9133012	A25.3C	Bolt,	2	B.A.						
28D/7002428	A25.6C	Bolt,	2	B.A.						
28D/9140644	A25.9C	Bolt,	2	B.A.						
28D/1011029	A25.1E	Bolt,	1/4"	B.S.F.						
28D/1213723	AS.1242.8B	Bolt,	4	B.A.						
28D/1007975	AS.1242.1C	Bolt,	2	B.A.						
28D/1214031	AS.1242.8C	Bolt,	2	B.A.						
28D/1013180	AS.1246.1/2E	Bolt,	1/4"	B.S.F.						
28D/1218389	AS.1248.7B	Bolt,	4	B.A.						
28DU/	A174.14E	Bolt,	1/4"	U.N.F.						
28N/1006978	S.P.58.D	Burr,	5/32"	dia.						
5K/2922	S.P.48.B18	Grommet								
5K/3355	AS.3360.B4B	Lead,		bonding						
28M/1200096	A27.A.T.	Nut,	6	B.A.						
28M/9403519	A27.B.P.	Nut,	4	B.A.						
28M/1006504	A27.B.T.	Nut,	4	B.A.						
28M/10286	AGS.2001.A1	Nut,	6	B.A.						
28M/10287	AGS.2001.B1	Nut,	4	B.A.						
28M/10288	AGS.2001.C1	Nut,	2	B.A.						
28M/10326	AGS.2002.A1	Nut,	6	B.A.						
28M/10327	AGS.2002.B1	Nut,	4	B.A.						
28M/10328	AGS.2002.C1	Nut,	2	B.A.						
28M/7002430	AGS.2002.E1	Nut,	1/4"							
28M/9434251	AGS.2008.B1	Nut,	4	B.A.						
28S/1005622	A31.B.28	Screw,	4	B.A.						
28S/1006948	A32.A.12	Screw,	6	B.A.						
28S/9995324	A32.A.16	Screw,	6	B.A.						
28S/1012450	A32.B.10	Screw,	4	B.A.						
28S/9992525	A32.B.12	Screw,	2	B.A.						
28S/1008327	A32.B.14	Screw,	4	B.A.						
28S/9992522	A32.B.16	Screw,	4	B.A.						
28S/9995376	A32.B.20	Screw,	4	B.A.						
28S/1008085	A32.B.32	Screw,	4	B.A.						
28S/1009187	A32.B.36	Screw,	4	B.A.						
28S/5694	A32.B.40	Screw,	4	B.A.						
28S/9995325	A33.A.8	Screw,	6	B.A.						
28S/1200058	A33.A.12	Screw,	6	B.A.						
28S/1200061	A33.A.18	Screw,	6	B.A.						
28S/1200062	A33.A.20	Screw,	6	B.A.						
28S/9435716	A33.B.12	Screw,	4	B.A.						
	A33.B.14	Screw,	4	B.A.						
28W/9419473	SP.15A	Washer,	6	B.A.						
28W/9419474	SP.15B	Washer,	4	B.A.						
28W/9419475	SP.15C	Washer,	2	B.A.						
28W/9419482	SP.15S	Washer,	5/16"	B.S.F.						
28W/9419486	SP.16.B	Washer,	4	B.A.						



This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

