

SERVICES - PILOTS ANTI-G INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
		PELOT'S ANTI "G" INSTALLATION, ASSEMBLY				
861	D.190124	Angle, mounting, anti "G" valve	1	DTD.610	C	NK.1
862	F.188884	Angle, mounting, anti "G" valve	1	DTD.610	C	NK.1
863	F.190229	Bolt, special, connecting air bottle straps	2	S.95.B	C	NK.1
447	F.186436	Bolt, special, strap clamping	2	S.95.B	C	NK.1
27VA/3988	Dunlop	Bottle, air, spherical	2		A	
	ACM.16782					
864	F.190220	Clip, mounting, reducing valve	1	S.3	C	NK.1
865	Std.1178/3	Clip, mounting, reducing valve	1	S.3 & T.26	C	4
26VA/6042337	Std.2045/29/22	Clip, sleeve	2	S.510 or S.511		
	Std.2046/29/22	Clip, sleeve	1	S.510 or S.511		
4667	Std.850/28	Clip, securing pipes, 7/16" wide x 22 S.W.G. x 2.8" long	2	DTD.610	C	4
3774	Std.1306/N/20	Coupling, flexible, 5/8" i/d x 2.0" long (Make from 32C/1275067)	4	DTD.625A	MR/C	4
4276	Std.1306/N/38	Coupling, flexible, 5/8" i/d x 3.8" (Make from 32C/1275067)	1	BSF.67 TYPE 3	MR/C	4
1707	A.193653	Elbow, at cockpit shelf side wall	1	L.54 or T.9	C	
27VA/3443	Dunlop AC0.7273	Filter	1		A	
6A/2691		Gauge, pressure, Mk.14.KK	1		A	
2851	Dunlop	Hose, kink proof, 5/8" i/d x 12-1/2" long (D.190124/1)	1		C	
	DAS/412/E/12.5					
6A/1037413		Label, air	1		C	
3584	A.190201/1	Pipe, 4-way piece to non-return valve	1	DTD.323		
3585	A.190201/2	Pipe, non-return valve to air bottle	1	DTD.323		
3586	A.190201/3	Pipe, air bottle to air bottle	1	DTD.323		
3587	A.190201/4	Pipe, air bottle to filter	1	DTD.323		
1948	A.190201/5	Pipe, filter to tee-piece	1	DTD.323	C	
3588	A.190201/6	Pipe, tee-piece to selector valve	1	DTD.323		
3589	A.190201/7	Pipe, selector to reducing valve	1	DTD.323		
3590	A.190201/8	Pipe, tee-piece to gauge	1	DTD.323		
3591	A.193654/1	Pipe, anti "G" valve to connection	1	L.54 or T.9	C	
3592	A.193654/2	Pipe, connection	1	L.54 or T.9		
3593	A.193654/3	Pipe, connection to elbow	1	L.54 or T.9		
3839	Std.1606/44/B16	Screw, securing elbow, 4 B.A. x 1/2" long	3	Brass	C	5
1720	Std.1606/44/B24	Screw, securing pressure gauge	4		C	5
866	F.189989	Strap	2	DTD.166	C	NK.1
27VA/3445	Dunlop AC0.6580	Socket, quick release	1		A	
867	F.189991	Strap, air bottle	4	DTD.166	C	NK.1
868	F.190003	Strap, air bottle	2	DTD.166	C	NK.1
3787	Std.1507/23/035	Tube, distance, 5/16" o/d x 17 S.W.G. x .35" long (Make from 30A/9612105)	2	T.26	MR/C	4
3808	Std.1509/23/040	Tube, distance, 3/8" o/d x 17 S.W.G. x .4" long (Make from 30B/557)	2	T.4	MR/C	4
3802	Std.1509/23/085	Tube, distance, for clip securing pipe, 3/8" o/d x 17 S.W.G. x .85" long (Make from 30B/557)	1	T.4	MR/C	4


SERVICES — PILOTS ANTI-G INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
869	F.140778	Union, reducing	1	L. 1	C	NF. 1
27VB/3254	Hymatic AG.2	Valve, anti "G"	1		A	
27Q/1539	Dowty D.5213Y	Valve, non-return	1		A	
27VC/27	Palmer C.58	Valve, reducing	1		A	
27VB/3441	Hymatic SV.9	Valve, selector	1		A	
870	Std.915/B/18	Washer	6	DTD.610	C	4

SERVICES — PILOTS ANTI-G INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
28D/1010658	A.25.1.B	Bolt,	4	B.A.						
28D/1009984	A.25.7.B	Bolt,	4	B.A.						
28D/9140644	A.25.9.C	Bolt,	2	B.A.						
28E/9429463	AGS.605/0	Clip								
28E/9128961	SP.91.E	Clip								
5K/113	AGS.1661/B	Clip								
5K/3390	AS.3360/B3B	Lead, bonding								
5K/3355	AS.3360/B4B	Lead, bonding								
5K/3373	AS.3360/B5B	Lead, bonding								
5K/3394	AS.3360/B6B	Lead, bonding								
28F/8011885	AGS.1142/B	Nipple								
28M/9403520	A.27.CP	Nut, 2 B.A.								
28M/10287	AGS.2001/B1	Nut, 4 B.A.								
28M/10288	AGS.2001/C1	Nut, 2 B.A.								
28M/802	AGS.113/C	Nut, wing								
28F/9463543	AGS.1120/1	Piece, tee								
28P/825	SP.4Y.A15	Pin								
28P/1021104	SP.90.C3	Pin, split								
28S/1008327	A.32.B.14	Screw, 4 B.A.								
28S/1007405	A.32.C14	Screw, 2 B.A.								
28W/9419474	SP.15.B	Washer								
28W/9419475	SP.15.C	Washer								
28W/9419404	SP.16.C	Washer								
28W/3097	AGS.162.B	Washer								





ANTI 'G' & OXYGEN INSTALLATION



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

