

SERVICES - PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.234827	CABIN PRESSURESING AIR CONDITIONING, FRONT FUSELAGE, ASSEMBLY				
	E.233364	CABIN PRESSURISING EQUIPMENT, FORWARD OF FRAME 7, ASSEMBLY				
1370	F.187763	Cap, special, for cabin pressure static pipe union and gauge	2	DTD.364	C	NM.2
	E.233364/1	Chain, for securing pipe connection caps, 4" long (Identical to E.182797/1)	2	Brass		
924	Std.1682/12	Clip, securing ram air pipe and non-return valve guard	4	S.3 & T.26	C	5
752	Std.1166/8	Clip, supporting ram air pipe	1	S.3 & T.26	C	4
2793	A.185675	Clip, supporting ram air pipe	1	, S.3	MR/C	NM.1
27KD/510	Normalair 509930 with Normalair Mod.146	Controller, pressure, type A (Mod.1065)	1		A	
27KD/10	Normalair 504600	Connection, for ground pressurising, group	1		C	
27KD/371	Normalair 506431	Washer, sealing	1		C	
7850	C.215217	Duct, for ground pressurising, between frames 3 and 6, group (Mod.294)	1		B	NM.2
2790	F.179155	Nut-plate (supplied in halves)	2	S.3	MR/C	NM.2
1375	A.182801	Guard, for ground pressurising duct	1	BSS.265 and Brass Gauze	C	NM.2
	A.183593	Guard, for cabin pressure static pipe	1	DTD.610		
	F.187482	Label, for cabin pressure static pipe	1	L.59		
2144	Std.1231/3	Lug, locking, for studs on frame 6 and ground pressure duct mounting, at frame 3	7	S.3	C	4
	B.187402	Plate, locking, for hood seal and cabin pressure gauge connections	1	DTD.610		
2791	F.187586	Plate, clamp, for ram air pipe at frame 3	1	DTD.610	MR/C	NM.2
1378	F.187764	Pipe, between locking plate and pressure controller	1	DTD.253	C	NM.1
	# C.185829/35	Pipe, combined valve unit to connections at frame 6	1	DTD.253		NM.1
2786	C.185829/18	Pipe, guard to connection, at frame 6	1	DTD.253		
7076	B.209954/1	Pipe, connection, at frame 6 to tee-piece	1	DTD.253	MR/C	NM.1
7077	B.209954/2	Pipe, tee-piece to pressure controller discharge connection	1	DTD.253	MR/C	
	A.217910	Pipe, ram air, forward	1			NM.1
11230	B.217909	Pipe, ram air, aft	1			NM.1
9892	F.233545	Restrictor, in aft ram air pipe	1	Nylon A100/M	C	NM.1
2792	F.187585	Ring, packing	1	Felt	MR/C	NM.2
	E.233364/2	Ring, "S" type (Identical to E.182797/2)	1	Brass		
27QA/139	Dowty Seals GD.1307/3	Seal, bonded	8		C	
27QA/144	Dowty Seals GD.1307/A	Seal, bonded	1		C	
27QA/145	Dowty Seals GD.1307/B	Seal, bonded	3		C	
1715	Std.1744/12	Sleeve, sealing	2	Silicone Rubber	C	5
1371	F.182800	Stud, at frame 6, securing guard and locking plate	8	S.95.B	C	NM.2
1377	F.187120	Stud, for 2/15 combined valve unit	2	S.95.B	C	NM.2
1369	A.187762	Unit, flanged type, at cabin pressure static pipe	1	DTD.364	C	NM.2

# For details see Piping Chart

SERVICES - PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R.	Plate No.
					Class of Store	
		1	2	3	4	5
6332	B.205529	Valve, air extractor group (Mod.209)	1		A	NM.2
1362	A.185216	Diaphragm	1		C	NM.2
2144	Std.1231/3	Lug	3	S.3	C	4
27QA/145	Dowty Seals GD.1307/B	Seal, bonded	1		C	
1363	F.172452	Spring	1	Phos.Bronze Wire	C	NM.2
27KD/514	Normalair 510250	Valve,unit, 2/15 combined type, complete with shroud No.550662	1		A	
1372	D.179156	Washer, tapered, at ground pressurising duct mounting	6		C	NM.2
1373	F.179157	Washer, tapered, at ground pressurising duct mounting	2	LFS.21	C	NM.2
1374	F.174892	Washer, sealing, at ground pressurising duct mounting	1	DTD.378A	C	NM.2
1376	F.174891	Washer, sealing, at ground pressurising guard	1	DTD.378A	C	NM.2
	D.234826	CABIN PRESSURISING EQUIPMENT, BETWEEN FRAMES 7 AND 13, ASSEMBLY				
	F.202881	Angle, bracket, for hood seal connections	1	L.72		
5145	F.205189	Block, clamp (Mod.209)	2	LFS.21	C	4
7114	F.206498	Block, clamp (Mod.209)	2	LFS.21	MR/C	
26VA/6044412	Std.2045/17/26	Clip, sleeved	3	DTD.610		
	Std.2045/38/22	Clip, sleeved	1	DTD.610		
2732	A.193578	Clip, securing feed pipe, at forward hood de-misting duct	2	DTD.610	MR/C	NM.2
11303	Std.2046/17/26	Clip, sleeved	5	DTD.610		
4295	Std.850/22	Clip, 7/16" wide x 2 S.W.G. x 2.2" long	2	DTD.610	MR/C	4
	Std.850/42	Clip, 7/16" wide x 22 S.W.G. x 4.2" long	1	DTD.610		
2733	A.193577	Clip, securing feed pipe at rear hood de-misting duct	2	DTD.610	MR/C	NM.2
1336	Std.1682/8	Clip, securing supply pipe to hood de-misting feed pipe	6	S.3 & T.26	C	5
1366	Std.1682/10	Clip	4	S.3 & T.26	C	5
924	Std.1682/12	Clip, securing feed pipes	5	S.3 & T.26	C	5
6995	A.208005	Guide, windscreen spray	1	L.72	C	NM.1
7009	Std.1511/C	Nut, dome	3		C	
8195	B.215005	Packing	2	L.65.C	MR/C	
10703	C.251103	Piece, 4-way, non-return valves to cabin feed pipes (Mod.1045)	1		C	NM.2
27V/4813	Teddington FHG/A/49	Ductstat	1		A	
11040	A.250536	Guard (Mod.1045)	1		C	
26VA/6034431	F.211739	Plate, locking	1			
8993	F.211740	Washer, sealing	1		C	NM.2

SERVICES - PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
6996	B.215271					Pipe, feed for windscreen de-misting duct, port	1	BSS.265	C	NM.1
6997	B.215272					Pipe, feed for windscreen de-misting duct, starboard	1	BSS.265	C	NM.1
7005	A.207975					Pipe, interconnecting windscreen spray, port and starboard	2		C	NM.1
11061	C.258496					Pipe, spray, windscreen and port quarter light, group	1		C	NM.1
10851	F.250289					Drain, screen spray, port	1	M.S.	C	
11062	B.258497					Pipe, spray, starboard quarter light, group	1		C	NM.1
10854	F.251468					Drain, screen spray, starboard	1	M.S.	C	
10591	C.242794					Pipe, supply, for windscreen side panel spray, port, group (Mod.884)	1		B	NM.1
10053	F.229266					Gasket, sealing	1	DTD.762	C	NM.1
10593	F.244316					Plate, nut	3	S.510	C	
10592	A.244405					Louvre, punkah	1		C	
3839	Std.1606/44/B16					Screw	3	Brass	C	5
10583	C.242795					Pipe, supply, for windscreen side panel, spray starboard, group (Mod.928)	1		B	NM.1
10053	F.229266					Gasket, sealing	1	DTD.762	C	NM.1
10593	F.244316					Plate, nut	3	S.510	C	
10592	A.244405					Louvre, punkah	1		C	
3839	Std.1606/44/B16					Screw	3	Brass	C	5
6105	A.206499					Pipe, supply, 4-way piece to hood de-misting feed pipe, port	1		C	NM.1
6106	A.206500					Pipe, supply, 4-way piece to hood de-misting feed pipe, starboard	1		C	NM.1
9049	C.218597					Pipe, feed, windscreen, port	1		C	NM.1
9050	C.218598					Pipe, feed, windscreen, starboard	1		C	NM.1
11059	E.258410					Pipe, hoodspray, port, group (Mod.1147)	1		B	NM.1
10855	F.250287					Drain, hood spray, port	1	M.S.	C	
10586	B.247689					Slide, port, assembly(AS.970/84)	1		C	NM.1
11060	E.258411					Pipe, hoodspray, starboard, group (Mod.1147)	1		B	NM.1
10850	F.250288					Drain, hood spray, starboard	1	M.S.	C	
	F.241567					Guide (Mod.923)	1			
10587	B.247690					Slide, starboard (AS.970/84)	1		C	
7002	C.207904					Pipe, 4-way piece to hood spray	1		C	NM.1
10947	C.221349					Plate, guard, for de-misting duct feed pipe, port	1	DTD.213	C	
10948	C.221350					Plate, guard, for de-misting duct feed pipe, starboard	1	DTD.213	C	
270A/142	Dowty Seals GD.1307/14					Seal, bonding, for supply pipe to wind-screen side panel spray	2		C	
270A/147	Dowty Seals GD.1307/C					Seal, bonding	2		C	
1885	Std.1744/8					Sleeve, sealing	1	Silicone Rubber	C	5
1659	Std.1744/10					Sleeve, sealing	2	Silicone Rubber	C	5
1715	Std.1744/12					Sleeve, sealing	5	Silicone Rubber	C	5
10893	Std.1509/12/050					Tube, distance	1	T.4	C	
5924	Std.1509/23/086					Tube, distance	3	T.4	MR/C	4
	Std.1509/23/060					Tube, distance	1	T.4		

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.191110	CABIN PRESSURISING EQUIPMENT, BETWEEN FRAMES 13 AND 19, ASSEMBLY								
6748	F.209784	Block, securing actuator for temperature control valve					1	Casting	C	NM.1
	A.189270	Bracket, mounting, for electric valve					1	DTD.610		
	F.187849	Bracket, for water extractor pipe					1			
8187	A.217964	Chamber, mixing forward of frame 16 (Mod. 559)					1		B	NM.1
1359	B.187401	Clamp, half, for pipe coupling at water extractor					4	Stamping	C	NM.1
	Std.853/90	Clip, for lagged pipes					2			
2767	F.173562	Clip, securing actuator for temperature control valve					1	DTD.610	MR/C	NM.1
2768	F.189595	Clip, special securing hood seal pipes at pressure diaphragm, frame 14					2	DTD.610	MR/C	NM.2
1364	F.187147	Clip, supporting mixing chamber					1	S.3	C	NM.2
752	Std.1166/8	Clip, supporting mixing chamber					1	S.3 & T.26	C	4
924	Std.1682/12	Clip, securing, for air supply pipes					8	S.3 & T.26	C	5
1366	Std.1682/10	Clip, securing, for air supply pipes					2	S.3 & T.26	C	5
9664	Std.2045/22/24	Clip, steeved					2	S.510 or S.511	C	6
	Std.2045/17/26	Clip, steeved					2	S.510 or S.511		
10372	Std.853/90	Clip, securing hot and cold air pipes					2		C	
3751	Std.842/12	Clip, securing hood seal and air extractor valve pipes					3	S.3	MR/C	4
1358	A.186831	Coupling, special cone type at non-return valve					1	DTD.364	C	NM.2
1360	A.185338	Coupling, at pressure diaphragm for reducing valve					1	DTD.364	C	NM.2
3776	Std.1306/J/20	Coupling, flexible for hood seal pipe connection (Make from 32C/447)					1	DTD.625A	C	4
6336	A.206506	Extractor, water					1		A	NM.1
1940	Std.1231/1	Lug, locking, for wire locking of pipe					1	S.3	C	4
2144	Std.1231/3	Lug, locking, for wire locking of pipe					2	S.3	C	4
1355	F.183339	Pipe, special, connecting rod at temperature control valve					1	S.11 or S.95.B	C	NM.1
2769	C.185829/1	Pipe, from connection at frame 18 to non-return valve at pressure diaphragm					1	DTD.253		
2770	C.185829/2	Pipe, from banjo at reducing valve, to connection at pressure diaphragm					1	DTD.253		
2772	C.185829/4	Pipe, from electro-magnetic valve atmosphere connection, at air extractor duct					1	DTD.253		
2775	C.185829/7	Pipe, from connection at pressure diaphragm, to hood seat connection					1	DTD.253		
2776	C.185829/8	Pipe, from banjo at reducing valve to electro-magnetic valve inlet					1	DTD.253		
2777	C.185829/9	Pipe, from electro-magnetic valve atmosphere connection at pressure diaphragm					1	DTD.253		
#	C.185829/33	Pipe, from connection at diaphragm to electro-magnetic valve inlet					1	DTD.253		
#	C.185829/34	Pipe, from electro-magnetic valve to outlet connection at pressure diaphragm					1	DTD.253		
		# For details see Piping Chart								

Hunter Single Seater  
Issued with A/L No.1

SERVICES - PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
2778	C.185829/10					Pipe, from connection at diaphragm, to air extractor duct	1	DTD.253		
2782	C.185829/14					Pipe, from connection to connection	1	DTD.263		
2783	C.185829/15					Pipe, from connection to banjo at reducing valve	1	DTD.253		
4860	C.185829/20					Pipe, from connection to connection	1	DTD.253		
4861	C.185829/21					Pipe, from seal test connection at frame 6, to connection	1	DTD.253		
7115	C.185829/22					Pipe, forward extractor valve to connection	1	DTD.253	MR/C	NM.1
7118	C.185829/25					Pipe, E.M. valve outlet connection to tee-piece	1	DTD.253	MR/C	
#	C.185829/27					Pipe, union to union (AS.830/92)	1	DTD.253		NM.1
#	C.185829/28					Pipe, union to union (AS.830/92)	1	DTD.253		NM.1
#	C.185829/29					Pipe, union to tee-piece (AS.830/92)	1	DTD.253		NM.1
#	C.185829/32					Pipe, aft, extractor valve to tee-piece (Mod.417)	1	DTD.253		
13025	C.185829/41					Pipe, from water extractor to drainage vent	1	DTD.253		
10525	B.218991					Pipe, hot air, between frames 16 and 18, complete with lagging	1	L.54	C	NM.1
10526	B.218990					Pipe, cold air, between frames 16 and 18, complete with lagging	1	L.54	C	NM.1
5CZ/4901	Teddington FLJ/A/2					Resistor, follow-up type	1		B	
1357	F.185498					Rod, connecting, group	1		C	NM.1
	F.152671					Eye-end	2	S.1		
27QA/143	Dowty Seals G.D.1307/23					Seal, bonded	1		C	
27QA/145	Dowty Seals G.D.1307/B					Seal, blinded	1		C	
27QA/148	Dowty Seals G.D.1307/D					Seal, bonded	1		C	
27QA/152	Dowty Seals G.D.1307/K					Seal, bonded	1		C	
1659	Std.1744/10					Sleeve, sealing, for pipe connection	1	Silicone Rubber	C	5
1715	Std.1744/12					Sleeve, sealing, for pipe connection	4	Silicone Rubber	C	5
3806	Std.1509/23/032					Tube, distance, for electro-magnetic valve mounting bracket, 5/16" o/d x 16 S.W.G. x .32" long (Make from 30B/556)	3	T.4	MR/C	4
1	Std.1507/23/098					Tube, distance, for resistor 5CZ/4901	2			
	B.184967					Valve, temperature control, and actuator, group	1			
5W/307	Plessey CZ.54709/10/A					Actuator	1		A.	
	A.184969					Lever, quadrant, group	1			
2766	A.183331					Block, mounting	1	DTD.364	MR/C	NM.1
1354	F.183338					Bolt, shoulder	1	S.11 or S.95.B	C.	NM.1
1353	A.183332					Lever, quadrant	1	DTD.124 or S.95.B	C.	NM.1
1355	F.183339					Pin, special	1	S.11 or S.95.B	C.	NM.1
						# For details see Piping Chart				

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
1347	B.184968	Valve, group	1		N	NM.1
1662	F.184647	Bearing, at inlet connection	1	St.St. & Phos. Bronze	C	NM.1
		Body and Sleeve, group (B.184968)				
	B.184971	Consisting of:-				
	A.173149	Body Not to be supplied	1	Stamping		
	A.173147	Sleeve separately				
	F.196870	Connection, inlet	1	DTD.364		
	A.184970	Plate, serial number	1	Aluminium		
1350	F.172947	Spindle, group	1			NM.1
1349	F.183333	Lever, operation	1	Casting	E	NM.1
		Pinion	1	S.21 or S.95.B	C	NM.1
1351	F.184869	Shaft, top coupling	1	S.62.B	C	NM.1
1348	F.172951	Spring	1	Sp.St.	C	NM.1
1352	F.179471	Washer, sealing	2		C	NM.1
5697	B.205318	Valve, non-return, at frame 14, group (Mod.208)	1		B	NM.2
1940	Std.1231/1	Lug, locking	2	S.3	C	4
669	F.185406	Pin, pivot	1	DTD.264	C	NM.2
5698	F.205322	Plate, valve, assembly (Mod.208)	1		C	NM.2
270A/151	Dowty Seals G.D.1307/J	Seal, bonded	1		C	
670	F.177073	Seating, for valve	1	Rubber	C	NM.2
2708	A.185331	Shroud	1	L.16 or DTD.212	MR/C	NM.2
671	F.185336	Spring	1	Bronze Wire	C	NM.2
672	F.185335	Washer, joint	1	DTD.378	C	NM.2
9534	B.220006	Valve, air extractor, group (Mod.417)	1		B	NM.2
1362	A.185216	Diaphragm	1		C	NM.2
2144	Std.1231/3	Lug, locking	3	S.3	C	4
270A/145	Dowty Seals G.D.1307/B	Seal, bonded	1		C	
1363	F.172452	Spring	1	Phos.Br. Wire	C	NM.2
27VB/3455	Hymatic D.9205	Valve, non-return, type NR.9, Mk.6	1		A	
27VB/3454	Hymatic D.9206	Valve, reducing, type PS.29/4	1		A	
27V/4125	Teddington ES/A/430	Valve, electro-magnetic, for air extraction	1		A	
27V/3453	Teddington ES/A/390	Valve, electro-magnetic, for air extraction	1		A	
1365	Std.1695/7	Washer, sealing, 2-1/4" i/d, at water extractor	2	DTD.378	C	5
3812	Std.1547/22/14	Washer, packing, for block securing actuator	2	DTD.610	MR/C	4
	Std.915/E26	Washer, shim, for temperature control unit mounting	Q.R.			
	Std.821/6	Washer, at water extractor, drain vent	1	L.4	C	4
	D.251755	DRAINS, HOOD AND WINDSCREEN SPRAY, ASSEMBLY (Mod.1038)				
10843	B.251062	Bottle, group	1		B	
	B.251062/1	Bottle, 20 oz., Pt. No. 2001	1	Polythene		
	B.251061	Bracket, mounting	1	L.72		
	Std.1996/4	Chain, 4" long	1	Brass		
	Std.853/81	Clip	1			
10845	A.251058	Clip, bottle	1	S.510	C	
28FP/4069679	Aviation Developments 5134/417	Pin, pip	1		C	

SERVICES - PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10844	F.251074					Pin, special	1	S.95.B or S.96.B	C	
	A.251060					Pipes	1	M.S.		
	F.251054					Plate, mounting	1	S.510		
	F.251053					Ring, packing	1	LFS.21		
10846	A.253259					Ring, key, 1/2" dia. (double split)	2		C	
	F.251052					Sponge	1	L.72		
	Std.1547/20/18					Washer	1			
10847	B.251063					Washer, profile	2		B	
	B.251063/1					Bottle, group	1			
	A.251056					Bottle, 10oz., Pt. No.1001	1	Polythene		
10848	Std.1996/4					Bracket, mounting	1	L.72		
28FP/869	A.251057					Chain, 4" long	1	Brass	C	
	Aviation Developments 5134/417					Clip, bottle	1	S.510	C	
	F.251074					Pin, pip	1		C	
10844	A.251059					Pin, special	1			
	F.251054					Pipes	1	M.S.		
	F.251053					Plate, mounting	1	S.510		
10849	F.253258					Ring, packing	1	LFS.21		
	F.251052					Ring, key, 1/2" dia. (double split)	2		C	
	Std.1547/20/18					Sponge	1	L.72		
10852	B.251064					Washer	1			
	B.251064/1					Washer, profile	2		B	
	F.251055					Bottle, group	1			
10848	Std.1996/4					Bottle, 10oz., Pt. No.1001	1	Polythene		
28FP/869	A.251057					Bracket, mounting	1	L.72		
	Aviation Developments 5134/417					Chain, 4" long	1	Brass	C	
	F.251074					Clip, bottle	1	S.510	C	
	A.251059					Pin, pip	1		C	
10844	F.251054					Pin, special	1			
	F.251053					Pipes	1	S.510	C	
	F.251054					Plate, mounting	1	S.510		
10849	F.253258					Ring, packing	1	LFS.21		
	F.251052					Ring, key, 1/2" dia. (double split)	2		C	
	Std.1547/20/18					Sponge	1			
5F/2281	AS.2508					Washer	1			
5F/9438275	AS.2509					Washer, profile	2		C	
	Std.1507/2/077					Strapping	QR		C	
	Std.1507/23/070					Stud	QR			
	Std.1507/24/070					Tube, distance	1	M.S.		
	D.251755/1					Tube, distance	3	M.S.		
	D.251755/2					Tube, distance	1	M.S.		
10842	D.251755/3					Tube, 1/2" o/d x 1/4" i/d x 3.10" long (Make from 26FX/10842)	1			
	D.251755/4					Tube, 1/2" o/d x 1/4" i/d x 16.50" long (Make from 26FX/10842)	1			
						Tube, 1/2" o/d x 1/4" i/d x 38.0" long, Griflex	1			
						Tube, 1/2" o/d x 1/4" i/d x 24.0" long (Make from 26FX/10842)	1			

SERVICES - PRESSURISATION FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.224088	VALVE, REAR DISCHARGE, FRAME 14, ASSEMBLY (Mod.378)								
2052	F.194338	Block, clamp (Mod.538)					2	LFS.21	C	NM.1
1370	F.187763	Cap, special					1	DTD.364	C	
4761	Std.840/13	Clip, securing					5	DTD.610	MR/C	4
2145	Std.841/13	Clip, securing					1	DTD.610	C	4
	Std.851/57	Clip, securing (Make from 30B/1734, 7/16" wide x 6-1/4" long)					1	DTD.610		4
2144	Std.1231/3	Lug, locking					1	S.3	C	4
7078	B.209954/3	Pipe, tee piece to joint					1	DTD.253	MR/C	NM.1
7081	B.209954/6	Pipe, bulkhead connection to electro-pneumatic valve					1	DTD.253	MR/C	NM.1
7082	B.209954/7	Pipe, electro-magnetic valve to discharge valve					1	DTD.253	MR/C	NM.1
7083	B.209954/8	Pipe, bulkhead connection to electro-pneumatic valve					1	DTD.253	MR/C	NM.1
	# B.209954/12	Pipe, joint to bulkhead connection (Mod.538)					1	DTD.253		NM.1
	# B.209954/10	Pipe, joint to joint (Mod.378)					1	DTD.253		
	# B.209954/11	Pipe, joint to joint, frame 7 to frame 12 (Mod.378)					1	DTD.253		NM.1
	A.270388	Plate, guard (Mod.1200)					1	S.520		
6742	F.212694	Plate, nut					2		C	NM.1
9521	F.214163	Stud					2	S.95.B	C	
	Std.1509/12/038	Tube, distance, 1/4" o/d x 20 S.W.G. x 0.38" long					1	T.4		
	Std.1509/23/070	Tube, distance					1	T.4		
27KD/509	Normalair 509920	Valve, discharge (less shroud 504050)					1		A	
27V/3453	Teddington ES/A/390	Valve					1		A	
# For details see Piping Chart										


SERVICES - PRESSURISATION FRONT FUSELAGE


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
28F/8011809 28F/9140971	AGS.1104/B AGS.1104/C	Adaptor, cone type Adaptor, cone type								
SUMMARY OF STOCK ITEMS										
28D/1010658	A25.1.B	Bolt,	4	B.A.						
28D/1008149	A25.2.B	Bolt,	4	B.A.						
28D/9419452	A25.3.B	Bolt,	4	B.A.						
28D/9140638	A25.4.B	Bolt,	4	B.A.						
28D/1011006	A25.5.B	Bolt,	4	B.A.						
28D/9436920	A25.1.C	Bolt,	2	B.A.						
28D/9133011	A25.2.C	Bolt,	2	B.A.						
28D/9133012	A25.3.C	Bolt,	2	B.A.						
28D/1200119	A25.4.C	Bolt,	2	B.A.						
28D/9133013	A25.5.C	Bolt,	2	B.A.						
28D/7002428	A25.6.C	Bolt,	2	B.A.						
28D/1010030	A25.7.C	Bolt,	2	B.A.						
28D/1011019	A25.8.C	Bolt,	2	B.A.						
28D/9419397	A25.12.C	Bolt,	2	B.A.						
28D/9133014	A25.13.C	Bolt,	2	B.A.						
28D/1011023	A25.20.C	Bolt,	2	B.A.						
28D/1008151	A25.4.E	Bolt,	1/4"	B.S.F.						
28D/1011245	A25.10.E	Bolt,	1/4"	B.S.F.						
28D/1013172	AS.1242.5.C	Bolt,	2	B.A.						
28D/1204937	AS.1242.6.C	Bolt,	2	B.A.						
28D/1013173	AS.1242.10.C	Bolt,	2	B.A.						
28D/1214050	AS.1242.30.C	Bolt,	2	B.A.						
28D/1214053	AS.1242.33.C	Bolt,	2	B.A.						
28D/1007982	AS.1248.1.C	Bolt,	2	B.A.						
28D/1013284	AS.1242.2.C	Bolt,	2	B.A.						
28D/1013301	AS.1248.4.C	Bolt,	2	B.A.						
28F/9423227	AGS.1135/B	Bolt,	banjo							
28F/9463609	AGS.1136/B	Bolt,	banjo							
28F/9439533	AGS.1129/B	Body,	banjo							
28F/10381	AGS.1130/B	Body,	banjo							
28F/1013462	AGS.1111/B	Body,	union							
28F/9533	AGS.1145/B	Body,	union							
28E/10154	AGS.605/00	Clip								
28E/9129092	AGS.605/Mk.2	Clip								
5K/119	AGS.1661.H	Clip								
5K/116	AGS.1661.E	Clip								
5K/118	AGS.1661.G	Clip								
5K/	AS.6702/20	Clip,	bonding							
5K/	AS.6702/24	Clip,	bonding							
5K/	AS.6703/20	Clip,	bonding							
5K/1091006	AS.6703/24	Clip,	bonding							
28F/8011885	AGS.1142/B	Nipple								
28F/9486111	AGS.1142/H	Nipple								
28F/1014650	AGS.1170/E	Nipple								
5K/3390	AS.3360.B3.B	Lead,	bonding							
5K/3405	AS.3360.B3.C	Lead,	bonding							
5K/3355	AS.3360.B4.B	Lead,	bonding							
5K/3373	AS.3360.B5.B	Lead,	bonding							
28M/9403520	A27.CP	Nut,	2	B.A.						
28M/1006473	A27.CT	Nut,	2	B.A.						
28M/5808573	A27.CS	Nut,	2	B.A.						
28M/1011467	A27.ES	Nut,	1/4"	B.S.F.						
28M/1011470	A27.GT	Nut,	5/16"	B.S.F.						

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
28F/9453689	AGS.1148/A	Nut, thin				
28F/9584	AGS.1148/B	Nut, thin				
28F/1011895	AGS.1148/D	Nut, thin				
28F/14527	AGS.1148/K	Nut, thin				
28M/10287	AGS.2001.B1	Nut, 4 B.A.				
28M/10288	AGS.2001.C1	Nut, 2 B.A.				
28M/10327	AGS.2002.B1	Nut, 4 B.A.				
28M/10328	AGS.2002.C1	Nut, 2 B.A.				
28M/7002430	AGS.2002.E1	Nut, 1/4" B.S.F				
28M/9435067	AGS.2008.C1	Nut, 2 B.A.				
28P/1021104	SP.90.C3	Pin, split type				
28P/9710567	SP.90.C4	Pin, split type				
28P/9486478	SP.90.C5	Pin, split type				
28P/9527619	SP.90.C7	Pin, split type				
28P/5325	AGS.859/12	Pin, tapered				
28P/5327	AGS.859/22	Pin, tapered				
28F/1011814	AGS.1140/A	Plug				
28F/9439950	AGS.1140/B	Plug				
28F/10801	AGS.1143/C	Plug, cone type				
28S/1008327	A32.B.14	Screw, 4 B.A.				
28S/9992533	A32.C.20	Screw, 2 B.A.				
28S/1214218	A32.C.44	Screw, 2 B.A.				
28W/9419454	SP.10.C	Shim, 2 B.A.				
28F/9128936	AGS.904/A	Sleeve, outer				
28F/9717654	AGS.904/B	Sleeve, outer				
28F/11931	AGS.904/K	Sleeve, outer				
28F/8011883	AGS.1102.B	Union				
28F/8011809	AGS.1104.B	Union				
28F/9140971	AGS.1104.C	Union				
28F/9533	AGS.1145.B	Union				
28F/9157963	AGS.1146.A	Union				
28F/9129567	AGS.1146.B	Union				
28F/8011811	AGS.1118.B	Union, tee piece, 1/4"				
28F/9476124	AGS.1118.C	Union, tee piece				
28W/9419474	SP.15.B	Washer				
28W/9419475	SP.15.C	Washer				
28W/9419405	SP.15.E	Washer				
28W/9419486	SP.16.A	Washer				
28W/9419404	SP.16.C	Washer				
28W/9419487	SP.16.E	Washer				
28W/9416316	SP.41.E	Washer, tab				
28W/9416643	SP.47.C	Washer, spring				
28W/6659	AGS.568/B	Washer, jointing				
28W/9625	AGS.568/D	Washer, jointing				
28W/8072	AGS.568/H	Washer, jointing				
28W/8014021	AGS.1138/B	Washer, jointing				
28F/10500	AGS.1138/K	Washer, jointing				









This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

