

SERVICES - FUEL SYSTEM REAR FUSELAGE

| Ref. No. | Part No. | Description | No. Off | Material Specification | M.R. | Plate No. |
|-------------|-----------------------------------|---|---------|------------------------|----------------|-----------|
| | | | | | Class of Store | |
| | | 1 | 2 | 3 | 4 | 5 |
| 2727 421 | D.202256 | FUEL SYSTEM, REAR FUSELAGE, ASSEMBLY | 3 | | MR/C | NP.1 |
| | F.195128 | Block, clamp, for pressure pipe | 3 | LFS.21 | C | NP.1 |
| | A.185593 | Clamp, for twin gate and suction relief valves, group | | | | |
| 2723 | F.184931 | Bolt, eye | 1 | S.94.8 | C | NP.1 |
| 6526 | F.213079 | Nut, special | 1 | S.96 | C | |
| 2724 | F.185592 | Washer | 1 | DTD.364 | C | NP.1 |
| 4764 | Std.840/21 | Clip, support, 7/16" wide x 22 S.W.G. | 1 | DTD.610 | MR/C | 4 |
| | Std.851/38 | Clip, support, 7/16" wide x 22 S.W.G. | 3 | DTD.610 | | 5 |
| | Std.853/51 | Clip, vent pipe seat | 3 | S.3 | | 4 |
| | F.210152 | Clip, support, for pressure pipe | 2 | | | NP.1 |
| 1385 | F.190242 | Collar, at vent pipe connection | 1 | DTD.364 | C | |
| 422 | A.186347 | Extension, for twin gate valve | 2 | DTD.364 | C | NP.1 |
| 2095 | F.194603 | Fairlead, for pressure pipes | 4 | LFS.21 | C | NP.1 |
| 3895 | A.189935 | Fairlead, for pressure pipes | 4 | LFS.21 | C | NP.1 |
| 2725 | F.195096 | Fairlead, for pressure pipes | 2 | LFS.21 | MR/C | NP.1 |
| 2028 | B.195140/1 | Pipe, fuel, valve to connection, port | 1 | DTD.253 | C | NP.1 |
| 2029 | B.195104/2 | Pipe, fuel, valve to connection, starboard | 1 | DTD.253 | C | NP.1 |
| 437 | B.184767/4 | Pipe, fuel, pressure reducing valve to diaphragm, port | 1 | DTD.253 | C | NP.1 |
| 438 | B.184767/5 | Pipe, fuel, pressure reducing valve to diaphragm, starboard | 1 | DTD.253 | C | NP.1 |
| 1879 | B.184767/6 | Pipe, fuel, diaphragm to filter | 2 | DTD.253 | C | NP.1 |
| 6261 | B.202258/1 | Pipe, fuel, coupling to coupling, port | 1 | DTD.253 | B | NP.1 |
| 6262 | B.202258/2 | Pipe, fuel, coupling to coupling, starboard | 1 | DTD.253 | B | NP.1 |
| 6263 | B.202258/3 | Pipe, fuel, relief valve to coupling, port | 1 | DTD.253 | B | NP.1 |
| 6264 | B.202258/4 | Pipe, fuel, relief valve to coupling, starboard | 1 | DTD.253 | C | NP.1 |
| 6266 | B.202258/6 | Pipe, pressure, coupling to coupling | 2 | DTD.253 | C | NP.1 |
| 6267 | C.213400 | Pipe, vent branch | 1 | DTD.253 | B | NP.1 |
| 8515 | A.216508 | Pipe, vent | 1 | DTD.253 | C | NP.1 |
| 9587 | B.228306 | Pipe, vent extension | 1 | T.26 | C | NP.1 |
| 9083 | A.217436 | Pipe, vent between frames 46 and 51 | 1 | DTD.253 | C | NP.1 |
| 27QA/361 | Dowty Seals GD.1308/2 | Ring, sealing, "0" type, at twin gate valve | 4 | | C | |
| 8519 | F.217013 | Seat, pipe, vent at frames 47, 50 and 52 | 3 | LFS.21 | C | NP.1 |
| 1659 | Std.1744/10 | Sleeve, at vent pipe connection, frames 50 and 51 | 1 | Rubber | C | 5 |
| | D.201057 | TANK, INSTALLATION ASSEMBLY | | | | |
| 6A/4333733 | Smiths JM.14 | Box, terminal | 2 | | B | |
| | A.219025 | Connector | 2 | L.65 | | NP.1 |
| 425 | A.186493 | Connector | 2 | DTD.364 | C | NP.1 |
| 8478 | D.218734 | Pipe, outlet, port | 1 | | C | NP.1 |
| 8479 | D.218735 | Pipe, outlet, starboard | 1 | | C | NP.1 |
| 8471 | F.217756 | Seal, "U" at float switch | 2 | Rubber | C | |
| 8476 | B.218973 | Support, outlet pipe, port | 1 | | C | |
| 8477 | B.218974 | Support, outlet pipe, starboard | 1 | | C | |
| 5CW/6159 | Flight Refuelling D.3504100/38 | Switch, float Mk.4 | 2 | | A | |
| 5CW/4642 | Smiths 1696FG | Switch, fluid level TANKS (See SECTION Q) | 2 | | A | |


SERVICES - FUEL SYSTEM REAR FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|------------------------|-------------|---|---|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| 9647 | F.226366 | | | | | Washer, sealing | 2 | DTD.1177 & L.72 | C | |
| 9648 | F.226367 | | | | | Washer, sealing | 2 | DTD.1177 & L.72 | C | |
| 8474 | F.218936 | | | | | Washer, sealing, at outlet pipe | 4 | E.75 | C | |
| 8475 | F.218937 | | | | | Washer, sealing, float switch | 2 | E.75 | C | |
| 9712 | F.226374 | | | | | Washer, sealing | 4 | DTD.1177 & L.72 | C | |
| 4601 | F.203207 | | | | | Tube, spacer at vent pipe connection | 1 | DTD.253 | C | |
| 27F/2242 | Saunders 812.BR.03 | | | | | Valve, gate | 1 | | A | |
| 7049 | B.215824 | | | | | Valve, suction and pressure relief, group | 2 | | B | NP.1 |
| 2726 | A.195020 | | | | | Adaptor, union | 1 | DTD.364 | MR/C | NP.1 |
| 428 | F.184477 | | | | | Adjuster, valve | 1 | DTD.364 | C | NB.2 |
| 429 | A.184476 | | | | | Cap, valve | 1 | DTD.364 | C | NB.2 |
| 430 | F.184480 | | | | | Collar, valve | 1 | | C | NB.2 |
| 6200 | F.209640 | | | | | Collar, valve | 2 | DTD.364 | C | NP.1 |
| 1882 | F.195019 | | | | | Plug | 1 | DTD.374 | C | NB.2 |
| 27QA/365 | Dowty Seals GD.1308/8 | | | | | Ring, sealing, "Q" type | 1 | | C | NP.1 |
| 431 | A.184478 | | | | | Ring, cap | 1 | DTD.364 | C | NB.2 |
| 432 | F.184482 | | | | | Screw, adaptor, attachment to body | 4 | | C | NP.1 |
| 433 | F.186042 | | | | | Screw, adaptor, attachment to body | 2 | | C | NP.2 |
| 27QA/143 | Dowty Seals GD.1307/23 | | | | | Seal, bonded, between cap and ring | 1 | | C | NB.2 |
| 27QA/149 | Dowty Seals GD.1307/G | | | | | Seal, bonded, between plug and adaptor | 1 | | C | NP.1 |
| 27QA/141 | Dowty Seals GD.1307/6 | | | | | Seal, bonded | 2 | | C | NP.1 |
| 434 | F.184473 | | | | | Seat, valve | 2 | DTD.364 | C | NP.1 |
| 8127 | F.217607 | | | | | Spring (Mod.504) | 1 | DTD.239 | C | NP.1 |
| 6199 | F.209155 | | | | | Spring, at valve seat | 2 | Phos. Br. | C | NP.1 |
| 441 | A.184484 | | | | | Valve | 1 | DTD.364 | C | NP.1 |
| 7050 | F.215727 | | | | | Valve | 2 | DTD.364 | C | NP.1 |
| 27QA/120 | Dowty Seals GD.1288 | | | | | Washer, between body and cap ring | 1 | | C | NP.1 |
| 4666 | F.201931 | | | | | Washer, between main spring and adjuster | 1 | DTD.610 | C | NB.2 |
| 7051 | F.215989 | | | | | Washer | 2 | | C | |
| 4124 | Std.821/35 | | | | | Washer, for twin gate valve extension | 2 | L.4 | C | 4 |
| 9855 | F.233552 | | | | | Washer, sealing, at vent pipe extension | 2 | DTD.762 | C | |
| | Std.1547/16/12 | | | | | Washer, at vent pipe attachment clips | 3 | | | |
| 3812 | Std.1547/22/14 | | | | | Washer, at vent pipe attachment clips | 3 | | MR/C | |

SERVICES - FUEL SYSTEM REAR FUSELAGE

| Ref. No. | Part No. | Description | | | | | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|------------------------|-------------|-------------|------|---------|---|---|---------|------------------------|---------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | | | | |
| SUMMARY OF STOCK ITEMS | | | | | | | | | | |
| 28D/1008149 | A.25.2B | Bolt, | 4 | B.A. | | | | | | |
| 28D/9436920 | A.25.1C | Bolt, | 2 | B.A. | | | | | | |
| 28D/9133011 | A.25.2C | Bolt, | 2 | B.A. | | | | | | |
| 28D/9133012 | A.25.3C | Bolt, | 2 | B.A. | | | | | | |
| 28D/1214091 | AS.1242.2C | Bolt, | 2 | B.A. | | | | | | |
| 28D/1213334 | AS.2923/1C | Bolt, | 2 | B.A. | | | | | | |
| 5K/3389 | AS.3360/C4C | Lead, | | bonding | | | | | | |
| 5K/3403 | AS.3360/C6C | Lead, | | bonding | | | | | | |
| 5K/3412 | AS.3360/C7C | Lead, | | bonding | | | | | | |
| 28F/8011897 | AGS.1142/F | Nipple | | | | | | | | |
| 28F/9517920 | AGS.1142/K | Nipple | | | | | | | | |
| 28F/14528 | AGS.1170/A | Nipple | | | | | | | | |
| 28F/10772 | AGS.1170/E | Nipple | | | | | | | | |
| 28F/12071 | AGS.1170/K | Nipple | | | | | | | | |
| 28M/10287 | AGS.2001/B1 | Nut, | 4 | B.A. | | | | | | |
| 28M/10298 | AGS.2001/C2 | Nut, | 2 | B.A. | | | | | | |
| 28M/10328 | AGS.2002/C1 | Nut, | 2 | B.A. | | | | | | |
| 28M/7002430 | AGS.2002/E1 | Nut, | 1/4" | B.S.F. | | | | | | |
| 28D/19228 | SP.90.C8 | Pin, | | split | | | | | | |
| 28F/11884 | AGS.1143/A | Plug, | | cone | | | | | | |
| 28F/11931 | AGS.904/K | Sleeve, | | outer | | | | | | |
| 28W/9419454 | SP.10.C | Washer | | | | | | | | |
| 28W/9418920 | SP.10.E | Washer | | | | | | | | |
| 28W/9419474 | SP.15.B | Washer | | | | | | | | |
| 28W/9419475 | SP.15.C | Washer | | | | | | | | |
| 28W/9419404 | SP.16.C | Washer | | | | | | | | |





FUEL SYSTEM



This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

