

PIPING CHART

Part No.	Description	Size & Cutting Length	Material Specification	End Fittings
C.185829/27	Connection to connection	1/4" o/d. x 22 S.W.G. x 2' 7" long	DTD.253	A-B
C.185829/28	Connection to connection	1/4" o/d. x 22 S.W.G. x 1' 10" long	DTD.253	A-B
C.185829/29	Connection to tee-piece	1/4" o/d. x 22 S.W.G. x 2' 4" long	DTD.253	A-A
C.185829/32	Aft extraction valve to tee-piece	1/4" o/d. x 22 S.W.G. x 2' 8" long	DTD.253	A-A
C.185829/33	Connection at diaphragm to electro-magnetic valve inlet	1/4" o/d. x 22 S.W.G. x 2' 9" long	DTD.253	A-A
C.185829/34	Electro-magnetic valve to outlet connection pressure diaphragm	1/4" o/d. x 22 S.W.G. x 3' 7" long	DTD.253	A-A
C.185829/35	Combined valve unit to connection at frame 6	1/4" o/d. x 22 S.W.G. x 1' 8" long	DTD.253	A-A
B.187565/17	Pressure, bulkhead connection to tee-piece (Mod.417)	5/16" o/d. x 22 S.W.G. x 2' 6" long	L.54	Plain
B.187565/18	Static, bulkhead connection to tee-piece (Mod.417)	5/16" o/d. x 22 S.W.G. x 2' 4" long	L.54	Plain
B.187565/19	Pressure, tee-piece to union (Mod.417)	5/16" o/d. x 22 S.W.G. x 6" long	L.54	Plain
B.187565/20	Static, tee-piece to union (Mod.417)	5/16" o/d. x 22 S.W.G. x 7" long	L.54	Plain
C.187921/123	Service, shuttle valve to union	1/4" o/d. x 22 S.W.G. 1' 10" long	DTD.323	A-B
C.187921/124	Pressure, shuttle valve to union	1/4" o/d. x 22 S.W.G. x 1' 10" long	DTD.323	A-A
C.187921/125	Pressure, union to union	1/4" o/d. x 22 S.W.G. x 1' 9" long	DTD.323	A-B
C.187921/132	Return, tee-piece to shuttle valve	1/4" o/d. x 22 S.W.G. x 10" long	DTD.323	A-A
C.187921/133	Return, union to tee-piece	1/4" o/d. x 22 S.W.G. x 2' 3" long	DTD.323	A-A
C.187921/134	Flap and undercarriage, air, bulkhead connector to union	3/16" o/d. x 22 S.W.G. x 1' 6" long	DTD.323	G-G
C.187921/135	Nosewheel jack to union	3/16" o/d. x 22 S.W.G. x 3' 3" long	DTD.323	G-B
C.187921/136	Union to tee-piece	3/16" o/d. x 22 S.W.G. x 2' 4" long	DTD.323	G-G
C.187921/143	Service, union to flexible hose	1/4" o/d. x 22 S.W.G. x 1' 0" long	DTD.323	A-A

PIPING CHART

Part No.	Description	Size & Cutting Length	Material Specification	End Fittings
C.187921/149	Air, charging valve to tee-piece (Mod.794)	3/16" o/d. x 22 S.W.G. x 8" long	DTD.323	G-G
C.187921/150	Brake, air, accumulator to tee-piece (Mod.794)	3/16" o/d. x 22 S.W.G. x 2' 4" long	DTD.323	G-G
C.187921/153	Pressure, 4-way to tee-piece (Mod.794)	1/4" o/d. x 22 S.W.G. x 1' 10" long	DTD.323	A-A
C.187921/157	Port brake, union to relay valve (Mod.794)	1/4" o/d. x 22 S.W.G. x 3' 10" long	DTD.323	A-A
C.187921/158	Starboard brake, union to relay valve (Mod.794)	1/4" o/d. x 22 S.W.G. x 2' 4" long	DTD.323	A-A
C.187921/159	Pressure, non-return valve to 4-way piece (Mod.794)	1/4" o/d. x 22 S.W.G. x 7" long	DTD.323	A-A
C.187921/160	Pressure, union to non-return valve (Mod.794)	1/4" o/d. x 22 S.W.G. x 2' 3" long	DTD.323	A-A
C.187921/207	Return, non-return valve to brake relay valve	1/4" o/d. x 22 S.W.G. x 1' 7-1/2" long	DTD.323	A-A
C.187921/249	Undercarriage 'up', union to union	3/16" o/d. x 22 S.W.G. x 1' 10" long	DTD.323	A-B
C.187921/250	Undercarriage 'up', union to nose wheel door	3/16" o/d. x 22 S.W.G. x 3' 11" long	DTD.323	B-A
C.187921/251	Undercarriage 'down', union to restrictor	3/16" o/d. x 22 S.W.G. x 2' 8" long	DTD.323	A-A
C.187921/255	Undercarriage 'down', restrictor to nose wheel door jack (Mod.977)	3/16" o/d. x 22 S.W.G. x 3' 2" long	DTD.323	G-G
C.187921/257	Undercarriage 'up', restrictor to nose wheel door jack (Mod.977)	3/16" o/d. x 22 S.W.G. x 3' 8" long	DTD.323	G-G
C.187921/259	Undercarriage 'up', union to union (Mod.977)	3/16" o/d. x 22 S.W.G. x 2' 1" long	DTD.323	B-B
C.187921/260	Undercarriage 'up', union to union (Mod.977)	3/16" o/d. x 22 S.W.G. x 2' 2" long	DTD.323	C-G
C.187921/261	Undercarriage 'down', union to restrictor (Mod.977)	3/16" o/d. x 22 S.W.G. x 2' 3" long	DTD.323	G-G
C.187921/262	Undercarriage 'down', union to union (Mod.977)	3/16" o/d. x 22 S.W.G. x 1' 7" long	DTD.323	C-B
C.187924/12	Pressure, union to union	1/4" o/d. x 22 S.W.G. x 2' 0" long	DTD.323	A-B
C.187924/24	Pressure, B.H. union to S.S. coupling	1/4" o/d. x 22 S.W.G. x 2' 5" long	DTD.323	A-A

PIPING CHART

Part No.	Description	Size & Cutting Length	Material Specification	End Fittings
1 C.187924/44	Return, union to union	1/4" o/d. x 22 S.W.G. x 1' 11" long	DTD.323	A-B
1 C.187924/47	Return, B.H. union to S.S. coupling	1/4" o/d. x 22 S.W.G. x 2' 4" long	DTD.323	A-B
1 C.187924/65	Undercarriage up, union to union	1/4" o/d. x 22 S.W.G. x 3' 8" long	DTD.323	A-B
1 C.187924/66	Undercarriage up, union to union	1/4" o/d. x 22 S.W.G. x 1' 8" long	DTD.323	A-B
1 C.187924/76	Undercarriage down, union to union	1/4" o/d. x 22 S.W.G. x 1' 10" long	DTD.323	A-B
1 C.187924/77	Undercarriage air, union to union	3/16" o/d. x 22 S.W.G. x 2' 1" long	DTD.323	B-G
1 C.187924/78	Undercarriage air, union to union	3/16" o/d. x 22 S.W.G. x 3' 6" long	DTD.323	B-G
1 C.187924/82	Port wheel brake, union to union	1/4" o/d. x 22 S.W.G. x 4' 1" long	DTD.323	B-A
1 C.187924/86	Starboard wheel brake, union to union	1/4" o/d. x 22 S.W.G. x 2' 2" long	DTD.323	B-A
1 C.187924/87	Starboard wheel brake, union to union	1/4" o/d. x 22 S.W.G. x 3' 6" long	DTD.323	B-A
1 C.187924/92	Flap, air, union to union	3/16" o/d. x 22 S.W.G. x 1' 8" long	DTD.323	B-G
1 C.187924/93	Flap, air, union to union	3/16" o/d. x 22 S.W.G. x 4' 2" long	DTD.323	B-G
B.187926/53	Pressure, non-return valve to filter (inlet) (Mod.487)	1/4" o/d. x 22 S.W.G. x 2' 2" long	DTD.323	A-A
B.187926/54	Pressure, filter (outlet) to tee-piece (Mod. 487)	1/4" o/d. x 22 S.W.G. x 1' 9" long	DTD.323	A-A
C.189160/98	Return, union to non-return valve	1/4" o/d. x 22 S.W.G. x 1' 3" long	DTD.323A	A-B
C.189160/99	Return, non-return valve to 4-way piece	1/4" o/d. x 22 S.W.G. x 11" long	DTD.323A	A-A
C.189160/220	Wheel brake, leg pivot (B) to adaptor	3/16" o/d. x 22 S.W.G. x 2' 2" long	DTD.323A	G-G
C.189160/221	Recuperator, leg pivot (C) to union	3/16" o/d. x 22 S.W.G. x 1' 6" long	DTD.323A	G-G
C.189160/222	Recuperator, union to union	3/16" o/d. x 22 S.W.G. x 2' 0" long	DTD.323A	B-B
C.189160/223	Recuperator, union to union	3/16" o/d. x 22 S.W.G. x 2' 2" long	DTD.323A	G-B

RESTRICTEDHunter Single Seater
Issued with A/L No.1**PIPING CHART**

Part No.	Description	Size & Cutting Length	Material Specification	End Fittings
C.189160/224	Wheel brake, leg pivot (A) to 4-way piece	3/16" o/d. x 22 S.W.G. 1' 7" long	DTD.323A	G-G
C.189160/229	Flap, air, fluid jettison valve to shuttle valve	3/16" o/d. x 22 S.W.G. x 1' 11" long	DTD.323A	G-G
C.189161/103	Undercarriage 'up', union to union	1/4" o/d. x 22 S.W.G. x 2' 0" long	DTD.323	A-B
C.189161/247	Recuperator, union to union	3/16" o/d. x 22 S.W.G. x 2' 1" long	DTD.323	G-B
C.189161/248	Recuperator, union to union	3/16" o/d. x 22 S.W.G. x 2' 11" long	DTD.323	G-B
C.189161/249	Recuperator, union to tee-piece	3/16" o/d. x 22 S.W.G. x 1' 4" long	DTD.323	G-G
C.189161/251	Recuperator, tee-piece to pressure reducing valve	3/16" o/d. x 22 S.W.G. x 2-1/2" long	DTD.323	G-G
C.189161/252	Recuperator, pressure regulating valve to tee-piece	3/16" o/d. x 22 S.W.G. x 2' 3" long	DTD.323	G-G
C.189161/253	Pressure, union to tee-piece	1/4" o/d. x 22 S.W.G. x 11-1/2" long	DTD.323	A-A
C.189161/254	Pressure, tee-piece to non-return valve	1/4" o/d. x 22 S.W.G. x 1' 0" long	DTD.323	A-A
C.189161/255	Wheel brake, leg pivot connection (A) to adaptor	3/16" o/d. x 22 S.W.G. x 2' 10" long	DTD.323	G-G
C.189161/256	Wheel brake, adaptor to union	1/4" o/d. x 22 S.W.G. x 2' 0" long	DTD.323	A-A
C.189161/257	Return, leg pivot connection (B) to tee-piece	3/16" o/d. x 22 S.W.G. x 1' 10" long	DTD.323	G-G
C.189161/259	Recuperator, tee-piece to pressure regulating valve	3/16" o/d. x 22 S.W.G. x 9-1/2" long	DTD.323	G-G
C.189161/267	Pressure, non-return valve to filter (inlet)	1/4" o/d. x 22 S.W.G. x 9" long	DTD.323	A-A
C.189161/268	Pressure, filter (outlet) to tee-piece	1/4" o/d. x 22 S.W.G. x 4-1/2" long	DTD.323	A-A
C.189161/273	Return, 4-way piece to tee-piece	3/16" o/d. x 22 S.W.G. x 2' 0" long	DTD.323	G-G
C.189161/274	Undercarriage 'up', 4-way piece to union	3/8" o/d. x 22 S.W.G. x 1' 1" long	DTD.323	A-A
C.189161/275	Undercarriage 'up', union to jettison valve	3/8" o/d. x 22 S.W.G. x 2' 2" long	DTD.323	A-B

RESTRICTED

PIPING CHART

Part No.	Description	Size & Cutting Length	Material Specification	End Fittings
C.189161/276	Oil jettison, jettison valve to atmosphere	3/8" o/d. x 22 S.W.G. x 1'6-1/2" long	DTD.323	A-Plain
C.189161/277	Undercarriage air, union to union	3/16" o/d. x 22 S.W.G. x 2' 5" long	DTD.323	G-B
C.189161/278	Undercarriage air, union to jettison valve	3/16" o/d. x 22 S.W.G. x 2' 1" long	DTD.323	G-G
C.189161/279	Undercarriage air, jettison valve to shuttle valve	3/16" o/d. x 22 S.W.G. x 1' 6" long	DTD.323	G-G
C.189161/280	Return, 4-way piece to non-return valve	1/4" o/d. x 22 S.W.G. x 10-1/2" long	DTD.323	A-A
C.189161/281	Undercarriage 'down', sequence valve to union	3/16" o/d. x 22 S.W.G. x 1' 8" long	DTD.323	G-G
A.196449/5	Pressure, union to tee-piece	5/16" o/d. x 22 S.W.G. x 1' 11" long	L.54	Plain
A.196449/6	Static, union to tee-piece	5/16" o/d. x 22 S.W.G. x 2' 0" long	L.54	Plain
A.196449/15	Pressure, tee-piece to union	5/16" o/d. x 22 S.W.G. x 2' 4" long	L.54	Plain
A.196449/16	Static, tee-piece to union	5/16" o/d. x 22 S.W.G. x 2' 4" long	L.54	Plain
A.196449/17	Pressure, union to tee-piece	5/16" o/d. x 22 S.W.G. x 2' 0" long	L.54	Plain
A.196449/18	Static, union to tee-piece	5/16" o/d. x 22 S.W.G. x 1' 10" long	L.54	Plain
A.196449/19	Pressure, tee-piece to elbow	5/16" o/d. x 22 S.W.G. x 10" long	L.54	Plain
A.196449/20	Static, tee-piece to elbow	5/16" o/d. x 22 S.W.G. x 10" long	L.54	Plain
A.196449/21	Pressure, elbow to elbow	5/16" o/d. x 22 S.W.G. x 4' 0" long	L.54	Plain
A.196449/22	Static, elbow to elbow	5/16" o/d. x 22 S.W.G. x 4' 3" long	L.54	Plain
A.196449/23	Pressure, elbow to elbow	5/16" o/d. x 22 S.W.G. x 1' 1" long	L.54	Plain
A.196449/24	Static, elbow to elbow	5/16" o/d. x 22 S.W.G. x 1' 1" long	L.54	Plain
A.196449/25	Pressure, elbow to union	5/16" o/d. x 22 S.W.G. x 1' 5" long	L.54	Plain

PIPING CHART

Part No.	Description	Size & Cutting Length	Material Specification	End Fittings
A.196449/26	Static, elbow to union	5/16" o/d. x 22 S.W.G. x 4' 11" long	L.54	Plain
A.196449/27	Pressure, union to union	5/16" o/d. x 22 S.W.G. x 10" long	L.54	Plain
A.196449/28	Static, union to union	5/16" o/d. x 22 S.W.G. x 1' 11" long	L.54	Plain
A.196449/29	Pressure, tee-piece to tee-piece	5/16" o/d. x 22 S.W.G. x 3' 0" long	L.54	Plain
A.196449/30	Static, tee-piece to tee-piece	5/16" o/d. x 22 S.W.G. x 2' 4" long	L.54	Plain
1 C.198764/91	Union to restrictor union	1/4" o/d. x 22 S.W.G. x 1' 6" long	DTD.323	A-B
1 C.198764/93	Undercarriage 'up', sequence valve to union	1/4" o/d. x 22 S.W.G. x 1' 1" long	DTD.323	A-A
1 C.198764/94	Undercarriage 'down', sequence valve to union	1/4" o/d. x 22 S.W.G. x 2' 4" long	DTD.323	A-A
1 C.198764/105	Undercarriage 'down', tee-piece to sequence valve	1/4" o/d. x 22 S.W.G. x 1' 9" long	DTD.323	A-A
1 C.198764/106	Undercarriage 'down', union to sequence valve	1/4" o/d. x 22 S.W.G. x 2' 3" long	DTD.323	B-A
C.198764/136	Pressure, union to union	1/4" o/d. x 22 S.W.G. x 1' 4" long	DTD.323	A-B
C.201553/28	Union at frame 18 to skin union	1/4" o/d. x 22 S.W.G. x 5' 9" long	DTD.323	A-A
A.202552/15	Pressure, pipe joint to pipe joint	5/16" o/d. x 22 S.W.G. x 2' 11" long	T.9 or L.54	Plain
A.202552/19	Pressure, pipe joint to pipe joint	5/16" o/d. x 22 S.W.G. x 3' 2" long	T.9 or L.54	Plain
A.202552/20	Static, pipe joint to pipe joint	5/16" o/d. x 22 S.W.G. x 2' 11" long	T.9 or L.54	Plain
1 C.205179/1	Pressure, engine driven pump to non-return valve	1/2" o/d. x 20 S.W.G. x 7" long	DTD.323 or DTD.477	A-A
1 C.205179/6	Pressure, tee-piece to starboard wing break	3/8" o/d. x 22 S.W.G. x 2' 11" long	DTD.323 or DTD.477	A-B
1 C.205179/8	Pressure, tee-piece to port wing break	3/8" o/d. x 22 S.W.G. x 2' 5" long	DTD.323 or DTD.477	A-A
1 C.205179/19	Pressure, union to union	1/4" o/d. x 22 S.W.G. x 4' 3" long	DTD.323 DTD.477	A-B

PIPING CHART

Part No.	Description	Size & Cutting Length	Material Specification	End Fittings
1 C.205179/37	Return, tee-piece to starboard wing break	1/2" o/d. x 20 S.W.G. x 3' 0" long	DTD.323 or DTD.477	A-B
C.205179/45	Return, engine driven pump to union	1/4" o/d. x 22 S.W.G. x 2' 0" long	DTD.323 or DTD.477	A-A
C.205179/46	Return, union to union	1/4" o/d. x 22 S.W.G. x 3' 3" long	DTD.323 or DTD.477	B-B
C.205179/54	Undercarriage 'down', tee-piece to union	1/4" o/d. x 22 S.W.G. x 2' 0" long	DTD.323 or DTD.477	A-A
C.205179/55	Undercarriage 'down', union to union	1/4" o/d. x 22 S.W.G. x 2' 6" long	DTD.323 or DTD.477	B-B
C.205179/56	Undercarriage 'down', union to union	1/4" o/d. x 22 S.W.G. x 4' 6" long	DTD.323 or DTD.477	A-B
C.205179/58	Undercarriage 'up', tee-piece to port wing break	1/4" o/d. x 22 S.W.G. x 4' 0" long	DTD.323 or DTD.477	A-A
C.205179/59	Undercarriage 'up', tee-piece to union	1/4" o/d. x 22 S.W.G. x 1' 11" long	DTD.323 or DTD.477	A-A
C.205179/60	Undercarriage 'up', union to union	1/4" o/d. x 22 S.W.G. x 3' 2" long	DTD.323 or DTD.477	B-B
C.205179/61	Undercarriage emergency air, union to union	3/16" o/d. x 22 S.W.G. x 3' 11" long	DTD.323 DTD.477	B-B
C.205179/62	Undercarriage emergency air, union to starboard wing break	3/16" o/d. x 22 S.W.G. x 3' 1" long	DTD.323 or DTD.477	G-B
C.205179/63	Undercarriage emergency air, starboard wing break to union	3/16" o/d. x 22 S.W.G. x 3' 7" long	DTD.323 or DTD.477	G-G
C.205179/64	Undercarriage emergency air, union to port wing break	3/16" o/d. x 22 S.W.G. x 3' 5" long	DTD.323 or DTD.477	B-G
C.205179/65	Undercarriage recuperator, starboard wing break to union	3/16" o/d. x 22 S.W.G. 3' 3" long	DTD.323 or DTD.477	B-B
C.205179/66	Undercarriage recuperator, union to port wing break	3/16" o/d. x 22 S.W.G. x 3' 5" long	DTD.323 or DTD.477	G-G
C.205179/69	Flap emergency air, union to port wing break	3/16" o/d. x 22 S.W.G. x 2' 10" long	DTD.323 or DTD.477	B-B
C.205179/72	Port brake, union to port wing break	1/4" o/d. x 22 S.W.G. x 3' 1" long	DTD.323 or DTD.477	B-A
C.205179/73	Starboard brake, union to union	1/4" o/d. x 22 S.W.G. x 4' 1" long	DTD.323 or DTD.477	B-B
C.205179/74	Starboard brake, union to starboard wing break	1/4" o/d. x 22 S.W.G. x 3' 0" long	DTD.323 or DTD.477	A-B









RESTRICTED

Hunter Single Seater
Issued with A/L No.1

PIPING CHART

Part No.	Description	Size & Cutting Length	Material Specification	End Fittings
1 C.205179/75	Power aileron, starboard wing break to union	1/4" o/d. x 22 S.W.G. x 3' 5" long	DTD.323 or DTD.477	B-A
1 C.205179/76	Power aileron, union to port wing break	1/4" o/d. x 22 S.W.G. x 3' 5" long	DTD.323 or DTD.477	B-B
1 C.205179/101	Pressure, tee-piece to union	1/4" o/d. x 22 S.W.G. x 3' 0" long	DTD.323 DTD.477	A-B
1 C.205179/102	Pressure, union to union	1/4" o/d. x 22 S.W.G. x 2' 5" long	DTD.323 or DTD.477	A-B
1 C.205179/103	Flap emergency air, union to union	3/16" o/d. x 22 S.W.G. x 2' 7" long	DTD.323 or DTD.477	B-G
1 C.205179/104	Flap emergency air, union to union	3/16" o/d. x 22 S.W.G. x 2' 4" long	DTD.323 or DTD.477	B-G
1 C.205179/105	Port brake, union to union	1/4" o/d. x 22 S.W.G. x 2' 6" long	DTD.323 or DTD.477	B-G
1 C.205179/106	Port brake, union to union	1/4" o/d. x 22 S.W.G. x 2' 9" long	DTD.323 or DTD.477	B-G
C.205179/173	Pressure, union to union	1/4" o/d. x 22 S.W.G. x 2' 3" long	DTD.253	A-B
C.205179/175	Pressure, tee-piece to union	1/4" o/d. x 22 S.W.G. x 1' 5" long	DTD.253	A-A
C.205179/176	Pressure, union to union	1/4" o/d. x 22 S.W.G. x 2' 6" long	DTD.253	B-A
B.209954/10	Joint to joint (Frames 7 to 9)	1/4" o/d. x 22 S.W.G. x 7" long	DTD.253	A-A
B.209954/11	Joint to joint (Frames 9 to 12)	1/4" o/d. x 22 S.W.G. x 4' 11" long	DTD.253	B-A
B.209954/12	Joint to bulkhead connection (Frames 12 to 14) (Mod.538)	1/4" o/d. x 22 S.W.G. x 3' 2" long	DTD.253	A-A
B.219014/2	Joint to joint, port	3/8" o/d. x 22 S.W.G. x 2' 1" long	DTD.253	B-A
B.219014/4	Joint to joint, starboard	3/8" o/d. x 22 S.W.G. x 3' 5" long	DTD.253	B-A
B.219014/5	Joint to Y piece, starboard	3/8" o/d. x 22 S.W.G. x 3' 3" long	DTD.253	B-A

RESTRICTED



O/D OF PIPE	END A			
	OUTER SLEEVE		COLLAR	
	PART N°	REF N°	PART N°	REF N°
3/16	AGS. 904.A	28 F/9128936	AGS. 952.A	28 F/8011890
1/4	AGS. 2111	28 F/18006	AGS. 952.B	28 F/9439531
5/16	AGS. 904.BB	28 F/1015879	AGS. 952.BE	28 F/9475202
3/8	AGS. 904.C	28 F/9140970	AGS. 952.C	28 F/8011892
7/16	AGS. 904.CC	28 F/5724	F 183351	26AQ/2677
1/2	AGS. 904.D	28 F/8011820	AGS. 952.D	28 F/9439532
5/8	AGS. 904.E	28 F/8011821	AGS. 952.E	28 F/6355

O/D OF PIPE	END B	
	INNER SLEEVE	
	PART N°	REF N°
3/16	AGS. 1218.A	28 F/11280
1/4	AGS. 1218.B	28 F/1014969
3/8	AGS. 1218.C	28 F/11283
1/2	AGS. 1218.D	28 F/11285
5/8	AGS. 1218.E	28 F/11286

O/D OF PIPE	END C			
	UNION NUT		NIPPLE	
	PART N°	REF N°	PART N°	REF N°
3/16	AGS. 1216.A	28 M/9429620	AGS. 209.A	28 N/9429627
3/8	AGS. 1216.C	28 M/9132800	AGS. 209.D	28 N/1013287
1/2	AGS. 1216.D	28 M/1011934	AGS. 209.F	28 N/1013288


O/D OF PIPE	END E			
	UNION NUT		NIPPLE	
	PART N°	REF N°	PART N°	REF N°
3/16	AGS. 1187.A	28 M/1011904	AGS. 209.A	28 N/9429627
1/2	AGS. 1187.D	28 M/9500	AGS. 209.F	28 N/1013288

O/D OF PIPE	END F	
	CONNECTION	
	PART N°	REF N°
5/16	F172505	


O/D OF PIPE	END G			
	OUTER SLEEVE		COLLET	
	PART N°	REF N°	PART N°	REF N°
3/16	GYP 100/A	10685	GYP 101/A	10686

O/D OF PIPE	END J			
	OUTER SLEEVE		COLLAR	
	PART N°	REF N°	PART N°	REF N°
3/16	AGS. 954.A	28 F/8011891	AGS. 952.A	28 F/8011890
1/4	AGS. 954.B	28 F/9439527	AGS. 952.B	28 F/9439531
3/8	AGS. 954.C	28 F/8011888	AGS. 952.C	28 F/8011892
1/2	AGS. 954.D	28 F/9439535	AGS. 952.D	28 F/9439532

O/D OF PIPE	END K	
	INNER SLEEVE	
	PART N°	REF N°
3/16	AGS. 955.A	28 F/13612
1/4	AGS. 955.B	28 F/12432
3/8	AGS. 955.C	28 F/12374
1/2	AGS. 955.D	28 F/11960



O/D OF PIPE	END H
3 / 16	BANJO PART N° F.202450



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

