


FLYING HELMETS

MARK 1A (M) and TYPE "G"

and accessories

HELMETS LIMITED *Wheathampstead · Hertfordshire*
Telephone No. 2221-3

HELMET, FLYING, TYPE G and ACCESSORIES



- 22C/1252992-5 (Blue-Grey)
 - 22C/1301765-8 (Olive-Drab) (as available)
 - 22C/1396
 - 22C/NIV
 - 22C/1253000
 - 22C/1253001
 - 5965-99-430-8503
 - 22C/1253897
 - 10HA/1127125 (5996-99-112-7125)
 - 6D/814-6
 - 6D/1571
 - 6D/1572
 - 6D/2793
- 22C/1252988 etc (Blue-Grey) or 22C/1301761-4 (Olive-Drab)

HELMET, INNER, TYPE 'G' ACCESSORIES AND SPARES

HELMET, INNER, TYPE 'G'

Helmet Type 'G' complete with sound excluding telephone capsules and telephone equipment

Blue/Grey

Ref. No.

22C/1252988	S.1.	(6½-6¾)	53-55 cm.	..	}
22C/1252909	S.2.	(6¾-7)	56-57 cm.	..	
22C/1252990	S.3.	(7¼-7¾)	58-60 cm.	..	
22C/1252991	S.4.	(7½-7¾)	61-63 cm.	..	

Olive/Drab

Ref. No.

22C/1301761	S.1.	(6½-6¾)	53-55 cm.	..	}
22C/1301762	S.2.	(6¾-7)	56-57 cm.	..	
22C/1301763	S.3.	(7¼-7¾)	58-60 cm.	..	
22C/1301764	S.4.	(7½-7¾)	61-63 cm.	..	

Each of the above is an assembly comprising the following items:

Blue/Grey

Ref. No.

22C/1252992	S.1.	} Type 'G' Helmet (fabric portion only but with neck adjuster)
22C/1252993	S.2.	
22C/1252994	S.3.	
22C/1252995	S.4.	

Olive/Drab

Ref. No.

22C/1301765	S.1.	} Type 'G' Helmet (fabric portion only but with neck adjuster)
22C/1301766	S.2.	
22C/1301767	S.3.	
22C/1301768	S.4.	

22C/1253000 Capsule Telephone (left) ..

22C/1253001 Capsule Telephone (right) ..

22C/1253897 Bush, Split (for sealing telephone leads into capsules 4-off per helmet)

5965-99-430-8503 Telephone Receivers

10HA/1127125 Telephone Connector Cord Type (5996-99-112-7125) use with ejector seat) Parallel wiring to receivers

or 10HA/NIV Telephone Connector Cord as 10041 but series wiring to receivers: available to special order

ADDITIONAL ITEMS AND SPARES FOR TYPE 'G' HELMET

10HA/14841 Telephone Extension Cord Type 10113/2 48 inches long terminated with plug 10H/10991 for use in aircraft not fitted with ejector seats

10HA/NIV As above but with plug 10H/18575

22C/1396 Clip, Oxygen Mask (as spare) ..

22C/NIV Chin strap

OXYGEN MASKS

Oxygen masks Type 'H' are for use in aircraft fitted with economiser system at altitudes up to 35,000 ft. when seated and up to 30,000 ft. when mobile.

6D/814	} Oxygen Mask Type 'H' large size: complete with microphone assembly Type 71	
6D/815		ditto medium size
6D/816		ditto small size

10AH/18 Microphone Assembly Type 71 complete, with connector Type 3800

10HA/12022 Microphone Connector Type 3800

The following Mask Tube Assemblies are available for use with the type 'H' mask. The correct assembly must be used according to the type of oxygen installations in the aircraft.

MASK TUBE ASSEMBLIES FOR TYPE 'H' MASK

6D/1571 Mask Tube Assembly Mk. 1A with connector plug 3-way quick release Mk. 1 Ref. 6D/1568 to fit socket Ref. 6D/606 on main oxygen supply and with bayonet socket for emergency supply

6D/917 Mask Tube Assembly Mk. 2 with bayonet union: (no connection for emergency supply)
To fit main supply socket:
Mk. 4B Ref. 6D/1300
Mk. 4C Ref. 6D/1301
Mk. 4D Ref. 6D/1302
Mk. 4E Ref. 6D/1306

6D/918 Mask Tube Assembly Mk. 3 with quick release plug Mk. 1 Ref. 6D/605 to fit main supply socket Ref. 6D/606. (No connection for emergency oxygen).

6D/1572 Mask Tube Assembly Mk. 4A connecting piece - 3-way bayonet union Ref. 6D/1570, incorporating bayonet socket for emergency supply to fit main supply sockets as for Mk. 2

6D/2793 Mask Tube Assembly Mk. 7B connecting piece - 3-way quick release Mk. 2 Ref. 6D/1569, incorporating bayonet connector (male) for emergency supply to fit main supply socket Ref. 6D/606 and Clothing Clip

6D/NIV Mask Tube Assembly with N.A.T.O. pattern quick release plug Ref. AIR 406

N.B.—The manufacturers reserve the right to amend or withdraw any item without prior notice.

HELMET, FLYING, PROTECTIVE, Mk.1A/M. and VISOR, ANTI-GLARE, Mk.2

COVER FOR SCREEN
22C/1252896

SCREEN
22C/1252984-7

ATTACHMENT

22C/1252982-3


22C/1253074
to
22C/1253088

22C/1253047
to
22C/1253061

includes

22C/1420

22C/1252962



FIBRE
CARRYING CASE
Holds both inner and outer
helmets, oxygen mask and
goggles or visor.

HELMETS, FLYING, OUTER PROTECTIVE. MK.1A/M.

Complete with chinstrap and goggle retaining loops
(used in conjunction with type 'G' helmet)

<i>Stores Ref. No.: (without Visor) attachment)</i>			<i>Stores Ref. No.: (fitted with Visor attachment only Mod. C1/59)</i>
22C/1253047	Size 1 (extra small)	narrow fitting	22C/1253074
22C/1253048	Size 1 (extra small)	regular fitting	22C/1253075
22C/1253049	Size 1 (extra small)	broad fitting	22C/1253076
22C/1253059	Size 1½ (small)	narrow fitting	22C/1253077
22C/1253060	Size 1½ (small)	regular fitting	22C/1253078
22C/1253061	Size 1½ (small)	broad fitting	22C/1253079
22C/1253050	Size 2 (medium)	narrow fitting	22C/1253080
22C/1253051	Size 2 (medium)	regular fitting	22C/1253081
22C/1253052	Size 2 (medium)	broad fitting	22C/1253082
22C/1253053	Size 3 (large)	narrow fitting	22C/1253083
22C/1253054	Size 3 (large)	regular fitting	22C/1253084
22C/1253055	Size 3 (large)	broad fitting	22C/1253085
22C/1253056	Size 4 (extra large)	narrow fitting	22C/1253086
22C/1253057	Size 4 (extra large)	regular fitting	22C/1253087
22C/1253058	Size 4 (extra large)	broad fitting	22C/1253088

SPARES FOR HELMET Mk. 1A AND ACCESSORIES

22C/1252962	Stressed chinstrap Mod. C1/62 (spare strap only) (Not illustrated)
22C/2388	Stressed chinstrap Mod. C1/62 (Mod. kit)
N.A.T.O. Ref. No.: 5965-99-		
999-2024	*Boom microphone with attachment bracket. (Noise cancelling electro magnetic microphone.) Inclusive of fitting
22C/1419	Chinstrap only. Pre Mod. C1/62 (as illustration)
22C/1420	Goggle retaining loops (2-off) VISOR ANTI-GLARE Mk. 2 Comprising Helmet attachment and neutral tinted screen in 2 sizes, as under, supplied complete with necessary screws and fitting instructions
22C/1252982	Visor Mk. 2 Helmet attachment size — medium (fits helmets sizes 1, 1½ and 2)
or		
22C/1252983	Visor Mk. 2 Helmet attachment size — large (fits helmets sizes 3 and 4)
and		
22C/1252984	Visor Mk. 2 Anti-glare screen, size — medium, light tint (30% transmission)
or		
22C/1252985	Visor Mk. 2. Anti-glare screen, size — large, light tint (30% transmission)
or		
22C/1252986	Visor Mk. 2. Anti-glare screen, size — medium, dark tint (15% transmission)
or		
22C/1252987	Visor Mk. 2. Anti-glare screen, size — large, dark tint (15% transmission)
and		
22C/1252896	Visor Cover only All of the above screens have a straight lower edge. All screens are supplied with protective velveteen cover which should be fitted whenever the headgear is not in use. Also available, carrying case in good quality fibre designed to hold and protect complete headgear including visor, oxygen mask and tube, goggles, etc.
22C/2827-		
2833	Flying Gloves, unlined cape, sizes 7½ to 10 in. in half sizes Sweat Resistant

*Can be fitted with carbon microphone at extra charge.

September, 1972



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.