


Mk. No.	Ref. No.	Drg. No.	Type P.E.C.	Used On	Remarks
1	6D/N.I.V.		Normalair Stage 2 Connector	Not Developed	Experimental only
2	6D/2072	MBEU/9605	Fighter Type P.E.C. (R.A.F.)	Javelin 7,8 & 9 Lightning F Mk. 1 F Mk. 2, F Mk. 3, T Mk.4 T Mk. 5, F Mk.6	For use with Pressure Jerkins only
3	6D/2168	MBEU/13551	Bomber Type P.E.C. (R.A.F.)	Vulcan B Mk. 2 Pilot's Station	For use with Pressure Jerkin/Anti-G Suit
4	6D/2172	JC.1669-239B	Hymatic M.S.C.3 (R.A.F.) (Continuous Flow E.O.)	Static Crew: Vulcan B Mk. 2 Victor B Mk. 2	Obsolete. Replaced by Mk. 9 Assy. Used with Jerkin/G-Suit
5	6D/2215	MBEU/10201	Fighter Type P.E.C. (R.N.) For use with special A.V.S. Connector	Sea Vixen Buccaneer	Used with Jerkins only
6	6D/2228	C/MBEU/13899	Fighter Type P.E.C. (R.A.F.)	Canberra P.R.9 Victor K Mk. 2 Lightning 6th-15th aircraft without Barometric G valves fitted	For use with Jerkin/G Suit
7	6D/2569	MX2468-66B	Hymatic M.S.C.103 (R.A.F.) (Demand E.O.)	Static Crew: Vulcan B Mk. 2 Victor K. Mk. 2	Obsolete. Replaced by Mk. 9
8	6D/2684	MX2468-2300	Hymatic M.S.C.113 (R.A.F.) (Demand E.O.)	Static Crew: Victor B Mk. 2 (Aircraft F.P.S. Standard)	Experimental only. Full Pressure Suit Connectors
9	6D/2834	MX2468-265B	M.L. Q.R. Connector (R.A.F.) (Demand E.O.)	Rear Crew: Vulcan B Mk. 2 Victor K Mk. 2	Superseded by Mk. 11 with Mod MX99
10	6D/N.I.V.	MX2468-430C	Fighter Type P.E.C. (R.A.F.) (Special Jerkin Valve)	Lightning F Mk. 3, Mk. 6	For use with Combined Pressure/Anti-G/AV Suit with Immersion Suit
11	6D/2248248	MX2468-739C	Combined Integrated Connector	Victor K Mk. 2 Vulcan B Mk. 2	Rear Crew only. Used with Jerkin/G-Suit

PRESSURE JERKIN HOSE ASSEMBLIES



PRESSURE JERKIN HOSE ASSEMBLIES

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

