

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No. | Part No.                 | Description                                                                         | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------------------|-------------------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                          | 1 2 3 4 5                                                                           |         |                        |                     |           |
|          | G.232306-S1              | <b>ELECTRICAL EQUIPMENT, CENTRE FUSELAGE, ASSEMBLY</b>                              | —       | —                      | —                   |           |
| 5J/3336  | F/KA-12.13-1             | Accumulator, GATES type 18Ah (24V) oder                                             | 2       | —                      | —                   |           |
| 5CZ/430  |                          | Block, terminal ... ..                                                              | 1       | —                      | B.<br>B.            |           |
|          | A.205661                 | <b>BLOCK, TERMINAL, No. 11, BETWEEN FRAMES 35 AND 36, ASSEMBLY</b>                  | —       | —                      | —                   |           |
| 5X/2863  | Plessey—<br>CZ.24285     | Block, terminal, 10-way ... ..                                                      | 1       | —                      | B.                  |           |
| 5X/3275  | Plessey—<br>CZ.26808     | Cover ... ..                                                                        | 1       | —                      | B.                  |           |
| 5X/6163  | Plessey—<br>Z.50210      | Link, commoning, 2-way ... ..                                                       | 1       | —                      | C.                  |           |
|          | A.217841/1               | Label (Mod. 372) ... ..                                                             | 1       | —                      | MR                  |           |
| 5X/3278  | Plessey—<br>Z.28426      | Pillar ... ..                                                                       | 2       | —                      | C.                  |           |
|          | STD 1953/<br>NR.1 bis 10 | Sleeve, marker ... ..                                                               | 1 set   | —                      | —                   |           |
|          | A.210718                 | <b>BLOCK, TERMINAL, No. 14, ON FRAME 29, ASSEMBLY</b>                               | —       | —                      | —                   |           |
| 5X/3268  | Plessey—<br>CZ.50207     | Block, terminal, 5-way ... ..                                                       | 1       | —                      | B.                  |           |
| 5X/3274  | Plessey—<br>CZ.26805-S   | Cover ... ..                                                                        | 1       | —                      | B.                  |           |
|          | A.210718/1               | Label ... ..                                                                        | 1       | —                      | —                   |           |
| 5X/3278  | Plessey—<br>Z.28426      | Pillar ... ..                                                                       | 3       | —                      | C.                  |           |
|          | STD 1953/<br>NR.1 bis 5  | Sleeve, marker ... ..                                                               | 1 set   | —                      | —                   |           |
|          | A.214792                 | <b>BLOCK, TERMINAL No. 15 ON STARBOARD TANK DOOR, FRAME 19, ASSEMBLY (Mod. 231)</b> | —       | —                      | —                   |           |
|          | AS 2654                  | Block, terminal ... ..                                                              | 1       | —                      | B.                  |           |
|          | AS 2655                  | Cover ... ..                                                                        | 1       | —                      | C.                  |           |
|          | A.214792/1               | Label ... ..                                                                        | 1       | —                      | —                   |           |
|          | A.210852                 | <b>BLOCK, TERMINAL No. 16 ON FRAME 26, ASSEMBLY</b>                                 | —       | —                      | —                   |           |
|          | AS 2654                  | Block, terminal ... ..                                                              | 1       | —                      | B.                  |           |
|          | AS 2655                  | Cover ... ..                                                                        | 1       | —                      | C.                  |           |
|          | A.210852/1               | Label ... ..                                                                        | 1       | —                      | —                   |           |
|          | A.216517                 | <b>BLOCK, TERMINAL No. 84, ASSEMBLY (Mod. 452)</b>                                  | —       | —                      | —                   |           |
| 5D/506   | —                        | Box, junction 5 way ... ..                                                          | 1       | —                      | —                   |           |
| 5K/2374  | —                        | Disc, blanking ... ..                                                               | 3       | —                      | —                   |           |
| 5K/87    | —                        | Nut, gland ... ..                                                                   | 3       | —                      | —                   |           |
| —        | A.216803                 | <b>BLOCK, TERMINAL No. 89, ASSEMBLY (Mod. 386)</b>                                  | —       | —                      | —                   |           |
|          | AS 2654                  | Block, terminal ... ..                                                              | 1       | —                      | —                   |           |
|          | AS 2655                  | Cover, complete ... ..                                                              | 1       | —                      | —                   |           |

RESTRICTED

Hunter F. Mk. 58  
2nd Edition

## ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No.      | Part No.               | Description                                      |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|---------------|------------------------|--------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|               |                        | 1                                                | 2 | 3 | 4 | 5 |         |                        |                     |           |
| —             | A.215761               | <b>BOX, TERMINAL T.B.83, ASSEMBLY (Mod. 452)</b> |   |   |   |   | 1       | —                      | —                   |           |
| 5X/2863       | Plessey—<br>CZ.24285   | Block, terminal ... ..                           |   |   |   |   | 1       | —                      | —                   |           |
| 8480          | A.215762               | Box ... ..                                       |   |   |   |   | 1       | —                      | MR                  |           |
| 5X/6163       | A.215763               | Lid ... ..                                       |   |   |   |   | 1       | L.16                   | C.                  |           |
|               | Plessey—<br>Z.50210    | Link, 2 way ... ..                               |   |   |   |   | 1       | —                      | —                   |           |
|               | D.306840               | BOX, junction No.1, group (Hu-Mk.58A)            |   |   |   |   | 1       | —                      | —                   |           |
| 5X/3181       | D.231122-S1            | Box, junction No. 1, group (Eu-Mk.58)            |   |   |   |   | 1       | —                      | A.                  |           |
|               | Plessey—<br>CZ.23212/1 | Block, terminal, 20-way ... ..                   |   |   |   |   | 4       | —                      | B.                  |           |
| x             | D.213198               | Box, junction ... ..                             |   |   |   |   | 1       | —                      | —                   |           |
|               | —                      | Cable, E.9/A (See cable chart) ... ..            |   |   |   |   | 1       | —                      | —                   |           |
|               | —                      | Cable, unipren 6 ... ..                          |   |   |   |   | QR      | EL.1470                | C.                  |           |
|               | —                      | Cable, unipren 12 ... ..                         |   |   |   |   | QR      | EL.1470                | C.                  |           |
|               | —                      | Cable, unipren 24 ... ..                         |   |   |   |   | QR      | EL.1470                | C.                  |           |
| —             | Plessey—<br>P.86948    | Fastener, " Dzus A.4-30 " (Use 27FP/147)         |   |   |   |   | 2       | —                      | —                   |           |
| —             | Plessey—<br>P.86949    | Grommet, " Dzus GA.4.250 " (Use 27FP/309)        |   |   |   |   | 2       | —                      | —                   |           |
| 6714          | C.213287               | Lid ... ..                                       |   |   |   |   | 1       | L.59                   | C.                  |           |
| 5X/6163       | Plessey—<br>Z.50210    | Link, 2-way ... ..                               |   |   |   |   | 10      | —                      | C.                  |           |
| 5X/6172       | Plessey—<br>Z.50212    | Link, 4-way ... ..                               |   |   |   |   | 1       | —                      | —                   |           |
| 5X/6314       | Plessey—<br>Z.50214    | Link, 6-way ... ..                               |   |   |   |   | 1       | —                      | C.                  |           |
| 5X/6317       | Plessey—<br>Z.50218    | Link, 10-way ... ..                              |   |   |   |   | 1       | —                      | C.                  |           |
| 5X/3259       | Plessey—<br>Z.50219    | Link, transverse ... ..                          |   |   |   |   | 2       | —                      | C.                  |           |
| 7812          | F.206915               | Plate, tapped ... ..                             |   |   |   |   | 1       | L.72                   | MR/C                |           |
| 7813          | F.206916               | Plate, tapped ... ..                             |   |   |   |   | 1       | L.72                   | MR/C                |           |
| 7814          | F.206917               | Plate, tapped ... ..                             |   |   |   |   | 1       | L.72                   | MR/C                |           |
| 7815          | F.206918               | Plate, tapped ... ..                             |   |   |   |   | 11      | L.72                   | MR/C                |           |
|               | F.233330               | Plate, re-enforcing (AS.830/76)                  |   |   |   |   | 11      | L.72                   | —                   |           |
| 5X/7146       | Plessey—<br>Z.111404   | Plug, code 8 ... ..                              |   |   |   |   | 1       | —                      | B.                  |           |
| 5X/7159       | Plessey—<br>Z.111229   | Plug, code 21 ... ..                             |   |   |   |   | 11      | —                      | B.                  |           |
| 5X/7142       | Plessey—<br>Z.111401   | Plug, code 4 ... ..                              |   |   |   |   | 1       | —                      | B.                  |           |
| 5X/7152       | Plessey—<br>Z.111227   | Plug, code 14 ... ..                             |   |   |   |   | 1       | —                      | B.                  |           |
| 10H/0560150   | Plessey—<br>CZ.49112   | Plug, panel unit code 48 ... ..                  |   |   |   |   | 1       | —                      | B.                  |           |
| 5X/3148       | Plessey—<br>Z.49428    | Sleeve, 4 to 7 amp. ... ..                       |   |   |   |   | QR      | —                      | C.                  |           |
| 5X/3146       | Plessey—<br>Z.49397    | Sleeve, 4 to 7 amp. ... ..                       |   |   |   |   | 4       | —                      | C.                  |           |
| 5K/3455       | Helayn-100JPr3/4"      | Sleeve, ... ..                                   |   |   |   |   | 9       | —                      | C.                  |           |
|               | STD 1953/NR.1 bis 80   | Sleeve, marker ... ..                            |   |   |   |   | 1 set   | —                      | —                   |           |
|               | STD 1948/11            | Sleeve, marker ... ..                            |   |   |   |   | QR      | —                      | —                   |           |
|               | STD 1949/11            | Sleeve, marker ... ..                            |   |   |   |   | QR      | —                      | —                   |           |
| x Ae.A.Hu 437 | 6F- F+W-707651E        | Gedr. Schaltung                                  |   |   |   |   | 1       | —                      | —                   |           |
|               | 6F- F+W-518431E        | Distanzstück                                     |   |   |   |   | 2       | —                      | —                   |           |
|               | A 25/3B                | 6kt.-Schraube                                    |   |   |   |   | 2       | —                      | —                   |           |
|               | SP 14/B                | U-Scheibe                                        |   |   |   |   | 2       | —                      | —                   |           |
|               | AGS 2002/B1            | Sich.-Mutter                                     |   |   |   |   | 2       | —                      | —                   |           |

RESTRICTED

Ae - 1/93

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No.         | Part No.                      | Description                                                 | No.<br>Off | Material<br>Specification | M.R.<br>Class<br>of<br>Store | Plate<br>No. |
|------------------|-------------------------------|-------------------------------------------------------------|------------|---------------------------|------------------------------|--------------|
|                  |                               | 1 2 3 4 5                                                   |            |                           |                              |              |
| 5X/9400061       | Plessey-Z.19924               | Tag, 4 amp. ...                                             | QR         | —                         | C.                           |              |
| 5X/9400063       | Plessey-Z.19925               | Tag, 7 amp. ...                                             | 7          | —                         | C.                           |              |
| 5X/9400065       | Plessey-Z.19926               | Tag, 19 amp. ...                                            | 10         | —                         | C.                           |              |
| 5X/9400062       | Plessey-Z.19979               | Thimble, 4 amp. ...                                         | QR         | —                         | C.                           |              |
| 5X/9400064       | Plessey-Z.19980               | Thimble, 7 amp. ...                                         | 7          | —                         | C.                           |              |
| 5X/9400066       | Plessey-Z.19981               | Thimble, 19 amp. ...                                        | 10         | —                         | C.                           |              |
| Ae.A.Hu-FT-643   | 9548 C.226302-S1              | Box, junction, No. 3 group (Mod. 639) ...                   | 1          | —                         | A.                           |              |
|                  | 5X/3181 Plessey-CZ.23212/1    | Block, terminal, 20-way ...                                 | 1          | —                         | B.                           |              |
|                  | A.207258                      | Box ...                                                     | 1          | L.59                      | —                            |              |
|                  | C.206407                      | Cable, assembly ES1, group ...                              | 1          | —                         | —                            |              |
|                  | C.206408-S2                   | Cable, assembly ES2, group (Ae.A. Hu-FT-747)                | 1          | —                         | —                            |              |
|                  | B.206410                      | Cable, assembly ES4, group ...                              | 1          | —                         | —                            |              |
|                  | B.206411                      | Cable, assembly ES5, group ...                              | 1          | —                         | —                            |              |
|                  | C.206412-S2                   | Cable, assembly ES6, group (Ae.A. Hu-FT-747)                | 1          | —                         | —                            |              |
|                  | B.207207                      | Plug, form C12, group ...                                   | 1          | —                         | —                            |              |
| 6716             | A.207256                      | Lid ...                                                     | 1          | L.59                      | C.                           |              |
| 5X/6163          | Plessey-Z.50210               | Link, commoning, 2-way ...                                  | 1          | —                         | C.                           |              |
| 5X/6171          | Plessey-Z.50211               | Link, commoning, 3-way ...                                  | 1          | —                         | C.                           |              |
|                  | STD 1953/<br>NR.1 bis 20      | Sleeve, marker ...                                          | 1 set      | —                         | —                            |              |
| Ae.A.Hu-F-698    | 6F-F+W-822533E6               | Waffenverteilerkasten ARM J.B.1 (Flz. J-4001-J-4055)        | 1          | —                         | —                            |              |
|                  | FT-737 6F-F+W-823486B5        | Waffenverteilerkasten ARM J.B.1 (Hu.Mk.58A) ...             | 1          | —                         | B.                           |              |
|                  | F.214406                      | Block mounting ...                                          | 4          | L.65.C                    | —                            |              |
| 5X/3181          | Plessey-CZ.23212/1            | Block, terminal, 20-way ...                                 | 3          | —                         | —                            |              |
|                  | C.233639-S1                   | Box ...                                                     | 1          | —                         | —                            |              |
| Ae.A.Hu-FT-709   | 6F-F+W-709635E                | Relais-Support ...                                          | 1          | —                         | —                            |              |
|                  | F.208121                      | Bar, bridge ...                                             | 3          | —                         | —                            |              |
| 10H/0560060      | Plessey-CZ.48993              | Plug, unit ...                                              | 1          | —                         | B                            |              |
|                  | 6F-F+W-516318E                | Relais "A" mit Kabel ...                                    | 1          | —                         | —                            |              |
| Ae.A.Hu-FT-678   | 6F-F+W-520511E                | Relais "B" mit Kabel ...                                    | 1          | —                         | —                            |              |
|                  | 6F-F+W-521187E-A1             | Relais "C" mit Kabel ...                                    | 1          | —                         | —                            |              |
| Ae.A. Hu-FT-737  | LN 4005                       | Diode CR 2 ...                                              | 1          | —                         | —                            |              |
| 6137             | F.207675                      | Washer, resilient ...                                       | 12         | —                         | C.                           |              |
|                  | A.244594                      | Cable, arm, earthing ...                                    | 1          | —                         | —                            |              |
|                  | A.159698                      | Ferrule ...                                                 | 2          | BSS.265                   | —                            |              |
| 5X/6168          | Plessey-Z.23197               | Gasket, sealing ...                                         | 2          | —                         | —                            |              |
|                  | B.233646                      | Lid ...                                                     | 1          | L.59                      | —                            |              |
| 5X/6173          | Plessey-Z.50213               | Link, commoning ...                                         | 1          | —                         | —                            |              |
| 5X/6171          | Plessey-Z.50211               | Link, commoning, 3-way ...                                  | 4          | —                         | C.                           |              |
| 5X/6173          | Plessey-Z.50210               | Link, commoning, 2-way ...                                  | 8          | —                         | C.                           |              |
|                  | B.233644                      | Plug, Form A.45 (See Cable Chart) ...                       | 1          | —                         | —                            |              |
|                  | B.233643                      | Plug, Form A.40 (See Cable Chart) ...                       | 1          | —                         | —                            |              |
|                  | Std.1509/23/042               | Tube, distance, $\frac{1}{8}$ " o/d x 17 S.W.G. x .42" long | 1          | T.4                       | —                            |              |
|                  | A.209778                      | Bracket, mounting for external supply screw ...             | 1          | L.72                      | —                            |              |
| 5CY/2568         | —                             | Breaker, circuit, type B4 ...                               | 1          | —                         | —                            |              |
|                  | D.232307-S3 }<br>D.210823-4 } | CLIPPING, DETAILS, FOR CABLES, ASSEMBLY                     | —          | —                         | —                            |              |
| 7967             | F.214387                      | Bracket, cable support for cable frame 30 ...               | 1          | LFS.21                    | C.                           |              |
| 6033             | A.201236                      | Bracket, wing service, port, outboard ...                   | 1          | S.84                      | MR/C                         |              |
| 6031             | B.201234                      | Bracket, wing service, port, inboard ...                    | 1          | S.84                      | MR/C                         |              |
| 6032             | B.201235                      | Bracket, wing service, starboard, inboard...                | 1          | S.84                      | MR/C                         |              |
| 4776             | B.198696                      | Bracket, mounting, for cables C16, C18 and C20              | 1          | DTD.610                   | MR/C                         |              |
| 7817             | B.204926                      | Bracket, mounting, for cable, frame 26, starboard side      | 1          | L.7                       | —                            |              |
| 7818             | A.203726                      | Bracket, mounting for H.T. ignition connection              | 1          | L.72                      | —                            |              |
| 8378             | B.207416                      | Cables, starter ignition ...                                | 2          | —                         | B.                           |              |
| 4780             | F.197582                      | Clip, securing cables CA30, at frame 19 ...                 | 1          | DTD.610                   | MR/C                         |              |
| 4781             | F.196789                      | Clip, securing cables, at frame 19 ...                      | 2          | DTD.610                   | MR/C                         |              |
|                  | F.210880                      | Clip, securing cables, on frame 19 ...                      | 1          | L.72                      | —                            |              |
|                  | 6F-F+W-521411E                | Diodeplatte CR 1 ...                                        | 1          | —                         | —                            |              |
| * Ae.A.Hu-FT-737 | A 33/A14                      | Sk.-Schraube                                                | 2          | —                         | —                            |              |
|                  | SP 15/A                       | U.-Scheibe                                                  | 2          | —                         | —                            |              |
|                  | AGS 2002/A1                   | Sich.-Mutter                                                | 2          | —                         | —                            |              |

RESTRICTED

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No. | Part No.                    | Description |   |   |   |                                                                                                                                       | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|-----------------------------|-------------|---|---|---|---------------------------------------------------------------------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|          |                             | 1           | 2 | 3 | 4 | 5                                                                                                                                     |         |                        |                     |           |
| 6035     | F.205571                    |             |   |   |   | Clip, securing cables ...                                                                                                             | 6       | L.72                   | MR/C                | 4         |
|          | F.196759                    |             |   |   |   | Clip, securing cables, at frame 19 ...                                                                                                | 1       | DTD.610                | —                   |           |
|          | Std 2045/17/26              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 4       | S.510 or S.511         | —                   |           |
|          | Std 2045/18/26              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 1       | S.510 or S.511         | —                   |           |
|          | Std 2045/38/22              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 1       | S.510 or S.511         | —                   |           |
|          | Std 2045/40/22              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 1       | S.510 or S.511         | —                   |           |
|          | Std 2045/48/20              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 2       | S.510 or S.511         | —                   |           |
|          | Std 2046/17/26              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 1       | S.510 or S.511         | —                   |           |
|          | Std 841/20                  |             |   |   |   | Clip, securing cable, at frames 28, 29, 37 and 38, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2" long                          | 2       | DTD.610                | C.                  |           |
|          | Std 841/27                  |             |   |   |   | Clip, securing cables, starter and gear box access doors, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2-7" long                 | 2       | DTD.610                | —                   |           |
|          | Std 2046/35/22              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 3       | S.510 or S.511         | —                   |           |
|          | Std 841/32                  |             |   |   |   | Clip, $\frac{3}{8}$ " wide $\times$ 22 S.W.G. $\times$ 3-2" long (alternative to 841/27 starter and gear box access door) (AS.860/20) | 3       | DTD.610                | —                   |           |
|          | Std 2046/36/22              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 1       | S.510 or S.511         | —                   |           |
|          | Std 841/62                  |             |   |   |   | Clip, support for cables, on frame 26, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 6-2" long                                    | 2       | DTD.610                | —                   |           |
|          | Std 2045/21/24              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 1       | S.511 or S.511         | —                   |           |
|          | Std 2045/23/24              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 1       | S.510 or S.511         | —                   |           |
|          | Std 2045/29/22              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 3       | S.510 or S.511         | —                   |           |
|          | Std 2045/78/20              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 2       | S.510 or S.511         | —                   |           |
|          | Std 2046/25/24              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 2       | S.510 or S.511         | —                   |           |
|          | Std 2046/29/22              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 1       | S.510 or S.511         | —                   |           |
|          | Std 2046/34/22              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 1       | S.510 or S.511         | —                   |           |
|          | Std 2046/46/20              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 3       | —                      | —                   |           |
|          | Std 2046/63/20              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 2       | —                      | —                   |           |
|          | D.232296-7                  |             |   |   |   | CLIPPING, FOR CABLES BETWEEN FRONT AND CENTRE FUSELAGE, ASSEMBLY                                                                      | —       | —                      | —                   |           |
|          | Std 850/20                  |             |   |   |   | Clip, $\frac{7}{16}$ " wide $\times$ 22 S.W.G. $\times$ 2-0" long ...                                                                 | 1       | DTD.610                | MR                  |           |
|          | Std 2046/25/24              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 1       | —                      | —                   |           |
|          | Std 2046/46/20              |             |   |   |   | Clip, sleeved ...                                                                                                                     | 1       | —                      | —                   |           |
| 5F/2301  | Hellermann-NY.18007A        |             |   |   |   | Strapping ...                                                                                                                         | QR      | —                      | C.                  |           |
| 5F/2302  | Hellermann-NY.3342          |             |   |   |   | Stud ...                                                                                                                              | QR      | —                      | C.                  |           |
|          | STD 1285/7/CC               |             |   |   |   | Connector, earthing, at frame 37 ...                                                                                                  | 1       | —                      | MR/C                |           |
|          | Plessey Z.29888 or KLG.4383 |             |   |   |   | Connector, ignition bulkhead ...                                                                                                      | 2       | —                      | —                   |           |
|          | A.217659                    |             |   |   |   | Cover, starboard (Mod. 510) ...                                                                                                       | 1       | L.72                   | —                   |           |
|          | A.237407                    |             |   |   |   | Cover (Mod. 2411) ...                                                                                                                 | 1       | L.72                   | —                   |           |

RESTRICTED

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No.  | Part No.             | Description                                                                       | No. Off | Material Specification | M.R. Class of Store | Place No. |
|-----------|----------------------|-----------------------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|           |                      | 1 2 3 4 5                                                                         |         |                        |                     |           |
|           | A.210936             | <b>EARTHING POINT No. 9, ON MAIN SPAR, ASSEMBLY</b>                               | —       | —                      | —                   |           |
|           | STD 1298/1           | Stud ... ..                                                                       | 1       | S.1                    | C.                  | 4         |
|           | STD 1335/018         | Washer ... ..                                                                     | 2       | L.4                    | C.                  | 4         |
| 6725      | F.210117             | Fairlead, for cable on frame 38 ... ..                                            | 2       | LFS.21                 | C.                  |           |
| 6726      | F.210118             | Fairlead, for cable on starboard side of rear spar ... ..                         | 2       | LFS.21                 | C.                  |           |
| 6721      | F.210116             | Fairlead, for cable on frames 28 and 38 ... ..                                    | 4       | LFS.21                 | C.                  |           |
| 6722      | F.210115             | Fairlead, for cable on frames 28 and 38 ... ..                                    | 4       | LFS.21                 | C.                  |           |
| 6723      | F.210114             | Fairlead, for cable on frame 38 ... ..                                            | 2       | LFS.21                 | C.                  |           |
| 6724      | F.210119             | Fairlead, for cable on frame 30 ... ..                                            | 2       | LFS.21                 | C.                  |           |
|           | Plessey-Z.23201/D    | Gasket, sealing, at time switch (Mod. 2411) ... ..                                | 1       | —                      | —                   |           |
| 9060      | B.219799             | Guard, cable on frame 19 (Mod. 386) ... ..                                        | 1       | DTD.171                | —                   |           |
| 7819      | A.203164             | Guard, cable, on frame 36 ... ..                                                  | 1       | DTD.171                | MR/C                |           |
|           | B.198028/1           | Guard, cable, forward face of frame 19 ... ..                                     | 1       | DTD.166                | —                   |           |
|           | A.224199             | Indicator, contents, fuel filter de-icing tank assembly (Mod. 540) ... ..         | —       | —                      | —                   |           |
|           | B.216875             | Bracket, mounting ... ..                                                          | 1       | —                      | MR/C                |           |
| 9028      | F.216625             | Indicator ... ..                                                                  | 1       | S.21B & S.3            | C.                  |           |
| 9027      | A.222152             | Solenoid ... ..                                                                   | 1       | —                      | C.                  |           |
| 9030      | F.216627             | Spool, lever ... ..                                                               | 1       | —                      | C.                  |           |
| 9029      | F.216626             | Spring ... ..                                                                     | 1       | Spr. Stl.              | C.                  |           |
|           | 6F-3+W-705927E       | Indicator, 6 lamp refuelling ... ..                                               | 1       | —                      | A.                  |           |
|           | STD 1606/44/B16      | Screw, roundhead, 4 BA (Mod. 4211) ... ..                                         | 4       | Brass                  | C.                  |           |
| 5F/2301   | Hellermann-NY.18007A | Strapping, $\frac{1}{2}$ " wide ... ..                                            | QR      | —                      | C.                  |           |
| 5F/2281   | Hellermann-HV.3341   | Strapping, $\frac{1}{2}$ " wide ... ..                                            | QR      | —                      | —                   |           |
| 5F/2302   | Hellermann-NY.3342   | Stud ... ..                                                                       | QR      | —                      | C.                  |           |
| 5F/2282   | Hellermann-HV.3342   | Stud ... ..                                                                       | QR      | —                      | —                   |           |
| 9061      | F.219800             | Stud, for cable guard (Mod. 386) ... ..                                           | 2       | S.1                    | —                   |           |
| 5 CW/7548 | XD.784               | Switch, D/P selective refuelling (Mod. 2411) ... ..                               | 1       | —                      | A.                  |           |
| 5 CW/5501 | Venner-PTA/HAW/19055 | Switch, time ... ..                                                               | 1       | —                      | A.                  |           |
|           | A.235384             | Schild, Legende zu Fluntschalterstellung ... ..                                   | 1       | —                      | —                   |           |
|           | STD 1509/23/030      | Tube, distance, $\frac{1}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 30" long ... ..   | 2       | T.4                    | —                   |           |
|           | STD 1509/23/038      | Tube, distance, $\frac{1}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 0.38" long ... .. | 1       | T.4                    | —                   | 4         |
|           | STD 1509/23/042      | Tube, distance, $\frac{1}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 0.42" long ... .. | 1       | T.4                    | —                   |           |
|           | STD 1335/E/18        | Washer, for cable attachment, frame 19 ... ..                                     | 4       | —                      | C.                  | 4         |
|           | STD 915/C/14         | Washer, for time switch (Mod. 2411) ... ..                                        | 2       | —                      | C.                  | 4         |
|           | C.232013             | <b>CLIPPING, DETAILS FOR CABLES IN SPINE, ASSEMBLY</b>                            | —       | —                      | C.                  | 4         |
|           | STD 2045/22/24       | Clip, sleeved ... ..                                                              | 6       | S.510 or S.511         | —                   |           |
|           | STD 2045/25/24       | Clip, sleeved ... ..                                                              | 1       | S.510 or S.511         | —                   |           |
|           | C.234589             | <b>CLIPPING OF CABLES IN SPINE BETWEEN FRAMES 17 AND 27, ASSEMBLY (AS.830/95)</b> | —       | —                      | —                   |           |
|           | STD 2046/22/24       | Clip, sleeved ... ..                                                              | 2       | S.510 or S.511         | —                   |           |
|           | STD 2045/22/24       | Clip, sleeved ... ..                                                              | 1       | S.510 or S.511         | —                   |           |
|           | STD 2045/25/24       | Clip, sleeved ... ..                                                              | 2       | S.510 or S.511         | —                   |           |
|           | STD 2045/29/22       | Clip, sleeved ... ..                                                              | 10      | S.510 or S.511         | —                   |           |
|           | STD 2046/29/22       | Clip, sleeved ... ..                                                              | 1       | S.510 or S.511         | —                   |           |

RESTRICTED

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No.      | Part No.              | Description |   |   |   |                                                                      | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|---------------|-----------------------|-------------|---|---|---|----------------------------------------------------------------------|---------|------------------------|---------------------|-----------|
|               |                       | 1           | 2 | 3 | 4 | 5                                                                    |         |                        |                     |           |
|               | STD 1509/12/025       |             |   |   |   | Tube, distance ...                                                   | 8       | —                      |                     |           |
|               | STD 1509/12/030       |             |   |   |   | Tube, distance ...                                                   | 1       | —                      |                     |           |
|               | STD 1509/23/030       |             |   |   |   | Tube, distance ...                                                   | 1       | —                      |                     |           |
|               | STD 1507/12/020       |             |   |   |   | Tube, distance ...                                                   | 1       | —                      |                     |           |
|               | STD 840/13            |             |   |   |   | Clip, $\frac{3}{8}$ " wide $\times$ 22 S.W.G. $\times$ 1-3" long ... | 1       | DTD.610                | MR/C                | 4         |
|               | STD 2046/16/26        |             |   |   |   | Clip, sleeved ...                                                    | 1       | —                      |                     |           |
|               | STD 2046/17/26        |             |   |   |   | Clip, sleeved ...                                                    | 2       | —                      |                     |           |
|               | STD 2046/18/24        |             |   |   |   | Clip, sleeved ...                                                    | 1       | —                      |                     |           |
|               | STD 2046/26/22        |             |   |   |   | Clip, sleeved ...                                                    | 1       | —                      |                     |           |
|               | STD 2046/33/22        |             |   |   |   | Clip, sleeved ...                                                    | 1       | —                      |                     |           |
| 6A/4389       | Smiths—<br>CRC 146    |             |   |   |   | Connector ...                                                        | 1       | —                      | B.                  |           |
| 6A/4382       | Smiths—<br>CJ 136     |             |   |   |   | Connector ...                                                        | 1       | —                      | B.                  |           |
| 6A/4386       | Smiths—<br>CR 154     |             |   |   |   | Connector ...                                                        | 1       | —                      | B.                  |           |
| 6A/4391       | Smiths—<br>CJC 166    |             |   |   |   | Connector ...                                                        | 1       | —                      | B.                  |           |
|               | Smiths—<br>CR 30      |             |   |   |   | Connector ...                                                        | 1       | —                      |                     |           |
|               | Smiths—<br>CR 65      |             |   |   |   | Connector ...                                                        | 1       | —                      |                     |           |
|               | Smiths—<br>CR 192     |             |   |   |   | Connector ...                                                        | 1       | —                      |                     |           |
|               | Smiths—<br>CR 228     |             |   |   |   | Connector ...                                                        | 1       | —                      |                     |           |
| 5CZ/5122      | STD 1285/7/CC         |             |   |   |   | Connector, earthing ...                                              | 2       | —                      |                     |           |
| 5CZ/5121      | F.200916              |             |   |   |   | Cover, terminal, for ground supply plug ...                          | 1       | Plastic                | C.                  |           |
| 5J/3419       | F.200892              |             |   |   |   | Cover, terminal, for ground supply plug ...                          | 2       | Plastic                | C.                  |           |
|               | —                     |             |   |   |   | Cover, venting, and retaining rod ...                                | 2       | —                      |                     |           |
|               | A.210738              |             |   |   |   | <b>EARTHING POINT, No. 20, ASSEMBLY</b> ...                          | —       | —                      |                     |           |
| 6727          | F.209455              |             |   |   |   | Stud ...                                                             | 1       | S.95.B                 | C.                  |           |
|               | STD 1335/G/18         |             |   |   |   | Washer ...                                                           | 2       | L.4                    | C.                  | 4         |
|               | STD 1335/E/18         |             |   |   |   | Washer ...                                                           | 2       | L.4                    | MR/C                | 4         |
|               | A.210774-5            |             |   |   |   | <b>EARTHING POINTS, No. 10 AND 16, ASSEMBLY</b> ...                  | —       | —                      |                     |           |
|               | STD 1335/G/18         |             |   |   |   | Washer ...                                                           | 2       | L.4                    | C.                  | 4         |
| 10H/0970059   | Plessey-Z.60668       |             |   |   |   | Gasket, outlet ...                                                   | 1       | —                      |                     |           |
| 10H/0970108   | Plessey-Z.62235       |             |   |   |   | Gasket, union ...                                                    | 1       | —                      |                     |           |
| Ae.A Hu-541   | F224947-S1            |             |   |   |   | Hose, for venting cover ...                                          | 2       | —                      |                     |           |
|               | C10-TS/3 od.          |             |   |   |   | Igniter, high energy, type C-10-TS/3 (Mod. 532) ...                  | 2       | —                      | B.                  |           |
|               | Rotax-NB.25/2         |             |   |   |   | Lamp, combined landing and taxiing assembly ...                      | —       | —                      |                     |           |
|               | C.234685              |             |   |   |   | Lamp, model 5, Mk. 2 ...                                             | 1       | —                      |                     |           |
|               | 5/2001                |             |   |   |   | Plug, fixed complete ...                                             | 1       | —                      |                     |           |
|               | Plessey-<br>2CZ.85014 |             |   |   |   |                                                                      |         |                        |                     |           |
| 6728          | C.206657              |             |   |   |   | Lead, ignition, group ...                                            | 2       | —                      | B.                  |           |
|               | —                     |             |   |   |   | Consisting of :—                                                     |         |                        |                     |           |
| 5E/3203       | —                     |             |   |   |   | Cable, unplughitemp, No. 6 ...                                       | QR      | —                      | C.                  |           |
|               | U.P.M.T. 110          |             |   |   |   | Conduit, braided ...                                                 | QR      | —                      |                     |           |
| 5CZ/5302      | Lodge-C G.16          |             |   |   |   | Contact-Button ...                                                   | 2       | —                      | C.                  |           |
| 29H/2100      | Bowden-PN.448         |             |   |   |   | Clip ...                                                             | 1       | —                      | C.                  |           |
|               | Lodge-E A2            |             |   |   |   | Elbow, assembly ...                                                  | 1       | —                      |                     |           |
| 37B/4118      | CN.13705              |             |   |   |   | Ferrule ...                                                          | 2       | —                      | C.                  |           |
|               | Lodge-SF 35           |             |   |   |   | Ferrule, spring type ...                                             | 2       | —                      |                     |           |
|               | Lodge-N 29            |             |   |   |   | Nut ...                                                              | 2       | —                      |                     |           |
|               | Lodge-SS 40           |             |   |   |   | Sleeve, insulating ...                                               | 1       | —                      |                     |           |
| Ae.A.Hu-FT- ( | STD 841/20            |             |   |   |   | Bride (Spant 38) ...                                                 | 1       | —                      |                     |           |
| 673           | * ( A 25/1C           |             |   |   |   | 6 kt.-Schraube ...                                                   | 1       | —                      |                     |           |
| (             | SP 15/C               |             |   |   |   | U-Scheibe ...                                                        | 1       | —                      |                     |           |

RESTRICTED

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No.    | Part No.                                                      | Description                                                                                  |   |   |   |   | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|-------------|---------------------------------------------------------------|----------------------------------------------------------------------------------------------|---|---|---|---|---------|------------------------|---------------------|-----------|
|             |                                                               | 1                                                                                            | 2 | 3 | 4 | 5 |         |                        |                     |           |
| 8236        | B.210176                                                      | Mounting, for circuit breaker (Mod. 231) ...                                                 |   |   |   |   | 1       | L.72                   |                     |           |
| 10H/19104   | Plessey-<br>CZ.49184                                          | Outlet ...                                                                                   |   |   |   |   | 3       | —                      |                     |           |
| 10H/0970096 | 6F-IP+W-706166E<br>Plessey-<br>Z.49037                        | Plug, ground supply ...                                                                      |   |   |   |   | 1       | —                      | B.                  |           |
| 10H/0970088 | Plessey-<br>Z.62229                                           | Ring, thrust ...                                                                             |   |   |   |   | 1       | —                      |                     |           |
| 10H/0560170 | Helisyn-100JPx3/4"<br>Helisyn-LP x 1"<br>Plessey-<br>CZ.50142 | Ring, sealing ...                                                                            |   |   |   |   | 1       | —                      |                     |           |
|             |                                                               | Sleeve, ...                                                                                  |   |   |   |   | 2       | —                      |                     |           |
|             |                                                               | Sleeve, ...                                                                                  |   |   |   |   | 1       | —                      |                     |           |
|             |                                                               | Socket ...                                                                                   |   |   |   |   | 1       | —                      |                     |           |
| 5CY/3002    | EL.40746                                                      | Socket, cannon at accumulators (Mod. 386) ...                                                |   |   |   |   | 2       | —                      |                     |           |
| 5F/2279     | Hellermann-<br>HV.3254                                        | Socket, at accumulators (Mod. 386) ...                                                       |   |   |   |   | 1       | —                      |                     |           |
| 5F/2301     | Hellermann-<br>NY.18007A                                      | Strapping ...                                                                                |   |   |   |   | QR      | —                      | C.                  |           |
| 5F/2302     | A.201651<br>Hellermann-<br>NY.3342                            | Strapping ...                                                                                |   |   |   |   | QR      | —                      | C.                  |           |
|             | Hellermann-<br>NY.3225                                        | Stiffener, for inertia switch ...                                                            |   |   |   |   | 1       | L.72                   |                     |           |
| 27N/91      | —                                                             | Stud ...                                                                                     |   |   |   |   | QR      | —                      | C.                  |           |
| 27N/93      | —                                                             | Stud ...                                                                                     |   |   |   |   | QR      | —                      | C.                  |           |
| —           | STD 1509/3/048                                                | Switch, flame detector, Mk. 4 ...                                                            |   |   |   |   | 8       | —                      | A.                  |           |
| —           | STD 1509/12/095                                               | Switch, inertia, Mk. 1 ...                                                                   |   |   |   |   | 1       | —                      |                     |           |
|             | STD 1509/23/124                                               | Tube, distance, 1/4" o/d x 22 S.W.G. x 0.48" long ...                                        |   |   |   |   | 2       | T.4                    |                     |           |
|             | STD 1509/23/128                                               | Tube, distance, 3/8" o/d x 22 S.W.G. x 0.95" long, at ground supply plug (Make from 30B/618) |   |   |   |   | 4       | T.4                    |                     |           |
|             | STD 1509/24/022                                               | Tube, distance, at flame switch mounting, 5/8" o/d x 17 S.W.G. x 1.24" long                  |   |   |   |   | 2       | T.4                    |                     |           |
|             |                                                               | Tube, distance, at flame switch mounting, 5/8" o/d x 17 S.W.G. x 1.28" long                  |   |   |   |   | 2       | T.4                    |                     |           |
|             |                                                               | Tube, distance, 3/8" x 17 S.W.G. x 0.22" long (Mod. 231)                                     |   |   |   |   | 4       | T.4                    |                     |           |

## ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

[illegible]

**RESTRICTED**

ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No. | Part No.     | Description            |                  |        |     |     | No. Off | Material Specification | M.R. Class of Store | Plate No. |
|----------|--------------|------------------------|------------------|--------|-----|-----|---------|------------------------|---------------------|-----------|
|          |              | 1                      | 2                | 3      | 4   | 5   |         |                        |                     |           |
|          |              | SUMMARY OF STOCK ITEMS |                  |        |     |     |         |                        |                     |           |
|          | A.25.1.B     | Bolt,                  | 4                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.3.B     | Bolt,                  | 4                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.5.B     | Bolt,                  | 4                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.3.C     | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.1.C     | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.2.C     | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.3.C     | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.4.C     | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.5.C     | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.6.C     | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.7.C     | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.8.C     | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.9.C     | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.10.C    | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.11.C    | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.12.C    | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.13.C    | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.25.C    | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.25.3.E     | Bolt,                  | $\frac{1}{4}$ "  | B.S.F. | ... | ... | —       | —                      | —                   |           |
|          | A.25.4.E     | Bolt,                  | $\frac{1}{4}$ "  | B.S.F. | ... | ... | —       | —                      | —                   |           |
|          | A.25.6.E     | Bolt,                  | $\frac{1}{4}$ "  | B.S.F. | ... | ... | —       | —                      | —                   |           |
|          | A.25.12.E    | Bolt,                  | $\frac{1}{4}$ "  | B.S.F. | ... | ... | —       | —                      | —                   |           |
|          | A.25.14.E    | Bolt,                  | $\frac{1}{4}$ "  | B.S.F. | ... | ... | —       | —                      | —                   |           |
|          | AS.1242.1B   | Bolt,                  | 4                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | AS.1242.1C   | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | AS.1242.2C   | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | AS.1242.3C   | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | AS.1248-1B   | Bolt,                  | 4                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | AS.1248.11C  | Bolt,                  | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | AGS.605      | Clip                   | ...              | ...    | ... | ... | —       | —                      | —                   |           |
|          | Mk. 2        |                        |                  |        |     |     |         |                        |                     |           |
|          | A.27.E.T.    | Nut,                   | $\frac{1}{2}$ "  | B.S.F. | ... | ... | —       | —                      | —                   |           |
|          | AGS.2001.C1  | Nut,                   | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | AGS.2001.E1  | Nut,                   | $\frac{1}{4}$ "  | B.S.F. | ... | ... | —       | —                      | —                   |           |
|          | AGS.2002.A.1 | Nut,                   | 6                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | AGS.2002.B1  | Nut,                   | 4                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | AGS.2002.C1  | Nut,                   | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | AGS.2002.G1  | Nut,                   | $\frac{5}{16}$ " | B.S.F. | ... | ... | —       | —                      | —                   |           |
|          | AGS.2002.E1  | Nut,                   | $\frac{1}{4}$ "  | B.S.F. | ... | ... | —       | —                      | —                   |           |
|          | AGS.2008.B1  | Nut,                   | 4                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | AGS.2019.C1  | Nut,                   | 2                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | SP.9.C4      | Pin, split             | ...              | ...    | ... | ... | —       | —                      | —                   |           |
|          | A.31.A.12    | Screw,                 | 6                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.31.A.18    | Screw,                 | 6                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.31.B.12    | Screw,                 | 4                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.31.B.14    | Screw,                 | 4                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.31.B.16    | Screw,                 | 4                | B.A.   | ... | ... | —       | —                      | —                   |           |
|          | A.31.B.20    | Screw,                 | 4                | B.A.   | ... | ... | —       | —                      | —                   |           |

## ELECTRICAL EQUIPMENT—CENTRE FUSELAGE

| Ref. No. | Part No.  | Description                  |     |     |     |     | No. Off | Material Specification | M.R. Class of Score | Place No. |
|----------|-----------|------------------------------|-----|-----|-----|-----|---------|------------------------|---------------------|-----------|
|          |           | 1                            | 2   | 3   | 4   | 5   |         |                        |                     |           |
|          | A.31.B.24 | Screw, 4 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.31.C.16 | Screw, 2 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.31.C.20 | Screw, 2 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.31.C.28 | Screw, 2 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.A.10 | Screw, 6 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.A.16 | Screw, 6 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.B.8  | Screw, 4 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.B.10 | Screw, 4 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.B.12 | Screw, 4 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.B.14 | Screw, 4 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.B.16 | Screw, 4 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.B.20 | Screw, 4 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.B.28 | Screw, 4 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.C.16 | Screw, 2 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.C.20 | Screw, 2 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.C.24 | Screw, 2 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.C.14 | Screw, 2 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.C.20 | Screw, 2 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.32.C.24 | Screw, 2 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.33.B.12 | Screw, 4 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.33.B.16 | Screw, 2 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.33.B.20 | Screw, 4 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | A.33.B.24 | Screw, 4 B.A.                | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.10.B   | Washer                       | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.13.A   | Washer, 6 B.A.               | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.13.B   | Washer, 4 B.A.               | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.13.E   | Washer, $\frac{1}{4}$ " dia. | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.15.A   | Washer, 6 B.A.               | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.15.B   | Washer, 4 B.A.               | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.15.C   | Washer, 2 B.A.               | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.15.E   | Washer, $\frac{1}{4}$ " dia. | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.16.B   | Washer, 4 B.A.               | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.16.C   | Washer, 2 B.A.               | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.16.E   | Washer, $\frac{1}{4}$ " dia. | ... | ... | ... | ... | —       | —                      | —                   |           |
|          | SP.16.J   | Washer, $\frac{3}{8}$ " dia. | ... | ... | ... | ... | —       | —                      | —                   |           |

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

