

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
		1 2 3 4 5				
	G.231462-S11	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE, ASSEMBLY	—	—		
	F/KA-12.12-1	Accumulator, lead acid 12v. (Mod. 502)	2	—		
	C.244357	Additional Details Assembly (Mod. 2411)	—	—		
5X/3277	Plessey-CZ.50206	Block, terminal, 3-way	1	—	B.	
	F.235190	Bracket, channel	1	L.72		
	A.234882	Cable, F.165 assy. (See Cable Chart)	1	—		
	STD 2045/15/26	Clip, sleeved, securing cable	1	S.510 or S.511		
	STD 842/38	Clip, securing cable and tube $\frac{1}{16}$ " wide x 22 S.W.G. x 3-8" long	1	DTD.610		
5X/3273	Plessey-CZ.26802	Cover	1	—	C.	
	P3-03/256/151	Holder, for lamp (Swiss Supply)	1	—		
	6F-BAMP-E-961	Lamp, hand (Swiss Supply)	1	—		
	F.235553	Label	1	—		
6023	F.206895	Spacer	2	BSS.249 or BSS.251	MR/C	
5F/2281	Hellermann-NY.3341	Strapping, $\frac{1}{2}$ " wide	QR	—		
5F/2302	Hellermann-NY.2342	Stud	QR	—	C.	
	STD 1509/12/030	Tube, distance, $\frac{1}{4}$ " o/d x 20 S.W.G. x .3" long	1	T.4	MR/C	4
	Teddington-FLM/A/5	Amplifier, magnetic (Mod. 439)	1	—	A.	
6A/4457	Smiths-FAB/18	Amplifier	2	—	A.	
5CZ/5291	Smiths-EC1/6	Amplifier, magnetic (Mod. 272)	1	—		
	F.197407	Block, distance, for terminal block	2	Alkathene 11/00, black		
	A.214829	BLOCK, TERMINAL, No. 5, ON FRAME 5, ASSEMBLY (Mod. 372)	—	—		
5X/2863	Plessey-CZ.24285	Block, terminal, 10-way	1	—	B.	
	A.218494	Bracket, mounting (Mod. 572)	1	—		
8545	F.220484	Cover, (Mod. 572)	1	—	C.	
	STD 2046/30/22	Clip, sleeved	1	—		
8543	F.218495	Mounting (Mod. 572)	4	Rubber	C.	
8544	F.217580	Pillar (Mod. 572)	2	S.95.B	C.	
	STD 1953/NR. 1 bis 10	Sleeve, marker	1 set	—		
	STD 2008/C/362	Strip, locking (Mod. 572)	1	S.84	C.	
	STD 2008/B/423	Strip, locking (Mod. 572)	1	S.84	D.	
	STD 1509/23/084	Tube, distance, $\frac{1}{16}$ " o/d x 17 S.W.G x 0-84" long	2	T.4		
	STD 915/T/18-S	Washer	2	DTD.610	MR/C	4
	B.214699	BLOCK, TERMINAL, No. 3, 7 AND 85, AT PORT COCKPIT SHELF, ASSEMBLY (Mod. 378)	—	—		
5X/2863	Plessey-CZ.24285	Block, terminal, 10-way	1	—	B.	
5X/3277	Plessey-CZ.50206	Block, terminal, 3-way	2	—	B.	
5X/3275	Plessey-CZ.26808	Cover	1	—	B.	
5X/3273	Plessey-CZ.26802	Cover	2	—	C.	
5X/6163	Plessey- Z.50210	Link, commoning	1	—	C.	
5X/3278	Plessey- Z.28426	Pillar	6	—	C.	
	STD 1953/NR. 1 bis 10	Sleeve, marker	1 set	—		
	STD 1953/NR. 1 bis 3	Sleeve, marker	1 set	—		

RESTRICTED

Page EB.2
Issued with Amendment List No. 2

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	B.206739	BLOCK, TERMINAL, No. 4 AND 6, AT PORT COCKPIT SHELF, ASSEMBLY					—	—		
5X/2863	Plessey-CZ.24285	Block,	terminal,	10-way	...	...	1	—	B.	
5X/3277	Plessey-CZ.50206	Block,	terminal,	3-way	...	...	1	—	B.	
5X/3275	Plessey-CZ.26808	Cover	...	...	...	...	1	—	B.	
5X/3273	Plessey-CZ.26802	Cover	...	...	...	...	1	—	B.	
5X/3278	Plessey-Z.28426	Pillar	...	...	...	...	4	—	C.	
	STD 1953/NR. 1 bis 10	Sleeve,	marker	...	...	...	1 set	—		
	STD 1953/NR. 1 bis 3	Sleeve,	marker	...	...	...	1 set	—		
	A.206460	BLOCK, TERMINAL, No. 2, AT FRAME 4, ASSEMBLY					—	—		
5X/2863	Plessey-CZ.24285	Block,	terminal,	10-way	...	...	1	—		
	A.218494	Bracket,	mounting	(Mod. 572)	...	...	1	—		
8545	F.220484	Cover	(Mod. 572)	...	...	...	1	—		
	STD 2046/25/24	Clip,	sleeved	...	...	...	1	—		
	A.206460/1	Label	...	...	...	...	1	—		
5X/6163	Plessey-Z.50210	Link,	commoning	...	...	...	2	—	C.	
8543	F.218495	Mounting	(Mod. 572)	...	...	...	4	Rubber		
8544	F.217580	Pillar	(Mod. 572)	...	...	...	2	S.95.B		
	STD 1953/NR. 1 bis 10	Sleeve,	marker	...	...	...	1 set	—		
	STD 2008/C/362	Strip,	locking	(Mod. 572)	...	...	1	S.84		
	STD 2008/B/423	Strip,	locking	(Mod. 572)	...	...	1	S.84		
	STD 1509/23/084	Tube,	distance, $\frac{1}{8}$ " o/d	× 17 S.W.G. × 0.84" long	...	...	2	T.4		
	STD 915/T/18-S	Washer	...	...	...	...	2	DTD.610		
	A.206556	BLOCK, TERMINAL, No. 64, AT FRAME 12, ASSEMBLY					—	—		
5X/3268	Plessey-CZ.50207	Block,	terminal,	5-way	...	...	1	—	B.	
5X/3274	Plessey-CZ.26805-S	Cover	...	...	...	...	1	—	B.	
	A.206556/1	Label	...	...	...	...	—	—		
5X/3278	Plessey-Z.28426	Pillar	...	...	...	...	2	—	C.	
	STD 1953/NR. 1 bis 5	Sleeve,	marker	...	...	...	1 set	—		
	B.222375	BLOCK, TERMINAL, No. 99, ASSEMBLY (Mod. 629)					—	—		
5X/2863	Plessey-CZ.24285	Block,	terminal,	10-way	...	...	1	—	B.	
5X/3275	Plessey-CZ.26808	Cover	...	...	...	...	1	—	C.	
5X/3278	Plessey-CZ.28426	Pillar	...	...	...	...	2	—	C.	
	6F-F+W-710195-A1;R2	<u>Befestigungsrahmen vollst.</u> (nicht Maverick Flz)					1			
	6F-F+W-710195-A1;R1	<u>Befestigungsrahmen vollst.</u> (Maverick Flz)					1			
	6F-F+W-806375E-A1	Befestigungsrahmen					1			
	6F-F+W-521984E	Klebeschildersatz					1			
	AS 1248-1/2B	Schraube					4			
	MS 22073-1,5	Schaltautomat 1,5 A					2			
	MS 22073-5	Schaltautomat 5 A					2			
	MS 22073-10	Schaltautomat 10 A					2			
	MS 25244-15	Schaltautomat 15 A					2			
	ECE-21.710	Schaltautomat 50 A					1			
	6F-F+W-711400-01A	Winkel					2			
	6F-F+W-711404-01A	Gummi-Dämpfer					4			
	FWN3540S4	Sich.-Scheibe Fst Zn					8			
	DIN 1587	Nutmutter M4 St Kl.6 verz.					6			
	NF-L 22.431BC040L	6kt.-Mutter					2			
	FWN6210P145-120	Maskeband					1			
	A25/1/2C	6kt.-Schraube					1			
	AGS 2001/C1	Sich.-Mutter 2 B.A.					1			

RESTRICTED

Ae - 1/93

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	A.224250	BLOCK, TERMINAL, No. 101, ASSEMBLY ... (Mod. 378)	—	—		
5X/3277	Plessey-CZ.50206	Block, terminal	1	—		
5X/3273	Plessey-CZ.26802	Cover	1	—		
5X/3278	Plessey-Z.28246	Pillar	2	—		
	STD 1639/30X	Bolt, securing power pack	4	—	C.	
	B.220068	Box, A.C. control, assembly (Mod. 375)	—	—		
	6F- F+W-805009E	Befestigungsplatte	1	—		
	AS 1242/1C	Sk.-Schraube	2	—		
	SP 13/C	U-Scheibe	2	—		
	AGS 2001/C1	Sich.-Mutter	2	—		
Ae.A.Hu-515						
5X/6630	Plessey-CZ.72441	Block, terminal, 5-way	1	—	B.	
	B.220069	Box	1	—		
	F.220072	Bracket	1	L.72		
7139	F.208121	Bridge	1	—		
10C/0115567	—	Capacitor, -5 mfd. 250 V.	3	—		
	STD 840/35	Clip, securing capacitors	1	—		
	Tucker-S.79	Eyelet	9	—		
9337	A.220070	Lid	1	L.59		
	A.220071	Platform	1	—		
10H/0560060	Plessey-CZ.48993	Plug, panel mounting	1	—		
10H/Z560565	Plessey-CZ.48993/5	Plug, panel mounting	1	—		
5CZ/5726	Ferranti-ZS.10A	Rectifier	1	—		
10F/0530453		Relay, type SM5A-N25	1	—		
	Helsyn-100JPx3/4"	Sleeve,	12	—		
	Helsyn- KP x 1/2"	Sleeve,	1	—		
10H/0560240	Plessey-CZ.49219	Socket, panel mounting	1	—		
5CW/5907	Smiths-EAP.2340	Switch, torque	1	—		
5K/3469	R. Courtney-Nr.01	Tag	10	—		
	B.261335 oder					
	B.242601	Box, diode, for tail chute, group (Mod. 2411)	1	—		
5X/3268	Plessey-CZ.50207	Block, terminal, 5-way	1	—	B.	
	F.242604	Carrier, for diode	1	—		
	1N 1186	Diode, silicon	2	—		
	F.242603	Lid	1	—		
	STD 1606/44/B/20	Screw, securing lid, rd. hd., 4 B.A.	2	Brass	C.	
	R. Courtney Nr.2120	Tag, QR. 6 amp.	2	—		
5K/3469	R. Courtney Nr.01	Tag	2	—		
	A.236233	Box, for standby batteries, group (c/w cable PC.13) (Mod. 2410)	1	—	B.	
	C.216112	Box, group	1	—		
8483	F.216126	Clip, spring	2	SP.ST	C.	
	F.216127	Packing, for spring clip	1	—		
5CZ/996	—	Box, junction, 3-way, type A	1	—	A.	
6730	D.207455	Box, a/c junction, and radar supply, group (Pre Mod. 556)	1	—	A.	
9633	D.222694-S2	Box, a/c junction, for flight instruments and radar supply, group (Mod. 375)	1	—	A.	
	Plessey-CZ.5138	Schutzdeckel	1	—		
5X/6607	Plessey-CZ.73898	Block, fuse, with ident tags, less cover	4	—	B.	
5X/3268	Plessey-CZ.50207	Block, terminal, 5-way	4	—	B.	
6731	F.210524	Bolt, for front lid	6	S.21	C.	
	MS25244-15	Breaker, circuit, 15A (Ae.A. Hu-F-706)	2	—	A.	
1632	A.190855	Bus-bar	2	BSS.266	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.190732					Cable, assemblies	1	—		
						Consisting of:—				
6A/2715	Smiths-213MV					Auto-transformer, 115/26V, 400 C/s	1	—	A.	
	—					Cable, trimetvinsmall	10"	—	C.	
	—					Cable, unipren, 12 amp.	QR	—	C.	
10C/0115260						Capacitor, 25 mf. 250 WKG	1	—	C.	
10C/0115333						Capacitor, 0.5 mf. 250V. WKG.	3	—	C.	
						(Not required with Type 'C' Torque Switch)				
10H/0970058	Plessey-Z.60667					Gasket, outlet, code 45	1	—	C.	
10H/0970108	Plessey-Z.62235					Gasket, union	1	—	C.	
5X/2785	Plessey-Z.22430					Grommet, helsyn, type 2	1	—	C.	
5X/1874	Plessey-Z.1840					Grommet	1	—	C.	
5X/9400385	ERMA-12105					Lug, terminal	1	—	C.	
10H/0970069	Plessey-CZ.49181					Outlet, 90°, code 45	1	—	C.	
10H/0560070	Plessey-CZ.48994					Plug, panel, unit code 43	1	—	C.	
10H/0560060	Plessey-CZ.48993					Plug, panel mounting, unit code 42	1	—	C.	
10H/0970102	Plessey-Z.49040					Ring, compression	1	—	C.	
10H/0970096	Plessey-Z.49037					Ring, thrust	1	—	C.	
5K/2576	Helsyn-AP x 3/4"					Sleeve,	93	—	C.	
5K/2577	Helsyn-BP x 3/4"					Sleeve,	10	—	C.	
5K/2578	Helsyn-CP x 1.1/8"					Sleeve,	1	—	C.	
	Helsyn-JP x 3/4"					Sleeve,	2	—	C.	
5K/3456	Helsyn-KP x 1"					Sleeve,	1	—	C.	
10H/0560250	Plessey-CZ.49221					Socket, panel, unit code 43	1	—	C.	
10H/0560240	Plessey-CZ.49219					Socket, panel, unit code 42	1	—	C.	
10H/Z560820	Plessey-CZ.56743					Socket, panel mounting coupler, code 45	1	—	C.	
10H/0560261	Plessey-CZ.49223/1					Socket, panel unit, code 45	1	—	C.	
5CW/3944						Switch, magnetic relay, type S.3	1	—	A.	
	Tucker-S.79					Tag, eyelet	13	—	C.	
5K/301	R. Courtney Nr.00					Tag, eyelet	2	—	C.	
5X/9400063	Plessey-Z.19925					Tag, 7 amp. Q/R	32	—	C.	
5X/9400062	Plessey-Z.19979					Thimble, 4 amp.	10	—	C.	
5X/9400064	Plessey-Z.19980					Thimble, 7 amp. Q/R	32	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Piste No.
		1	2	3	4	5				
5CZ/879		Fuse, 2.5 amp. ...	...	...	...	...	5	—	C.	
10H/23865		Fuse, 2.5 amp., type HRC ...	...	...	...	...	7	—	C.	
5CZ/880		Fuse, 5 amp. ...	...	...	...	...	1	—	C.	
5CZ/881		Fuse, 10 amp. ...	...	...	...	...	2	—	C.	
	B.201758	Lead, D.C. inverter, group (See Cable Chart) ...	...	...	...	...	1	—		
	A.201759	Lead, inverter, No. 1, group (See Cable Chart)	...	...	...	...	1	—		
	A.201760	Lead, inverter, No. 2, group (See Cable Chart)...	...	...	...	...	1	—		
1633	E.190333	Lid, front ...	...	...	...	...	1	DTD.213	C.	
9634	B.225929	Lid, top ...	...	...	...	...	1	DTD.213	C.	
5X/6171	Plessey-Z.50211	Link, commoning, 3 way ...	...	...	...	...	1	—	C.	
5X/6173	Plessey-Z.50213	Link, commoning, 5 way ...	...	...	...	...	1	—	C.	
5CZ/5726	Ferranti-ZS.10A	Rectifier, silicon ...	...	...	...	...	2	—		
	F.197020/2	Saddle ...	...	...	...	...	1	DTD.610		
	B.190455	Screen, suppressor ...	...	...	...	...	1	DTD.610		
	Std.1606/44/B12	Screw, roundhead ...	...	...	...	...	17	Brass	C.	5
	Std.1606/44/B16	Screw, roundhead ...	...	...	...	...	1	Brass	C.	5
	Std.1606/44/B6	Screw, roundhead ...	...	...	...	...	2	Brass	C.	5
	Std.1606/44/A6	Screw, roundhead ...	...	...	...	...	4	Brass	C.	5
1640	C.190344	Shell, outer ...	...	...	...	...	1	DTD.213	C.	
	Hellermann-P.3	Sleeve, P.V.C. 9" long ...	...	...	...	...	1	1728 Type B	C.	
	Helsyn-KP x 1/2"	Sleeve, ...	...	...	...	...	2	—		
	—	Suppressor, type F. No. 2, sub-assembly group (5CY2682 S.A.1) Consisting of :—	...	...	...	...	2	—		
5CY/2738	—	Block, terminal ...	...	...	...	...	2	—	C.	
5CY/2740	—	Choke, assembly ...	...	...	...	...	3	—	B.	
5CY/2839	—	Capacitor, type A.1004 ...	...	...	...	...	3	—	B.	
5CY/2739	—	Plate, earthing ...	...	...	...	...	1	—	C.	
5CW/5907	Smith's - EAP.2340	Switch, torque ...	...	...	...	...	2	—	A.	
	Std.1509/12/072	Tube, distance, 1/8" o/d x 20 S.W.G. x 0.72" long (Make from 30B/619)	...	...	...	...	8	T.4	MR/C	4
1641	D.189839	Unit, mounting, for A.C. junction box ...	...	...	...	...	1	DTD.213	B.	
	A.218401	Unit, suppression, torque switch, group (Mod. 556)	...	...	...	...	1	—		
	Plessey-Z.115590	Capacitor, 0.25 mf 500 V.A.C. ...	...	...	...	...	2	—		
	F.218439	Clip ...	...	...	...	...	1	L.72		
	Plessey-Z.215162	Resistor, 220 ohms 500 V.A.C. ...	...	...	...	...	2	—		
	Std.1606/44/B10	Screw, 4 B.A. ...	...	...	...	...	1	Brass	C.	5
10H/0970049	Plessey-Z.54105	Washer, panel mounting ...	...	...	...	...	QR	—	C.	

RESTRICTED

Page EB.6
Issued with Amendment List No. 2

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	C.226839	WIRING, A.C. JUNCTION BOX, DETAIL					—	—		
		"A," ASSEMBLY								
5E/3040	—	Cable, unipren 12 amp. ...					QR	—	C.	
5E/3042	—	Cable, unipren, 24 amp. ...					QR	—	C.	
	A.190048	Channel, relay mounting ...					1	DTD.610		
	A.190049	Channel, relay mounting ...					1	DTD.610		
	SP40/48	Grommet ...					1	—	C.	
5K/3455	Helsyn, JP x 3/4"	Sleeve, ...					2	—	C.	
5K/3456	Helsyn, KP x 1"	Sleeve, ...					1	—	C.	
10H/0560261	Plessey CZ.49223/1	Socket, panel unit code 45 ...					1	—	B.	
5CW/3942	—	Switch, magnetic relay, type S1 ...					2	—	A.	
5CW/3944	—	Switch, magnetic relay, type S3 ...					3	—	A.	
5X/9400061	Plessey Z.19924	Tag, 4 amp. Q/R ...					10	—	C.	
5X/9400063	Plessey Z.19925	Tag, 7 amp. Q/R ...					2	—	C.	
5X/9400065	Plessey Z.19926	Tag, 19 amp. Q/R ...					2	—	C.	
5X/9400062	Plessey Z.19979	Thimble, 4 amp. ...					10	—	C.	
5X/9400064	Plessey Z.19980	Thimble, 7 amp. Q/R ...					2	—	C.	
5X/9400066	Plessey Z.19981	Thimble, 19 amp. Q/R ...					2	—	C.	
	—	Wire, 14/-0076 Type red ...					13"	D.E.F.12	C.	
	—	Wire, 14/-0076 Type blue... ..					16"	D.E.F.12	C.	
	—	Wire, 14/-0076 Type 2 yellow ...					QR	D.E.F.12	C.	
	B.207457	WIRING A.C. JUNCTION BOX, DETAIL					—	—		
		"D," ASSEMBLY								
	—	Cable, 2.5 amp. ...					QR	—	C.	
	—	Cable, Unipren, 24 amp. ...					QR	—	C.	
	SP.40/A6	Grommet ...					1	—	C.	
10H/0560080	Plessey CZ.48995	Plug, panel, unit code 45 ...					1	—	C.	
10H/0560130	Plessey CZ.51327	Plug, panel, unit code 44 ...					1	—	C.	
10H/0560050	Plessey CZ.48992	Plug, panel, unit code 41 ...					1	—	C.	
5K/2576	—	Sleeve, helsyn A.P. ...					17	—	C.	
5K/2577	—	Sleeve, helsyn B.P. ...					8	—	C.	
10H/0560230	Plessey CZ.49217	Socket, panel unit code 41 ...					1	—	C.	
5X/9400063	Plessey Z.19925	Tag, 7 amp. Q/R ...					5	—	C.	
5X/9400065	Plessey Z.19926	Tag, 19 amp. Q/R ...					4	—	C.	
5X/9400064	Plessey Z.19980	Thimble, 7 amp. Q/R ...					5	—	C.	
5X/9400066	Plessey Z.19981	Thimble, 19 amp. Q/R ...					4	—	C.	
Ae.A.Hu-F-769	C.235518-S2	Box, junction, No. 2, armament, group					1	—	A.	
	F.202933	Angle, support, for relay ...					1	L.72		
	F.202934	Angle, support, for relay ...					1	L.72		
5X/6630	Plessey CZ.72441	Block, terminal, 5 way miniature ...					6	—	B.	
	C.232892	Box, group ...					1	L.59		
	F.202906	Angle, support, for T.B. ...					2	L.72		
	F.202912	Angle, attachment ...					2	L.72		
	Std.1569/B	Nut, side anchor ...					4	—		
	F.202911	Bracket, fuse holder ...					1	L.72		
	—	Cable, unipren, 6 amp. ...					QR	—	C.	
	—	Cable, unipren, 12 amp. ...					QR	—	C.	
5CZ/879	—	Fuse, type "S," 2.5 amp. ...					2	—	C.	
5CZ/3741	—	Holder, fuse ...					2	—	C.	
6014	B.202884	Lid ...					1	L.59 and Rubber Strip	MR/C	
6015	F.195858	Link, commoning ...					4	BSS.265	MR/C	
5X/9400385	Erma 12105	Lug, cable ...					2	—	C	

RESTRICTED

Ae - 1/87

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No	Part No.	Description					No. OW	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
10H/0560150	Plessey-CZ.49112	Plug, panel unit	...	...	...	...	1	—	C.	
10H/0560151	Plessey- CZ.49112/1	Plug, panel unit	...	...	...	...	1	—	C.	
10H/0560152	Plessey- CZ.49112/2	Plug, panel unit	...	...	...	...	1	—	C.	
10H/0560080	Plessey-CZ.48995	Plug, panel unit	...	...	...	...	1	—	C.	
10H/0560581	Plessey- CZ.48995/1	Plug, panel unit	...	...	...	...	1	—	C.	
5CW/3942		Relay, type "S" No. 1	...	...	...	...	3	—	A.	
5K/3455	Helsyn-JP x 3/4"	Sleeve,	...	...	...	...	QR	—	C.	
	Std 1948/11	Sleeve, marker (Mod. 231)	...	...	...	...	QR	—		
10H/0560260	Plessey-CZ.49223	Socket, panel unit (Mod. 231)	...	...	...	...	1	—		
5K/3469	R. Courtney-Nr.01	Tag	...	...	...	...	QR	—	C.	
	Std 1509/12/108	Tube, distance, 1/2" o/d x 17 S.W.G. x 1-08" long	...	...	...	...	2	T.4		
5868	C.206527-S1	Box, junction. No. 2, port. group (Ae.A.Hu-F-640)	...	...	...	...	1	—	A.	
5X/3181	Plessey- CZ.23212/1	Block, terminal, 20 way	...	...	...	...	1	—	B.	
	Plessey-CZ.73118	Box, assembly	...	...	...	...	1	—	B.	
	Plessey-CZ.73106	Lid, assembly	...	...	...	...	1	—		
5X/6163	Plessey-Z.50210	Link, commoning	...	...	...	...	3	—	C.	
	Plessey-CZ.72949	Plug, form F.24	...	...	...	...	1	—	B.	
	STD 1953/NR.1 bis 20	Sleeve, marker	...	...	...	...	1 set	—		
	Plessey-Z.73211	Transfer, outlet	...	...	...	...	2	—		
	Plessey-Z.73213	Washer, packing	...	...	...	...	2	—		
	B.213688	BOX, JUNCTION, ARM, 7 AND 8, ASSEMBLY (Mod. 231)	...	...	...	...	—	—		
5D/506	—	Box, junction 5-way type "A"	...	...	...	...	2	—		
5K/2374	—	Disc, blanking	...	...	...	...	5	—		
5K/87	—	Nut, gland	...	...	...	...	5	—		
	C.231461-S1	BOX, JUNCTION, ARM 9, ASSEMBLY	...	...	...	...	—	—		
Ae.A.Hu-FT-819	6F-F+W-823564E-A2	Waffenverteilerkasten ARM J.B.9 (Flz. J-4001-J-4055, J-4101-J-4152 Ae.A.Hu-F-698)	...	...	...	...	1	—		
5X/6630	Plessey-CZ.72441	Block, terminal, 5-way	...	...	...	...	1	—		
	C.231061	Box, group	...	...	...	...	1	—		
	Std.15698	Nut, side anchor	...	...	...	...	4	—		
	C.231305	Cable, form	...	...	...	...	1	—		
xx →	B.231062	Lid, group	...	...	...	...	1	—		
	—	Strip, rubber 1/8" thick (for manufacture of B.231062/2 and 3)	...	...	...	...	22"	DTD.5509/E		
	F.231255	Plate, sealing	...	...	...	...	1	L.72		
Ae.A.Hu-FT-819	6F-F+W-804870E-A2	RELAY, ASSEMBLY	...	...	...	...	—	—		
5CW/3944		Relay, type 'S' No. 3	...	...	...	...	4	—		
6A/4317	Smiths- BW.13	Box, connector, port	...	...	...	...	1	—	B.	
6A/4318	Smiths- BW.14	Box, connector, starboard	...	...	...	...	1	—	B.	
	B.232824	Box, relay control, for air brake, group	...	...	...	...	1	—	MR/C	
	C.232823	Box	...	...	...	...	1	L.59		
4178	Rotax-N.65291	Bung	...	...	...	...	1	—	C.	
	xx	Bez.-Schild	...	...	...	...	1	—		
	6F-F+W-519623E-A2	Waffenverteilerkasten ARM J.B.10 (Flz. J-4001-J-4055, J-4101-J-4152 (Ae.A.Hu-F-698)	...	...	...	...	1	—		
	6F-F+W-803272E1		...	...	...	...				

RESTRICTED

Page EB.8
Issued with Amendment List No. 2

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off.	Material Specification	M.R. Class of Store	Place No.
		1 2 3 4 5				
5CW/5253	—	Cable, unipren 6	QR	—	C.	
8460	Hellermann-H.V.3710	Cap, sea grey	1	—	C.	
	A.220906	Lid (Mod. 523)	1	—	B.	
	B.219892	Plug, form, group (Mod. 523)	1	—		
		Consisting of:—				
10H/0560150	—	Cable, unipren 6	QR	—	C.	
	Plessey-CZ.49112	Plug, panel unit, Mk. 4	1	—	B.	
	Std 1948-11	Sleeve, marker	3	—		
	Std 1948-21	Sleeve, marker	5	—		
	Std 1950-11	Sleeve, marker	1	—		
5K/3455	Helsyn: JP x 3/4"	Sleeve	8	—	C.	
5K/3469	R. Courtney-Nr.01	Tag	3	—		
5CW/6452	Smith RD1	Relay, type 9B No. 1	2	—	A.	
	A.216688	RELAY, R1 AND TERMINAL BLOCK, ASSEMBLY	—	—		
5X/6630	—	Block, terminal, 5-way	1	—	C.	
	A.216690	Platform, mounting	1	L.72		
	A.216689	RELAY, R1 AND WIRING ASSEMBLY	—	—		
5CW/3942	—	Relay, type S.1	1	—		
5K/3469	R. Courtney-Nr.01	Tag	4	—		
	Std 1606/44/B6	Screw, 4 B.A.	4	Brass	C.	5
5CW/7552	XD.788	Switch, double pole	1	—	B.	
5CW/4333	Rotax-N.100397/7	Transfer, "TEST"	1	—	C.	
	B.225404	Box, junction, power controls, group (Mod. 684)	1	—		
5X/2863	Plessey-CZ.24285	Block, terminal (Mod. 452)	1	—	C.	
5X/3277	Plessey-CZ.50206	Block, terminal (Mod. 684)	1	—		
	B.226144	Box	1	L.72		
5CZ/879	—	Fuse, 2.5 amp.	1	—	C.	
5CZ/3741	—	Fuseholder, type A	1	—	C.	
5X/2790	Plessey-Z.22634	Grommet	1	—	C.	
	Std 1509/23/030	Tube, distance, $\frac{1}{8}$ " o/d 17 S.W.G. x 0.30" long (Make from 30B/556)	2	T.4	C.	4
	C.235528-S1	Box, distribution, group (Mod. 2411)	1	—		
5X/6630	Plessey-CZ.72441	Block, terminal, 5-way	3	—	C.	
	—	Cable, Unipren 6	12ft.	—	C.	
	AF-1700-470000	Kondensator (Ae-A. HU F-873)	3	—	C.	
10H/0590110	Belling-Lee-L.693/2	Fuse, 2 amp.	2	—	C.	
10H/0590108	Belling-Lee-L.693/5	Fuse, 500 M/A (Mod. 2411)	2	—	C.	

RESTRICTED

Ae - 1/93

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
9533	A.215621					Lid, group ...	1	—	—	
	A.215621/2					Strip, sealing, $\frac{1}{2}$ " x $\frac{1}{16}$ " ...	18 $\frac{1}{2}$ "	Rubber	—	
6015	F.195858					Link, commoning ...	4	BSS.265	C.	
	Chekaleke-No. 11					Plug (Mod. 2411) ...	1	—	—	
	Chekaleke-No. 6					Plug (Mod. 2411) ...	1	—	—	
	STD 1606/44/B10					Screw, roundhead, 4 B.A. (Mod. 2411) ...	2	Brass	C.	5
10H/0560260	Plessey-CZ.49223					Socket, panel unit, code 45 ...	1	—	C.	
10H/0560250	Plessey-CZ.49221					Socket, panel unit, code 43 ...	1	—	C.	
10H/Z560251	Plessey-CZ.49221/1					Socket, panel unit, code 43 ...	1	—	C.	
10H/0560240	Plessey-CZ.49219					Socket, panel unit, code 42 ...	1	—	C.	
5K/3469	R. Courtney-Mr.01					Tag, 2.5 amp. ...	24	—	—	1
10H/0590100	Belling-Lee-L.1348					Unit, fuse ...	5	—	—	
	STD 915/A/20					Washer, packing ...	QR	—	—	
	B.229465					Box, G90 camera, group (Mod. 561) ...	1	—	—	
5L/9951273	Rotax-N.56091					Filament, 28V, 3.5 watt ...	1	—	C.	
5CX/4191	Rotax-H.2705					Lamp, warning ...	1	—	C.	
10H/0560080	Plessey-CZ.48995					Plug, code 45 ...	1	—	C.	
10F/Z530453						Relay, SMSA No. 25 ...	1	—	—	
	STD 1606/44/B10					Screw, roundhead, 4 B.A. ...	4	Brass	C.	5
10H/0560260	Plessey-CZ.49223					Socket, code 45 ...	1	—	—	
9616	F.224534					Support, wire ...	1	—	C.	
5CW/7551	XD-786					Switch, DP ...	1	—	—	1
5CW/4485	Rotax-N.100397/37					Transfer, "NORMAL" ...	1	—	—	
5CW/4333	Rotax-N.100397/7					Transfer, "TEST" ...	1	—	—	
7891	A.214419					Bracket, mounting, for time delay switch (Mod. 501) ...	1	L.72	C.	
5H/48	AS 2722					Brackets, insulating bus-bar ...	2	—	C.	
5828	A.203115					Bracket, plug mounting ...	1	—	C.	
	A.227828					Bracket, mounting, for levelling controller ...	2	—	—	
	B.231458					BRACKET, SWITCH MOUNTING, ASSEMBLY	—	—	—	
F+W Pkt.432	6F-AMF-D-12139					Bracket, mounting ...	1	—	—	
	A.233586					Bracket, switch (Mod. 2411) ...	1	S.510	—	
	F.231038					Guard, switch (First 12 a/c only) (Pre Mod. 2411) ...	1	—	—	
	A.235715					Guard, switch (Mod. 2411) ...	1	—	—	
	6F-IP+W-705868					Schutzgehäuse ...	1	—	—	
	F.232457					Plate, blanking (First 12 a/c only) (Pre Mod. 2411) ...	1	L.72	—	
	STD 1606/44/B6					Screw, roundhead, 4 B.A. (Mod. 2411) ...	2	Brass	C.	
	STD 1606/44/B8					Screw, roundhead, 4 B.A. ...	2	Brass	C.	5
	STD 1606/44/B10					Screw, roundhead, 4 B.A. (Mod. 2411) ...	2	Brass	C.	5
	STD 1606/44/B14					Screw, roundhead, 4 B.A. ...	2	Brass	C.	5
Ae.A.Hu-FT-685	5CZ/430					Klemmblock	1	—	—	
	6F- F+W-520263E					Bezeichnungsschild	1	—	—	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/7542 5CW/6332 9556	STD 1606/45/B12					Screw, countersunk, 4 B.A. ...	2	Brass	C.	5
	XD.776					Switch, bomb selector ...	1	—	B.	
	Rotax D.10007					Switch, D.P. for tail parachute ...	1	—		
	F.217161					Washer, at R.P. selector switch ...	4	L.65C		
	A.221292					Bracket, emergency fuse, at frame 12 (Mod. 488) ...	1	L.72		
5H/55	AS 2724					Bus-bar, 3 way ...	1	—	C.	
	—					Cables, electrical (See cable chart) ...	—	—	—	
	F.203862					Cable, earthing (See cable chart) ...	2	—		
	C.228981-S2					Cable, F6, group (See cable chart) ...	1	—		
	A.206068					Bracket (Local manufacture) ...	1	—		
14A/4979	—					Camera, G90 (c/w case) ...	1	—	A.	
10H/0970055	Plessey-CZ.51538					Cap, protective, at A.C. distributor box (Mod. 417) ...	2	—		
	STD 841/32					Clip, securing cables at generator control panel, $\frac{3}{16}$ " wide × 22 S.W.G. × 3-2" long (Make from 30B/1433)	1	DTD.610	MR/C	4
	STD 2046/19/24					Clip, sleeved (AS. 830/32) ...	1	—		
	E.232269-70-S4					CLIPPING OF ELECTRICAL CABLES, ASSEMBLY	—	—		
6732	Hellermann-HV.3185					Bung, forward face, frame 14 ...	1	—	C.	
10H/0970055	Plessey-CZ.51538					Cap, protective ...	4	—	C.	
10H/0970057	Plessey-CZ.51540					Cap, protective ...	2	—	C.	
	STD 2045/16/26					Clip, sleeved (AS.830/70) ...	1	—		
	STD 2045/17/26					Clip, sleeved ...	2	—		
	STD 2045/22/24					Clip, sleeved (Mod. 2411) ...	2	—		
	STD 2045/25/24					Clip, sleeved ...	3	—		
	STD 2045/30/22					Clip, sleeved (AS.830/70) ...	1	—		
	STD 2045/29/22					Clip, sleeved (Mod. 2411) ...	1	—		
	STD 2046/28/22					Clip, sleeved (Mod. 2411) ...	1	—		
	STD 2045/34/22					Clip, sleeved ...	2	—		
	STD 2046/15/26					Clip, sleeved ...	1	—		
	STD 2046/17/26					Clip, sleeved ...	4	—		
	STD 2046/23/24					Clip, sleeved ...	1	—		
	STD 2046/27/22					Clip, sleeved ...	1	—		
	STD 2046/35/22					Clip, sleeved (Mod. 2411) ...	1	—		
5897	F.209035					Clip, securing cable, assembly F.26 to pilot's floor (Local Manufacture)	1	DTD.610	MR/C	
10H/19493	Plessey CZ.62277					Connector, bulkhead ...	1	—		
10H/19457	Plessey CZ.62271					Connector, bulkhead ...	1	—		
10H/20734	Plessey CZ.61883					Connector, bulkhead ...	1	—		
10H/19451	Plessey CZ.62770					Connector, bulkhead ...	1	—		
10H/19481	Plessey CZ.62275					Connector, bulkhead (Mod. 2411) ...	1	—	C.	
	Smiths-CS21					Koaxialkabel ...	2	—		
5X/2114	Plessey-Z.22675/D					Ferrule, outer ...	3	—	C.	
5X/2121	Plessey-Z.22676/D					Ferrule, inner ...	3	—		

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10H/0970059	Plessey-Z.60668	Gasket, outlet	...	...	...	...	1	—	C.	
10H/0970108	Plessey-Z.62235	Gasket, union	...	...	...	...	1	—	C.	
5X/6700	Plessey-Z.71632	Gland	...	...	...	...	3	—	C.	
10H/19104	Plessey-CZ.49184	Outlet, straight	...	...	...	...	1	—	C.	
6733	A.207436	Nut, at bung, forward face of frame 14	...	...	...	...	1	L.65.C	C.	
10H/0970088	Plessey-Z.62229	Ring, sealing	...	...	...	...	1	—	C.	
10H/0970096	Plessey-Z.49037	Ring, thrust	...	...	...	...	1	—	C.	
5X/3148	Plessey-Z.49428	Sleeve, adaptor	...	...	...	...	70	—	C.	
5X/6783B	Plessey-CZ.111666	Socket, assembly, D24/2/0	...	...	...	...	3	—	B.	
10H/0560170	Plessey-CZ.50142	Socket, code 47	...	...	...	...	1	—	C.	
5F/2301	Hellermann-NY.18007A	Strapping, $\frac{1}{4}$ " wide	...	...	...	...	QR	—	C.	
5F/2279	Hellermann-HV.3254	Strapping, $\frac{5}{16}$ " wide	...	...	...	...	QR	—	C.	
5F/2307	Hellermann-NY.3255	Stud	...	...	...	...	QR	—	C.	
5F/2302	Hellermann-NY.3342	Stud	...	...	...	...	QR	—	C.	
	STD 1509/23/075	Tube, distance, $\frac{5}{16}$ " o/d x 17 S.W.G. x .75 long (Mod. 2411)	...	...	...	...	1	T.4		
	—	Tubing, $\frac{3}{8}$ " i/d (Mod. 496)	...	...	...	...	30"	P.V.C.		
	—	Tubing, $\frac{3}{8}$ " i/d	...	...	...	...	9"	P.V.C.		
	STD 1335/A18	Washer, for earth lead	...	...	...	...	2	L.4	C.	4
7060	F.207437	Washer, at bung, forward face of frame 14	...	...	...	...	1	DTD.171 or S.80	C.	
	C.227823	CABLE, LOOM, F.57, ASSEMBLY (Mod. 707)	...	...	...	...	—	—		
	F.216571	Bracket, lamp	...	...	...	...	1	—		
6016	F.203865	Bracket, lamp	...	...	...	...	1	L.72	MR/C	
5CX/2454	—	Lamp, type, "B" No. 2 U/V	...	...	...	...	2	—	A.	
5CX/4058	—	Lamp, type, "C" No. 2	...	...	...	...	10	—	B.	
5892	F.203673	Screen, lamp	...	...	...	...	1	—		
5CX/3430	—	Screen, lamp	...	...	...	...	8	—	C.	
5CW/6551	—	Switch, S.P.	...	...	...	...	1	—	B.	
5K/3263	Tucker-S.79	Tag, eyelet	...	...	...	...	20	—	C.	
5CW/4327	Rotax-N.100397/1	Transfer, "ON"	...	...	...	...	1	—	C.	
5K/86	—	Collet, split	...	...	...	...	2	—	C.	
5CY/4520	—	Cover, for circuit breakers	...	...	...	...	3	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	D.237112	COCKPIT LIGHTING EQUIPMENT, ASSEMBLY (Mod. 2411)								
	A.216545	Bracket, mounting, lamp and switch (Mod. 378)					1	—		
	A.235568	Bracket, for switch (Mod. 2411)					1	—		
	STD 2045/19/21	Clip, sleeved					2	S.510 or S.511	—	
	STD 2045/21/24	Clip, sleeved					2	S.510 or S.511	—	
	STD 2046/22/24	Clip, sleeved					1	S.510 or S.511	—	
	STD 2046/26/22	Clip, sleeved					1	S.510 or S.511	—	
	STD 2046/31/24	Clip, sleeved					1	S.510 or S.511	—	
	STD 2046/34/22	Clip, sleeved					1	S.510 or S.511	—	
	STD 2045/15/26	Clip, sleeved					4	S.510 or S.511	—	
	STD 2046/18/26	Clip, sleeved					1	S.510 or S.511	—	
	STD 2045/20/24	Clip, sleeved					2	S.510 or S.511	—	
	STD 2046/15/26	Clip, sleeved					3	S.510 or S.511	—	
	STD 2046/26/24	Clip, sleeved					1	S.510 or S.511	—	
5L/9951263	—	Filament, 24 volt, 2.8 watt, red					11	—	B.	
5L/9952261	—	Filament, 12 volt, 7.5 watt					2	—	B.	
	A.232780	Plate, mounting, for dimmer switches					1	L.72	MR/C	
	F.203501	Plate, mounting, port					1	L.72		
	F.203502	Plate, mounting, starboard					1	L.72		
	STD 1606/44/A8	Screw, roundhead (Mod. 378)					4	Brass		
	STD 1606/44/A10	Screw, roundhead					14	Brass	C.	5
	STD 1606/44/A12	Screw, roundhead					2	Brass	C.	5
	STD 1606/44/A16	Screw, roundhead					7	Brass	C.	5
	STD 1606/44/B8	Screw, roundhead					2	Brass	C.	5
	STD 1606/44/B10	Screw, roundhead, 4 B.A. (Mod. 2411)					4	Brass	C.	5
	STD 1606/45/A8	Screw, countersunk					4	Brass	C.	5
5F/2279	Hellermann-HV.3254	Strapping, ½" wide					QR	—	C.	
5F/2280	Hellermann-HV.3255	Stud					QR	—	C.	
5CW/7542	XD.776	Switch, S.P.C.O. centre "off" (AS.790/50)					1	—		
5CW/2451	—	Switch, dimmer, type "R," 22 ohms.					1	—	B.	
5CW/2530	—	Switch, dimmer, type "R," 75 ohms.					3	—	B.	
	N- 515.023	Notkompass					1	—		
	Smiths-CS21	Koaxialkabel					2	—		
5K/2374	—	Disc, blanking					1	—	C.	
	A.197111	EARTHING, CONNECTION, No. 1, ASSEMBLY								
STD 1298/7		Stud					1	S.1		
STD 1335/C/20		Washer					3	L.4	C.	4

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Place No.
		1	2	3	4	5				
Ae.A.Hu-333/326	A.197112-3	EARTHING CONNECTIONS, ASSEMBLY ...					—	—		
	STD 1298/1	Stud	...	...	...	...	2	S.1		
	STD 1335/C/18	Washer	...	...	...	...	6	L.4	C.	
	27V/4812	Teddington-FHJ/A/7	Element, cabin	...	...	...	1	—	A.	
	C.241046-S3	Equipment, on port forward shelf, group (nicht Maverick Flz)	...	...	...	...	1			
	6F-F+W-851429E-A1	Equipment, on port forward shelf, group (Maverick Flz)	...	...	...	...	1			
	6F-F+W-706384-1	Box, switch, group	...	...	...	...	1	—		
	A.232560	Cover...	...	...	...	...	1	DTD.610		
	F.190211	Lever	...	...	...	...	1	S.3 & T.26		
	F.190212	Spring	...	...	...	...	1	Spr. St.	C.	
1642	STD 1507/2/164	Tube, distance, 1/4" o/d x 22 S.W.G. x 1-64" long (Make from 30A/965)	...	...	...	...	1	T.26	MR/C	4
	STD 1507/2/062	Tube, distance, 1/4" o/d x 22 S.W.G. x 0-62" long (Make from 30A/965)	...	...	...	...	1	T.26	MR/C	4
	C.212529-S3	Cable, form (F.19), port (See cable chart) (nicht Maverick Flz)	...	...	...	...	1			
	6F-F+W-710594E	Cable, form (F.19), port (See cable chart) (Maverick Flz)	...	...	...	...	1			
SCW/5252	Hellermann-HV.3711	Cap, Helvin, sea grey	...	...	...	...	3	—	C.	
	STD 840/14	Clip, securing, 7/16" wide x 22 S.W.G. x 1-4" long (Make up from 30B/1433)	...	...	...	...	1	DTD.610	MR/C	4
	STD 840/20	Clip, securing, 7/16" wide x 22 S.W.G. x 2" long (Make from 30B/1433)	...	...	...	...	1	DTD.610	C.	4
	STD 840/22	Clip, securing, 7/16" wide x 22 S.W.G. x 2-2" long (Make up from 30B/1433)	...	...	...	...	1	DTD.610	MR/C	4
9422	F.219454	Guard, locking jet pipe temperature switch (Mod. 372)	...	...	...	...	1	L.72	C.	
y →	Smiths-849/FL	Indicator, position trim	...	...	...	...	1	—	A.	
5264	AW-88052	Lock, trim switch, group	...	...	...	...	1	—	B.	
5700	AW-49162	Plunger	...	...	...	...	1	S.1	MR/C	
5701	AW-49163	Spring	...	...	...	...	1	Steel	MR/C	
	STD 1606/44/B6	Screw, securing D.P. "on-off" switch (Mod. 629)	...	...	...	...	6	Brass		
	STD 1606/44/B10	Screw, securing clips	...	...	...	...	2	Brass	C.	5
	STD 1606/44/B16	Screw, securing position indicator	...	...	...	...	2	Brass	C.	5
	STD 1606/44/B8	Screw, securing switches S.P.	...	...	...	...	8	Brass	C.	5
	STD 1606/44/C20	Screw, securing trim switch	...	...	...	...	4	Brass	C.	5
x →	B.232899-S1	Shelf, group	...	...	...	...	1	—		
	F.216695	Guard, for tailplane starboard, actuator (Mod. 399) (Local Manufacture)	...	...	...	...	1	L.72		
Ae.A.Hu-506 x	6F-F+W-515099	Winkel	...	...	...	...	1	—		
y	Western-LS.1611	Switch, trim Mk.8/2	...	...	...	...	1	—	A.	

RESTRICTED

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CW/6375 or 5CW/4638 5CW/7539	XD.777	Switch, micro type 1A Mk. 4					1	—	B.	
5CW/7540	XD.778	Switch, S.P., change-over, centre "off," spring return both ways (Mod. 1072)					1	—	B.	
Ae.A.Hu-333/326	Honeywell-2TL 1-3 D	Folgeschalter					1	—		
5CW/7748		Sperrschalter					1	—	B.	
	B.232755/13	Transfer, "HAUT"					1	—	C.	
	B.232755/14	Transfer, "BAS"					1	—	C.	
	B.232755/4	Transfer, "DÉCL"					2	—	C.	
	B.232755/3	Transfer, "ENCL"					2	—	C.	
	6F-F+W-824193E	Bedienungstableau, Kabine links mitte					1			
	6F-F+W-824321E	UHF/VHF-Einbau					1			
	6F-F+W-706181E	Handschutz					1			
5CW/6434	A 32/B12	Tk.-Schraube					2			
	XD.782	Schalter					1			
	6F-F+W-521732EPOS3	Bez.-Schild					1			
	6F-F+W-710109E	Steckersupport					4			
	A 32/A12	Rk.-Schraube					4			
	AGS 2001/A1	Sich.-Mutter					1			
	6F-F+W-521721E	Kabel F.50					1			
	6F-F+W-521733E	Halter					1			
	A 25/7B	6kt.-Schraube 4 B.A.					3			
	AGS 2001/B1	6kt.-Mutter 4 B.A.					3			
	D.241049-S7	Equipment, on port, rear shelf, group					1	—	A.	
5X/6480	Plessey-Z.60218	Bar, commoning					2	—	C.	
5X/6898	Plessey-Z.63022	Bar, commoning L.H.					1	—		
5X/6899	Plessey-Z.63023	Bar, commoning, R.H.					1	—		
Ae.A. 6130 6076	F.207954-S1	Bar, ganging					1	Fibre	C.	
5X/6607	Plessey-CZ.73898	Block, fuse, QR with identification tags less cover					6	—	B.	
5X/3181	Plessey-CZ.23212/1	Block, terminal, 20 way					2	—	B.	
5X/2863	Plessey-CZ.24285	Block, terminal, 10 way					2	—	B.	
	MS 25244-25	Breaker, circuit, 25 amp. (Ae.A. Hu-F-706)					1	—	A.	
	MS 25244-15	Breaker, circuit, 15 amp. (Ae.A. Hu-F-706)					1	—	A.	
	6F-F+W-805905EPOS2	Montageplatte					1			
	A 32/B16	Hr.-Schraube } (Ae.A. Hu-F-706)					4			
	AGS 2001/B1	Sich.-Mutter					4			
	C.227163-S2	Cable, form A, for rear cockpit shelf, group (See Cable Chart)					1	—		
7814	F.206917	Plate					3	L72	MR/C	
7815	F.206918	Plate					1	L72	MR/C	
	C.218027	Cable, form B, for rear cockpit shelf, port					1	—		
	—	Cable, unipren, 6 amp.					QR	—	C.	
	—	Cable, unipren, 24 amp.					QR	—	C.	
	B.189231	Channels, mounting					1	—		
	ET-Z-AMP-31899	Kabelschuh (Ae.A. Hu-F-706)					6	—	C.	
5CW/4222	Rotax-ZA.2401/1	Guard, switch					1	—		
5X/6163	Plessey-Z.50210	Link, commoning, 2 way					4	—	C.	
5X/6171	Plessey-Z.50211	Link, commoning, 3 way					1	—	C.	
5X/6314	Plessey-Z.50214	Link, commoning, 6 way					1	—	C.	

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5X/6317	Plessey-Z.50218					Link, commoning, 10 way	2	—	C.	
Ae.A.Hu-F-676	6F-F+W-709076E					Kabel RM 6	1			
	A 32/A10					Schraube	4			
	SP 15A					U-Scheibe	4			
	AGS 2001/A1					Sich.-Mutter	4			
Ae.A.Hu-333/326	B.238692-S2					Kabel F.169	1	—	—	
	6F-F+W-516073E-1					Verbindungskabel	1	—	—	
Ae.A.Hu-F-640	6F-F+W-520269E					Relais-Support	1	—	—	
	204-205					Relais STPI	1	—	—	
	A 32/A12					Schraube	2	—	—	
5CZ/3137						Lug, cable	1	—	C.	
	C.189088					Plate, end shelf	1	DTD.610		
	A.207504					Relay, "H," group	1	—		
	—					Cable, unipren, 6 amp.	9	—	C.	
5K/3455	Helsyn-100JPx3/4"					Sleeve,	7	—	C.	
5CW/3944						Switch, magnetic relay, type "S" No. 3	1	—	A.	
	STD 1950/11					Sleeve, marker	1	—		
	STD 1948/11					Sleeve, marker	1	—		
5X/9400061	Plessey-Z.19924					Tag, 4 amp.	6	—	C.	
6X/9400062	Plessey-Z.19979					Thimble, 4 amp.	6	—	C.	
	A.205946					Relay, "K" group	1	—		
	—					Cable, unipren, 6 amp.	11	—	C.	
5K/3455	Helsyn-100JPx3/4"					Sleeve,	8	—	C.	
	STD 1948/11					Sleeve, marker	1	—		
5CW/3944						Switch, magnetic relay, type "S," No. 3	1	—	A.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp.	5	—	C.	
5X/9400062	Plessey-Z.19979					Thimble, 4 amp.	5	—	C.	
	STD 1606/44/A6					Screw, roundhead, 6 B.A.	4	—	C.	5
	STD 1606/44/B6					Screw, roundhead, 4 B.A.	14	—	C.	5
	STD 1606/44/B10					Screw, roundhead, 4 B.A.	2	Brass		
	STD 1606/44/B12					Screw, roundhead, 4 B.A.	4	Brass	C.	5
	STD 1606/44/B16					Screw, roundhead, 4 B.A.	2	Brass	C.	5
	STD 1606/44/B20					Screw, roundhead, 4 B.A.	3	Brass	C.	5
5CZ/5297	Teddington-FHK/A/26					Selector, temperature (Mod. 422)	1	—	A.	
	C.232647					Shelf, group	1	DTD.610	B.	
1644	F.189202					Fastener, hinged	3	DTD.610	C.	
1645	F.189203					Fastener, hinged	1	DTD.610	C.	
	A3-20					Fastener	2	—	C.	
	A4-25					Fastener	4	—	C.	
	S3-150					Spring	2	—	C.	
5CW/5042	Kelvin + Hughes-KSD.0201					Switch, altitude... ..	1	—	A.	
5CW/7551	XD.786					Switch, D.P., "on-off" spring return to centre position	1	—	B.	
5CW/7540	XD.778					Switch, S.P., change-over, no "off" position ...	5	—	B.	
5CW/4679	Dowty-C.1223Y.Mk. 12					Switch, lever, cabin temperature control ...	1	—	A.	
5CW/6453						Switch, magnetic relay, type 9B, No. 2A ...	1	—	A.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp. Q/R	19	—	C.	
5X/9400065	Plessey-Z.19926					Tag, 19 amp. Q/R	9	—	C.	
5X/6439	Plessey-Z.56547					Tag, 19 amp. closed	4	—	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
5X/9400062	Plessey-Z.19979						19	—	C.	
5X/9400066	Plessey-Z.19981						13	—	C.	
	B.232755/5						1	—	C.	
	B.232755/6						1	—	C.	
	B.232755/11						1	—	C.	
	B.232755/12						1	—	C.	
	B.232755/4						3	—	C.	
	B.232755/3						3	—	C.	
Ae.A.Hu-F-834	D.242331-88						1	—		
5X/6480	Plessey-Z.60218						3	—	C.	
5X/6607	Plessey-CZ.73898						4	—	B.	
5X/2863	Plessey-CZ.24285						2	—	B.	
5X/3181	Plessey-CZ.23212/1						1	—	B.	
	F.188304						1	DTD.610		
	MS 22073-10						1	—	A.	
	6F-F+W-805905EPOS3						1	—		
	A 32/B14						2			
	AGS 2001/B1						2			
	D.244023						1	—		
7813	F.206916						2	L.72	MR/C	
7814	F.206917						1	L.72	MR/C	
7815	F.206918						1	L.72	MR/C	
Ae.A.Hu-FT-682	F.206919-S1						1	L.72		
—	A.203015						1	—		
—	B.205375						1	—		
—	B.208112						1	—		
	—						18'	—	C.	
	—						4 1/2'	—	C.	
	—						10 1/2'	—	C.	
	EI-Z-AMP-130596						3	—	C.	
5K/2724	—						1	—	C.	
10H/23865	—						2	—		
5CZ/880	—						1	—	C.	
5CZ/881	—						3	—	C.	
5CZ/4057	—						1	—	C.	
	Hellermann-3033						1	—	C.	
5X/6317	Plessey-Z.50218						1	—	C.	
Ae.A.Hu-FT-682	DS00-12P-395						1	—		
	TBv. 65422/119d						1	—		
	V23154-Z1005						1	—		
	V23154-Z1021						1	—		
	6F-F+W-803295E1						1	—		
	TBv. 65422/119c						1	—		

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
x	5X/6171	Plessey-Z.50211	Link, commoning, 3 way	...	...	...	1	—	C.	
	5X/6163	Plessey-Z.50210	Link, commoning, 2 way	...	...	...	1	—	C.	
	4490	D.199451	Nut, special, at transfer "on" and "off" switch	...	...	...	1	L.65.C	C.	
		D.243982	Panel, leg. group	...	...	...	1	DTD.610		
		6F-F+W-517227E	Bar, ganging	...	...	...	1	M.S.		
		A.196162	Bracket, for terminal block	...	...	...	1	DTD.610	C.	
	4615	B.243980	Door, group (Mod. 2411)	...	...	...	1	DTD.610		
		A4-25	Fastener	...	...	...	3	—	C.	
		A.188310	Lever, rudder bar, release, group	...	...	...	1	—		
	1649	F.188308	Lever	...	...	...	1	T.26 or T.45	C.	
x	1650	F.188311	Shackle	...	...	...	1	S.3	C.	
		C.242228	Panel, front (Top portion) group (Mod. 2411)	...	...	...	1	L.72	MR/C	
	7820	B.243976	Panel, front (Bottom portion) (Mod. 2411)	...	...	...	1	L.72		
	5705	A.243981	Panel, access (Mod. 2411)	...	...	...	1	L.72		
		6F-F+W-517229E	Plate, identification (Mod. 2411)	...	...	...	1	DTD.610		
		STD 1687/2	Saddle	...	...	...	4	DTD.610	C.	
		F.151094-S1	Spring, for ganging bar	...	...	...	1	—	MR/C	
		F.199450	Plate, locking, at transfer "on" and "off" switch (Make from 30B/1726)	...	...	...	1	L.72		
		Smiths 23 A.C.R.	Ratiometer, indicator, for oil pressure	...	...	...	1	—	A.	
		B.205125-S3	Relays, 'S' and 'U' group	...	...	...	1	—		
y	6020	F.202763	Bracket, relay mounting	...	...	...	1	L.72	MR/C	
	6021	F.202764	Bracket, relay mounting	...	...	...	1	L.72	MR/C	
		—	Cable, unipren, 6 amp.	...	...	...	22 ft.	—	C.	
		—	Cable, unipren, 12 amp.	...	...	...	27"	—	C.	
	5CW/3944		Relay, type 'S', No. 3, 10 amp.	...	...	...	1	—	A.	
	5K/3455	Helsyn-NP x 1/2"	Sleeve,	...	...	...	21	—	C.	
		STD 1948/11	Sleeve, identification	...	...	...	QR	—		
		STD 1950/11	Sleeve, identification	...	...	...	QR	—		
	5X/9400061	Plessey-Z.19924	Tag, quick release	...	...	...	14	—	C.	
	5X/9400063	Plessey-Z.19925	Tag, quick release	...	...	...	2	—	C.	
x Ae.A.Hu 389	5X/9400062	Plessey-Z.19979	Thimble, crimping	...	...	...	14	—	C.	
	5X/9400064	Plessey-Z.19980	Thimble, crimping	...	...	...	2	—	C.	
		STD 1606/44/A6	Screw, roundhead 6 B.A.	...	...	...	2	Brass	C.	5
		STD 1606/44/A16	Screw, roundhead 6 B.A.	...	...	...	4	Brass	C.	5
		STD 1606/44/B6	Screw, roundhead 4 B.A.	...	...	...	8	Brass	C.	5
		STD 1606/44/B8	Screw, roundhead 4 B.A.	...	...	...	11	Brass	C.	5
		STD 1606/44/B10	Screw, roundhead 4 B.A.	...	...	...	4	Brass	C.	5
		STD 1606/44/B20	Screw, roundhead 4 B.A.	...	...	...	2	Brass	C.	5
		STD 1606/44/B24	Screw, roundhead 4 B.A.	...	...	...	4	Brass	C.	5
		STD 1606/44/B28	Screw, roundhead 4 B.A.	...	...	...	6	Brass	C.	5
y		STD 1606/44/B12	Screw, countersunk 4 B.A.	...	...	...	4	Brass	C.	5
		Honeywell-2TL 1-3	Kippschalter	...	...	...	1			
		Honeywell-1TL 1-3	Kippschalter	...	...	...	6			
		6F-F+W-517226E	Abdeckblech	...	...	...	1			
		6F-F+W-706503E	Schalterplatte	...	...	...	1			
		6F-F+W-517228E-R1	Seitenblech	...	...	...	1			
		6F-F+W-517228E-R2	Seitenblech	...	...	...	1			
		A33/A8	Sk.-Schraube 6 BA	...	...	...	4			
		STD 1606/44/B12	Rk.-Schraube 4 BA	...	...	...	6			
		A32/B12	Rk.-Schraube 4 BA	...	...	...	2			
y		AGS 2001/B1	Sich.-Mutter 4 BA	...	...	...	8			
		Rotax-D.4485	Relay	...	...	...	1			

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
4491	F.199449					Stud, at transfer "on" and "off" switch	1	S.95.B	C.	
5CW/6453						Switch, Magnetic, type 9B No. 2	1	—	A.	
5CW/540						Switch, DP. Type B	1	—	A.	
5X/6439	Plessey-Z.56547					Tag, closed end	2	—	C.	
	R. Courtney-Nr.2220					Tag, quick release	4	—	C.	
	R. Courtney-Nr.2221					Tag, quick release	3	—	C.	
	R. Courtney-Nr.2222					Tag, quick release	8	—	C.	
5X/6215	Plessey-Z.56545					Tag, closed end	1	—	C.	
5X/9400064	Plessey-Z.19980					Thimble	3	—	C.	
5X/9400066	Plessey-Z.19981					Thimble	10	—	C.	
	B.232755/3					Transfer, "ENCL"	5	—	C.	
	B.232755/4					Transfer, "DECL"	5	—	C.	
	B.232755/15					Transfer, "DEMARREUR"	1	—	C.	
	E.242330-S5					Equipment, on starboard cockpit shelf, group (Hu.Mk.58)	1	—	A.	
5X/6480	Plessey-Z.60218					Bar, commoning	4	—	C.	
5X/6898	Plessey-Z.63022					Bar, commoning	1	—	—	
	—					Box, R.P. distribution (Swiss supply)	1	—	—	
5X/6607	Plessey-CZ.73898					Block, fuse Q/R with identification tags, less cover	4	—	B.	
5CZ/432	—					Block, terminal 3-way No. 1...	1	—	—	
5CZ/868	—					Block, terminal, type "B," 5-way, No. 1	1	—	—	
5X/2863	Plessey-CZ.24285					Block, terminal, 10 way	2	—	B.	
5X/3181	Plessey-CZ.23212/1					Block, terminal, 20 way	2	—	B.	
	B.210684					Bracket, shelf end	1	DTD.610	—	
	MS 25244-25					Breaker, circuit 25 amp.	2	—	A.	
	ECE-21.710					Breaker, circuit 50 amp.	1	—	A.	
	6F-F+W-805905EP051					Montageplatte	1	—	—	
	A 32/B14					Br.-Schraube	4	—	—	
	AGS 2001/B1					Sich.-Mutter	4	—	—	
—	C.206146					Cable, assembly F.33 (See cable chart)	1	—	—	
	D.243887-S2					Cable, form 'A' group (Mod. 2411) (See cable chart)	1	—	—	
7815	F.206918					Plate	2	L.72	MR/C	
	B.205662					Cable, form 'B,' (See cable chart)	1	—	—	
	B.207230-S1					Cable, form 'C,' group (See cable chart)	1	—	—	
7813	F.206916					Plate	1	L.72	MR/C	
	B.241956					Cable, form F.157 (See cable chart)	1	—	—	
	B.234678					Cable, form F.158 (See cable chart)	1	—	—	
	A.234680					Cable, form F.159 (See cable chart)	1	—	—	
	—					Cable, unipren, 6 amp.	QR	—	C.	
	—					Cable, unipren, 24 amp.	QR	—	C.	
5CY/4520						Cap, protective	3	—	C.	
*	E.306386-S3					Bedienungstableau, Kabine r. (Hu.Mk.58A)	1	—	—	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	B.190259	Channel, mounting, fuse and terminal block ...	1	—		
	STD 2045/25/24	Clip, sleeved ...	1	—		
	STD 2045/34/22	Clip, sleeved ...	1	—		
	STD 850/27	Clip, securing, $\frac{1}{8}$ " wide x 22 SW.G. x 2-7" long (Make from 30B/1433)	2	DTD.610	MR/C	4
1646	F.167745	Cover, safety, butt test switch ...	1	—	C	
	B.242258	Cover, at shelf (Mod. 2411) ...	1	L.72		
5X/6165	Plessey-CZ.25111	Cover, transparent ...	2	—		
5L/9951273	Rorax-N.56091	Filament, 28V., 3-5W Type A	2	—	B.	
	245-010	Gauge, fuel contents ... (Ae.A.Hu-F-675)	2	—	A.	
5CZ/5074	Dowty- C.5165Y, Mk. 2	Indicator, magnetic ...	2	—	A.	
5CZ/5210	Dowty- C.5165Y, Mk. 7	Indicator, magnetic ...	2	—	A.	
5CZ/5123	Plessey- CZ.74109/2	Indicator, magnetic, eyeball type ...	2	—	A.	
	ECE-439-0-4	Lamp, warning (AS.840/96) ...	2	—	B.	
5X/6173	Plessey-Z.50213	Link, commoning, 5 way ...	2	DTD.213	C.	
5X/6317	Plessey-Z.50218	Link, commoning, 10 way ...	1	—	C.	
5X/6171	Plessey-Z.50211	Link, commoning, 3 way ...	2	—	C.	
4490	F.199451	Nut, special ...	2	L.65	—	
	BI-Z-AMP-31899	Lug, cable (Ae.A. Hu-F-706)	8	—	C.	
	6F-F+W-823933E-A1	Panel, top, for starboard cockpit shelf (fuel flow diagram) (Mod. 2411)	1	L.72		
x →						
5X/3278	Plessey-Z.28426	Pillar ...	4	—		
7966	F.214772	Plate, guard ...	2	L.72	C.	
5CY/596	—	Plug, type "F" ...	1	—	B.	
	STD 1606/44/A6	Screw, roundhead, 6 B.A. ...	6	Brass	C.	5
	STD 1606/44/B6	Screw, roundhead, 4 B.A. ...	8	Brass	C.	5
	STD 1606/44/B8	Screw, roundhead, 4 B.A. ...	4	Brass	C.	5
	STD 1606/44/B16	Screw, roundhead, 4 B.A. ...	2	Brass	C.	5
	STD 1606/45/A18	Screw, countersunk 2 B.A. ...	4	Brass		
	E.243824-S4	Shelf, group (Mod. 2411) ...	1	DTD.610		
	A.222192	Bracket ...	2	—		
	B.190391	Door, access, hinged, group ...	1	DTD.610		
	A3-25	Fastener ...	2	—	C.	
1644	F.189202	Fastener, hinged ...	6	DTD.710	C.	
1645	F.189203	Fastener, hinged ...	1	DTD.610	C.	
	A4-25	Fastener ...	9	—	C.	
	A4-30	Fastener ...	1	—		
	B.242259	Mounting, for R.P. distribution box ...	1	L.72		
	S3-150	Spring ...	2	—	C.	
29G/2180		Stud ('Lift-the-Dot') ...	1	—	C.	
	TSG 420-103	Stat.Unformer zu Nothorizont (Ae.A.Hu-F-692)	1	—	—	
x Ae.A.F-676	6F-F+W-709142	Support	1			
	6F-F+W-520382	Bügel	1			
	6F-F+W-823934E-A1	Beschriftungsplatte (Ae.A. Hu-F-816)	1			
	AS 1248/1C	Mushroom-Schraube	4			

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	STD 1948/11					Sleeve, marker ...	QR	—		
	STD 1949/11					Sleeve, marker ...	QR	—		
	STD 1953/NR. 1 bis 16					Sleeve, marker ...	2 sets	—		
	STD 1953/NR. 17 bis 60					Sleeve, marker ...	1 set	—		
	—					Sleeve, helvyn, J.P. (white) ...	QR	—	C.	
5CY/597	—					Socket, type "F" ...	1	—	B.	
7965	F.214771					Stud, for guard plate ...	2	S.95.B	C.	
5CW/7552	XD.788					Switch, D.P., change-over, centre and one side on spring return to centre	1	—	B.	
5CW/7550	XD.787					Switch, D.P., change-over, centre "off," spring return both positions	1	—	B.	
5CW/7541	XD.779					Switch, S.P., "on-off," upright "off" ...	4	—	B.	
5CW/7542	XD.776					Switch, S.P., change-over, centre "off" ...	2	—	B.	
5CZ/5752	Plessey-Z.97676					Spacer ...	4	—	C.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp. Q/R ...	25	—	C.	
5X/6439	Plessey-Z.56547					Tag, closed, end, 19 amp. ...	4	—	C.	
5X/9400065	Plessey-Z.19926					Tag, 19 amp. Q/R ...	12	—	C.	
5K/301	R. Courtney-Nr.00					Terminal ...	1	—	C.	
5X/9400062	Plessey-Z.19979					Thimble, 4 amp. ...	25	—	C.	
5X/9400066	Plessey-Z.19981					Thimble, 19 amp. ...	1	—	C.	
	B.232755/3					Transfer, "ENCL" ...	3	—	C.	
	B.232755/4					Transfer, "DECL" ...	4	—	C.	
	B.232755/17					Transfer, "GAUCHE" ...	1	—	C.	
	B.232755/5					Transfer, "NORMAL" ...	1	—	C.	
	B.232755/18					Transfer, "DROITE" ...	1	—	C.	
	B.232755/12					Transfer, "AUTO" ...	2	—	C.	
	B.232755/16					Transfer, "AILE" ...	2	—	C.	
	B.232755/6					Transfer, "TEST" ...	4	—	C.	
	—					Wire, equipment type 2 yellow 6145/10078	QR	DEF.12	C.	
10H/11718	Belling-Lee - L.1055/5A					Fuse, 5 amp. ...	2	—	C.	
10H/0590100	Belling-Lee - L.1348					Fuseholder ...	2	—		
5CZ/881	—					Fuse, 10 amp. supply and T.B. panel (Mod. 400)	2	—	C.	
5CW/4222	Rotax-ZA.2401/1					Guard, locking ...	1	—	B.	
	Plessey					Indicator, magnetic ...	1	—	A.	
	7CZ.97636									
5UB/4938-5UC-4939	—					Umformer mit Regler, Typ 100 A ...	2	—	B.	
5CX/446	—					Lamp, cockpit, Mk. 1A (Service light)	2	—	B.	
5CX/5154	Rotax-H.2805					Lamp, warning type B (Mod. 378)	2	—	B.	
5CX/1553	Rotax 4104 (Red)					Lamp, warning, type "B" (Mod. 2411)	1	—	B.	
5L/9951273	—					Lamp, filament, 28V., 3-5W. (Mod. 378)	2	—	B.	
5L/9953271	—					Lamp, filament, 28V., 7W.	2	—	B.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Place No.
		1 2 3 4 5				
5L/9959121	—	Lamp, filament	1	—	C.	
6B/2755	Smiths-CE2-A26	Lead and socket	1	—		
6022	A.201761	Lead, inverter connection (See cable chart) ...	2	—	B.	
8543	F.218495	Mounting, for G.90 camera box (Mod. 561) ...	8	Rubber		
	C.214585	MOUNTING, MAGNETIC AMPLIFIER, ASSEMBLY (Mod. 372)	—	—		
7058	B.209359	Channel, mounting	2	—		
7059	F.209362	Screw, special	4	S.95.B		
6712	F.203133	Washer	2	Rubber		
5K/87	—	Nut, securing	1	—	C.	
	Teddington-CON-5785/3	Nut, securing amplifier	4	—		
	C.233836	Pack, power, for bomb fuzing assy. (Mod. 2411) ...	—	—	—	
	B.233837	Plate, mounting, group	1	—		
	F.233838	Stud	2	S.95.B		
	—	Power, pack (Swiss supply)	1	—		
	D.237124-S3	Panel, generator control, group	1	—	A.	
5X/6607	Plessey-CZ.73898	Block, fuse, with identification tags, less cover ...	2	—	B.	
5X/2863	Plessey-CZ.24285	Block, terminal, 10 way	1	—	B.	
	F.196207	Bolt, special, for securing links	2	BSS.250.B		
	MS 25244-15	Breaker, circuit, 15 amp.)	2	—	A.	
	6F-F+W-805905EPOS6	Montageplatte) (Ae.A. Fu-F-706)	2	—	A.	
	A 32/B14	Hr.-Schraube)	4			
	AGS 2001/B1	Sich.-Mutter)	4			
5CY/5336	—	Breaker, circuit, type D	2			
	MS 22075-5	Breaker, circuit, 5 amp.	1			
	6F-F+W-522605E	Bez.-Schild	1			
	A.198117	Bracket, mounting	1	DTD.670		
4178	Rotax-N.65291	Bung, sealing	3		C.	
	D.243101-S4	Cable, form and assembly F.49 (See cable chart) ...	1			
	B.205481	Cable, assembly F.52 (See cable chart)	1			
	6F-F+W-711495-01A	Kabel zu CB1	1			
	ET-Z-AMP-31899	Kabelschuh (Ae.A. Fu-F-706)	4			
	STD 840/16	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-6" long (Make up from 30B/1433) ...	2	DTD.610	MR/C	4
	STD 840/19	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-9" long (Make up from 30B/1433) ...	3	DTD.610	MR/C	4
	STD 840/21	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 2-1" long (Make up from 30B/1433) ...	1	DTD.610	MR/C	4
	STD 840/33	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 3-3" long (Make up from 30B/1433) ...	1	DTD.610	MR/C	4
	STD 841/14	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-4" long (Make up from 30B/1433) ...	1	DTD.610	MR/C	4
	STD 843/10	Clip, securing cable, $\frac{7}{16}$ " wide x 22 S.W.G. x 1-0" long (Make up from 30A/549) ...	1	S.3	MR/C	4
5CY/4211	—	Cut-out, differential, type A, Mk. 2	2	—	A.	
5X/1878	Plessey-Z.1841	Grommet	2	—	C.	
	Hellermann-3111	Grommet (Mod. 2424)	8	—		
5CZ/5073	Dowty-C.5165Y, Mk. 1	Indicator, magnetic	2	—	A.	
5X/6317	Plessey-Z.50218	Link, commoning, 10 way	1	—	C.	
	A.190681	Link, connecting	1	BSS.1433		
4181	A.190682	Link, connecting	1	BSS.1433	C.	
4182	A.190683	Link, connecting	1	BSS.1433	C.	
4183	A.190684	Link, connecting	1	BSS.1433	C.	
4184	F.190685	Link, connecting	1	BSS.1433	C.	
4185	B.190680	Link, connecting	1	BSS.1433	C.	

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	STD 1953/NR. 1 bis 8	Marker, sleeves	...	...	...	...	2 sets	—		
	STD 1953/NR. 1 bis 10	Marker, sleeves	...	...	...	...	1 set	—		
	STD 1953/NR. 9 bis 10	Marker, sleeves	...	...	...	...	1 set	—		
	D.226805	Panel, detail, group (Pre Mod. 2424)	...	...	...	...	1	DTD.610		
	D.243100-S2	Panel, detail, group (Mod. 2424)	...	...	...	...	1	DTD.610		
	Dzus-AJW-5-35	Fastener	...	...	...	...	4	—	C.	
	A.187946	Label, amps and volts	...	...	...	...	1	L.16 or L.59		
	A.187947	Label, "Generator No. 1"	...	...	...	...	1	L.16 or L.59		
	A.187948	Label, "Generator No. 2"	...	...	...	...	1	L.16 or L.59		
	A.187949	Label, "Reset"	...	...	...	...	1	L.16 or L.59		
1651	F.186573	Lug, hinge	...	...	...	...	2	DTD.364	C.	
	F.209814	Packing	...	...	...	...	2	—	C.	5
	STD 1687/2	Saddle	...	...	...	...	1	—	C.	5
5UC/5937	—	Regulator, voltage, type 94	...	...	...	...	2	—	A.	
5CW/3944	—	Relay, type S, No. 3	...	...	...	...	4	—	A.	
5UC/5209	—	Resistance, trimmer remote, type 3, 5 ohms.	...	...	...	...	2	—	A.	
5Q/4341	—	Shunt, ammeter, 200 amps. 50 M/V	...	...	...	...	2	—	B.	
	Heisyn-5-K/2579	Sleeve	...	...	...	...	24	—		
5CY/3002	—	Socket, 3 pole, 2 amps.	...	...	...	...	4	—	B.	
5CW/6452	—	Switch, magnetic relay, type 9B, No. 1	...	...	...	...	2	—	A.	
5CW/6185	—	Switch, magnetic relay, type R	...	...	...	...	1	—	A.	
5CW/7748	XD.789	Switch, D.P.C.O. no "off" position	...	...	...	...	2	—	B.	
5CW/7545	XD.782	Switch, S.P.C.O. no "off" position	...	...	...	...	1	—	B.	
5CW/4485	Rotax-N.100397/37	Transfer, "NORMAL"	...	...	...	...	2	—	C.	
	STD 1509/23/026	Tube, distance (AS.840/45)	...	...	...	...	4	T.4		
	STD 1509/12/174	Tube, distance at relay bolt	...	...	...	...	1	—		
	STD 915/E/20	Washer, at differential cut-out	...	...	...	...	4	DTD.610	C.	4
	STD 1546/36/16	Washer, profile...	...	...	...	...	1	—		
	F.225845	Washer, special (Mod. 2424)	...	...	...	...	16	S.1.B		
	C.234457-S2	PANEL, GUN FIRING, ASSEMBLY	...	...	...	...	—	—		
	F.215659	Block, distance (Mod. 456)	...	...	...	...	4	DTD.364		
5X/3271	Plessey-CZ.52815	Block, fuse	...	...	...	...	1	—	B.	
5X/2863	Plessey-CZ.24285	Block, terminal, 10 way	...	...	...	...	1	—	B.	
5X/3277	Plessey-CZ.50206	Block, terminal 3 way...	...	...	...	...	1	—	B.	
	MS 22073-5	Breaker, circuit, 5 amp.	...	...	...	...	1	—	A.	
	6F-F+W-805905EPCS3	Montageplatte	...	...	...	...	1	—		
	A 32/B14	Hr.-Schraube	...	...	...	...	2	—		
	AGS 2001/B1	Sich.-Mutter	...	...	...	...	2	—		
—	B.205487	Cable, assembly, F.46 (See cable chart)	...	...	...	...	1	—	—	
8590	B.206530	Cable, assembly, F.47	...	...	...	...	1	—	B.	
	—	Cable, unipren, 6 amp.	...	...	...	...	72"	—	C.	
	—	Cable, unipren, 12 amp.	...	...	...	...	48"	—	C.	
	ET-Z-AMP-31899	Kabelschuh (Ae.A. Hu-F-706)	...	...	...	...	2	—	C.	
5X/3273	Plessey-CZ.26802	Cover, 3-way	...	...	...	...	1	—	B.	
5X/3275	Plessey-CZ.26808	Cover, 10-way	...	...	...	...	1	—	B.	
*	Rotax-D.4485	Wechselstrom-Relais	...	...	...	...	2	—		

RESTRICTED

RESTRICTED

Hunter F. Mk. 58
2nd Edition

Page EB.23
Issued with Amendment List No. 2

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
10H/0590110	Belling-Lee-L.693/2					Fuse, 2 amp. (Mod. 2393)	4	—	C.	
5CZ/880						Fuse, "S," 5 amp. (Pre Mod. 822, Mod. 822) ...	2	—	C.	
5CZ/5866	—					Fuse, dummy (Mod. 822) (T-7333)	1	—	C.	
10H/0590100	Belling-Lee-L.356					Holder, fuse	4	—	C.	
5UB/5398	B.232351/1					Inverter, type 300 (5UB/5398, modified) ...	1	—	A.	
	F.198995/1					Label (Pre Mod. 822)	1	—		
	F.233891/1					Label (Mod. 822)	1	—		
	F.217427/1					Label	1	—		
	F.217427/2					Label	1	—		
5X/6904	Plessey-Z.75020					Link, fuse, 2 way R.H. (AS.860/15)	1	—	—	
5X/6171	Plessey-Z.50211					Link, commoning, 3 way	1	—	C.	
5X/9400385	Erma-12105					Lug, cable	1	—	C.	
	C.234552					Panel, detail (Mod. 2393)	1	DTD.610		
	A.206894					Relay, C.1 terminal block and bracket, group ...	1	—		
5X/3268	Plessey-CZ.50207					Block, terminal, 5 way	1	—	B.	
	A.198838					Bracket, mounting	1	DTD.610		
5X/3274	Plessey-CZ.26805-S					Cover, 5 way	1	—	B.	
5X/3278	Plessey-Z.28426					Pillar, fixing	2	—	C.	
	A.206896					Relay, C.1, group	1	—		
	—					Cable, unipren, 6 amp.	42"	—	C.	
5K/3455	Helsyn-100JPx3/4"					Sleeve,	7	—	C.	
	STD 1948/11					Sleeve, marker	QR	—		
5CW/3944						Switch, magnetic relay, type S.3	1	—	A.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp.	7	—	C.	
5X/9400062	Plessey-Z.19979					Thimble, 4 mp.	7	—	C.	
	STD 1953/NR. 14 bis 18					Sleeve, marker	1 set	—		
	A.206910					Relay, F.1, group	1	—		
	—					Cable, unipren, 6 amp.	80"	—	C.	
5K/3455	Helsyn-100JPx3/4"					Sleeve,	11	—	C.	
5CW/3944						Switch, magnetic relay, type S.3	1	—	Z.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp.	9	—	C.	
5X/9400062	Plessey-Z.19979					Thimble, 4 amp.	19	—	C.	
	STD 1948/11					Sleeve, marker	5	—		
	STD 1949/11					Sleeve, marker	6	—		
	STD 1953/NR. 1 bis 13					Sleeve, marker	1 set	—		
5K/3455	—					Sleeve, helsyn plus J.P. x 3/4"	8	—	C.	
6023	F.206895					Spacer	4	BSS.249 or BSS.251	MR/C	
5CW/6452	Smiths-RD.1-					Switch, magnetic relay, type 9B, No. 1	1	—	A.	
5X/6215	Plessey-Z.56545					Tag, 4 B.A.	1	—	C.	
5X/9400061	Plessey-Z.19924					Tag, 4 amp.	6	—	C.	

RESTRICTED

Page EB.24
Issued with Amendment List No. 2

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
5X/9400062	Plessey-Z.19979	Thimble, 4 amp.	...	...	...	...	6	—	C.	
5X/9400064	Plessey-Z.19980	Thimble, 4 B.A.	...	...	...	...	1	—	C.	
	STD 1509/12/080	Tube, distance	...	...	...	...	4	T.4		
Ae.A. Bu-F-769	D.252143-S4	PANEL, SUPPLY, ASSEMBLY					—	—		
	F.197407	Block, distance	...	...	...	...	16	Alkathene Black	—	
5X/6607	Plessey-CZ.73898	Block, fuse	...	...	...	...	8	—	B.	
5X/3181	Plessey-CZ.23212/1	Block, terminal, 20-way	...	...	...	...	7	—	B.	
5X/2863	Plessey-CZ.24285	Block, terminal, 10-way	...	...	...	...	1	—	B.	
5X/3268	Plessey-CZ.50207	Block, terminal, 5-way	...	...	...	...	1	—	B.	
	D.244268-S7	Cable, form, group (See cable chart)	...	...	...	(Ae.A. Bu-F-705)	1	—		
7814	F.206917	Plate	...	...	...	...	1	L.72	MR/C	
7815	F.206918	Plate	...	...	...	...	4	L.72	MR/C	
	STD 840/20	Clip, securing resistor at relays (Mod. 372)	...	...	...	...	1	DTD.610	—	4.
5X/6163	Plessey-Z.50210	Link, commoning, 2-way	...	...	...	...	11	—	C.	
5X/6898	Plessey-Z.63022	Link, commoning, L.H.	...	...	...	...	3	—	—	
5X/6317	Plessey-Z.50218	Link, commoning, 10-way	...	...	...	...	2	—	C.	
5X/3259	Plessey-Z.50219	Link, commoning, transverse	...	...	...	...	2	—	C.	
5X/6899	Plessey-Z.63023	Link, commoning, R.H.	...	...	...	...	3	—	—	
5X/6897	Plessey-Z.63021	Link, commoning	...	...	...	...	1	—	—	
	D.206875-S1	Panel, fuse, and terminal block, group	...	...	...	...	1	DTD.610		
	F.186211	Bracket, end, for landing	...	...	...	...	1	DTD.610		
	F.186212	Bracket, end, for landing	...	...	...	...	1	DTD.610		
	F.186213	Bracket, centre, for landing	...	...	...	...	2	DTD.610		
	F.186207	Bracket, centre, for shelf	...	...	...	...	2	DTD.610		
	F.186208-S1	Bracket, end, for shelf	...	...	...	...	1	DTD.610		
	C.186214	Plate, plug, and landing group	...	...	...	...	1	DTD.610		
	F.207517	Plate, blanking (Local Manufacture)	...	...	...	...	1	DTD.610		
	S5-200	Spring	...	...	...	...	4	—	C.	
	STD 915/A/18-S	Washer	...	...	...	...	8	—	MR/C	4
	B.186752	Shelf	...	...	...	...	1	DTD.610		
	6F- F+W-710592E	Winkel	...	...	...	...	1			
	1N 1186	Diode	...	...	...	...	1			
	MH-746	Montagesatz	...	...	...	...	1			
	A 25/1B	Schraube	...	...	...	...	1			
	SP 13/B	U-Scheibe	...	...	...	...	1			
6026	A.204928	Plate, mounting, for fuse block	...	...	...	...	1	L.72	MR/C	
6028	F.204930	Plate, mounting, for fuse block	...	...	...	...	2	L.72	MR/C	
5CW/3942		Relay, type 'S' No. 1	...	...	...	...	1	—		
5CW/3944		Relay, type 'S' No. 3	...	...	...	...	3	—		
5CW/6452		Relay, type 9B No. 1A	...	...	...	...	4	—		
5CW/6543		Relay, double pole 9B No. 2A	...	...	...	...	2	—		
	Plessey-Z.243046	Resistor, 30 ohms. 6 w.	...	...	...	...	1	—		
6A/3580	Sangamo-Weston-FD.871	Spool, adjusting...	...	...	...	...	1	—		
	STD 1509/12/072	Tube, distance, 1/2" o/d x 20 S.W.G. x 0-2" long	...	...	...	...	1	T.4		
Ae.A. Hu-FT-606	6F- F+W-709015E	Sicherungsträger	...	...	...	...	1	—		
	AF-355	Sicherungshalter	...	...	...	...	2	—		
	AF-303-F-1A	Sicherung 1 A	...	...	...	...	2	—		
	6F- F+W-520211E	Bez.-Schild	...	...	...	...	1	—		
	A 32/B12	Hr.-Schraube	...	...	...	...	2	—		
	SP 15/B	U-Scheibe	...	...	...	...	2	—		
5C/4102		Relais Typ "Q"	...	...	...	...	1	—		
Ae.A. 1662	6F- F+W-822726E	Geräteeinheit vollst.	...	...	...	...	1	—		
	A 25/2C	6 kt.-Schraube	...	...	...	...	2	—		
	SP 16/C	U-Scheibe	...	...	...	...	2	—		
Ae.A. 515	A 25/3C	6 kt.-Schraube	...	...	...	...	2	—		
	SP 13/C	U-Scheibe	...	...	...	...	2	—		

RESTRICTED

Hunter F. Mk. 58
2nd Edition

Page EB.25
Issued with Amendment List No. 2

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5UC/4939		Panel, control, type 12					2		A.	
	F.235569	Piece, distance for attaching indicator (Mod. 2411) ...					1	L.65.C		
	B.219837	PLATE, SWITCH AT FRAME 9, ASSEMBLY					—	—		
5CW/5252	—	Cap, sea-grey					1	—	C.	
	Hivac/CC 10L	Indicator, neon					1	—		
	Rotax-2701 or	Lamp, warning					1	—		
	Smiths-CFP.127/24									
	A.219796	Plate, switch					1	L.72		
	8375/B4	Switch, spring biased					1	—		
	Teddington-FLM.224	Plate, adaptor, for amplifier					1	—		
	Rotax-F.1306	Relay, hood motor (AS.830/99)					1	—	A.	
	Std 1606/44/A8	Screw, roundhead, 6 B.A.					2	Brass	C.	5
	Std 1606/44/A10	Screw, securing switch roundhead, 6 B.A. (Mod. 2411)					1	Brass	C.	5
	Std 1606/44/A48	Screw, securing dimmer switch, roundhead, 6 B.A. (Mod. 2411)					1	Brass	C.	
	Std 1606/44/B6	Screw, roundhead, 4 B.A.					2	—	C.	5
	Std 1606/44/B8	Screw, roundhead, 4 B.A.					4	—	C.	5
	Std 1606/44/B14	Screw, roundhead, 4 B.A.					2	Brass	C.	5
	Std 1606/44/B20	Screw, roundhead, 4 B.A.					2	Brass	C.	5
5F/2301	Hellermann-NY.18007/A	Strapping, 1/2" wide					QR	—	C.	
5F/2302	Hellermann-NY.3342	Stud					QR	—	C.	
5H/49	—	Studs, terminal					3	—	C.	
5CY/1002	—	Suppressor, type P, No. 1					1	—	A.	
5CW/7545	XD.782	Switch, S.P. "on" "on," spring return to centre ...					1	—	B.	1
5CW/7540	XD.778	Switch, S.P. change-over, no "off" position ...					2	—	B.	
27N/93	—	Switch, inertia, Mk. 1, type S3					1	—	A.	
5CW/4638	—	Switch, micro, type 1A Mk.4					1	—	B.	
or										
5CW/6375	—									
5CW/4639	—	Switch, micro, type 4A					1	—	B.	
or										
5CW/6376	—									
5891	F.190440	Switch, hood control, assembly					1	—	MR/A	
	A.183030	Bracket, mounting					1	DTD.610		
	A.184397	Label					1	DTD.213		
5CW/7550	XD.787	Switch, change-over, centre "off," spring return, both positions					1	—	B.	1
5CW/4331	Rotax-N.100397/5	Transfer, "OPEN"					1	—	C.	
5CW/4337	Rotax-N.100397/11	Transfer, "CLOSED"					1	—	C.	
5CW/6257	Teddington-FHM/A/68	Switch, time delay (Mod. 625)					1	—	A.	
	Teddington-FHM/A/57	Switch, time (Mod. 372)					1	—		
	Dowty-C.1831.Y.Mk. 102	Switch, limit "Downmic" (Mod. 372)					1	—		
	B.232755/1	Transfer, "OUVERT"					1	—	C.	
	B.232755/2	Transfer, "FERME"					1	—	C.	
	Electronic-Comp.-22508/690C	Trimmer, single datum					1	—		
	Std 1507/23/085	Tube, distance 1/16" o/d x 17 S.W.G. x 0.85" long					2	T.26		
	Std 1509/23/030	Tube, distance, at JB2 mounting, 1/16" o/d x 17 S.W.G. x 0.30" long (Make from 30B/556)					2	T.4	MR/C	4
	Std 1509/23/082	Tube, distance, 1/16" o/d x 17 S.W.G. x 0.82" long (Mod. 561)					4	T.4		

RESTRICTED

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
5CZ/5448	—	Unit, flasher, type A, 24 volt (Mod. 2411)					1	—	A.	
27N/164	Graviner— E.483 Mk. 2	Unit, power pack					1	—		
9393	B.219682	Unit, voltage trip, group					1	—		
8012	F.208578	Adaptor, (AS.830/32)					1	Brass	C.	
10H/0970059	Plessey—Z.60668	Gasket, outlet					2	—	C.	
10H/0970111	Plessey—Z.62237	Gasket, union					2	—	C.	
10H/0970065	Plessey—CZ.49182	Outlet, straight					1	—		
10H/0970072	Plessey—CZ.49183	Outlet, angle					1	—		
10H/0560350	Plessey—CZ.53157	Plug, code 47					1	—		
10H/0970105	Plessey—Z.49147	Ring, compression					2	—		
10H/0970099	Plessey—Z.54092	Ring, thrust					2	—		
10H/0970115	Plessey—Z.62241	Sleeve					2	—		
10H/0560170	Plessey—CZ.50142	Socket, code 47					1	—		
	Graviner— E.252 Mk. 1 or E.723	Unit, voltage trip					1	—		
27N/163	Std 915/T18	Washer (Mod. 561)					4	—		
	Teddington— Con. 5740/3	Washer, for securing amplifier					4	—		
	Teddington— Con. 6068/14	Washer, for securing amplifier					4	—		
	B.233146	SWITCH, ENGINE ANTI-ICING, ASSEMBLY					1	—		
5CW/4222	—	Guard, locking					1	—	B.	
5CZ/5085	Plessey— 7CZ.97636/2	Indicator, magnetic					1	—	A.	
	Std 1606/44/A8	Screw, roundhead, 6 B.A.					2	Brass	C.	5
	Std 1606/44/B18	Screw, roundhead, 4 B.A.					2	Brass	C.	5
5K/107067	Hellermann—P.9	Sleeve, P3 grey					1	P.V.C.	C.	
5CW/7540	XD.778	Switch					1	—	B.	
	B.232755/1	Transfer, "OUVERT"					1	—		
	B.232755/2	Transfer, "FERME"					1	—		

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
	A.25.1A	Bolt, 6 B.A.	...	...	...	...	—	—	—	
	A.25.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.5B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.7B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.8B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.9B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.10B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.14B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.18B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	A.25.1C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.2C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.3C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.4C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.5C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.6C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.9C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.10C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.12C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.15C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.17C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.18C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.22C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.4E	Bolt, 1/2" B.S.F.	...	...	...	...	—	—	—	
	A.25.11E	Bolt, 1/2" B.S.F.	...	...	...	...	—	—	—	
	AS.1242.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1242.9B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1243.11B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1246.5C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1246.2E	Bolt, 1/2" B.S.F.	...	...	...	...	—	—	—	
	AS.1246.3E	Bolt, 1/2" B.S.F.	...	...	...	...	—	—	—	
	AS.1248.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.1B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.2B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.8B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.11B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.1C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.1C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.2C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.3C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.4C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.11C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AGS.1696/1	Grommet	...	...	...	...	—	—	—	
	SP.40.A.6	Grommet	...	...	...	...	—	—	—	
	AS.1854/80	Hinge	...	...	...	...	—	—	—	
	AS.1855/110	Hinge	...	...	...	...	—	—	—	
	A.S360.B.3.B	Lead, bonding	...	...	...	...	—	—	—	
	A.25 1/2 C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	A.25.8C	Bolt, 2 B.A.	...	...	...	...	—	—	—	
	AS.1248.5B	Bolt, 4 B.A.	...	...	...	...	—	—	—	
	AS.1248.10B	Bolt, 4 B.A.	...	...	...	...	—	—	—	

RESTRICTED

Hunter F. Mk. 58
2nd Edition

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description										No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5									
	AGS.2001.A1	Nut, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2001.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2001.B3	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2001.B4	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2001.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2001.E4	Nut, 1" B.S.F.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2002.A1	Nut, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2002.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2002.B4	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2002.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2002.E1	Nut, 1" B.S.F.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2007.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2007.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2008.A1	Nut, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2008.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2008.C1	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2009.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2008.B3	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2018.A1	Nut, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2019.B1	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.27.A.T.	Nut, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.27.B.P.	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.27.B.T.	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.27.C.P.	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.27.C.T.	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.54/B	Nut, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.54/C	Nut, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.27.A.P.	Nut, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.4.Y.A.5	Pin	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.4.Y.A.16	Pin	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.4.Y.B.14	Pin	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.4.Y.D.10	Pin	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.9.C.4	Split pin	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.90/C5	Split pin	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.90/C13	Split pin	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.A.10	Screw, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.A.14	Screw, 6 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.6	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.8	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.12	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.14	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.16	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.18	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.20	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.22	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.24	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.28	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B32	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.40	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.B.44	Screw, 4 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	
	A.31.C.12	Screw, 2 B.A.	...	...	...	...	...	...	...	...	...	—	—	—	

RESTRICTED

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.31.C.14	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.32.A.6	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.32.A.8	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.32.A.10	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.32.A.12	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.32.A.14	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.32.B.6	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.8	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.10	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.12	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.14	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.16	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.20	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.24	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.28	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.32	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.26	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.B.40	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.32.C.12	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.32.C.16	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.32.C.20	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.32.C.24	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.33.A.12	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.33.B.6	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.8	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.10	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.12	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.16	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.14	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.20	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.24	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.28	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.B.40	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.33.C.10	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.33.C.12	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.33.C.16	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.43.A.10	Screw, 6 B.A.	...	...	...	...	—	—	—	
	A.43.B.8	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.10	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.14	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.16	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.20	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.24	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.B.28	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.43.C.12	Screw, 2 B.A.	...	...	...	...	—	—	—	
	A.44.B.6	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A.45.B.14	Screw, 4 B.A.	...	...	...	...	—	—	—	
	AGS.1186-3	Seal, bonded	...	...	...	...	—	—	—	
	SP.13.B	Washer	...	...	...	...	—	—	—	
	SP.13.C	Washer	...	...	...	...	—	—	—	
	SP.15.C	Washer	...	...	...	...	—	—	—	
	A.32.A.44	Screw								
	A.32.B.22	Screw								

RESTRICTED

RESTRICTED

ELECTRICAL EQUIPMENT—FRONT FUSELAGE

Ref. No.	Part No.						Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5									
	SP.15.B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.15.E	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.15.A	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.16.B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.16.C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.16.E	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2034A	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2034B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2035B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2035C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.2035L	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.191/B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	AGS.191/C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.19.B	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.19.C	Washer	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.47.B	Washer, spring	...	...	...	...	...	...	...	...	...	—	—	—	
	SP.58.D	Washer	...	...	...	...	...	...	...	...	...	—	—	—	

RESTRICTED

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

