

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part. No.	Description					No. Of	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
8543	C.231562-S6 F.218495	INSTRUMENT PANELS, ASSEMBLY					—	—	—	—
		Mounting, for port and starboard panels (Mod. 761)					12	Rubber	C.	FC.1
5384	D.187863-S1 DTD 487/13 E	MOUNTING, PANEL, ASSEMBLY					—	—	—	—
	6F-F+W-706688	Bolt, for "Lord" mountings					4	DTD.487	C.	FC.1
	6F-F+W-706686	Bracket, top centre panel mounting					2	—	C.	FC.1
	F.203235	Bracket, bottom centre panel mounting					2	—	C.	FC.1
3866	B134/AD/4	Clip, for cross tube					2	S.3	C.	FC.1
	SP 15/E	Block, mounting (Pre Mod. 761)					6	—	C.	FC.1
	AGS 2001/E1	U-Scheibe					4	—	—	FC.1
	F.211792	Sich-Mutter					4	—	—	FC.1
27H/3219	Dunlop-150/PL.6	Mounting, A.V. (Alternative to 27H/3248)					4	—	B.	—
27H/3248	—	Mounting					4	—	B.	—
1542	F.187614	Mounting, "Lord" (Alternative to F.211792)					4	—	C.	FC.1
1543	F.187864	Plate, support					2	DTD.610	C.	FC.1
3867	F.195815	Strut, support, port					1	T.4	C.	FC.1
	A.203240	Strut, support, starboard					1	T.4	C.	FC.1
	Std 1509/24/080	Tube, cross					1	L.72	—	FC.1
	Std 1509/24/034	Tube, distance, 3/8" o/d x 17 S.W.G. x 0-80" long (Make from 30B/557)					2	T.4	MR/C	4
		Tube, distance, 3/8" x 17 S.W.G. x 0-34" long (Make from 30B/559)					4	T.4	MR/C	4
2724	A.185592	Washer					2	DTD.364	MR/C	FC.1
3868	F.168524	Washer, at "Lord" mounting					12	DTD.610	C.	FC.1
F+W Pkt.422	D.231115-S10 N-514.039	PANEL, CENTRE, ASSEMBLY					—	—	—	—
		Codierhöhenmesser (Thommen)					1	—	—	—
5CX/5360	Plessey-CZ.28963	Block, terminal, 3 way					1	—	MR.	FC.1
5CX/5351	B.215803	Bracket, for push button switches (Mod. 502)					1	—	B.	—
5CX/5352		Bridge-light, type "L" (Mod. 2401)					1	—	B.	—
	B.215828	Bridge-light, type "B"					1	—	B.	—
7989	A.209702	Bridge-light, type "C"					1	—	—	—
	A.221368	Cable, electric, P.C.12 group (See Cable Chart)					1	—	C.	—
	D.244319	Ferrule					1	—	—	—
Ae.A.536	6F-F+W-519666E	Cable, electric, F.139 group (See Cable Chart)					1	—	—	—
5CW/5252	Hellermann-HV.3711	Cable, F.12 assembly (See Cable Chart)					1	—	B.	—
5CW/5253	Hellermann-HV.3710	Plug, type "R"					1	—	C.	—
	Std 2045/23/24	Cap (Sea grey) (Mod. 488)					1	—	C.	—
	N-522.009	Cap (Sea grey) (Mod. 452)					1	—	—	—
6A/2519	—	Clip, sleeved					2	—	—	—
5X/3273	—	Clock (Revue Thommen)					1	—	A.	—
	B.4755	Connector, static and pressure					2	—	—	—
5CW/5045	—	Cover, transparent (Mod. 2401)					1	—	—	—
5CW/4222	—	Fixture, light (Mod. 2401) (Swiss Supply)					3	—	C.	—
	N-513.009	Grommet (Mod. 2401)					6	—	—	—
Ae.A.Hu-F-692	42-903	Guard, switch (Mod. 488)					1	—	—	—
	Sperry-18846-0	Indicator, rate of climb (Thommen)					1	—	—	—
Ae.A.Hu 452	6F-F+W-707756 E-1	Nothorizont					1	—	A.	—
Ae.A.Hu-F-667	Std 1606/44/B20	Indicator, artificial horizon, HL-7					1	—	A.	FC.1
	N-512.060	Kabelhalterung					1	—	A.	—
6A/9741	Smith-587/FL	Rk.-Schraube 4BA					2	—	—	—
	Smith-848/FL	Indicator, air speed (Thommen)					1	—	—	—
5CZ/5074	Dowty-C.5165Y.Mk.2	Indicator, tail plane position (Mod. 406)					1	—	A.	—
	GL-4.01.03	Indicator, flap position					1	—	A.	—
5X/6163	Plessey-Z.502110	Indicator, magnetic (Mod. 452)					2	—	A.	—
6A/3300	Mechanism-6A/3300	Lamp, midjet, for panel (Mod. 2401) (Swiss Supply)					8	—	—	—
	D.231110-S4	Link, commoning, 2 way					1	—	C.	—
	A.235488	Machimeter, Mk. 3A (Mod. 1691)					1	—	A.	—
	Std 1606/45/C8	Panel, group					1	—	—	FC.1
		Adaptor, for A.S.I (Mod. 2401)					1	—	—	—
		Screw, countersunk, 2 B.A.					4	Brass	C.	5
Ae.A.Hu. FT-631	6F-F+W-517174-1	Halteplatte					1	—	—	—
	AS 1242/1B	Sk.-Schraube					2	—	—	—
	AGS 2002/B1	Sich-Mutter					2	—	—	—
Ae.A.Hu-F-676	RWS-77-SMD877076	Indicator Radar Signals					1	—	—	—
		(siehe Seite MB.5)					—	—	—	—

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.232501	Label, zu HR-Servoschalter					1			
	A.231114/1	Pipe, pressure, connector to machmeter ...					1	T.9		
	A.231114/2-S1	Pipe, static, connector to altimeter...					1	T.9		
	A.231114/3-S1	Pipe, static, altimeter to machmeter ...					1	T.9		
	A.231114/4	Pipe, static AS1 to rate of climb indicator					1	T.9		
	A.231114/5	Pipe, pressure AS1 to machmeter ...					1	T.9		
	A.231114/6	Pipe, static, AS1 to machmeter ...					1	T.9		
	Std 1606/44/B12	Screw, roundhead, 4 B.A. ...					2	Brass	C.	5
	Std 1606/44/C24	Screw, roundhead, 2 B.A. ...					4	Brass	C.	5
	Std 1606/44/C28	Screw, roundhead, 2 B.A. ...					4	Brass	C.	
	Std 1606/44/C32	Screw, roundhead, 2 B.A. (Mod. 2401) ...					2	Brass	C.	
	Std 1606/45/B14	Screw, countersunk, 4 B.A. ...					1	Brass	C.	5
	Std 1606/45/B16	Screw, countersunk, 4 B.A. ...					8	Brass	C.	5
	Std 1606/44/B24	Screw, countersunk, 4 B.A. ...					14	Brass	C.	5
	Std 1606/45/B24	Screw, countersunk, 4 B.A. ...					5	Brass	C.	
	Std 1606/45/B20	Screw, countersunk, 4 B.A. (Mod. 2401) ...					1	Brass	C.	
	Std 1606/45/B28	Screw, countersunk, 4 B.A. ...					7	Brass	C.	5
	Std 1606/45/B32	Screw, countersunk, 4 B.A. ...					4	Brass	C.	5
	Std 1606/45/C24	Screw, countersunk, 2 B.A. ...					3	Brass	C.	5
	Std 1606/45/C28	Screw, countersunk, 4 B.A. ...					8	Brass	C.	5
6B/2575	—	Shield, magnetic					1	—		
5F/2281	Hellermann-HV.3341	Strapping					QR	—	C.	
5F/2282	Hellermann-HV.3342	Stud					QR	—	C.	
Ae.A.Hu-F-667	6F-F+W-520529 E	Switch, S.P. change over					1	—		
	K21 300 a	Switch, S.P. 3 way (Gfeller)					1	—	B.	
5CW/5056	Dowty-C.5162Y.	Switch, push button (Mod. 502)					2	—	—	
	Mk. 3									
	N-501.051	Tachometer, engine speed, single pointer					1	—		
		(0-10,000 R.P.M.) Typ KTD.0811K								
	N-502.102	Thermometer, exhaust gas (AS.840/99)(S.Weston)					1	—	A.	
6B/563	N.515.126	Unit, Gyro, type 'B' (Alternative to 6B/2035)					1	—	A.	
6B/2035	N.515.126	Unit, Gyro, type 'A' (Alternative to 6B/563)					1	—	A.	
	STD 915/B/22	Washer, 4 B.A....					4	DTD.610	C.	4
	STD 1335/B/18	Washer (Mod. 2401)					3	—		
* 5CX/4013	Rotax-H.2802	Fahrwerk-Warnlampe					1	—	—	FC.1
	B.232578	PANEL, PORT, ASSEMBLY					—	—		
5CW/5253	—	Cap, sea grey (Mod. 452)					1	—	C.	
	Std 840/29	Clip, 1/8" wide x 22 S.W.G. x 2-9" long					1	DTD.610	MR/C	4
		(Make from 30B/1433)								
	Std 840/26	Clip, 1/8" wide x 22 S.W.G. x 2-6" long					1	DTD.610	MR/C	4
		(Make from 30B/1433)								
	Std 1512/28	Disc, hydraulic pressure warning lamp					1	—	C.	4
5L/9951286	—	Filament, 28V. 2-5W.					9	—	B.	
5L/9951273	—	Filament, 28V. 3-5W.					2	—	B.	
5CX/5164	Dowty-C.1224Y.	Indicator, undercarriage position, type D.1					1	—	B.	
	Mk. 8									
5CZ/5074	Dowty-C.5165Y.	Indicator, magnetic, aileron and elevator					2	—	A.	
	Mk. 2									
5CZ/5073	Dowty-C.5165Y.	Indicator, magnetic, air brake					1	—	A.	
	Mk. 1									
5CX/1553	Rotax-H.1404 (Red)	Lamp, hydraulic pressure warning type "B"					2	—		
	A.232577	Panel, group					1	—	B.	FC.1
	A.208107	Bracket, undercarriage position indicator					1	L.72		FC.1
	B.192562	Bracket, undercarriage control switch					1	S.3		FC.1
	F.217564	Collar (Mod. 452)					1	—		
	B.232576	Panel					1	DTD.610		
	6F-F+W-516742	Abdeckung kompl.					1	—	—	
F+W Pkt.354	6F-F+W-803499-2	Support					1	—	—	
Ae.A. 1427	AS 2229/405	Niet					4	—	—	
	A 32/B 24	Rk.-Schraube					3	—	—	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	6F-F+W-806378E-A2-R1	Kabel F120 Borduhr	1			
	6F-F+W-806489E	Support	1			
	6F-020-3525	Drehknopf ELMA (Ae.A HU-PT-813)	1			
	6F-040-3025	Deckel ELMA	1			
	VN 472	Kabelbride Nylon EP - 3N	1			
	STD 1606/44/B10	Screw, roundhead, 4 B.A. ...	2	Brass	C.	
	STD 1606/44/B12	Screw, roundhead, 4 B.A. ...	1	Brass	C.	5
	STD 1606/44/B14	Screw, roundhead, 4 B.A. ...	2	Brass	C.	5
	STD 1606/44/B16	Screw, roundhead, 4 B.A. ...	2	Brass	C.	5
	STD 1606/44/B24	Screw, roundhead, 4 B.A. ...	5	Brass	C.	5
	STD 1606/45/B14	Screw, countersunk, 4 B.A. ...	1	Brass	C.	5
	Dowty-C.5182X Mk. 5	Switch, undercarriage push button (Mod. 2482)...	1	—	A.	
	Dowty-C.1223X Mk. 25	Switch, flap lever ...	1	—	A.	
	K21 300 a	Switch, SP. 3 way (Mod. 452) (Gfeller) ...	1	—	A.	
	STD 1509/12/030	Tube, distance ...	1	T.4	MR/C	4
	B.231561-S5	PANEL, STARBOARD, ASSEMBLY ...	—	—		
	Kelvin+Hughes-KAA.1304 K	Altimeter, cabin ...	1	—	A	
	— B.244072	Cable, F.11, assembly (See Cable Chart) (Mod. 2411)	1	—	—	
	— A.215942	Cable, F.118, assembly (See Cable Chart) (Mod. 503)	1	—		
5 CW 5252	Hellermann-HV.3711	Cap, sea grey ...	2	—	C.	
	F.233731	Cover, switch, safety (AS.790/94) ...	1	—		FC.1
	STD 1512/29	Disc, warning lamp ...	1	—	C.	4
5L/9951273	—	Filament, 28V. 3-5W. ...	2	—	—	
6A/4246	—	Flange, for cabin altimeter (AS.840/45) ...	1	—	B.	
5CX/1069	Rotax-H.2702	Lamp, warning (Mod. 503) ...	1	—		
5CX/1553	Rotax H.1404 (Red)	Lamp, warning, type 'B' (with night screen) ...	1	—	B.	
	STD 1231/1	Lug, locking ...	1	—	C.	4
	C.232630	Panel ...	1	DTD.610	B.	FC.1
	STD 1606/44/B16	Screw, roundhead, 4 B.A. ...	8	Brass	C.	5
	STD 1606/45/B8	Screw, countersunk, 4 B.A. ...	4	Brass	C.	5
	STD 1606/45/B12	Screw, countersunk, 4 B.A. ...	1	Brass	C.	5
	STD 1606/45/B24	Screw, countersunk, 4 B.A. ...	4	Brass	C.	5
5CW/7543	XD.780	Switch, S.P. 3-way (spring return one way to centre off) (Mod. 715)	1	—	B.	
5CW/7544	XD.781	Switch, S.P. "ON-OFF" spring return to centre off (Pre Mod. 715)	1	—	B.	
5CW/7541	XD.779	Switch, S.P. "ON-OFF" (upright OFF) ...	1	—	B.	
	B.232755/19	Transfer, "SORTIE" ...	1	—	C.	
	B.232755/7	Transfer, "CLAIR" ...	1	—	C.	
	B.232755/8	Transfer, "SOMBRE" ...	1	—	C.	
	B.232755/4	Transfer, "DECL" ...	1	—	C.	
	C.232189-S4	PANEL, TOP, AND GLARE SHIELDS, ASSEMBLY (Mod. 2381)	—	—	—	
	F.214593/1	Clip, mounting, top ...	2	L.72		
	F.214593/2	Clip, mounting, bottom ...	2	L.72		
F+W Pkt.370 Ae.A. 1517	6F-AMF-D-12098	Platte	1	—	—	
	AGS 2018/B 3	Anniemutter	2	—	—	
	NB 1076	Niet 2,5 x 8 St 00.13	4	—	—	
	6F-F+W-518650	Sperrhebel	1	—	—	
Ae.A. Hu450	6F-F+W-518649	Feder	1	—	—	
	6F-F+W-518651	Spez.-Schraube	1	—	—	

EQUIPMENT AIRCRAFT-INSTRUMENT PANELS

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
	6F-F+W-824422E-A1	Top-Instr. Panel, links, vollst.					1			
	6F-F+W-806373E-A1	Bewaffnungspanel					1			
	A 33/A 10	Sk.-Schraube 6 B.A.					1			
	AGS 2001/A1	Sich.-Mutter					1			
	6F-F+W-710186E	Support Bracket					1			
	ECE-78A-5	Drucktaste					1			
	6F-F+W-520864E-R3	Sich.-Deckel					1			
	ECE-350PS01A5	Drucktaste					2			
	6F-F+W-520864E-R1	Sich.-Deckel					1			
	6F-F+W-520864E-R2	Sich.-Deckel					1			
	ECE-41.615	Kippschalter					1			
	Honeywell-1TL1-1D	Kippschalter					1			
	Honeywell-2TL1-1A	Kippschalter					1			
	B30-3-1-3N	Dreheschalter					1			
	6F-F+W-711471	Knopf-Montage-Kit					1			
	6F-F+W-522191E	Schild					1			
	6F-PT00.E16.26P	Steckdose					1			
	6F-PT00.E16.26PW	Steckdose					1			
	A 32/A 12	Rk.-Schraube 6 B.A.					8			
	AGS 2001/A1	Aich.-Mutter					8			
	6F-F+W-522136E	Klebeschild					1			
	6F-F+W-521970E-A1	Fabr.-Schild					1			
	6F-F+W-824425E	Kabel zu Top-Instr. Panel					1			
	6F-F+W-824424E-A1	Kabel GS 3					1			
5CW/5252	B.232801-S2	PANEL, TOP, STARBOARD, ASSEMBLY ...					—	—	—	
	N-518.020	Accelerometer (Mod. 2411) (Swiss supply) ...					1	—	—	
	Heilmann-	Cap, sea grey' ...					1	—	—	
	H V.3478	Cover, SW, waterproof (Mod. 2411) ...					1	—	—	
	6F-F+W-513122E	Cover, for fire warning switch (Swiss supply and fit)					1	—	—	
5L/9951272	—	Filament, 2.8V., 3.5W. ...					1	—	—	
	B.232775-S2	Panel ...					1	L.72	—	
	STD 1606/44/B10	Screw, roundhead, 4 B.A. ...					3	Brass	C.	5
	STD 1606/45/B14	Screw, countersunk, 4 B.A. (Mod. 2411) ...					2	Brass	C.	5
	STD 1606/45/B28	Screw, countersunk, 4 B.A. ...					3	Brass	C.	5
5CW/7541	XD.779	Switch, 5.P. 'ON-OFF' (Mod. 2411) ...					1	—	B.	
5CW/6311	—	Switch, push 'FIRE WARNING' (SK.A27151)					1	—	—	
5CW/4528	—	Window, "RED" ...					1	—	C.	
	A.216817	Shield, centre lower group ...					1	L.72	—	
	B.216818	Shield, centre upper group ...					1	—	—	
	A.54573/1	Ring, retaining (AS.840/56) ...					1	—	—	
	A.232711	Shield, glare port group ...					1	—	—	
	D.215635	Shield, glare, starboard group ...					1	—	—	
	STD 2088/1	Beading (for manufacture of D.215634/3) ...					2	—	—	
	STD 1547/20/14	Washer, packing at mounting clip ...					8	—	—	
	STD 1509/3/026	Tube, distance (Mod. 761) ...					6	T.4	—	
	STD 1509/3/076	Tube, distance (Mod. 761) ...					6	T.4	—	
9777	F.231121	Washer, at port and stbd. panel m'tgs. (Mod. 761)					6	DTD.5509/D	—	
Ae.A. 1219	6F-AMF- B-15268	Klammer					1	—	—	FC.1
	A 25/2C	6 kt.-Schraube 2 B.A.					1	—	—	
	AGS 160/C	U-Scheibe					1	—	—	
	SP 13/C	U-Scheibe					1	—	—	
Ae.A.Eu-FT-713	6F-BAMF- B-15279/1	Stainoid-Tasche					1	—	—	
Ae.A. 1270	LN 9282	Einziehmutter "Tubtara" 4 x 10					1	—	—	
	NB 1006	L-Schraube M4 x 15/9, 360.51 (auf 13 kürzen)					1	—	—	
	AS 2228/305	Niet					3	—	—	
	6F-F+W-709192	Keil hinten					1	—	—	
	6F-F+W-709191	Keil vorn					1	—	—	
Ae.A.Eu-F-676	VSM 13300/DIN 84	Zyl.-Schraube 2x30 4.8					4	—	—	FC.1
	A 32/B18	Rk.-Schraube					1	—	—	FC.1
	AGS 2037/B	Zahnscheibe					1	—	—	

EQUIPMENT AIRCRAFT—INSTRUMENT PANELS

Ref. No.	Part No.	Description							No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5						
		SUMMARY OF STOCK ITEMS										
	A25.1B	Bolt,	4	B.A.	...	...	...	...	—	—	—	
	A25.1C	Bolt,	2	B.A.	...	...	...	...	—	—	—	
	A25.2C	Bolt,	2	B.A.	...	...	...	...	—	—	—	
	A25.10C	Bolt,	2	B.A.	...	...	...	...	—	—	—	
	A25.9E	Bolt,	1/2"	B.S.F.	...	...	...	...	—	—	—	
	A25.10E	Bolt,	1/2"	B.S.F.	...	...	...	...	—	—	—	
	AS.1242.1B	Bolt,	4	B.A.	...	...	...	...	—	—	—	
	AS.1242.2B	Bolt,	4	B.A.	...	...	...	...	—	—	—	
	AS.1248.1/2C	Bolt,	2	B.A.	...	...	...	...	—	—	—	
	AS.1248.1C	Bolt,	2	B.A.	...	...	...	...	—	—	—	
	AS.1248.12E	Bolt,	1/2"	B.S.F.	...	...	...	...	—	—	—	
	SP.58.G	Burr	...	...	...	...	...	...	—	—	—	
	AS.3360.B4B	Lead, bonding	...	...	...	...	...	...	—	—	—	
	AS.3360.B4E	Lead, bonding	...	...	...	...	...	...	—	—	—	
	AGS.2001/A1	Nut,	6	B.A.	...	...	...	...	—	—	—	
	AGS.2001/B1	Nut,	4	B.A.	...	...	...	...	—	—	—	
	AGS.2001/B3	Nut,	4	B.A.	...	...	...	...	—	—	—	
	AGS.2001/C1	Nut,	2	B.A.	...	...	...	...	—	—	—	
	AGS.2001/E1	Nut,	1/2"	B.S.F.	...	...	...	...	—	—	—	
	AGS.2002/A4	Nut,	6	B.A.	...	...	...	...	—	—	—	
	AGS.2002/B1	Nut,	4	B.A.	...	...	...	...	—	—	—	
	AGS.2002/B4	Nut,	4	B.A.	...	...	...	...	—	—	—	
	AGS.2002/C1	Nut,	2	B.A.	...	...	...	...	—	—	—	
	AGS.2002/E1	Nut,	1/2"	B.S.F.	...	...	...	...	—	—	—	
	A27.ET	Nut,	1/2"	B.S.F.	...	...	...	...	—	—	—	
	A54.B	Nut,	4	B.A.	...	...	...	...	—	—	—	
	A54.C	Nut,	2	B.A.	...	...	...	...	—	—	—	
	A32.B.24	Screw,	4	B.A.	...	...	...	...	—	—	—	
	A32.C.20	Screw,	2	B.A.	...	...	...	...	—	—	—	
	A45.B.10	Screw,	4	B.A.	...	...	...	...	—	—	—	
	AGS.838/8	Union, bush...	...	...	...	...	...	...	—	—	—	
	AGS.838/3	Union, elbow	...	...	...	...	...	...	—	—	—	
	AGS.838/4	Union, nut	...	...	...	...	...	...	—	—	—	
	AGS.838/1	Union, straight	...	...	...	...	...	...	—	—	—	
	AGS.838/2	Union, tee	...	...	...	...	...	...	—	—	—	
	SP.14.E	Washer	...	...	...	...	...	...	—	—	—	
	SP.15B	Washer	...	...	...	...	...	...	—	—	—	
	SP.15C	Washer	...	...	...	...	...	...	—	—	—	
	SP.15E	Washer	...	...	...	...	...	...	—	—	—	
	SP.16A	Washer	...	...	...	...	...	...	—	—	—	
	SP.16B	Washer	...	...	...	...	...	...	—	—	—	
	SP.16C	Washer	...	...	...	...	...	...	—	—	—	
	SP.16E	Washer	...	...	...	...	...	...	—	—	—	
	AGS.163D	Washer	...	...	...	...	...	...	—	—	—	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.