

EQUIPMENT AIRCRAFT—G.M. COMPASS INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Place No.
		1	2	3	4	5				
	G.232011	G.M. COMPASS INSTALLATION, ASSEMBLY (AS.770/35)					—	—	—	
	N-515.124	Amplifier , precession (Sperry 16529-0)					1	—	A.	
	N-515.136	Box , corrector, control (Sperry 15387-0 Mod. C.B.1)					1	—	A.	
	—	Cables , electrical (See Cable Chart)					—	—	—	
7846	F.207421	Clip , securing cable					4	L.72	C.	
7847	F.210058	Clip , securing coupler plug					1	L.72	C.	
	Std.840/28	Clip , securing cable at frame 18, $\frac{7}{16}$ " wide x 22 S.W.G. 2.8" long					2	DTD.610	C.	4
	Std.2045/23/24	Clip , sleeved (AS.830/95)					10	—	—	
	Std.2045/31/32	Clip , sleeved (A.3900/100)					4	S.510 or S.511	—	
	Std.2045/34/22	Clip , sleeved (AS.830/95)					1	—	—	
9493	F.222036	Clip , securing G.M. compass cable					1	L.72	C.	
7972	F.209496	Clip , securing cable at fin former					1	—	—	
9489	F.199302	Clip , securing cable (to be fitted in place of F.209496 when I.F.F. is not fitted) (AS.860/65)					1	—	C.	
	F.208641	Cover , forward of frame 18					1	L.72	—	
8277	F.213231	Fairlead , at frame 52					1	LFS.21	MR/C	
	F.213415	Hook , at frame 52					2	L.72	—	
	F.213232	Strip , rubbing, at frame 52					1	DTD.171	—	
5F/2301	Hellermann — NY.18007A	Strapping , $\frac{3}{8}$ " wide					QR	—	C.	
5F/2302	Hellermann — NY.3342	Stud					QR	—	C.	
	Std.1509/23/090	Tube , distance, $\frac{5}{16}$ " o/d x 17 S.W.G. x 0.9" long (Make from 30B/556)					4	T.4	—	
5X/6419	Plessey—Z.54079	Tag					24	—	C.	
5X/6418	Plessey—Z.54066	Thimble					24	—	C.	
6B/438	—	Tray , mounting, for amplifier					1	—	B.	
	N-515.123	Unit , detector, type "A" (Sperry 15614-0) .					1	—	A.	
10H/ 0970050	Plessey—Z.54106	Washer , panel mounting					3	—	C.	

RESTRICTED

Page FC.2

Issued with Amendment List No. 2


Hunter F. Mk. 58

2nd Edition

EQUIPMENT AIRCRAFT—G.M. COMPASS INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	---	---	---
	A25.1.C	Bolt, 2 B.A.	...	...	...	...	...	---	---	---
	A25.16.C	Bolt, 2 B.A.	...	...	...	...	...	---	---	---
	A28.1.B	Bolt, 4 B.A.	...	...	...	...	...	---	---	---
	AS.1248/1.C	Bolt, 2 B.A.	...	...	...	...	...	---	---	---
	AGS.2001/C.1	Nut, 2 B.A.	...	...	...	...	...	---	---	---
	AGS.2002/B.1	Nut, 4 B.A.	...	...	...	...	...	---	---	---
	AGS.1658/1	Nut, gland	...	...	...	...	...	---	---	---
	A31.C.20	Screw, 2 B.A.	...	...	...	...	...	---	---	---
	A32.B.10	Screw, 4 B.A.	...	...	...	...	...	---	---	---
	A32.B.12	Screw, 4 B.A.	...	...	...	...	...	---	---	---
	A44.C.20	Screw, 2 B.A.	...	...	...	...	...	---	---	---
	AGS.1653/1	Sleeve, inner	...	...	...	...	...	---	---	---
	AGS.1654/2	Sleeve	...	...	...	...	...	---	---	---
	SP.15.B	Washer, 4 B.A.	...	...	...	...	...	---	---	---
	SP.15.C	Washer, 2 B.A.	...	...	...	...	...	---	---	---

RESTRICTED



EQUIPMENT AIRCRAFT

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

