

FUSELAGE—COMPLETE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
		FUSELAGE, COMPLETE, ASSEMBLY	—	—		
	B.215554	ACCUMULATOR MOUNTING, ASSEMBLY	—	—		
		(Mod. 386)				
9054	D.215555	Platform, for accumulator, group (Mod. 386)	1	—	B.	JA.1
9055	F.215573	Nut, special (Mod. 386)	3	S.95.B	—	JA.1
9056	F.215574	Nut, special (Mod. 386)	1	S.95.B	—	JA.1
	STD 499/10	Plate, locking, for earthing bolt	1	L.3	MR/C	JA.1
9057	A.215571	Rod, screwed (Mod. 386)	2	S.95.B		JA.1
9058	A.215572	Rod, screwed (Mod. 386)	2	S.95.B		JA.1
9059	F.216704	Stud, earth (Mod. 386)	1	S.94.B		JA.1
	6F-AMF-E-12058	Tube, distance, $\frac{3}{8}$ " o/d $\times$ 22 S.W.G. $\times$ 0.80" long	1	T.4	MR/C	4
	STD 1335/G/18	Washer, for earthing bolt	2	L.4	MR/C	4
6140	B.208996	Tube, supporting (port)	1	T.4	C.	JA.1
1241	A.187391	Tube, supporting (starboard)	1	T.4	C.	JA.1
	STD 1509/24/068	Tube, distance $\frac{3}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 0.68" long ...	8	T.4	MR/C	4
	STD 1509/24/064	Tube, distance, $\frac{3}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 0.64" long (Mod. 386)	4	T.4		
	C.177080	FUSELAGE, JOINTS, ASSEMBLY	—	—		
4049	F.196154	Bolt, attaching front fuselage to centre fuselage ...	31	S.96.B	MR/C	JA.1
	C.190724-5	PANELS, LEADING EDGE, DETACHABLE, ASSEMBLY	—	—		
1190	C.190563	Panel, detachable, top upper, port	1	DTD.610	B.	JA.1
1191	C.190564	Panel, detachable, top upper, starboard	1	DTD.610	B.	JA.1
1192	C.184361	Panel, detachable, top lower, port	1	DTD.610	B.	JA.1
1193	C.184362	Panel, detachable, top lower, starboard	1	DTD.610	B.	JA.1
1194	C.184363	Panel, detachable, bottom upper, port	1	DTD.610	B.	JA.1
1195	C.184364	Panel, detachable, bottom upper, starboard	1	DTD.610	B.	JA.1
1196	C.190413	Panel, detachable, bottom lower, port	1	DTD.610	B.	JA.1
1197	C.190414	Panel, detachable, bottom lower, starboard	1	DTD.610	B.	JA.1
353	B.187123	Strap, rear transport joint, group	1	—	A.	JA.2
942	F.174429	Eye-bolt	1	S.94.B	C.	JA.2
	STD 1716/G	Nut	1	H.T.S.	C.	JA.2
943	F.174430	Trunnion	1	S.94.B	C.	JA.2
944	F.174435	Washer	1	DTD.364	C.	JA.2
9618	D.229821	Nose, piece, group (Mod. 561)	1	—	A.	JA.1
923	A.183705	Bracket, mounting ram air pipe	1	S.3	C.	JA.1
9617	C.229822	Cone, camera (Mod. 561)	1	—	MR/C	
	STD 1306/J/20	Coupling, flexible (Make from 32C/447)	1	DTD.625 Type B	MR/C	4
	STD 842/12	Clip, supporting, $\frac{7}{8}$ " wide $\times$ 22 S.W.G. $\times$ 1.2" long (Make from 30B/1433)	2	S.3 or S.84	MR/C	
		Blindsteckdose	1	—	—	
		Niet 3 $\times$ 7 St 00.13	4	—	—	
F+W Pkt.323 Ae.A. 1164						
F+W Pkt.305 Ae.A. 883	6F-AMF-E-12050 NB 1073					

FUSELAGE—COMPLETE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	STD 1166/8	Clip, half	1	S.3 & T.26	C.	JA.1
	STD 1682/12	Clip, at ram air pipe joint	2	S.3 & T.26	C.	JA.1
6788	C.174088	FRAME, No. 3, ASSEMBLY	—	—		
925	F.166143	Fork, attachment, upper	2	S.1	C.	JA.1
926	F.166291	Fork, attachment, lower, port	1	S.1	C.	JA.1
	F.166292	Fork, attachment, lower, stbd.	1	—		
xx → 929	F.178677	Seating, for fork attachment, upper, 5 mm. ...	2	Rubber	C.	JA.1
927	F.166156	Spigot, locating	2	S.1 & S.3	C.	JA.1
2688	F.195021	Spigot, locating	2	S.1 & S.3	MR/C	JA.1
	STD 1507/2/028	Tube, distance (Mod. 587)	4	—		
	F.227862	Housing, window (Mod. 561)	1	L.65.C		
9619	STD 1231/7	Lug, locking	2	S.3	C.	4
	B.229219	Panel, access group (Mod. 561)	1	DTD.610	C.	JA.1
	PJ6-250	Fastener	2	—		
	GF6-250	Grommet	2	—		
932	A.181097	Pipe, ram air, group	1	L.54	C.	JA.1
933	F.181098	Ring, sealing	1	Felt	C.	
4262	F.187642	Pipe, drain	1	L.54	MR/C	JA.1
F+W Pkt.327 Ae.A., 1180	F.233545	Restrictor, at camera cone ram air duct (alternative to F.200460) (AS.830/41)	1	Nylon		JA.1
x → 934	B.172056*	Radome (Pre Mod. 701)	1	"Onazote"	A.	JA.1
9525	B.223598*	Radome (Mod. 701) (Pre Mod. 867)	1	—	A.	JA.1
9621	F.227305	Ring, sealing (Mod. 561)	1	Rubber		JA.1
9622	F.227306	Ring, sealing (Mod. 561)	1	Rubber		JA.1
	STD 1744/12	Sleeve	1	Silicone Rubber	C.	JA.1
	D.229821/1	Skin, nose	1	DTD.610	B.	JA.1
	D.229821/2	Skin, nose	1	DTD.610	B.	JA.1
—	STD 1507/23/150	Tube, distance, $\frac{7}{8}$ " o/d × 17 S.W.G. × 1.5" long (Make from 30A/972)	4	T.26	—	
9620	F.218165	Window, camera (Mod. 561)	1	RPH.221		JA.1
	STD 1546/16/18	Washer, packing	2	DTD.610	C.	4
x xx	10147	Radome (Mod. 867) (s. Page MA.4)	—	—	A.	JA.1
	F.178677-S1	Seating, for fork attachment, lower, 3 mm ...	2	Rubber	—	JA.1
† For details see Piping Chart.						

FUSELAGE—COMPLETE

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
x	C.198779	WING JOINT PIN, ASSEMBLY	—	—		
	B.191115	WING JOINT PINS, MAIN SPAR, ASSEMBLY	—	—		
1053	A.191114	Bush, split taper	4	S.99.B	C.	JA.2
	A 27/QS	Nut, slotted	4	—	C.	JA.2
	SP 90/G12	Pin, split	4	—	C.	JA.2
1054	A.191113	Pin, taper	4	S.99.B	C.	JA.2
1055	F.191024	Washer, cup	4	S.95.B	C.	JA.2
	B.191116	WING JOINT PINS REAR SPAR ASSEMBLY	—	—		
1056	A.191135	Bush, split taper	4	S.99.B	C.	JA.2
	A 27/RS	Nut, slotted	4	—	C.	JA.2
	SP 90/E10	Pin, split	4	—	C.	JA.2
1057	A.191134	Pin, taper	4	S.99.B	C.	JA.2
1058	F.191136	Washer, cup	4	S.95.B	C.	JA.2
	B.198078	WING JOINT PINS, NOSE SPAR, ASSEMBLY	—	—		
1303	F.184432	Pin	2	S.96.B	C.	JA.2
x	D.182945	Wing attachment to fuselage	—			

RESTRICTED


Hunter F. Mk. 58
2nd Edition

FUSELAGE—COMPLETE


Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
		SUMMARY OF STOCK ITEMS											
	A25.1.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
	A25.5.B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
	A25.2.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
	A25.3.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
	A25.5.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
	A25.8.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
	A25.16.C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
	A25.9.E	Bolt, $\frac{1}{4}$ " B.S.F.	...	...	...	...	...	...	...	—	—	—	
	A25.10.E	Bolt, $\frac{1}{4}$ " B.S.F.	...	...	...	...	...	...	...	—	—	—	
	A25.4.J	Bolt, $\frac{3}{8}$ " B.S.F.	...	...	...	...	...	...	...	—	—	—	
	A25.5.J	Bolt, $\frac{3}{8}$ " B.S.F.	...	...	...	...	...	...	...	—	—	—	
	AS.1242/2C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
	AS.3294.2C	Bolt, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
	A27.C.P.	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
	A.27.C.T.	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
	A27.G.P.	Nut, $\frac{5}{16}$ " B.S.F.	...	...	...	...	...	...	...	—	—	—	
	A27.J.S.	Nut, $\frac{3}{8}$ " B.S.F.	...	...	...	...	...	...	...	—	—	—	
	AGS.2001/A1	Nut, 6 B.A.	...	...	...	...	...	...	...	—	—	—	
	AGS.2001/C1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
	AGS.2001/E1	Nut, $\frac{1}{4}$ " B.S.F.	...	...	...	...	...	...	...	—	—	—	
	AGS.2001/G1	Nut, $\frac{1}{8}$ " B.S.F.	...	...	...	...	...	...	...	—	—	—	
	AGS.2002/B1	Nut, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
	AGS.2002/B1	Nut, $\frac{1}{8}$ " B.S.F.	...	...	...	...	...	...	...	—	—	—	
	AGS.2002.C.1	Nut, 2 B.A.	...	...	...	...	...	...	...	—	—	—	
	AGS.120.E	Nut, wing, $\frac{3}{8}$ "	...	...	...	...	...	...	...	—	—	—	
	SP.4.YD.9	Pin	...	...	...	...	...	...	...	—	—	—	
	SP.4.YD.13	Pin	...	...	...	...	...	...	...	—	—	—	
	SP.4.F.11	Pin	...	...	...	...	...	...	...	—	—	—	
	SP.9.C.4	Pin, split	...	...	...	...	...	...	...	—	—	—	
	SP.90/C7	Pin, split	...	...	...	...	...	...	...	—	—	—	
	SP.9.E6	Pin, split	...	...	...	...	...	...	...	—	—	—	
	SP.15.C	Washer, 2 B.A....	...	...	...	...	...	...	...	—	—	—	
	SP.16.B	Washer	...	...	...	...	...	...	...	—	—	—	
	SP.10.E	Washer, shim	...	...	...	...	...	...	...	—	—	—	
	SP.15.E	Washer, $\frac{1}{4}$ " dia.	...	...	...	...	...	...	...	—	—	—	
	SP.13.E	Washer, $\frac{1}{4}$ "	...	...	...	...	...	...	...	—	—	—	
	SP.13.G	Washer, $\frac{5}{16}$ " dia.	...	...	...	...	...	...	...	—	—	—	
	SP.16.J	Washer, $\frac{3}{8}$ " dia.	...	...	...	...	...	...	...	—	—	—	
	AGS.163.F	Washer, spring	...	...	...	...	...	...	...	—	—	—	

RESTRICTED

Ae - 1/78



FUSELAGE COMPLETE



FUSELAGE COMPLETE

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

