

FUSELAGE-HOOD JETTISON GEAR

Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Store	Plate No.
			1	2	3	4	5				
5274	E.215670	HOOD JETTISON GEAR, ASSEMBLY (Mod. 281)						—	—		
	STD 1954/45	Adaptor, for bell crank lever lubricator	...	...	...	...	...	1	L.65.C	C.	5
	F.229402	Adaptor, at "T" barrel (Mod. 723)	...	...	...	...	...	2	S.96.B		
	F.205020	Bolt, greaser, for bell crank lever	...	...	...	...	...	2	S.95	C.	JE.1
	C.224218	Bracket, mounting (Mod. 378)	...	...	...	...	...	1	S.3		JE.1
	A.216373	Bracket, pivot (Mod. 281)	...	...	...	...	...	1	—	MR	
873	F.189282	Bush, spherical	...	...	...	...	...	4	S.95.B	C.	JE.1
1935	F.196363	Bush, for emergency release cable	...	...	...	...	...	1	Rubber	C.	JE.1
874	A.189119	Cable, de-seal valve control, group	...	...	...	...	...	1	—	B.	JE.1
		Consisting of :—									
	STD 1920/1	Adjuster	...	...	...	...	...	1	DTD.364		5
	STD 1920	Adjuster, complete with sleeve and nut	...	...	...	...	...	1	—		5
	Bowden.W.11	Cable, 5 cwt.	...	...	...	...	...	QR	W.11	C.	
	Bowden.T.3	Conduit, Bowdenex T.3	...	...	...	...	...	QR	—	C.	
	SP.38A	Fork-end	...	...	...	...	...	2	—	C.	
	Bowden.PN.23	Nut	...	...	...	...	...	1	—	C.	
	STD 1920/2	Sleeve	...	...	...	...	...	1	DTD.364		5
	Bowden.PN.999	Barrel	...	...	...	...	...	1	—	C.	
875	A.189300	Cable, emergency release, group	...	...	...	...	...	1	—	B.	JE.1
		Consisting of :—									
	Bowden.W.11	Cable, 5 cwt.	...	...	...	...	...	QR	W.11	C.	
29H/4186	Bowden.PN.1997	Nipple	...	...	...	...	...	1	—	C.	
	—	Ring, split key, 1-50" i/d	...	...	...	...	...	1	Steel		
	A.189300/2	Sleeve, Duratube, yellow, 5 m/m i/d × 45 m/m thick × 4-57" long	...	...	...	...	...	1	—		
30B/1006	—	Wire, 26 S.W.G.	...	...	...	...	...	QR	Copper	C.	
9043	A.216335	Cable, ejection, group (Mod. 281)	...	...	...	...	...	1	—	B	JE.1
	STD 1920	Adjuster	...	...	...	...	...	2	—		
	Bowden.PN.999	Barrel	...	...	...	...	...	1	—	C.	
	A.216335/1	Cable, 5 cwt., W.11	...	...	...	...	...	1	—		
	A.216335/2	Conduit, Bowdenex T.3 BWC	...	...	...	...	...	1	—		
	A.224509	Fork-end	...	...	...	...	...	2	S.1.B		
9044	B.216516	Cable, jettison handle to lever, group (Mod. 281) (Pre Mod. 723)	...	...	...	...	...	1	—	B.	JE.1
	STD 1920	Adjuster	...	...	...	...	...	2	—		
	Bowden.PN.999	Barrel	...	...	...	...	...	1	—	C.	
	B.216516/1	Cable, 5 cwt., W.11	...	...	...	...	...	1	—		
	B.216516/2	Conduit, Bowdenex T.3 WC	...	...	...	...	...	2	—		
	A.224509	Fork-end	...	...	...	...	...	1	S.1.B		
	STD 1998	Lubricator, for Bowdenex control	...	...	...	...	...	1	—		
	A.230905	Cable, jettison handle to lever, group (Mod. 723)	...	...	...	...	...	1	—	B.	JE.1
	STD 1920	Adjuster	...	...	...	...	...	2	—		
	Bowden.PN.999	Barrel	...	...	...	...	...	1	—		
		Cable, 5 cwt., W.11	...	...	...	...	...	1	—		
		Conduit, Bowdenex T.3 BWC	...	...	...	...	...	1	—		
	SP 37/A	Eye-end	...	...	...	...	...	1	—		
	SP 36/ C5	Tapped end	...	...	...	...	...	1	—		
9048	F.218222	Cable, hood jettison (Mod. 281)	...	...	...	...	...	1	—	C.	JE.1

FUSELAGE-HOOD JETTISON GEAR

Ref. No.	Part No.	Description	No. OF	Material Specification	M.R. Class of Store	Place No.
		1 2 3 4 5				
877	A.189120	Cable, jettison control to release unit, group ... Consisting of :—	1	—	B.	JE.1
	STD 1920/1	Adjuster, stop ...	1	DTD.364		5
	STD 1920	Adjuster, complete with sleeve and nut ...	1	—		5
	Bowden-W.11	Cable, 5 cwt. ...	QR	W.11	C.	
	Bowden-T.3	Conduit, Bowdenex T.3 ...	QR	—	C.	
	AS 1276/SS	Eye-end ...	2	—	C.	
	Bowden-PN.23	Nut ...	1	—	C.	
	STD 1920/2	Sleeve ...	1	—		5
	Bowden-PN.999	Stop ...	1	—	C.	
6740	F.210559	Cap (Mod. 248) ...	1	S.96.B	C.	JE.1
	STD 2045/16/26	Clip, sleeved ...	2	—		
	STD 2045/22/24	Clip, sleeved ...	2	—		
	STD 841/17	Clip, support, $\frac{7}{8}$ " wide x 22 S.W.G. x 1-7" long...	1	DTD.610	C.	4
	F.231116	Clip, securing cable (Mod. 723) ...	1	L.72		
	B.231232	Cover, for levers (Mod. 723) ...	1	Plastic		JE.1
27L/5019	B/MBCJ/36	Cylinder, hood, links ...	1	—	B.	
	B/MBCJ/37	Cylinder, hood, rechts ...	1	—	B.	
27L/5020	6F-BAMF-C-12176	Kunstlederstreifen ...	2	—	MR/C	
Ae.A.Hu-F-722	F.200921	Guard, pulley ...	1	L.72		JE.1
4882	F.231429	Disc (Mod. 723) ...	2	L.72		JE.1
9766	A.189296	Duct ...	1	T.26		JE.1
	A.218233	Duct, cable (Mod. 281) (Pre Mod. 723) ...	1	—		
	B.228487	Duct (Mod. 723) ...	1	—		JE.1
9047	F.218197	Eye-end, for hood jettison cable (Mod. 281) ...	1	S.96.B	C.	
	F.230906	Fork-end (Mod. 723) ...	1	S.94.B		
27L/5021	D/MBCJ/159	Gun, hood, group, ...	1	—	A.	
	593-6940	Patronensatz (in Büchse) ...	1	—		
	B.232720	Handle, group ...	1	Stamping		JE.1
9767	F.229452	Buffer (Mod. 723) ...	1	Neoprene		JE.1
	F.232702	Label, indicator, port ...	1	L.72		
	F.232703	Label, indicator, starboard ...	1	L.72		
4558	F.199940	Latch ...	1	DTD.610	C.	JE.1
4881	F.199941	Latch (Pre Mod. 723) ...	1	DTD.610	C.	JE.1
	F.199942	Spring ...	1	—		JE.1
	F.231629	Latch (Mod. 723) Make from 26FX/4881 ...	1	L.72		JE.1
9034	A.214841	Lever (Mod. 281) (Alternative to A.217885) ...	1	BS.1648	C.	JE.1
	A.217885	Lever (Mod. 281) (Alternative to A.214841) ...	1	S.94.B		
9041	F.216316	Lever (Mod. 281) ...	1	S.3 & S.92	C.	JE.1
881	A.189124	Lever ...	1	S.80	C.	JE.1
6083	F.192126	Lever ...	2	S.80	C.	JE.1
9046	F.218221	Lever, group (Mod. 281) (Alternative to A.218271) ...	1	—	C.	JE.1
	F.218196	Bracket ...	1	DTD.171		
	F.216326	Lever ...	1	S.95.B		
	STD 1509/23/030	Tube, distance, $\frac{1}{8}$ " o/d x 17 S.W.G. x 0-30" long	1	T.4	MR/C	4
	A.218271	Lever, group (Mod. 281) (Alternative to F.218221) ...	1	—		
883	F.189280	Link ...	1	S.95.B	C.	JE.1
9033	F.214646	Link (Mod. 281) ...	1	DTD.166	C.	JE.1
	F.235606	Indicator, hood lock, port (Mod.846)	1	L.72		
	F.235607	Indicator, hood lock, starboard (Mod.346)	1	L.72		

FUSELAGE—HOOD JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A.211755	Nut, strip (Mod. 281) (Alternative to A.217433) ...					2	—		
	A.217433	Nut, strip (Mod. 281) (Alternative to A.211755) ... (For use when tooling hole is in top longeron)					2	—		
	F.211757	Packing (Mod. 281) (Alternative to F.217432) ...					2	L.72		
	F.217432	Packing (Mod. 281) (Alternative to F.211757) ... (For use when tooling hole is in top longeron)					2	L.72		
	SM-3201-0407	Pin, pip ...					1	—	C.	
	A.404									
885	F.189708	Pin ...					1	S.95.B or S.96.B	C.	JE.1
699	F.187671	Pin ...					1	S.1	C.	JE.1
X 10227	F.234620	Pin, special (Mod. 846) ...					2	S.95.B	C.	
1714	F.220190	Pin, special (Mod. 846) ...					2	S.95.B	C.	
27L/5022	MBCJ/310	Pipe, tee-piece to gun (Mod. 281) ...					1	—	C.	
27L/5023	MBCJ/311	Pipe, cylinder to tee-piece, port (Mod. 281) ...					1	—	C.	
27L/5024	MBCJ/312	Pipe, cylinder to tee-piece, starboard (Mod. 281) ...					1	—	C.	
	F.214644	Pivot (Mod. 281) ...					1	S.96.B		
6739	A.209223	Plate, catch (Mod. 248) ...					1	DTD.166	C.	JE.1
886	F.189342-1-S	Plate, sealing ...					1	S.3	C.	JE.1
	F.214716	Plate, stop (Mod. 281) ...					1	DTD.124		
	F.228481	Pulley, for jettison cable (Mod. 723) ...					1	—	—	JE.1
887	A.189278	Rod, connecting ...					1	—	C.	JE.1
X 10224	A.235733	Rod, connecting, telescopic, group (Mod. 846) ...					2	—	B.	
	F.189276	Eye-end ...					1	S.95.B		
	F.235736	Eye-end (Alternative F.235781) (Mod. 846) ...					1	S.96.B		
	F.214530	Cap ...					1	S.96.B		
10225	F.214532	Spring, (Mod. 846) ...					1	Spr. Steel	C.	
	A.235734	Sliding fitting (Mod. 846) ...					1	S.96.B		
	A.234637	Rod, connecting, group (Mod. 846) ...					2	—	B.	JE.1
X	F.234613	Eye-end ...					1	S.95.B		
6632	A.213160	Rod, connecting, group (Mod. 403) ...					1	—	B.	JE.1
6210	D.212690	Bellows ...					1	Rubber	C.	JE.1
892	F.189342	Support ...					1	T.26 or S.3	C.	JE.1
10223	A.234652	Rod, connecting, group (Mod. 846) ...					2	—	B.	JE.1
X	A.234611	Fork-end ...					1	S.95.B		
9035	F.211758	Seal, at hood cylinder (Mod. 381) ...					2	Hidubine No. 21	C.	JE.1
893	F.189299	Shackle ...					1	S.1	C.	JE.1
	A.199943	Shaft, cable anchorage (Pre Mod. 723) ...					1	DTD.364		JE.1
	A.228722	Shaft, cable anchorage (Mod. 723) ...					1	L.65.C		JE.1
9042	A.216324	Spindle (Mod. 281) ...					1	S.95.B	C.	JE.1
4559	F.199942	Spring ...					1	Steel	C.	JE.1
895	F.189297-S	Spring ...					1	—	C.	JE.1
27L/5013	MBEU/T.476.S	Tee-piece ...					1	—	C.	
X F-4E Pkt.71	F.193684	Splitballzen					2			JE.1

FUSELAGE—HOOD, JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	Std 1507/26/044	Tube, distance, $\frac{3}{8}$ " o/d $\times$ 17 S.W.G. $\times$ 0.44" long					1	T.26.		4
	Std.1509/23/148	Tube, distance, $\frac{5}{16}$ " o/d $\times$ 17 S.W.G. $\times$ 1.48" long					2	T.4		4
9031	B.215644	Unit, release, group (Mod. 281)...					1	—	B.	JE.1
2A/9500491	Ball + Roller-BSI-SPE.3/8"	Bearing ...					1	—	B.	
897	F.189118	Bolt, special ...					3	S.95.B	C.	JE.1
	F.211177	Bolt, special (Mod. 281) ...					1	S.96		
898	A.127278	Bolt, special ...					4	S.1	C.	JE.1
899	F.189074	Bolt, ...					2	S.95.B	C.	JE.1
	A.189071	Casing ...					1	—		
900	F.189069	Coupling ...					2	S.95.B	C.	JE.1
901	F.189068	Eye-end ...					2	S.95.B	C.	JE.1
9032	F.214647	Lever (Mod. 281) ...					1	BSI.648	C.	JE.1
903	F.189077	Lever ...					1	S.80	C.	JE.1
904	A.126610	Nut, special ...					1	S.20	C.	JE.1
	A.127030	Packing ...					1	L.1		
905	A.189073	Plug ...					1	S.1	C.	JE.1
906	F.189067	Plug ...					1	DTD.364	C.	JE.1
907	F.169854	Plunger ...					1	DTD.354	C.	JE.1
8182	F.210867	Rod (Mod. 355) ...					1	S.95.B	C.	JE.1
909	F.189070	Sleeve ...					2	S.1	C.	JE.1
	A.126828	Spring ...					1	DTD.239		
910	A.127031	Washer ...					2	Rubber	C.	JE.1
	Std 915/E/6	Washer (Mod. 281) ...					1	DTD.610		4
911	F.189343	Washer, sealing ...					1	Rubber	C.	JE.1
	Std 914/B/24	Washer, special, 4 B.A. ...					1	S1 or S.3	C	4
	Std 915/B/24	Washer, special, 4 B.A. ...					4	DTD.364	C.	4
	Std 915/C/20	Washer, special ...					6	DTD.334	C.	4
	Std 915/C/24	Washer, special, 2 B.A. ...					7	DTD.364	C.	4
	Std 915/E/6	Washer, special ...					1	DTD.364		4
	Std 915/U/12	Washer, at pivot ...					2		C.	4
912	F.176949	Window ...					1	Perspex	C.	JE.1

RESTRICTED

FUSELAGE-HOOD JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.	
		1	2	3	4	5					
		SUMMARY OF STOCK ITEMS									
	A25.1.B	Bolt, 4	B.A.	...	...	...	...	...	—	—	—
	A25.2.B	Bolt, 4	B.A.	...	...	...	...	...	—	—	—
	A25.1.C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
	A25.2.C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
	A25.4.C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
	A25.17.C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
	A25.18.C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
	A25.21.C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
	A25.8.J	Bolt, 3/8"	B.S.F.	...	...	...	...	...	—	—	—
	AS.1242/1C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
	AS.1242/4C	Bolt, 2	B.A.	...	...	...	...	...	—	—	—
	AS.1242/13E	Bolt, 1/2"	B.S.F.	...	...	...	...	...	—	—	—
	AS.1242/16E	Bolt, 1/2"	B.S.F.	...	...	...	...	...	—	—	—
	AS.1248/1B	Bolt, 4	B.A.	...	...	...	...	...	—	—	—
	AS.1248/2B	Bolt, 4	B.A.	...	...	...	...	...	—	—	—
	AS.2920/1B	Bolt, 4	B.A.	...	...	...	...	...	—	—	—
	AGS.605/0	Clip	...	...	...	...	...	...	—	—	—
	AGS.605/00	Clip	...	...	...	...	...	...	—	—	—
	SP.37A	Eye-end	...	...	...	...	...	...	—	—	—
	SP.3Y.412	Fork-end	...	...	...	...	...	...	—	—	—
	A27.BT	Nut, 4	B.A.	...	...	...	...	...	—	—	—
	A27.CS	Nut, 2	B.A.	...	...	...	...	...	—	—	—
	A27.CT	Nut, 2	B.A.	...	...	...	...	...	—	—	—
	A27.ES	Nut, 1/2"	B.S.F.	...	...	...	...	...	—	—	—
	A27.JS	Nut, 3/8"	B.S.F.	...	...	...	...	...	—	—	—
	A58.GT	Nut, 5/16"	B.S.F.	...	...	...	...	...	—	—	—
	AGS.2001.B1	Nut, 4	B.A.	...	...	...	...	...	—	—	—
	AGS.2001.C1	Nut, 2	B.A.	...	...	...	...	...	—	—	—
	AGS.2001.E1	Nut, 1/2"	B.S.F.	...	...	...	...	...	—	—	—
	AGS.2002.B1	Nut, 4	B.A.	...	...	...	...	...	—	—	—
	AGS.2002.C1	Nut, 2	B.A.	...	...	...	...	...	—	—	—
	AGS.2002.E1	Nut, 1/2"	B.S.F.	...	...	...	...	...	—	—	—
	AGS.2002.G1	Nut, 2	B.A.	...	...	...	...	...	—	—	—
	SP.21	Nipple, lubricating	...	...	...	...	...	...	—	—	—
	SP4.Y.A2	Pin	...	...	...	...	...	...	—	—	—
	SP4.Y.A6	Pin	...	...	...	...	...	...	—	—	—
	SP4.Y.A14	Pin	...	...	...	...	...	...	—	—	—
	SP4.Y.B2	Pin	...	...	...	...	...	...	—	—	—
	SP4.Y.B3	Pin	...	...	...	...	...	...	—	—	—
	SP4.Y.B5	Pin	...	...	...	...	...	...	—	—	—
	SP4.Y.B8	Pin	...	...	...	...	...	...	—	—	—
	SP4.Y.B9	Pin	...	...	...	...	...	...	—	—	—
	SP4.Z.D9	Pin	...	...	...	...	...	...	—	—	—
	AS.104	Pulley, 3" dia.	...	...	...	...	...	...	—	—	—

RESTRICTED


RESTRICTED

Hunter F. Mk. 58
2nd Edition

FUSELAGE-HOOD JETTISON GEAR

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
	A31.B.20	Screw, 4	B.A.	...	...	...	—	—	—	
	A31.C14	Screw, 2	B.A.	...	...	...	—	—	—	
	A32.B16	Screw, 4	B.A.	...	...	...	—	—	—	
	AGS.162C	Washer, 2	B.A.	...	...	...	—	—	—	
	SP.10B	Washer	...	...	...	...	—	—	—	
	SP.10C	Washer, 2	B.A.	...	...	...	—	—	—	
	SP.10.J	Washer, 3/8"	dia.	...	...	...	—	—	—	
	SP.11E	Washer	...	...	...	...	—	—	—	
	SP.13.E	Washer	...	...	...	...	—	—	—	
	SP.15.B	Washer	...	...	...	...	—	—	—	
	SP.15.C	Washer, 2	B.A.	...	...	...	—	—	—	
	SP.15.E	Washer, 1"	dia.	...	...	...	—	—	—	
	SP.15.G	Washer	...	...	...	...	—	—	—	
	SP.16.C	Washer, 2	B.A.	...	...	...	—	—	—	
	SP.16.E	Washer	...	...	...	...	—	—	—	
	SP.16.J	Washer	...	...	...	...	—	—	—	

RESTRICTED



HOOD JETTISON GEAR

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

