


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
	C.244423	PITOT INSTALLATION IN FRONT FUSELAGE, ASSEMBLY				
2690	F.195016	Cleat, top	6	LFS.21	C.	JJ.1
2691	F.195017	Cleat, bottom	1	LFS.21	C.	JJ.1
	STD 840/14	Clip, earthing connection (Make from 30B/1433)	2218	DTD.610	MR/C	4
2149	F.133671	Pipe, drain	2	T.9	C.	JJ.1
3576†	B.187565/5	Pipe, pressure, joint to joint	1	L.54		
3577†	B.187565/6	Pipe, static, joint to joint	1	L.54		
3578†	B.187565/7	Pipe, pressure, joint to bulkhead connection	1	L.54		
3579†	B.187565/8	Pipe, static, joint to tee-piece	1	L.54	—	
3580†	B.187565/9	Pipe, static, tee-piece to elbow union	1	L.54		
3581†	B.187565/10	Pipe, static, tee-piece to bulkhead connection	1	L.54		
4862†	B.187565/13	Pipe, pressure, tee-piece to joint	1	L.54		
4863†	B.187565/14	Pipe, static, tee-piece to joint	1	L.54		
4864†	B.187565/15	Pipe, pressure, flexible pipe to tee-piece	1	L.54		
4865†	B.187565/16	Pipe, static, flexible pipe to tee-piece	1	L.54		
†	B.187565/17	Pipe, pressure, bulkhead connection to tee-piece	1	L.54		
†	B.187565/18	Pipe, static, bulkhead connection to tee-piece	1	L.54		
†	B.187565/19	Pipe, pressure, tee-piece to union	1	L.54	—	
†	B.187565/20	Pipe, static, tee-piece to union	1	L.54		
	STD 1509/12/030	Tube, distance, $\frac{1}{4}$ " o/d x 22 S.W.G. x 0.3" long (Make from 30B/619)		T.4	MR/C	4
32C/679	—	Tubing, flexible, $\frac{9}{16}$ " o/d x .30" i/d (Maricon type H) (for Manufacture of C.187563/3-4)	QR		C.	
		† For details see Piping Chart				

FUSELAGE—PITÔT INSTALLATION

Ref. No.	Part No.	Description								No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5							
		SUMMARY OF STOCK ITEMS											
	AGS.838/1	Body, union	...	...	...	...	...	...	...	—	—	—	JJ.1
	A25/1B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
	A25/3B	Bolt, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
	AGS.838/8	Bush, oder:	...	...	...	...	...	...	...	—	—	—	JJ.1
	AGS 838/12	Gummidichtung	...	...	...	...	...	...	...	—	—	—	JJ.1
	AS.3360.B.3.B	Lead, bonding	...	...	...	...	...	...	...	—	—	—	
	AS.3360.B.4.B	Lead, bonding	...	...	...	...	...	...	...	—	—	—	
	AGS 838/11	Überwurfmutter, oder	...	...	...	...	...	...	...	—	—	—	JJ.1
	AGS.838/4	Nut, union	...	...	...	...	...	...	...	—	—	—	JJ.1
	AGS.2002/B1	Nut, 4 B.A.	...	...	...	...	...	...	...	—	—	—	
	AGS.838/2	TEE	...	...	...	...	...	...	...	—	—	—	JJ.1
	AGS 838/3	Winkelstück	...	...	...	...	...	...	...	—	—	—	JJ.1
	SP15/B	Washer	...	...	...	...	...	...	...	—	—	—	
	MINOX-Nr. 1	Schlauchbride	...	...	...	...	...	...	...	4	—	—	



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

