

MAIN PLANES—LANDING FLAP


Ref. No.	Part No.	Description	1 2 3 4 5					No. Off	Material Specification	M.R. Class of Score	Place No.
			60	E.180473-S1	FLAP, LANDING, PORT, GROUP						
61	E.180474-S1	FLAP, LANDING, STARBOARD, GROUP... ..					1	—	A.	KC.1	
4056	C.181447	Angle, for leading edge, between ribs 1 and 6, port					1	DTD.364	MR/C	KC.1	
4057	C.181448	Angle, for leading edge, between ribs 1 and 6, starboard					1	DTD.364	MR/C	KC.1	
4058	C.181449	Angle, for leading edge between ribs 6 and 9, port					1	DTD.364	MR/C	KC.1	
4059	C.181450	Angle, for leading edge, between ribs 6 and 9, starboard					1	DTD.364	MR/C	KC.1	
4060	C.181451	Angle, for leading edge, between ribs 9 and 14, port					1	DTD.364	MR/C	KC.1	
4061	C.181452	Angle, for leading edge, between ribs 9 and 14, starboard					1	DTD.364	MR/C	KC.1	
4062	C.181453	Angle, for leading edge, between ribs 14 and 15, port					1	DTD.364	MR/C	KC.1	
4063	C.181454	Angle, for leading edge, between ribs 14 and 15, starboard					1	DTD.364	MR/C	KC.1	
4064	A.184425	Bolt, special, for spools at rib 9					12	S.99.B	MR/C	KC.1	
	AGS 572/CP	6kt.-Nutter					12			KC.1	
4065	A.184426	Bolt, special, for spool at ribs 8 and 10					12	S.99.B	MR/C	KC.1	
	AGS 572/CP	6kt.-Nutter					12			KC.1	
4066	A.193411	Bracket, sealing cut-away at lever					1	DTD.610	MR/C		
	D.181473	FILLET, INBOARD END, PORT, ASSEMBLY					—	—			
	D.181474	FILLET, INBOARD END, STARBOARD, ASSEMBLY					—	—			
	C.181869	Former, port, at rib No. 1					1	DTD.610			
	C.181870	Former, starboard at rib No. 1					1	DTD.610			
	A.181871	Former, port					1	DTD.610			
	A.181872	Former, starboard					1	DTD.610			
	A.181873	Former, port					1	DTD.610			
	A.181874	Former, starboard					1	DTD.610			
	F.181875	Former, at leading edge, port					1	DTD.610			
	F.181876	Former, at leading edge, starboard					1	DTD.610			
	D.181473/1	Skin, port					1	DTD.610			
	D.181474/1	Skin, starboard					1	DTD.610			
	C.178804	Lever, operating, group					2	Stamping		KC.1	
9697	F.178805	Bush					4	S.1		KC.1	
4067	F.181439	Lug, for leading edge angle					2	DTD.610	MR/C	KC.1	
4068	F.181440	Lug, for leading edge angle					2	DTD.610	MR/C	KC.1	
4069	F.181441	Lug, for leading edge angle					4	DTD.610	MR/C	KC.1	
4070	F.181442	Lug, for leading edge angle					4	DTD.610	MR/C	KC.1	
4071	F.181443	Lug, for leading edge angle					1	DTD.610	MR/C	KC.1	
4072	F.181444	Lug, for leading edge angle					1	DTD.610	MR/C	KC.1	
4073	F.181445	Lug, for leading edge angle					18	DTD.610	MR/C	KC.1	
4074	F.181446	Lug, for leading edge angle					4	DTD.610	MR/C	KC.1	
4075	C.181346	Plate, reinforcing, port					1	DTD.610	C.	KC.1	
4076	C.181347	Plate, reinforcing, starboard					1	DTD.610	MR/C	KC.1	
4077	C.181350	Rib, No. 1, port					1	DTD.610	MR/C	KC.1	
4078	C.181351	Rib, No. 1, starboard					1	DTD.610	MR/C	KC.1	
4079	C.180570	Rib, Nos. 2 to 14					26	DTD.610	MR/C	KC.1	
4080	C.180571	Rib, No. 15, port					1	DTD.610	MR/C	KC.1	
4081	C.180572	Rib, No. 15, starboard					1	DTD.610	C.	KC.1	
4082	E.180473/1	Skin, port					1	DTD.610	MR/C	KC.1	
4083	E.180474/1	Skin, starboard					1	DTD.610	MR/C	KC.1	
	C.181344	Spar, port					1	T.60		KC.1	
	C.181345	Spar, starboard					1	T.60		KC.1	
9725	C.180717	Spool, for inner bearing, port group					1	—		KC.1	
9726	C.180718	Spool, for inner bearing starboard, group					1	—		KC.1	
9699	F.181472	Bush					4	S.1		KC.1	
	STD 1551/1/245	Bolt, for spool between rib, No. 6 and No. 7					1	S.99 B	C.	KC.1	
	STD 1718/1	6kt.-Nutter					1			KC.1	
	STD 1551/3/255	Bolt, for spool between rib, No. 6 and No. 7					2	S.99 B	C.	KC.1	
	STD 1718/3	6kt.-Nutter					2			KC.1	

MAIN PLANES—LANDING FLAP

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Place No.
9722	B.180716	Spool, bearing, group	2	—		KC.1
9698	F.181471	Bush	2	S.1		KC.1
9723	B.181353	Spool, at rib No. 8 and 10	4	Stamping		
9724	B.182836	Spool, at ribs Nos. 2 to 5, 7, 11 to 13, and 15	18	Stamping		
4581	F.201407	Tappet	2	S.95.B	C.	KC.1
4084	C.181348	Trailing-edge stiffener, port	1	DTD.610	C.	KC.1
4085	C.181349	Trailing-edge stiffener, starboard	1	DTD.610	MR/C	KC.1
	B.185953	Hebel	2			KC.1
	STD 1357/45	Büchse	4			KC.1
	B.186371	Hebel	2			KC.1
	F.181471	Büchse	2			KC.1

MAIN PLANES--LANDING FLAP

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
SUMMARY OF STOCK ITEMS										
	AGS.934/G/M	Ferrule, screwed	...	(Spez.-Mutter 2 BA)	—	—	—	KC.1
	AGS.935/C	Rod, screwed, 2.75" long	...	(Gewindestange 2 BA)	—	—	—	KC.1
	AGS.934/J/M	Ferrule, screwed	...	(Spez.-Mutter 1/4")	—	—	—	KC.1
	AGS.935D	Rod, screwed, 2.85" long	...	(Gewindestange 1/4")	—	—	—	KC.1
	SP.15.J	Washer	—	—	—	
	SP.16.J	Washer	—	—	—	



* Bolzen und Büchsen siehe Plate No. DG.2

LANDING FLAP

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

