

SERVICES—OXYGEN INSTALLATION

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Store	Plate No.
		1 2 3 4 5				
	D.233297-S1	OXYGEN INSTALLATION, ASSEMBLY ...	—	—	—	
6D/1647	—	Adaptor, inlet, straight ...	1	—	C.	
2847	F.189159	Block, emergency control support clip ...	1	LFS.21	MR/C	NK.1
447	F.186436	Bolt, securing cylinder straps ...	4	S.95.B	C.	NK.1
448	A.186437	Cable, front, for cylinder heads ...	1	—	C.	NK.1
449	A.186438	Cable, rear, for cylinder heads ...	1	—	C.	NK.1
5280	F.206144	Cable, emergency control... ..	1	W.11	C.	NK.1
	Std 840/18	Clip, securing emergency control cable, $\frac{1}{16}$ " wide x 22 S.W.G. x 1-8" long (Make up from 30B/1433)	1	DTD.610	C.	4
	Std 840/32	Clip, for pipe, $\frac{1}{16}$ " wide x 22 S.W.G. x 3-2" long (Make up from 30B/1433)	1	DTD.610	MR/C	4
	Std.2045/15/26	Clip, sleeved ...	5	—		
	Std.2046/15/26	Clip, sleeved ...	1	—		
1937	F.194470	Clip, at pressure relief valve ...	1	S.3	C.	NK.1
4236	F.202451	Clip, securing cylinder covers ...	2	—	C.	NK.1
	F.233061	Cover, protective, for charging valve (Mod. 2397) ...	1	Alum.	—	NK.1
4234	A.200425	Cover, protective, for cylinder valve ...	2	P.V.C.	C.	NK.1
60/9429894	—	Cylinder, H.P. Mk. 5D (Complete with 6D/9429901 Mk.7A*) (AS.900/26)	2	—	A.	
5281	A.206145	Duct, for emergency control cable, $\frac{1}{16}$ " o/d x 22 S.W.G.	1	DTD.323	C.	NK.1
2849	F.189154	Duct, for emergency control cable, $\frac{1}{16}$ " o/d x 22 S.W.G.	1	DTD.323	C.	NK.1
1939	F.195750	Fairlead, low pressure pipe ...	2	LFS.21	C.	NK.1
6D/574	—	Filter, pipe line, Mk. 1 ...	2	—	A.	
6D/1615	Barnet-1680-D-4032	Gauge, contents, Mk. 3 (AS.860/3)	1	—	A.	
X →	6D/642	Knob, for emergency control ...	1	L.65.C	C.	NK.1
	6D/641	Label, adhesive, for filter ...	2	—	C.	
	6D/641	Label, adhesive, for NRV ...	4	—	C.	
XX →	462	Link, emergency control cable ...	1	DTD.610	C.	NK.1
	Std 1231/1	Lug, locking ...	1	S.3	C.	4
	F.231069	Lug, bonding at regulator (Mod. 678) ...	1	Copper		
6D/575	—	Piece, connecting, 2-way, Mk. 3A ...	1	—	C.	
6D/603	—	Piece, connecting, 3-way, Mk. 3A ...	5	—	C.	
4095	Mills-GP.2	Pin, grooved, GP.2, $\frac{1}{8}$ " dia. x $\frac{3}{16}$ " long ...	1	M.S.	MR/C	
532	B.186747/2	Pipe, filter to 3-way connection ...	1	T.51	C.	
533	B.186747/3	Pipe, 3-way connection to 3-way connection ...	1	T.51	C.	
534	B.186747/4	Pipe, 3-way connection to 3-way connection ...	1	T.51	C.	
535	B.186747/5	Pipe, 3-way connection to cylinder ...	1	T.51	C.	
536	B.186747/6	Pipe, 3-way connection to cylinder ...	1	T.51	C.	
537	B.186747/7	Pipe, 3-way connection to 3-way connection ...	1	T.51	C.	
538	B.186747/8	Pipe, 3-way connection to 3-way connection ...	1	T.51	C.	
539	B.186747/9	Pipe, 3-way connection to bulkhead connection ...	1	T.51	C.	
540	B.186747/10	Pipe, bulkhead connection to 3-way connection ...	1	T.51	C.	
541	B.186747/11	Pipe, 3-way connection to gauge ...	1	T.51	C.	
542	B.186747/12	Pipe, 3-way connection to pressure reducing valve ...	1	T.51	C.	
	B.186747/13	Pipe, charging valve to filter (Mod. 2397) ...	1	T.51	C.	
451	A.186748	Pipe, pressure reducing valve to demand regulator ...	1	L.54	C.	
X {	32C/445	Hose, fabric reinforced 7/8" i/d (for manufacture of D.233297/1)	OR	DTD.625A Type 1	C.	
	D.233297/1	Schlauchstutzen, Länge 55 mm	2			
F+W Pkt.346 @	6F-F+W-706697	Rohrverbindungs-Kupplungsteil	1			NK.1
Ae.A. 1213	6F-BAMF-D-12094	Dichtzapfen	1			NK.1
	N-521.226	Sauerstoffschlauch	1			
XX {	6D/1464	Führungshülse	1	—		NK.1
	6D/2055	Verbindungskabel (für Notsauerstoffgerät)	1	—		NK.1
	6F-F+W-511718	Dichtung	1	—		NK.1
	6F-F+W-511719	Sprengring	1	—		NK.1

SERVICES—OXYGEN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Score	Plate No.
		1	2	3	4	5				
452	A.187685	Pipe, demand regulator to flexible connection ...					1	L.63	C.	
453	A.187686	Pipe, flexible connection to low pressure tube connector ...					1	L.63	C.	
Ae.A.Hu-P-676	Std 449/3	Plate, locking, attachment of filter to frame 6 ...					1	L.3	C.	4
	6F-P+W-520504	Träger					1			
	A 33/B14	Schraube					1			
6D/2294	Normalair- OP.4820F	Regulator, demand, Mk. 17E (Mod.919) ...					1	—		
	Std 1606/45/B16	Screw, 4 B.A. x 1/2" long... ..					4	Brass	C.	5
	F.233062	Spring, for charging valve cover (Mod. 2397) ...					1	Steel	—	NK.1
455	B.186427	Strap, front support, forward cylinder... ..					2	—	C.	NK.1
456	B.186428	Strap, front support, rear cylinder					2	—	C.	NK.1
457	B.186429	Strap, rear support, forward and rear cylinder ...					4	—	C.	NK.1
	Std.1509/23/064	Tube, distance, 1/8" o/d x 17 S.W.G. x 0.64" long ... (Make from 30B/556)					6	T.5	—	
458	C.186059	Tube, support, for cylinder mounting					1	—	C.	NK.1
	Std 1509/12/030	Tube, distance, at earthing connection, 1/2" o/d x 20 S.W.G. x 0.3" long (Make from 30B/619)					1	T.4	MR/C	4
	—									
	Std.1509/23/076	Tube, distance, 1/8" o/d x 17 S.W.G. x 0.76" long (Make from 30B/556)					1	T.4	—	
463	F.189155	Tube, for emergency control cable					1	DTD.464	C.	NK.1
459	A.185345	Union, special, frame 6					1	DTD.423	C.	NK.1
6D/1497	—	Union, blanking Mk. 3					1	—	C.	
	—									
	N-521.319	Valve, charging, group (Mod. 2397)					1	—	—	
6D/427	N-521.204.3	Valve, non-return, Mk.1					4	—	A.	
6D/1616	Palmer-C.65 Mk.1	Valve, pressure reducing					1	—	A.	
	Std 1509/12/060	Tube, distance 1/4" o/d x 20 SWG x 0.60" long					—	—		

SERVICES—OXYGEN INSTALLATION

Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
		SUMMARY OF STOCK ITEMS								
	A25.1B	Bolt,	4	B.A.	...	...	—	—	—	
	A25.4B	Bolt,	4	B.A.	...	...	—	—	—	
	A25.5B	Bolt,	4	B.A.	...	...	—	—	—	
	A25.1C	Bolt,	2	B.A.	...	...	—	—	—	
	A25.2C	Bolt,	2	B.A.	...	...	—	—	—	
	A25.5C	Bolt,	2	B.A.	...	...	—	—	—	
	A25.6C	Bolt,	2	B.A.	...	...	—	—	—	
	A25.7C	Bolt,	2	B.A.	...	...	—	—	—	
	A25.9C	Bolt,	2	B.A.	...	...	—	—	—	
	AS.1242/2C	Bolt,	2	B.A.	...	...	—	—	—	
	AS.1248/1B	Bolt,	4	B.A.	...	...	—	—	—	
	AGS.1200/11	Chain	...	...	...	...	—	—	—	
	AGS.605/1	Clip	...	...	...	...	—	—	—	
	AS.2295/6	Clip	...	...	...	...	—	—	—	
	AGS.1661/D	Clip, bonding	...	...	...	...	—	—	—	
	AS.3360.B4B	Lead, bonding	...	...	...	...	—	—	—	
	AS.3360.B6C	Lead, bonding	...	...	...	...	—	—	—	
	AS.5419/3	Clip, support	...	...	...	...	—	—	—	
	AGS.113/C	Nut, wing, 2 B.A.	...	...	...	...	—	—	—	
	AGS.1148/B	Nut, thin, 1/2" B.S.F.	...	...	...	...	—	—	—	
	AGS.2001/B1	Nut, stiff, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2001/C1	Nut, stiff, 2 B.A.	...	...	...	...	—	—	—	
	AGS.2002/B1	Nut, stiff, 4 B.A.	...	...	...	...	—	—	—	
	AGS.2002/C1	Nut, stiff, 2 B.A.	...	...	...	...	—	—	—	
	SP.4Y.A2	Pin	...	...	...	...	—	—	—	
	SP.4Y.A3	Pin	...	...	...	...	—	—	—	
	SP.4Y.D6	Pin	...	...	...	...	—	—	—	
	A31.B12	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A32.B14	Screw, 4 B.A.	...	...	...	...	—	—	—	
	A32.B24	Screw, 4 B.A.	...	...	...	...	—	—	—	
	AGS.1186/B	Seal	...	...	...	...	—	—	—	
	AS.2908	Turnbuckle	...	...	...	...	—	—	—	
	SP.13/B	Washer	...	...	...	...	—	—	—	
	SP.15/B	Washer, 4 B.A.	...	...	...	...	—	—	—	
	SP.16/B	Washer, 4 B.A.	...	...	...	...	—	—	—	
	SP.15/C	Washer, 2 B.A.	...	...	...	...	—	—	—	
	SP.16/C	Washer, 2 B.A.	...	...	...	...	—	—	—	

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

