

UNDERCARRIAGE—MAIN FAIRING

Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Place No.
		1 2 3 4 5				
	D.187500-1	FAIRING, MAIN UNDERCARRIAGE, ASSEMBLY	—	—		
4219	F.191499	Bolt, banjo, for greaser pipe	2	—	C.	RB.1
7016	E.214862-S1	Door, wheel, port group (with trimming allowance) (Mod. 432)	1	—	A.	RB.2
Ae.A. Hu-FT-655	7017	E.214863-S1	Door, wheel, starboard group (with trimming allowance) (Mod. 432)	1	A.	RB.2
484	F.187537	Bolt, attachment of jack anchorage shackle ...	2	S.95.B	C.	RB.2
4669	F.201476	Bolt, front and aft lock pin fittings	16	S.99.B	C.	RB.2
8394	A.211328	Fitting, pin, aft lock, port (Mod. 314)	1	DTD.473	C.	RB.2
8395	A.211329	Fitting, pin, aft lock, starboard (Mod. 314)	1	DTD.473	C.	RB.2
8392	A.211326	Fitting, pin, front lock, port (Mod. 314)	1	DTD.473	C.	RB.2
8393	A.211327	Fitting, pin, front lock, starboard ... (Mod. 314)	1	DTD.473	C.	RB.2
491	C.178792	Hinge, door, port	1	—	C.	RB.2
492	C.178793	Hinge, door, starboard	1	—	C.	RB.2
7018	A.212601	Lever, group (Mod. 432)	2	—	B.	RB.2
5772	F.202798	Bush	1	BSS.250	MR/C	RB.2
	STD 1221/Y/D/85	Pin	1	S.2	—	4
5773	F.201688	Roller	1	DTD.504	MR/C	RB.2
8213	F.212691	Roller	1	L.65.C	MR/C	RB.2
7885	F.214842	Plate, locking (Mod. 479)	2	L.72	C.	RB.2
493	A.187533	Shackle, jack anchorage, port	1	—	C.	RB.2
494	A.187534	Shackle, jack anchorage, starboard	1	—	C.	RB.2
	STD 325/82	6kt.-Bolzen	1	S.95 or S.96		RB.2
	SP 15/E	U-Scheibe	1			RB.2
	A 58/BS	Kr.-Mutter	1			RB.2
	SP 21	Schmiernippel	1			RB.2
495	F.187535	Shim, at aft lock pin fitting (Max. 4)	QR	DTD.610	C.	RB.2
496	F.187536	Shim, at front lock pin fitting (Max. 4)	QR	DTD.610	C.	RB.2
7824	F.206293	Shim, taper at aft lock pin fitting (Max. 1)	QR	L.72	C.	
7882	F.206294	Shim, taper front lock pin fitting (Max. 1)	QR	L.72	C.	
8396	F.211330	Shim, at front lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
8397	F.211331	Shim, at front lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
8398	F.211332	Shim, at front lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
8399	F.211333	Shim, at aft lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
8400	F.211334	Shim, at aft lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
8401	F.211335	Shim, at aft lock pin fitting (Mod. 314)	QR	Shim Steel	C.	
5775	F.201687	Tube, distance, at lever attachment	2	S.95.B	MR/C	
	STD 914/J/20	Washer, for pin through channel	2	S.1	C.	
343	E.187463	Fairing, leg, port, group	1	—	A.	RB.1
344	E.187464	Fairing, leg, starboard, group	1	—	A.	RB.1
	F.170010S	Büchse	2			RB.1
497	A.187467	Panel, access to locking pin attachment bolts ...	2	DTD.610	C.	RB.1
498	A.170012	Pin, attachment of fairing links	2	S.1	C.	RB.1
6101	A.208253	Pin, locking, port (Mod. 312)	1	—	C.	RB.1
6102	A.208254	Pin, locking, starboard (Mod. 312)	1	—	C.	RB.1
	STD 1208/75/32/70	Shim, at attachment of fairing	8	St. Steel	C.	4
1534	F.187496	Washer, serrated, for lock pin	2	S.3	C.	RB.1
8169	D.215617	Fairing, wheel, port, group (with trimming allowance) (Mod. 197) (Pre Mod.795)	1	—	A.	RB.2
8170	D.215618	Fairing, wheel, starboard, group (with trimming allowance) (Mod. 197) (Pre Mod.795)	1	—	A.	RB.2

UNDERCARRIAGE—MAIN FAIRING


Ref. No.	Part No.	Description	No. Off	Material Specification	M.R. Class of Score	Plate No.
		1 2 3 4 5				
	D.187155	DETAILS OF FAIRING, ASSEMBLY ...	—	—		
503	F.151366	Bolt, fairing attachment to undercarriage leg bracket	8	S.1	C.	RB.2
505	F.187218	Nut, clamp, fairing attachment to undercarriage leg, bracket	8	S.92.B	C.	RB.2
4671	B.203598	Panel, access, to brakes ...	2	L.72	C.	RB.2
	AS 1242/10	Sk.-Schraube	2			RB.2
509	F.151365	Plate, clamp, fairing attachment to undercarriage leg bracket	8	S.1	C.	RB.2
510	A.173027	Plate, fixing, fairing attachment to undercarriage leg bracket	8	S.92.B	C.	RB.2
511	F.151368	Sleeve, adjusting, fairing attachment to undercarriage leg bracket	8	S.2	C.	RB.2
512	F.151367	Washer, fairing attachment to undercarriage leg bracket	8	L.16	C.	RB.2
6168	Heilermann-HV.2553	Grommet ...	2	—	C.	
506	A.187178	Panel, access to bleeder screw ...	2	DTD.610	C.	RB.2
507	A.187180	Panel, access to jacking plug, port ...	1	DTD.610	C.	RB.2
508	A.187181	Panel, access to jacking plug, starboard ...	1	DTD.610	C.	RB.2
341	D.186870	Flap, fairing, port, group (with trimming allowance)	1	—	A.	RB.1
342	D.186871	Flap, fairing, starboard, group (with trimming allowance)	1	—	A.	RB.1
513	F.187237	Bolt, attachment of link to bracket ...	2	S.95.B	C.	RB.1
514	A.186873	Bracket, link ...	2	DTD.162	C.	RB.1
515	A.187118	Hinge, front port, rear, starboard ...	2	—	C.	RB.1
516	A.187119	Hinge, front starboard, rear port ...	2	—	C.	RB.1
8138	B.182128	Hinge, flap and leg fairing, port, group ...	1	—	C.	
8139	B.182129	Hinge, flap and leg fairing, starboard, group ...	1	—	C.	
3985	A.197874	Bracket, hinge, front, leg fairing, port ...	1	Stmpg.	C.	RB.1
3986	A.197875	Bracket, hinge, front, leg fairing, starboard ...	1	Stmpg.	C.	RB.1
3987	A.197876	Bracket, hinge, rear, leg fairing, port ...	1	Stmpg.	C.	RB.1
3988	A.197877	Bracket, hinge, rear, leg fairing, starboard ...	1	Stmpg.	C.	RB.1
9135	B.182107	Hinge, flap, port ...	1	—	MR/C	RB.1
6957	B.182108	Hinge, flap, starboard ...	1	—	C.	RB.1
549	F.182111	Link, flap, hinge, forward, port ...	2	S.2	C.	RB.1
550	F.182112	Link, flap, hinge, forward, starboard ...	2	S.2	C.	RB.1
6171	F.202596	Link, hinge, port and starboard ...	4	Casting or S.96.B	C.	RB.1
551	F.189654	Pin, flap, hinge, front, $\frac{3}{8}$ " dia. x 3-80" long ...	2	St. Std.	C.	RB.1
552	F.189655	Pin, flap, hinge, rear, $\frac{3}{8}$ " dia. x 3-35" long ...	2	St. Std.	C.	RB.1
6172	F.207897	Shim, for hinge bracket ...	4	Lam. Alum.	C.	
517	A.187321	Link, undercarriage fairing flap, group ...	2	—	C.	RB.1
518	F.151348	Bolt, lubricating ...	1	S.94.B	C.	RB.1
519	F.187323	Shackle ...	1	S.1	C.	RB.1
	A.187325	Bearing, rod end (rechtsgewinde)	1			RB.1
	AGS 636/2	Lager	1	Bz		
	F.151344	Endstück	1			RB.1
	A 14/JB	6kt.-Mutter (rechtsgewinde)	1			RB.1
	A 14/JBL	6kt.-Mutter (Linksgewinde)	1			RB.1
520	B.187328	Link, leg fairing, group ...	4	—	C.	RB.1
	A.187325	Bearing, rod end (Rechtsgewinde)	1	—		RB.1
	A.187326	Bearing, rod end (Linksgewinde)	1	—		RB.1
	A.187327	Rod, connecting ...	1	—		RB.1
	AGS 636/2	Lager	2	Bz		RB.1
	A 14/JB	6kt.-Mutter (rechtsgewinde)	1			RB.1
	A 14/JBL	6kt.-Mutter (Linksgewinde)	1			RB.1

UNDERCARRIAGE - MAIN FAIRING


Ref. No.	Part No.	Description					No. Off	Material Specification	M.R. Class of Store	Plate No.
		1	2	3	4	5				
521	F.187324	Pin, hinge, fairing flap					2	S.3	C	RB.1
522	F.171532	Pin, hinge, leg fairing					4	S.95.B	C	RB.1
8299	A.206280	Pipe, greaser, port (Mod. 197)					1	-	C	RB.1
8300	A.206281	Pipe, greaser, starboard (Mod. 197)					1	-	C	RB.1
	SP 21	Schmiernippel					1	-		RB.1
3983	F.197954	Plate, fairing flap hinge pin retaining					2	DTD.610	C	RB.1
3984	F.197955	Plate, fairing flap hinge pin retaining					2	DTD.610	C	RB.1
	AGS 1186/4	Seal, for greaser pipe banjo					4	-	C	
	STD 915/U/18	Washer, for greaser pipe					2	DTD.610	C	4
	STD 1546/24/12	Washer, profile, at securing of port and starboard mechanical recuperator guards (Mod.795)					4	DTD.610	-	
SUMMARY OF STOCK ITEMS										
	AGS 636/2	Ball					-	-	-	
	A 25/1B	Bolt, 4 B.A.					-	-	-	
	A 25/2B	Bolt, 4 B.A.					-	-	-	
	A 25/7C	Bolt, 2 B.A.					-	-	-	
	A 25/8C	Bolt, 2 B.A.					-	-	-	
	AS 1242/2C	Bolt, 2 B.A.					-	-	-	
	AS 1242/3C	Bolt, 2 B.A.					-	-	-	
	AS 1242/6C	Bolt, 2 B.A.					-	-	-	
	AS 1242/7C	Bolt, 2 B.A.					-	-	-	
	AS 1242/8C	Bolt, 2 B.A.					-	-	-	
	AS 1242/16G	Bolt, 5/16" B.S.F.					-	-	-	
	AGS 572/C	Nut - -					-	-	-	
	A 14/JB	Nut, 3/8" B.S.F.					-	-	-	
	A 14/JBL	Nut, 3/8" B.S.F.					-	-	-	
	A 16/YCT	Nut, 2 B.A.					-	-	-	
	A 16/YGS	Nut, 5/16" B.S.F.					-	-	-	
	A 27/CT	Nut, 2 B.A.					-	-	-	
	A 27/ES	Nut, 1/4" B.S.F.					-	-	-	
	A 27/GS	Nut, 5/16" B.S.F.					-	-	-	
	AGS 2001/C1	Nut, 2 B.A.					-	-	-	
	AGS 2002/B1	Nut, 4 B.A.					-	-	-	
	SP 21	Nipple, lubricating					-	-	-	
	SP 31/H12	Stiftsplint					-	-	-	
	SP 4Y/B11	Pin					-	-	-	
	SP 4Y/B12	Pin					-	-	-	
	SP 4Y/G20	Pin					-	-	-	
	SP 15/B	Washer, 4 B.A.					-	-	-	
	SP 15/C	Washer, 2 B.A.					-	-	-	
	SP 15/E	Washer, 1/4" dia.					-	-	-	
	SP 15/G	Washer, 5/16" dia.					-	-	-	
	SP 16/C	Washer					-	-	-	
	SP 41/G	Washer, tab					-	-	-	

UNDERCARRIAGE - MAIN FAIRING


Ref. No.	Part No.	Description	No. Off	Material Specificat.	M. R. Class of Store	Plate No.



MAIN UNDERCARRIAGE



MAIN UNDERCARRIAGE



This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.