

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Expt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	-	FUEL SYSTEM (EB8.57.1)						-	-	-	
	-	INSTALLATION OF SYSTEM IN CENTRE FUSELAGE (EB8.57.13)						-	-	-	
	EA3.57.435	CAP, Filler, No. 1, No. 2, No. 3 and No. 4 Fuel Tank (See Section PA)						-	-	-	
	EA3.57.437	CAP, Filler, No. 5, Fuel Tank (See Section PA)						-	-	-	
28E/9128961	AGS605/1	ULIP, hose						27	-	C	
28E/9129562	AGS605/3	CLIP, hose						18	-	C	
5K/4329352	AGS1661/E	CLIP, bonding						24	-	C	
5K/4329354	AGS1661/G	CLIP, bonding						1	-	C	
5K/4329356	AGS1661/K	CLIP, bonding						9	-	C	
26949	EA2.57.709	CLIP, pipe						2	DTD610	C	
1349	EA3.75.89	CLIP, pipe						2	DTD610	C	
3135	EA2.57.175	CONNECTION, 'T' reducing, tank No.1						1	DTD133B	C	
3136	EA2.57.177	CONNECTION, 'T', tanks, 2,3 and 4						3	DTD133B	C	
6A/4333137	Smiths TAB/2/19	GAUGE, fuel tank unit, tank Nos 2,3, and 4						3	-	A	
6A/4333117	Smiths TAB/1/18	GAUGE, fuel tank unit, tank No.1						1	-	A	
6A/4337790	Smiths 31.TA	GAUGE, fuel tank unit, tank No.5						2	-	A	
6A/4337791	Smiths 32.TA	GAUGE, fuel tank unit, tank No.5						1	-	A	
6A/4337792	Smiths 33.TA	GAUGE, fuel tank unit, tank No.5						1	-	A	
6A/1028705	Smiths 37.753.710.01	GASKET, between floor and tank unit						8	-	C	
28M/1278190	AGS2001/C1	Attachments - Gauges to Tanks						2	-	C	
28W/1010733	SP18/C	Nut, stiff, 2BA						2	-	C	
6951	EA2.57.715	Washer,						2	-	C	
6952	EA2.57.717	HOSE, rubber, 1in. 1/d x 3 in. long						12	-	C	
4762	EA2.57.717	HOSE, rubber, 1in. 1/d x 2 in. long						1	-	C	
6953	EA3.57.185	HOSE, rubber, 2in. 1/d x 3 in. long						9	-	C	
6954	EA2.57.621	JOINT, pipe						2	-	C	
6954	EA2.11.3001	PANEL, detachable						2	-	C	
6955	EA2.11.3005	PANEL, detachable						2	-	C	
	EA2.57.549	PIPE, Flanged Purging, Fuel Tanks 1 and 2						-	-	-	
		Spares for:-									
12033	EA2.57.753	ELBOW, flanged						1	T9	C	
28F/9486111	AGS1142/H	NIPPLE						2	-	C	
12034	EA2.57.755	PIPE, purging						1	L56	C	
5102	EA3.57.117	VALVE, non-return						1	-	B	

RESTRICTED

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
6101122	EA2.57.751	PIPE, Flanged Purging, Fuel Tanks 3 and 4						-	-	-	
12033	EA2.57.753	Spares for:- ELBOW, flanged						1	T9	C	
28F/9486111	AGS1142/H	NIPPLE						2	-	C	
12035	EA2.57.757	PIPE, purging						1	L56	C	
5102	EA3.57.117	VALVE, non-return						1	-	B	
3157	EA2.57.131	PIPE, purging						1	T45	C	
3147	EA2.57.83	PIPE, purging, junction						2	T45	C	
3148	EA2.57.85	PIPE, purging, junction						1	T45	C	
6958	EA2.57.703	PIPE, purging, junction						1	L56	C	
3153	EA2.57.113	PIPE, venting, twin junction						1	L45	C	
6959	EA2.57.699	PIPE, venting						1	L56	C	
12036	EA2.57.763	PIPE, venting						1	DTD310	C	
12037	EA2.57.767	PIPE, venting						1	DTD310	C	
12038	EA2.57.771	PIPE, venting						1	DTD310	C	
26800	EB8.57.507	PIPS, vent, 1 in. o/d (See pipe chart)						1	T26	C	
		PIPING, to Belly Tank (EB8.57.93)						-	-	-	
		Spares for:-									
	English Electric Type 222	ACTUATOR, and Fuel Cock						1	-		
		Spares for:-									
5CW/4511895	-	ACTUATOR, type 200, Mk. 1						1	-	A	
	Saunders F80/B20	COCK, fuel						1	-	A	
3108	EA2.57.199	BRACKET						4	DTD610	C	
3110	EA2.57.493	BRACKET						2	DTD610	C	
3111	EA2.57.557	BRACKET						1	-	C	
3109	EA2.57.553	BRACKET						7	-	C	
		Attachment for brackets									
28D/9133012	A25/3C	Bolt, 2BA						4	-	C	
28D/9436920	A25/1C	Bolt, 2BA						8	-	C	
28M/1278190	AGS2001/C1	Nut, stiff 2BA						12	-	C	
28W/9419402	SP13/C	Washer, 2BA						12	-	C	
3112	EA2.57.551	CABLE, earthing						1	-	C	
11382	EA2.57.201	CLAMP						11	DTD610	C	
11376	EA2.57.495	CLAMP						2	DTD610	C	
5K/4329354	AGS1661/G	CLIP						4	-	C	
28E/9129092	AGS605/2	CLIP						8	-	C	
3114	EA2.57.467	GASKET, fuel sump						4	Petrolite	C	
6051429	EB8.57.1503	GASKET, manifold, 1/8 in. thick (SA4881)						4	Neo-K-tex	C	
	EBAS77/81	HOSE, connection (Make from 32C/377)						4	DTD625 Type 1	LM	
	EBAS164/20/30	HOSE, connection (Make from 32C/377)						4	DTD625 Type 1	LM	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	EEAS164/24/30							2	DTD625 Type 1	LM	
	EEAS164/28/30							1	DTD625 Type 1	LM	
26806	EB8.57.95							1	-	B/MR	
28F/9513420	AGS1142/J							12	-	C	
31433	EB8.57.1381							1	L56	C	
3120	EA2.57.523							1	L56	C	
3121	EA2.57.525							1	L56	C	
31434	EB8.57.1377							1	L54	C	
26805	EB8.57.97							1	-	C	
26804	EB8.57.98							1	-	C	
26803	EB8.57.99							1	-	C	
26802	EB8.57.511							1	-	C	
33557	EB8.57.1457							1	L56	C	
13987	EB8.57.309							1	L56	C	
13988	EB8.57.311							1	L56	C	
13989	EB8.57.313							1	L56	C	
13990	EB8.57.315							1	DTD253	C	
31435	EB8.57.1409							4	DTD610	C	
3131	EA2.57.261							4	DTD124	C	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.B. or L.M.	Plate No.
		1	2	3	4	5	6				
1446	EEAS66/5							16	DTD610	C	
1443	EEAS66/7							4	DTD610	C	
3132	EEAS66/10							2	DTD610	C	
27PS/2854	Saunders A202							2	-	C	
28F/9429636	AGS1186/3							48	-	C	
3133	EA2.57.183							4	DTD300	C	
28D/94.36920	A25/1C							2	-	C	
28W/9416643	SP47/C							2	-	C	
27E/5178	S.P.E. 2706							6	-	C	
-	-							-	-	-	
28E/94.29463	AGS605/0							16	-	C	
5K/112	AGS1661/A							16	-	C	
	EEAS164/24/30							4	BSF 67 Type 1	LM	
28F/9513420	AGS1142/J							6	-	C	
28F/9517920	AGS1142/K							2	-	C	
3171	EA2.57.509							1	L56	C	
3172	EA2.57.511							1	L56	C	
3173	EA2.57.513							1	L56	C	
3174	EA2.57.515							1	L56	C	
13991	EB8.57.81							1	DTD253	C	
30849	EB8.57.1355							1	DTD253	C	
31436	EB8.57.1383							1	-	C	
31437	EB8.57.1385							1	-	C	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
13993	KB8.57.85							1	L56	C	
13994	KB8.57.87							1	L56	C	
	-							-	-	-	
1183	EA1.57.191							1	L40	C	
3175	EA1.57.571							1	-	C	
3176	EA1.57.39							1	DTD610	C	
28M/9403520	A27/CP							16	-	C	
28W/9416643	SP47/C							16	-	C	
	E.E. Co. Ltd. Type 201 Mk.8							1	-	C	
5W/4511895	200 Mk.1							1	-	C	
5W/4489229	Saunders							1	-	C	
27PS/4524532	EA2/S.40							1	-	C	
	-							-	-	-	
5842	ERAS134/2C							6	S69	C	
5843	EA2.57.617							1	-	C	
5844	EA2.57.603							1	L54	C	
1444	KEAS66/3							2	DTD610	C	
5845	EA2.57.607							1	-	C	
28M/1278190	AGS2001/C1							6	-	C	
1468	ERAS1/2C							6	-	C	
28W/9419402	SP13/C							6	-	C	
5846	EA2.57.619							1	Neo-K-Tex	C	
	S.P.E.										
50W/6206979	1003 Mk.4							1	-	A	
8182	EA1.57.1079							1	-	C	
1189	EA1.57.29							1	Neo-K-Tex	C	
1190	EA1.57.31							1	Neo-K-Tex	C	
	-							-	-	-	
1183	EA1.57.191							1	L40	C	
3175	EA1.57.571							1	-	C	
3178	EA1.57.41							1	DTD610	C	
28M/9403520	A27/CP							16	-	C	
28W/9416643	SP47/C							16	-	C	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.F. or L.M.	Plate No.
		1	2	3	4	5	6				
	E.E. Co. Ltd Type 201 Mk. 8										
5W/4511895	200 Mk. 1										
5W/4489229	-										
27FS/4524532	Saunders EA2/E.10										
5842	EEAS134/2C										
5843	EA2.57.617										
5847	EA2.57.605										
1444	EEAS66/3										
5845	EA2.57.607										
28M/1278190	AGS2001/C1										
1468	EEAS1/2C										
28W/9419402	SP13/C										
5846	EA2.57.619										
5UE/6206979	S.P.E. 1003 Mk. 4										
1189	EB8.57.1497										
1443	EA1.57.29										
27F/4526771	S.P.E. 2706										
27F/4526771	S.P.E. 2707										
7220	EA1.57.1131										
1722	EA1.57.1171										
1648	EA1.57.1073										
1649	EA1.57.1143										
1650	EA1.57.1039										
1658	EA1.57.1027										
1659	EA1.57.1029										
3107	EA1.57.267										
28D/1214980	A28/6C										
28M/4095802	AGS2001/C3										
	AS2809/4/06										
28W/9419402	SP13/C										

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.	
		1	2	3	4	5	6					
1145	EA1.57.317							CLIP, pipe	1	DTD610	C	
8190	EA3.57.481							FAIRLEAD	2	LPS21	C	
28D/9419452	A25/3B							Attachments for fairlead				
28M/1278189	AGS2001/B1							Bolt, 4BA	4	-	C	
28W/9419465	SF13/B							Nut, stiff, 4BA	4	-	C	
5998	EA3.57.451							Washer	4	-	C	
1147	EA1.57.271							PIPE, continuation, 1 1/2 in. o/d	1	L54	C	
1148	EA3.57.31							PIPE, fuel, 1 1/2 in. o/d, from hose connection at frame 27 to connection at No. 5 fuel tank	1	T26	C	
1726	EA1.57.1127							PIPE, fuel, 1 1/2 in. o/d branch at No. 5 fuel tank	1	T26	C	
5999	EA3.57.441							PIPE, 1 1/2 in. o/d, from port and starboard non-return valves to flexible coupling	2	L56	C	
6000	EA3.57.443							PIPE, fuel, 1 1/2 in. o/d, continuation from hose connection at centre of frame 27 to hose connection branch pipe, port	1	L54	C	
6501	EA3.57.445							PIPE, 1 1/2 in. o/d from hose coupling at centre of frame 27 to non-return valve, starboard	1	L54	C	
6502	EA3.57.455							PIPE, 1 1/2 in. o/d, continuation at centre of frame 27	1	L54	C	
1446	EEAS66/5							RING, sealing, 1 in. thick	2	Neo-K-Tex	C	
1729	EEAS20/1DU							RING, clamping, 1 1/8 in. dia.	14	DTD610	C	
27W/5178	S.P.E. 2706							TAB, locking	5	DTD124	C	
28D/1200119	A25/4C							VALVE, non-return, P24A, Mk. 3 (Mod3098)	2	-	A	
28M/1278190	AGS2001/C1							Attachments for valve				
1729	EEAS20/1DU							Bolt, 2BA	2	-	C	
27E/2909	FV1250-S Mk.6							Nut, stiff, 2BA	2	-	C	
27E/6459	FV1250-S Mk.8							Washer, tab	2	-	C	
12231	EA3.57.491							VALVE, float (Pre 3906)	1	-	A	
	-							VALVE, float (Mod 3906)	1	-	A	
	-							VALVE, filter	1	-	C	
	-							PIPING, Recuperator, Fuel and Air, Centre Fuselage (EB8.57.325)	-	-	-	
	-							Spares for:-				
28E/4051812	AGS1213/E							BOLT, banjo	1	-	C	
28E/12852	AGS1213/A							BOLT, banjo	1	-	C	
28E/9128961	AGS605/1							CLIP	2	-	C	
4763	EA3.57.187							HOSE, rubber, 1 in. o/d x 2 3/4 ins. long	1	-	C	
	EB8.57.1323							PIPE, air, 5/8 in. o/d, connection at frame 22 to connection between frames 22 and 23 port (See pipe chart)	1	-		

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp't. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
EB8.57.1325		PIPE, air,	3/8 in. o/d, between frames 22 and 23 to connection at frame 27 port (See pipe Chart)					1	-		
EB8.57.1321		PIPE, air,	3/8 in. o/d, connection at frame 27 to coupling at frame 27 (See pipe chart)					1	-		
EB8.57.1327		PIPE, air,	3/8 in. o/d, connection at frame 22 to connection between frame 22 and 23, starboard (See pipe chart)					1	-		
EB8.57.1315		PIPE, air,	3/8 in. o/d, connection between frames 22 and 23 to connection at frame 27 starboard (See pipe chart)					1	-		
EB8.57.1319		PIPE, air,	3/8 in. o/d, connection at frame 27 to coupling at frame 27, starboard (See pipe chart)					1	-		
EB8.57.1317		PIPE, air,	3/8 in. o/d, coupling at frame 27 to vent pipe banjo connection at frame 27, port (See pipe chart)					1	-		
EB8.57.1329		PIPE, air,	3/8 in. o/d, coupling at frame 27 to vent pipe banjo connection, starboard (See pipe chart)					1	-		

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
31438	EB8.57.1389							PIPE, fuel $\frac{3}{16}$ in. o/d fuselage connection to connection frame 22-23, port	1	DTD323	C
31439	EB8.57.1391							PIPE, fuel $\frac{3}{16}$ in. o/d connection frames 22-23 to connection frame 27 port	1	DTD323	C
31440	EB8.57.1393							PIPE, fuel $\frac{3}{16}$ in. o/d connection frame 27 to connection at tank floor, port	1	DTD323	C
31444	EB8.57.1401							PIPE, fuel $\frac{3}{16}$ in. o/d, connection at tank floor to bleed connection, port	1	DTD323	C
31441	EB8.57.1395							PIPE, fuel, $\frac{3}{16}$ in. o/d, fuselage connection to connection frames 22-23, starboard	1	DTD323	C
31442	EB8.57.1397							PIPE, fuel, in. o/d connection frames 22-23 to connection frame 27 starboard	1	DTD323	C
31443	EB8.57.1399							PIPE, fuel, $\frac{3}{16}$ in. o/d, connection frame 27 to connection at tank floor, starboard	1	DTD323	C
31445	EB8.57.1403							PIPE, fuel, $\frac{3}{16}$ in. o/d connection at tank floor to bleed connection, starboard	1	DTD323	C
6878	EEAS66/2							RING, clamping	2	-	C
28F/4051569	AGS1103/E							UNION, body cone	6	-	C
28F/9129085	AGS1102/A							UNION, body cone	6	-	C
28F/11914	AGS1131/A							UNION, banjo body	1	-	C
28F/4051770	AGS1134/E							UNION, banjo	1	-	C
28F/1036556	AGS1111/A							UNION, flanged bulkhead	2	-	C
28F/9157486	AGS1112/F							UNION, flanged bulkhead	2	-	C
12888	EEAS21/8CR							WASHER 'D'	25	L72	C
12889	EEAS21/8CRH							WASHER, 'D'	46	L72	C
18852	EEAS21/2DR							WASHER, 'D'	2	L72	C
28F/1202394	AGS1138/A							WASHER	2	-	C
28F/1200994	AGS1138/B							WASHER	3	-	C
	-							PIPING, Venting, Frame 27A to Frame 30 (EB7.57.335) Spares for:-	-	-	-
25547	EB7.57.317							BANK, securing	2	-	C
25546	EB7.57.315							BRACKET Attachment for bracket	2	-	C
28D/9133012	A25/3C							Bolt, 2BA	2	-	C
28M/1278190	AGS2001/G1							Nut, stiff, 2BA	2	-	C
28W/9419402	SP13/C							Washer	2	-	C
25548	EB7.57.319							Washer	2	-	C





SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
14003	King Aircraft C4205/1 1/2 x 1 1/2/A							3	-	C	
14004	King Aircraft C4205/1 1/2 x 2/A							2	-	C	
28E/19824	SP91/J							6	-	C	
1707	EA2.75.37							1	DTD610	C	
14005	EB8.57.273							1	T26	C	
14006	EB8.57.245							1	S1	C	
6A/4338246	-							1	-	A	
	Marston										
27UA/823	D257/111A							1	-	A	
	EEAS164/214/30							3	DTD625 Type 1	LM	
28F/9513420	AGS1142/J							7	-	C	
28170	EB8.57.1345							1	-	C	
26798	EB8.57.327							1	-	C	
14007	EB8.57.335							1	-	C	
14008	EB8.57.471							1	-	C	
28F/9423227	AGS1135/B							1	-	C	
28W/1202106	AGS568/B							2	-	C	
14009	EB8.57.473							1	DTD253	C	
14010	EB8.57.475							1	DTD253	C	
26799	EB8.57.477							1	-	C	
14011	EB8.57.1301							1	-	C	
1443	EEAS66/7							6	DTD610	C	
14012	EB8.57.303							1	-	C	
28F/4051853	AS5404							1	-	C	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
28F/4051839	AS5403							2	-	C	
28F/17675	AS5402							3	-	C	
14013	EB8.57.431							1	-	C	
14014	EB8.57.435							1	-	C	
14015	EB8.57.517							1	-	C	
27V/5335	Teddington EMP/4/57							1	-	A	
-	-	INSTALLATION OF FUEL SYSTEM IN PORT OUTER WING (EB8.57.409)						-	-	-	
-	-	PIPING, Air to Engine Bay (EB8.57.419) Spares for:-						-	-	-	
28F/12147	AGS1130/C							1	-	C	
28F/9423220	AGS1135/C							1	-	C	
28E/1983164	SP91/E							1	-	C	
30882	EB8.57.1365 Automotive Products							1	L64	C	
27V/695	MPA30068/4							1	-	A	
28F/8011896	AGS1142/C							1	-	C	
13995	EB8.57.215							1	S80	C	
13760	EB8.60.67							1	S110	C	
30799	EB8.57.1363							1	T55	C	
13997	EB8.57.147							1	T55	C	
13998	EB8.57.177							1	T55	C	
13999	EB8.57.241							1	T55	C	
14001	EB8.57.199							1	S80	C	
14000	EB8.57.213							1	S80	C	
28F/1202393	AGS1138/C							2	-	C	
28E/9140974	AG1149/4							1	-	C	
-	-	PIPING, Delivery Integral Tank (EB8.57.415) Spares for:-						-	-	-	
-	English Electric Type 219	ACTUATOR, and Fuel Cock Mk.1 Consisting of:-						2	-	-	
5W/328	-	ACTUATOR, type 200, Mk.1						1	-	A	
5W/343	-	ADAPTOR						1	-	C	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
27FS/2237	Saunders E42.A10										
28D/9436920	A25/1C										
28W/9412475	SP15/C										
30883	EB8.57.1369										
1255	EAL.57.259										
	EEAS164/20/30										
	EEAS164/24/30										
28F/9-13420	AGS1142/J										
14021	EB8.57.375										
30944	EB8.57.1417										
14022	EB8.57.457										
14023	EB8.57.379										
5906	EB6.57.31										
30942	EB8.57.1415										
31496	EB8.57.381										
26795	EB8.57.399										
26794	EB8.57.401										
1446	EEAS66/5										
1443	EEAS66/7										
27F/5178	S.P.E. 2706										
	-										
	English Electric Type AE.4547										
5W/3893	-										
5W/343	ABD201349										

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
27FS/2237	Saunders E42.A10							1	-	A	
28D/12837	A28/1C							7	-	C	
28W/9419475	SP15/C							3	-	C	
	EEAS164/24/30							1	DTD625	LM	
14024	EB8.57.397							1	DTD253	C	
26793	EB8.57.371							1	-	C	
14025	EB8.57.373							1	DTD253	C	
1443	EBAS66/7							2	DTD610	C	
	-							-	-	-	
14026	EB8.57.465							1	-	C	
28F/1013599	AGS1142/A							1	-	C	
14027	EB8.57.461							1	L56	C	
14028	EB8.57.463							1	L56	C	
28F/1013401	AGS1107/A							1	-	C	
	-							-	-	-	
1255	EA1.57.259							3	DTD610	C	
6383	EA3.57.417							1	DTD610	C	
7136	EEAS143/21							3	-	C	
28R/19824	SP91/J							2	-	C	
28F/8011896	AGS1142/C							2	-	C	
28F/8011886	AGS1142/D							3	-	C	
28F/9513420	AGS1142/J							2	-	C	
28F/9439897	AGS1142/E							4	-	C	
30092	EB8.57.1335							1	T26	C	
14033	EB8.57.451							1	T55	C	
14034	EB8.57.455							1	T55	C	
30787	EB8.57.1361							1	T56	C	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
14035	EB8.57.453							PIPE, 1/2 in. o/d, air, from connection at rib 1 to connection aft of rib 1	1	T55	C
14031	EB8.57.141							PIPE, 3/16 in. o/d fuel, connection at rib 1 to connection at rib 7	1	T26	C
14032	EB8.57.449							PIPE, 1 1/4 in. o/d, fuel, connection forward rib 7 to connection forward rib 1	1	T55	C
31031	EB8.57.1429							PIPE, 1 1/2 in. o/d fuel, connection at rib 7 to connection at rib 1	1	T55	C
1446	EBAS66/5							RING, clamping	2	DTD610	C
981	EBAS20/2IR							TAB, locking	2	DTD610	C
278/2743	Vickers A5287/C							VALVE, non-return	1	-	A
	-							PIPING, Fuel and Air Aft of Spar (EB8.57.417) Spares for:-	-	-	-
5K/118	AGS1661/G							CLIP, bonding	2	-	C
5K/112	AGS1661/A							CLIP, bonding	2	-	C
1145	EA1.57.317							CLIP, pipe	2	DTD610	C
28E/19824	SP91/J							CLIP, pipe	2	-	C
28E/20012	SP91/C							CLIP, pipe	4	-	C
	EBAS164/24/30							HOSE, connection (Make from 32C/446)	2	DTD625	LM
28F/9439897	AGS1142/E							NIPPLE, adaptor	2	-	C
1675	EA6.57.105							PIPE, 1/2 in. o/d, air, connection at rib 1 to connection at rib 1 to connection at rib 6	1	L56	C
1673	EA6.57.107							PIPE, 1/2 in. o/d air, from connection at rib 1 to connection between rib 5 and 7	1	L56	C
28176	EB8.57.1333							PIPE, 3/8 in. o/d, air, from connection between ribs 4 and 5 to connection at rib 7	1	-	C
28178	EB8.57.1331							PIPE, 3/8 in. o/d, air, from connection between rib 4 and 5 to connection at rib 7	1	-	C
32907	EB8.57.1479							PIPE, 1 1/4 in. o/d, fuel, from connector to connection at rib 7 (Mod.3324)	1	-	C
26791	EB8.57.387							PIPE, 1 1/2 in. o/d, fuel, from connector between ribs 5 and 6 to connector at rib 3	1	-	C



SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp't. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
14037	EB8.57.501							1	DTD323	C	
14038	EB8.57.503							1	DTD323	C	
14039	EB8.57.505							1	L56	C	
30090	EB8.57.1341							1	L56	C	
14041	EB8.57.183							1	L56	C	
	EB8.57.1339							1	-		
12399	EB7.57.105							1	L56	C	
26825	EB8.57.137							1	-	C	
26824	EB8.57.139							1	-	C	
	EB8.57.1367							1	-		
27F/4526758	S.P.E. Ltd. PRC.40.B. Mk.2							1	-	A	
28F/9707349	AGS1114/C							1	-	C	
12408	EB7.57.77							1	-	C	
28U/4678949	AS2381							1	-	C	
12409	EB7.57.57							1	S95	C	
12410	EB7.57.63							1	S95	C	
28F/9140973	AGS1129/C							1	-	C	
28F/1013401	AGS1107/A							1	-	C	
28F/1013400	AGS1107/K							1	-	C	
28F/9129085	AGS1102/A							1	-	C	
28F/4051569	AGS1103/E							1	-	C	
27VB/4497299	Hymatic P860/29							1	-	A	
28D/9436920	A25/1C							2	-	C	
28W/1009699	SP55/C							2	-	C	
27FS/4692879	Saunders 703AA08 OR Vickers A5494.Mk.C							1	-	A	
28F/4051652	AGS115/5							1	-	C	

RESTRICTED

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	-	PIPING, Fuel Transfer and Air in Outer Wing Drop Tank (EAL.57.255)						-	-		
5K/118	AGS1661/G	CLIP, bonding						2	-	C	
5K/112	AGS1661/A	CLIP, bonding						4	-	C	
1145	E/A1/57/317	CLIP, pipe						5	DTD610	C	
28E/9129092	AGS605/2	CLIP, pipe						2	-	C	
28E/9429463	AGS605/0	CLIP, pipe						4	-	C	
28F/9513420	AGS1142/J	NIPPLE, adaptor						1	-	C	
1284	EA6.57.93	PIPE, 1 1/2 in. o/d. x 20 swg						1	L56	C	
1285	EA6.57.95	PIPE, 1 1/2 in. o/d. x 20 swg						1	L56	C	
1286	EA6.57.97	PIPE, 1/2 in. o/d. x 20 swg						1	L56	C	
1287	EA6.57.99	PIPE, 1/2 in. o/d x 20 swg						1	L56	C	
12927	EA9.57.43	PIPE, 1 1/2 in. o/d x 20 swg. (See pipe chart)						1	-	C	
1446	EEAS66/5 S.P.E.	RING, clamping						2	DTD610	C	
27E/5178	2706	VALVE, non-return P24A Mk 3 (Mod 3098) Attachment for valve						1	-	A	
28D/1200119	A25/4C	Bolt, 2BA						2	-	C	
28M/1278190	AGS2001/C1	Nut, stiff, 2BA						2	-	C	
1729	EEAS20/1DU	Tab, locking						2	DTD124	C	
	-	PIPING, Fuel Transfer on Rib 1 (EB8.57.1351) Spares for:-						-	-	-	
5K/118	AGS1661/G	CLIP, bonding						4	-	C	
28E/9129092	AGS605/2	CLIP, pipe						4	-	C	
1255	EAL.57.259	CLIP, pipe Attachments for clip						5	DTD610	C	
28D/9436920	A25/1C	Bolt, 2BA						2	-	C	
28M/1278190	AGS2001/C1	Nut, stiff, 2BA						2	-	C	
28W/9419475	SP15/C	Washer						2	-	C	
30847	EB8.57.1353	PIPE, 1 1/2 in. o/d x 20 swg.						1	DTD310	C	
2723	EAL.57.1259	PIPE, 1 1/2 in. o/d x 20 swg.						1	DTD310	C	
1446	EEAS66/5	RING, clamping						4	DTD610	C	
	-	INSTALLATION AIR AND FUEL PIPING IN WING EXTENSION PORT (EB8.57.7)						-	-	-	
1399	EAL.57.343	CLIP, pipe						1	DTD610	C	
1400	EAL.57.345	CLIP, pipe						1	DTD610	C	
28E/9429463	AGS605/0	CLIP						6	-	C	
28E/9129092	AGS605/2	CLIP						6	-	C	
5K/112	AGS1661/A	CLIP, bonding						5	-	C	
5K/118	AGS1661/G	CLIP, bonding						5	-	C	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
33015	EB8.57.1485	ELBOW, Fuel Pipe (Mod.3318)						1	-	C	
		Spares for:-									
33016	EB8.57.1487	SLEEVE, fuel pipe						1	L56	C	
33017	EB8.57.1483	ELBOW, Air pipe (Mod.3318)						1	-	C	
		Spares for:-									
33018	EB8.57.1489	SLEEVE, air pipe						1	L56	C	
36310	EB8.57.31	PIPE, fuel, 1½ in. o/d x 20G (See pipe chart)						1	-	C	
14019	EB8.57.33	PIPE, fuel, 1½ in. o/d x 20G						1	L56	C	
36311	EB8.75.35	PIPE, air, ½ in. o/d x 20G (See pipe chart)						1	-	C	
14020	EB8.57.37	PIPE, air, ½ in. o/d x 20G						1	L56	C	
2170	EA1.57.1245	RING, clamping .75 in i/d						1	DTD610	C	
1446	ERAS66/5	RING, clamping 1½ in. i/d						6	DTD610	C	

RESTRICTED

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description	No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
-	-	INSTALLATION OF FUEL SYSTEM IN STARBOARD INNER WING (EB8.57.460) Spares for:-	-	-	-	
	English Electric Type AE.4547	ACTUATOR and Fuel Cock Consisting of:-	1	-		
5W/3893	-	ACTUATOR, type AE4546, Mk.1	1	-	A	
5W/343	AED201349	ABAPTOR	1	-	C	
2788/2237	Saunders EL2.A10	COCK fuel	1	-	A	
28D/9138768	A25/1/2C	Attachments of actuator Bolt, 2BA	1	-	C	
28W/9416643	SP47/C	Washer	1	-	C	
14002	King Aircraft GA205/2 1/4 x 2 1/2/A	CLAMP, pipe	1	-	C	
14003	King Aircraft GA205/1 1/2 x 1 1/2/A	CLAMP, pipe	3	-	C	
14004	King Aircraft GA205/1 1/2 x 2/A	CLAMP, pipe	2	-	C	
28E/19824	SP91/J	CLIP, pipe	6	-	C	
1707	EA2.75.37	CLIP, pipe	1	DTD610	C	
14005	EB8.57.273	CONNECTION, fuel heater outlet	1	T26	C	
14006	EB8.57.245	FLANGE, coupling	1	S1	C	
6A/4338246	-	FLOWMETER, TRANSMITTER	1	-	A	
27UA/823	Marston D257/111A	HEATER, fuel air	1	-	A	
	EEAS164/24/30	HOSE, connection (Make from 32C/446)	3	DTD625	LM	
28F/9513420	AGS1142/J	NIPPLE, adaptor	7	-	C	
26822	EB8.57.331	PIPE, air, hot 1 1/2 in. o/d from connection at inboard engine rib to connection aft of rib 3	1	-	C	
26821	EB8.57.333	PIPE, assembly, air, hot, from connection aft of rib 3 to connection forward rib 3	1	-	C	
14045	EB8.57.336	PIPE, assembly, air, hot, from butterfly valve to fuel air heater	1	-	C	
14046	EB8.57.476	PIPE, assembly, fuel, from fuel air heater to actuator	1	DTD253	C	
26820	EB8.57.478	PIPE, assembly, fuel, from hose connection aft of root rib to actuator	1	-	C	

RESTRICTED

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
14047	EB8.57.479	PIPE, Fuel, Connection at Inboard Engine Rib to Flowmeter Assembly Spares for:-						1	-	C	
28F/9423227	AGS1135/B	BOLT, banjo						1	-	C	
28W/1202196	AGS568/B	WASHER						2		C	
14048	EB8.57.481	PIPE, fuel, 1½ in. o/d, from flowmeter, to connector at rib 3						1	DTD253	C	
31447	EB8.57.1375	PIPE, fuel, 1½ in. o/d, from connection at root rib to hose connection aft of root rib						1	DTD253	C	
1443	EEAS66/7	RING, clamping						6	DTD610	C	
14012	EB8.57.303	ROD, tension						1	-	C	
28F/4051853	AS5404	SEAL						1	-	C	
28F/4051839	AS5403	SEAL						2	-	C	
28F/17675	AS5402	SEAL						3	-	C	
14013	EB8.57.431	STRAP, air exhaust						1	-	C	
14014	EB8.57.435	STRAP, air exhaust						1	-	C	
14015	EB8.57.517	UNION, bulkhead						1	-	C	
27V/5335	Teddington FMP/A57	VALVE, butterfly 1½ in.						1	-	A	
-	-	INSTALLATION OF FUEL SYSTEM IN STARBOARD OUTER WING (EB8.57.410)						-	-	-	
-	-	PIPING, Air to Engine Bay (EB8.57.420) Spares for:-									
28F/12147	AGS1130/C	BODY, banjo double						1	-	C	
28F/9423229	AGS1135/C	BOLT, banjo						1	-	C	
28E/20347	SP91/E	CLIP						1	-	C	
30882	EB8.57.1365	FAIRLEAD						1	L64	C	
27M/695	Automotive Products MPA30068/4	FILTER, "Purolator" (For spares see AP4515F Vol.3)						1	-	A	
28F/8011396	AGS1142/C	NIPPLE, adaptor						2	-	C	
13995	EB8.57.215	NIPPLE, restrictor						1	S80	C	
13760	EB8.60.67	NUT, thin						1	S110	C	
30790	EB8.57.1364	PIPE, ¾ in. o/d from restrictor union connection forward of main spar						1	T55	C	
14043	EB8.57.148	PIPE, ¾ in. o/d from restrictor union to connection at rib 1						1	T55	C	
14044	EB8.57.178	PIPE, ¾ in. o/d from connection at rib 1 to filter						1	T55	C	
13999	EB8.57.241	PIPE, ¾ in. o/d from filter to connection at rib 1A						1	T55	C	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.F. or L.M.	Plate No.
		1	2	3	4	5	6				
14001	EB8.57.199							1	S80	C	
14000	FB8.57.213							1	S80	C	
28F/1202393	AGS1138/C							2	-	C	
28F/9140974	AGS1149/4							1	-	C	
	-							-	-	-	
	English Electric Type 219							2	-		
57/328	-							1	-	A	
57/343	-							1	-	C	
27FS/2237	Saunders E42.A10							1	-	A	
28D/9436920	A25/1C							2	-	C	
28W/9419475	SP15/C							2	-	C	
30884	EB8.57.1371							1	DTD610	C	
1255	EAL.57.259							2	DTD610	C	
	EEAS164/20/30							1	DTD625	LM	
	EEAS164/24/30							1	DTD625	LM	
28F/9513420	AGS1142/J							10	-	C	
14021	EB8.57.375							1	DTD253	C	
30945	EB8.57.1418							1	DTD253	C	
14052	EB8.57.458							1	DTD253	C	
26795	EB8.57.399							1	L56	C	
26816	EB8.57.402							1	T55	C	
14053	EB8.57.380							1	DTD253	C	
30791	EB8.57.1373							1	L54	C	
30943	EB8.57.1416							1	DTD253	C	
26815	EB8.57.382							1	T55	C	
1446	EEAS66/5							2	DTD610	C	
1443	EEAS66/7 S.P.E.							2	DTD610	C	
27F/5178	2706							1	-	A	

RESTRICTED 3098

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description	No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
	-	PIPING, Delivery, Recuperator (EB8.57.428) Spares for:-	-	-	-	
	English Electric Type AE.4547	ACTUATOR, and Fuel Cock Consisting of:-	1	-		
5W/3893	-	ACTUATOR, type AE.4546 Mk.1	1	-	A	
5W/343	AED.201349	ADAPTOR	1	-	C	
	Saunders E42.A10	COCK, fuel	1	-	A	
27FS/2237	A28/10	Attachments for actuator	7	-	C	
28D/12837	SP15/C	Bolt, 2BA	3	-	C	
28W/9419475	EEAS164/24/30	Washer	1	DTD625 Type 1	LM	
31446	EB8.57.1379	HOSE, connecting (Make from 32C/446)	1	DTD253	C	
26793	EB8.57.371	PIPE, assembly from recuperator to actuator fuel cock	1	-	C	
14055	EB8.57.374	PIPE, assy.	1	DTD253	C	
1443	EB8.57.374	PIPE, assembly from actuator fuel cock to connector	1	DTD253	C	
	EEAS66/7	RING, clamping	2	DTD610	C	
	-	PIPING, Drain Recuperator (EB8.57.426) Spares for:-	-	-	-	
14026	EB8.57.465	ADAPTOR, drain	1	-	C	
28F/1013599	AGS1142/A	NIPPLE, adaptor	1	-	C	
14056	EB8.57.462	PIPE, $\frac{3}{16}$ in. o/d from recuperator to reducing union	1	L56	C	
14057	EB8.57.464	PIPE, $\frac{1}{4}$ in. o/d, from reducing union to connection at rib 1	1	L56	C	
28F/1013401	AGS1107/A	UNION, reducing	1	-	C	
	-	PIPING, Air and Fuel, Engine Nacelles (EB8.57.412) Spares for:-	-	-	-	
1255	EA1.57.259	CLIP, pipe	3	DTD610	C	
6383	EA3.57.417	CLIP, pipe	1	DTD610	C	
7136	EEAS143/21	CLIP, pipe	3	-	C	
28E/19824	SP92/J	CLIP, pipe	2	-	C	
28F/8011896	AGS1142/C	NIPPLE, adaptor	2	-	C	
28F/8011886	AGS1142/D	NIPPLE, adaptor	3	-	C	
28F/9513420	AGS1142/J	NIPPLE, adaptor	2	-	C	
28F/9439897	AGS1142/E	NIPPLE, adaptor	4	-	C	
30093	EB8.57.1336	PIPE, $\frac{1}{8}$ in. o/d, air, from connection at rib 7 to connection at rib 7	1	T26	C	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
14062	EB8.57.452						PIPE, $\frac{1}{2}$ in. o/d, air, from connection forward of rib 7 to connection aft of rib 1	1	T55	C	
14063	EB8.57.456						PIPE, $\frac{1}{2}$ in. o/d, air, from connection on forward rib 7 to connection aft rib 1	1	T55	C	
32474	EB8.57.1469						PIPE, $\frac{3}{8}$ in. o/d, air, from connection aft rib 1 to non-return valve (Mod.3123)	1	T26	C	
14064	EB8.57.454						PIPE, $\frac{1}{2}$ in. o/d, air, from connection at rib 1 to connection aft of rib 1	1	T55	C	
14060	EB8.57.142						PIPE, $\frac{3}{16}$ in. o/d, fuel, from connection at rib 1 to connection at rib 7	1	T26	C	
14061	EB8.57.450						PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connection forward rib 7 connection forward rib 1	1	T55	C	
30132	EB8.57.1430						PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connection at rib 7 to connection at rib 1	1	T55	C	
1446	EEAS66/5						RING, clamping	2	DTD610	C	
981	EEAS20/2DR						TAB, locking	2	DTD610	C	
27FS/2743	Vickers A5287/C						VALVE, non-return	1	-	A	
	-						PIPING, Fuel and Air Aft of Spar (EB8.57.418) Spares for:-	-	-	-	
5K/118	AGS1661/G						CLIP, bonding	2	-	C	
5K/112	AGS1661/A						CLIP, bonding	2	-	C	
1145	EAL.57.317						CLIP, pipe	2	DTD610	C	
28E/19824	SP91/J						CLIP, pipe	2	-	C	
28E/20012	SP91/C						CLIP, pipe	4	-	C	
	EEAS164/24/30						HOSE, connection (Make from 32C/446)	2	DTD625 Type 1	IM	
28F/9439897	AGS1142/E						NEPPE, adaptor	2	-	C	
1676	EA6.57.106						PIPE, $\frac{1}{2}$ in. o/d air, from connection at rib 1 to connection at rib 6	1	L56	C	
1674	EA6.57.108						PIPE, $\frac{1}{2}$ in. o/d air, from connection at rib 1 to connection between ribs 6 and 7	1	L56	C	
28175	EB8.57.1334						PIPE, $\frac{3}{8}$ in. o/d, air, from connection between ribs 4 and 5 to connection at rib 7	1	-	C	
28177	EB8.57.1332						PIPE, $\frac{3}{8}$ in. o/d, air, from connection between ribs 4 and 5 to connection at rib 7	1	-	C	

RESTRICTED

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
26828	EB8.57.386							PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connector to connection at rib 7	1	-	C
26829	EB8.57.388							PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connector between ribs 5 and 6 to connector at rib 3	1	-	C
26830	EB8.57.390							PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connector at rib 3 to connection at rib 1	1	-	C
1263	EA6.57.104							PIPE, $1\frac{1}{2}$ in. o/d, fuel, from connection at rib 6 to connection at rib 1	1	L56	C
26833	EB8.57.144							PIPE, $\frac{3}{16}$ in. o/d, fuel, from connection between ribs 4 and 5 to connection at rib 7	1	-	C
26836	EB8.57.146							PIPE, $\frac{3}{16}$ in. o/d, fuel, from connection between ribs 4 and 5 to connection at rib 1	1	-	C
1446	ERAS66/5							RING, clamp	2	DTD610	C
1443	ERAS66/7							RING, clamping	2	DTD610	C
28F/9129085	AGS1102/A							UNION, cone body	1	-	C
28F/4051569	AGS1103/B							UNION, nipple	1	-	C
	-							PIPING, Recuperator and Installation (EB8.57.422) Spares for:-	-	-	-
28F/9140977	AGS1213/C							BOLT, banjo	1	-	C
28F/4051807	AGS1122 Mk.2							CONN, 3 way, $\frac{1}{2}$ in. x $\frac{1}{2}$ in. x $\frac{5}{16}$ in. BSP	1	-	C

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.F. or L.M.	Plate No.
		1	2	3	4	5	6				
28F/8011885	AGS114.2/B							2	-	C	
28F/8011896	AGS114.2/C							5	-	C	
28F/8011886	AGS114.2/D							1	-	C	
28F/9439897	AGS114.2/E							3	-	C	
14065	EB8.57.500							1	L56	C	
14066	EB8.57.502							1	DTD223	C	
14067	EB8.57.504							1	DTD323	C	
14070	EB8.57.506							1	L56	C	
30091	EB8.57.1342							1	L56	C	
14069	EB8.57.184							1	L56	C	
	EB8.57.1340							1	-	C	
12413	EB7.57.106							1	L56	C	
26847	EB8.57.138							1	-	C	
26846	EB8.57.140							1	-	C	
	EB8.57.1368							1	-	C	
27F/4526758	S.P.B. PRC.40B Mk.2							1	-	A	
28F/9707349	AGS1114/C							1	-	C	
12408	EB7.57.77							1	-	C	
28U/4678946	AS2381							1	-	C	
12409	EB7.57.57							1	S95	C	
12410	EB7.57.63							1	S95	C	
28F/9140973	AGS1129/C							1	-	C	
28F/1013401	AGS1107/A							1	-	C	
28F/1013400	AGS1107/K							1	-	C	
28F/9129085	AGS1102/A							1	-	C	
28F/4051574	AGS1103/E							1	-	C	

RESTRICTED

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
27VB/4497299	Hymatic PS60/29	VALVE, reducing (For spares see AP4515E, Vol.3)						1	-	A	
28D/9436920	A25/1C	Attachments for valve						2	-	C	
28W/1009699	SP55/C	Bolt, 2BA						2	-	C	
		Washer									
27FS/4692879	Saunders 703AA.08	VALVE, non-return, $\frac{3}{8}$ in.						1	-	A	
	OR										
	Vickers A5494 Mk.C										
28F/4051652	AGS1115/5	WASHER, plate						1	-	C	
	-	PIPING, Fuel Transfer and Air to Outer Wing Drop Tank (EAL.57.256)						-	-	-	
5K/4329354	AGS1661/G	CLIP, bonding						2	-	C	
5K/4329348	AGS1661/A	CLIP, bonding						4	-	C	
	1145	CLIP, pipe						5	DTD610	C	
28E/9129092	AGS605/2	CLIP, pipe						2	-	C	
28E/9429463	AGS605/0	CLIP, pipe						4	-	C	
28F/9513420	AGS1142/J	NIPPLE, adaptor						1	-	C	
	1284	PIPE, $1\frac{1}{2}$ in. o/d x 20 swg.						1	L56	C	
	1285	PIPE, $1\frac{1}{2}$ in. o/d x 20 swg.						1	L56	C	
	1286	PIPE, $\frac{1}{2}$ in. o/d x 20 swg.						1	L56	C	
	1702	PIPE, $\frac{1}{2}$ in. o/d x 20 swg.						1	L56	C	
	12927	PIPE, $1\frac{1}{2}$ in. o/d x 20 swg. (See pipe chart)						1	-	C	
	1446	RING, clamping						2	DTD610	C	
27F/4526771	EBAS66/5 S.P.E. Ltd. 2706	VALVE, non-return P24A Mk 3 (Mod 3098)						1	-	A	
		Attachments for valve									
28D/1200119	A25/4C	Bolt, 2BA						2	-	C	
28M/1278190	AGS2001/C1	Nut, stiff, 2BA						2	-	C	
	1729	Tab, locking						2	DTD124	C	
	-	PIPING, Fuel Transfer on Rib 1 (EB8.57.1352)						-	-	-	
		Spares for:-									
5K/4329354	AGS1661/G	CLIP, bonding						4	-	C	
28E/9129092	AGS605/2	CLIP, pipe						4	-	-	
	1255	CLIP, pipe						5	DTD610	C	
		Attachments for clip									
28D/9436920	A25/1C	Bolt, 2BA						2	-	C	
28M/1278190	AGS2001/C1	Nut, stiff, 2BA						2	-	C	
28W/9419475	SP15/C	Washer						2	-	C	
	30848	PIPE, $1\frac{1}{2}$ in. o/d x 20 swg.						1	DTD310	C	
	2722	PIPE, $1\frac{1}{2}$ in. o/d x 20 swg.						1	DTD310	C	
	1446	RING, clamping						4	DTD610	C	
	-	VENTING, Fuel Rear Fuselage (EB8.57.1443) (See Section FD)						-	-	-	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	-	INSTALLATION, AIR AND FUEL PIPING IN WING EXTENSION, STARBOARD (EB8.57.8)						-	-	-	
1399	EA1.57.343	CLIP, pipe						1	DTD610	C	
1400	EA1.57.345	CLIP, pipe						1	DTD610	C	
28E/9429463	AGS605/0	CLIP						6	-	C	
28E/9129092	AGS605/2	CLIP						6	-	C	
5K/4329348	AGS1661/A	CLIP, bonding						5	-	C	
5K/4329354	AGS1661/G	CLIP, bonding						5	-	C	
33015	EB8.57.1485	ELBOW, Fuel Pipe (Mod.3318) Spares for:-						1	-	C	
33016	EB8.57.1487	SLEEVE, fuel pipe						1	L56	C	
33017	EB8.57.1483	ELBOW, Air Pipe (Mod.3318) Spares for:-						1	-	C	
33018	EB8.57.1489	SLEEVE, air pipe						1	L56	C	
26819	EB8.57.32	PIPE, fuel, 1½ in. o/d x 20G (See Pipe chart)						1		C	
14050	EB8.57.34	PIPE, fuel 1½ in. o/d x 20G						1	L56	C	
26818	EB8.57.36	PIPE, air, 1½ in. o/d x 20G (See Pipe chart)						1		C	
14051	EB8.57.38	PIPE, air, ½ in. o/d x 20G						1	L56	C	
2170	EA1.57.1245	RING, clamping .75 in. 1/d						1	DTD610	C	
1446	EBAS66/5	RING, clamping, 1½ in. 1/d						6	DTD610	C	

SERVICES  
FUEL SYSTEM

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.F. or L.M.	Plate No.
		1	2	3	4	5	6				

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

