

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp't. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	-	HYDRAULIC SYSTEM, FRONT FUSELAGE						-	-	-	
	-	INSTALLATION (EB8.73.305)									
	-	PIPING, Hydraulic Pressure Bulkhead									
	-	Assembly (EB8.73.315)									
	-	Spares for:-									
28F/1013599	AGS1142/A	ADAPTOR, nipple, $\frac{3}{8}$ in.						2	-	C	MF.1
761	EA1.73.289	BODY, banjo						1	-	C	MF.1
30817	EB8.73.2249	BODY, banjo						1	-	C	MF.1
28F/9423229	AGS1135/C	BOLT, banjo						2	-	C	MF.1
28F/1036556	AGS1111/A	COUPLING, bulkhead, union cone						2	-	C	MF.1
		Attachment of coupling to pressure bulkhead									
28D/9419452	A253/B	Bolt, 4BA						6	-	C	
28M/1278189	AGS2001/B1	Nut, stiff, 4BA						6	-	C	
28W/9419474	SP15/B	Washer, 4BA						6	-	C	
28F/1059217	AGS1111/D	COUPLING, bulk head union cone						1	-	C	MF.1
		Attachment of coupling to pressure bulkhead									
28D/9133012	A25/3C	Bolt, 2BA						6	-	C	
28M/1278190	AGS2001/C1	Nut, stiff, 2BA						6	-	C	
28W/9419475	SP15/C	Washer, 2BA						6	-	C	
28F/9129085	AGS1102/A	COUPLING, union						1	-	C	MF.1
5853	EEAS69/1	GASKET, bulkhead union						2	Neo-K-Tex	C	MF.1
12985	EEAS69/6	GASKET, bulkhead union						1	Neo-K-Tex	C	MF.1
6A/2689	-	GAUGE, pressure						2	-	B	MF.1
		Attachment of pressure gauge to structure									
28D/1214866	AS1246/4B	Bolt, 4BA						4	-	C	
28W/9419474	SP15/B	Washer, 4BA						4	-	C	
6A/2775	-	LABEL, "Hydraulic"						2	-	C	MF.1
30819	EB8.73.2301	PIPE, $\frac{1}{2}$ in. o/d (hand pump section)						1	-	C	MF.1
		handpump - bulkhead union									
30818	EB8.73.2299	PIPE, $\frac{1}{4}$ in. o/d (hand pump pressure)						1	-	C	MF.1
		hand pump - bulkhead union									
32440	EB8.73.3037	PIPE, $\frac{3}{8}$ in. o/d (primary feel)						1	-	C	MF.1
		pressure gauge - connection (Mod.3078)									

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
32439	EB8.73.3035										
	-										
22820	EA9.73.225										
28D/9133013	A25/5C										
28M/1278189	AGS2001/C1										
28W/9419475	SP15/C										
28W/9419404	SP16/C										
31495	EB8.80.3077										
13048	Romac B79										
6369	OR B80										
28D/9140645	A25/10C										
28M/1278190	AGS2001/C1										
28W/9419475	SP15/C										
27Z/1	Turner 77C-1276										
28D/9706306	A25/17B										
28M/9480017	AGS2001/E1										
28W/9419405	SP15/E										
981	EBAS20/2/DR										
3412	EBAS20/3/DR										
28F/9152415	AGS1115/1										
28F/10603	AGS1115/6										
28F/1202393	AGS1138/C										
	-										
28F/8011883	AGS1102/B										
28F/1013402	AGS1111/B										
28D/1008149	A25/2B										
28M/1278189	AGS2001/B1										
28W/9419474	SP15/B										

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
28F/1036557	AGS1111/C							1	-	C	MF.1
		COUPLING, bulkhead union Attachment of coupling to pressure bulkhead									
28D/9133011	A25/2C							6	-	C	
		Bolt, 2BA									
28M/1278190	AGS2001/C1							6	-	C	
		Nut, stiff, 2BA									
28W/9419475	SP15/C							6	-	C	
		Washer, 2BA									
1128	EEAS69/2							3	Neo-K-Tex	C	MF.1
		GASKET									
1620	EEAS69/4							1	Neo-K-Tex	C	MF.1
		GASKET									
	EB8.73.2197							1	-	-	MF.1
		PIPE, 1/2 in. o/d (wheel brake pressure, starboard) pressure bulkhead - connection forward frame 7 (See pipe chart)									
28152	EB8.73.603							1	-	C	MF.1
		PIPE, 1/2 in. o/d (wheel brake pressure, port) pressure bulkhead - connection aft frame 6 (See pipe chart)									
28154	EB8.73.525							1	-	C	MF.1
		PIPE, 1/2 in. o/d (brake pressure) pressure bulkhead - tee-piece forward frame 6 (See pipe chart)									
32425	EB8.73.3023							1	-	C	MF.1
		PIPE, 3/8 in. o/d (services return) pressure bulkhead - tee-piece forward frame 6 (Mod 3317)									
981	EEAS20/2/DR							6	L72	C	MF.1
		TAB, locking									
3412	EEAS20/3/DR							2	L72	C	MF.1
		TAB, locking									
28F/9128928	AGS1115/2							6	-	C	MF.1
		WASHER, plate									
28F/9128929	AGS1115/4							2	-	C	MF.1
		WASHER, plate									
	-	PIPING, Hydraulic at Frame 5 Assembly (EB8.73.319) Spares for:-									
28149	EB8.73.531							3	LFS.21	C	
		BLOCK, clamp									
	EB8.73.3319							2	LFS.21	-	
		BLOCK, clamp									
21169	EA9.45.489							1	-	C	
		BOX, spring (Pre Mod 3548)									
33765	EB8.45.1559							1	-	B	MF.1
		BOX, spring (Mod 3548) (Identical with Ref. 21169) except for Fork-end Ref. 14692) Spares for:-									
33766	EB8.45.1557							1	-	C	MF.1
		FORK-END Attachment of spring box to support plate									
28D/9436920	A25/1C							2	-	C	
		Bolt, 2BA (Pre Mod 3548)									
28D/9133011	A25/2C							2	-	C	
		Bolt, 2BA (Pre Mod 3548)									
28D/9133011	A25/2C							4	-	C	
		Bolt, 2BA (Mod. 3548)									
32718	EA9.45.667							2	L72	C	MF.1
		Clamp 16 swg									
28M/1278190	AGS2001/C1							4	-	C	
		Nut, stiff, 2BA									
28W/9419475	SP15/C							4	-	C	
		Washer, 2BA									

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.	
		1	2	3	4	5	6					
28F/9463543	AGS1120/1							COUPLING, tee piece $\frac{1}{4}$ in. x $\frac{1}{4}$ in. x $\frac{3}{16}$ in.	1	-	C	MF.1
28F/9488812	AGS1120/8							COUPLING, tee piece $\frac{3}{8}$ in. x $\frac{1}{4}$ in. x $\frac{1}{4}$ in.	2	-	C	MF.1
28F/9129085	AGS1102/A							COUPLING, union body	2	-	C	MF.1
39094	EB8.73.3129							COVER, spray, Brake Control Valve, Assembly (Pre Mod. 3548) Spares for:-	1	-	B	MF.1
39100	EB8.73.3157							BAG, collector	1	-	C	MF.1
	EB8.73.3129/E							SEAL, "Petrolite" $\frac{1}{16}$ in. thick	1	DTD295	LM	MF.1
	EB8.73.3129/F							SEAL, "Petrolite" $\frac{1}{16}$ in. thick	1	DTD295	LM	MF.1
	EB8.73.3129/G							SEAL, "Petrolite" $\frac{1}{16}$ in. thick	1	DTD295	LM	MF.1
								Attachment of cover to structure				
28D/9436920	A25/1C							Bolt, 2BA	4	-	C	
	-							LEVER, Parking Brake Assembly (EB8.73.537) Spares for:-	-	-	-	
30850	EB8.45.1261							BRACKET, mounting, parking brake lever	1	-	C	MF.1
12174	EA9.45.293							CABLE, "Bowden" (Pre Mod 3548)	1	-	C	
40972	EB8.45.1561							CABLE, "Bowden" (Mod 3548)	1	-	C	MF.1
5542	EEAS143/6							CLIP, pipe single (Pre Mod 3548)	1	-	C	
5542	EEAS143/6							CLIP, pipe single (Mod 3548) Attachment of clip to structure	3	DTD610	C	MF.1
28D/1010658	A27/1B							Bolt, 4BA	1	-	C	
28M/1278189	AGS2001/B1							Nut, stiff, 4BA	1	-	C	
28W/9419474	SP15/B							Washer, 4BA	1	-	C	
31474	EB8.45.1317							GUARD, ejection, parking brake	1	-	C	MF.1
	Dunlop											
27VA/4611943	AHO.1090							LEVER, parking brake Attachment of lever to bracket	1	-	B	MF.1
28D/9436920	A25/1C							Bolt, 4BA	4	-	C	
28M/1278190	AGS2001/C1							Nut, stiff, 4BA	4	-	C	
28W/9419475	SP15/C							Washer, 4BA	4	-	C	
30489	EB8.73.1941							PIPE, $\frac{1}{4}$ in. o/d (Pre Mod. 3548)	1	-	C	
30490	EB8.73.1943							PIPE, $\frac{1}{4}$ in. o/d (Pre Mod. 3548)	1	-	C	
30491	EB8.73.1945							PIPE, $\frac{1}{4}$ in. o/d (Pre Mod. 3548)	1	-	C	
30492	EB8.73.1947							PIPE, $\frac{1}{4}$ in. o/d (Pre Mod. 3548)	1	-	C	
30493	EB8.73.1949							PIPE, $\frac{3}{16}$ in. o/d (Pre Mod. 3548)	1	-	C	
30494	EB8.73.1951							PIPE, $\frac{3}{16}$ in. o/d (Pre Mod. 3548)	1	-	C	
30930	EB8.73.2243							PIPE, $\frac{3}{16}$ in. o/d (Pre Mod. 3548)	1	-	C	
30931	EB8.73.2245							PIPE, $\frac{3}{16}$ in. o/d (Pre Mod. 3548)	1	-	C	

SERVICES  
HYDRAULIC - FLIGHT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
32426	EB8.73.3041					PIPE, 1/2 in. o/d (Pre Mod 3548)	1	-	C		
39099	EB8.73.3153					PIPE, 1/2 in. o/d (Pre Mod 3548)	1	-	C		
40979	EB8.73.3331					PIPE, 1/2 in. o/d (wheel brake pressure, port) control valve to connection	1	-	C	MF.1	
40978	EB8.73.3329					PIPE, 1/2 in. o/d (wheel brake pressure, port) connection to connection	1	-	C	MF.1	
40985	EB8.73.3343					PIPE, 1/2 in. o/d (wheel brake pressure, port) control valve to flexible pipe connection	1	-	C	MF.1	
40977	EB8.73.3327					PIPE, 1/2 in. o/d (wheel brake pressure, starboard) control valve to connection	1	-	C	MF.1	
40976	EB8.73.3325					PIPE, 1/2 in. o/d (wheel brake pressure, starboard) connection to connection	1	-	C	MF.1	
40986	EB8.73.3345					PIPE, 1/2 in. o/d (wheel brake pressure, starboard) control valve to flexible pipe connection	1	-	C	MF.1	
40984	EB8.73.3341					PIPE, 1/2 in. o/d (brake pressure) control valve to reducing valve	1	-	C	MF.1	
40975	EB8.73.3323					PIPE, 1/2 in. o/d (services return) control valve to connection	1	-	C	MF.1	
40974	EB8.73.3321					PIPE, 1/2 in. o/d (services return) connection to tee-piece	1	-	C	MF.1	
40981	EB8.73.3335					PIPE, 1/2 in. o/d (brake pressure) reducing valve to connection	1	-	C	MF.1	
40980	EB8.73.3333					PIPE, 1/2 in. o/d (brake pressure) connection to tee-piece	1	-	C	MF.1	
40983	EB8.73.3339					PIPE, 1/2 in. o/d (services return) reducing valve to connection	1	-	C	MF.1	
40982	EB8.73.3337					PIPE, 1/2 in. o/d (services return) connection to connection	1	-	C	MF.1	
27VA/6325552	Dunlop AC.13708					VALVE, brake reducing (For spares see AP.4515C, Vol.3)	1	-	A	MF.1	
27G/7159907	Dunlop AC.12702					VALVE, brake control (For spares see AP.4515C, Vol.3)	1	-	A	MF.1	
28D/9436920	A25/1C					Attachment of valve to structure Bolt, 2BA	4	-	C		
28W/9419475	SP15/C					Washer, 2BA	4	-	C		

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	-	PIPING, Hydraulic, at Frame 6						-	-	-	
		Assembly (EB8.73.321)									
		Spares for:-									
28F/1013599	AGS 1142/A	ADAPTOR, nipple						2	-	C	MF.1
28F/9129085	AGS 1102/A	COUPLING, union body						1	-	C	MF.1
6A/1043429	-	GAUGE, pressure Mk.14LL						2	-	B	MF.1
6A/1037412	-	LABEL, "Hydraulic"						2	-	C	MF.1
30937	EB8.73.2297	PIPE, $\frac{3}{16}$ in. o/d (wheel brake pressure to gauge)						1	-	C	MF.1
		pressure gauge - connection									
28145	EB8.73.545	PIPE, $\frac{3}{16}$ in. o/d (wheel brake pressure to gauge)						1	-	C	MF.1
		connection - pressure relay valve (see pipe chart)									
28147	EB8.73.541	PIPE, $\frac{3}{16}$ in. (wheel brake pressure to gauge) pressure relay valve - to tee piece (see pipe chart)						1	-	C	MF.1
	EB8.73.3063	PIPE, $\frac{3}{16}$ in. o/d (services pressure to gauge) pressure gauge - connection (See pipe chart)						1	-	-	MF.1
27VA/4625951	Dunlop ACM18798	VALVE, pressure relay (For spares see AP4515C, vol.3)						1	-	A	MF.1

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
	-	PEPING, Hydraulic, Between Pressure-Bulkhead and Frame 12 Assembly (EBS.73.323) Spares for:-						-	-	-	
28F/1014970	AGS1104/A	ADAPTOR						1	-	C	MF.2
28F/8011883	AGS1102/B	COUPLING, union body						1	-	C	MF.2
28F/9439765	AGS1102/D	COUPLING, union body						2	-	C	MF.2
28F/1013402	AGS1111/B	COUPLING, flanged bulkhead Attachment of flanged coupling to						5	-	C	MF.2
28D/9419452	A25/3B	Bolt, 4BA						6	-	C	
28M/1278189	AGS2001/B1	Nut, stiff, 4BA						6	-	C	
28W/9419474	SP15/B	Washer, 4BA						6	-	C	
28F/1036557	AGS1111/C	COUPLING, flanged bulkhead						1	-	C	MF.2
28F/1059217	AGS1111/D	COUPLING, flanged bulkhead Attachment of flanged coupling to structure						1	-	C	MF.2
28D/9133012	A25/3C	Bolt, 2BA						6	-	C	
28M/1278190	AGS2001/C1	Nut, stiff, 2BA						6	-	C	
28W/9419475	SP15/C	Washer, 2BA						6	-	C	
28F/1051097	AGS1114/A	COUPLING, bulkhead sleeve Attachment of coupling sleeve to structure						1	-	C	MF.2
28D/9419452	A25/3B	Bolt, 4BA						6	-	C	
28M/1278189	AGS2001/B1	Nut, stiff, 4BA						6	-	C	
28F/9463543	AGS1120/1	COUPLING, tee-piece						1	-	C	MF.2
28F/9440882	AGS1120/11	COUPLING, tee-piece						1	-	C	MF.2
28F/9475460	AGS1123/A	COUPLING, 4-way						1	-	C	MF.2
32433	EBS.73.3039	FAIRLEAD, (two halves wired together) (Mod 3078) Attachment of fairlead to structure						2	LFS21	C	MF.2
28D/9140644	A25/9C	Bolt, 2BA, attachment at frame 10						2	-	C	
28D/9140645	A25/10C	Bolt, 2BA, attachment at frame 11						2	-	C	
28M/1278190	AGS2001/C1	Nut, stiff, 2BA						2	-	C	
28W/9419474	SP15/C	Washer, 2BA						2	-	C	
5853	EEAS69/1	GASKET						1	Neo-K-Tex	C	MF.2
1128	EEAS69/2	GASKET						4	Neo-K-Tex	C	MF.2
1620	EEAS69/4	GASKET						1	Neo-K-Tex	C	MF.2
12985	EEAS69/6	GASKET						1	Neo-K-Tex	C	MF.2
	EBS.73.2199	PIPE, 1/2 in. o/d (wheel brake pressure, starboard) pressure bulkhead - frame 12A (See pipe chart)						1	-	-	MF.2
28142	EBS.73.621	PIPE, 1/2 in. o/d (wheel brake pressure, port) pressure bulkhead - frame 12A (See pipe chart)						1	-	C	MF.2

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
28141	EB8.73.623	PIPE,	$\frac{1}{2}$	in. o/d (brake pressure) pressure bulkhead - frame 12A (See pipe chart)				1	-	C	MF.2
32431	EB8.73.3031	PIPE,	$\frac{3}{8}$	in. o/d (services return) pressure bulkhead - tee-piece (Mod 3073)				1	-	C	MF.2
32432	EB8.73.3033	PIPE,	$\frac{3}{8}$	in. o/d (services return) tee-piece - frame 12A (Mod 3078)				1	-	C	MF.2
32430	EB8.73.3029	PIPE,	$\frac{1}{16}$	in. o/d (services return) tee-piece - thermal relief valve (Mod 3078)				1	-	C	MF.2
30503	EB8.73.2115	PIPE,	$\frac{1}{16}$	in. o/d (services pressure) thermal relief valve - 4 way piece				1	-	C	MF.2
32428	EB8.73.3025	PIPE,	$\frac{1}{16}$	in. o/d (services pressure) 4 way piece-non-return valve (Mod 3078)				1	-	C	MF.2
32429	EB8.73.3027	PIPE,	$\frac{3}{16}$	in. o/d (services pressure) non-return valve - frame 12A (Mod 3078)				1	-	C	MF.2
	EB8.73.1983	PIPE,	$\frac{1}{2}$	in. o/d (hand pump pressure) bulkhead - connection (See pipe chart)				1	-	-	MF.2
30935	EB8.73.2293	PIPE,	$\frac{1}{2}$	in. o/d (hand pump pressure) connection - tee-piece (See pipe chart)				1	-	C	MF.2
28139	EB8.73.633	PIPE,	$\frac{1}{2}$	in. o/d (hand pump pressure) tee-piece - frame 12A (See pipe chart)				1	-	C	MF.2
30500	EB8.73.2109	PIPE,	$\frac{3}{16}$	in. o/d (hand pump pressure) tee-piece - non-return valve				1	-	C	MF.2
30499	EB8.73.2107	PIPE,	$\frac{1}{16}$	in. o/d (hand pump pressure) non return valve - 4 way piece				1	-	C	MF.2
30498	EB8.73.2105	PIPE,	$\frac{3}{16}$	in. o/d (hand pump pressure) 4-way piece - sequence valve				1	-	C	MF.2
28138	EB8.73.1985	PIPE,	$\frac{1}{2}$	in. o/d (hand pump suction) pressure bulkhead - connection forward frame 11 (See pipe chart)				1	-	C	MF.2
30933	EB8.73.2289	PIPE,	$\frac{1}{2}$	in. o/d (hand pump suction) connection forward frame 11 - connection forward frame 12A				1	-	C	MF.2
30934	EB8.73.2291	PIPE,	$\frac{1}{2}$	in. o/d (hand pump suction) connection-frame 12A				1	-	C	MF.2
28138	EB8.73.637	PIPE,	$\frac{1}{2}$	in. o/d (u/o down pressure) sequence valve-wheel well wall(port) (See Pipe chart)				1	-	C	MF.2

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.	
		1	2	3	4	5	6					
28135	EB8.73.643							PIPE, $\frac{1}{2}$ in. o/d (u/c down pressure) sequence valve - frame 12A (See pipe chart)	1	-	C	MF.2
28137	EB8.73.639							PIPE, $\frac{1}{2}$ in. o/d (u/c retraction pressure) sequence valve - wheel wall wall (port) (See pipe chart)	1	-	C	MF.2
25138	EB8.73.641							PIPE, $\frac{1}{2}$ in. o/d (u/c retraction pressure) sequence valve - frame 12A (See pipe chart)	1	-	C	MF.2
	-							SELECTOR, Mounting, Nosewheel Ground Assembly (EB8.73.617) Spares for:-	-	-	-	
30497	EB8.73.653							LEVER, Selector Spares for:-	1	-	B	MF.2
858	EAL.73.233							SPRING, locking pin	1	-	C	MF.2
8200	EAL.73.231							STOP, lever	2	-	C	MF.2
981	EEAS20/2/DR							TAB, locking	10	L72	C	MF.2
3412	EEAS20/3/DR							TAB, locking	4	L72	C	MF.2
27W/4619629	Lockheed UMC703							VALVE, non-return	2	-	A	MF.2
27QM/4143301	Dowty O.1183Y.B06							VALVE, sequence (For spares see AP4515B, Vol.3, Part 1, Secn. 2, Chap 5)	1	-	A	MF.2
27QM/4143197	Dowty C4603.Mk.E							VALVE, thermal relief (For spares see AP4515B, Vol.3, Part 1 Secn.2 Chap 5)	1	-	A	MF.2
28F/9128928	AGS1115/2							WASHER, plate	4	-	C	MF.2
28F/9128929	AGS1115/4							WASHER, plate	1	-	C	MF.2
28F/4051589	AGS1115/6							WASHER, plate	1	-	C	MF.2
28F/9428452	AGS1186/A							WASHER, sealing	1	-	C	MF.2
	-							PIPING, Hydraulic, Nosewheel Bay, Assembly (EB8.73.327) Spares for:-	-	-	-	
28F/1014970	AGS1104/A							ADAPTOR, cone	1	-	C	MF.3
28F/1013599	AGS1142/A							ADAPTOR, nipple, $\frac{3}{16}$ in.	2	-	C	MF.3
28F/9439533	AGS1129/B							BODY, banjo	1	-	C	MF.3
28F/9423237	AGS1132/B							BODY, banjo	4	-	C	MF.3
28F/9423227	AGS1135/B							BOLT, banjo	4	-	C	MF.3
28F/9463609	AGS1136/B							BOLT, banjo	1	-	C	MF.3
737	EAL.73.179							CLIP, flexible pipe	5	-	C	MF.3
739	EAL.73.245							CLIP, flexible pipe	1	-	C	MF.3
28F/1010341	AGS1106/B							COUPLING, union body (Mod. 3783)	4	-	C	MF.3

RESTRICTED

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp't. M.F. or L.M.	Plate No.
		1	2	3	4	5	6				
45506	EA3.73.847	COUPLING, bulkhead union (Make from Ref. 28F/11268)						1	-	LM	Mk.3
40495	EB8.73.3347	COUPLING, elbow union (Mod 3783)						1	-	C	MF.3
28D/9419452	A25/3B	Attachment of coupling to structure						5	-	C	
28M/1278189	AGS2001/B1	Bolt, 4BA						5	-	C	
28W/9419474	SP15/B	Nut, stiff, 4BA						5	-	C	
28F/1036556	AGS1111/A	Washer, 4BA						1	-	C	MF.3
28D/1010658	A25/1B	COUPLING, bulkhead union						6	-	C	
28M/1278189	AGS2001/B1	Attachment of coupling to structure						6	-	C	
28W/9419474	SP15/B	Bolt, 4BA						6	-	C	
28F/1013402	AGS1111/B	Nut, stiff, 4BA						6	-	C	
28D/1010658	A25/1B	Washer, 4BA						2	-	C	MF.3
28M/1278189	AGS2001/B1	COUPLING, bulkhead union						6	-	C	
28W/9419474	SP15/B	Attachment of coupling to structure						6	-	C	
28F/8011887	AGS1113/B	Bolt, 4BA						6	-	C	
28D/9419452	A25/3B	Nut, stiff, 4BA						1	-	C	MF.3
28M/1278189	AGS2001/B1	Attachment of coupling to structure						5	-	C	
28W/9419474	SP15/B	Bolt, 4BA						3	-	C	
28F/1051097	AGS1114/A	Nut, stiff, 4BA						3	-	C	
28D/1010658	A25/1B	Washer, 4BA						1	-	C	MF.3
28M/1278189	AGS2001/B1	COUPLING, bulkhead sleeve						6	-	C	
28W/9419474	SP15/B	Attachment of coupling to structure						6	-	C	
28F/9128943	AGS1114/B	Bolt, 4BA						6	-	C	
28D/1010658	A25/1B	Nut, stiff, 4BA						6	-	C	
28M/1278189	AGS2001/B1	Washer, 4BA						6	-	C	
28W/9419474	SP15/B	COUPLING, bulkhead sleeve						1	-	C	MF.3
28F/8011811	AGS1118/B	Attachment of coupling to structure						6	-	C	
28F/9463543	AGS1120/1	Bolt, 4BA						6	-	C	
28F/4051705	AGS1125/1	Nut, stiff, 4BA						6	-	C	
28F/1013743	AGS1167/B	Washer, 4BA						6	-	C	
32437	EB8.73.3017	COUPLING, tee-piece						2	-	C	MF.3
32438	EB8.73.3019	COUPLING, tee-piece						2	-	C	MF.3
28D/7002428	A25/6C	COUPLING, 4-way piece						1	-	C	MF.3
28M/1278190	AGS2001/C1	COUPLING, elbow						1	-	C	MF.3
28W/9419475	SP15/C	Attachment of fairlead to structure						1	LFS21	C	MF.3
		Bolt, 2BA						2	-	C	
		Nut, stiff, 2BA						2	-	C	
		Washer, 2BA						2	-	C	

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
27QM/1834	Dowty 08214Y.CO.1	JACK, Nosewheel Unit (For spares see AP4515B, Vol.3, Part 1, Secn. 2 Chap. 5) Attachment of nosewheel jack to radius rod assembly						1	-	A	MF.3
22373 32172 28N/9156370	EA9.40.19 EA9.40.21 SP21	Bolt (Pre Mod 2704) Bolt (Mod 2704) Nipple, grease						1	S96 S96	C C C	Q.4
28M/5808571	A27/GS	Nut, slotted, $\frac{5}{16}$ in. BSF						1	-	C	
28P/19228	SP90/C8	Pin, split, $\frac{1}{16}$ in. dia. Attachment of nosewheel jack to structure						1	-	C	
22056	EA9.40.11	Bolt						1	S95	C	Q.4
28M/1011467	A27/ES	Nut, slotted, $\frac{1}{4}$ in. BSF						1	-	C	
28P/19228	SP90/C8	Pin, split, $\frac{1}{16}$ in. dia.						1	-	C	
1877	EEAS28/30/EU	Washer						1	-	C	Q.4
28W/9419467	SP13/L	Washer, $\frac{7}{16}$ in. dia.						1	-	C	
27QM/1836	Dowty 08246Y.CO.1	JACK, Nosewheel Door (For spares see AP4515 Vol.3 Part 1 Secn. 2, Chap. 5) Attachment of door jack to cross head						1	-	A	MF.3
4507	EA3.40.139	Bolt						1	S94	C	Q.5
28M/1011467	A27/ES	Nut, slotted $\frac{1}{4}$ in. BSF						1	-	C	
28P/19228	SP90/C8	Pin, split, $\frac{1}{16}$ in. dia. Attachment of door jack to swinging levers						1	-	C	
169	EA1.40.605	Bolt						1	S97	C	Q.4
28M/1011467	A27/ES	Nut, slotted, $\frac{1}{4}$ in. BSF						1	-	C	
28P/19228	SP90/C8	Pin, split $\frac{1}{16}$ in. dia.						1	-	C2	
20510	AS2811/7/023	Tube, distance						2	T4	C	
28W/9419403	SP13/G	Washer, $\frac{5}{16}$ in. dia.						1	-	C	
27VA/5668	Dunlop 4/W14/261/8/ 8/11-2	PIPE, flexible						1	-	B	MF.3
27VA/5675	Dunlop 4/W14/261/8/ 9/15	PIPE, flexible						2	-	B	MF.3
27VA/5676	Dunlop 4/W14/261/8/ 9/18	PIPE, flexible						1	-	B	MF.3
27VA/5677	Dunlop 4/W14/261/8/ 9/24	PIPE, flexible						1	-	B	MF.3
27VA/5383	Dunlop 4/W14/261/8/ 9/25/3	PIPE, flexible						1	-	B	MF.3

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
30508	EB8.73.403							1	-	C	MF.3
30505	EB8.73.377							1	-	C	MF.3
30507	EB8.73.401							1	-	C	MF.3
30523	EB8.73.909							1	-	C	MF.3
30509	EB8.73.667							1	-	C	MF.3
30520	EB8.73.903							1	-	C	MF.3
30521	EB8.73.905							1	-	C	MF.3
30518	EB8.73.899							1	-	C	MF.3
30517	EB8.73.897							1	-	C	MF.3
30516	EB8.73.895							1	-	C	MF.3
30515	EB8.73.893							1	-	C	MF.3
30522	EB8.73.907							1	-	C	MF.3
30510	EB8.73.669							1	-	C	MF.3
30506	EB8.73.379							1	-	C	MF.3
30514	EB8.73.891							1	-	C	MF.3
30511	EB8.73.671							1	-	C	MF.3
30512	EB8.73.673							1	-	C	MF.3

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
30513	EB8.73.675							1	-	C	MF.3
40494	EB8.73.3313							1	-	C	MF.3
30519	EB8.73.901							1	-	C	MF.3
32435	EB8.73.3013							1	-	C	MF.3
32436	EB8.73.3015							1	-	C	MF.3
32434	EB8.73.3011							1	-	C	MF.3
981	EBAS20/2/DR							13	L72	C	
	Dowty										
27QM/4143183	C40LY.Mc.G							2	-	A	MF.3
28D/1012995	A25/22C							2	-	C	
28M/9403520	A27/CP							2	-	C	
28W/9416643	SP47/C							2	-	C	
	3752							2	DTD683	C	
27QM/4143189	Dowty C40LY.Mk.H							1	-	A	MF.3
28D/1200119	A25/4C							2	-	C	
28M/9403520	A27/CP							2	-	C	
28W/9416643	SP47/C							2	-	C	
30269	Short & Harland 7014							2	-	A	MF.3
30270	Short & Harland FD183/B							1	S1	C	MF.3
32194	Short & Harland 701416							1	S96	C	MF.3

RESTRICTED



SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Expt. M.F. or L.M.	Plate No.
		1	2	3	4	5	6				
28F/9152415	AGS1115/1							1	-	C	MF.2
28F/9128928	AGS1115/2							2	-	C	MF.2
28F/1202394	AGS1138/A							1	-	C	MF.2
	-							-	-	-	
28F/1014970	AGS1104/A							2	-	C	MF.2
28F/1013599	AGS1142/A							4	-	C	MF.2
28F/1013402	AGS1111/B							2	-	C	MF.2
28D/9419452	A25/3B							6	-	C	
28M/1278189	AGS2001/B1							6	-	C	
28D/9419474	SP15/B							6	-	C	
28F/12372	AGS1114/A							2	-	C	MF.2
28D/9419452	A25/3B							6	-	C	
28M/1278189	AGS2001/B1							6	-	C	
28W/9419474	SP15/B							6	-	C	
28F/9129085	AGS1102/A							3	-	C	MF.2
32458	EB8.73.3043							3	-	C	MF.2
28D/1011019	A25/8C							2	-	C	
28M/1278190	AGS2001/C1							2	-	C	
28W/9419475	SP15/C							2	-	C	
1128	EEAS69/2							2	Neo-K-Tex	C	MF.2
	EB8.73.3053							1	-	-	MF.2
32454	EB8.73.3051							1	-	C	MF.2
32453	EB8.73.3049							1	-	C	MF.2
32452	EB8.73.3047							1	-	C	MF.2
	EB8.73.3061							1	-	-	MF.2


RESTRICTED

SERVICES  
HYDRAULIC - FRONT FUSELAGE

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp. M.F. or L.M.	Plate No.
		1	2	3	4	5	6				
32457	EB8.73.3059					PIPE, $\frac{3}{16}$ in. o/d (Primary feel, pressure to gauge) pressure bulkhead - pressure relay valve (Mod 3078)	1	-	C	MF.2	
32456	EB8.73.3057					PIPE, $\frac{3}{16}$ in. o/d (primary feel, pressure to gauge) pressure relay valve - connection forward frame 10 (Mod 3078)	1	-	C	MF.2	
32455	EB8.73.3055					PIPE, $\frac{3}{16}$ in. o/d (primary feel, pressure to gauge) connection forward frame 10 - frame 12 (Mod 3078)	1	-	C	MF.2	
981	EEAS20/2/DR Dunlop					TAB, locking	6	L72	C	MF.2	
27VA/5284	ACM.18798					VALVE, pressure relay (For spares see AP4515C, Vol.3)	2	-	A	MF.2	
28F/9128928	AGS1115/2					WASHER, plate	4	-	C	MF.2	
28F/9428452	AGS1186/A					WASHER, sealing	2	-	C	MF.2	




CANBERRA PR. MK. 9  
HYDRAULIC - FRONT FUSELAGE



Issued with AL.12  
RESTRICTED  
PLATE No. MF. 2

CANBERRA PR. MK. 9 — HYDRAULIC — FRONT FUSELAGE



Issued with AL.35

RESTRICTED

PLATE No. MF.3

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.



**TELEBRIEF  
CONNECTIONS**

**E**