

UNDERCARRIAGE
MAIN UNDERCARRIAGE - PORT

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
-	-	UNDERCARRIAGE,	MAIN, PORT ASSEMBLY (EB8.40.1)					-	-	-	-
-	-		Spares for:								
-	-	LEG, Oleo,	and Dunlop Wheel, Port Assembly (EB8.40.3)					-	-	-	-
-	-		Spares for:								
27G/4618243	Dunlop AH9780	BRAKE, UNIT	(For spares see SP4515C, Vol 3 Pt 1 Section 2)				1	-	A	Q.1	
13251	EB8.20.23	FAIRING, Fixed Group	(Supplied with trim allowance)				1	-	A	Q.1,2	
-	-		Spares for:								
17735	EA6.73.277	BRACKET, bottom	Attachment of bottom bracket to fixed fairing				1	DTD610	C	Q.2	
28D/9133012	A25/3C	Bolt, 2BA					2	-	C	Q.2	
5970	EA6.73.93	Washer					2	-	C	Q.2	
1413	EAL.20.6817	PANEL, Access, Group	Spares for:				1	-	B	Q.2	
-	-		Spares for:								
28FP/4062619	Oddie 217/2	STUD					2	-	C	Q.2	
28FP/1004893	Oddie 214	WASHER					2	-	C	Q.2	
13858	EB8.20.4857	PANEL, access	Attachment of access panel to fixed fairing				1	L72	C	Q.2	
6217	EEAS1/1E	Screw, 1/4 in. BSF					15	S96	C	Q.2	
21164	EA3.20.2869	PANEL, Hinged, Group	Spares for:				1	-	B	Q.1	
-	-		Spares for:								
-	-	HINGE (Make from Ref 28N/10363)					1	-	LM	Q.1	
3025	EAL.20.1675	PANEL, hinge	(16 swg)				1	DTD610	C	Q.1	
520	EAL.40.435	SRRING					2	Spring Steel	C	Q.1	
-	-		Spares for:								
-	-	SEAL, rubber 90 in. long	(make from Ref. 4432)				1	-	LM	Q.2	
-	-		Attachment of fixed fairing to oleo leg								
4174	EAL.40.519	Bolt, 5/16 in. BSF					8	-	C	Q.1	
28W/1086617	AGS162/E	Washer, spring					8	-	C	Q.1,3	
5796	EA6.40.7	LEG, Sliding and Oleo Head Group	(Pre Mod 3211)				1	-	A	Q.1,3	
32314	EA9.40.23	LEG, Sliding and Oleo Head Group	(Mod 3211 Pre Mod 4270)				1	-	A	Q.1,3	
34712	EA9.40.59	LEG, Sliding and Oleo Head Group	(Mod 4270)				1	-	A	Q1,3	
-	-		Spares for:-								
-	-	HEAD, Oleo Assembly	(EA6.40.3) (Pre Mod 4270)				-	-	-	Q.3	
-	-	HEAD, Oleo Assembly	(EA9.40.57) (Mod 4270)				-	-	-	Q.3	
-	-		Spares for:-								

RESTRICTED

UNDERCARRIAGE
MAIN UNDERCARRIAGE--PORT

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
663	EA1.40.89							1	S11	C	Q.3
664	EA1.40.101							1	DTD412	C	Q.3
674	EA1.40.95							1	DTD124	C	Q.3
676	EA1.40.97							1	DTD124	C	Q.3
680	EA1.40.99							12	S11	C	Q.3
665	EA1.40.109							2	DTD412	C	Q.3
666	EA1.40.111							2	DTD112	C	Q.3
673	EA1.40.679							2	L40	C	Q.3
21495	EA1.40.19							1	-	C	
42058	EA9.40.55							1	-	C	
28N/9156370	SP21							2	-	C	Q.3
20656	EA1.40.127							1	-	C	Q.3
-	-							-	-	-	Q.3
670	EA1.40.647							1	DTD197	C	Q.3
1099	EEAS37/22A							2	S11	C	Q.3
-	EEAS38/3A							1	S11	IM	Q.3
22528	EA6.40.33							1	S96	C	Q.3
683	EA1.40.61							3	S11	C	Q.3
672	EA1.40.651							1	BESA4K6	C	Q.3
28Y/9701165	AGS2096							1	-	B	Q.3
28D/1215078	AS1246/5C							1	-	C	Q.3
-	-							1	-	IM	-
669	EA1.40.103							1	M.S.Wire	C	Q.3
28P/9486478	SP90/C5							1	-	C	Q.3
681	EA1.40.105							1	L40	C	Q.3
28F/8014021	AGS1138/B							1	-	C	Q.3
682	EA1.40.149							1	DTD214	C	Q.3
28W/9416643	SP47/C							1	-	C	Q.3

UNDERCARRIAGE
MAIN UNDERCARRIAGE - PORT

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
-	-										Q.3
											Q.3
26640	EA3.40.201							1	S95 or S96	C	Q.3
2467	EA3.40.45							1	-	C	Q.3
684	EA1.40.161							2	DTD412	C	Q.3
	EA3.40.217							1	-	-	Q.3
21355	EA3.40.23							1	L40	C	Q.3
13024	EA3.40.183							1	S96	C	Q.3
1753	EA3.40.19							1	S96	C	Q.3
21537	EA3.40.21							1	L40	C	Q.3
28M/1011476	A27/JS							1	-	C	Q.3
28P/1040788	SP90/C8							1	-	C	Q.3
28W/9419466	SP13/J							1	-	C	Q.3
1462	EA3.40.9							1	-	A	Q.3
691	EA1.40.41							1	S11	C	Q.3
*692	EA1.40.653							1	DTD197	C	Q.3
37461	EA3.40.219							1	-	C	Q.3
693	EA1.40.175							1	S97	C	Q.3
694	EA1.40.655							1	DTD683	C	Q.3
14701	EA3.40.203							1	DTD683	C	Q.3
695	EA1.40.677							2	L40	C	Q.3
14705	EA3.40.215							2	Fabric CX18	C	Q.3
12913	EA1.40.657							1	DTD683	C	Q.3
697	EA1.40.57							1	BESA 4K6	C	Q.3
12915	EA1.40.45							1	S3	C	Q.3
696	EA1.40.37							2	Shore Hardness 70	C	Q.3
698	EA1.40.661							1	Shore Hardness 60	C	Q.3
14703	EA3.40.213							2	S80	C	Q.3
14704	EA3.40.211							1	S15	C	Q.3
14702	EA3.40.205							1	S15	C	Q.3
21354	EA1.40.659							1	DTD683	C	Q.3
21221	EA1.40.635							2	DTD138	C	Q.3
699	EA1.40.165							1	S1	C	Q.3
32210	EA3.40.221							1	-	C	Q.3
700	EA1.40.167							1	S1	C	Q.3
14706	EA3.40.209							1	L65	C	Q.3
14700	EA3.40.207							1	L1	C	Q.3
683	EA1.40.61							6	S11	C	Q.3
701	EA1.40.39							1	BS126	C	Q.3
702	EA1.40.43							1	Hard Felt	C	Q.3
NOTE: *	26PZ/692 EA1.40.653 still required										
	26PZ/37461 EA3.40.219 found unsuitable as a spare:										

UNDERCARRIAGE
MAIN UNDERCARRIAGE - PORT

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.F. or L.M.	Plate No.	
		1	2	3	4	5	6					
3631	EA1.40.27							LINK, torque top Attachment of top torque link to oleo head	1	DTF683	C	Q.3
704	EA1.40.69							Pin, bearing	1	S11	C	Q.3
707	EA1.40.77							Screw, 1 in. BSF	1	S11	C	Q.3
708	EA1.40.139							Screw, locking, 1/2 in. BSF	1	S1	C	Q.3
709	EA1.40.619							Shim	1	Lam.Alum.	C	Q.3
711	EA1.40.73							Sleeve	1	S11	C	Q.3
713	EA1.40.75							Washer, bearing	1	DTF412	C	Q.3
718	EA1.40.147							Washer, bearing	1	DTF412	C	Q.3
714	EA1.40.79							Washer, locking	1	DTF124	C	Q.3
3632	EA1.40.28							LINK, torque, bottom Attachment bottom torque link, to oleo sliding leg	1	DTF683	C	Q.3
703	EA1.40.67							Pin, bearing	1	S11	C	Q.3
707	EA1.40.77							Screw, 1 in. BSF	1	S11	C	Q.3
708	EA1.40.139							Screw, locking, 1/2 in. BSF	1	S1	C	Q.3
709	EA1.40.619							Shim	1	Lam.Alum.	C	Q.3
710	EA1.40.71							Sleeve	1	S11	C	Q.3
713	EA1.40.75							Washer, bearing	1	DTF412	C	Q.3
718	EA1.40.147							Washer, bearing	1	DTF412	C	Q.3
714	EA1.40.79							Washer, locking	1	DTF124	C	Q.3
661	EA1.40.153							Attachment of top and bottom torque links				
								Bush, bearing	1	DTF412	C	Q.3
28N/9156370	SP21							Nipple grease	1	-	C	Q.3
28M/4095931	A27/SS							Nut, slotted, 3/4 in. BSF	1	-	C	Q.3
1500	EA3.40.27							Pin, bearing	1	S97	C	Q.3
28P/221916	SP90/G14							Pin, split, 1/2 in. dia.	1	-	C	Q.3
715	EA1.40.83							Washer	1	S11	C	Q.3
1514	EA3.40.29							Washer	1	S96	C	Q.3
1515	EA3.40.31							Washer	1	S96	C	Q.3
28N/9156370	SP21							MIPPEM, grease	4	-	C	Q.3
712	EA1.40.137							TAB, locking Attachment of locking tab to oleo head	1	S3	C	Q.3
28S/1200034	A31/B16							Screw, 4BA	1	-	C	Q.3
28W/9416642	SP47/B							Washer Attachment of sliding leg and oleo head group to wheel and wheel brake unit	1	-	C	Q.3
2168	EA6.40.35							Bolt, 1/2 in. BSF	10	S97	C	Q.1
28M/4095892	A27/MS							Nut, slotted, 1/2 in. BSF	10	-	C	Q.1
28P/9525532	SP90/E10							Pin, split, 3/32 in. dia.	10	-	C	Q.1
2169	EA3.40.43							Washer, 1/2 in.	10	DTF124A	C	Q.1

UNDERCARRIAGE
MAIN UNDERCARRIAGE - PORT

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqp't. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
13859	EB8.40.21										
13860	EB8.40.25										
28M/1278190	AGS2001/C1										
13861	EB8.40.33										
28W/9419475	SP15/C										
30827	EB8.40.113										
	Dunlop										
27G/2485	AHM.2572										
	Dunlop										
27G/2486	AHM2574										
	Dunlop										
27A/1450834	DT.1609										
	Dunlop										
27A/4655	DR.1623 or Good Year GA.1266 or Firestone ZA.303										
	Dunlop										
27G/2382	AC11516										
	Dunlop										
27A/1450713	AH52692										
34172	EA9.40.43										
6119299	EA9.40.73										
529	EA1.40.239										
537	EA1.40.353										

RESTRICTED

UNDERCARRIAGE

MAIN UNDERCARRIAGE-PORT

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
530	E.A1.40.405	BOLT, $\frac{7}{16}$ in. BSF Attachment of bolt to sequence valve operating bracket						1	S96	C	Q.2
28M/1011470	A27/GT	Locknut, $\frac{5}{16}$ in. BSF						1	-	C	Q.2
7112	E.A1.40.229	BRACKET, solenoid operating stud Attachment of stud bracket to side stay						1	S96	C	Q.2
28D/1011310	A25/8L	Bolt, $\frac{7}{16}$ in. BSF						2	-	C	Q.2
28D/1212690	A25/15L	Bolt, $\frac{7}{16}$ in. BSF						1	-	C	Q.2
28D/1212688	A25/18L	Bolt, $\frac{7}{16}$ in. BSF						1	-	C	Q.2
28M/9129449	A27/LS	Nut, slotted, $\frac{7}{16}$ in. BSF						4	-	C	Q.2
28F/9525532	SP90/E10	Pin, split, $\frac{1}{32}$ in. dia.						4	-	C	Q.2
7114	E.A1.40.403	BRACKET, sequence valve operating stud Attachment of stud bracket to side stay						1	L40	C	Q.2
28D/9133011	A25/2C	Bolt, 2BA						1	-	C	Q.2
28D/1212688	A25/18L	Bolt, $\frac{7}{16}$ in. BSF						1	-	C	Q.2
28W/1006940	1110	Lockwasher, "shakeproof"						1	-	C	Q.2
28M/9129449	A27/LS	Nut, slotted, $\frac{7}{16}$ in. BSF						1	-	C	Q.2
28F/9525532	SP90/E10	Pin, split, $\frac{1}{32}$ in. dia.						1	-	C	Q.2
531	E.A1.40.199	LEVER, Undercarriage Lock, Group Spares for:						1	-	B	Q.2
532	E.A1.40.213	BUSH						1	DTD197	C	Q.2
533	E.A1.40.200	LEVER, Undercarriage Lock, Group Spares for:						1	-	B	Q.2
532	E.A1.40.213	BUSH Attachment of undercarriage lock levers to side stay						1	DTD197	C	Q.2
525	E.A1.40.195	Bolt, $\frac{5}{8}$ in. BSF, hook catch pin						1	S65	C	Q.2
28M/9156370	SP21	Nipple, grease						1	-	C	Q.2
22176	E.A1.40.351	Nut, slotted, $\frac{5}{8}$ in. BSF						1	-	C	Q.2
28F/1221023	SP90/G12	Pin, split, $\frac{1}{8}$ in. dia.						1	-	C	Q.2
543	E.A1.40.219	Tube, distance						1	L40	C	Q.2
544	E.A1.40.291	Washer, tab						1	S3	C	Q.2
547	E.A1.40.417	Washer, under tab washer						1	DTD390	C	Q.2
28W/9419481	SP15/Q	Washer, $\frac{5}{8}$ in.						1	-	C	Q.2

UNDERCARRIAGE
MAIN UNDERCARRIAGE - PORT

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
13168	EA3.40.191							1	-	C	Q.2
179	EA1.40.569							1	S11	C	Q.2
28M/1007403	A27/ET							1	-	C	Q.2
528	EA1.40.221							1	S65	C	Q.2
28N/9156370	SP21							1	-	C	Q.2
26667	EA3.40.193							1	-	C	Q.2
542	EA1.40.217							1	L40	C	Q.2
545	EA1.40.355							1	DTD390	C	Q.2
6472	EA1.40.225							1	-	B	Q.1,2
536	EA1.40.227							2	DTD197	C	Q.2
526	EA1.40.197							1	S65 or 81	C	Q.2
28N/9156370	SP21							1	-	C	Q.2
12916	EA1.40.347							1	-	C	Q.2
538	EA1.40.223							1	L40	C	Q.2
28P/1209392	SP90/K20							1	-	C	Q.2
37307	EA1.40.765							1	-	C	Q.2
539	EA1.40.205							1	-	C	Q.2
527	EA1.40.203							1	S96	C	Q.2
40530	EA1.40.349							1	-	LM	Q.2
28P/1040788	SP90/C8							1	-	C	Q.2
7113	EA1.40.233							1	L40	C	Q.2
540	EA1.40.237							1	Spring Steel	C	Q.2
40650	EA9.40.39							1	-	B	-
6119308	EA9.40.79							1	-	B	-
541	EA1.40.235							1	S11	C	Q.2

UNDERCARRIAGE
MAIN UNDERCARRIAGE-STARBOARD

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
-	-	UNDERCARRIAGE, MAIN STARBOARD ASSEMBLY (EB8.40.2)						-	-	-	-
-	-	Spares for:-						-	-	-	-
-	-	LEG, Oleo and Dunlop Wheel Starboard Assembly (EB8.40.4)						-	-	-	-
-	-	Spares for:-						-	-	-	-
27G/4618244	Dunlop AH9781	BRAKE UNIT, (For spares see AP4515C, Vol.3, Pt.1 Section 2)						1	-	A	Q.1
13252	EB8.20.24	FAIRING, Fixed, Group (Supplied with trim allowance)						1	-	A	Q,1,2
17736	EA6.73.278	Spares for:-						-	-	-	-
		BRACKET, bottom						1	DTD610	C	Q.2
		Attachment of bottom bracket to fixed fairing						-	-	-	-
28D/9133012	A25/3C	Bolt, 2BA						2	-	C	Q.2
5970	EA6.73.93	Washer						2	-	C	Q.2
1413	EA1.20.6817	PANEL, Access, Group						1	-	B	Q.2
		Spares for:-						-	-	-	-
28FP/4062619	Oddie 217/2	STUD						2	-	C	Q.2
	Oddie 214	WASHER						2	-	C	Q.2
28FP/1004893	214	WASHER						2	-	C	Q.2
13862	EB8.20.4858	PANEL, access						1	L72	C	Q.2
		Attachment of access panel to fixed fairing						-	-	-	-
6217	EBAS.1/1E	Screw, 1/4 in. BSF						15	S96	C	Q.2
21721	EA3.20.2870	PANEL, Hinged, Group						1	-	B	Q.1
		Spares for:-						-	-	-	-
	EA1.20.1679	HINGE, (Make from Ref. 28N/10363)						1	-	LM	Q.1
3026	EA1.20.1676	PANEL, hinge (16 swg)						1	DTD610	C	Q.1
1887	EA1.40.436	SPRING						2	Spring Steel	C	Q.1
	EA3.20.1627	SEAL, rubber, 90 in. long (make from Ref.4432)						1	-	LM	Q.2
		Attachment of fixed fairing to oleo leg						-	-	-	-
4174	EA1.40.519	Bolt, 5/16 in. BSF						8	-	C	Q.1
28W/1086617	AGS 162/E	Washer, spring,						8	-	C	Q.1

UNDERCARRIAGE
MAIN UNDERCARRIAGE - STARBOARD

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
5797	EA6.40.8							1	-	A	Q.1.3
32315	EA9.40.24							1	-	A	Q.1.3
34713	EA9.40.60							1	-	A	Q.1.3
660	EA1.40.639							1	DTD390	C	Q.1.2
28D/9140638	A25/4B							4	-	C	Q.2
28M/9403519	A27/BP							4	-	C	Q.2
706	EA1.40.335							1	Lam.Alum	C	Q.2
28W/9416642	SP47/B							4	-	C	Q.2
662	EA1.40.671							1	L40	C	Q.2
28S/9435713	A31/C20							2	-	C	Q.2
28W/9416643	SP47/C							2	-	C	Q.2
-	-							-	-	-	Q.3
-	-							-	-	-	Q.3
663	EA1.40.89							1	S11	C	Q.3
664	EA1.40.101							1	DTD412	C	Q.3
675	EA1.40.96							1	DTD124	C	Q.3
677	EA1.40.98							1	DTD124	C	Q.3
680	EA1.40.99							12	S11	C	Q.3
665	EA1.40.109							2	DTD412	C	Q.3
666	EA1.40.111							2	DTD412	C	Q.3
673	EA1.40.679							2	L40	C	Q.3
21482	EA1.40.20							1	-	C	
42059	EA9.40.56							1	-	C	
28N/9156370	SP21							2	-	C	Q.3
20656	EA1.40.127							1	-	C	Q.3
-	-							-	-	C	Q.3
670	EA1.40.647							1	DTD197	C	Q.3

RESTRICTED

UNDERCARRIAGE
MAIN UNDERCARRIAGE - STARBOARD

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
1099	EEAS 37/22A							2	S11	C	Q.3
	EEAS 38/3A							1	S11	LM	Q.3
22528	EA6.40.33							1	S96	C	Q.3
683	EA 1.40.61							3	S11	C	Q.3
672	EA1.40.651							1	BESA 4K6	C	Q.3
28Y/9701165	AGS2096							1	-	B	Q.3
28D/1215078	AS1246/5C							1	-	C	Q.3
	-							1	-	LM	-
669	EA1.40.103							1	M.S.Wire	C	Q.3
28P/9486478	SP90/C5							1	-	C	Q.3
681	EA1.40.105							L	L40	C	Q.3
28F/8014021	AGS1138/B							1	-	C	Q.3
682	EA1.40.149							1	DTD124	C	Q.3
28W/9416643	SP47/C							1	-	C	Q.3
-	-							-	-	-	Q.3
-	-							-	-	-	Q.3
26640	EA3.40.201							1	S95 or S96	C	Q.3
2467	EA3.40.45							1	-	C	Q.3
684	EA1.40.161							2	DTD412	C	Q.3
	EA3.40.217							1	-	-	Q.3
21355	EA3.40.23							1	L40	C	Q.3
13024	EA3.40.183							1	S96	C	Q.3
1753	EA3.40.19							1	S96	C	Q.3
21537	EA3.40.21							1	L40	C	Q.3
28M/1011476	A27/JS							1	-	C	Q.3
28P/1040788	SP90/C8							1	-	C	Q.3
28W/9419466	SP13/J							1	-	C	Q.3
1463	EA3.40.10							1	-	A	Q.3
691	EA1.40.41							1	S11	C	Q.3
692	EA1.40.653							1	DTD197	C	Q.3
37461	EA3.40.219							1	-	C	Q.3
693	EA1.40.175							1	S97	C	Q.3
694	EA1.40.655							1	DTD683	C	Q.3

NOTE:- * 26FZ/692 EA1.40.655 still required:
26FZ/37461 EA3.40.219 found unsuitable as a spare:

UNDERCARRIAGE
MAIN UNDERCARRIAGE - STARBOARD

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqt. M.R. or L.M.	Plate No.	
		1	2	3	4	5	6					
14701	EA3.40.203							PLUG, oleo base (Mod 2760)	1	DTD683	C	Q.3
695	EA1.40.677							PLUG, pivot bearing bush	2	L40	C	Q.6
14705	EA3.40.215							RING, backing (Mod 2760)	2	Fabric	C	Q.3
12913	EA1.40.657							RING, distance	1	DTD683	C	Q.3
697	EA1.40.57							RING, piston	1	BESA 4K6	C	Q.3
12915	EA1.40.45							RING, retaining	1	S3	C	Q.3
696	EA1.40.37							RING, sealing, rubber (Pre Mod 2760)	2	Shore Hardness 70	C	Q.3
698	EA1.40.661							RING, sealing, rubber (Pre Mod 2760)	1	Shore Hardness	C	Q.3
14703	EA3.40.213							RING, sealing, rubber (Mod 2760)	2	S80	C	Q.3
14704	EA3.40.211							RING, sealing rubber (Mod 2760)	1	S15	C	Q.3
14702	EA3.40.205							RING, sealing, rubber (Mod 2760)	1	S15	C	Q.3
21354	EA1.40.659							RING, stop, shock absorber	1	DTD683	C	Q.3
21221	EA1.40.635							RING, SPACER (Pre Mod 2760)	2	DTD138	C	Q.3
699	EA1.40.165							SCREW, grub, piston locking (Pre Mod 3211)	1	S1	C	Q.3
32210	EA3.40.221							Pin, locking, piston (Mod 3211)	1		C	Q.3
700	EA1.40.167							SCREW, grub, stopnut locking	1	S1	C	Q.3
14706	EA1.40.209							SEAL, housing (Mod 2760)	1	L65	C	Q.3
14700	EA3.40.207							SPACER (Mod 2760)	1	L1	C	Q.3
683	EA1.40.61							STUD, orifice plate	6	S11	C	Q.3
701	EA1.40.39							WASHER, fibre	1	BS126	C	Q.3
702	EA1.40.43							WASHER, packing, 3/16 in.	1	Hard Felt	C	Q.3
3632	EA1.40.28							LINK, torque top Attachment of top torque link to oleo head	1	DTD683	C	Q.3
704	EA1.40.69							Pin, bearing	1	S11	C	Q.3
707	EA1.40.77							Screw, 1 in. BSF	1	S11	C	Q.3
708	EA1.40.139							Screw, locking, 1/4 in. BSF.	1	S1	C	Q.3
709	EA1.40.619							Shim	1	Lam. Alum.	C	Q.3
711	EA1.40.73							Sleeve	1	S11	C	Q.3
713	EA1.40.75							Washer, bearing	1	DTD4.12	C	Q.3
718	EA1.40.147							Washer, bearing	1	DTD4.12	C	Q.3
714	EA1.40.79							Washer, locking	1	DTD124	C	Q.3
3631	EA1.40.27							LINK, torque bottom Attachment of bottom torque link to oleo sliding leg	1	DTD683	C	Q.3
703	EA1.40.67							Pin, bearing	1	S11	C	Q.3
707	EA1.40.77							Screw, 1 in. BSF	1	S11	C	Q.3
708	EA1.40.139							Screw, locking, 1/4 in. BSF	1	S1	C	Q.3
709	EA1.40.619							SHIM	1	Lam. Alum	C	Q.3
710	EA1.40.71							Sleeve	1	S11	C	Q.3
713	EA1.40.75							Washer, bearing	1	DTD4.12	C	Q.3
718	EA1.40.147							Washer, bearing	1	DTD4.12	C	Q.3
714	EA1.40.79							Washer, locking	1	DTD124	C	Q.3
661	EA1.40.153							Attachment of top and bottom torque links	1	DTD4.12	C	Q.3
28N/9156370	SP21							Bush, bearing	1	DTD4.12	C	Q.3
28M/4095931	A27/SS							Nipple, grease	1	-	C	Q.3
1500	EA3.40.27							Nut, slotted. 3/4 in. BSF	1	-	C	Q.3
28P/221916	SP90/G14							Pin, bearing	1	S97	C	Q.3
715	EA1.40.83							Pin, split, 1/8 in. dia	1	-	C	Q.3
1514	EA3.40.29							Washer	1	S11	C	Q.3
1515	EA3.40.31							Washer	1	S96	C	Q.3
								Washer	1	S96	C	Q.3

UNDERCARRIAGE
MAIN UNDERCARRIAGE - STARBOARD

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
28N/9156370	SP21							4	-	C	Q.3
712	EAL.40.137							1	S3	C	Q.3
28S/1200034	A31/B16							1	-	C	Q.3
28W/9416642	SP47/B							1	-	C	Q.3
2168	EA6.40.35							10	S97	C	Q.1
28M/4095892	A27/NS							10	-	C	Q.1
28P/9525532	SP90/E10							10	-	C	Q.1
2169	EA3.40.43							10	DTD124	C	Q.1
13859	EB8.40.21							1	-	B	Q.1,2
13860	EB8.40.25							1	-	C	Q.2
28M/1278190	AGS2001/C1							1	-	C	Q.2
13861	EB8.40.33							1	S95	C	Q.2
28W/9419475	SP15/C							1	-	C	Q.2
30827	EB8.40.113							4	-	C	Q.2
	Dunlop										
27G/6325453	AHM2576							1	-	C	Q.1
	Dunlop										
27G/2488	AHM2578							1	-	C	Q.1
	Dunlop										
27A/1450834	DT1609							1	-	A	Q.1
	Dunlop										
27A/4560809	DR1623							1	-	A	Q.1
	or										
	Good Year										
	GA.1266										
	or										
	Firestone										
	ZA.303										
	Dunlop										
27G/4617714	AC11514							1	-	A	Q.1
27A/1450713	AH52692							1	-	A	Q.1
34173	EA9.40.44							1	-	A	Q.1,2
6119300	EA9.40.74							1	-	A	Q.1,2
529	EAL.40.239							1	S97	C	Q.2
537	EAL.40.353							1	S11	C	Q.2

UNDERCARRIAGE
MAIN UNDERCARRIAGE-STARBOARD

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
530	EAL.40.405										
28M/1011470	A27/GT										
7112	EAL.40.229										
28D/1011310	A25/8L										
28D/1212690	A25/15L										
28D/1212688	A25/18L										
28M/9129449	A27/LS										
28P/9525532	SP90/E10										
32721	EAL.40.404										
28D/9133011	A25/2C										
28D/1212688	A25/18L										
28W/1006940	1110										
28M/9122449	A27/LS										
28P/9525532	SP90,E10										
531	EAL.40.199										
532	EAL.40.213										
533	EAL.40.200										
532	EAL.40.213										
525	EAL.40.195										
28N/9156370	SP21										
22176	EAL.40.351										
28P/1221023	SP90/G12										
543	EAL.40.219										
544	EAL.40.291										
547	EAL.40.417										
28W/9419481	SP15/Q										

RESTRICTED

UNDERCARRIAGE
MAIN UNDERCARRIAGE - STARBOARD

Ref. No	Part No.	Description						No. off	Material Specification	Class of Eqpt. M.R. or L.M.	Plate No.
		1	2	3	4	5	6				
13169	EA3.40.192							1	-	C	Q.2
179	EA1.40.569							1	S11	C	Q.2
28M/1007403	A27/ET							1	-	C	Q.2
528	EA1.40.221							1	S65	C	Q.2
28N/9155370	SP21							1	-	C	Q.2
26667	EA3.40.193							1	-	C	Q.2
542	EA1.40.217							1	L40	C	Q.2
545	EA1.40.355							1	DTD390	C	Q.2
6472	EA1.40.225							1	-	B	Q.1,2
536	EA1.40.227							2	DTD197	C	Q.2
526	EA1.40.197							1	S65 or 81	C	Q.2
28N/9156370	SP21							1	-	C	Q.2
12916	EA1.40.347							1	-	C	Q.2
538	EA1.40.223							1	L40	C	Q.2
28P/1209392	SP90/K20							1	-	C	Q.2
37307	EA1.40.765							1	-	C	Q.2
539	EA1.40.205							1	-	C	Q.2
527	EA1.40.203							1	S96	C	Q.2
40530	EA1.40.349							1	-	LM	Q.2
28P/1040788	SP90/C8							1	-	C	Q.2
7113	EA1.40.233							1	L40	C	Q.2
540	EA1.40.237							1	Spring Steel Wire	C	Q.2
40651	EA9.40.40							1	-	B	-
6119309	EA9.40.80							1	-	B	-
541	EA1.40.235							1	S11	C	Q.2

This file was downloaded
from the RTFM Library.
Link:www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

