



UNDERCARRIAGE  
MAIN UNDERCARRIAGE, PORT

Part Number	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Plate No.
EA1.40.625	. . . . .	Attaching parts for EA1.40.133 :- Screw, retaining, plug, dowel seal	2	L40	WA2/13
EA1.40.131	. . . . .	DOWEL, piston	2	S11	WA2/14
EA9.40.55	. . . . .	HEAD, oleo, forging	1	DTD5094	WA2/15
or EA9.07.35	. . . . .	HEAD, oleo, forging, c/w bushes (Spares conditioned)	1	-	
EA1.40.103	. . . . .	HOOK, 'S' shaped, 16 SWG	2	MS Wire	WA2/16
EA1.40.127	. . . . .	PIPE, stack, assembly	1	-	WA2/17
AGS11388	. . . . .	Attaching parts for EA1.40.127 :- Washer, jointing	1	Alum	WA2/18
EA6.40.5	. . . . .	PISTON, OPERATING, ASSEMBLY Consisting of :-	1	-	WA2/19
EEAS37/22A	. . . . .	NIPPLE, 2BA	2	S11	WA2/20
EA1.40.647	. . . . .	PISTON	1	DTD197	WA2/21
EA6.40.33	. . . . .	PLATE, orifice enclosure, control	1	S11	WA2/22
EA1.40.61	. . . . .	Attaching parts for EA6.40.33 :- Bolt, attachment, enclosure, orifice plate	3	S11	WA2/23
EA1.40.651	. . . . .	RING, piston	1	-	WA2/24
EEAS38/3A	. . . . .	SPOKE, 2BA	1	S11	WA2/25
EA1.40.117	. . . . .	STRUT, piston, main	1	T4	WA2/26
EA1.40.155	. . . . .	RING, sealing, at dowel	2	Synthetic Rubber	WA2/27
EA1.40.105	. . . . .	TUBE, distance, packing, for locking washers	1	L40	WA2/30
AGS2096A	. . . . .	VALVE, charging, hydraulic	1	-	WA2/28
AS1246/5C	. . . . .	Attaching parts for AGS2096A :- Bolt, 2BA, round head	1	-	WA2/29
SP47C	. . . . .	Washer, spring	1	-	WA2/31
AGS11388	. . . . .	Washer, jointing	1	Alum	WA2/32
EA1.40.149	. . . . .	Washer, locking, 14 SWG	1	DTD124	WA2/33
EA9.40.61	. . . . .	LEG, SLIDING, COMPRESSION, ASSEMBLY Spares for :-	1	-	WA3/2
EA3.40.201	. . . . .	BOLT, clamp, locking	1	S95 or S96	WA3/3
EA1.40.161	. . . . .	BUSH, bearing in lug	1	DTD124	WA3/5
EA3.40.45	. . . . .	BUSH, bearing	1	-	WA3/4
EA3.40.217	. . . . .	CLAMP, AXLE, ASSEMBLY Spares for :-	1	-	WA3/6
EA3.40.23	. . . . .	BUSH	1	L16	WA3/7
EA3.40.183	. . . . .	CLAMP, axle body	1	-	WA3/9
EA3.40.19	. . . . .	LINK, TOWING	1	-	WA3/9
A27JS	. . . . .	Attaching parts for EA3.40.19 :- Nut, slotted, 3/8" BSF	1	-	WA3/9A
SP90C7	. . . . .	PIN, split	1	-	WA3/9B
SP13J	. . . . .	Washer, 3/8" BSF thick	1	-	WA3/9C
EA3.40.21	. . . . .	WASHER, tow link	1	-	WA3/10
EA3.40.209	. . . . .	HOUSING, seal	1	L65	WA3/11
EA3.40.9	. . . . .	LEG, sliding, c/w integral axle	1	-	WA3/12
EA1.40.41	. . . . .	NUT, stop	1	S11	WA3/13
EA3.40.221	. . . . .	PIN, locking, piston	3	S97	WA3/14
EA3.40.219	. . . . .	PISTON, sliding, leg	1	DTD197	WA3/15
EA1.40.175	. . . . .	PLATE, orifice	1	S65	WA3/16
EA1.40.61	. . . . .	Attaching parts for EA1.40.175 :- Bolt, stud	6	S11	WA3/17
EA1.40.677	. . . . .	PLUG, pivot bearing bush retaining	2	L40	WA3/19

## UNDERCARRIAGE

## MAIN UNDERCARRIAGE, PORT

Part Number	Description						No. Off	Mati. Spec.	Plate No.
	1	2	3	4	5	6			
EA3.40.203	.	.	.	.			1	DTD683	WA3/18
EA3.40.215	.	.	.	.			2	Fabric CX18	WA3/27
EA3.40.207	.	.	.	.			1	L64	WA3/24
EA1.40.57	.	.	.	.			1	—	WA3/22
EA1.40.45	.	.	.	.			1	MS	WA3/20
AS1242/1B	.	.	.	.			8	—	WA3/21
EA3.40.213	.	.	.	.			2	Synthetic Rubber	WA3/26
EA1.40.205	.	.	.	.			1	Synthetic Rubber	WA3/23
EA3.40.211	.	.	.	.			1	Soft Rubber	WA3/25
EA1.40.659	.	.	.	.			1	DTD683	WA3/29
EA1.40.657	.	.	.	.			1	DTD683	WA3/28
EA1.40.167	.	.	.	.			1	S1	WA3/30
EA1.40.39	.	.	.	.			1	BS216	WA3/31
EA1.40.43	.	.	.	.			1	Hard Felt	WA3/32
EA1.40.27	.	.	.	.			1	DTD5024	WA2/40
EA1.40.153	.	.	.	.			2	DTD412	WA2/2
SP21	.	.	.	.			1	—	WA2/41A
A27SS	.	.	.	.			1	—	WA2/41
EA1.40.69	.	.	.	.			1	—	WA2/42
EA3.40.27	.	.	.	.			1	—	WA2/43
SP90H11	.	.	.	.			1	—	WA2/41B
EA1.40.139	.	.	.	.			1	MS	WA2/45
EA1.40.77	.	.	.	.			1	S11	WA2/44
EA1.40.619	.	.	.	.			1	LA	WA2/58
EA1.40.73	.	.	.	.			1	DTD412	WA2/47
EA1.40.147	.	.	.	.			1	DTD412	WA2/51
EA1.40.75	.	.	.	.			1	MS	WA2/48
EA1.40.79	.	.	.	.			1	S11	WA2/49
EA1.40.83	.	.	.	.			1	S11	WA2/50
EA3.40.29	.	.	.	.			1	S96	WA2/52
EA3.40.31	.	.	.	.			1	S96	WA2/53
EA1.40.28	.	.	.	.			1	DTD5024	WA2/54
EA1.40.153	.	.	.	.			2	DTD412	WA2/2
EA1.40.67	.	.	.	.			1	S11	WA2/55
EA1.40.139	.	.	.	.			1	MS	WA2/57
EA1.40.77	.	.	.	.			1	S11	WA2/56

## UNDERCARRIAGE

## MAIN UNDERCARRIAGE, PORT

Part Number	Description	No. Off	Mati. Spec.	Plate No.
EA1.40.619	. . . Shim, bearing, pin, sleeve	1	LA	WA2/58
EA1.40.71	. . . Sleeve, bearing, for torque link	1	S11	WA2/59
EA1.40.75	. . . Washer, bearing, thrust	1	DTD412	WA2/60
EA1.40.147	. . . Washer, bearing, thrust	1	DTD412	WA2/62
EA1.40.79	. . . Washer, locking, bearing, pin retaining screw, 16 SWG	1	MS	WA2/61
SP21	. . . NIPPLE, lubricating, 1/4" BSF	5	LA	WA2/63
EA1.40.137	. . . TAB, locking, 16 SWG Attaching parts for EA1.40.137:-	1	MS	WA2/64
A31B16	. . . Screw, 4BA	1	-	WA2/65
SP47B	. . . Washer, spring	1	-	WA2/66
EA1.40.467	. . LEVER, COWL DOOR MECHANISM, ASSEMBLY Spares for:-	1	-	WA2/36
EA1.40.465	. . . BUSH, bearing Attaching parts for EA1.40.465:-	2	L40	WA2/37
A25/15C	. . . Bolt, 2BA	1	-	WA2/37A
AGS2001C1/66	. . . Bolt, 2BA	1	-	WA2/37B
EA1.40.529	. . . LEVER, operating Attaching parts for EA1.40.467:-	1	-	WA2/38
EA1.40.517	. . Bolt, securing cowl door mechanism to leg	4	HTS	WA2/39
DUNLOP AHM5651	. . PIPE, feed, for maxaret unit	1	-	
DUNLOP AHM5653	. . PIPE, feed, for maxaret unit	1	-	
DUNLOP DT1606	. . TUBE, 43" x 12.5" x 21" (Pre-Mod 4481)	1	-	WA1/11
DUNLOP DT1609	. . TUBE, 43" x 12.5" x 21" (Mod 4481)	1	-	WA1/11
DUNLOP DR1623	. . TYRE, 43" x 12.5" x 21"	1	-	WA1/3
or GOODYEAR GA1266	. . TYRE, 43" x 12.5" x 21"	1	-	WA1/3
or FIRESTONE ZA.303	. . TYRE, 43" x 12.5" x 21"	1	-	WA1/3
DUNLOP AC11516	. . UNIT, maxaret automatic brake control	1	-	
DUNLOP AH51337	. . WHEEL, undercarriage (Pre-Mod 4481)	1	-	WA1/12
AH52692	. . WHEEL, undercarriage (Mod 4481)	1	-	WA1/12

UNDERCARRIAGE  
MAIN UNDERCARRIAGE, PORT

Ref. No.	Part No.	Description	No. off	Mtl. Spec.	Cl. of Equip M.R. L.M.	Plate No.
523	EA1.40.29	STAY, SIDE, UNDERCARRIAGE, ASSEMBLY (PRE—MOD 3585)	1	—	A	WA4/1
34172	EA9.40.43	STAY, SIDE, UNDERCARRIAGE, ASSEMBLY (MOD 3585) (PRE—MOD 5051)	1	—	A	WA4/1
6119299	EA9.40.73	STAY, SIDE, UNDERCARRIAGE, ASSEMBLY (MOD 5051)	1	—	A	WA4/1
528	EA1.40.221	Spares for:— BOLT, connecting, undercarriage operating jack	1	S65 or S81	C	WA4/2
529	EA1.40.239	BOLT, stop, link stay	1	S65 or S81	C	WA4/3
537	EA1.40.353	Attaching parts for EA1.40.239:— Nut, lock	1	S11	C	WA4/4
530	EA1.40.405	BOLT, sequence valve operating	1	S11	C	WA4/5
7112	EA1.40.229	BRACKET, stop bolt	1	S11	C	WA4/6
28D/1212690	A25/15L	Attaching parts for EA1.40.229:— Bolt, 7/16" BSF	1	HTS	C	WA4/7
28D/1011310	A25/8L	Bolt, 7/16" BSF	2	HTS	C	WA4/8
28M/9129449	A27LS	Nut, 7/16" BSF	3	—	C	WA4/9
28P/9560929	SP90E8	Pin, split	3	—	C	WA4/9A
7114	EA1.40.403	BRACKET, sequence, valve operating stud	1	L40	C	WA4/10
28D/1212688	A25/18L	Attaching parts for EA1.40.403:— Bolt, 7/16" BSF	1	HTS	C	WA4/11
28D/9133011	A25/2C	Bolt, 2BA	1	—	C	WA4/10A
28M/9129449	A27LS	Nut, 7/16" BSF	1	—	C	WA4/12
28P/9560929	SP90E8	Pin, split	1	—	C	WA4/12A
28W/1006946	AGS2035C	Washer, shakeproof	1	—	C	WA4/10B
531	EA1.40.199	LEVER, UNDERCARRIAGE LOCK, ASSEMBLY	1	—	C	WA4/13
532	EA1.40.213	Consisting of:— BUSH	1	DTD197	C	WA4/14
533	EA1.40.201	LEVER	1	S11	—	WA4/15
533	EA1.40.200	LEVER, UNDERCARRIAGE LOCK, ASSEMBLY	1	—	C	WA4/16
532	EA1.40.213	Consisting of:— BUSH	1	DTD197	C	WA4/17
532	EA1.40.202	LEVER	1	S11	—	WA4/18
525	EA1.40.195	Attaching parts for EA1.40.199 and EA1.40.200:— Bolt, hook	1	S65 or S81	C	WA4/19
22176	EA1.40.351	Nut, slotted, for hook catch pin bolt	1	MS	C	WA4/20
28P/19157	SP90G10	Pin, split	1	—	C	WA4/20A
543	EA1.40.219	Tube, distance for undercarriage 'down' switch operating bracket	1	L40	C	WA4/21
28W/9419481	SP15Q	Washer, 3/8"	1	—	C	WA4/22
544	EA1.40.291	Washer, tab at undercarriage hook catch bolt, 20 SWG	1	S3	C	WA4/23
547	EA1.40.417	Washer, under tab and connecting bolts, 24 SWG	1	L72	C	WA4/24
13168	EA3.40.191	LEVER, UNDERCARRIAGE 'DOWN' MICRO SWITCH, ASSEMBLY	1	—	C	WA4/25
28M/1007403	A27ET	Spares for:— NUT, thin 1/4" BSF	1	—	C	WA4/26A
179	EA1.40.569	SCREW, tappet	1	S11	C	WA4/26

UNDERCARRIAGE  
MAIN UNDERCARRIAGE, PORT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip M.R. L.M.	Plate No.
6472	EA1.40.225	LINK, SIDE STAY, ASSEMBLY Spares for:—	1	—	B/MR	WA4/27
536	EA1.40.227	BUSH, bearing Attaching parts for EA1.40.225:—	2	DTD197	C	WA4/28
526	EA1.40.197	Bolt, connecting stay link	1	S85 or S81	C	WA4/29
12916	EA1.40.347	Nut, slotted	1	MS	C	WA4/30
28P/19245	SP90K17	Pin, split	1	—	C	WA4/30A
538	EA1.40.223	Plug, adaptor	1	L40	C	WA4/31
37307	EA1.40.765	Washer, link and link stay connecting bolt, 18 SWG	1	S3	C	WA4/32
28N/9156370	SP21	NIPPLE, lubricating, 1/4" BSF	3	LA	C	WA4/33
28M/1011470	A27GT	NUT, 3/16" BSF, sequence valve operating bolt	1	—	C	WA4/5A
26667	EA3.40.193	NUT, slotted, for undercarriage operating jack bolt	1	—	C	WA4/34
13184	EA3.40.199	PLATE	1	DTD124	C	WA4/35
539	EA1.40.205	ROLLER, stop, lever, assembly Attaching parts for EA1.40.205:—	1	—	C	WA4/36
527	EA1.40.203	Bolt	1	S11	C	WA4/37
40530	EA1.40.349	Nut, slotted	1	MS	C	WA4/38
28P/9527619	SP90C7	Pin, split	1	—	C	WA4/38A
7113	EA1.40.233	SLEEVE, operating spring, for undercarriage lock stop	1	DTD197	C	WA4/39
540	EA1.40.237	SPRING, compression, at lock stop	1	Spring Steel	C	WA4/40
38706	EA1.40.31	STAY, side (Pre—Mod 3585)	1	DTD683	—	WA4/41
40650	EA9.40.39	STAY, side (Mod 3585) (Pre—Mod 5051)	1	—	—	WA4/41
6119308	EA9.40.79	STAY, side (Mod 5051)	1	—	—	WA4/41
541	EA1.40.235	STOP, undercarriage lock	1	S11	C	WA4/42
542	EA1.40.217	TUBE, distance, undercarriage jack bolt undercarriage 'Down' switch	1	L40	C	WA4/43
545	EA1.40.355	WASHER, link and link stay connecting bolt	1	L72	C	WA4/44

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.



TELEBRIEF  
CONNECTIONS

E