

SECTION

D' MISCELLANEOUSCANBERRA

AIRCRAFT SCHEDULE OF EQUIPMENT

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
	<u>AIRCREW EQUIPMENT ASSEMBLY</u> ✓	<u>AIRCRAFT LIST:-</u> <u>AXES:-</u>			
	27N/1	Fire			
	6F/245	<u>HARNESSES, Safety:-</u> Type 2B (For occasional seat).			
	27L/1445204	<u>SEATS, EJECTION:-</u> Type 2, CAL, Mk.2			
	27L/1445205	Type 2, CA2, Mk.4			
		<u>Accessories:- Leg restraint for seat:-</u>			
	27L/510	Bracket Pt.No. A/MBEU/3666			
	27L/2729	Leg Line Pt.No. B/MBEU/17353			
	27L/1385	Pin Pt.No. MBEU/8921			
		<u>Guide Rails:-</u>			
	27L/50129	Pilot, E/MBEU/1902/EE			Martin Baker
	27L/50130	Navigator, E/MBEU/1963/EE			"
	27L/50131	Bomb Aimer, E/MBEU/1964/EE			"

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
		<u>SNATCH UNIT:-</u>			
		Drg.No. MBCJ/2106 gas operated			Martin Baker
		<u>Single Lever Ejection Equipment (Pilot)</u>			
	27L/5021	Combined Time Release and Breech Unit Pt.No. MBCJ/159			"
	27L/5359	Pipe connecting snatch block Pt.No. MBCJ/1765			"
	27L/5360	Pipe Assy, MBCJ/1766			"
	27L/5258	Pipe connecting snatch block Pt.No. MBCJ/2076			"
	27L/1445196	Union connecting Pipes, Pt.No.C.76/HC-MB			"
		<u>Single Lever Ejection Equipment (Nav. and B/As):-</u>			
		Cable and Firing Assy. MB Mod. ES.2398			"
		Connector Bulkhead, Pt.No. SCF.279-24			"
		<u>END OF AIRCRAFT LIST</u>			

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
		✓ <u>CLAMPS:-</u>			
	27UA/517	Half Drg.No. 50002 Segmental, Drg.No. G.45B			Sir G. Godfrey & Partners "
	27UA/382	<u>COLD AIR UNIT:-</u> ✓ Type A.C.R.E.9, Mk.10E Drg.No. 23414 <u>Accessories:-</u>			
	27UA/976	Dipstick and filler, Oil Level Drg.No. 23412/HX OR			Sir. G. Godfrey & Partners
	27UA/4060	<u>COLD AIR UNIT:-</u> Type A.C.R.E.9, Mk.10FX			
	27KD/10	<u>CONNECTION, Ground Pressurising:-</u> Drg.No. 504600			Normalair Ltd.
	27KD/3	<u>CONTROLLER, Pressure:-</u> Drg.No. 500326			"
	27UA/492	<u>HEAT EXCHANGERS, Air/Air:-</u> <u>Cabin Conditioning (Primary):-</u> ✓ Drg.No. D106-8A			Marston Excelsior

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
		(Secondary):-			
	27UA/491	Drg.No. D106-6A			Marston Excelsior
		<u>LCUVRE, Punkah:-</u>			
	26FZ/5042	Pt.No. DAR.2			Thermotanks Ltd.
		Pt.No. DAR.2 to B.A.C. Drg.No. EB7.75.55			"
		<u>TIRUSTAT:-</u>			
	27V/4583	Type THT.147		Spec	Teddington Controls Ltd.,
		<u>VALVES:-</u> ✓			
	27KD/5	Constant flow Drg.No. 502090			Normalair Ltd.,
	27V/4282	Hot air, 1½ inch Type FKH/A/16		✓	Teddington Controls Ltd.,
	27V/4281	Hot air, 2 inch Type FKH/A/15		Spec	"
	27KD/6	Non-Return, 2 inch Drg.No. 501670			Normalair Ltd.,
	27KD/7	Non-Return 2½ inch Drg.No. 500457			"
	27KD/2836	Unit combined, Drg.No. 527060			"

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
	27UA/555	<u>WATER EXTRACTOR:-</u> Type W.E.30, Mk.2B Drg.No. 22697/B	✓		Sir George Godfrey & Partners Ltd.,
	27UA/516	<u>Accessories:-</u> Drain Adaptor, Pt.No. 22688			"
<u>END OF CABIN PRESSURE AND AIR CONDITIONING</u>					

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
<u>COVERS:-</u>	27D/3176 OR 27D/2962	<u>COVERS</u> Pressure Head <u>END OF COVERS</u>			
<u>FIRE EXTINGUISHING</u>	27N/100 OR 27N/152 27N/102 OR 27N/155	<u>EXTINGUISHERS, Fire:- Methyl Bromide, Automatic:-</u> Type 12A, 6 lb. $\frac{3}{4}$ in. bore, single head OR Type 4 AX, 6 lb. $\frac{5}{8}$ in. bore single head Type 14A, 12 lb. $\frac{3}{4}$ in. bore dual head OR Type 8 AX, 12 lb. $\frac{3}{4}$ in. bore dual head			
	27N/93	<u>SWITCHES:-</u> Inertia, piston type, Mk.I			

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
	27N/70	<u>EXTINGUISHERS, Fire:- Hand, Water Glycol:-</u> Type 27H/ (1.5 charge at 100 lb p.s.i. alloy trigger operated)	✓		
	27N/106	<u>Accessories:-</u> Bracket Type 11B			
	22G/8415-99-910-8081	<u>GAUNTLETS, Protective:-</u> Fire-fighting, asbestos (pair) (was 22G/1528)			
		<u>END OF FIRE EXTINGUISHING</u>			
	<u>FLYING CONTROLS</u> ✓	<u>HANDLE CONTROL:-</u> Wheel Assembly Drg.No. A.C.14294 (Control Wheel Assembly, A.C.13648 may be utilised by replacement of control Handle Assembly AC.13646 with A.C. 14292 and addition of Label "AC0/20189/123" engraved with Part No. AC.14294 and Serial No. of Control Wheel)			Dunlop Ltd.,
	27J/505				
		<u>END OF FLYING CONTROLS</u>			

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
<u>FUEL SYSTEM</u>					
	27M/695	<u>FILTER, Purolators:-</u> Type MPA30068/4			Lockheed
	27F/2732 OR 27F/2868	<u>RECUPERATORS:-</u> Type P.R.C.40, Mk.2 (Pre Mod. 4625) OR Type P.R.C.40, Mk.3 Pt.No. SPE.3889 (Pre Mod. 4625)			Self Priming Engineering "
	27F/7866	Type P.R.C.40, Mk.4 (Post Mod. 4625)			"
	27F/2853 OR	<u>VALVES:- Non-return:-</u> Type 703-AA04 OR Type A5494, Mk.C			Saunders Vickers
	27F/2743	Type A5287C			"
	27F/5178	Type P24A Mk.3 Pt.No. SPE.2706			Self Priming Engineering
	27F/2145 OR 27F/5823	Type P23A, Mk.2 Pt.No. SPE.1705. OR Type P23A, Mk.3			" "
	27F/6459	<u>Float:-</u> Type FV.1250S, Mk.8			"

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
	27VB/5119 OR 27VB/5187	<u>Reducing:-</u> Type C51690 OR Type C.51692			Hymatic Engineering "
		<u>END OF FUEL SYSTEM</u>			

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
<u>HYDRAULICS</u>					
	27M/461	<u>ACCUMULATOR:-</u> AIR.40016			Lockheed
		<u>COUPLINGS:-</u> Type AVA.50E			"
		Type AVA.52C			"
	27Q/30024	<u>DIVIDER, Flow:-</u> 8076/52			Dowty-Rotol
	27Q/628	<u>FILTER, Oil:-</u> C.2254Y			"
		<u>HOSE, Flexible:-</u> Pt.No. 2/W3/101/8/8/63 (DC.100A/63)			Dunlop Ltd.,
		Pt.No. 2/W3/101/8/10/30 (DC.100C.30)			"
	27VA/3615	Pt.No. 4/W3/101/8/8/11.2 (DC.101A/11.2)			"
	27VA/3617	Pt.No. 4/W3/101/8/8/14 (DC.101A/14)			"
	27VA/3618	Pt.No. 4/W3/101/8/8/18 (DC.101A/18)			"
	27VA/3621	Pt.No. 4/W3/101/8/8/63 (DC.101A/63)			"

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
	27VA/3647	Pt.No. 4/W3/101/3/9/10 (DC.101B/10)			Dunlop Ltd.,
	27VA/3792	Pt.No. 4/W3/101/8/9/15 (DC.101B/15)			"
	27VA/5206	Pt.No. 4/W3/101/8/9/24 (DC.101B/24)			"
		Pt.No. 4/W3/101/8/10/26.5 (DC.101C/26.5)			"
	27VA/3624	Pt.No. 6/W3/101/8/8/18 (DC.102A/18)			"
	27VA/3625	Pt.No. 6/W3/101/8/8/25 (DC.102A/25)			"
	27VA/3659	Pt.No. 10/W3/121/8/8/10/40 (DC.124C/40)			"
		Pt.No. 5/W3/102/8/10/42 (DC.202C/42)			"
		Pt.No. 6/W3/102/8/10/44 (DC.202C/44)			"
		<u>JACKS, Air Brakes:-</u> ✓			
		Pt.No. 1.03036.001			Dowty Rotol
		<u>Bomb Doors:-</u> ✓			
	27Q/70192	Front 1.00522.001			"
	27Q/70193	Rear 1.00523.001			"
		<u>Nosewheel:- Undercarriage:-</u> ✓			
	27Q/1834	Pt.No. 0.8214Y C01			"

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
	27Q/1832	<u>Flap:-</u> Pt.No. 0.7016Y C01 ✓			Dowty Rotol
	27Q/1833	<u>Main Undercarriage:-</u> Pt.No. 0.7017Y C01 ✓			"
	27Q/1836	<u>Undercarriage Doors:-</u> Pt.No. 0.8246Y C01 ✓			"
	27Z/1	<u>PUMPS:- Hand Duplex:-</u> Type 77C/1275 ✓			Turner
	27Y/108	<u>RELAY:- Pressure Gauge:-</u> Type 7391 ✓			Electro Hydraulic
	27G/3460	<u>VALVES:- Brake Differential:-</u> Mk.3, Pt.No. AC-61762 ✓			Dunlop Ltd.,
	28Y/15486	<u>Charging:-</u> GYP-A58 ✓			H. Press. Comp.
	27M/744	<u>Cut-out:-</u> AIR.43634 ✓			Lockheed

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
		<u>Non-return:-</u>			
	27W/8	UMC 704	1		Lockheed
	27W/17	UMC 706 Issue 4	1		"
	27Q/1105	Type 5240Y	1		Dowty Rotol
	27Q/30025	Type 8557	1		"
		<u>Pressure Relief:-</u>			
	27Q/771	Reservoir Type D.2568Y	1		"
	27Q/790	Flap-down Type C.1034Y Mk.Q	1		"
		<u>Restrictor:-</u>			
	27Q/778	Type D657Y	1		"
	27Q/70290	Type 03371Y B06	1		"
	27Q/70291	Type 06209Y B01	2		"
	27Q/70287	Nosewheel Type 01183Y B02	1		"
		<u>Sequence:-</u>			
	27Q/772	Nosewheel Type D401Y-G	1		"

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
	27Q/773	Nosewheel Door Type D401Y-H	1		Dowty Rotol
	27Q/774	Undercarriage Door Starboard Type D401Y-J	1		"
	27Q/775	Undercarriage Door Port Type D401Y-K	1		"
	27Q/776	Undercarriage Port Type D401Y-L	1		"
	27Q/777	Undercarriage Starboard Type D401Y-M	1		"
		<u>Selector and Non-return:-</u>			
	27Q/70283	Type 408Y Mk.BN	1		
		<u>Solenoid operated:-</u>			
	27Q/30022	Type 6330	1		
		<u>Thermal Relief:-</u>			
	27Q/1216	Type C4603Y Mk.E	1		Dowty Rotol
	27Q/1961	Type C8697Y Mk.A	1		"
		<u>Transfer:-</u>			
	27Q/1152	Type C.6790Y Mk.A	1		"
		<u>END OF HYDRAULICS</u>			

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
WHEELS AND BRAKES	✓	<u>BRAKE UNIT:- Port:-</u>			
	27G/4085	Type AH.9780	2		Dunlop
		<u>Starboard:-</u>			
	27G/4086	Type AH.9781	2		"
		<u>COVERS, Outer:- Main:-</u>			
	27A/3152	Type DF1621, 43" x 12.5" x 21"	2		"
		<u>Nose:-</u>			
	27A/2654 OR	Type DR.2565 26" x 6.5" x 14" OR Type KK.EN.14-N	2		"
		<u>MAXARET UNIT:- Port:-</u>			
	27G/2382	Type AC.11516	2		"
		<u>Starboard:-</u>			
	27G/2381	Type AC.11514	2		"
		<u>PIPES:- For Maxaret Unit:-</u>			
	27G/2485	Type AHM.2572	2		"
	27G/2486	Type AHM.2574	2		"

ITEM NO.	STORES REFERENCE NO.	DESCRIPTION	QUANTITY	ROLE	MANUFACTURER
	27G/2487	Type AHM.2576			Dunlop Ltd.,
	27G/2488	Type AHM.2578			"
		<u>TUBES, Inner:- Main:-</u>			
	27A/3153	Type DT1606 43" x 12.5" x 21" (Pre Mod. 4481)			"
	27A/1450834	Type DT.1609 (Post Mod. 4481)			"
		<u>Nose:-</u>			
	27A/2655	Type KK2			"
		<u>UNIT, Undercarriage:-</u>			
	27Q/1446377	Type 2.00396.039			Dowty Rotol
		<u>WHEELS:- Main:-</u>			
	27A/4217	Type AH.51337 (Pre Mod.4481)			Dunlop Ltd.,
	27A/1450713	Type AH.52692 (Post Mod. 4481)			"
		<u>Nose:-</u>			
	27A/2814	Type AH.9590			"
		<u>END OF WHEELS AND BRAKES</u>			
		<u>END OF SECTION 'D' MISCELLANEOUS</u>			

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

