

## MAINPLANE

## AILERON, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.	
					1
EA3.24.1	AILERON, PORT, ASSEMBLY	1	—	1/1	
EG9.00.225	AILERON, PORT, ASSEMBLY (Spare) (EA3.24.1) (Mod 5043)	1	—		
EG9.00.247	AILERON, PORT, ASSEMBLY (Spare) (EA3.24.217) (Mod 5111) (Pre-Mod 5349) (Ailerons supplied c/w centre hinge shim EA1.24.901 Ref. 5001)	1	—		
EA3.00.5703	AILERON, PORT, ASSEMBLY (Spares for EA3.24.217) (Mod 5349) Spares for:—	1	—		
EA3.24.5 or EA3.24.221	. AILERON, REAR PORTION, ASSEMBLY . AILERON, REAR, PORTION, ASSEMBLY Spares for:—	1 1	— —	1/2	
EA1.24.259	. . CLIP, tab push rod fairing	1	Spring Steel	1/3	
EA1.24.199	. . HOUSING, bearing, tab hinge, outboard Attaching parts for EA1.24.199:—	1	L64	1/4	
A25/3C	. . Bolt, 2BA, hex. head	3	—	1/5	
A27/CP	. . Nut, 2BA, plain	3	—	1/6	
SP15/C	. . Washer, 2BA, plain	3	—	1/7	
SP16/C	. . Washer, 2BA, plain	3	—	1/8	
EA1.24.247	. . HOUSING, bearing, tab hinge, inboard Attaching parts for EA1.24.247:—	1	L40	1/9	
A27/CP	. . Nut, 2BA, plain	4	—	1/10	
EEAS1/2C	. . Screw, 2BA, 120° csk. head	4	S96	1/11	
SP15/C	. . Washer, 2BA, plain	4	—	1/12	
EA1.24.261	. . HOUSING, c/w bearing, tab, hinge, centre Attaching parts for EA1.24.261:—	1	—	1/13	
A25/3C	. . Bolt, 2BA, hex. head	2	—	1/14	
AS1242/3C	. . Bolt, 2BA, csk. head	1	—	1/15	
A27/CP	. . Nut, 2BA, plain	3	—	1/16	
SP16/C	. . Washer, 2BA, plain	3	—	1/17	
EA1.24.915	. . TAB, fixed	1	—	1/18	
—	. ATTACHMENT OF BEARING AT OUTBOARD HINGE RIB 20, ASSEMBLY (EA3.24.177) Consisting of:—	—	—	1/19	
SKEFCO CBA3 AGS2030/45	. . BEARING, ballrace . . CIRCLIP, internal	1 1	— —	1/20 1/21	
—	. ATTACHMENT OF TOP AND BOTTOM NOSE SKIN TO AILERON SPAR, ASSEMBLY (EA3.24.183) Spares for:—	—	—	1/22	
EA1.24.405	. . COVER, inspection, tab gear Attaching parts for EA1.24.405:—	1	L72	1/23	
EA3.24.191	. . Bolt, special, 2BA	6	S95	1/24	
EA1.24.271	. . STOP, rubber aileron control	2	S/H55	1/25	
EA1.24.269	. FAIRING, aileron tab push rod	1	L59	1/26	
—	. TAB, AILERON HINGE, ASSEMBLY (EA3.24.175) Consisting of:—	—	—	1/27	
SKEFCO CBA.0 EA1.24.231	. . BEARING, ballrace . . BOLT, special, aileron inboard hinge	2 1	— S96	1/28 1/29	
EA1.24.263	. . BOLT, special, 2BA, tab control attachment	1	S65	1/30	
AGS2030/15	. . CIRCLIP, internal	2	—	1/31	

MAINPLANE  
AILERON, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
A27/CS	. . . NUT, 2BA, thin slotted	1	—	1/32
SP90/C5	. . . PIN, split	1	—	1/33
EA1.24.923	. . . TAB, AILERON HINGE, ASSEMBLY (Pre-Mod 5043)	1	—	1/34
EG9.00.227	. . . TAB, AILERON, PORT, ASSEMBLY (Spare) (EA1.24.923) (Mod 5043)	1	—	
EG9.00.245	. . . TAB, AILERON, PORT, ASSEMBLY (Spare) (EA1.24.923) (Mod 5111) (Pre-Mod 5349)	1	—	
EA3.00.5781	. . . TAB, AILERON, PORT, ASSEMBLY (Spares for EA1.24.923) (Mod 5349) Spares for:—	1	—	
EA1.24.251	. . . LUG, half, centre hinge Attaching parts for EA1.24.251:—	1	L40	1/35
A25/1C	. . . Bolt, 2BA, hex. head	2	—	1/36
AS1242/1C	. . . Bolt, 2BA, csk. head	1	—	1/37
EA1.24.955	. . . Shim (if required, max. thick 0" .022)	1	Lam. Alum.	1/38
EA1.24.252	. . . LUG, half, centre hinge Attaching parts for EA1.24.252:—	1	L40	1/39
A25/1C	. . . Bolt, 2BA, hex. head	2	—	1/40
AS1242/1C	. . . Bolt, 2BA, csk. head	1	—	1/41
EA1.24.956	. . . Shim (if required, max. thick 0" .022)	1	Lam. Alum.	1/42
EA1.24.227	. . . SOCKET, hinge, inboard and outboard	2	L40	1/43
EA1.24.229	. . . SPINDLE, hinge, outboard	1	S11	1/44
—	. TUBE, TORQUE, AND TAB OPERATING GEAR, ASSEMBLY (EA3.24.173 or EA3.24.219) Spares for:—	—	—	2/1
HOFFMANN T17	. . BEARING, ballrace	1	—	2/2
HOFFMANN BAL5/8"	. . BEARING, ballrace	1	—	2/3
SKEFCO CBS3	. . BEARING, ballrace	1	—	2/4
EA1.24.225	. . BOLT, special, 1/4" BSF, csk. head, blow back rod to bracket attachment, rib 4	3	S11	2/5
EA1.24.263	. . BOLT, special, 2BA, tab control attachment	1	S65	2/6
EA1.24.267	. . BOLT, special, 2BA, tab control attachment	1	S65	2/7
EA1.24.195	. . BRACKET, support, rib 4 Attaching parts for EA1.24.195:—	1	L40	2/8
A25/5E	. . Bolt, 1/4" BSF, hex. head	2	—	2/9
SP13/E	. . Washer, 1/4" BSF plain	2	—	2/10
EA1.45.987	. . Washer, shim	2	—	2/11
EA1.24.301 or	. . BUSH, aileron control stop (Pre-Alt. R60/74)	1	DTD625	2/12
EA3.24.215	. . BUSH, aileron control stop (Alt. R60/74)	1	—	
AGS2030/22	. . CIRCLIP, internal	1	—	2/13
AGS2030/26	. . CIRCLIP, internal	1	—	2/14
AGS2031/22	. . CIRCLIP, internal	1	—	2/15
EA1.24.243	. . LEVER, operating, tab torque tube Attaching parts for EA1.24.243:—	1	L40	2/16
A25/10C	. . Bolt, 2BA, hex. head	1	—	2/17
A27/CS	. . Nut, 2BA, slotted	1	—	2/18
SP90/C7	. . Pin, split	1	—	2/19
EA1.24.245	. . Washer, saddle	2	L40	2/20

AP101B-0418-3A

MAINPLANE  
AILERON, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
EA3.24.207	. . . ROD, TAB CONTROL OPERATING GEAR, ASSEMBLY Spares for:—	1	—	2/21
EA1.24.331	. . . BOLT, special, 2 BA, blow back rod to torsion tube attachment	4	S11	2/22
EA1.24.353	. . . LEVER, CONTROL ARM, TAB OPERATING, ASSEMBLY Spares for:—	1	—	2/23
EA1.24.359	. . . . BOLT, special, spool attachment	4	S11	2/24
EA1.24.953	. . . . LEVER, C/W BALLRACE, ASSEMBLY Consisting of:—	1	—	2/25
SKEFCO				
CBA.2	. . . . . BEARING, ballrace	1	—	2/26
EEAS3/D	. . . . . HOUSING, ballrace	1	L65	2/27
EA1.24.355	. . . . . LEVER, arm	1	L40	2/28
EEAS4/20C	. . . . . WASHER, packing	2	L72	2/29
AGS2002/C/1	. . . . . NUT, stiff, 2 BA	4	—	2/30
EA1.24.913	. . . . . SPOOL	1	—	2/31
EA1.24.221	. . . . . ROD, blow back	1	S96	2/32
EA3.24.205	. . . . . TUBE, torsion, assembly	1	L65	2/23
R EA1.24.917	. . . ROD, TAB OPERATING, ASSEMBLY (Pre-Mod. 4930) (Pre Alt R60/14)	1	—	2/34
R or EA3.24.209	. . . ROD, push assembly, tab (Mod. 4930) (Pre Alt R60/14) Spares for:—	1	—	
EA1.24.899	. . . . NUT, special lock	1	S96	2/35
HOFFMANN				
CM.2B	. . . . ROD-END, ball bearing	1	—	2/36
R EA1.24.919	. . . . SOCKET, tab rod, c/w bearing (Pre Alt R60/14)	1	—	2/37
R EK5.24.601	. . . . ROD, push assembly (Alt R60/14) (Pre-Mod. 5473)	1	—	2/34
R EA3.24.229	. . . . ROD, push assembly (Mod. 5473) Spares for:—	1	—	
HOFFMANN				
R CM2/A	. . . . BEARING, ball, rod end	1	—	2/36
R EA1.24.899	. . . . NUT, special, lock	1	S95	2/35
R EK5.24.603	. . . . SOCKET, assembly (Alt R60/14)	1	—	2/37
EA1.24.391	. . . . TUBE, distance	2	—	2/38
—	. . . SPAR, AILERON, INBOARD (EA1.24.735 or EA3.24.225) Spares for:—	—	—	
EA1.24.197	. . . . BRACKET, hinge	1	—	
or EA3.24.211	. . . . BRACKET, hinge	1	L92	
—	. . . SPAR, AILERON, OUTBOARD (EA1.24.737 or EA3.24.223) Spares for:—	—	—	
EA1.24.193	. . . . HOUSING, bearing	1	—	
or EA3.24.213	. . . . HOUSING, bearing	1	L92	

MAINPLANE  
AILERON, PORT

Part Number	Description 1 2 3 4 5 6	No. Off	Mati. Spec.	Plate No.

## MAINPLANE

## AILERON, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
EA3.24.2	AILERON, STARBOARD, ASSEMBLY	1	—	1/45
EG9.00.226	AILERON, STARBOARD, ASSEMBLY (Spare) (EA3.24.2) (Mod 5043)	1	—	
EG9.00.248	AILERON, STARBOARD, ASSEMBLY (Spare) (EA3.24.218) (Mod 5111) (Pre-Mod 5349)	1	—	
EA3.00.5704	AILERON, STARBOARD, ASSEMBLY (Spares for EA3.24.218) (Mod 5349) Spares for:—	1	—	
EA3.24.6 or EA3.24.222	. AILERON, REAR PORTION, ASSEMBLY . AILERON, REAR PORTION, ASSEMBLY Spares for:—	1 1	— —	1/46
EA1.24.259	. . CLIP, tab, push rod, fairing	1	Spring Steel	1/3
EA1.24.199	. . HOUSING, bearing, tab hinge, outboard Attaching parts for EA1.24.199:—	1	L64	1/4
A25/3C	. . Bolt, 2BA, hex. head	3	—	1/5
A27/CP	. . Nut, 2BA, plain	3	—	1/6
SP15/C	. . Washer, 2BA, plain	3	—	1/7
SP16/C	. . Washer, 2BA, plain	3	—	1/8
EA1.24.247	. . HOUSING, bearing, tab hinge, inboard Attaching parts for EA1.24.247:—	1	L40	1/9
A27/CP	. . Nut, 2BA, plain	4	—	1/10
EEAS1/2C	. . Screw, 2BA, 120° csk. head	4	S96	1/11
SP15/C	. . Washer, 2BA, plain	4	—	1/12
EA1.24.262	. . HOUSING, c/w bearing, tab hinge, centre Attaching parts for EA1.24.262:—	1	—	1/47
A25/3C	. . Bolt, 2BA, hex. head	2	—	1/14
AS1242/3C	. . Bolt, 2BA, csk. head	1	—	1/15
A27/CP	. . Nut, 2BA, plain	3	—	1/16
SP16/C	. . Washer, 2BA, plain	3	—	1/17
EA1.24.916	. . TAB, fixed	1	—	1/48
—	. ATTACHMENT OF BEARING AT OUTBOARD HINGE RIB 20, ASSEMBLY (EA3.24.177) Consisting of:—	—	—	1/19
SKEFCO CBA3 AGS2030/45	. . BEARING, ballrace . . CIRCLIP, internal	1 1	— —	1/20 1/21
—	. ATTACHMENT OF TOP AND BOTTOM NOSE SKIN TO AILERON SPAR, ASSEMBLY (EA3.24.184) Spares for:—	—	—	1/49
EA1.24.405	. . COVER, inspection, tab gear Attaching parts for EA1.24.405:—	1	L72	1/23
EA3.24.191	. . Bolt, special, 2BA	6	S95	1/24
EA1.24.271	. . STOP, rubber, aileron control	2	S/H55	1/25
EA1.24.270	. FAIRING, aileron tab push rod	1	L59	1/50
—	. TAB, AILERON HINGE, ASSEMBLY (EA3.24.176) Consisting of:—	—	—	1/51
SKEFCO CBA0	. . BEARING, ballrace	2	—	1/28
EA1.24.231	. . BOLT, special, aileron inboard hinge	1	S96	1/29
EA1.24.263	. . BOLT, special, 2BA, tab control attachment	1	S65	1/30

MAINPLANE  
AILERON, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
AGS2030/15	. . . CIRCLIP, internal	2	—	1/31
A27/CS	. . . NUT, 2BA, slotted	1	—	1/32
SP90/C5	. . . PIN, split	1	—	1/33
EA2.24.924	. . . TAB, AILERON, HINGE, ASSEMBLY (Pre-Mod 5043)	1	—	1/52
EG9.00.228	. . . TAB, AILERON, STARBOARD, ASSEMBLY (Spare) (EA1.24.924) (Mod 5043)	1	—	
EG9.00.246	. . . TAB, AILERON, STARBOARD, ASSEMBLY (Spare) (EA1.24.924) (Mod 5111) (Pre-Mod 5349)	1	—	
EA3.00.5782	. . . TAB, AILERON, STARBOARD (Spares for EA1.24.924) (Mod 5349) Spares for:—	1	—	
EA1.24.251	. . . LUG, half, centre hinge Attaching parts for EA1.24.251:—	1	L40	1/35
A25/1C	. . . Bolt, 2BA, hex. head	2	—	1/36
AS1242/1C	. . . Bolt, 2BA, csk. head	1	—	1/37
EA1.24.955	. . . Shim (if required, max. thick, 0" .022)	1	Lam. Alum.	1/38
EA2.24.252	. . . LUG, half centre hinge Attaching parts for EA1.24.252:—	1	L4	1/39
A25/1C	. . . Bolt, 2BA, hex. head	2	—	1/40
AS1242/1C	. . . Bolt, 2BA, csk. head	1	—	1/41
EA1.24.956	. . . Shim, (if required, max. thick, 0" .022)	1	Lam. Alum.	1/42
EA1.24.227	. . . SOCKET, hinge, inboard and outboard	2	L40	1/43
EA1.24.229	. . . SPINDLE, hinge, outboard	1	S11	1/44
—	. . . TUBE, TORQUE AND TAB OPERATING GEAR, Assembly (EA3.24.174 or EA3.24.220) Spares for:—	—	—	2/39
HOFFMANN T17	. . . BEARING, ballrace	1	—	2/2
HOFFMANN BAL5/8"	. . . BEARING, ballrace	1	—	2/3
SKEFCO CBS3	. . . BEARING, ballrace	1	—	2/4
EA1.24.225	. . . BOLT, special, 1/4" BSF, csk. head, blow back to bracket attachment, rib 4	3	S11	2/5
EA1.24.263	. . . BOLT, special 2BA, tab control attachment	1	S65	2/6
EA1.24.267	. . . BOLT, special, 2BA, tab control attachment	1	S65	2/7
EA1.24.195	. . . BRACKET, support, rib 4 Attaching parts for EA1.24.195:—	1	L40	2/8
A25/5E	. . . Bolt, 1/4" BSF, hex. head	2	—	2/9
SP13/E	. . . Washer, 1/4" BSF, plain	2	—	2/10
EA1.45.987	. . . Washer, shim	2	—	2/11
EA1.24.301 or	. . . BUSH, aileron control stop (Pre Alt. R60/74)	1	DTD625	2/12
EA3.24.215	. . . BUSH, aileron control stop (Alt. R60/74)	1	—	
AGS2030/22	. . . CIRCLIP, internal	1	—	2/13
AGS2030/26	. . . CIRCLIP, internal	1	—	2/14
AGS2031/22	. . . CIRCLIP, internal	1	—	2/15
EA1.24.243	. . . LEVER, operating, tab torque tube Attaching parts for EA1.24.243:—	1	L40	2/16
A25/10C	. . . Bolt, 2BA, hex. head	1	—	2/17
A27/CS	. . . Nut, 2BA, slotted	1	—	2/18
SP90/C7	. . . Pin, split	1	—	2/19
EA1.24.245	. . . Washer, saddle	2	L40	2/20

AP101B-0418-3A

MAINPLANE  
AILERON, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
EA3.24.208	. . . ROD, TAB CONTROL OPERATING GEAR, ASSEMBLY Spares for:—	1	—	2/40
EA1.24.331	. . . . BOLT, special, 2 BA, blow back rod to torsion tube	4	S11	2/22
EA1.24.354	. . . . LEVER, CONTROL ARM, TAB OPERATING, ASSEMBLY Spares for:—	1	—	2/41
EA1.24.359	. . . . . BOLT, special, spool attachment	4	S11	24/24
EA1.24.953	. . . . . LEVER, C/W BALLRACE, ASSEMBLY Consisting of:—	1	—	2/25
SKEFCO				
CBA.2	. . . . . BEARING, ballrace	1	—	2/26
EEAS3/D	. . . . . HOUSING, ballrace	1	L65	2/27
EA1.24.355	. . . . . LEVER, arm	1	L40	2/28
EEAS4/20C	. . . . . WASHER, packing	2	L72	2/29
AGS2002/C1	. . . . . NUT, stiff, 2 BA	4	—	2/30
EA1.24.914	. . . . . SPOOL	1	—	2/31
EA1.24.221	. . . . . ROD, blow back	1	S96	2/32
EA3.24.205	. . . . . TUBE, torsion, assembly	1	L65	2/33
R EA1.24.917	. . . ROD, TAB OPERATING, ASSEMBLY (Pre-Mod. 4930) (Pre Alt R60/14)	1	—	2/34
R EA3.24.209	. . . ROD, push, assembly, tab (Mod. 4930) (Alt R60/14) Spares for:—	1	—	
EA1.24.899	. . . . . NUT, special lock	1	S95	2/35
HOFFMANN				
CM.2B	. . . . . ROD-END, ball bearing	1	—	2/36
R EA1.24.919	. . . . . SOCKET, tab rod, c/w bearing (Pre Alt R60/14)	1	—	2/37
R EK5.24.601	. . . . . ROD, push, assembly (Alt R60/14) (Pre-Mod. 5473)	1	—	2/34
R EA3.24.229	. . . . . ROD, push, assembly (Mod. 5473) Spares for:—	1	—	
HOFFMANN				
R CM2/A	. . . . . BEARING, ball, rod end	1	—	2/36
R EA1.24.899	. . . . . NUT, special, lock	1	S95	2/35
R EK5.24.603	. . . . . SOCKET, assembly (Alt R60/14)	1	—	2/37
EA1.24.391	. . . . . TUBE, distance	2	—	2/38
—	. . . SPAR, AILERON, INBOARD (EA1.24.736) or (EA3.24.226) Spares for:—	—	—	
EA1.24.198	. . . . . BRACKET, hinge	1	—	
or				
EA3.24.212	. . . . . BRACKET, hinge	1	L92	
—	. . . SPAR, AILERON, OUTBOARD (EA1.24.738) or (EA3.24.224) Spares for:—	—	—	
EA1.24.193	. . . . . HOUSING, bearing	1	—	
or				
EA3.24.213	. . . . . HOUSING, bearing	1	L92	

MAINPLANE  
AILERON, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

## MAINPLANE

## FLAPS, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
EA1.25.1	. FLAP, OUTER WING, PORT, ASSEMBLY (Pre-Mod 1769)	1	-	3/1
EA9.25.1	. FLAP, OUTER WING, PORT, ASSEMBLY (Mod 1769) (Leading edge to be chamfered on assembly) Spares for:-	1	-	
EA1.25.63	. . BOLT, control link attachment	2	S11	3/2
EA1.25.1E	. . BLOCK, wooden (Pre-Mod 1769)	14	-	
EA1.25.95	. . BLOCK, end (Pre-Mod 1769)	2	-	
EA9.25.25	. . BLOCK, end (Mod 1769)	1	-	
EA9.25.27	. . BLOCK, end (Mod 1769)	1	-	
A27/JS	. . NUT, 3/8" BSF, slotted	2	-	3/4A
SP90/C9	. . PIN, split	2	-	3/11A
EA1.25.67	. . WASHER, bevel, control link attachment	4	L40 or L64	3/6
EEAS28/37EU	. . WASHER, special, 3/8" dia	2	-	3/7A
EEAS28/37FU	. . WASHER	2	-	3/7C
	Attaching parts for EA1.25.1:-			
EA1.25.265	. Bolt, special	2	S15	3/3
A27JS	. Nut, 3/8" BSF	2	-	3/4
SP90/C8	. Pin, split	2	-	3/11
EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
EEAS28/37/FU	. Washer	2	-	3/7
	Attaching parts for EA9.25.1:-			
EA1.25.265	. Bolt, special	2	S15	3/3
A27JS	. Nut, 3/8" BSF	2	-	3/4
SP90/C8	. Pin, split	2	-	3/11*
EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
SP122J	. Washer, 3/8"	2	-	3/7B

MAINPLANE  
FLAPS, PORT

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

AP101B-0418-3A

## MAINPLANE

## FLAPS, STARBOARD

Part Number	Description	No. Off	Mati. Spec.	Plate No.
EA1.25.2	. FLAP, OUTER WING, STARBOARD, ASSEMBLY (Leading edge to be chamfered on assembly) (Pre-Mod 1769)	1	-	3/8
EA9.25.2	. FLAP, OUTER WING, STARBOARD, ASSEMBLY (Mod 1769) Spares for:-	1	-	
EA1.25.63	. . BOLT, control link attachment	2	S11	3/2
EA1.25.2E	. . BLOCK, wooden (Pre-Mod 1769)	14	-	
EA1.25.96	. . BLOCK, end (Pre-Mod 1769)	2	-	
EA9.25.26	. . BLOCK, end (Mod 1769)	1	-	
EA9.25.28	. . BLOCK, end (Mod 1769)	1	-	
A27/JS	. . NUT, 3/8" BSF, slotted	2	-	3/4A
SP90/C9	. . PIN, split	2	-	3/11A
EA1.25.67	. . WASHER, bevel, control link attachment	4	L40 or L64	3/6
EEAS28/37EU	. . WASHER, special, 3/8" dia	2	-	3/7A
EEAS28/37FU	. . WASHER	2	+	3/7C
	Attaching parts for EA1.25.2:-			
EA1.25.265	. Bolt, special	2	S15	3/3
A27JS	. Nut, 3/8" BSF	2	-	3/4
SP90/C8	. Pin, split	2	-	3/11
EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
EEAS28/37/FU	. Washer	2	-	3/7
	Attaching parts for EA9.25.2:-			
EA1.25.265	. Bolt, special	2	S15	3/3
A27JS	. Nut, 3/8" BSF	2	-	3/4
SP90/C8	. Pin, split	2	-	3/11
EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
SP122J	. Washer, 3/8"	2	-	3/7B

R

MAINPLANE  
FLAPS, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

## MAINPLANE

## FLAPS, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
EA1.25.3	. FLAP, INNER WING, PORT, ASSEMBLY (Pre-Mod 1769)	1	-	3/9
EA9.25.3	. FLAP, INNER WING, PORT, ASSEMBLY (Mod 1769) (Leading edge to be chamfered on assembly) Spares for:-	1	-	
EA1.25.63	. . BOLT, control link attachment	2	S11	3/2
R A27/JS	. . NUT, 3/8" BSF, slotted	2	-	3/4A
R SP90/C9	. . PIN, split	2	-	3/11A
EA1.25.67	. . WASHER, bevel, control link attachment	4	L40 or L64	3/6
R EEAS28/37EU	. . WASHER, special, 3/8" dia.	2	-	3/7A
R EEAS28/37FU	. . WASHER	2	-	3/7C
	Attaching parts for EA1.25.3:-			
R EA1.25.265	. Bolt, special	2	S15	3/3
R A27JS	. Nut, 3/8" BSF	2	-	3/4
R SP90/C8	. Pin, split	2	-	3/11
R EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
R EEAS28/37/FU	. Washer	2	-	3/7
	Attaching parts for EA9.25.3:-			
R EA1.25.265	. Bolt, special	2	S15	3/3
R A27JS	. Nut, 3/8" BSF	2	-	3/4
R SP90/C8	. Pin, split	2	-	3/11
R EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
R SP122J	. Washer, 3/8"	2	-	3/7B

MAINPLANE

FLAPS, PORT

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

## MAINPLANE

## FLAPS, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
EA1.25.4	. FLAP, INNER WING, STARBOARD, ASSEMBLY (Pre-Mod 1769)	1	-	3/9
EA9.25.4	. FLAP, INNER WING, STARBOARD, ASSEMBLY (Mod 1769) (Leading edge to be chamfered on assembly) Spares for:-	1	-	
EA1.25.63	. . BOLT, control link attachment	2	S11	3/2
R A27/JS	. . NUT, 3/8" BSF, slotted	2	-	3/4A
R SP90/C9	. . PIN, split	2	-	3/11A
EA1.25.67	. . WASHER, bevel, control link attachment	4	L40 or L64	3/6
EEAS28/37EU	. . WASHER, special, 3/8" dia	2	-	3/7A
R EEAS28/37FU	. . WASHER	2	-	3/7C
	Attaching parts for EA1.25.4:-			
R EA1.25.265	. Bolt, special	2	S15	3/3
R A27JS	. Nut, 3/8" BSF	2	-	3/4
R SP90/C8	. Pin, split	2	-	3/11
R EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
R EEAS28/37/FU	. Washer	2	-	3/7
	Attaching parts for EA9.25.4:-			
R EA1.25.265	. Bolt, special	2	S15	3/3
R A27JS	. Nut, 3/8" BSF	2	-	3/4
R SP90/C8	. Pin, split	2	-	3/11
R EA1.25.43	. Washer, spherical (datum bracket)	2	S96	3/5
R SP122J	. Washer, 3/8"	2	-	3/7B

MAINPLANE  
FLAPS, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

AP.101B-0418-3A

MAINPLANE  
UNDERCARRIAGE DOOR  
C/W MECHANISM PORT

Part Number	Description	No. Off	Mati. Spec.	Plate No.
EA1.20.10733	DOOR UNDERCARRIAGE C/W MECHANISM PORT ASSEMBLY (Supplied to Drg Part No. EA3.00.1053 for spares purposes) Spares for:-	1	-	10/1
R EA3.20.869	. DOOR, undercarriage assembly port Spares for:-	1	-	
R EA3.20.1559	. . SEAL (Pre-Mod 5282)	1	-	10/81
R EA3.20.5313	. . SEAL (Mod 5282) (0.125" thick x 0.5" wide x 16" long)	1	DTD.5514A GRADE C	
R EA3.20.1561	. . SEAL (Pre-Mod 5282)	1	-	10/82
R EA3.20.5315	. . SEAL (Mod 5282) (0.125" thick x 0.5" wide x 37.5" long)	1	DTD.5514A GRADE C	
R EA3.20.1627	. . SEAL, 'P' (Make from EEAS121) (26FZ/4432) (Pre-Mod 5282)	1	-	10/83
R EA3.20.5317	. . SEAL, 'P' (Make from EEAS843) (26FZ/6147758) (Mod 5282)	1	-	
EA1.20.1141	. HINGE, aft undercarriage door (EA3.00.605) Attaching parts for EA1.20.1141:-	1	L.40	10/2
EA3.20.2405	. Bolt, special	5	S.95 or S.96	10/3
EA3.20.937	. Packing	1	L.72	10/4
EA1.20.1379	. Shim	1	Lam Alum	10/4A
SP15C	. Washer, 2 BA plain	QR	-	10/4B
R EB8.20.5351X4	. HINGE, forward, undercarriage door Attaching parts for EB8.20.5351X4:-	1	L.40	10/5
EA3.20.2405	. Bolt, special	8	S.95 or S.96	10/3
EA3.20.935	. Packing	2	L.72	10/6
EA1.20.1377	. Shim	2	Lam Alum	10/6A
SP15C	. Washer, 2 BA plain	QR	-	10/4B
EA1.20.1175	. HOUSING, locking pin aft Attaching parts for EA1.20.1175:-	1	L.40	10/7
A25/4C	. Bolt, 2 BA hex head	4	-	10/8
EA1.20.3141	. Shim	1	Alum Alloy	10/8A
EA1.20.1183	. HOUSING, locking pin forward Attaching parts for EA1.20.1183:-	1	L.40	10/9
A25/4C	. Bolt, 2 BA hex head	4	-	10/8
EA1.20.3143	. Shim	1	Alum Alloy	10/9A
EA9.20.2773	. LEVER, bellcrank assembly Attaching parts for EA9.20.2773:-	1	S514	10/10
A27ES	. Nut, 1/4" BSF slotted	1	-	10/11
EA1.20.2935	. Pin special	1	DTD126	10/12
R SP90C8	. Pin split	1	-	10/12A
SP13E	. Washer, 1/4" BSF plain	1	-	10/13
EA3.20.1777	. LEVER, door lock operating (Pre-Mod 4704) Attaching parts for EA3.20.1777:-	1	L.40	10/14
AGS899/6	. Attaching parts for EA3.20.1777:	1	-	10/15
SP4Y/F12	. Pin, shackle	1	-	10/16
R SP90E7	. Pin, split	1	-	10/16A
EA3.20.3901	. LEVER, door locking (Mod 4704) Attaching parts for EA2.20.3901:-	1	Steel S1	10/80
AGS899/6	. Collar	1	-	10/15
SP4Y/F12	. Pin, shackle	1	-	10/16
R SP90E7	. Pin, split	1	-	10/16A


MAINPLANE  
UNDERCARRIAGE DOOR  
C/W MECHANISM PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
R EA1.20.2363	. LEVER, door lock operating Attaching parts for EA1.20.2363:-	1	L.40	10/17
R A59/10G or R A59/12G	. Bolt, 5/16" BSF	1	-	10/18
R AGS899/6	. Collar	1	-	10/19
R SP4Y/F22	. Pin, shackle	1	-	10/20
R SP90E7	. Pin, split	1	-	10/20A
R EA1.20.2387	. Screw, locating (Pre-Mod 5035)	1	S.11	10/21
R EA3.20.1563	. Screw, locating (Mod 5035)	1	-	
R EA1.20.2369	. Washer, packIn	3	-	10/22
R SP47G	. Washer, 5/16" BSF spring	1	-	10/23
EA3.20.3049	. LINK DOOR CHECK ASSEMBLY Spares for:-	1	-	10/24
EA3.20.3077	. . BLOCK, packing	1	L.40	10/25
EA3.20.3079	. . BOLT, special eccentric	1	S.97	10/26
R A25/19C	. . BOLT, 2 BA	1	-	10/26A
EA3.20.3071	. . FINGER, mounting Attaching parts for EA3.20.3071:-	1	L.40	10/27
R A25/7E	. . Bolt, 1/4" BSF	1	-	10/27A
R A27EP	. . Nut, 1/4" BSF	1	-	10/27B
EA3.20.3047	. . LINK, check	1	DTD687	10/28
EA3.20.3043	. . LINK, check	1	L.40	10/29
R AGS2001C1	. . NUT, 2 BA	2	-	10/26B
EA3.20.3073	. . PIECE, distance	1	L.40	10/30
EA3.20.3075	. . TAPPET Attaching parts for EA3.20.3049:-	1	S.1	10/31
EA3.20.3061	. Bolt, special	1	S.95	10/32
A27GS	. Nut, 5/16" BSF slotted	1	-	10/33
R SP90C8	. Pin, split	1	-	10/33A
SP13G	. Washer, 5/16" BSF plain	1	-	10/34
SP13J	. Washer, 3/8" BSF plain	1	-	10/35
R SP15J	. Washer, 3/8" BSF plain	2	-	10/36
EA3.20.3045	. LINK, door check L.H. Attaching parts for EA3.20.3045:-	1	L.40	10/37
R EA3.20.3063	. Bolt, special	1	S.95	10/38
R A27GS	. Nut, 5/16" BSF slotted	1	-	10/33
R SP90C8	. Pin, split	1	-	10/33A
R SP13G	. Washer, 5/16" BSF plain	1	-	10/34
R SP13J	. Washer, 3/8" BSF plain	1	-	10/35
R SP15J	. Washer, 3/8" BSF plain	1	-	10/36
EA3.20.3046	. LINK, door check R.H. Attaching parts for EA3.20.3046:-	1	L.40	10/39
R EA3.20.3063	. Bolt, special	1	-	10/38
R A27GS	. Nut, 5/16" BSF slotted	1	-	10/33
R SP90C8	. Pin, split	1	-	10/33A
R SP13G	. Washer, 5/16" BSF plain	1	-	10/34
R SP13J	. Washer, 3/8" BSF plain	1	-	10/35
R SP15J	. Washer, 3/8" BSF plain	1	-	10/36
EB8.20.5353	. LINK, side Attaching parts for EA3.20.5353:-	2	DTD124	10/40
EA3.20.3051	. Bolt, special	1	S.95	10/41
A27GS	. Nut, 5/16" BSF slotted	1	-	10/42
R SP90C8	. Pin, split	1	-	10/42A
SP13G	. Washer, 5/16" BSF plain	1	-	10/43

AP.101B-0418-3A

MAINPLANE  
UNDERCARRIAGE DOOR  
C/W MECHANISM PORT

	Part Number	Description	No. Off	Matl. Spec.	Plate No.
R	EA3.20.3081	. LINK, slave Attaching parts for EA3.20.3081:-	1	DTD	10/44
R	EA3.20.3093	. Bolt, special	1	S.97	10/45
R	AGS2001C1	. Nut, stiff 2 BA	2	-	10/46
R	EA3.20.3087	. Piece, distance	1	-	10/47
R	EEAS28/15FR	. Washer	1	-	10/48
R	SP13C	. Washer	2	-	10/49
R	EA9.20.2779	. PEDESTAL BELLCRANK LEVER ASSEMBLY Spares for:-	1	-	10/50
R	EA1.20.1155	. . BEARING, bellcrank	1	L.40	10/51
R	EA9.20.2775	. . BUSH, bearing Attaching parts for EA9.20.2779:-	1	OILITE	10/52
R	A25/2C	. Bolt, 2 BA	2	-	10/53
	EA9.20.2777	. PIN, locking undercarriage door Attaching parts for EA9.20.2777:-	2	S.95	10/54
R	AGS899/2	. Collar	2	-	10/55
	EA1.20.1179	. Collar locating	1	L.64	10/56
R	SP4Y/B14	. Pin, shackle	2	-	10/57
R	SP90C4	. Pin, split	2	-	10/57A
	EB8.20.4489	. ROD, tie aft plunger Attaching parts for EB8.20.4489:-	1	-	10/58
	AGS899/2	. Collar	1	-	10/59
	SP4Y/B6	. Pin shackle	1	-	10/60
R	SP90C4	. Pin, split	1	-	10/60A
	EA1.20.10849	. ROD TIE BELLCRANK TO OPERATING MECHANISM ASSEMBLY Spares for:-	1	-	10/61
	EA1.50.75	. . BEARING, spherical	1	L.40	10/62
	EA1.20.10847	. . FORK-END	1	-	10/63
	EA1.20.10843	. . HOUSING, bearing rod end	1	S.1	10/64
R	A27GT	. . NUT, 5/16" BSF thin	1	-	10/63A
R	8P28H6	. . PIN, taper Attaching parts for EA1.20.10849:-	4	-	10/61A
	AGS899/2	. Collar	2	-	10/65
	SP4Y/B6	. Pin, shackle	1	-	10/66
	SP4Y/B11	. Pin, shackle	1	-	10/67
R	SP90C4	. Pin, split	2	-	10/65A
	EA1.20.1159	. ROD, tie forward plunger Attaching parts for EA1.20.1159:-	1	DTD126	10/68
	AGS899/2	. Collar	1	-	10/69
	SP4Y/B6	. Pin, shackle	1	-	10/70
R	SP90C4	. Pin split	1	-	10/70A
	EA3.20.2271	. SPRING, locking pin operating Attaching parts for EA1.20.10733:-	2	-	10/71
	EA1.20.1353	Bolt, special	1	S.11	10/72
	EA3.20.3085	Bolt, special	1	-	10/73
	A27CS	Nut, 2 BA slotted	1	-	10/74
	EEAS63E	Nut, 1/4" BSF slotted	1	S.96	10/75
	EA3.20.3089	Piece, distance	1	-	10/76
	EA3.20.3091	Piece, distance	1	-	10/77
R	SP90C8	Pin, split	2	-	10/84
	SP13C	Washer, 2 BA plain	1	-	10/78
	SP13E	Washer, 1/4" BSF plain	1	-	10/79



AP.101B-0418-3A

MAINPLANE  
UNDERCARRIAGE DOOR  
C/W MECHANISM STARBOARD


Part Number	Description	No. Off	Matl. Spec.	Plate No.	1 2 3 4 5 6					
EA1.20.10734	DOOR UNDERCARRIAGE C/W MECHANISM STARBOARD ASSEMBLY (Supplied to Drg. Part No. EA3.00.1054 for spares purposes) Spares for:-	1	-	4/1						
R EA3.20.870	. DOOR, undercarriage assembly starboard Spares for:-	1	-							
R EA3.20.1559	. . SEAL, (Pre-Mod 5282)	1	-	4/97						
R EA3.20.5313	. . SEAL, (Mod 5282) (0.125" thick x 0.5" wide x 16" long)	1	DTD5514A Grade C							
R EA3.20.1561	. . SEAL, (Pre-Mod 5282)	1	-	4/98						
R EA3.20.5315	. . SEAL, (Mod 5282) (0.125" thick x 0.5" wide x 37.5" long)	1	DTD5514A Grade C							
R EA3.20.1627	. . SEAL, 'P' (Make from EEAS121) (26FZ/4432) (Pre-Mod 5282)	1	-	4/99						
R EA3.20.5317	. . SEAL, 'P' (Make from EEAS843) (26FZ/6147758)	1	-							
EA1.20.1141	. HINGE, aft undercarriage door EA3.00.605 Attaching parts for EA1.20.1141:-	1	L.40	4/2						
EA3.20.2405	. Bolt, special	5	S.95 or S.96	4/3						
EA3.20.937	. Packing	1	L.72	4/4						
EA1.20.1379	. Shim	1	Lam Alum	4/5						
SP15C	. Washer, 2 BA plain	QR	-	4/6						
R EB8.20.5352X4	. HINGE, forward undercarriage door Attaching parts for EB8.20.5352X4:-	1	L.40	4/7						
EA3.20.2405	. Bolt, special	8	S.95 or S.96	4/8						
EA3.20.935	. Packing	2	L.72	4/9						
EA1.20.1377	. Shim	2	Lam Alum	4/10						
SP15C	. Washer, 2 BA plain	QR	-	4/11						
EA1.20.1176	. HOUSING, locking pin aft Attaching parts for EA1.20.1176:-	1	L.40	4/12						
A25/4C	. Bolt, 2 BA hex head	4	-	4/13						
EA1.20.3141	. Shim	1	Alum Alloy	4/14						
EA1.20.1184	. HOUSING, locking pin forward Attaching parts for EA1.20.1184:-	1	L.40	4/15						
A25/4C	. Bolt, 2 BA hex head	4	-	4/16						
EA1.20.3143	. Shim	1	Alum Alloy	4/17						
EA9.20.2774	. LEVER, bellcrank assembly Attaching parts for EA9.20.2774:-	1	S514	4/18						
A27ES	. Nut, 1/4" BSF slotted	1	-	4/19						
EA1.20.2935	. Pin, special	1	DTD126	4/20						
R SP90C8	. Pin, split	1	-	4/20A						
SP13E	. Washer, 1/4" BSF plain	1	-	4/21						
EA3.20.1777	. LEVER, door lock operating (Pre-Mod 4704) Attaching parts for EA3.20.1777:-	1	L.40	4/22						
AGS899/6	. Collar	1	-	4/23						
SP4Y/F12	. Pin, shackle	1	-	4/24						
R SP90E7	. Pin, split	1	-	4/24A						
EA3.20.3901	. LEVER, door lock operating (Mod 4704) Attaching parts for EA3.20.3901:-	1	Steel S.1	4/97						
AGS899/6	. Collar	1	-	4/23						
SP4Y/F12	. Pin, shackle	1	-	4/24						
R SP90E7	. Pin, split	1	-	4/24A						



AP.101B-0418-3A

MAINPLANE  
UNDERCARRIAGE DOOR  
C/W MECHANISM, STARBOARD

	Part Number	Description	No. Off	Matl. Spec.	Plate No.
R	EA3.20.3081	. LINK, slave Attaching parts for EA3.20.3081:-	1	DTD124	4/61
R	EA3.20.3093	. Bolt, special	1	S.97	4/62
R	AGS2001C1	. Nut, stiff, 2 BA	2	-	4/63
R	EA3.20.3087	. Piece, distance	1	-	4/64
R	EEAS28/15FR	. Washer	1	L.72	4/65
R	SP13C	. Washer, 2 BA plain	2	-	4/66
R	EA9.20.2779	. PEDESTAL BELLCRANK LEVER ASSEMBLY Spares for:-	1	-	4/67
R	EA1.20.1155	. . BEARING, bellcrank	1	L.40	4/68
R	EA9.20.2775	. . BUSH, bearing Attaching parts for EA9.20.2779:-	1	Oilite	4/69
R	A25/2C	. Bolt, 2 BA hex head	2	-	4/70
R	EA9.20.2777	. PIN, locking undercarriage door Attaching parts for EA9.20.2777:-	2	S.95	4/71
R	AGS899/2	. Collar	2	-	4/72
R	EA1.20.1179	. Collar, locating	1	L.64	4/73
R	SP4Y/B14	. Pin, shackle	2	-	4/74
R	SP90C4	. Pin, split	2	-	4/74A
	EB8.20.4489	. ROD, tie aft plunger Attaching parts for EB8.20.4489:-	1	-	4/75
	AGS899/2	. Collar	1	-	4/76
	SP4Y/B6	. Pin, shackle	1	-	4/77
R	SP90C4	. Pin, split	1	-	4/77A
	EA1.20.10849	. ROD TIE BELLCRANK TO OPERATING MECHANISM, ASSEMBLY Spares for:-	1	-	4/78
	EA1.50.75	. . BEARING, spherical	1	L.40	4/79
	EA1.20.10847	. . FORK-END	1	-	4/80
	EA1.20.10843	. . HOUSING, bearing rod end	1	S.1	4/81
R	A27GT	. . NUT, 5/16" BSF thin	1	-	4/80A
R	SP28H6	. . PIN, taper Attaching parts for EA1.20.10849:-	4	-	4/78A
	AGS899/2	. Collar	2	-	4/82
	SP4Y/B6	. Pin, shackle	1	-	4/83
	SP4Y/B11	. Pin, shackle	1	-	4/84
R	SP90C4	. Pin, split	2	-	4/82A
	EA1.20.1159	. ROD, tie forward plunger Attaching parts for EA1.20.1159:-	1	DTD126	4/85
	AGS899/2	. Collar	1	-	4/86
	SP4Y/B6	. Pin, shackle	1	-	4/87
R	SP90C4	. Pin, split	1	-	4/87A
	EA3.20.2271	. SPRING, locking pin operating Attaching parts for EA1.20.10734:-	2	-	4/88
	EA1.20.1353	Bolt, special	1	S.11	4/89
	EA3.20.3085	Bolt special	1	-	4/90
	A27CS	Nut, 2 BA slotted	1	-	4/91
	EEAS63E	Nut, 1/4" BSF slotted	1	S.96	4/92
	EA3.20.3089	Piece, distance	1	-	4/93
	EA3.20.3091	Piece, distance	1	-	4/94
R	SP90C8	Pin, split	2	-	4/100
	SP13C	Washer, 2 BA plain	1	-	4/95
	SP13E	Washer, 1/4" BSF plain	1	-	4/96



AP101B-0418-3A

MAINPLANE  
MAINPLANE PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
EG9.00.11	WING PORT ASSEMBLY (Pre-Mod. 5349)	1	—	5/1
EG9.00.287	WING PORT ASSEMBLY (Spares condition port wing based on EG9.00.11 to LTF standard) (Mod. 5349) Spares for:—	1	—	
EA3.40.179	. ADAPTER, lubrication nipple, for side stay pivot bolt	1	S95	5/2
EA3.24.1	. AILERON, PORT ASSEMBLY	1	—	5/3
EG9.00.225	. AILERON, PORT ASSEMBLY (Spare) (EA3.24.1) (Mod. 5043)	1	—	
EG9.00.247	. AILERON, PORT ASSEMBLY (Spare) (EA3.24.217) (Mod. 5111) (Ailerons supplied c/w centre hinge shim EA1.24.901 Ref.5001) (See page J1)	1	—	
EA3.40.177	. BOLT, special side stay pivot	1	S65 or S81	5/4
EA1.40.243	. BOLT, special hinge side stay pivot	1	S65 or S81	5/5
EA1.20.1107	. BOLT, special main undercarriage	1	S65	5/6
EA3.20.2479	. BOLT, special aileron hinge bracket	4	S95	5/7
EA3.04.9547	. CABIN PRESSURE AND COLD AIR SYSTEM (See page ND1)	—	—	
—	. CABIN PRESSURE AND COLD AIR SYSTEM ALTERATIONS (EG9.75.125) Spares for:—	—	—	11/1
AGS605/4 or SP91N	. . CLIP, hose (Pre-Alt R60/91 - Mod. 5102)	1	—	11/2
EEAS66/5	. . CLIP, hose (Alt R60/91 - Mod 5102)	1	—	11/2
EEAS66/14	. . RING, clamping	4	L72	11/3
—	. . RING, clamping	1	L72	11/4
—	. CONDUITS IN WING INSTALLATION (EG9.20.27) Spares for:—	—	—	5/8
EA3.81.2139	. . CLIP, conduit Attaching parts for EA3.81.2139:—	1	—	5/9
A25/1B	. . Bolt, 4 BA hex head	2	—	5/10
AGS2001B1	. . Nut, stiff, 4 BA	2	—	5/11
SP13B	. . Washer, 4 BA plain	2	—	5/12
AS4525/20	. . CLIP, 'P'	2	—	5/13
AS5418/22	. . CLIP, 'P'	5	—	5/14
EG9.81.181	. . CONDUIT, superflexit assembly	1	—	5/15
EG9.81.183	. . CONDUIT, outer wing 1/4" o/d pipe x 20 SWG	1	L54	5/16

## MAINPLANE

## MAINPLANE PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.					
				1	2	3	4	5	6
EG7.20.385	. . WASHER, pad	1	L.72						5/17
EG9.20.155	. . WASHER, conduit end rib 4	1	L.73						5/18
EA3.57.527	. . WASHER, conduit end rib 2	1	L.17						5/19
—	. CONDUITS INNER WING INSTALLATION (EG9.20.141) Spares for:-	—	—						5/20
EG7.20.373	. . ANGLE, support, rib 6 Attaching parts for EG7.20.373:-	1	L.72						5/21
A25/2C	. . Bolt, 2 BA hex head	2	—						5/22
AGS2001C1	. . Nut, stiff, 2 BA	2	—						5/23
SP13C	. . Washer, 2 BA plain	2	—						5/24
EG7.20.375	. . ANGLE, support rib 4 Attaching parts for EG7.20.375:-	1	L.72						5/25
A25/2C	. . Bolt, 2 BA hex head	2	—						5/26
AGS2001C1	. . Nut, stiff, 2 BA	2	—						5/27
SP13C	. . Washer, 2 BA plain	2	—						5/28
EG7.20.381	. . ANGLE, support rib 5 Attaching parts for EG7.20.381:-	1	L.72						5/29
A25/2C	. . Bolt, 2 BA hex head	2	—						5/30
AGS2001C1	. . Nut, stiff, 2 BA	2	—						5/31
SP13C	. . Washer, 2 BA plain	2	—						5/32
EG7.20.379	. . BRACKET, support rib 2 Attaching parts for EG7.20.379:-	1	L.72						5/33
A25/2C	. . Bolt, 2 BA hex head	3	—						5/34
AGS2001C1	. . Nut, stiff, 2 BA	4	—						5/35
SP13C	. . Washer, 2 BA plain	4	—						5/36
EF3.81.10889	. . CLIP, 'P' conduit Attaching parts for EF3.81.10889:-	4	L.72						5/37
A25/2C	. . Bolt, 2 BA hex head	1	—						5/38
AGS2001C1	. . Nut, stiff, 2 BA	1	—						5/39
SP16C	. . Washer, 2 BA plain	1	—						5/40
EG7.20.385	. . Washer, pad	1	L.72						5/41
EG7.20.383	. . CONDUIT, "superflexit" assembly	2	—						5/42
EA3.57.527	. . WASHER, between conduit and mounting bracket	4	L.17						5/19
R —	. CONDUIT OVER ENGINE NACELLE INSTALLATION (EA9.81.1053) Spares for:-	—	—						6/1
R EA9.81.1069	. . CLIP, conduit inner wing 7 and outer wing rib 1 Attaching parts for EA9.81.1069:-	2	L.72						6/2
R A25/1C	. . Bolt, 2 BA hex head	3	—						6/3
R AGS2001C1	. . Nut, stiff, 2 BA	3	—						6/4
R SP15C	. . Washer, 2 BA plain	3	—						6/5
R EA9.81.1071	. . CLIP, conduit over engine nacelle Attaching parts for EA9.81.1071:-	2	L.72						6/6
R A25/2B	. . Bolt, 4 BA hex head	2	—						6/7
R AGS2001B1	. . Nut stiff, 4 BA	2	—						6/8
R EA3.81.2133	. . Washer, 'D'	1	—						6/9
R EA9.81.1075	. . Washer, square	2	—						6/10

AP.101B-0418-3A

 MAINPLANE  
 MAINPLANE PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
R EA3.81.2135	. . CLIP, conduit at rib 2 outer wing Attaching parts for EA3.81.2135:-	2	L.72	6/11
R A25/1C	. . Bolt, 2 BA hex head	2	-	6/12
R AGS2001C1	. . Nut, stiff, 2 BA	2	-	6/13
R SP15C	. . Washer, 2 BA plain	2	-	6/14
R EA3.81.2175	. . CLIP, conduit over engine nacelle Attaching parts for EA3.81.2175:-	2	L.72	6/15
R A25/2B	. . Bolt, 4 BA hex head	1	-	6/16
R AGS2001B1	. . Nut, stiff, 4 BA	1	-	6/17
R EA3.81.2133	. . Washer, 'D'	1	-	6/18
R EA3.81.2171	. . CONDUIT, over engine nacelle	2	L.54	6/19
R EA3.81.2173	. . CONDUIT, outboard rib 1 to rib 2 outer wing	2	L.54	6/20
R EA3.81.1595	. . SLEEVE, conduit connecting	2	-	6/21
EA1.45.13	. CONTROLS, aileron (See page D1)	-	-	
EA3.47.21	. CONTROLS, ENGINE (See page DD1)	-	-	
EA1.50.395	. COWLING ENGINE (See page LB1)	-	-	
EA3.20.311 or EA3.20.4621	. DOOR, access aileron control joint bottom skin	1	L.73	7/1
EEAS1/1 1/2C	Attaching parts for EA3.20.311:- . Screw, 2 BA 120 deg c'sk head	20	S.96	7/2
EA3.20.347	. DOOR, access, air brake operating jack bottom skin	1	L.73	7/3
EEAS1/2C	Attaching parts for EA3.20.347:- . Screw, 2 BA 120 deg C,sk head	22	S.96	7/4
EA3.20.353	. DOOR, access rear attachment pin Attaching parts for EA3.20.353:-	1	L.73	7/5
EEAS1/2C	. Screw, 2 BA 120 deg c'sk head	22	S.96	7/6
EA3.20.377	. DOOR, access front wing attachment pin top skin	1	L.73	7/7
EEAS1/2 1/2E	Attaching parts for EA3.20.377:- . Screw, 1/4" BSF 120 deg c'sk head	30	S.96	7/8
EA3.20.685	. DOOR, access, aileron control bottom skin Attaching parts for EA3.20.685:-	1	L.73	8/1
EEAS1/2E	. Screw, 1/4" BSF 120 deg c'sk head	30	S.96	8/2
EA3.20.687	. DOOR, access bottom skin Attaching parts for EA3.20.687:-	1	L.73	8/3
EEAS1/2 1/2E	. Screw, 1/4" BSF 120 deg c'sk head	30	S.96	8/4
EA1.20.1045	. DOOR, access electrical equipment bottom skin	1	L.73	8/5
EEAS1/2E	Attaching parts for EA1.20.1045:- . Screw, 1/4" BSF 120 deg c'sk head	18	S.96	8/6
EEAS1/5E	. Screw, 1/4" BSF 120 deg c'sk head	20	S.96	8/7

MAINPLANE  
MAINPLANE PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
EA1.20.1099	. DOOR, access aileron control rod joint bottom skin	2	L73	8/8
EEAS1/1 1/2C	Attaching parts for EA1.20.1099:— . Screw, 2 BA 120 deg c'sk head	18	S96	8/9
EA1.20.1693	. DOOR, access to forward fixing bolts of connecting ring to false spar and rib	2	L73	8/10
EA1.20.2289	. DOOR, access aileron control intermediate joint bottom skin	1	—	8/11
EEAS1/2C	Attaching parts for EA1.20.2289:— . Screw, 2 BA 120 deg c'sk head	26	S96	8/12

AP.101B-0418-3A

MAINPLANE  
MAINPLANE PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.	
					1
R EA3.00.67	. EQUIPMENT IN INNER WING LEADING EDGE PORT (Mod 714 Amdt No.1) Spares for:-	-	-		
R EB7.61.1	. . . BOX GEAR AND GENERATOR INSTALLATION Spares for:-	-	-		
R EA1.50.595	. . . . ADAPTOR Attaching parts for EA1.50.595:-	1	-	33/1A	
R AGS1138A	. . . . Washer	1	-	33/1B	
R EB7.61.39	. . . . BLOCK, steady Attaching parts for EB7.61.39:-	1	-	33/1	
R A25/2B	. . . . Bolt, 4 BA	2	-	33/2	
R A25/6B	. . . . Bolt, 4 BA	2	-	33/3	
R AGS2001B1	. . . . Nut, 4 BA	4	-	33/4	
R AS2810/4/146	. . . . Tube, distance	2	-	33/5	
R SP13B	. . . . Washer	2	-	33/6	
R SP15B	. . . . Washer	2	-	33/7	
R EB7.61.41	. . . . BLOCK, steady Attaching parts for EB7.61.41:-	1	-	33/8	
R A25/2B	. . . . Bolt, 4 BA	2	-	33/9	
R A25/6B	. . . . Bolt, 4 BA	2	-	33/10	
R AGS2001B1	. . . . Nut, 4 BA	4	-	33/11	
R AS2810/4/146	. . . . Tube, distance	2	-	33/12	
R SP15B	. . . . Washer	4	-	33/13	
R TYPE PTG3/3	. . . . BOX, gear Attaching parts for TYPE PTG3/3:-	1	-	33/13A	
R EB7.61.1A	. . . . Nut, 3/8" BSF (Make from A27JP - Ref 28M/1011473)	4	-	33/13B	
R SP47J	. . . . Washer	4	-	33/13C	
R EB7.61.93	. . . . BRACKET	1	-	33/13D	
R EB7.61.43	. . . . CLAMP, half	1	-	33/15	
R EB7.61.45	. . . . CLAMP, half Attaching parts for EB7.61.43 and EB7.61.45:-	1	-	33/16	
R A25/3C	. . . . Bolt, 2 BA	2	-	33/17	
R AGS2001C1	. . . . Nut, 2 BA	2	-	33/18	
R BUCK & HICKMAN	. . . . CHAIN, 'pip' pin safety link 3" long	2	Brass	33/14	
R AS19101B	. . . . CLIP, pipe double for drain pipes Attaching parts for	2	-	33/14A	
R A25/1B	. . . . Bolt 4 BA	1	-	33/14B	
R AGS2001B1	. . . . Nut, 4 BA	1	-	33/14C	
R SP15B	. . . . Washer, 4 BA	1	-	33/14D	
R SP91J	. . . . CLIP, jubilee	1	-	33/18A	
R SP91N	. . . . CLIP, jubilee	2	-	33/19	
R SP144-028	. . . . CLIP, jubilee	3	-	33/20	
R EB7.61.37	. . . . CONNECTION, elbow stage 12, engine tapping Attaching parts for EB7.61.37:-	1	S.92	33/20A	
R A25/2C	. . . . Bolt, 2 BA	3	-	33/20B	
R AGS2001C1/66	. . . . Nut, 2 BA	3	-	33/20C	
R SP15C	. . . . Washer	3	-	33/20D	

MAINPLANE  
MAINPLANE, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
EB7.61.21	. . . COVER, half (Pre-Mod 1474)	1	—	
R1 EB7.61.111	. . . COVER, half (Mod 1474)	1	—	33/21
R1 EB7.61.137	. . . TUBE, flanged	1	—	33/22
R2 EB7.61.23	. . . COVER, half	1	—	33/23
R TYPE D9	. . . DRIVE, 2 speed generator	1	—	33/24
R2 4300	. . . DIPSTICK	2	—	33/25
R2 EB7.61.25	. . . DUCT, outlet	1	—	33/26
	Attaching parts for EB7.61.25:-			
R2 AGS2001C1/66	. . . Nut, 2 BA	6	—	33/27
R2 EEAS1/2C	. . . Screw, 2 BA	6	—	33/28
R2 SP15C	. . . Washer, 2 BA	6	—	33/29
R2 EB7.61.53	. . . DUCT, air assembly	1	—	33/30
	Attaching parts for EB7.61.53:-			
R2 A25/2C	. . . Bolt, 2 BA	2	—	33/31
R2 AGS2001C1/66	. . . Nut, 2 BA	2	—	33/32
R2 EB7.61.1B	. . . Packing	QR	L.72	33/33
R2 EEAS1/1C	. . . Screw, 2 BA	8	—	33/34
R2 SP15C	. . . Washer, 2 BA	2	—	33/35
R2 TYPE P3	. . . GENERATOR	1	—	33/36
R2 EB7.61.87	. . . HOSE, 2.5" i/d x 5.8" long	1	Bells Asbestos	33/37
R2 AGS1142A	. . . NIPPLE	2	—	33/37A
R2 AGS1142H	. . . NIPPLE	1	—	33/37B
R2 AGS2120H	. . . NIPPLE	1	—	33/38
R2 A405	. . . PIN, "pip" type 'A'	2	—	33/39
R2 EA1.61.8	. . . PIPE, drain	1	—	33/39A
R2 EA1.61.41	. . . PIPE, drain	1	—	33/39B
R EB7.61.81	. . . PIPE	1	—	33/39C
R EB7.61.27	. . . PLUG, (Pre-Mod 1474)	1	—	
R EB7.61.33	. . . SEAL	1	—	
R EEAS66/1	. . . RING, clamping	2	—	33/40
R EEAS66/7	. . . RING, clamping	1	—	33/41
R EEAS66/14	. . . RING, clamping	2	—	33/42
R2 TERRY-169-3/4	. . . RING, split	2	—	33/43
R2 EB7.61.55	. . . RING, inlet air	1	—	33/44
R1 EB7.61.57	. . . RING, inlet air	1	—	33/45
R2 GD9/47	. . . SHAFT, drive	1	—	33/45A
R2 EB7.61.35	. . . STRAP	4	—	33/46
R2 EB7.61.91	. . . TUBE, blanking	1	—	33/47
R2 EB7.61.95	. . . TURNBUCKLE, assembly	2	—	33/48
	Comprises:-			
R2 EB7.61.47	. . . FORK-END R.H.	1	—	33/49
R1 EB7.61.49	. . . FORK-END L.H.	1	—	33/50
R A27ET	. . . NUT, 1/4" BSF	1	—	33/51
R A27ETL	. . . NUT, 1/4" BSF	1	—	33/52
R2 EB7.61.51	. . . TRUNNION	1	—	33/53
	Attaching parts for EB7.61.95:-			
R2 SP4Y/D7	. . . Pin	1	—	33/54
R2 SP90C3	. . . Pin split	1	—	33/55
R2 SP14E	. . . Washer	1	—	33/56

AP101B-0418-3A

MAINPLANE  
MAINPLANE, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
R EA3.20.2482	. . . MOD TO RIB 2, INNER WING, LEADING EDGE, FOR 2 SPEED GENERATOR DRIVE Spares for:—	—	—	
R EA3.20.2481/A	. . . PLATE, reinforcing (Make from L72, 16 SWG)	1	—	34/1
R EA3.20.2339	. . . MOD TO GEARBOX MOUNTING SUPPORTS TO SUIT 2 SPEED GENERATOR DRIVE INSTALLATION Spares for:—	—	—	
R EB7.20.117	. . . PLATE, reinforcing	1	—	34/2
R EA3.20.2335	. . . OUTLET IN INNER WING LEADING EDGE BOTTOM SKIN FOR GENERATOR AND 2 SPEED DRIVE COOLING AIR Spares for:—	—	—	
R EB7.20.101	. . . DOUBLING	1	—	34/3
R EB7.20.99	. . . RING, reinforcing	1	—	34/4
R EA3.20.2337	. . . PANEL, ACCESS, ON TOP SKIN, FOR 2 SPEED GENERATOR DRIVE Spares for:—	—	—	
R EB7.20.103	. . . COVER	1	—	34/5
R F4-3D	. . . FASTENER	4	—	34/6
R GF4-150	. . . GROMMET	4	—	34/7
R S4-250	. . . SPRING	4	—	34/8

MAINPLANE  
MAINPLANE, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

A.P.101B-0418-3A

MAINPLANE  
MAINPLANE, PORT

Page JH5

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.A3.81.9	ELECTRICAL EQUIPMENT IN PORT WING (See page ED1)	-	-	-	
	E.A1.60.3	FIRE PROTECTION (See page NH1)	-	-	-	
	2975 E.A1.25.1	FLAP, OUTER WING (Pre Mod. 1769) (See page JB1)	1	-	A	8/13
R	12797 E.A9.25.1	FLAP, OUTER WING (Mod. 1769) (See page JB1)	1	-	A	
	2977 E.A1.25.3	FLAP, INNER WING (Pre Mod. 1769) (See page JD1)	1	-	A	8/14
R	12799 E.A9.25.3	FLAP, INNER, WING (Mod. 1769) (See page JD1)	1	-	A	
	E.A1.57.727	FUEL SYSTEM (See page NN1)	-	-	-	
	E.B6.57.71	FUEL DELIVERY SYSTEM IN PORT INNER WING (See page NS1)	-	-	-	
	-	HOUSING, PYLON SPIGOT, OUTER WING LEADING EDGE, INSTALLATION (E.G9.20.157) Spares for:-	-	-	-	10A/1
	E.G9.20.199	ANGLE, welded	1	L.59	-	10A/2
	E.G9.20.201	ANGLE, fairing	1	L.73	-	10A/3
	E.G9.20.203	ANGLE, fairing	1	L.73	-	10A/4
	E.G9.20.163	BEARING, bottom, assembly	1	S.95	-	10A/5
		Attaching parts for E.G9.20.163:-				
	2103-0610	Jo-bolt, 3/16" dia, c'sk head (Use 28N/2005123)	30	-	-	10A/6
	2103-0613	Jo-bolt, 3/16" dia, c'sk head (Use 28N/1207131)	10	-	-	10A/7
	2103-0611	Jo-bolt, 3/16" dia, c'sk head (Use 28N/2005124)	1	-	-	10A/8
	28M/1011475	Nut, 1/4" BSF plain	4	-	C	10A/9
	6219 EEAS.1/6E	Screw, 1/4" BSF 120° c'sk head	4	S.96	C	10A/10
	28W/9418921	Washer, 1/4" BSF plain	4	-	C	10A/11
	1438842 E.G9.20.211	BLOCK, bearing, yaw spigot Attaching parts for E.G9.20.211:-	1	L.65	C	10A/12
	28D/1013172	Bolt, 2 BA c'sk head	4	-	C	10A/13
	28M/9403520	Nut, 2 BA plain	4	-	C	10A/14
	1438843 EEAS.28/4/HU	Washer	4	S.515	C	10A/15
	or					
R	2103/0607	Jo-bolt, 3/16" dia, c'sk head (Use 28N/1045380)	4	-	-	10A/16
	E.G9.20.161	BRACKET, BEARING, UPPER, ASSEMBLY Spares for:-	1	-	-	10A/17
	E.G9.20.193	BEARING, upper	1	S.95	-	10A/18
		Attaching parts for E.G9.20.161:-				
	28D/9133012	Bolt, 2 BA hex. head	16	-	C	10A/19
	28M/9403520	Nut, 2 BA plain	16	-	C	10A/20
	28W/9419402	Washer, 2 BA plain	16	-	C	10A/21

MAINPLANE  
MAINPLANE, PORT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.G.9.20.173	BRACKET, tee	1	EEDX.264 or L.65	—	10A/22
	E.G9.20.171	CLEAT, top	1	L.73	—	10A/23
	E.G9.20.169	DIAPHRAGM, ASSEMBLY Spares for:—	1	—	—	10A/24
	E.G9.20.197	ANGLE, stiffening	1	L.73	—	10A/25
	E.G9.20.195	DIAPHRAGM	1	L.73	—	10A/26
	E.G9.20.175	DOUBLER, external, top	1	L.73	—	10A/27
	E.G9.20.177	DOUBLER, external, bottom	1	L.73	—	10A/28
	E.G9.20.183	PACKING, diaphragm to spar	1	L.73	—	10A/29
	E.G9.20.185	PACKING, diaphragm to spar	1	L.73	—	10A/30
	E.G9.20.159	PLATE, mounting, top	1	L.65	—	10A/31
	EEAS.251/2201/ 55E	Attaching parts for E.G9.20.159:— Bolt, 1/4" BSF 120° c'sk head	5	S.97	—	10A/32
	EEAS.251/220/ 55G	Bolt, 5/16" BSF 120° c'sk head	5	S.97	—	10A/33
	2103-0612	Jo-bolt, 3/16" dia. c'sk head (Use 28N/200125)	10	—	—	10A/34
28M/1011475	A27/EP	Nut, 1/4" BSF plain	5	—	C	10A/35
28W/9418921	A27/GP	Nut, 5/16" BSF plain	5	—	C	10A/36
28W/9418921	SP.13/E	Washer, 1/4" BSF plain	5	—	C	10A/37
28W/9419403	SP.13/G	Washer, 5/16" BSF plain	5	—	C	10A/38
1438844	E.G9.20.179	PLATE, cover, top Attaching parts for E.G9.20.179:—	1	L.73	C	10A/39
1468	EEAS.1/2C	Screw, 2 BA 120° c'sk head	5	S.96	C	10A/40
	E.G9.20.187	SHIM, bearing bracket, 1/16" thick	2	Alum. Alloy	—	10A/41
	E.G9.20.189	SHIM, top mounting plate, 1/32" thick	1	Alum. Alloy	—	10A/42
	E.G9.20.205	SHIM, lower bearing, 1/32" thick	2	Alum. Alloy	—	10A/43
	E.G9.20.207	SHIM, top bearing bracket, 1/32" thick	1	Alum. Alloy	—	10A/44
	E.G9.20.209	SHIM, lower bearing, 1/16" thick	1	Alum. Alloy	—	10A/45
	E.A3.73.539	HYDRAULIC EQUIPMENT (See page NW1)	—	—	—	
	E.A3.04.10911	HYDRAULIC EQUIPMENT IN INNER WING LEADING EDGE (See page NZ1)	—	—	—	
435	E.A1.50.69	LINK, COWL DOOR, GROUP Spares for:—	1	—	B	8/15
379	E.A1.50.75	BEARING, spherical	4	L.40	C	8/16
	E.A1.50.77	FITTING, plug end	4	L.40	—	8/17
436	E.A1.50.71	HOUSING, bearing	4	S.1	C	8/18
	E.A1.50.69A	LINK, tube, 1/2" o/d x 17 SWG	2	T.45	—	8/19
	E.A1.20.701	MECHANISM, FLAP OPERATING (See page DF1)	—	—	—	

AP101B-0418-3A

MAINPLANE  
MAINPLANE, PORT

Part Number	Description	No. Off	Matl. Spec.	Plate No.
SP21	. NIPPLE, lubrication	1	—	5/43
EA1.40.287	. NUT, castle side stay link bolt	2	S96	5/44
EA1.20.1287	. NUT, main undercarriage pivot bolt	1	S96	5/45
EG7.20.911	. PANEL, ACCESS BETWEEN RIB 1 AND 2 BOTTOM SKIN ASSEMBLY Spares for:—	—	—	8/20
EEAS315/10	. . LANYARD panel	1	Nylon	8/21
EG7.20.1075	. . NUT, strip 1/4" BSF assembly	1	—	8/22
EG7.20.917	. . NUT, strip 1/4" BSF	1	—	8/23
EG7.20.919	. . NUT, strip 1/4" BSF	2	—	8/24
EG7.20.920	. . NUT, strip 1/4" BSF	2	—	8/25
EG7.20.913	. . PANEL, access assembly Attaching parts for EG7.20.913:—	1	L73	8/26
EEAS1/1 1/2E	. . Screw, 1/4" 120 deg c'sk head	26	S96	8/27
EA3.20.1813 or SP90L24	. PIN, split undercarriage pivot bolt	1	—	5/46
SP4Y/H12	. PIN, split	1	—	7/9
SP4Y/H17	. PIN, air brake jack hinge	1	—	7/10
EA3.80.659	. PITOT AND STATIC SYSTEM (See page NAD1)	—	—	—
EA9.20.1137	. PLATE, locking, undercarriage pivot bolt	1	S514	5/47
EG9.00.155	. PYLON, ASSEMBLY TO WING (See page C1)	—	—	—
EA1.24.901	. SHIM, aileron centre hinge	2	Lam Alum	8/28
—	. SPAR MAIN ALTERATIONS TO ROOT END (EA3.20.4965, EA3.20.5125) Spares for EA3.20.4965:—	—	—	—
EA3.20.4969	. . DOOR, access Attaching parts for EA3.20.4969:—	1	L72	7/50
EEAS1/2 1/2C	. . Bolt, 2 BA	25	—	7/33
EA3.20.4967	. . DOUBLER, external upper Attaching parts for EA3.20.4967:—	1	L73	7/34
EEAS1/3C	. . Bolt, 2 BA	8	—	7/35
EEAS1/3 1/2C	. . Bolt, 2 BA	2	—	7/36
EEAS1/4 1/2C	. . Bolt, 2 BA	11	—	7/37
EEAS1/4E	. . Bolt, 1/4" BSF	7	—	7/38
EA3.20.5161	. . Bolt, special	2	—	7/38
EA3.20.5147	. . Bolt, special	13	—	7/40
AGS2002C1	. . Nut, thin 2 BA	1	—	7/41

MAINPLANE  
MAINPLANE, PORT

Part Number	1 2 3 4 5 6	Description	No. Off	Matl. Spec.	Plate No.
EA3.20.5127		Spares for EA3.20.5152:- . . DOUBLER, external lower Attaching parts for EA3.20.5127:-	1	L.73	7/42
EEAS1/3C		. . Bolt, 2 BA	19	-	7/43
EEAS1/5C		. . Bolt, 2 BA	18	-	7/44
EEAS1/5-1/2E		. . Bolt, 1/4" BSF	7	-	7/45
EA3.20.5149		. . Bolt, special	14	-	7/46
or					
EA3.20.5148		. . Bolt, special			
AGS2001C1/66		. . Nut, 2 BA	4	-	7/47
EA3.20.5157		. . Washer, special	2	-	7/48
EA3.20.5151		. . Washer, special	-	-	7/49
EA3.20.1129		. STOP, block for side stay pivot bolt Attaching parts for EA3.20.1129:-	1	L.40	5/48
AS1242/3C		. Bolt, 2 BA c'sk head	2	-	5/49
EA3.20.1		. . STRUCTURE WING ASSEMBLY (See page JK1)	-	-	
-		. SUPPORT COWL HOOP TO WING ASSEMBLY (EA1.50.859) Spares for:-	-	-	7/11
EA3.00.235		. . SUPPORT, cowl hoop upper Attaching parts for EA1.50.913:-	1	-	7/12
EA1.50.363		. . Bolt, special 3/8" BSF	4	S.96	7/13
SP13J		. . Washer, 3/8" BSF plain	4	-	7/14
EA1.50.949		. . SUPPORT, cowl hoop lower Attaching parts for EA1.50.949:-	1	-	7/15
EA1.50.363		. . Bolt, special 3/8" BSF	4	S.96	7/13
SP13J		. . Washer, 3/8" BSF plain	4	-	7/14
EA1.00.67		. TIP WING PORT ASSEMBLY (EA3.00.143) (Supplied to Part No. EA3.00.5174) for spares) (See page JM1 ) Attaching parts for EA1.00.67:-	1	-	8/29
EEAS1/2C		. Screw, 2 BA 120 deg c'sk head	92	S.96	8/30
EA1.40.1		. UNDERCARRIAGE MAIN (See page R1)	-	-	
EA9.20.1143		. WASHER, special main undercarriage pivot bolt	1	-	5/50

MAINPLANE  
MAINPLANE, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
EG9.00.12	WING STARBOARD ASSEMBLY (Pre-Mod. 5349)	1	-	5/51
EG9.00.288	WING STARBOARD ASSEMBLY (Spares condition starboard wing based on EG9.00.12 to LTF standard)(Mod. 5349) Spares for:-	1	-	
EA3.40.179	. ADAPTER, lubrication nipple, for side stay pivot bolt	1	S95	5/2
EA3.24.2	. AILERON, STARBOARD ASSEMBLY	1	-	5/52
EG9.00.226	. AILERON, STARBOARD ASSEMBLY (Spare) (EA3.24.2) (Mod. 5043)	1	-	
EG9.00.248	. AILERON, STARBOARD ASSEMBLY (Spare) (EA3.24.218) (Mod. 5111) (Ailerons supplied c/w centre hinge shim EA1.24.901 Ref. 5001) (See page JA1)	1	-	
EA3.40.177	. BOLT, special side stay pivot	1	S61 or S81	5/4
EA1.40.243	. BOLT, special hinge side stay link	1	S61 or S81	5/5
EA1.20.1107	. BOLT, special main undercarriage	1	S65	5/6
EA3.20.2479	. BOLT, special, aileron hinge bracket	4	S95	5/7
EA3.04.10941	. CABIN PRESSURE AND COLD AIR SYSTEM (See page NE1)-	-	-	
-	. CONDUITS IN WINGS INSTALLATION (EG9.20.28) Spares for:-	-	-	5/53
EA3.81.2139	. . CLIP, conduit Attaching parts for EA3.81.2139:-	1	-	5/9
A25/1B	. . Bolt, 4 BA hex head	2	-	5/10
AGS2001B1	. . Nut, stiff, 4 BA	2	-	5/11
SP13B	. . Washer, 4 BA plain	2	-	5/12
AS4525/20	. . CLIP, 'P'	2	-	5/13
AS5418/22	. . CLIP, 'P'	5	-	5/14
EG9.81.181	. . CONDUIT, superflexit assembly	1	-	5/15
EG9.81.184	. . CONDUIT, outer wing 1/4" o/d pipe x 20 SWG	1	L54	5/54
EG7.20.385	. . WASHER, pad	1	L72	5/17
EG9.20.155	. . WASHER, conduit end rib 4	1	L73	5/18
EA3.57.527	. . WASHER, conduit end rib 2	1	L17	5/19

MAINPLANE  
MAINPLANE, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
—	CONDUITS INNER WING INSTALLATION (EG9.20.142) Spares for:-	—	—	5/55
EG7.20.374	ANGLE, support rfb 6 Attaching parts for EG7.20.374:-	1	L.72	5/56
A25/2C	Bolt, 2 BA hex head	2	—	5/22
AGS2001C1	Nut, stiff, 2 BA	2	—	5/23
SP13C	Washer, 2 BA plain	2	—	5/24
EG7.20.376	ANGLE, support rib 4 Attaching parts for EG7.20.376:-	1	L.72	5/57
A25/2C	Bolt, 2 BA hex head	2	—	5/26
AGS2001C1	Nut, stiff, 2 BA	2	—	5/27
SP13C	Washer, 2 BA plain	2	—	5/28
EG7.20.382	ANGLE, support rib 5 Attaching parts for EG7.20.382:-	1	L.72	5/58
A25/2C	Bolt, 2 BA hex head	2	—	5/30
AGS2001C1	Nut, stiff, 2 BA	2	—	5/31
SP13C	Washer, 2 BA plain	2	—	5/32
EG7.20.379	BRACKET, support rib 2 Attaching parts for EG7.20.379:-	1	L.72	5/33
A25/2C	Bolt, 2 BA hex head	4	—	5/34
AGS2001C1	Nut, stiff, 2 BA	4	—	5/35
SP13C	Washer, 2 BA plain	4	—	5/36
EF3.81.10889	CLIP, 'P' conduit Attaching parts for EF3.81.10889:-	4	L.72	5/37
A25/2C	Bolt, 2 BA hex head	1	—	5/38
AGS2001C1	Nut, stiff, 2 BA	1	—	5/39
SP16C	Washer, 2 BA plain	1	—	5/40
EG7.20.385	Washer, pad	1	L.72	5/41
EG7.20.383	CONDUIT, "superflexit" assembly	2	—	5/42
EA3.57.527	Washer between conduit and mounting bracket	4	L.17	5/19
R —	CONDUIT OVER ENGINE NACELLE INSTALLATION (EG9.71.1054) Spares for:-	—	—	6/22
R EA9.81.1069	CLIP, conduit inner wing rib 7 and outer wing rib 1 Attaching parts for EA9.81.1069:-	2	L.72	6/2
R A25/1C	Bolt, 2 BA hex head	3	—	6/3
R AGS2001C1	Nut, stiff, 2 BA	3	—	6/4
R SP15C	Washer, 2 BA plain	3	—	6/5
R EA9.81.1071	CLIP, conduit over engine nacelle Attaching parts for EA9.81.1071:-	2	L.72	6/6
R A25/2B	Bolt, 4 BA hex head	2	—	6/7
R AGS2001B1	Nut, stiff, 4 BA	2	—	6/8
R EA3.81.2133	Washer, 'D'	1	—	6/9
R EA9.81.1075	Washer, square	2	—	6/10

AP101B-0418-3A

MAINPLANE  
MAINPLANE, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
R EA3.81.2135	. . CLIP, conduit, at rib 2, outer wing Attaching parts for EA3.81.2135:—	2	L72	6/11
R A25/1C	. . Bolt, 2 BA hex. head	2	—	6/12
R AGS2001/C/1	. . Nut, stiff, 2 BA	2	—	6/13
R SP15/C	. . Washer, 2 BA plain	2	—	6/14
R EA3.81.2175	. . CLIP, conduit, over engine nacelle Attaching parts for EA3.81.2175:—	2	L72	6/15
R A25/2B	. . Bolt, 4 BA hex. head	1	—	6/16
R AGS2001/B/1	. . Nut, stiff, 4 BA	1	—	6/17
R EA3.81.2133	. . Washer, 'D'	1	—	6/18
R EA3.81.2171	. . CONDUIT, over engine nacelle	2	L54	6/19
R EA3.81.2173	. . CONDUIT, rib 1 to rib 2 outer wing	2	L54	6/20
R EA3.81.1595	. . SLEEVE, conduit connecting	2	—	6/21
—	. . CONDUIT, OUTER WING, RIB 4B TO RIB 6B, ASSEMBLY (EA4.81.1838) Spares for:—	—	—	5/59
EA3.81.2139	. . CLIP, conduit Attaching parts for EA3.81.2139:—	4	—	5/60
A25/1B	. . Bolt, 4 BA hex. head	2	—	5/61
AGS2001/B/1	. . Nut, stiff, 4 BA	2	—	5/62
SP16/B	. . Washer, 4 BA plain	2	—	5/63
EA4.81.1839	. . CONDUIT, 1-1/4" o/d, rib 4B to 5 and rib 6A to 6B	2	—	5/64
EA4.81.1841	. . CONDUIT, 1-1/4" o/d, rib 5 to 6A	1	—	5/65
EA4.81.1843	. . LINER, conduit jointing	2	—	5/66
—	. . CONDUIT, OUTER WING RIB 6B, LEADING EDGE, INSTALLATION (EA4.81.1860) Spares for:—	—	—	5/67
EA4.81.1862	. . BRACKET, main spar web, assembly Attaching parts for EA4.81.1862	1	—	5/68
A25/4E	. . Bolt, 1/4" BSF hex. head	2	—	5/69
A27/EP	. . Nut, 1/4" BSF plain	2	—	5/70
SP16/E	. . Washer, 1/4" BSF plain	2	—	5/71
EA3.81.2139	. . CLIP, conduit Attaching parts for EA3.81.2139:—	2	—	5/72
A25/1B	. . Bolt, 4 BA hex. head	2	—	5/73
EA3.81.2149	. . CONDUIT, assembly	1	—	5/74
	. . CONTROLS, AILERON (EA1.45.14) (See page DA1)	—	—	
	. . CONTROLS, ENGINE (EA3.47.22) (See page DE1)	—	—	

MAINPLANE  
MAINPLANE, STARBOARD

Part Number	Description	No. Off	Mati. Spec.	Plate No.
—	. COVER AND HOUSING, ILS GLIDE PATH AERIAL, OUTER WING LEADING EDGE, RIBS 6B-7A, ASSEMBLY (EA4.20.213) Spares for:—	—	—	7/16
EA3.20.1769	. . COVER, assembly, c/w bushes Attaching parts for EA3.20.1769:—	1	L44	7/17
AS1242/3C	. . Bolt, 2 BA c'sk head	20	—	7/18
EA3.20.1757	. . SEAL, neoprene, 0".02 thick	1	—	7/19
—	. COVER, I.L.S. AERIAL ACCESS, OUTER WING LEADING EDGE, RIB 6B-7A, BOTTOM SKIN ASSEMBLY (EA4.20.197) Spares for:—	—	—	7/20
EA3.20.1671	. . COVER, access Attaching parts for EA3.20.1671:—	1	L72	7/21
EEAS1/1.1/2C	. . Screw, 2 BA 120 <sup>0</sup> c'sk head	10	S96	7/22
—	. COVER AND FRAME, I.L.S. MARKER AERIAL INNER WING LEADING EDGE, ASSEMBLY (EA4.20.215) Spares for:—	—	—	7/23
EA3.20.1791	. . COVER, assembly, c/w bushes Attaching parts for EA3.20.1791:—	1	L44	7/24
AS1242/3C	. . Bolt, 2 BA c'sk head	28	—	7/25
AGS2001/B/1	. . Nut, stiff, 4 BA	4	—	7/26
AGS2001/C/1	. . Nut, stiff, 2 BA	28	—	7/27
A45/B12	. . Screw, 4 BA c'sk head	4	—	7/28
—	. COWLING, ENGINE (EA1.50.396) (See page LC1)	—	—	—
—	. DETECTOR-UNIT, G4B, COMPASS, INSTALLATION (EA3.80.1005) Spares for:—	—	—	11/5
6B4343681	. . DETECTOR-UNIT, type A	1	—	11/6
6B4343814	. . DETECTOR-UNIT, type B Attaching parts for 6B4343681 or 6B4343814	1	—	11/7
A17/1C	. . Bolt, 2 BA hex. head	3	—	11/8
AGS2001/C/1	. . Nut, stiff, 2 BA	3	—	11/9
SP15/C	. . Washer, 2 BA plain	3	—	11/10
EA3.20.311	. DOOR, access, aileron control joint, bottom skin Attaching parts for EA3.20.311:—	1	—	7/1
EEAS1/1-1/2C	. Screw, 2 BA 120 <sup>0</sup> c'sk head	20	S96	7/2
EA3.20.347	. DOOR, access, air brake operating jack, bottom skin Attaching parts for EA3.47.347:—	1	—	7/3
EEAS1/2C	. Screw, 2 BA 120 <sup>0</sup> c'sk head	22	S96	7/4

AP 101B-0418-3A

## MAINPLANE

## MAINPLANE, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.	1 2 3 4 5 6					
EA3.20.353	. DOOR, access rear wing attachment pin Attaching parts for EA3.20.353:-	1	L.73	7/5						
EEAS1/2C	. Screw, 2 BA 120 deg c'sk head	22	S.96	7/6						
EA3.20.378	. DOOR, access front wing attachment pin top skin Attaching parts for EA3.20.378:-	1	L.73	7/29						
EEAS1/2 1/2E	. Screw, 1/4" BSF 120 deg c'sk head	30	S.96	7/8						
EA3.20.685	. DOOR, access aileron control bottom skin Attaching parts for EA3.20.685:-	1	L.73	8/1						
EEAS1/2E	. Screw, 1/4" BSF 120 deg c'sk head	30	S.96	8/2						
EA3.20.688	. DOOR, access bottom skin Attaching parts for EA3.20.688:-	1	L.73	8/31						
EEAS1/2 1/2E	. Screw, 1/4" BSF 120 deg c'sk head	30	S.96	8/4						
EA1.20.1046	. DOOR, access electrical equipment bottom skin Attaching parts for EA1.20.1046:-	1	L.73	8/32						
EEAS1/2E	. Screw, 1/4" BSF 120 deg c'sk head	18	S.96	8/6						
EEAS1/5E	. Screw, 1/4" BSF 120 deg c'sk head	20	S.96	8/7						
EA1.20.1099	. DOOR, access aileron control rod joint bottom skin Attaching parts for EA1.20.1099:-	2	L.73	8/8						
EEAS1/1 1/2C	. Screw, 2 BA 120 deg c'sk head	18	S.96	8/9						
EA1.20.1693	. DOOR, access to forward fixing bolts of connecting ring to false spar and rib	2	L.73	8/10						
EA3.20.1819	. DOOR, access outer wing rib 6B-7A bottom skin Attaching parts for EA3.20.1819:-	1	L.73	8/33						
EEAS1/1 1/2C	. Screw, 2 BA 120 deg c'sk head	32	S.96	8/34						
EA1.20.2289	. DOOR, access aileron control intermediate joint bottom skin Attaching parts for EA1.20.2289:-	1	L.73	8/11						
EEAS1/2C	. Screw, 2 BA 120 deg c'sk head	22	S.96	8/12						
R EA3.81.10	. ELECTRICAL EQUIPMENT IN STARBOARD WING (See page EF1)	-	-							

MAINPLANE  
MAINPLANE, STARBOARD

Part Number	Description 1 2 3 4 5 6	No. Off	Matl. Spec.	Plate No.

MAINPLANE  
MAINPLANE, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
R EA3.00.68	. EQUIPMENT IN INNER WING LEADING EDGE STARBOARD (Mod 714 Amdt No.1) Spares for:-	-	-	
R EB7.61.2	. . . BOX GEAR AND GENERATOR INSTALLATION Spares for:-	-	-	
R EA1.50.595	. . . ADAPTOR Attaching parts for EA1.50.595:-	1	-	33/1A
R AGS1138A	. . . Washer	1	-	33/1B
R EB7.61.40	. . . BLOCK, steady Attaching parts for EB7.61.40:-	1	-	33/57
R A25/2B	. . . Bolt, 4 BA	2	-	33/58
R A25/6B	. . . Bolt, 4 BA	2	-	33/59
R AGS2001B1	. . . Nut, 4 BA	4	-	33/60
R AS2810/4/146	. . . Tube, distance	2	-	33/61
R SP13B	. . . Washer	2	-	33/62
R SP15B	. . . Washer	2	-	33/63
R EB7.61.42	. . . BLOCK steady Attaching parts for EB7.61.42:-	1	-	33/64
R A25/2B	. . . Bolt, 4 BA	2	-	33/65
R A25/6B	. . . Bolt, 4 BA	2	-	33/66
R AGS2001B1	. . . Nut, 4 BA	4	-	33/67
R AS2810/4/146	. . . Tube, distance	2	-	33/68
R SP15B	. . . Washer	4	-	33/69
R TYPE PTG3/4	. . . BOX, gear Attaching parts for TYPE PTG3/4:-	1	-	33/69A
R EB7.61.1A	. . . Nut, 3/8" BSF (Make from A27JP - Ref 28M/1011473)	4	-	33/69B
R AGS162F	. . . Washer, single spring	4	-	33/69C
R EB7.61.93	. . . BRACKET	1	-	33/69D
R EB7.61.43	. . . CLAMP, half	1	-	33/71
R EB7.61.45	. . . CLAMP, half Attaching parts for EB7.61.43 and EB7.61.45:-	1	-	33/72
R A25/3C	. . . Bolt, 2 BA	2	-	33/73
R AGS2001C1	. . . Nut, 2 BA	2	-	33/74
R BUCK & HICKMAN	. . . CHAIN, 'Pip' pin safety link 3" long	2	Brass	33/70
R EA3.61.29	. . . CLIP	1	-	33/70A
R SP91J	. . . CLIP, jubilee	1	-	33/74
R SP91N	. . . CLIP, jubilee	2	-	33/75
R SP144-028	. . . CLIP, jubilee	3	-	33/76
R EB7.61.38	. . . CONNECTION, elbow Attaching parts for EB7.61.38:-	1	S.92	33/76A
R A25/2C	. . . Bolt, 2 BA	3	-	33/76B
R AGS2001C1/66	. . . Nut, 2 BA	3	-	33/76C
R SP15C	. . . Washer	3	-	33/76D

MAINPLANE  
MAINPLANE, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
R EB7.61.22	. . . COVER, half (Pre-Mod 1474)	1	—	
R EB7.61.112	. . . COVER, half (Mod 1474)	1	—	33/77
R EB7.61.137	. . . TUBE, flanged	1	—	33/78
R EB7.61.23	. . . COVER, half	1	—	33/79
R TYPE D9	. . . DRIVE, 2 speed generator	1	—	33/80
R 4300	. . . DIPSTICK	2	—	33/81
R EB7.61.26	. . . DUCT, outlet	1	—	33/82
	Attaching parts for EB7.61.26:-			
R AGS2001C1/66	. . . Nut, 2 BA	6	—	33/83
R EEAS1/2C	. . . Screw, 2 BA	6	—	33/84
R SP15C	. . . Washer, 2 BA	6	—	33/85
R EB7.61.54	. . . DUCT, air assembly	1	—	33/86
	Attaching parts for EB7.61.54:-			
R A25/2C	. . . Bolt, 2 BA	2	—	33/87
R AGS2001C1/66	. . . Nut, 2 BA	2	—	33/88
R EB7.61.1B	. . . Packing	QR	L.72	33/89
R EEAS1/1C	. . . Screw, 2 BA	8	—	33/90
R SP15C	. . . Washer, 2 BA	2	—	33/91
R TYPE P3	. . . GENERATOR	1	—	33/92
R EB7.61.87	. . . HOSE, 2.5" i/d x 5.8" long	1	Bells Asbestos	33/93
R AGS1142A	. . . NIPPLE	2	—	33/93A
R AGS1142H	. . . NIPPLE	1	—	33/93B
R AGS2120H	. . . NIPPLE	1	—	33/94
R A405	. . . PIN, 'pip' type 'A'	2	—	33/94A
R EA1.61.7	. . . PIPE, drain	1	—	33/94B
R EA1.61.42	. . . PIPE, drain	1	—	33/94C
R EB7.61.82	. . . PIPE	1	—	33/94D
R EB7.61.27	. . . PLUG, (Pre-Mod 1474)	1	—	
R EB7.61.33	. . . SEAL	1	—	
R EEAS66/1	. . . RING, clamping	2	—	33/95
R EEAS66/7	. . . RING, clamping	1	—	33/96
R EEAS66/14	. . . RING, clamping	2	—	33/97
R TERRY-169-3/4	. . . RING, split	2	—	33/98
R EB7.61.55	. . . RING, inlet air	1	—	33/99
R EB7.61.57	. . . RING, inlet air	1	—	33/100
R GD9/47	. . . SHAFT, drive	1	—	33/100A
R EB7.61.35	. . . STRAP	4	—	33/101
R EB7.61.91	. . . TUBE, blanking	1	—	33/103
R EB7.61.95	. . . TURNBUCKLE, assembly comprises:-	2	—	33/104
R EB7.61.47	. . . FORK-END R.H.	1	—	33/105
R EB7.61.49	. . . FORK-END L.H.	1	—	33/106
R A27ET	. . . NUT, 1/4" BSF	1	—	33/107
R A27ETL	. . . NUT, 1/4" BSF	1	—	33/108
R EB7.61.51	. . . TRUNNION	1	—	33/109
	Attaching parts for EB7.61.95:-			
R SP4Y/D7	. . . Pin	1	—	33/110
R SP90C3	. . . Pin, split	1	—	33/111
R SP14E	. . . Washer	1	—	33/112

MAINPLANE  
MAINPLANE, STARBOARD

Part Number	Description	No. Off	Matl. Spec.	Plate No.
R EA3.20.2481	. . . MOD TO RIB 2, INNER WING LEADING EDGE, FOR 2 SPEED GENERATOR DRIVE Spares for:—	—	—	
R EA3.20.2482/A	. . . PLATE, reinforcing (Make from L72, 16 SWG)	1	—	34/1A
R EA3.20.2340	. . . MOD TO GEARBOX MOUNTING SUPPORTS TO SUIT 2 SPEED GENERATOR DRIVE INSTALLATION Spares for:—	—	—	
R EB7.20.118	. . . PLATE, reinforcing	1	—	34/2A
R EA3.20.2336	. . . OUTLET IN INNER WING LEADING EDGE BOTTOM SKIN FOR GENERATOR AND 2 SPEED DRIVE COOLING AIR Spares for:—	—	—	
R EB7.20.102	. . . DOUBLING	1	—	34/3A
R EB7.20.100	. . . RING, reinforcing	1	—	34/4A
R EA3.20.2338	. . . PANEL, ACCESS, ON TOP SKIN, FOR 2 SPEED GENERATOR DRIVE Spares for:—	—	—	
R EB7.20.103	. . . COVER	1	—	34/5A
R F4-3D	. . . FASTENER	4	—	34/6
R GF4-150	. . . GROMMET	4	—	34/7
R S4-250	. . . SPRING	4	—	34/8

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

