

GENERAL ASSEMBLY OF AIRCRAFT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	GENERAL ASSEMBLY OF AIRCRAFT (E.F2.00.1) . . . . .	-	-	-	
		(Mk. 2 A/c)				
	-	GENERAL ASSEMBLY OF AIRCRAFT (E.F4.00.101) . . .	-	-	-	
		(Mk. 2A A/c)				
	-	Spares for:-				
	-	BOX, junction, No. 7, attachment to fuselage, port . . . . .	-	-	-	1/1
		(E.B3.81.2431)				
		Consisting of:-				
28D/9436920	A25/1C	BOLT, 2 BA, hex. head . . . . .	3	-	C	1/2
10317	HELLERMANN	EXTRUSION, Helsyn 100 . . . . .	QR	-	C	1/3
	EE.11/2					
		Attachment:-				
33H/2202439	M.M.M.	Adhesive . . . . .	QR	-	C	1/4
	EC.776					
	10319	E.B3.81.2433		LA3	C	1/5
	-	BOX, junction, No. 8, attachment to fuselage, starboard . .	-	-	-	1/6
		(E.B3.81.2432)				
		Consisting of:-				
28D/9436920	A25/1C	BOLT, 2 BA, hex. head . . . . .	3	-	C	1/2
10317	HELLERMANN	EXTRUSION, Helsyn 100 . . . . .	QR	-	C	1/3
	EE.11/2					
		Attachment:-				
33H/2202439	M.M.M.	Adhesive . . . . .	QR	-	C	1/4
	EC.776					
	10319	E.B3.81.2433		LA3	C	1/5
	-	SHIM, laminated . . . . .	1	-	-	
		BOX, collector, and overboard drain, port, installation . . .	-	-	-	
		(E.F3.11.7887) (Mod. 4527)				
		Spares for:-				
	E.F3.11.7737	ANGLE . . . . .	1	-	-	1A/1
	E.F3.11.7741	ANGLE . . . . .	1	-	-	1A/2
	E.F3.11.7881	ANGLE, assembly . . . . .	1	-	-	1A/3
	E.F3.11.7883	ANGLE, assembly . . . . .	1	-	-	1A/4
13655	E.F2.50.299	CONNECTOR, drain . . . . .	1	-	C	1A/5
		Attachments:-				
28D/1007975	AS.1242/1C	Bolt, 2 BA c'sk head . . . . .	3	-	C	1A/6
28M/1278190	AGS.2001/C/1	Nut; stiff, 2 BA . . . . .	3	-	C	1A/7
8295	EEAS.20/3ER	Tab; locking . . . . .	1	L72	C	1A/8
	37596	E.F3.11.7811		-	C	1A/9
	E.F3.11.7877	PIPE, drain, assembly . . . . .	1	-	-	1A/10
		PLATE, end, assembly . . . . .	1	-	-	
		Attachments:-				
28D/1007972	A25/ 1/2C	Bolt, 2 BA hex. head . . . . .	8	-	C	1A/11
	E.F3.11.7789	TRAY, assembly . . . . .	1	-	-	1A/12
		Attachments:-				
28D/1007972	A25/ 1/2C	Bolt, 2 BA hex. head . . . . .	4	-	C	1A/11
	E.B2.73.2101	UNION, bulkhead, special . . . . .	1	-	-	1A/13
		Attachments:-				
28D/1010658	A25/1B	Bolt, 4 BA hex. head . . . . .	3	-	C	1A/14
28F/1014650	AGS.1170/B	Nipple . . . . .	1	-	C	1A/17
28M/1278189	AGS.2001/B/1	Nut; stiff, 4 BA . . . . .	3	-	C	1A/15
26FZ/20778	EEAS.20/2ER	Tab; locking . . . . .	1	L72	C	1A/16

## GENERAL ASSEMBLY OF AIRCRAFT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	BOX, collector and overboard drain, starboard . . . . . installation (E.F3.11.7888) (Mod. 4527) Spares for:—	—	—	—	
	E.F3.11.7738	ANGLE . . . . .	1	—	—	1A/18
	E.F3.11.7741	ANGLE . . . . .	1	—	—	1A/2
	E.F3.11.7882	ANGLE, assembly . . . . .	1	—	—	1A/19
	E.F3.11.7884	ANGLE, assembly . . . . .	1	—	—	1A/20
13655	E.F2.50.299	CONNECTOR, drain . . . . .	1	—	C	1A/5
		Attachments:—				
28D/1007975	AS.1242/1C	Bolt, 2 BA c'sk head . . . . .	3	—	C	1A/6
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA . . . . .	3	—	C	1A/7
8295	EEAS.20/3ER	Tab, locking . . . . .	1	—	C	1A/8
		Attachments:—				
		PIPE, drain, assembly . . . . .	1	—	C	1A/21
		PLATE, end, assembly . . . . .	1	—	—	1A/22
		Attachments:—				
28D/1007972	A25/ 1/2C	Bolt, 2 BA hex. head . . . . .	8	—	C	1A/11
		Attachments:—				
		TRAY, assembly . . . . .	1	—	—	1A/23
		Attachments:—				
28D/1007972	A25/ 1/2C	Bolt, 2 BA hex. head . . . . .	4	—	C	1A/11
		Attachments:—				
		UNION, bulkhead, special . . . . .	1	—	—	1A/13
		Attachments:—				
28D/1010658	A25/1B	Bolt, 4 BA hex. head . . . . .	3	—	C	1A/14
28F/1014650	AGS.1170/B	Nipple . . . . .	1	—	C	1A/17
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA . . . . .	3	—	C	1A/15
26FZ/20778	EEAS.20/2ER	Tab, locking . . . . .	1	L72	C	1A/16
19000	E.F2.11.3135	CHANNEL, joint . . . . .	1	L72	C	1/7
	—	DRAINS, external (E.F2.11.3275) (Mod. 1813) (Mk. 2 A/c) Spares for:—	—	—	—	1/8
		DRAIN, faired, suction (Mod. 4420) . . . . .	1	—	C	1/47
1504238	E.B2.11.18381	GUTTER, centre drain, assembly (Pre-Mod. 4534) . . . . .	1	—	C	1/9
33814	E.F2.11.3137	GUTTER, aft drain, assembly (Pre-Mod. 4534) . . . . .	1	—	C	1/10
36360	E.F2.11.3141	GUTTER, drain . . . . .	1	L72	C	1/11
1439615	E.F2.11.3161	GUTTER, drain . . . . .	1	—	C	1/11
13615	E.F2.11.3283	JOINT, channel, assembly . . . . .	1	—	C	1/12
		Attachments:—				
28D/9140202	AS.1246/1C	Bolt, 2 BA, round head . . . . .	2	—	C	1/13
28D/9140203	AS.1246/3C	Bolt, 2 BA, round head . . . . .	2	—	C	1/14
21779	E.B2.11.18115	Washer, "D" . . . . .	4	—	C	1/15
		Attachments:—				
		OUTLET, drain, assembly . . . . .	1	—	C	1/16
		Attachments:—				
28D/9140203	AS.1246/3C	Bolt, 2 BA, round head . . . . .	2	—	C	1/17
28D/9710453	AS.1246/4C	Bolt, 2 BA, round head . . . . .	6	—	C	1/18
28S/1007443	A32/C18	Screw, 2 BA, round head . . . . .	2	—	C	1/19
		Attachments:—				
1504239	E.B2.11.18383	PACKING (Mod. 4420) . . . . .	1	—	C	1/48
	E.B2.11.18389	STRIP, riveting (Mod. 4420) . . . . .	1	—	—	1/49
	—	DRAIN, fuel, wing centre joint, port and starboard . . . . . assembly (E.B2.20.10039) (Mod. 4282) (Mk. 2 A/c)	—	—	—	1/20
	—	DRAIN, fuel, wing centre joint, port and starboard, . . . . . assembly (E.F4.57.39) (Mk. 2A A/c) Spares for:—	—	—	—	1/21
		Attachments:—				
		ANGLE, support . . . . .	2	L72	—	1/22
28F/9439533	AGS.1129/B	BODY, banjo . . . . .	2	—	C	1/23
28F/9423227	AGS.1135/B	BOLT, banjo (Mk. 2A A/c) . . . . .	2	—	C	1/24
1484458	E.F5.20.215	BOLT, banjo (Mk. 2 A/c) . . . . .	2	—	C	1/25
	E.F4.57.53	FAIRLEAD, half . . . . .	2	BS2572	—	1/26
	E.F4.57.55	FAIRLEAD, half . . . . .	2	BS2572	—	1/27

GENERAL ASSEMBLY OF AIRCRAFT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F4.57.57								1	BS2572 F1 or F2	-	1/28
28D/1010030	A.25/7C								2	-	C	1/29
28D/1011023	A.25/20C								2	-	C	1/30
28M/1278190	AGS.2001/C/1								2	-	C	1/31
28W/9457834	SP.124/D								4	-	C	1/32
	E.F4.57.41								1	T55	-	1/33
	E.F4.57.43								1	T55	-	1/34
	E.F4.57.49								1	T55	-	1/35
	E.F4.57.51								1	T55	-	1/36
	-								-	-	-	2/1
	-								-	-	-	2/2
	-								-	-	-	2/3
	-								-	-	-	2/4
10794	E.B3.81.3067								1	-	C	2/5
28D/9133012	A25/3C								1	-	C	2/6
7871	EEAS.237/7A								1	L72	C	2/7
	E.F.2.81.5483								1	-	-	2/8
28D/1008149	A25/2B								2	-	C	2/9
28M/1278189	AGS.2001/B/1								2	-	C	2/10
10561	EEAS.237/6A								1	L72	C	2/11
	E.F4.81.4917								1	-	-	2/12
28D/1008149	A25/2B								2	-	C	2/9
28M/1278189	AGS.2001/B/1								2	-	C	2/10
	E.F.2.81.6473								2	L72	-	2/13
12068	HELLERMANN HT.0813/5B								1	-	C	2/14
28D/1010658	A25/1B								1	-	C	2/15
28M/1278189	AGS.2001/B/1								1	-	C	2/16
9852	EEAS.238/1A								1	L72	C	2/17
12057	HELLERMANN HT.8013/4B								1	-	C	2/18
28D/1010658	A25/1B								1	-	C	2/19
28M/1278189	AGS.2001/B/1								1	-	C	2/20
9852	EEAS.238/1A								1	L72	C	2/21

GENERAL ASSEMBLY OF AIRCRAFT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				

GENERAL ASSEMBLY OF AIRCRAFT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
12039	HELLERMANN HT.0813/6B								3	—	C	2/22
28D/1010658	A25/1B								3	—	C	2/23
28M/1278189	AGS.2001/B/1								3	—	C	2/24
9852	EEAS.238/1A								3	L72	C	2/25
12067	HELLERMANN HT.0813/11C								4	—	C	2/26
28D/9133011	A25/2C								4	—	C	2/27
28M/1278190	AGS.2001/C/1								4	—	C	2/28
7871	EEAS.237/7A								5	L72	C	2/29
12040	HELLERMANN HT.0813/8B								1	—	C	2/30
28D/1008149	A25/2B								1	—	C	2/31
10561	EEAS.237/6A								1	L72	C	2/32
12059	HELLERMANN HT.0813/11B								3	—	C	2/33
28D/1008149	A25/2B								2	—	C	2/34
28D/9419452	A25/3B								1	—	C	2/35
28M/1278189	AGS.2001/B/1								2	—	C	2/36
10561	EEAS.237/6A								3	L72	C	2/37
12069	HELLERMANN HT.0813/4C								2	—	C	2/38
12061	HELLERMANN HT.0813/18B								2	—	C	2/39
28D/1010658	A25/1B								1	—	C	2/40
28M/1278189	AGS.2001/B/1								1	—	C	2/41
28S/9995326	A32/B20								1	—	C	2/42
10561	EEAS.237/6A								2	L72	C	2/43
12065	HELLERMANN HT.0813/8C								2	—	C	2/44
28D/9436920	A25/1C								1	—	C	2/45
28D/9133011	A25/2C								1	—	C	2/46
28M/1278190	AGS.2001/C/1								2	—	C	2/47
7871	EEAS.237/7A								2	L72	C	2/48
12062	HELLERMANN HT.0813/20B								1	—	C	2/49
12044	HELLERMANN HT.0813/6C								1	—	C	2/50
9340	EEAS.238/2A								1	L72	C	2/51

GENERAL ASSEMBLY OF AIRCRAFT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	CLIPPING, igniter lead, frames 22-34 . . . . .	—	—	—	2/52
	—	(E.F.2.81.451) (Mk. 2 A/c)				
	—	CLIPPING, igniter lead, frames 22-34 . . . . .	—	—	—	2/53
	—	(E.F.4.81.4305) (Mk. 2A A/c)				
	—	Spares for:—				
23438	EEAS.552/14	BOBBIN, distance, at frame 34 . . . . .	1	L65	C	2/54
	E.F.2.81.6471	CLIP, special . . . . .	1	L72	—	2/55
	—	Attachments:—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head . . . . .	1	—	C	2/56
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA . . . . .	1	—	C	2/57
	E.F.2.81.6473	Washer, "D" . . . . .	1	L72	—	2/58
26FZ/22738	EEAS.143/9H	CLIP . . . . .	9	—	C	2/59
11529	EEAS.143/20H	CLIP . . . . .	20	—	C	2/60
12070	HELLERMANN	CLIP . . . . .	1	—	C	2/61
	HT.0813/16B					
5K/3049	AS.4526/12	CLIP, 3/4" . . . . .	6	—	C	2/62
28E/1059358	AGS.2081/4	CLIP . . . . .	1	—	C	2/63
28E/1059359	AGS.2081/6	CLIP . . . . .	3	—	C	2/64
28E/1059356	AGS.2081/8	CLIP . . . . .	2	—	C	2/65
11970	EEAS.237/6AH	WASHER, "D" . . . . .	10	L72	C	2/66
7871	EEAS.237/A	WASHER, "D" . . . . .	3	L72	C	2/67
	EEAS.238/2AH	WASHER, "D" . . . . .	16	L72	—	2/68
9340	EEAS.238/2A	WASHER, "D" . . . . .	3	L72	C	2/69
24781	EEAS.240/1AH	WASHER, "D" (Mk. 2A A/c) . . . . .	2	L72	C	2/70
	B.A.C.	WRAPPING, spiral (Mk. 2A A/c) . . . . .	QR	—	—	2/71
	SP.2/B/9					
5X/10732	A.M.P.	CONNECTOR, butt (Mod. 4092) . . . . .	1	—	C	2/72
	323796					
	—	CONNECTORS, cable to wing, assembly . . . . .	—	—	—	2/73
	—	(E.F.2.00.143) (Mk. 2 A/c)				
	—	CONNECTORS, cable to wing, assembly . . . . .	—	—	—	2/74
	—	(E.F.4.00.153) (Mk. 2A A/c)				
	—	Consisting of:—				
6A/6306	SMITH	BOX, junction, fuel contents . . . . .	2	—	B	2/75
	JX.109					
	—	Attachments:—				
28D/1214311	A25/17C	Bolt, 2 BA, hex. head . . . . .	4	—	C	2/76
	—	CONNECTIONS, bus-bar and fuse block in spine . . . . .	—	—	—	2/77
	—	(E.F.2.00.145) (Mod. 1987)				
	—	Spares for:—				
18058	E.B.2.81.16263	COVER, insulator body . . . . .	1	—	C	2/78
	—	Attachments:—				
28D/1007285	AS.1242/1B	Bolt, 2 BA, hex. head . . . . .	2	—	C	2/79
7324 or	H.DON &	Washer, crinkle . . . . .	2	—	C	2/80
5310/99/943/	STOKES					
6077	DP.1003					
18059	E.B.2.81.16259	INSULATOR, body, assembly . . . . .	1	—	C	2/81
	—	Attachments:—				
28D/1011030	A25/2E	Bolt, 1/4" BSF, hex. head . . . . .	2	—	C	2/82
28M/7002430	AGS.2002/E/1	Nut, stiff, 1/4" BSF . . . . .	2	—	C	2/83
28W/9418921	SP13/E	Washer, 1/4" BSF, plain . . . . .	2	—	C	2/84

GENERAL ASSEMBLY OF AIRCRAFT

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
5X/9462745 5X/7014	EEAS.146/12							4	-	-	2/85
	EEAS.146/18							4	-	-	2/86
	HC304							4	-	C	2/87
	HC134							4	-	C	2/88
	AS.2806/4/120							4	-	-	2/89
-	-							-	-	-	2/90
	E.F.2.81.421							1	-	-	2/91
10561	EEAS.237/6A							1	L72	C	2/92
28D/9436920	A25/1C							1	-	C	2/93
26FZ/40304	EEAS.239/3A							1	L72	C	2/94
13047	E.F.2.81.3159							1	-	C	2/95
12065	HELLERMANN							2	-	C	2/96
	HT.0813/8C										
28D/9436920	A25/1C							1	-	C	2/97
7871	EEAS.237/7A							2	L72	C	2/98
	E.F.2.81.3163							1	-	-	2/99
28D/1202771	A25/4G							1	-	C	2/100
28D/1212859	AS.1248/4G							1	-	C	2/101
4692	E.B.2.81.927							2	-	C	2/102
28W/1010187	AGS.2035/G							1	-	C	2/103
28W/9416645	SP47/G							1	-	C	2/104
	E.F.2.81.3165							1	-	-	2/105
28D/1202771	A25/5G							1	-	C	2/106
28D/1212859	AS.1248/4G							1	-	C	2/107
4692	E.B.2.81.927							2	-	C	2/108
28W/1010187	AGS.2035/G							1	-	C	2/109
28W/9416645	SP47/G							1	-	C	2/110
	-							-	-	-	3/1
19207	EEAS.299/10/38C							8	BAC.M37	C	3/2
28D/9137409	AS.1246/2C							2	-	C	3/3
33H/180	PR.205							QR	-	C	3/4
7442	E.B.3.00.87							1	-	C	3/5
28M/9435067	AGS.2008/C/1							10	-	C	3/6
	-							-	-	-	3/7
19207	EEAS.299/10/38C							8	BAC.M37	C	3/8
28D/9137409	AS.1246/2C							2	-	C	3/9
33H/180	PR.205							QR	-	C	3/10
7443	E.B.3.00.89							1	-	C	3/11
28M/9435067	AGS.2008/C/1							10	-	C	3/12
7507	E.B.3.00.97							1	-	C	3/13

GENERAL ASSEMBLY OF AIRCRAFT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	FAIRING, assembly to aircraft (E.B2.20.8971) . . . . .	—	—	—	3/14
		Consisting of:—				
28D/1008145	A25/6E	BOLT, 1/4" BSF, hex. head . . . . .	3	—	C	3/15
10763	E.B2.20.8819	BUSH . . . . .	1	L65	C	3/16
10320	E.B2.20.8815	FAIRING, trailing edge fillet, port . . . . .	1	L44	C	3/17
28W/9418921	SP13/E	WASHER, 1/4" BSF, plain . . . . .	3	—	C	3/18
	—	FAIRING, assembly to aircraft (E.B2.20.8972) . . . . .	—	—	—	3/19
		Consisting of:—				
28D/1008145	A25/6E	BOLT, 1/4" BSF, hex. head . . . . .	3	—	C	3/20
10763	E.B2.20.8819	BUSH . . . . .	1	L65	C	3/21
10321	E.B2.20.8816	FAIRING, trailing edge fillet, starboard . . . . .	1	L44	C	3/22
28W/9418921	SP13/E	WASHER, 1/4" BSF, plain . . . . .	3	—	C	3/23
	—	GUARD, debris, L.H., attachment (E.B2.11.18105) . . . . .	—	—	—	3/24
		(Mod. 2053)				
		Spares for:—				
10719	E.B3.11.2129	FAIRLEAD, assembly . . . . .	1	—	C	3/25
		Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head . . . . .	4	—	C	3/26
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA . . . . .	4	—	C	3/27
28W/9419475	SP15/C	Washer, 2 BA, plain . . . . .	4	—	C	3/28
	22020	GUARD, debris (E.B2.11.18063) . . . . .	1	—	C	3/29
	—	GUARD, debris, R.H., attachment (E.B2.11.18106) . . . . .	—	—	—	3/30
		(Mod. 2053)				
		Spares for:—				
10720	E.B3.11.2079	FAIRLEAD, assembly . . . . .	1	—	C	3/31
		Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head . . . . .	4	—	C	3/32
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA . . . . .	4	—	C	3/33
28W/9419475	SP15/C	Washer, 2 BA, plain . . . . .	4	—	C	3/34
	22021	GUARD, debris (E.B2.11.18064) . . . . .	1	—	C	3/35
	—	INSTALLATION, cable cover, port (E.B2.81.9395) . . . . .	—	—	—	1/37
		Spares for:—				
5343	E.B2.81.10751	COVER, cable . . . . .	1	L44	C	1/38
		Attachments:—				
28D/1007982	AS.1248/1C	Bolt, 2 BA, hex. head . . . . .	12	—	C	1/39
	—	INSTALLATION, cable cover, starboard (E.B2.81.9396) . . . . .	—	—	—	1/40
		Spares for:—				
5344	E.B2.81.10752	COVER, cable . . . . .	1	L44	C	1/41
		Attachments:—				
28D/1007982	AS.1248/1C	Bolt, 2 BA, hex. head . . . . .	12	—	C	1/39
	—	SHIELD, cable to junction hose attachment . . . . .	—	—	—	1/42
		(E.B2.81.6303)				
		Spares for:—				
19011	E.F2.81.6301	SHIELD, assembly . . . . .	1	L44	C	1/43
		Attachments:—				
9707	EEAS.250/4	Bolt, special, 4 BA . . . . .	2	S21	C	1/44
	—	SHIELD, cable to junction hose attachment . . . . .	—	—	—	1/45
		(E.B2.81.6304)				
		Spares for:—				
19012	E.F2.81.6302	SHIELD, assembly . . . . .	1	L44	C	1/46
		Attachments:—				
9707	EEAS.250/4	Bolt, special, 4 BA . . . . .	2	S21	C	1/44

This file was downloaded  
from the RTFM Library.  
Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

