

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
79	E.B2.96.1	INSTALLATION, FIRESTREAK PACK (Mk. 2 A/C)	1	—	A	
		Spares for:—				
5UB/6332	†	ALTERNATOR, 1.75 KVA, B.503/4	1	—	A	11/1
5UC/6114	†	BLOCK, condenser, B.700/2	1	—	B	11/2
6565	E.B2.96.105	BOLT, special, release unit pin attachment	4	—	C	11/3
6566	E.B2.96.655	BRACKET, Firestreak misfire indicator mounting	2	—	C	11/4
		Attachments:—				
28D/9131782	AS.1242/2B	Bolt, 4 BA sk. head	8	—	C	11/5
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	8	—	C	11/6
6567	E.B2.96.627	CAM, Firestreak misfire indicator	2	L65	C	11/7
6568	DUNLOP DAS.152/16	CLIP, cooling air and expansion pipe between frames 19 and 20	2	—	C	11/8
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA hex. head	1	—	C	11/9
28D/9133011	A25/2C	Bolt, 2 BA hex. head	1	—	C	11/10
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	11/11
5UC/6113	†	CONTROLLER, B.300/3 (Pre-Mod. 1873)	1	—	A	11/12
5UC/6636	†	CONTROLLER, EB.300/2 (Mod. 1873)	1	—	A	11/13
	E.B2.96.473	EXTENSION, alternator cooling air, 1" o/d x 20 SWG	1	L56	—	11/14
6569	E.B2.96.979	FAIRING, Firestreak pylon base, assembly	2	—	B	11/15
		Spares for:—				
9969	E.B2.96.987	BUNG, rubber, hot air plug	1	S/H 30-50	C	11/16
9970	E.B2.96.989	BUNG, rubber, cold air plug	1	S/H 30-50	C	11/17
28N/	AS.4614/7	INSERT, wire thread, 1/2" BSF	2	—	—	11/18
28N/	AS.4614/5	INSERT, wire thread, 3/8" BSF	3	—	—	11/19
6574	E.B2.96.595	PLUG, cold air	1	S80	C	11/20
6575	E.B2.96.597	PLUG, hot air	1	S80	C	11/21
8488	E.B2.96.817	SCREW, special	1	—	C	11/22
8489	E.B2.96.819	SCREW, special	2	—	C	11/23
7241	E.B2.96.599	SEAL, rubber (Pre-Mod. 1851)	1	—	C	11/24
13633	E.B2.96.1105	SEAL, rubber (Mod. 1851)	1	—	C	11/25
		Attachments:—				
33H/91	PR.1005	Adhesive	QR	DTD4493	C	11/26
R	E.F3.96.1663	HOSE, rubber, 1" i/d x 1-3/8" o/d x 1".8 long, alternator cooling air pipe and extension piece connecting (Mod. 4717)	1	DTD625 Type 1	LM	11/27
R	E.F3.96.1661	HOSE, rubber, 1-1/4" i/d x 1-5/8" o/d x 1".9 long alternator cooling air pipe connecting (Mod. 4717)	1	DTD625 Type 1	LM	11/28
75BB/34	† AGS.2100/B5	INDICATOR, Firestreak magnetic	2	—	A	11/29
		LEAD, bonding, for condenser block and controller	2	—	C	11/30
		Attachments:—				
28D/1007971	A25/-1/2B	Bolt, 4 BA hex. head	3	—	C	11/31
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	—	C	11/32
	AGS.2100/C6	LEAD, bonding, for alternator	1	—	C	11/33
		Attachments:—				
28D/9138768	A25/-1/2C	Bolt, 2 BA hex. head	2	—	C	11/34
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	11/35
6578	E.B2.96.639	PIECE, clamping and mounting, Firestreak misfire indicator	2	LFS23	C	11/36
6579	E.B2.96.101	PIN, plain, release unit	4	BAC.M37	C	11/37

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
6580	E.B2.96.103								4	BAC.M37	C	11/38
7570	E.B2.96.471								1	—	C	11/40
—	—								—	—	—	11/41
R 6581	E.B2.96.533								1	L72	C	11/42
28D/9133011	A25/2C								1	—	C	11/43
28S/1200047	A31/C24								1	—	C	11/44
28M/1278190	AGS.2001/C/1								2	—	C	11/45
6582	E.B2.96.543								2	L72	C	11/46
28E/4062027	AS.3181/24C								1	—	C	11/47
28D/9133011	A25/2C								1	—	C	11/48
28M/1278190	AGS.2001/C/1								1	—	C	11/49
5K/1037288	AS.4525/4								2	—	C	12/1
28D/9133011	A25/2C								2	—	C	12/2
28M/1278190	AGS.2001/C/1								2	—	C	12/3
28W/9419475	SP15/C								2	—	C	12/4
5K/2231766	AS.4525/8								6	—	C	12/5
28D/9133011	A25/2C								4	—	C	12/6
28M/1278190	AGS.2001/C/1								4	—	C	12/7
28F/9429765	AGS.1002/D								2	—	C	12/8
28F/8011897	AGS.1142/F								3	—	C	11/50
9974	E.B2.96.995								1	—	C	11/51
6584	E.B2.96.653								1	—	C	11/52
6585	E.B2.96.949								1	L56	C	11/53
8487	E.B2.96.947								1	L56	C	11/54
28R/7825	AGS.566/F								1	—	C	11/55
28F/4051736	AGS.1008/C								2	—	C	12/9
27V/5351	TEDDINGTON FOW/A/2								1	—	A	11/56
9264	EEAS.239/2A								8	L72	C	12/10
30A/3053	—								QR	DTD189	C	12/11
									—	—	—	13/1
27VA/5911	DUNLOP ACO.26591								1	—	C	13/2
27VA/5842	DUNLOP AC.11850								1	—	A	13/3
27VA/4417	DUNLOP ACM.16738								1	—	A	13/4
27VA/5839	DUNLOP ACM.17840								1	—	A	13/5
6587	E.B2.96.759								2	LFS21	C	13/6
28D/1010030	A25/7C								2	—	C	13/7
28M/1278190	AGS.2001/C/1								2	—	C	13/8
28W/9419404	SP16/C								2	—	C	13/9

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
27VA/5212	DUNLOP ACM.18302								1	—	B	13/10
27VA/5841	DUNLOP ACM.20134								1	—	A	13/11
6A/6115	APPLEBY & IRELAND AI 440 E/W								1	—	A	13/12
6588	E.B1.73.165								1	L65	C	13/13
6589	E.B2.96.937								1	T55	C	13/14
8491	E.B2.94.941								1	T55	C	13/15
6591	E.B2.96.943								1	T55	C	13/16
6594	E.B2.96.769								1	L56	C	13/17
8492	E.B2.96.945								1	L56	C	13/18
8493	E.B2.96.939								1	L56	C	13/19
6595	E.B2.96.835								1	T55	C	13/20
6596	E.B2.96.837								1	T55	C	13/21
6597	E.B2.96.839								1	T55	C	13/22
6598	E.B2.96.841								1	T55	C	13/23
6599	E.B2.96.843								1	T55	C	13/24
6600	E.B2.96.845								1	T55	C	13/25
6601	E.B2.96.847								1	T55	C	13/26
6602	E.B2.96.849								1	T55	C	13/27
8490	E.B2.96.935								1	L56	C	13/28
8494	E.B2.96.921								1	—	C	13/29
	E.B2.96.933								1	L72	—	13/30
	E.B2.96.409								1	Neo-K-Tex	—	13/31
28D/9133011	A25/2C								1	—	C	13/32
28D/9140644	A25/9C								1	—	C	13/33
28M/1278190	AGS.2001/C/1								1	—	C	13/34
2809	EEAS.162								1	—	C	13/35
6605	E.B2.96.919								1	—	C	13/36
	E.B2.96.931								1	L72	—	13/37
	E.B2.96.409								1	Neo-K-Tex	—	13/38
28D/9133011	A25/2C								1	—	C	13/39
28D/9140644	A25/9C								1	—	C	13/40
28M/1278190	AGS.2001/C/1								1	—	C	13/41
2809	EEAS.162								1	—	C	13/42

Restricted

Page CE4

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
9966	E.B2.96.997	STRAP, air bottle mounting	2	-	C	13/43
28D/9140645	A25/10C	Attachments:- Bolt, 2 BA hex. head	4	-	C	13/44
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	-	C	13/45
	AS.2806/4/1.07	Tube, distance	4	-	-	13/46
27VA/5314	DUNLOP ACM.17820	TAP, twin, electromatic	1	-	A	13/47
28D/1010030	A25/7C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	13/48
28S/9997545	A31/C16	Screw, 2 BA, cheesehead	2	-	C	13/49
28W/1006940	AGS.2034/C	Washer, 2 BA, shakeproof	2	-	C	13/50
	E.B2.96.761	TUBE, distance, for pipe support clip between frames 19 and 20	1	LFS21	-	13/51
27VA/4699	DUNLOP ACM.16936	VALVE, relief	1	-	A	13/52
28M/9433473	AGS.2002/C/1	Attachments:- Nut, stiff, 2 BA	4	-	C	13/53
27VA/5491	DUNLOP ACM.17546	VALVE, reducing	1	-	A	13/54
28M/9433473	AGS.2002/C/1	Attachments:- Nut, stiff, 2 BA	4	-	C	13/55
28Y/15486	H.P. COMP'S A.58	VALVE, charging	1	-	C	13/56
28D/9140644	A25/9C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	13/57
9264	EEAS.239/2A	WASHER, "D"	9	L72	C	13/58
6607	E.B2.96.951	PIPE, assembly, hot air	2	L56	C	13/59
6608	E.B2.96.667	PIPE, assembly, cold air	2	L56	C	13/60
	-	PIPES, barometric supply, assembly (E.F3.70.1193) (Mod. 2446) Consisting of:-	-	-	-	13A/1
28F/1046307	AGS.838/1	BODY, union, straight, pipe coupling, forward of frame 20	1	-	C	13A/2
28F/1046309	AGS.838/3	BODY, union, elbow, pipe coupling, aft of frame 20	1	-	C	13A/3
28F/1016048	AS.6727/A	BODY, banjo	1	-	C	13A/4
18242	E.F3.96.971	BOLT, special, banjo	1	DTD412	C	13A/5
	E.B2.70.933	BRACKET, pipe clip support	3	-	-	13A/6
28F/13603	AGS.838/8	BUSH, union nut	3	-	C	13A/7
6K/3042	AS.4526/5	CLIP, for 5/16" o/d pipes	12	-	C	13A/8
28D/9436920	A25/1C	Attachments:- Bolt, 2 BA, hex. head	12	-	C	13A/9
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	12	-	C	13A/10
9264	EEAS.239/2A	Washer, "D"	11	L72	C	13A/11
28E/3323	AGS.606/F EEAS.165/5/18	CLIP, launching sequence unit pipe connection	2	-	C	13A/12
		HOSE, rubber, 5/16" i/d x 5/8" o/d x 1".8 long, pipe connection to launching sequence unit	1	DTD625 Type 2	LM	13A/13
	E.F3.96.973	HOUSING, banjo connection	1	L65	-	13A/14
5K/3397	AS.3360/C/3C	LEAD, bonding, on pipe clip connection	3	-	C	13A/15

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index										
							1	2	3	4	5	6	7			
6571	E.B2.96.901	PLATE, air pipe adaptor, assembly	2	—	C	13/72										
		Spares for:—														
6572	E.B2.96.877	WASHER, sealing, rubber	1	Silicone	C	13/73										
				SH.35-45												
6573	E.B2.96.879	WASHER, sealing, rubber	1	Silicone	C	13/74										
				SH.35-45												
28D/1007975	AS.1242/1C	Attachments:— Bolt, 2 BA, c'sk head	4	—	C	13/75										
7242	DE HAVILLAND M.20216/A	RACK, type G.959, power unit (SR.300), assembly	1	—	B	14/1										
		Spares for:—														
10055	M10078	ADAPTOR, air intake	1	—	C											
		Attachments:—														
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C											
28S/9135205	A33/C28	Screw, 2 BA, c'sk head	2	—	C											
28W/9403514	SP26/C	Washer, 2 BA	2	—	C											
	M19977A	CHASSIS, assembly	1	—	—											
		Spares for:—														
10065	N30624A	CHAIN, handwheel, assembly	1	—	C											
		Attachments:—														
28D/9436920	A25/1C	Bolt, 2 BA hex. head	1	—	C											
28W/9403514	SP26/C	Washer, 2 BA	1	—	C											
	M11901A	CROSS-MEMBER, assembly	1	—	—											
		Spares for:—														
10057	M11898	PIN, locating	2	—	C											
		Attachments:—														
28M/9403520	A27/CP	Nut, 2 BA, plain	1	—	C											
	M9554	HANDWHEEL	2	—	C											
		Attachments:—														
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	8	—	C											
28S/9435717	A33/C16	Screw, 2 BA, c'sk head	8	—	C											
28W/1200071	SP23/C	Washer, 2 BA	8	—	C											
	M19965	GASKET	1	Neoprene	C											
		Attachments:—														
	SHELL CHEMICALS CORNELIUS CHEMICALS	Epikote, 828	QR	DHP216	—											
		Versamid, 115	QR	DHP216	—											
10064	M19993A	GASKET, 18"	1	Neoprene	C											
		Attachments:—														
	SHELL CHEMICALS CORNELIUS CHEMICALS	Epikote, 828	QR	DHP216	—											
		Versamid, 115	QR	DHP216	—											
10067	M20816	MOUNTING, anti-vibration	4	—	C											
		Attachments:—														
28D/9436920	A25/1C	Bolt, 2 BA hex. head	4	—	C											
28M/12421	AGS.2108/C/1	Nut, stiff, 2 BA	4	—	C											

**ARMAMENT
FIRESTREAK PACK INSTALLATION**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7243	DE HAVILLAND M20217/A	RACK , type G957, sequence unit (SR.400), assembly ...	1	—	C	14/2
		Spares for :—				
10061	M12857	ADAPTOR , air intake	1	—	C	
		Attachments :—				
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
28S/9135205	A33/C28	Screw, 2 BA, c'sk head	2	—	C	
28W/1200071	SP23/C	Washer, 2 BA	2	—	C	
	M19962A	CHASSIS , assembly	1	—	—	
		Spares for :—				
10065	M20624A	CHAIN , handwheel, assembly	1	—	C	
		Attachments :—				
28D/12837	A28/1C	Bolt, 2 BA, hex. head	1	—	C	
28W/9403514	SP26/C	Washer, 2 BA	1	—	C	
	M11889A	CROSS-MEMBER , assembly	1	—	—	
		Spares for :—				
10057	M11898	PIN , locating	2	—	C	
		Attachments :—				
28M/9403520	A27/CP	Nut, 2 BA, plain	2	—	C	
	M10088	HANDWHEEL	2	—	C	
		Attachments :—				
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	8	—	C	
28S/9435717	A33/C16	Screw, 2 BA, c'sk head	8	—	C	
28W/1200071	SP23/C	Washer, 2 BA	8	—	C	
10059	M12813	COVER , plate	1	—	C	
10058	M128810A	ELBOW , assembly	1	—	C	
		Attachments :—				
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	
28S/1200040	A31/B20	Screw, 4 BA, cheese head	2	—	C	
28W/9419474	SP15/B	Washer, 4 BA, plain	2	—	C	
10062	M19965	GASKET	1	Neoprene	C	
		Attachments :—				
	SHELL CHEMICALS CORNELIUS CHEMICALS	Epikote, 828	QR	DHP216	—	
		Versamid, 115	QR	DHP216	—	
10063	M19975A	GASKET , 18"	1	—	C	
		Attachments :—				
	SHELL CHEMICALS CORNELIUS CHEMICALS	Epikote, 828	QR	DHP216	—	
		Versamid, 115	QR	DHP216	—	
10067	M20816	MOUNTING , anti-vibration	4	—	C	
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	4	—	C	
28M/12421	AGS.2018/C/1	Nut, stiff, 2 BA	4	—	C	
33B/1108	†	PAINT , black	QR	DTD314A	C	
10060	M12814	SEAL	1	—	C	
	†	VARNISH	QR	DTD369	—	

**ARMAMENT
FIRESTREAK PACK INSTALLATION**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7244	DE HAVILLAND M20219/A	RACK , Firestreak slaving unit (SR.600), assembly ...	1	—	C	15/1
10055	M10078	Spares for :— ADAPTOR , air intake	1	—	C	
28M/1278190	AGS.2001/C/1	Attachments :— Nut, stiff, 2 BA	2	—	C	
28S/9135205	A33/C28	Screw, 2 BA, c'sk head	2	—	C	
28W/9403514	SP26/C	Washer, 2 BA	2	—	C	
	M19977A	CHASSIS , assembly	1	—	—	
10065	M2062A	Spares for :— CHAIN , handwheel, assembly	1	—	C	
28D/9436920	A25/1C	Attachments :— Bolt, 2 BA, hex. head	1	—	C	
28W/9403514	SP26/C	Washer, 2 BA	1	—	C	
	M11901A	CROSS-MEMBER , assembly	1	—	—	
10057	M11898	Spares for :— PIN , locating	2	—	C	
28M/9403520	A27/CP	Attachments :— Nut, 2 BA, plain	2	—	C	
10068	M9554	HANDWHEEL	2	—	C	
28M/1278190	AGS.2001/C/1	Attachments :— Nut, stiff, 2 BA	8	—	C	
28S/9435717	A33/C16	Screw, 2 BA, c'sk head	8	—	C	
28W/1200071	SP23/C	Washer, 2 BA	8	—	C	
10062	M19965	GASKET	1	Neoprene	C	
	SHELL CHEMICALS CORNELIUS CHEMICALS	Attachments :— Epikote, 828	QR	DHP216	—	
		Versamid, 115	QR	DHP216	—	
10064	M19993A	GASKET , 18"	1	Neoprene	C	
	SHELL CHEMICALS CORNELIUS CHEMICALS	Attachments :— Epikote, 828	QR	DHP216	—	
		Versamid, 115	QR	DHP216	—	
10067	M20816	MOUNTING , anti-vibration	4	—	C	
28D/9436920	A25/1C	Attachments :— Bolt, 2 BA, hex. head	4	—	C	
28M/12421	AGS.2018/C/1	Nut, stiff, 2 BA	4	—	C	
33B/1108	†	PAINT , black	QR	DTD314A	C	
	†	VARNISH	QR	DTD369	—	
6618	UNBRAKO ACX/13J	SCREW , socket, 1/8" BSF	12	—	C	15/2
6619	E.B2.96.497	SLEEVE , ejector gun, assembly	1	Natural Rubber	C	15/3
6620	E.B2.96.635	SLEEVE , Firestreak misfire indicator cam spindle bearing	2	L62	C	15/4
6621	E.B2.96.631	SPINDLE , Firestreak misfire indicator cam operating	1	S82	C	15/5

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6622	E.B2.96.91	STRAP, controller mounting	2	—	C	15/6
28D/9140675	A25/10C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	15/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	15/8
	AS.2806/4/1.07	Tube, distance	4	—	LM	15/9
6623	E.B2.96.93	STRAP, alternator mounting	1	—	C	15/10
28D/9140675	A25/10C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	15/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	15/8
	AS.2806/4/1.07	Tube, distance	2	—	LM	15/9
6624	E.B2.96.95	STRAP, alternator mounting	1	—	C	15/11
28D/9140675	A25/10C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	15/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	15/8
	AS.2806/4/1.07	Tube, distance	2	—	LM	15/9
6625	E.B2.96.97	STRAP, condenser block mounting	2	—	C	15/12
28D/9140465	A25/10C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	15/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	15/8
	AS.2806/4/1.07	Tube, distance	4	—	LM	15/9
	E.B2.96.3	STRUCTURE, assembly	1	—	—	16/1
		Spares for:—				
	E.B2.96.79	BLOCK, pylon bearing (Pre-Mod. 439)	2	S98	—	16/2
6652	E.B2.96.1005	BLOCK, pylon bearing (Mod. 439)	2	S98	C	16/3
31242	E.B2.96.377	BLOCK, support, trailing edge	2	LFS21	C	16/4
9572	E.B2.96.1001	BOLT, special, pack attachment	2	S97	C	16/5
13029	E.B2.96.1065	BOLT, shouldered, armament safety break tube (Mod. 1927)	1	S94	C	16/6
		Attachments:—				
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	1	—	C	16/7
13030	E.B2.96.1067	Washer, saddle (Mod. 1927)	2	L65	C	16/8
7R/674	E.B2.98.1829	BOLT, special, pack attachment	4	S97	C	16/9
6627	E.B2.96.625	BRACKET, L.H., Firestreak misfire indicator support	1	L65	C	16/10
		Attachments:—				
28D/1007285	AS.1242/1B	Bolt, 4 BA, c'sk head	3	—	C	16/11
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	—	C	16/12
6628	E.B2.96.626	BRACKET, R.H., Firestreak misfire indicator support	1	L65	C	16/13
		Attachments:—				
28D/1007285	AS.1242/1B	Bolt, 4 BA, c'sk head	3	—	C	16/14
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	—	C	16/15
13032	E.B2.81.16035	CABLE, assembly, BJ24, from special socket to armament safety break in firestreak pack to special plug at armament safety break in airframe, group (Mod. 1927)	1	—	B	16/16
		Consisting of:—				
5E/3896	†	CABLE, unifersil 16	QR	—	C	16/17
5E/3894	†	CABLE, unifersil 20	QR	—	C	16/18
13035	SUPERFLEXIT	CONDUIT, P.T.F.E.	QR	—	B	16/19
	SC001/14/64					
5X/10112	SUPERFLEXIT	END, assembly	1	—	C	16/20
	SCF713/14					
5X/	SUPERFLEXIT	FERRULE	1	—	—	16/21
	V.257					

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
							1
5X/10268	2Z84912/C	GASKET, moulding	1	-	-	16/22	
	SUPERFLEXIT V833	NIPPLE	1	-	C	16/23	
5X/10269	SUPERFLEXIT V.855	NUT	1	-	C	16/24	
13036	E.B2.81.16033	OUTLET, angle	1	-	C	16/25	
13034	E.B2.81.11631	PLUG, special, H.T., single, 12-way	1	-	C	16/26	
5X/10271	SUPERFLEXIT V626/SR	RING, "O"	1	-	C	16/27	
5X/10270	SUPERFLEXIT V.568/SR	RING, "O"	1	-	C	16/28	
5X/3148	Z49428	SLEEVE, cable	12	-	C	16/29	
	EEAS.146/00	SLEEVE, 1" long	2	-	-	16/30	
	EEAS.146/00	SLEEVE, 1-1/2" long	2	-	-	16/31	
	EEAS.146/16	SLEEVE, 3/4" long	4	-	-	16/32	
	EEAS.146/20	SLEEVE, 3/4" long	12	-	-	16/33	
	13033	E.B2.81.16123	SOCKET, special, 12-way	1	-	B	16/34
	12134 *	SUPERFLEXIT V.3005	WASHER, P.T.F.E.	1	-	C	16/35
5X/10827	E.B2.96.645	CHANNEL, Firestreak indicator reflector	2	L72	-	16/36	
		Attachments:-					
28D/9140639	A25/11B	Bolt, 4 BA, hex. head	2	-	C	16/37	
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA	4	-	C	16/38	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	16/39	
28S/1200056	A33/A10	Screw, 6 BA, c'sk head	4	-	C	16/40	
	AS.2810/4/095	Tube, distance	2	-	LM	16/41	
28W/9419474	SP15/B	Washer, 4 BA, plain	2	-	C	16/42	
6629	E.B2.96.895	DOOR, firing link stowage access, assembly	-	-	B	16/43	
		Spares for:-					
2715	KING A/C C.8493	FASTENER	2	-	C	16/44	
	E.B2.96.697	HINGE, assembly	1	L72	-	16/45	
		Spares for:-					
	E.B2.96.701	PLATE, flange	1	L72	-	16/46	
	SORBO LTD.	RUBBER, sponge, 1" x 1" x 1"	2	-	LM	16/47	
		(Make from 32C/561)					
6630	E.B2.96.83	EDGE, detachable trailing, port, assembly	1	-	C	16/48	
		Spares for:-					
6632	E.B2.96.121	SCREW, special locking	1	S95	C	16/49	
6633	E.B2.96.99	SLEEVE, trailing edge locking screw	1	S95	C	16/50	
34337	E.B2.96.115	SPIGOT, locating	2	L73	C	16/51	
6631	E.B2.96.84	EDGE, detachable trailing, starboard, assembly	1	-	C	16/52	
		Spares for:-					
6632	E.B2.96.121	SCREW, special locking	1	S95	C	16/49	
6633	E.B2.96.99	SLEEVE, trailing edge locking screw	1	S95	C	16/50	
34337	E.B2.96.115	SPIGOT, locating	2	L73	C	16/51	
	E.B2.81.16393	FAIRLEAD	1	-	-	16/53	
		Attachments:-					
28D/1214981	A28/9C	Bolt, 2 BA, hex. head	2	-	C	16/54	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	16/55	
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	16/56	
6634 *	KING A/C D.4727	FASTENER, junior toggle, fairing link stowage door ..	2	-	C	16/57	
1484502	KING A/C 13.98.013	FASTENER, junior toggle, fairing link stowage door ..	2	-	C	16/57A	
3358 *	KING A/C C.7809	FASTENER, custodian, access panel	44	-	C	16/58	
1484492	KING A/C 10.98.011	FASTENER, custodian, access panel	44	-	C	16/58A	

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.96.107								2	L65	-	16/59
	E.B2.11.2987								1	L65	-	16/60
7879	EEAS.299/10/40C								6	S97	C	16/61
28M/9436836	AGS.2001/C/2								6	-	C	16/62
28W/9419402	SP13/C								6	-	C	16/63
7R/691	E.B2.98.1827								4	-	B	16/64
	E.B2.98.659								2	L65	-	16/65
	E.B2.98.1831								1	S97	-	16/66
2720	E.B1.11.571								2	S95	C	16/67
2721	E.B1.11.573								2	DTD215	C	16/68
4350	EEAS.196/C3								16	S95	C	16/69
28M/9403520	A27/CP								16	-	C	16/70
31192	E.B2.96.119								2	S94	C	16/71
31195	E.B2.96.135								2	-	C	16/72
18227	E.B2.96.641								2	L72	C	16/73
13120	E.B2.96.791								1	L44	C	16/74
13121	E.B2.96.793								1	L44	C	16/75
1440844	E.B2.96.77								2	S98	C	16/76
6649	E.B2.96.1003								2	S98	C	16/77
6636	E.B2.96.271								1	-	C	16/78
2194*	KING A/C								12	-	C	16/79
	C.5892											
37080*	KING A/C								12	-	C	16/80
	C.17792											
1484489	KING A/C								12	-	C	16/80A
	10.98.046											
37085*	D.17368								1	-	C	16/81
1484484	10.98.064								1	-	C	16/81A
21752	D.4957								1	-	C	16/82
2195*	KING A/C								12	-	C	16/83
	C.5892X											
37081*	KING A/C								12	-	C	16/84
	C.17792X											
1484490	KING A/C								12	-	C	16/84A
	10.98.047											
37086	D.17368X								1	-	C	16/85
21752	D.4957								1	-	C	16/86
34348	EEAS.315/10								2	Nylon	C	16/87
32C/683	WILKINSON								QR	Novatex	C	16/88
	F.40											
13019	E.B2.96.1095								1	-	B	16/89
2194*	KING A/C								12	-	C	16/79
	C.5892											
37080*	KING A/C								12	-	C	16/80
	C.17792											
1484489	KING A/C								12	-	C	16/80A
	10.98.046											
37085*	D.17368								1	-	C	16/81
1484484	10.98.064								1	-	C	16/81A
21752	D.4957								1	-	C	16/82

A.P.101B-1002/2A-3A		ARMAMENT						Page CE13			
FIRESTREAK PACK INSTALLATION											
Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
13031	E.B2.96.1069	PLATE, location, special socket in armament						1	BS2572	C	18/17
		safety break									
		Attachments:—									
28S/1213429	A32/A28	Screw, 6 BA, round head						3	—	C	18/18
28S/1011492	A32/C28	Screw, 2 BA, round head						1	—	C	18/19
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA						1	—	C	18/20
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA						1	—	C	18/21
6641	E.B2.96.127	PLUG, crutching, access hole						2	Steel	C	18/22
	E.B2.96.647	REFLECTOR, Firestreak misfire indicator						4	L73	—	18/23
		(attached to channel)									
	E.B2.96.13	RIB, inboard, port, pylon, assembly						1	—	—	18/24
		Spares for:—									
6642	E.B2.96.605	BUFFER, natural rubber						1	S/H 80	C	18/25
13415	E.B2.96.33	CAP, buffer spring retaining						2	S94	C	18/26
	E.B2.96.31	HOUSING, bolt						1	S97	—	18/27
2720	E.B1.11.571	PLUNGER, bolt locating						1	S95	C	18/28
2721	E.B1.11.573	SPRING, plunger loading						1	Spring Steel	C	18/29
		Attachments:—									
28D/1212316	A60/3E	Bolt, 1/4" BSF, hex. head						2	—	C	18/30
28D/1212317	A60/4E	Bolt, 1/4" BSF, hex. head						2	—	C	18/31
28M/1007403	A27/ET	Nut, 1/4" BSF, thin						4	—	C	18/32
28W/9419487	SP16/E	Washer, 1/4" BSF, plain						4	—	C	18/33
	E.B2.96.14	RIB, inboard, starboard, pylon, assembly						1	—	—	18/34
		Spares for:—									
6643	E.B2.96.606	BUFFER, natural rubber						1	S/H 80	C	18/35
13706	E.B2.96.1107	BUFFER, hycar						1	S/H 80	C	18/36
13415	E.B2.96.33	CAP, buffer spring retaining						2	S94	C	18/26
	E.B2.96.31	HOUSING, bolt						1	S97	—	18/27
2720	E.B1.11.571	PLUNGER, bolt locating						1	S95	C	18/28
2721	E.B1.11.573	SPRING, plunger loading						1	Spring Steel	C	18/29
		Attachments:—									
28D/1212316	A60/3E	Bolt, 1/4" BSF, hex. head						2	—	C	18/30
28D/1212317	A60/4E	Bolt, 1/4" BSF, hex. head						2	—	C	18/31
28M/1007403	A27/ET	Nut, 1/4" BSF, thin						4	—	C	18/32
28W/9419487	SP16/E	Washer, 1/4" BSF, plain						4	—	C	18/33
36343	E.B2.96.369	RIB, pylon, inboard, trailing edge						1	L73	C	18/37
36344	E.B2.96.370	RIB, pylon, inboard, trailing edge						1	L72	C	18/38
6650	E.B2.96.87	SCREW, pylon adjusting (Pre-Mod. 439)						4	S82	C	18/39
12218	E.B2.96.1007	SCREW, pylon adjusting (Mod. 439)						4	S82	C	18/40
6651	E.B2.96.89	SCREW, pylon adjusting screw locking						4	S82	C	18/41
4550	E.B2.11.10055	SEAL, gauge housing, starboard only						1	Neoprene	C	18/42
20853	E.F3.96.1059	SEAL, plugged, 27" long						1	DTD5509	C	18/43
20854	E.F3.96.1060	SEAL, plugged, 27" long						1	DTD5509	C	18/44
6644	E.B2.96.889	SHROUD, firing link stowage						2	L44	C	18/45
		Attachments:—									
28D/9131782	AS.1242/2B	Bolt, 4 BA, c'sk. head						4	—	C	18/46
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA						4	—	C	18/47
5X/7381	E.B2.81.11625	SOCKET, assembly						2	—	B	19/1
		Attachments:—									
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA						4	—	C	19/2
28S/1200045	A31/A10	Screw, 6 BA, cheesehead						4	—	C	19/3
6645	E.B2.96.629	SPRING, Firestreak misfire indicator						2	S513	C	19/4
		Attachments:—									
28D/15161	A25/1-1/2B	Bolt, 4 BA, hex. head						2	—	C	19/5
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA						2	—	C	19/6
31189	E.B2.96.61	STRAP, pylon reinforcing						2	L65	C	19/7
31190	E.B2.96.62	STRAP, pylon reinforcing						2	L65	C	19/8
	E.B2.81.16395	STRAP, assembly						2	—	—	19/9
	E.B2.81.16399	STRAP, assembly						2	—	—	19/10

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6646	E.B2.96.385	STRIP, seal retaining	1	L73	C	19/11
6647	E.B2.96.387	STRIP, seal retaining	1	L73	C	19/12
	†	STRIP, air bottle mounting, 19" x ".8 x 1/16"	1	Neo-K-Tex	LM	19/13
	†	STRIP, air bottle mounting, 19" x ".8 x 1/8"	1	Neo-K-Tex	LM	19/14
13022	E.B2.96.1061	TUBE, inner, armament safety break, assembly (Mod. 1927) (Pre-Mod. 2370) Spares for:—	1	—	C	19/15
13023	E.B2.96.1071	CAP, end, assembly Spares for:—	1	—	C	19/16
13024	E.B2.96.1087	CATCH, finger	1	S514	C	19/17
13026	E.B2.96.1101	PIN, shear Attachments:—	1	S94	C	19/18
28P/1202460	SP9/C4	Pin, split	1	—	C	19/19
26FZ/17743	EEAS.28/2CR	Washer Attachments:—	1	L72	C	19/20
28D/9131782	AS.1242/2B	Bolt, 4 BA, c'sk head	1	—	C	19/21
9820	E.B2.81.11633	CAP, domed	1	L44	C	19/22
	2284914/C	GASKET, ferrule	1	—	—	19/23
5X/6424	Z.61538	NUT, coupling	4	—	C	19/24
13028	E.B2.96.1075	PLATE, location	1	L65	C	19/25
13027	E.B2.81.16127	PLUG, special, single, 12-way	1	—	C	19/26
5X/285	Z1688	SHROUD, plug	1	—	C	19/27
35999	E.B2.96.1145	TUBE, inner, armament safety break, assembly (Mod. 2370) Spares for:—	1	—	C	19/28
34200	E.B2.96.1133	CAP, end, assembly Spares for:—	1	—	C	19/29
34201	E.B2.96.1137	HANDLE	1	L65	C	19/30
28P/20113	SP113/G14	PIN, shear Attachments:—	1	—	C	19/31
28P/1007739	SP9/E5	Pin, split	1	—	C	19/32
34203	E.B2.96.1143	Washer	1	L72	C	19/33
34202	E.B2.96.1139	SPRING, torsion Attachments:—	1	DTD215	C	19/34
28D/9131782	AS.1242/2B	Bolt, 4 BA, c'sk. head	4	—	C	19/35
9820	E.B2.81.11633	CAP, domed	1	L44	C	19/36
5X/7225	2284914/C	GASKET, ferrule	1	—	C	19/37
5X/7526	2284912/C	GASKET, plug, moulding	1	—	C	19/38
5X/6424	Z61538	NUT, coupling	1	—	C	19/39
13028	E.B2.96.1075	PLATE, location	1	L65	C	19/40
13027	E.B2.81.16127	PLUG, special, single, 12-way	1	—	C	19/41
5X/285	Z1688	SHROUD, plug	1	—	C	19/42
13020	E.B2.96.1063	TUBE, outer, armament safety break, assembly (Mod. 1927) Spares for:—	1	—	C	19/43
13021	E.B2.96.1013	RING, sealing Attachments:—	1	L72	C	19/44
28D/1007975	AS.1242/1C	Bolt, 2 BA, c'sk. head	8	—	C	19/45
20674	E.B2.96.633	WINDOW, Firestreak misfire indicator	4	Perspex	C	19/46
75BB/21	†	UNIT, sequence launching	1	—	A	19/47
75BB/28	†	UNIT, power	1	—	A	19/48
75BB/32	†	UNIT, Firestreak slaving	1	—	A	19/49
11A/4800	M.L. AVIATION or	UNIT, ejector release, No. 4 Mk. 1	2	—	A	19/50
11A/5739	HX.1610-1A	UNIT, ejector release, No. 4 Mk. 1	2	—	A	19/51
6648	E.B2.96.479	WASHER, anti-vibration mounting	12	L72	C	19/52
10AC/140	SIS 5669	WASHER, check, for anti-vibration mounting	12	—	C	19/53

FIRESTREAK PACK INSTALLATION

R

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6102911	E.F3.96.1651	FIRESTREAK PACK INSTALLATION (Mod. 4717)	1	—	A	
		Spares for:—				
5UB/6332	†	ALTERNATOR, 1.75 KVA, B.504/3	1	—	A	11/1
5UC/6114	†	BLOCK, condenser, B.700/2	1	—	B	11/2
6565	E.B2.96.105	BOLT, special, release unit pin attachment	4	—	C	11/3
6566	E.B2.96.655	BRACKET, firestreak misfire indicator mounting	2	—	C	11/4
		Attachments:—				
28D/9131782	AS.1242/2B	Bolt, 4 BA esk. head	8	—	C	11/5
28M/1278189	AGS.2001/B/1	Nut, stiff, 2 BA	8	—	C	11/6
6567	E.B2.96.627	CAM, firestreak misfire indicator	2	L65	C	11/7
6568	DUNLOP DAS.152/16	CLIP, cooling air and expansion pipe between frames 19 and 20	2	—	C	11/8
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA hex. head	1	—	C	11/9
28D/9133011	A25/2C	Bolt, 2 BA hex. head	1	—	C	11/10
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	11/11
28E/9128961	AGS.605/1	CLIP, hose, type J, rubber hose to coupling pipe	2	—	C	11/57
		extension				
28E/9129092	AGS.605/2	CLIP, hose, type J, rubber hose to alternator inlet and . . .	2	—	C	11/58
		cooling pipe				
	—	COOLING, ground, firestreak pack, installation	—	—	—	12/12
		(E.F3.75.2333) (Mod. 2320)				
		Spares for:—				
22851	E.B2.75.6373	ADAPTOR, air intake power pack	1	L59	C	12/13
28E/9429463	AGS.605/0	CLIP, jubilee, 1-1/2"	5	—	C	12/14
28E/1007984	AGS.605/1A	CLIP, jubilee, 1"	1	—	C	12/15
28E/1011790	AGS.605/1X	CLIP, jubilee, 1-1/4"	2	—	C	12/16
1484597	BELLS BAS.160 1/4/12	HOSE, rubber	2	—	C	12/17
	/11					
1484598	BELLS BAS.160/ 1/4/14	HOSE, rubber	1	—	C	12/18
	/9					
148596	BELLS BAS.160/ 1/4/24	HOSE, rubber	1	—	C	12/19
	/10					
5K/	AGS.2100/C3	LEAD, bonding	1	—	—	12/20
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA hex. head	1	—	C	12/21
5K/3049	AS.4526/12	Clip, bonding	1	—	C	12/22
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	12/23
28W/9128924	SP14/C	Washer, 2 BA plain	1	—	C	12/24
5K/	AGS.2100/C5	LEAD, bonding	1	—	—	12/25
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA hex. head	2	—	C	12/26
5K/3049	AS.4526/24	Clip, bonding	1	—	C	12/27
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	12/28
28W/9128924	SP14/C	Washer, 2 BA plain	1	—	C	12/29
22852	E.F3.75.3413 E.F3.75.2335	PACKING, ground cooling valve	1	LA3	—	12/30
		PIPE, assembly, from sequence unit to ground	1	—	C	12/31
		cooling valve				
36634	E.F3.75.3519	PIPE, assembly, from ground cooling valve branch	1	—	C	12/32
		connection to power pack connection (Mod. 4266)				

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
22847	E.F3.75.2173	VALVE, ground cooling, assembly (Mod. 2311)							1	—	A	12/33
		Spares for:—										
	E.F3.75.2175	CASING, outer, assembly							1	—	—	12/34
	E.F3.75.2189	HOUSING, valve							1	31/158	—	12/35
		Attachments:—										
34374	EEAS.299/10/37C	Bolt, 2 BA csk. head							3	BAC.M37	C	12/36
	E.F3.75.2191	PISTON, sealing							1	30/158	—	12/37
	E.F3.75.2193	SPRING							1	DTD215	—	12/38
		Attachments:—										
26FZ/1026	EEAS.1/1-1/2C	Screw, 2 BA 120° csk. head							6	S96	C	12/39
5UC/6113	†	CONTROLLER, B.300/3 (Pre-Mod. 1873)							1	—	A	11/12
5UC/6636	†	CONTROLLER, EB.300/3 (Mod. 1873)							1	—	A	11/13
	—	EXCHANGER, heat, hydraulic cooling, installation,							1	—	—	12/40
		dummy (E.F3.96.1657) (Mod. 4717)										
		Consisting of:—										
24703	E.F3.96.1045	CLIP, saddle, heat exchanger securing							2	L73	C	12/41
		Attachments:—										
28D/9133011	A25/2C	Bolt, 2 BA hex. head							4	—	C	12/42
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA							4	—	C	12/43
9842	EEAS.240/2A	Washer, "D"							4	L72	C	12/44
28W/9419475	SP15/C	Washer, 2 BA plain							4	—	C	12/45
28E/9129562	AGS.605/3	CLIP, hose							4	—	C	12/46
6102909	MARSTON	EXCHANGER, heat, dummy (Mod. 4717)							1	—	A	12/47
24717	E.F3.96.1649	PIPE, from heat exchanger to atmosphere, starboard,							1	—	C	12/48
	E.F3.96.1151	assembly										
		Spares for:—										
10076	KING A/C	FASTENER, custodian, lower							6	—	C	12/49
	C.7810	PIPE, assembly							1	—	—	12/50
	E.F3.96.1081	Spares for:—										
24718	E.F3.96.1401	GUARD, debris							1	—	C	12/51
34394	E.F3.96.1511	SEAL							1	Linatex	C	12/52
24719	E.F3.96.1153	PIPE, from heat exchanger to atmosphere, port,							1	—	C	12/53
		assembly										
		Spares for:—										
10076	KING A/C	FASTENER, custodian, lower							6	—	C	12/54
	C.7810	SEAL							1	Linatex	C	12/55
24707	E.F3.96.1165	SLEEVE, connecting							2	—	C	12/56
34077	BELLS	TAPE, bedding							QR	—	C	12/57
32B/1260	BELLS	EXTENSION, alternator cooling air, 1" o/d x 20 SWG							1	L56	—	11/14
	BAS.23/2/J26/2	FAIRING, firestreak pylon base, assembly							2	—	B	11/15
	E.B2.96.473	Spares for:—										
6569	E.B2.96.979	BUNG, rubber, hot air plug							1	S/H 30-35	C	11/16
9969	E.B2.96.987	BUNG, rubber, cold air plug							1	S/H 30-35	C	11/17
9970	E.B2.96.989	INSERT, wire thread, 3/8" BSF							3	—	C	11/18
28N/	AS.4614/5	INSERT, wire thread, 1/2" BSF							2	—	C	11/19
28N/	AS.4614/7	PLUG, cold air							1	BAC.M37	C	11/20
6574	E.B2.96.595	PLUG, hot air							1	BAC.M37	C	11/21
6575	E.B2.96.597	SCREW, special, 3/8" BSF							1	—	C	11/22
8488	E.B2.96.817	SCREW, special, 3/8" BSF							1	—	C	11/23
8489	E.B2.96.819											

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7241	E.B2.96.599	SEAL, rubber (Pre-Mod. 1851)	1	-	C	11/24
13633	E.B2.96.1105	SEAL, rubber (Mod. 1851)	1	-	C	11/25
33H/91	PR.1005	Attachments:- Adhesive	QR	DTD4493	C	11/26
	EEAS.164/16/18	HOSE, rubber, 1" i/d x 1-5/8" o/d x 1".8 long, alternator cooling air pipe and extension piece connecting	1	DTD625 Type 1	LM	11/27
	EEAS.164/20/19	HOSE, rubber, 1-3/4" i/d x 1-5/8" o/d x 1".9 long, alternator cooling air pipe connecting	1	DTD625 Type 1	LM	11/28
75BB/34	†	INDICATOR, magnetic	2	-	A	11/29
5K/	AGS.2100/C6	LEAD, bonding, alternator	1	-	C	11/33
28D/9138768	A25/-1/2C	Bolt, 2 BA, hex. head	2	-	C	11/34
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	11/35
5K/	AGS.2100/B5	LEAD, bonding, condenser and controller	2	-	C	11/30
28D/1007971	A25/-1/2B	Attachments:- Bolt, 4 BA, hex. head	3	-	C	11/31
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	-	C	11/32
28M/1006473	A27/CT	NUT, 2 BA, thin, release unit special bolt attachment	4	-	C	11/59
28M/10292	AGS.2001/J/1	NUT, stiff, 3/8" BSF, anti-vibration socket screw attachment	12	-	C	11/60
28F/8011885	AGS.1142/B	NIPPLE, adaptor, 3/4" o/d pipes to fairing base and connection	2	-	C	11/61
28F/8011886	AGS.1142/D	NIPPLE, adaptor, 1/2" o/d pipes to fairing base and connection	2	-	C	11/62
6578	E.B2.96.639	PIECE, clamping and mounting, firestreak misfire indicator	2	LFS23	C	11/36
6579	E.B2.96.101	PIN, plain, release unit	4	BAC.M37	C	11/37
6580	E.B2.96.103	PIN, tapped, release unit	4	BAC.M37	C	11/38
28P/1007739	SP9/E5	PIN, split, 3/32" dia. x 5/8" long, sleeve attachment	2	-	C	11/39
6570	E.B2.96.471	PIPE, assembly, alternator cooling air	1	-	C	11/40
	-	PIPES, hot air system (E.B2.96.525) Consisting of:-	-	-	-	11/41
6581	E.B2.96.533	CLAMP, temperature control valve	1	L72	C	11/42
28D/9133011	A25/2C	Attachments:- Bolt, 2 BA, hex. head	1	-	C	11/43
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	11/45
28D/1200047	A31/C24	Screw, 2 BA, cheese head	1	-	C	11/44
6582	E.B2.95.543	Washer, pad	2	L72	C	11/46
28E/14239	AS.3181/24C	CLIP, "P", 1-1/2" dia., for control valve at diaphragm No. 4	1	-	C	11/47
28D/9133011	A25/2C	Attachments:- Bolt, 2 BA, hex. head	1	-	C	11/48
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	11/49
5K/1037288	AS.4525/4	CLIP, for 1/4" dia. pipes at frame 20	2	-	C	12/1
28D/9133011	A25/2C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	12/2
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	12/3
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	12/4
5K/2231766	AS.4525/8	CLIP, for 1/2" pipes at frame 20	6	-	C	12/5
28D/9133011	A25/2C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	12/6
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	-	C	12/7

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
28F/9439765	AGS.1102/D								2	—	C	12/8
28F/8011897	AGS.1142/F								3	—	C	11/50
6584	E.B2.96.653								1	—	C	11/52
1484119	E.B2.96.1149								1	L54	C	11/63
8487	E.B2.96.947								1	L56	C	11/54
6585	E.B2.96.949								1	L56	C	11/53
9974	E.B2.96.995								1	—	C	11/51
28R/7825	AGS.566/F								1	—	C	11/55
28F/4051736	AGS.1108/C								2	—	C	12/9
27VA/5351	TEDDINGTON FOW/A/2								1	—	A	11/56
9264	EEAS.239/2A								8	L72	C	12/10
30A/3053	†								QR	DTD189	C	12/11
	—								—	—	—	13/76
28Y/11951	AGS.1211								1	—	C	13/77
27VA/5842	DUNLOP AC.11850								1	—	A	13/3
5K/1037288	AS.4525/4								9	—	C	13/78
27VA/4417	DUNLOP ACM.16738								1	—	A	13/4
28D/1214091	AS.1242/2C								2	—	C	13/79
28F/8011883	AGS.1102/B								—	—	C	13/80
28F/9463543	AGS.1120/1								1	—	C	
27VA/5839	DUNLOP ACM.17840								1	—	A	13/5
6587	E.B2.96.759								2	LFS21	C	13/6
28D/1010030	A25/7C								2	—	C	13/7
28M/1278190	AGS.2001/C/1								2	—	C	13/8
28W/9419404	SP16/C								2	—	C	13/9
33897	E.F3.96.1443								1	—	C	13A/26
28D/10472	AS.1248/12C								2	—	C	13A/27
28M/1278190	AGS.2001/C/1								2	—	C	13A/28
28W/9419402	SP13/C								2	—	C	13A/29
33898	E.F3.73.6235								2	—	C	13A/30
28D/9140644	A25/9C								1	—	C	13A/31
28M/1278190	AGS.2001/C/1								1	—	C	13A/32
27VA/6671	DUNLOP ACM.24930								1	—	B	13/62
6A/6115	APPLEBY & IRELAND AI-440E/W								1	—	A	13/12

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
8494	E.B2.96.921	STRAP, L.H., dehydrator bottle, assembly							1	—	C	13/29
		(Pre-Mod. 4587)										
		Spares for:—										
	E.B2.96.933	STRAP, bottle mounting (Pre-Mod. 4587)							1	L72	—	13/30
	E.B2.96.409	STRIP, rubber, 1/16" thick (Pre-Mod. 4587)							1	Neo-K-Tex	—	13/31
		Attachments:—										
28D/9133011	A25/2C	Bolt, 2 BA, hex. head							1	—	C	13/32
28D/9140644	A25/9C	Bolt, 2 BA, hex. head							1	—	C	13/33
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	—	C	13/34
2809	EEAS.162	Washer, pad (Pre-Mod. 4587)							1	—	C	13/35
9966	E.B2.96.997	STRAP, air bottle mounting							2	—	C	13/43
		Attachments:—										
28D/9140645	A25/10C	Bolt, 2 BA, hex. head							4	—	C	13/44
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	—	C	13/45
	AS.2806/4/1.07	Tube, distance							4	—	—	13/46
27VA/5314	DUNLOP ACM.17820	TAP, twin, electromatic							1	—	A	13/47
		Attachments:—										
28D/1010030	A25/7C	Bolt, 2 BA, hex. head							2	—	C	13/48
28S/9997545	A31/C16	Screw, 2 BA, cheese head							2	—	C	13/49
28W/1006940	AGS.2034/C	Washer, 2 BA, shakeproof							2	—	C	13/50
27VA/4699	DUNLOP ACM.16936	VALVE, relief							1	—	A	13/52
		Attachments:—										
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA							4	—	C	13/53
27VA/5491	DUNLOP ACM.17546	VALVE, reducing							1	—	A	13/54
		Attachments:—										
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA							4	—	C	13/55
28Y/15486	H.P. COMP'S A.58	VALVE, charging							1	—	C	13/56
		Attachments:—										
28D/9140644	A25/9C	Bolt, 2 BA, hex. head							2	—	C	13/57
28F/9428450	AGS.1186/4	SEAL, bonded, charging connection							1	—	C	13/99
30A/3053	†	WIRE, locking, 22 SWG							QR	DTD189	C	13/100
6608	E.B2.96.667	PIPE, assembly, cold air							2	L56	C	13/60
6607	E.B2.96.951	PIPE, assembly, hot air							2	L56	C	13/59
	—	PIPES, barometric supply, assembly (E.F3.70.1193)							—	—	—	13A/1
		(Mod. 2446)										
		Consisting of:—										
28F/1046307	AGS.838/1	BODY, union, straight, pipe coupling forward of							1	—	C	13A/2
		frame 20										
28F/1046309	AGS.838/3	BODY, union, elbow, pipe coupling aft of frame 20							1	—	C	13A/3
28F/1016048	AS.6727/A	BODY, banjo							1	—	C	13A/4
18242	E.F3.96.971	BOLT, special, banjo							1	L65	C	13A/5
	E.B2.70.933	BRACKET, pipe clip support							3	—	—	13A/6
28F/13603	AGS.838/8	BUSH, union nut							3	—	C	13A/7
5K/3043	AS.4526/5	CLIP, for 5/16" o/d pipes							12	—	C	13A/8
		Attachments:—										
28D/9436920	A25/1C	Bolt, 2 BA, hex. head							12	—	C	13A/9
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							12	—	C	13A/10
9264	EEAS.239/2A	Washer, "D"							11	L72	C	13A/11

FIRESTREAK PACK INSTALLATION

R

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28E/3323	AGS.606/F	CLIP, launching sequence unit pipe connecting	2	—	C	13A/12
	EEAS.165/5/18	HOSE, rubber, 5/16" i/d x 5/8" o/d x 1" .8 long, pipe connection to launching sequence unit (Make from 32C/1275031)	1	DTD625	LM	13A/13
	E.F3.96.973	HOUSING, banjo connection	1	L65	—	13A/14
5K/3397	AS.3360/C/3C	LEAD, bonding, on clips at pipe connections	3	—	C	13A/15
28F/1013780	AGS.838/4	NUT, union, at couplings	3	—	C	13A/16
6609	E.B2.70.823	PIPE, static, forward, 5/16" dia. x 24 SWG	1	L54	C	13A/17
6610	E.B2.70.825	PIPE, static, centre, 5/16" dia. x 24 SWG	1	L54	C	13A/18
33732	E.F3.70.1187	PIPE, assembly, static, from elbow at diaphragm 4 to barometric supply pipe reducing union forward of diaphragm 5	1	L54	C	13A/19
33731	E.F3.70.1189	PIPE, assembly, from banjo connection in skinning to reducing union forward of diaphragm 5	1	L56	C	13A/20
34427	E.F3.96.1519	WASHER, sealing, rubber	1	DTD560	C	13A/21
6571	E.B2.96.901	PLATE, air pipe adaptor, assembly Spares for:—	2	—	C	13/72
6572	E.B2.96.877	WASHER, sealing, rubber	1	Silicone SH 35-45	C	13/73
6573	E.B2.96.879	WASHER, sealing, rubber	1	Silicone SH 35-45	C	13/74
		Attachments:—				
28D/1007975	AS.1242/1C	Bolt, 2 BA csk. head	4	—	C	13/75
7242	DE HAVILLAND M.20216/A	RACK, type G.959, power unit (SR.300), assembly Spares for:—	1	—	B	14/1
10055	M.10078	ADAPTOR, air intake	1	—	C	
		Attachments:—				
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
28S/9135205	A33/C28	Screw, 2 BA, csk. head	2	—	C	
28W/9403514	SP26/C	Washer, 2 BA, plain	2	—	C	
	M.19977A	CHASSIS, assembly Spares for:—	1	—	—	
10065	M.20624A	CHAIN, handwheel, assembly	1	—	C	
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA hex. head	1	—	C	
28W/9403515	SP26/C	Washer, 2 BA plain	1	—	C	
	M.11901A	CROSS MEMBER, assembly Spares for:—	1	—	—	
10057	M.11898	PIN, locating	2	—	C	
		Attachments:—				
28M/9403520	A27/CP	Nut, 2 BA plain	1	—	C	
10068	N.9554	HANDWHEEL	2	—	C	
		Attachments:—				
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	8	—	C	
28S/1200053	A33/C16	Screw, 2 BA csk. head	8	—	C	
28W/1200071	SP23/C	Washer, 2 BA plain	8	—	C	
10062	M.19965	GASKET	1	Neoprene	C	
		Attachments:—				
33H/33H/	SHELL CHEM'S CORNELIUS CHEMICALS	Epikote, 828	QR	DHP216	C	
		Versamid, 115	QR	DHP216	C	

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10064	M.1993A								1	Neoprene	C	
33H/ 33H/	SHELL CHEM'S CORNELIUS CHEMICALS								QR	DHP216	C	
									QR	DHP216	C	
10067	M.20816								4	-	C	
28D/9436920	A25/1C								4	-	C	
28M/12421	AGS.2018/C/1								4	-	C	
7243	DE HAVILLAND M.20217/A								1	-	C	14/2
10061	M.12857								1	-	C	
28M/1278190	AGS.2001/C/1								2	-	C	
28S/9135205	A33/C28								2	-	C	
28W/1200071	SP23/C								2	-	C	
	M.19962A								1	-	-	
10065	M.20624A								1	-	C	
28D/12837	A28/1C								1	-	C	
28W/9403514	SP26/C								1	-	C	
	M.11889A								1	-	-	
10057	M.11898								2	-	C	
28M/9403520	A27/CP								2	-	C	
10056	M.10088								2	-	C	
28M/1278190	AGS.2001/C/1								8	-	C	
28S/1200053	A33/C16								8	-	C	
28W/1200071	SP23/C								8	-	C	
10059	M.12813								1	-	C	
10058	M.12810A								1	-	C	
28M/1278189	AGS.2001/B/1								2	-	C	
28S/1200040	A31/B20								2	-	C	
28W/9419474	SP15/B								2	-	C	
10062	M.19965								1	Neoprene	C	
33H/ 33H/	SHELL CHEM'S CORNELIUS CHEMICALS								QR	DHP216	C	
									QR	DHP216	C	
10063	M.19975A								1	Neoprene	C	
33H/ 33H/	SHELL CHEM'S CORNELIUS CHEMICALS								QR	DHS216	C	
									QR	DHP216	C	

**ARMAMENT
FIRESTREAK PACK INSTALLATION**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10067	M.20816	MOUNTING , anti-vibration	4	—	C	
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	4	—	C	
28M/12421	AGS.2018/C/1	Nut, stiff, 2 BA	4	—	C	
33B/1108	†	PAINT , black	QR	DTD314A	C	
10060	M.12814	SEAL	1	—	C	
	†	VARNISH	QR	DTD.369	—	
7244	DE HAVILLAND M.20219/A	RACK , Firestreak slaving unit (SR.600), assembly ...	1	—	B	15/1
		Spares for :—				
10055	M.10078	ADAPTOR , air intake	1	—	C	
		Attachments :—				
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	
28S/9135205	A33/C28	Screw, 2 BA, c'sk head	2	—	C	
28W/9403514	SP26/C	Washer, 2 BA, plain	1	—	C	
	M.19977A	CHASSIS , assembly	1	—	—	
		Spares for :—				
10065	M.20624A	CHAIN , handwheel, assembly	1	—	C	
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	1	—	C	
28W/9403514	SP26/C	Washer, 2 BA, plain	1	—	C	
	M.11901A	CROSS MEMBER , assembly	1	—	—	
		Spares for :—				
10057	M.11898	PIN , locating	2	—	C	
		Attachments :—				
28M/9403520	A27/CP	Nut, 2 BA, plain	2	—	C	
10068	M.9554	HANDWHEEL	2	—	C	
		Attachments :—				
8M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	8	—	C	
28S/1200053	A33/C16	Screw, 2 BA, c'sk head	8	—	C	
28W/1200071	SP23/C	Washer, 2 BA, plain	8	—	C	
10062	M.19965	GASKET	1	Neoprene	C	
		Attachments :—				
	SHELL CHEM'S CORNELIUS CHEMICALS	Epikote, 828	QR	DHP 216	—	
		Versamid, 115	QR	DHP 216	—	
10064	M.19993A	GASKET , 18"	1	Neoprene	C	
		Attachments :—				
	SHELL CHEM'S CORNELIUS CHEMICALS	Epikote, 828	QR	DHP 216	—	
		Versamid, 115	QR	DHP 216	—	
10067	M.20816	MOUNTING , anti-vibration	4	—	C	
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	4	—	C	
28M/12421	AGS.2018/C/1	Nut, stiff, 2 BA, anchor	4	—	C	
33B/1108	†	PAINT , block	QR	DTD314A	C	
	†	VARNISH	QR	DTD369	—	
6618	UNBRAKO ACX/13J	SCREW , socket, 3/8" BSF	12	—	C	15/2
6619	E.B2.96.497	SLEEVE , ejection gun	1	Natural Rubber	C	15/3

**ARMAMENT
FIRESTREAK PACK INSTALLATION**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			6620	E.B2.96.635	SLEEVE , Firestreak misfire indicator spindle bearing ...								
6621	E.B2.96.631	SPINDLE , Firestreak misfire indicator cam operating ...							2	S82	C	15/5	
6622	E.B2.96.91	STRAP , controller mounting ...							2	—	C	15/6	
		Attachments :—											
28D/9410645	A25/10C	Bolt, 2 BA, hex. head ...							4	—	C	15/7	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ...							4	—	C	15/8	
	AS.2806/4/1.07	Tube, distance ...							4	—	LM	15/9	
6623	E.B2.96.93	STRAP , alternator mounting ...							1	—	C	15/10	
		Attachments :—											
28D/9410645	A25/10C	Bolt, 2 BA, hex. head ...							2	—	C	15/7	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ...							2	—	C	15/8	
	AS.2806/4/1.07	Tube, distance ...							2	—	LM	15/9	
6624	E.B2.96.95	STRAP , alternator mounting ...							1	—	C	15/11	
		Attachments :—											
28D/9410645	A25/10C	Bolt, 2 BA, hex. head ...							2	—	C	15/7	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ...							2	—	C	15/8	
	AS.2806/4/1.07	Tube, distance ...							2	—	LM	15/9	
6625	E.B2.96.97	STRAP , condenser block mounting ...							2	—	C	15/12	
		Attachments :—											
28D/9410645	A25/10C	Bolt, 2 BA, hex. head ...							4	—	C	15/7	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ...							4	—	C	15/8	
	AS.2806/4/1.07	Tube, distance ...							4	—	LM	15/9	
	E.F3.96.1343	STRUCTURE , pack, assembly (Mod. 2307) ...							1	—	—	17/1	
		Spares for :—											
	E.B2.96.345	ANGLE , L.H., skin attachment ...							1	L73	—	17/2	
	E.B2.96.346	ANGLE , R.H., skin attachment ...							1	L73	—	17/3	
	E.B2.96.359	ANGLE , L.H., pylon skin attachment ...							1	L73	—	17/4	
	E.B2.96.360	ANGLE , R.H., pylon skin attachment ...							1	L73	—	17/5	
	E.B2.96.361	ANGLE , L.H., pylon skin attachment ...							1	L73	—	17/6	
	E.B2.96.362	ANGLE , R.H., pylon skin attachment ...							1	L73	—	17/7	
	E.F3.96.603	ANGLE , mounting (Mod. 2307) ...							1	L72	—	17A/1	
	E.B2.96.719	ANGLE , stiffening ...							2	L73	—	17B/1	
	E.F3.96.1043	ANGLE , mounting (Mod. 2307) ...							1	L72	—	17A/2	
31242	E.B2.96.377	BLOCK , support, pylon trailing edge ...							2	—	C	17/8	
	E.B2.96.753	BLOCK , nose ...							1	L44	—	17/9	
	E.B2.96.755	BLOCK , sealing ...							2	—	—	17/10	
	E.B2.96.757	BLOCK , L.H., sealing ...							1	—	—	17/11	
	E.B2.96.758	BLOCK , R.H., sealing ...							1	—	—	17/12	
6652	E.B2.96.1005	BLOCK , pylon bearing ...							1	S98 or S92	C	17/13	
	E.B2.96.303	BOLT , special, 2 BA c'sk head, spar attachment ...							10	S96	LM	17/14	
		(Make from EEAS.1/1C)											
	E.B2.96.305	BOLT , special, 2 BA, c'sk head ...							4	S96	LM	17/15	
		(Make from EEAS.1/2½C)											
9572	E.B2.96.1001	BOLT , special, pack attachment ...							2	S97	C	17/16	
7R/674	E.B2.98.1829	BOLT , special, pack attachment ...							4	S97	C	17/17	
	E.B2.81.14679	BRACKET , assembly ...							1	—	—	17B/2	
	E.B2.81.15357	BRACKET , assembly ...							1	—	—	17A/3	
		Spares for :—											
	E.B2.81.15355	BRACKET ...							1	L73	—	17A/4	
	E.B2.81.15358	BRACKET , assembly ...							1	—	—	17A/5	
		Spares for :—											
	E.B2.81.15356	BRACKET ...							1	L73	—	17A/6	

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.96.81								4	L65	—	17/18
	E.B2.96.183								2	L73	—	17A/7
	E.B2.96.184								2	L73	—	17A/8
	E.B2.96.185								2	L73	—	17A/9
	E.B2.96.186								2	L73	—	17A/10
	E.B2.96.191								1	L73	—	17A/11
	E.B2.96.192								1	L73	—	17A/12
	E.B2.96.193								1	L73	—	17A/13
	E.B2.96.194								1	L73	—	17A/14
	E.B2.96.209								8	L73	—	17A/15
	E.B2.96.541								1	L73	—	17A/16
6627	E.B2.96.625								1	L65	C	17B/3
28D/1007285	AS.1242/1B								3	—	C	17B/4
28M/1278189	AGS.2001/B/1								3	—	C	17B/5
6628	E.B2.96.626								1	L65	C	17B/6
28D/1007285	AS.1242/1B								3	—	C	17B/4
28M/1278189	AGS.2001/B/1								3	—	C	17B/5
	E.B2.96.649								1	L73	—	17B/7
	E.B2.96.650								1	L73	—	17B/8
	E.F3.96.1025								2	—	—	17A/17
33900	E.F3.96.1465								1	—	C	17A/18
	E.F3.96.1467								1	S515	—	17A/19
33902	E.F3.96.1469								1	Neoprene	C	17A/20
28D/1008149	A25/2B								2	—	C	17A/21
28M/1278189	AGS.2002/B/1								2	—	C	17A/22
28W/9419474	SP15/B								2	—	C	17A/23
	E.B1.11.2351								3	—	—	17A/24
	E.B2.96.187								2	L73	—	17A/25
	E.B2.96.189								2	L73	—	17A/26
	E.B2.96.195								1	L72	—	17A/27
	E.B2.96.197								1	L72	—	17A/28
	E.B2.96.363								1	L73	—	17/19
	E.B2.96.364								1	L73	—	17/20
	E.B2.96.425								2	L73	—	17/21
	E.B2.96.443								2	L73	—	17/22
	E.B2.96.444								2	L73	—	17/23
	E.B2.96.645								2	L72	—	17B/9
28D/9140639	A25/11B								2	—	C	17B/10
28M/10286	AGS.2001/A/1								4	—	C	17B/11
28M/1278189	AGS.2001/B/1								2	—	C	17B/12
28S/1200056	A33/A10								4	—	C	17B/13
	AS.2810/4/095								2	—	LM	17B/14
28W/9419474	SP15/B								2	—	C	17B/15
	E.F3.96.601								1	L73	—	17A/29
	E.F3.96.602								1	L73	—	17A/30
	E.B2.96.893								2	L73	—	17B/16
	E.B2.96.894								2	L73	—	17B/17

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.96.335	DIAPHRAGM, No. 1 web	1	L73	-	17/24
	E.B2.96.343	DIAPHRAGM	2	L73	-	17A/31
	E.B2.96.461	DIAPHRAGM, L.H.	1	L73	-	17/25
	E.B2.96.462	DIAPHRAGM, R.H.	1	L73	-	17/26
	E.B2.96.925	DIAPHRAGM, No. 2 web	1	L73	-	17/27
	E.F3.96.1489	DIAPHRAGM, No. 5, assembly	1	-	-	17/28
		Spares for:-				
	E.B2.96.915	MEMBER, zed	1	L65	-	17/29
	E.B2.96.917	MEMBER, zed	1	L65	-	17/30
	E.B2.96.15	SPAR, rear pylon, assembly	1	-	-	17/31
37258	E.B2.96.16	SPAR, rear pylon, assembly	1	-	C	17/32
6629	E.B2.96.895	DOOR, firing link stowage access, assembly	2	-	B	17B/18
		Spares for:-				
2715	KING A/C C.8493	FASTENER	1	-	C	17B/19
	E.B2.96.697	HINGE, assembly	1	L72	-	17B/20
		Spares for:-				
	E.B2.96.701	PLATE, flange	1	L72	-	17B/21
	SORBO LTD.	RUBBER, sponge, 1" x 1" x 1" (Make from 32C/561)	2	-	LM	17B/22
	E.B2.96.643	DOUBLER, L.H.	1	L73	-	17B/23
	E.B2.96.644	DOUBLER, R.H.	1	L73	-	17B/24
	E.F3.96.1461	DOUBLER (Mod. 2446)	1	L65	-	17B/25
	E.B2.96.239	DOUBLER, closing piece	4	L73	-	17A/32
	E.F3.96.1551	DOUBLER	2	L73	-	
	E.F3.96.1295	DOUBLING, L.H., access opening	1	L73	-	17B/26
	E.F3.96.1296	DOUBLING, R.H., access opening	1	L73	-	17B/27
6630	E.B2.96.83	EDGE, trailing, detachable, port, assembly	1	-	B	17A/33
		Spares for:-				
6632	E.B2.96.121	SCREW, special locking	1	S95	C	17A/34
6633	E.B2.96.99	SLEEVE, trailing edge locking screw	1	S95	C	17A/35
34337	E.B2.96.115	SPIGOT, locating	2	L73	C	17A/36
6631	E.B2.96.84	EDGE, trailing, detachable, starboard, assembly	1	-	B	17A/37
		Spares for:-				
6632	E.B2.96.121	SCREW, special locking	1	S95	C	17A/34
6633	E.B2.96.99	SLEEVE, trailing edge locking screw	1	S95	C	17A/35
34337	E.B2.96.115	SPIGOT, locating	2	L73	C	17A/36
6634	KING A/C	FASTENER, junior toggle, fairing link stowage	2	-	C	17B/28
	D.4727	door				
3358	KING A/C C.7809	FASTENER, custodian, access panel	44	-	C	17B/29
	E.B2.96.107	FITTING, hoist attachment	2	L65	-	17A/38
	E.B2.96.459	GUARD, debris, air inlet compartment	1	-	-	17/33
	E.B2.96.491	GUSSET, forward, hoist	1	L73	-	17A/39
	E.B2.96.969	GUSSET, forward fastener, port	1	L73	-	17A/40
	E.B2.96.970	GUSSET, forward fastener, starboard	1	L73	-	17A/41
	E.B2.11.2987	HOUSING, pressure gauge, starboard only	1	L65	-	17B/30
		Attachments:-				
7879	EEAS.299/10/40C	Bolt, 2 BA, 120°, c'sk head	6	30/147	C	17B/31
28M/9436836	AGS.2001/C/2	Nut, stiff, 2 BA	6	-	C	17B/32
28W/9419402	SP13/C	Washer, 2 BA, plain	6	-	C	17B/33
7R/691	E.B2.98.1827	HOUSING, pack attachment bolt, group	4	-	B	17/34
		Consisting of:-				
	E.B2.98.1659	CAP, retaining	2	L65	-	17/35
	E.B2.98.1831	HOUSING	1	S97	-	17/36
2720	E.B1.11.571	PLUNGER	2	S95	C	17/37
2721	E.B1.11.573	SPRING, 26 SWG	2	DTD215	C	17/38
		Attachments:-				
4350	EEAS.196/3C	Bolt, 2 BA, 120°, c'sk head	15	S95	C	17/39
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	16	-	C	17/40

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
13330	KING A/C C.4627	LEVER, and male link, sub-assembly	2	—	C	17B/34
31193	E.B2.96.119	LUG, locking, trailing edge	2	S94	C	17/41
	E.B2.96.233	LUG	4	L73	—	17A/42
	E.B2.96.381	LUG, stabilising	1	L73	—	17/42
	E.B2.96.383	LUG, stabilising	1	L73	—	17/43
	E.B2.96.384	LUG, stabilising	1	L73	—	17/44
	E.B2.96.389	LUG, attachment	1	L73	—	17/45
	E.B2.96.390	LUG, attachment	1	L73	—	10/46
31195	E.B2.96.135	MEMBER, pylon, trailing edge	1	—	C	17/47
	E.B2.96.205	MEMBER, mounting, Firestreak, pack structure on fuselage	1	L73	—	17A/43
	E.B2.96.251	MEMBER, relay support	1	L73	—	17/48
	E.B2.96.749	MEMBER, nose	1	DTD622	—	17/49
	E.B2.96.751	MEMBER, nose	1	DTD622	—	17/50
	E.B2.96.891	MOUNTING, firing link socket, port	1	L73	—	17B/35
	E.B2.96.892	MOUNTING, firing link socket, starboard	1	L73	—	17B/36
	E.B2.96.141	PACKING, edge member, outboard front spar	2	L72	—	17/51
	E.B2.96.143	PACKING, edge member, inboard front spar	2	L72	—	17/52
	E.B2.96.145	PACKING, L.H., edge member, outboard rear spar	1	L44	—	17/53
	E.B2.96.146	PACKING, R.H., edge member, inboard rear spar	1	L44	—	17/54
	E.B2.96.641	PACKING, Firestreak misfire indicator bracket	4	L73	—	17B/37
13120	E.B2.96.791	PACKING, Firestreak pack	2	L44	C	17/55
13121	E.B2.96.793	PACKING, Firestreak pack	2	L44	C	17/56
1440844	E.B2.96.77	PAD, pylon spar bearing	2	S98	C	17/57
	E.B2.96.869	PAD, locating, on channel	4	L72	—	17A/44
6649	E.B2.96.1003	PAD, pylon spar bearing	2	S98	C	17/58
24709	E.F3.96.1135	PANEL, access, assembly (Mod. 2307)	1	—	B	17B/38
		Spares for:—				
	E.F3.96.1141	DOUBLER	1	L73	—	17B/39
	E.F3.96.1137	FAIRING	1	—	—	17B/40
2194*	KING A/C C.5892	FASTENER, custodian, assembly	12	—	C	17B/41
37080*	KING A/C C.17792	FASTENER, upper body, assembly	12	—	C	17B/42
1484489	KING A/C 10.98.046	FASTENER, upper body, assembly	12	—	C	17B/46A
		Spares for:—				
37085*	D.17368	PIN, and spring, assembly	1	—	C	17B/43
1484484	10.98.064	PIN, and spring, assembly	1	—	C	17B/44A
21752	D.4957	WASHER, pin retaining	1	—	C	17B/44
2195*	KING A/C C.5892X	FASTENER, custodian, assembly	10	—	C	17B/45
37081*	KING A/C C.17792X	FASTENER, upper body, assembly	10	—	C	17B/46
1484490	KING A/C 10.98.047	FASTENER, upper body, assembly	10	—	C	17B/46A
		Spares for:—				
37086	D.17368X	PIN, and spring, assembly	1	—	C	17B/47
21752	D.4957	WASHER, pin retaining	1	—	C	17B/48
26FZ/12791*	KING A/C C.5331	FASTENER, custodian, assembly	6	—	C	17B/49
1484491	KING A/C 10.98.001	FASTENER, custodian, assembly	6	—	C	17B/49A
		Spares for:—				
37093	D.19028	PIN, and spring, assembly	1	—	C	17B/50
37094	D.5089	WASHER, pin retaining	1	—	C	17B/51

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
1439697	EEAS.315/22	LANYARD, panel safety	2	Nylon	C	17B/52
	E.F3.96.1139	PACKING	1	L72	-	17B/53
8576	EEAS.290	SEAL, 40" long (approx.)	QR	Neoprene	C	17B/54
33H/126	†	SEALANT, PRC. 1221 BT.	QR	-	C	17B/55
24710	E.F3.96.1143	PANEL, access, assembly (Mod. 2307)	1	-	B	17B/56
		Spares for:-				
	E.F3.96.1149	DOUBLER	1	-	-	17B/57
	E.F3.96.1145	FAIRING	1	-	-	17B/58
2194*	KING A/C	FASTENER, custodian, assembly	12	-	C	17B/59
	C5892					
37080*	KING A/C	FASTENER, upper body, assembly	12	-	C	17B/60
	C.17792					
1484489	KING A/C	FASTENER, upper body, assembly	12	-	C	17B/60A
	10.98.046					
		Spares for:-				
37085*	D.17368	PIN, and spring, assembly	1	-	C	17B/61
1484484	10.98.064	PIN, and spring, assembly	1	-	C	17B/61A
21752	D.4957	WASHER, pin retaining	1	-	C	17B/62
2195*	KING A/C	FASTENER, custodian, assembly	10	-	C	17B/63
	C.5892X					
37081*	KING A/C	FASTENER, upper body, assembly	10	-	C	17B/64
	C.17792X					
1484490	KING A/C	FASTENER, upper body, assembly	10	-	C	17B/64A
	10.98.047					
		Spares for:-				
37086	D.17368X	PIN, and spring, assembly	1	-	C	17B/65
21752	D.4957	WASHER, pin retaining	1	-	C	17B/66
26FZ/12791*	KING A/C	FASTENER, custodian, assembly	6	-	C	17B/67
	C.5331					
1484491	KING A/C	FASTENER, custodian, assembly	6	-	C	17B/67A
	10.98.001					
		Spares for:-				
37093	D.19028	PIN, and spring, assembly	1	-	C	17B/68
37094	D.5089	WASHER, pin, retaining	1	-	C	17B/69
1439697	EEAS.315/22	LANYARD, panel safety	2	Nylon	C	17B/70
	E.F3.96.1147	PACKING	1	L72	-	17B/71
8576	EEAS.290	SEAL, 40" long (approx.)	QR	Neoprene	C	17B/72
33H/126	†	SEALANT, PRC. 1221	QR	-	C	17B/73
6638	E.B2.98.1627	PIECE, closing, attachment bolt access, assembly	2	-	C	18/1
		Spares for:-				
	E.B2.98.1663	PIN, hinge	1	S92	-	18/2
2717	E.B2.11.8181	SPRING, 22 SWG	1	DTD215	C	18/3
	E.B2.98.1665	WASHER	1	DTD124	-	18/4
6639	E.B2.98.1631	PIECE, closing, attachment bolt access, assembly	2	-	C	18/5
		Spares for:-				
	E.B2.98.1663	PIN, hinge	1	S92	-	18/2
2727	E.B2.11.8181	SPRING, 22 SWG	1	DTD215	C	18/3
	E.B2.98.1665	WASHER	2	DTD124	-	18/4
28FP/9485292	AVIAN. DEVELS. A405	PIN, "pip", hoist attachment fitting	1	-	C	18/6
28FP/9713120	AVIAN. DEVELS. A411	PIN, "pip", hoist attachment fitting	1	-	C	18/7
28P/9710567	SP90/C4	PIN, split, 1/16" dia., lever and male link attachment	2	-	C	18/48
	E.B2.96.469	PIPE, assembly, air inlet, starboard pylon	1	-	-	18/49
	E.B2.96.125	PLATE, vent, louvred	1	L72	-	18/50
	E.B2.96.249	PLATE, relay mounting	1	L73	-	18/51
	E.B2.96.427	PLATE, L.H., reinforcing	1	L73	-	18/52
	E.B2.96.428	PLATE, R.H., reinforcing	1	L73	-	18/53
36869	E.B2.96.495	PLATE, reinforcing	1	L73	C	18/8
36870	E.B2.96.496	PLATE, reinforcing	1	L73	C	18/9

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.96.603	PLATE, gusset, rear, pylon	1	L73	-	18/54
28D/9436920	A25/1C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	18/55
28M/1006473	A27/CT	Nut, 2 BA, thin	4	-	C	18/56
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	18/57
	E.B2.96.885	PLATE, firing, link stowage retention, group	2	-	-	18/10
		Consisting of:-				
28D/1007285	AS.1242/1B	BOLT, 4 BA, c'sk head	4	-	C	18/11
28M/1278189	AGS 2001/B/1	NUT, stiff, 4 BA	4	-	C	18/12
6640	E.B2.96.673	PLATE, spring mounting	1	-	C	18/13
	E.B2.96.887	PLATE, link retention	1	L73	-	18/14
		Attachments:-				
28D/1007285	AS.1242/1B	Bolt, 4 BA c'sk head	2	-	C	18/15
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	18/16
	E.F3.96.1549	PLATE, gusset, top, centre rib	4	L73	-	18/58
	E.F3.96.1563	PLATE, gusset, bottom, centre rib	2	L73	-	18/59
6641	E.B2.96.127	PLUG, crutching access hole	2	Steel	C	18/22
	E.B2.96.647	REFLECTOR, Firestreak misfire indicator (attached to channel)	4	L73	-	18/23
	E.B2.96.11	RIB, leading edge, outboard, pylon, port	1	L73	-	18/60
	E.B2.96.12	RIB, leading edge, outboard, pylon, starboard	1	L73	-	18/61
	E.B2.96.13	RIB, inboard, port, pylon, assembly	1	-	-	18/24
		Spares for:-				
6642	E.B2.96.605	BUFFER, natural rubber	1	S/H 80	C	18/25
13415	E.B2.96.33	CAP, buffer spring retaining	2	S94	C	18/26
	E.B2.96.31	HOUSING, bolt	1	S97	-	18/27
2720	E.B1.11.571	PLUNGER, bolt, locating	2	S95	C	18/28
2721	E.B1.11.573	SPRING, plunger loading	1	Spring Steel	C	18/29
		Attachments:-				
28D/1212316	A60/3E	Bolt, 1/4" BSF, hex. head	2	-	C	18/30
28D/1212317	A60/4E	Bolt, 1/4" BSF, hex. head	2	-	C	18/31
28M/1007403	A27/ET	Nut, 1/4" BSF, thin	4	-	C	18/32
28W/9419487	SP16/E	Washer, 1/4" BSF, plain	4	-	C	18/33
	E.B2.96.14	RIB, inboard, starboard, pylon, assembly	1	-	-	18/34
		Spares for:-				
6643	E.B2.96.606	BUFFER, natural rubber	1	S/H 80	C	18/35
13706	E.B2.96.1107	BUFFER	1	Hycar	C	18/36
13415	E.B2.96.33	CAP, buffer spring retaining	2	S94	C	18/26
	E.B2.96.31	HOUSING, bolt	1	S97	-	18/27
2720	E.B1.11.571	PLUNGER, bolt locating	2	S95	C	18/28
2721	E.B1.11.573	SPRING, plunger loading	2	Spring Steel	C	18/29
		Attachments:-				
28D/1212316	A60/3E	Bolt, 1/4" BSF, hex. head	2	-	C	18/30
28D/1212317	A60/4E	Bolt, 1/4" BSF, hex. head	2	-	C	18/31
28M/1007403	A27/ET	Nut, 1/4" BSF, thin	4	-	C	18/32
28W/9419487	SP16/E	Washer, 1/4" BSF, plain	4	-	C	18/33
R	31181	RIB, trailing edge, outboard, pylon, port	1	L73	C	18/62
R	31182	RIB, trailing edge, outboard, pylon, starboard	1	L73	C	18/63
	36343	RIB, pylon, inboard, trailing edge	1	L73	C	18/37
	36344	RIB, pylon, inboard, trailing edge	1	L73	C	18/38
	E.F3.96.1547	RIB, centre, trailing edge, port	1	L73	-	18/64
	E.F3.96.1548	RIB, centre, trailing edge, starboard	1	L73	-	18/65
6651	E.B2.96.89	SCREW, pylon, adjusting screw locking	4	S82	C	18/41
12218	E.B2.96.1007	SCREW, pylon adjusting	4	S97	C	18/40
4550	E.B2.11.10055	SEAL, gauge housing, starboard only	1	Neoprene	C	18/42
20853	E.F3.96.1059	SEAL, plugged, 27" long	1	DTD5509	C	18/43
20854	E.F3.96.1060	SEAL, plugged, 27" long	1	DTD5509	C	18/44

ARMAMENT

FIRESTREAK PACK INSTALLATION

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.96.147	SHIM, laminated	4	Lam. Alum. LA3	-	18/66
	E.B2.96.729	SHIM, pylon, rear spar	2	Lam. Alum.	-	18/67
	E.B2.96.731	SHIM, skin stiffener	2	Lam. Alum.	-	18/68
	E.B2.96.733	SHIM, skin stiffener	2	Lam. Alum.	-	18/69
6644	E.B2.96.889	SHROUD, firing link stowage	2	L44	C	18/45
		Attachments:-				
28D/9131782	AS.1242/2B	Bolt, 4 BA, c'sk head	4	-	C	18/46
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	-	C	18/47
	E.F3.96.1559	SKIN, trailing edge, pylon upper, port	1	L65	-	20/1
	E.F3.96.1560	SKIN, trailing edge, pylon upper, starboard	1	L65	-	20/2
	E.F3.96.1561	SKIN, trailing edge, pylon lower, port	1	L65	-	20/3
	E.F3.96.1562	SKIN, trailing edge, pylon lower, starboard	1	L65	-	20/4
	E.B2.96.741	SKIN, top, pylon, port	1	L65	-	20/5
	E.B2.96.743	SKIN, bottom, pylon, port	1	L65	-	20/6
	E.B2.96.745	SKIN, top, pylon, starboard	1	L65	-	20/7
	E.B2.96.747	SKIN, bottom, pylon, starboard	1	L65	-	20/8
	E.F3.96.1175	SKIN	1	L65	-	20/9
	E.F3.96.1475	SPAR, front, and diaphragm 4, assembly (Mod. 2408)	1	-	-	20/10
		Spares for:-				
	E.B2.96.281	ANGLE, vertical, port	1	L65	-	20/11
	E.B2.96.282	ANGLE, vertical, starboard	1	L65	-	20/12
	E.F3.96.1487	ANGLE	1	L73	-	20/13
	E.B2.96.851	BRACKET, mounting, assembly	1	-	-	20/14
13233	E.B4.73.517	BRACKET	2	L72	C	20/15
	E.F3.73.7783	BRACKET	1	L72	-	20/16
	E.F3.73.7785	BRACKET	1	L72	-	20/17
	E.B2.96.313	CHANNEL, strut attachment	1	L65	-	20/18
	E.F3.96.1479	DOUBLER	1	L73	-	20/19
	E.F3.96.1485	DOUBLER	1	L73	-	20/20
	E.B2.96.295	MOUNTING, selector	1	L65	-	20/21
	E.B2.96.21	SPAR, front pylon	1	L65	-	20/22
	E.B2.96.685	SPRING, selector	2	S513	-	20/23
6645	E.B2.96.629	SPRING, Firestreak misfire indicator	2	S513	C	19/4
		Attachments:-				
28D/1007971	A25/1-1/2B	Bolt, 4 BA, hex. head	2	-	C	19/5
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	19/6
	E.B2.81.15497	STIFFENER, channel, assembly	1	-	-	20/24
		Spares for:-				
	E.B2.81.15499	STIFFENER, channel	1	L73	-	20/25
	E.B2.81.15498	STIFFENER, channel, assembly	1	-	-	20/26
		Spares for:-				
	E.B2.81.15500	STIFFENER, channel	1	L73	-	20/27
	E.B2.96.339	STIFFENER, L.H.	1	L73	-	20/28
	E.B2.96.340	STIFFENER, R.H.	1	L73	-	20/29
	E.B2.96.341	STIFFENER	1	L73	-	20/30
	E.B2.96.371	STIFFENER, pylon skin	1	L73	-	20/31
	E.B2.96.373	STIFFENER, L.H., pylon skin	1	L73	-	20/32
	E.B2.96.374	STIFFENER, R.H., pylon skin	1	L73	-	20/33
	E.B2.96.455	STIFFENER, pylon skin	1	L73	-	20/34
31189	E.B2.96.61	STRAP, L.H., pylon doubling	2	L65	C	20/35
31190	E.B2.96.62	STRAP, R.H., pylon doubling	2	L65	C	20/36

**ARMAMENT
FIRESTREAK PACK INSTALLATION**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
6646 6647	E.B2.96.261	STRIP, L.H., boom							1	L65	—	20/37	
	E.B2.96.262	STRIP, R.H., boom							1	L65	—	20/38	
	E.B2.96.385	STRIP, seal retaining							1	L73	C	19/11	
	E.B2.96.387	STRIP, seal retaining							1	L73	C	19/12	
	†	STRIP, air bottle mounting, 19" x ".8 x $\frac{1}{16}$ " ...								1	Neo-K-Tex	LM	19/13
	†	STRIP, air bottle mounting, 19" x ".8 x $\frac{1}{8}$ " ...								1	Neo-K-Tex	LM	19/14
	E.F3.96.1301	STRIP, packing								1	L73	—	20/39
	E.F3.96.1303	STRIP, packing								1	L73	—	20/40
	E.F3.96.1305	STRIP, packing								1	L73	—	20/41
	—	STRUCTURE, ground cooling, Mk. 3 Firestreak pack, installation (E.F3.96.1177)								—	—	—	20/42
		Spares for :—											
	E.F3.75.2349	ANGLE								1	L73	—	20/43
	E.F3.75.2347	PACKING								1	L72	—	20/44
	E.F3.75.2345	PLATE, stiffening								1	L73	—	20/45
E.B2.96.47	STRUT, assembly, port								1	—	—	20/46	
	Attachments :—												
28D/1212315	A60/2E	Bolt, $\frac{1}{4}$ " BSF, close tolerance							1	—	C	20/47	
28D/1212318	A60/5E	Bolt, $\frac{1}{4}$ " BSF, close tolerance							1	—	C	20/48	
28M/1007403	A27/ET	Nut, $\frac{1}{4}$ " BSF, thin							2	—	C	20/49	
	E.B2.96.429	Washer, tapered							1	L72 or L65	—	20/50	
	E.B2.96.449	Washer, tapered							1	L72 or L65	—	20/51	
	E.B2.96.48	STRUT, assembly, starboard							1	—	—	20/52	
	Attachments :—												
28D/1212315	A60/2E	Bolt, $\frac{1}{4}$ " BSF, close tolerance							1	—	C	20/47	
28D/1212318	A60/5E	Bolt, $\frac{1}{4}$ " BSF, close tolerance							1	—	C	20/48	
28M/1007403	A27/ET	Nut, $\frac{1}{4}$ " BSF, thin							2	—	C	20/49	
	E.B2.96.429	Washer, tapered							1	L72 or L65	—	20/50	
	E.B2.96.450	Washer, tapered							1	L72 or L65	—	20/53	
	E.B2.96.55	STRUT, assembly, port							1	—	—	20/54	
	Attachments :—												
28D/1212317	A60/4E	Bolt, $\frac{1}{4}$ " BSF, close tolerance							1	—	C	20/55	
28D/1212319	A60/6E	Bolt, $\frac{1}{4}$ " BSF, close tolerance							1	—	C	20/56	
28M/1007403	A27/ET	Nut, $\frac{1}{4}$ " BSF, thin							2	—	C	20/57	
	E.B2.96.397	Washer, tapered							1	L72 or L65	—	20/58	
	E.B2.96.417	Washer, tapered							1	L72 or L65	—	20/59	
	E.B2.96.429	Washer, tapered							1	L72 or L65	—	20/60	
	E.B2.96.56	STRUT, assembly, starboard							1	—	—	20/61	
	Attachments :—												
28D/1212317	A60/4E	Bolt, $\frac{1}{4}$ " BSF, close tolerance							1	—	C	20/55	
28D/1212319	A60/6E	Bolt, $\frac{1}{4}$ " BSF, close tolerance							1	—	C	20/56	
28M/1007403	A27/ET	Nut, $\frac{1}{4}$ " BSF, thin							2	—	C	20/57	
	E.B2.96.398	Washer, tapered							1	L72 or L65	—	20/62	
	E.B2.96.418	Washer, tapered							1	L72 or L65	—	22/63	
	E.B2.96.429	Washer, tapered							1	L72 or L65	—	20/60	
	E.B2.96.59	STRUT, assembly, port							1	—	—	20/64	
	Attachments :—												
28D/1212316	A60/3E	Bolt, $\frac{1}{4}$ " BSF, close tolerance							1	—	C	20/65	
28D/1212317	A60/4E	Bolt, $\frac{1}{4}$ " BSF, close tolerance							1	—	C	20/66	
28M/1007403	A27/ET	Nut, $\frac{1}{4}$ " BSF, thin							1	—	C	20/67	
28M/7002430	AGS.2002/E/1	Nut, stiff, $\frac{1}{4}$ " BSF							1	—	C	20/68	

**ARMAMENT
FIRESTREAK PACK INSTALLATION**

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7			
	E.B2.96.60	STRUT , assembly, starboard	1	—	—	20/69
		Attachments :—										
28D/1212317	A60/4E	Bolt, $\frac{1}{4}$ " BSF, close tolerance	1	—	C	20/66
28D/1212319	A60/6E	Bolt, $\frac{1}{4}$ " BSF, close tolerance	1	—	C	20/70
28M/1007403	A27/ET	Nut, $\frac{1}{4}$ " BSF, thin	1	—	C	20/67
28M/7002430	AGS.2002/E/1	Nut, stiff, $\frac{1}{4}$ " BSF	1	—	C	20/68
	E.B2.96.579	STRUT , assembly, port	1	—	—	20/71
		Attachments :—										
28D/1212343	A60/6G	Bolt, $\frac{5}{16}$ " BSF, close tolerance	1	—	C	20/72
28M/1011470	A27/GT	Nut, $\frac{5}{16}$ " BSF, thin	1	—	C	20/73
28W/9419488	SP16/G	Washer, $\frac{5}{16}$ " BSF, plain	1	—	C	20/74
	E.B2.96.580	STRUT , assembly, starboard	1	—	—	20/75
		Attachments :—										
28D/1212343	A60/6G	Bolt, $\frac{5}{16}$ " BSF, close tolerance	1	—	C	20/72
28M/1011470	A27/GT	Nut, $\frac{5}{16}$ " BSF, thin	1	—	C	20/73
28W/9419488	SP16/G	Washer, $\frac{5}{16}$ " BSF, plain	1	—	C	20/74
	E.B2.96.241	SUPPORT , closing piece	4	L73	—	20/76
	E.B2.96.801	SUPPORT , air bottle	1	L73	—	20/77
	E.B2.96.803	SUPPORT , air bottle	1	L73	—	20/78
	E.B2.96.807	SUPPORT , air bottle	1	L73	—	20/79
	E.B2.96.809	SUPPORT , air bottle	1	L73	—	20/80
20674	E.B2.96.633	WINDOW , Firestreak misfire indicator	4	Perspex	C	19/46
75BB/21	†	UNIT , sequence launching	1	—	A	19/47
75BB/28	†	UNIT , power	1	—	A	19/48
75BB/32	†	UNIT , Firestreak slaving	1	—	A	19/49
11A/4800	M.L. AVIATION HX.1610-1	UNIT , ejector release, No. 4 Mk. 1	2	—	A	19/50
	or											
11A/5739	M.L. AVIATION	UNIT , ejector release, No. 4 Mk. 1	2	—	A	19/51
6648	E.B2.96.479	WASHER , anti-vibration mounting	12	L72	C	19/52
10AC/140	SIS.5669	WASHER , check, anti-vibration mounting	12	—	C	19/53

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

