

ARMAMENT

UNIT AMMO BOX

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
7R/9641096	E.B2.98.809	UNIT, AMMO BOX, ASSEMBLY								1	-	A	
7R/723	E.B2.98.1005	Spares for:-											
7R/724	E.B2.98.1007	BOX, outer, push-rod loading spring								1	L65	C	24/1
7R/725	E.B2.98.1019	BOX, inner, push-rod loading spring								1	L65	C	24/2
		BRACKET, L.H., forward pick-up								1	L65	C	25/1
28D/9133011	A25/2C	Attachments:-											
		Bolt, 2 BA hex. head								4	-	C	25/2
7R/726	E.B2.98.1020	BRACKET, R.H., forward pick-up								1	L65	C	25/3
28D/9133011	A25/2C	Attachments:-											
		Bolt, 2 BA hex. head								4	-	C	25/4
	E.B2.98.1021	CHUTE, upper feed, assembly								1	-	-	22/5
		Spares for:-											
	E.B2.98.1561	SPRING, check								1	L65	-	25/6
	E.B2.98.1023	CHUTE, lower feed, assembly								1	-	-	25/7
		Spares for:-											
	E.B2.98.1561	SPRING, check								1	S513	-	25/6
	E.B2.98.2901	CLIP, spring, belt retaining pin								2	S513	-	25/8
28M/9403519	A27/BP	Attachments:-											
28S/9995326	A32/B20	Nut, 4 BA plain								2	-	C	25/9
		Screw, 4 BA round head								1	-	C	25/10
7R/727	E.B2.98.999	HOOK, unit ammo box attachment								2	DTD138	C	24/3
28M/5808573	A27/CS	Attachments:-											
28P/9527619	SP90/C7	Nut, 2 BA slotted								2	-	C	24/4
3572	EEAS.28/20EU	Pin, split								2	-	C	24/5
		Washer, 18 SWG								2	S515	C	24/6
7R/729	E.B2.98.1011	LINK, push-rod and spring box connecting								1	DTD546	C	24/7
7R/730	E.B2.98.997	PAD, lateral locating								2	L65	C	25/11
28D/1212371	AS.1248/2E	Attachments:-											
		Bolt, 1/4" BSF mushroom head								4	-	C	25/12
7R/731	E.B2.98.1057	PIN, hinge, finger plate, 3/16" dia. x 1" long								1	S21	C	24/8
7R/732	E.B2.98.1061	PIN, trigger pivot								1	S92	C	24/9
7R/733	E.B2.98.1069	PIN, special, push-rod guide and pivot								1	DTD525 or S110	C	24/10
7R/734	E.B2.98.1669	PIN, special, 5/32" dia. side rear roller pivot								2	BAC.M37	C	25/13
28P/5490	SP4Z/A3	PIN, loading spring mechanism attachment to link								1	-	C	25/14
28P/12797	SP4Z/A13	PIN, shackle, 5/32" dia., side forward roller pivot								2	-	C	25/15
28P/16587	SP4Z/A15	PIN, shackle, 5/32" dia., aft end roller pivot								2	-	C	25/16
7R/735	E.B2.98.1001	ROD, hook, push-pull								1	-	C	24/11
7R/736	E.B2.98.1003	ROD, hook, push-pull								1	-	C	24/12
7R/737	E.B2.98.1299	ROLLER, ammo feed, assembly								2	-	C	25/17
		Spares for:-											
	M.B. & BRASS	BEARING, oilite								2	-	-	25/18
	FCT.29												
7R/738	E.B2.1409	ROLLER, unit, forward side location								2	LFS26	C	25/19
7R/9640948	E.B2.98.1411	ROLLER, unit, rear side location								2	LFS26	C	25/20
7R/9640949	E.B2.98.1413	ROLLER, unit, aft end location								2	LFS26	C	25/21
3585	UNBRAKO	SCREW, grub, trigger pivot pin retaining, 4 BA x 1/4" long								1	-	C	24/13
7R/742	SERIES S.P. E.B2.98.1035	SHAFT, ammo feed roller, 5/8" o/d x 22 SWG								1	T55	C	25/22

ARMAMENT  
UNIT AMMO BOX

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
7R/743	E.B2.98.1215	SHIM, locating pad .....							QR	Laminated Aluminium	C	26/23
7R/744	E.B2.98.1009	SPRING, push-rod loading .....							1	DTD215	C	24/14
7R/745	E.B2.98.1055	SPRING, finger plate loading .....							1	DTD215	C	24/15
7R/9641296	E.B2.98.2069	TRIGGER, push-rod control .....							1	L40	C	24/16
2261	EEAS.28/7EU	WASHER, 18 SWG for roller pivot pins .....							12	S515	C	25/24

R

This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

