

CONTROLS
ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	CONTROLS, ENGINE, IN REAR FUSELAGE ASSEMBLY (E.F2.47.7) (MK. 2 A/C)		—	—	4/1
	—	CONTROLS, ENGINE, IN REAR FUSELAGE ASSEMBLY (E.F4.47.17) (MK. 2A A/C)		—	—	4/2
		Consisting of :—				
	E.F2.47.1361	BALANCE , of control rod at frame 56, assembly ...	1	—	—	4/3
		Spares for :—				
	E.F2.47.1355	WEIGHT , balance, re-heat controls ...	1	S1	—	4/4
		Attachments :—				
28D/1010030	A25/7C	Bolt, 2 BA, hex. head ...	1	—	C	4/5
28M/5808573	A27/CS	Nut, 2 BA, slotted ...	1	—	C	4/6
28P/1006943	SP.9/C6	Pin, split, 1/16" dia. x 3/4" long ...	1	—	C	4/7
	E.F2.47.1363	Washer, pad ...	2	S515	—	4/8
	E.F2.47.1375	BALANCE , weight, on control box lever, frame 34, assembly (Mk. 2 A/C)	1	—	—	4/9
		Consisting of :—				
	E.F2.47.1379	PACKING , balance weight arm fork ...	1	LA3	—	4/10
	E.F2.47.1373	WEIGHT , balance, assembly ...	1	—	—	4/11
		Consisting of :—				
	E.F2.47.1371	ARM , balance weight ...	1	L65	—	4/12
	E.F2.47.1365	WEIGHT , balance ...	1	—	—	4/13
		Attachments :—				
28D/1013173	AS.1242/10C	Bolt, 2 BA, c'sk head ...	1	—	C	4/14
28M/9403520	A27/CP	Nut, 2 BA, plain ...	1	—	C	4/15
		Attachments :—				
28D/1008149	A25/2B	Bolt, 4 BA, hex. head ...	2	—	C	4/16
28M/9403519	A27/BP	Nut, 4 BA, plain ...	2	—	C	4/17
	E.F2.47.1323	BEARING , roller, at frame 46, port, assembly ...	1	—	—	11/1
		Spares for :—				
21350	E.F2.47.1545	BEARING , roller, assembly ...	1	—	C	11/2
		Spares for :—				
2A/9500410	HOFFMAN CS1	BALLRACE ...	3	—	C	11/3
	E.F2.47.1543	HOUSING , roller bearing ...	1	L65	—	11/4
10202	GEO. SALTER 5100/12	RING , truarc retaining ...	1	—	C	11/5
2589	GEO. SALTER 5100/25	RING , truarc retaining ...	1	—	C	11/6
10204	E.B2.47.751	SHAFT , eccentric ...	1	—	C	11/7
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head ...	3	—	C	11/8
12459	E.F2.47.1025	BOLT , special, control rod fork-end connecting ...	29	BAC.M37	C	4/18
12467	E.F2.47.1099	BOLT , special, control rod fork-end connecting frames 47 and 53 (2 off on Mk. 2 A/C)	3	BAC.M37	C	4/19
	E.F2.47.617	CABLE , teleflex, No. 2 engine, frames 39 to 44, group	1	—	—	6/1
		Consisting of :—				
	E.F2.47.617/B	CABLE , Teleflex (DS.23/3G Ref. 27K/1614) ...	QR	—	—	6/2
	E.F2.47.617/A	CONDUIT , Teleflex (DS.307/3 Ref. 27K) ...	QR	—	—	6/3
4131	E.B2.47.375	FORK-END ...	2	S95	C	6/4
28M/1007403	A27/ET	NUT , 1" BSF, fork-end, locking ...	2	—	C	6/5
27K/553	TELEFLEX C.24500	SLIDING-END ...	2	—	C	6/6
	TELEFLEX C.32797	SWIVEL-END (Make from 27K/1836) ...	2	—	LM	6/7

CONTROLS
ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F3.47.673	CABLE , Teleflex, No. 1 engine, frame 39 to 45, group (Mk. 2 A/C) Consisting of :—								1	—	—	6/8
27K/534	TELEFLEX B.731	BLOCK , clamp								1	—	C	6/9
27K/1838	TELEFLEX A.31141	BODY , connector								2	—	C	6/10
	E.F3.47.673/A	CABLE , Teleflex (DS.23/36 Ref. 27K/1614) ...								QR	—	—	6/11
	E.F3.47.661	CONDUIT , assembly								1	—	LM	6/12
19760	E.F2.47.1625	CONTROL , Teleflex, frames 36 to 39, assembly ... Spares for :—								1	—	C	6/13
	TELEFLEX C.24495	ADAPTOR , sliding, screwed (Make from Ref. 27K/553)								1	—	—	6/14
4131	E.B2.47.375	FORK-END								1	S98	C	6/15
28M/1007403	A27/ET	NUT , 1/4" BSF thin, fork-end locking								1	—	C	6/16
	E.F2.47.631	TUBE , assembly Spares for :—								1	—	—	6/17
	E.F2.47.631/A	CONDUIT , Teleflex (DS.307/3 Ref. 27K/1444) ...								1	—	—	6/18
	TELEFLEX C.32795	END , swivel								1	—	—	6/19
27K/1837	TELEFLEX A.26017	NIPPLE								1	—	C	6/20
	TELEFLEX C.32789	COUPLING , swivel								1	—	—	6/21
	TELEFLEX C.24489	END , sliding, screwed								1	—	—	6/22
19756	E.F3.47.675	FAIRLEAD , assembly, at frame 43								1	L65	C	6/23
4131	E.B3.47.375	FORK-END								1	S95	C	6/24
19757	E.F3.47.725	PLATE , sealing								1	L44	C	6/25
		Attachments :—									DTD.5518		
28D/1007971	A25/1/2B	Bolt , 4 BA, hex. head								2	—	C	6/26
19758	E.F3.47.727	PLATE , sealing								1	L44	C	6/27
		Attachments :—									DTD.5518		
28D/1010658	A25/1B	Bolt , 4 BA, hex. head								2	—	C	6/28
19759	EEAS.28/13/2A	SHIM , for fairlead at frame 43								2	Alum.	C	6/29
26FZ/20453	EEAS.20/1CR	TAB , locking, swivel coupling								1	L72	C	6/30
	E.F3.47.933	CABLE , Teleflex, No. 1 engine, frames 39 to 45, group (Mk. 2A A/C) Spares for :—								1	—	—	6/31
27K/534	TELEFLEX B.731	BLOCK , clamp								1	—	C	6/9
27K/1838	TELEFLEX A.31141	BODY , connector								1	—	C	6/10
	E.F3.47.933/A	CABLE , Teleflex (DS.23/G Ref. 27K/1614) ...								1	—	LM	6/32
	E.F3.47.661	CONDUIT , assembly								1	—	LM	6/12
33527	E.F3.47.875	CONTROL , Teleflex, frames 36 to 39, assembly ... Spares for :—								1	—	C	6/33
27K/	TELEFLEX C.24496	ADAPTOR , sliding, screwed								1	—	—	6/34
4131	R.B2.47.375	FORK-END								1	S95	C	6/15
28M/1007403	A27/ET	NUT , 1/4" BSF thin, fork-end locking								1	—	C	6/16

CONTROLS
ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F3.47.877								1	—	—	6/35
	E.F3.47.885								1	—	—	6/36
27K/	TELEFLEX C.32796								1	—	C	6/37
27K/1837	TELEFLEX A.26017								1	—	C	6/20
27K/	TELEFLEX C.32789								1	—	C	6/21
27K/	TELEFLEX C.24489								1	—	C	6/22
19576	E.F3.47.675								1	L65	C	6/23
	E.F3.47.1093								1	L44	—	6/38
28D/1008149	A25/2B								4	—	C	6/39
4131	E.B2.47.375								1	S95	C	6/24
	EEAS.28/13/4A								2	Alum.	—	6/40
	—								—	—	—	12/1
	E.F2.47.1461								1	L72	—	12/2
28D/9436920	A25/1C								1	—	C	12/3
28M/1278190	AGS.2001/C/1								1	—	C	12/4
	AGS.2081/5								1	—	—	12/5
28D/9133011	A25/2C								1	—	C	12/6
28M/1278190	AGS.2001/C/1								1	—	C	12/7
28W/9419475	SP15/C								1	—	C	12/8
28W/9419404	SP16/C								1	—	C	12/9
	—								—	—	—	7/1
10180	E.F2.47.743								1	—	B	7/2
	E.F2.47.749								1	BAC.M37	—	7/3
	E.F2.47.1143								1	BAC.M37	—	7/4
	E.F2.47.399								2	BAC.M37	—	7/5
	E.F2.47.1141								1	BAC.M37	—	7/6
	E.F2.47.1161								1	BAC.M37	—	7/7
	E.F2.47.397								1	BAC.M37	—	7/8
	E.F2.47.401								1	S91	—	7/9
28P/5328	SP29/H8								1	—	C	7/10
	E.F2.47.753								1	—	—	7/11
	E.F2.47.755								1	BAC.M37	—	7/12
28P/1011123	SP29/H10								2	—	C	7/13
	E.F2.47.761								1	BAC.M37	—	7/14
33843	E.F2.47.757								1	—	C	7/15
28M/5808573	A27/CS								1	—	C	7/16

CONTROLS
ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
14282	E.F2.47.759								1	S110	—	7/17
	E.F2.47.763								1	DTD215 or 239	C	7/18
10181	EEAS.27/25EU								1	S515	—	7/19
	E.F2.47.745								1	—	B	7/20
	E.F2.47.749								1	—	—	7/3
	E.F2.47.1143								1	BAC.M37	—	7/4
	E.F2.47.399								1	BAC.M37	—	7/5
	E.F2.47.1141								1	BAC.M37	—	7/6
	E.F2.47.1161								1	BAC.M37	—	7/7
	E.F2.47.397								1	BAC.M37	—	7/8
	E.F2.47.401								1	S91	—	7/9
28P/5328	SP29/H8								1	—	C	7/10
	E.F2.47.747								1	—	—	7/51
	E.F2.47.765								1	BAC.M37	—	7/52
28P/1011123	SP29/H10								2	—	C	7/13
	E.F2.47.761								1	BAC.M37	—	7/14
33843	E.F2.47.757								1	—	C	7/15
28M/5808573	A27/CS								1	—	C	7/16
	E.F2.47.759								1	S110	—	7/17
12482	E.F2.47.763								1	DTD215 or 239	C	7/18
	EEAS.27/25EU								1	S515	—	7/19
	E.F3.47.651								1	—	—	8/1
19836	E.F2.47.1627								1	S515	C	8/2
19837	E.F3.47.605								1	—	B	8/3
	E.F3.47.611								2	—	—	8/4
36HH/11674	ROLLS ROYCE D.47142								1	—	C	8/5
	E.F3.47.613								1	S82	—	8/6
	E.F3.47.609								1	—	—	8/7
	E.F3.47.607								2	01/009	—	8/8
28D/9138768	A25/1C								4	—	C	8/9
28M/9433473	AGS.2002/C/1								4	—	C	8/10
	EEAS.28/2GU								8	S515	—	8/11
28M/1011476	A27/JS								1	—	C	8/12
28P/1007741	SP9/C8								1	—	C	8/13
	E.F3.47.617								1	S92	—	8/14
28D/9133011	A25/2C								4	—	C	8/15

CONTROLS
ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7			
	E.F2.47.1185	LEVERS , to bracket at frame 53, group							1	—	—	9/1
10182	E.F2.47.1009	Spares for :— LEVER , top, assembly							1	—	B	9/2
2A/9500410	HOFFMAN CS1	Spares for :— BALL-RACE							2	—	C	9/3
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT							2	—	C	9/4
10183	E.F2.47.1013	TUBE , distance							1	L62	C	9/5
10184	E.F2.47.1011	LEVER , bottom, assembly							1	—	B	9/6
2A/9500410	HOFFMAN CS1	Spares for :— BALL-RACE							2	—	C	9/7
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT							2	—	C	9/8
10183	E.F2.47.1013	TUBE , distance							1	L62	C	9/9
33790	E.F2.07.47	SHIM , bracket lower channel (E.F2.47.1633)							1	LA3	C	9/10
33470	E.F2.07.49	SHIM , bracket upper channel (E.F2.47.1635)							1	LA3	C	9/11
19826	E.F2.47.1637	SHIM , bracket upper channel							1	LA3	C	9/12
19827	E.F2.47.1639	SHIM , bracket lower channel							1	LA3	C	9/13
12483	E.F2.47.1187	VANE , bottom							1	01/009	B	9/14
12484	E.F2.47.1188	VANE , top							1	01/009	B	9/15
	E.F2.47.793	WASHER , lever spacing							2	—	C	9/16
10187	EEAS.28/15/GU E.F2.47.331	WASHER , lever hinge bolt							2	S515	C	9/17
		MOUNTING , lever, at frame 55, group							1	—	—	8/16
		Consisting of :—										
28D/1213598	A.59/21E	BOLT , 1/4" BSF, hex. head							1	—	C	8/17
10188	E.F2.47.333	LEVER , assembly							1	—	B	8/18
		Spares for :—										
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT							2	—	C	8/19
10189	E.F2.47.335	LEVER , assembly							1	—	B	8/20
		Spares for :—										
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT							2	—	C	8/21
28M/1011467	A27/ES	NUT , 1/4" BSF, slotted							1	—	C	8/22
28P/1007741	SP9/C8	PIN , split							1	—	C	8/23
10190	AS.2811/6/018	TUBE , distance							1	—	C	8/24
28W/9418921	SP13/E	WASHER , 1/4" BSF, plain							1	—	C	8/25
	E.F2.47.347	MOUNTING , torque shaft and lever at frame 55, starboard, group							1	—	—	10/1
		Consisting of :—										
	E.F2.47.349	BRACKET , and torque shaft, group							1	—	—	10/2
		Consisting of :—										
10191	E.F2.47.361	BOLT , special, 3/8" BSF							1	S95	C	10/3
10192	E.F2.47.355	BRACKET							1	L64	C	10/4
10193	E.F2.47.359	BUSH							1	S95	C	10/5
28P/1007741	SP9/C8	PIN , split, bush and special bolt retaining							1	—	C	10/6
10197	E.F2.47.363	SHAFT , torque and lever unit, group							1	—	B	10/7
		Consisting of :—										
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT							1	—	C	10/8
	E.F2.47.369	BRACKET , assembly							1	—	—	10/9
		Spares for :—										
	E.F2.47.379	HOUSING							1	—	—	10/10

CONTROLS
ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F2.47.371											
28D/1010658	A25/1B											
	E.F2.47.1465											
	E.F2.47.387											
28M/9403519	A27/BP											
	E.F2.47.389											
2A/9500383	HOFFMAN											
	LS.7/ACD											
28D/1007971	A25/1/2B											
28M/9403519	A27/BP											
	E.F2.47.375											
12476	E.F2.47.373											
	E.F2.47.1143											
	E.F2.47.399											
	E.F2.47.1141											
	E.F2.47.397											
	E.F2.47.401											
	E.F2.47.1139											
28P/5328	SP29/H8											
10195	E.F2.47.357											
	12459	E.F2.47.1025										
	3485	E.B2.47.443										
28P/14702	SP9/A8											
28D/9436920	A25/1C											
28D/9133011	A25/2C											
28M/1010997	A24/CT											
28W/9128924	SP14/C											
	E.F2.47.351											
10191	E.F2.47.361											
10196	E.F2.47.365											
10193	E.F2.47.359											
28P/1007741	SP9/C8											
10194	E.F2.47.353											
36HH/11674	ROLLS ROYCE											
	D.47142											
	E.F2.47.369											
	E.F2.47.379											
	E.F2.47.371											
28D/1010658	A25/1B											
	E.F2.47.1465											
	E.F2.47.387											
28M/9403519	A27/BP											
	E.F2.47.389											

ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2A/9500383	HOFFMANN LS.7/ACD	RACE, angular contact	2	—	C	10/17
28D/1007971	A25/ 1/2B	Attachments:— Bolt, 4 BA, hex. head	9	—	C	10/18
28M/9403519	A27/BP	Nut, 4 BA, plain	6	—	C	10/19
	E.F.2.47.375	LEVER	1	S82	—	10/20
12476	E.F.2.47.373	PIN, assembly	1	—	C	10/21
		Consisting of:—				
	E.F.2.47.1143	BALL, steel	1	BAC.M37	—	10/22
	E.F.2.47.399	BUSH	1	BAC.M37	—	10/23
	E.F.2.47.1141	FORK, special	1	BAC.M37	—	10/24
	E.F.2.47.397	PIN, cross	1	BAC.M37	—	10/25
	E.F.2.47.401	PIN	1	S91	—	10/26
	E.F.2.47.1139	PIN, special	1	BAC.M37	—	10/27
28P/7000386	SP29/H8	PIN, taper	1	—	C	10/28
10198	E.F.2.47.367	STRUT, adjustable	1	—	C	10/40
		Attachments:—				
12459	E.F.2.47.1025	Bolt, special	2	BAC.M37	C	10/30
3485	E.B.2.47.443	Nut, special slotted	2	BAC.M37	C	10/31
28P/1202558	SP90/A7	Pin, split	2	—	C	10/32
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	—	C	10/33
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	3	—	C	10/34
28M/1010997	A24/CT	Nut, 2 BA, thin	3	—	C	10/35
28W/9128924	SP14/C	Washer, 2 BA, plain	3	—	C	10/36
	E.F.2.47.485	MOUNTING, lever, at frame 49, starboard, assembly	1	—	—	8/26
		Spares for:—				
20806	E.F.2.47.1417	LEVER, assembly	1	—	B	8/27
		Spares for:—				
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT	2	—	C	8/28
	E.F.2.47.1413	EYE-END	1	S82	—	8/29
28M/1011470	A27/GT	NUT, 5/16" BSF, thin	1	—	C	8/30
		Attachments:—				
28D/1011246	A25/11E	Bolt, 1/4" BSF, hex. head	1	—	C	8/31
28M/1011467	A27/ES	Nut, 1/4" BSF, slotted	1	—	C	8/32
28P/9486478	SP90/C5	Pin, split	1	—	C	8/33
28W/9419405	SP15/E	Washer, 1/4" BSF, plain	1	—	C	8/34
	E.F.2.47.491	MOUNTING, lever, at frame 49, starboard, assembly	1	—	—	9/18
		Spares for:—				
10206	E.F.2.47.767	BRACKET	1	—	C	9/19
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	4	—	C	9/20
28M/9403520	A27/CP	Nut, 2 BA, plain	4	—	C	9/21
28W/9419402	SP13/C	Washer, 2 BA, plain	4	—	C	9/22
	E.F.2.47.495	LEVER	1	—	B	9/23
		Attachments:—				
28D/1213592	A59/12E	Bolt, 1/4" BSF, hex. head	1	—	C	9/24
28M/1011467	A27/ES	Nut, 1/4" BSF, slotted	1	—	C	9/25
28P/9486478	SP90/C5	Pin, split	1	—	C	9/26
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	1	—	C	9/27

CONTROLS

ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10208	E.F.2.47.497	PIN, crank	1	S95	C	9/28
		Attachments:—				
28M/1011467	A27/ES	Nut, 1/4" BSF, slotted	1	—	C	9/29
28P/9486478	SP90/C5	Pin, split	1	—	C	9/30
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	1	—	C	9/31
10209	E.F.2.47.499	PIN, crank	1	S95	C	9/32
		Attachments:—				
28M/1011467	A27/ES	Nut, 1/4" BSF, slotted	1	—	C	9/33
28P/9486478	SP90/C5	PIN, split	1	—	C	—
28W/9418921	SP13/E	WASHER, 1/4" BSF, plain	1	—	C	9/34
	E.F.2.47.507	MOUNTING, lever, at frame 49, assembly (Mk. 2 A/C) ..	1	—	—	9/35
	E.F.3.47.1215	MOUNTING, lever, at frame 49, assembly	1	—	—	9/36
		(Mk. 2A A/C) (Mod. 4333)				
		Spares for:—				
3482	E.B.1.47.103	BOLT-PLATE	1	—	C	9/37
		Attachments:—				
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA (Mk. 2 A/C)	3	—	C	9/38
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA (Mk. 2A A/C)	3	—	C	9/39
	EEAS.28/8CR	Washer (Mk. 2A A/C)	4	L72	—	9/40
10210	E.F.2.47.509	LEVER, assembly (Mk. 2 A/C)	1	—	B	9/41
1484474	E.F.3.47.1211	LEVER, assembly (Mk. 2A A/C)	1	—	C	9/42
		Spares for:—				
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT	1	—	C	9/43
3488	E.B.2.47.419	PIN, crank	1	—	C	9/44
		Attachments:—				
28M/5808573	A27/CS	Nut, 2 BA, slotted	1	—	C	9/45
28P/9486478	SP90/C5	Pin, split	1	—	C	9/46
	E.F.3.47.519	MOUNTING, control box, at frame 34, group	1	—	—	4/20
		(Mk. 2 A/C)				
		Consisting of:—				
10223	E.F.3.47.517	BOX, control lever, assembly	1	—	B	4/21
		Spares for:—				
	E.F.2.47.791	ANCHOR, spring	2	S96	—	4/22
	E.F.2.47.157	ARM, control	1	S95	—	4/23
	E.F.2.47.158	ARM, control	1	S95	—	4/24
	E.F.2.47.1215	ARM, locking, assembly	1	—	—	4/25
		Spares for:—				
	E.F.2.47.231	BUSH	1	—	—	4/26
13772	E.F.2.47.1447	ARM, locking, assembly	1	—	C	4/27
		Spares for:—				
	E.F.2.47.231	BUSH	1	—	—	4/28
	E.F.2.47.183	BLOCK, shear	1	L65	—	4/29
		Attachments:—				
28D/1213595	A59/15E	Bolt, 1/4" BSF, hex. head	1	—	C	4/30
26FZ/3569	EEAS.63/E	Nut, special	1	S96	C	4/31
26FZ/1098	EEAS.37/20A	Nipple	2	S96	C	4/32
28P/9486478	SP90/C5	Pin, split	1	—	C	4/33
1571	EEAS.38/2A	Spoke (Make from 28R/6124)	1	S96	C/LM	4/34
	E.F.2.47.161	BOLT, distance	1	S95	—	4/35

**CONTROLS
ENGINE CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
26FZ/22169	EEAS.13/4	BOLT , central arm assembly pivot	1	S96	C	4/36
		Attachments :—				
26FZ/3569	EEAS.63/E	Nut, special	1	S96	C	4/37
28P/1006943	SP9/C6	Pin, split	1	—	C	4/33
	E.F2.47.155	BUSH	3	S95	—	4/38
	E.F2.47.159	BUSH	1	S95	—	4/39
	E.F2.47.167	BUSH , distance	1	T58	—	4/40
	E.F2.47.169	BUSH , bearing	1	S95	—	4/41
	E.F2.47.171	COLLAR	1	S95	—	4/42
	E.F2.47.179	COLLAR	1	S95	—	4/43
	E.F2.47.1397	COLLAR	1	S95	—	4/44
10134	E.F2.47.187	EYE-END	1	—	C	4/45
	E.F2.47.143	LEVER , reheat, assembly	1	—	—	4/46
		Spares for :—				
	E.F2.47.203	PIN , locking	1	S95	—	4/47
	E.F2.47.145	LEVER , engine, assembly	1	—	—	4/48
		Spares for :—				
	E.F2.47.783	PIN , locking	1	S95	—	4/49
	E.F2.47.147	LEVER , reheat, assembly	1	—	—	4/50
		Spares for :—				
	E.B2.47.65	BODY , control rod end adjuster...	1	L65	—	4/51
		Attachments :—				
28Q/14483	AS.156/511	Rivet, $\frac{3}{32}$ " snaphead	3	—	C	4/52
	E.F2.47.149	LEVER , assembly	1	—	—	4/53
		Spares for :—				
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT	1	—	C	4/54
	E.F2.47.185	PAD , rubbing, $\frac{1}{16}$ " thick	2	P.T.F.E.	—	4/55
	E.F3.47.521	PLATE , side	1	—	—	4/56
	E.F3.47.523	PLATE , side	1	—	—	4/57
2A/9501175	HOFFMAN S1	RACE	5	—	C	4/58
2A/9500420	HOFFMAN T21	RACE	1	—	C	4/59
2A/9500422	HOFFMAN T25	RACE	1	—	C	4/60
10224	E.F2.47.151	ROD , control	1	—	B	4/61
		Attachments :—				
26FZ/22169	EEAS.13/4	Bolt, special	1	S96	C	4/62
28D/1215683	A59/4E	Bolt, $\frac{1}{4}$ " BSF, hex. head	1	—	C	4/63
26FZ/3569	EEAS.63/E	Nut, special	2	S96	C	4/64
28P/1006943	SP9/C6	Pin, split	2	—	C	4/65
28W/9419487	SP16/E	Washer, $\frac{1}{4}$ " BSF, plain	2	—	C	4/66
	E.F2.47.173	SHAFT , torque	1	S95	—	4/67
10226	E.F2.47.787	SPRING	1	DTD215	C	4/68
	E.F2.47.1253	STOP	1	S61, 124 or 80	—	4/69
	E.F2.47.793	WASHER , shim	2	S510	—	4/70
	E.F3.47.1053	MOUNTING , control box, at frame 34, group (Mk. 2A A/C)	1	—	—	5/1
		Spares for :—				
33523	E.F3.47.729	BOX , control, No. 1 engine, assembly	1	—	B	5/2
		Spares for :—				
1485451	EEAS.223/15E	BOLT , $\frac{1}{4}$ " BSF, hex. head, control box attachment	2	HTS	C	5/3

**CONTROLS
ENGINE CONTROLS IN REAR FUSELAGE**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
		1	2	3	4	5	6					7
1485588	EEAS.251/210/45E							BOLT , 1/2" BSF, 120° c'sk. head, control box attachment	1	30/147	C	5/4
28D/1213597	A59/19E							BOLT , 1/2" BSF, hex. head, control box attachment	1	—	C	5/5
	E.F3.47.735							CAM-PLATE	1	S95	—	5/6
	E.F3.47.763							CHANNEL , welded	1	—	—	5/7
								Attachments :—				
28D/1007285	A.S.1242/1B							Bolt, 4 BA, c'sk. head	4	—	C	5/8
	E.F3.47.765							CHANNEL , welded	1	—	—	5/9
								Attachments :—				
28D/1007285	AS.1242/1B							Bolt, 4 BA, c'sk. head	4	—	C	5/10
								CHANNEL , assembly	1	—	C	5/11
								Spares for :—				
								CLIP , spring, special	1	S513	—	5/12
								Attachments :—				
1485513	E.F3.47.1063							Bolt, special	1	S114 or 95	C	5/13
28N/1007951	AGS.2031/2							CIRCLIP	1	—	C	5/14
	E.F3.47.731							COLLAR	2	S95	—	5/15
	E.F3.47.789							LEVER , reheat, assembly	1	—	—	5/16
								Spares for :—				
36HH/11674	ROLLS ROYCE D.47142 or E.F3.47.873							BALL-JOINT	1	—	C	5/17
2A/9500422	HOFFMAN T.25							BALL-RACE	1	—	C	5/18
	E.F3.47.777							BUSH , bearing	1	S95	—	5/19
	E.F3.47.745							COLLAR	1	S95	—	5/20
	E.F3.47.791							LEVER , input, assembly	1	—	—	5/21
								Spares for :—				
36HH/11674	ROLLS ROYCE D.47142 or E.F3.47.873							BALL-JOINT	1	—	C	5/17
	E.F3.47.775							PIECE , distance... ..	2	S95	—	5/22
28P/1008610	SP.28/H6							PIN , taper	2	—	C	5/23
28P/14609	SP.28/K6							PIN , taper	2	—	C	5/24
	E.F3.47.783							PLATE , side, outboard, assembly	1	—	—	5/25
								Spares for :—				
36HH/11674	ROLLS ROYCE D.47142 or E.F3.47.873							BALL-JOINT	1	—	C	5/17
2A/9501177	HOFFMAN S.5							BALL-RACE	1	—	C	5/26
2A/9500420	HOFFMAN T.21							BALL-RACE	2	—	C	5/27
2A/9500560	SKEFCO							BEARING , needle roller	1	—	C	5/28
	SKF.400737 or 8075 RANSOME & MARLES B.10291 or 12548 B.11720							BOLT , special	1	S95	—	5/29
	E.F3.47.751							BUSH , special	1	S95	—	5/30
	E.F3.47.747							HOUSING	1	S95	—	5/31
	E.F3.47.779							LEVER , throttle	1	S514	—	5/32
	E.F3.47.739							LEVER , throttle follower	1	S95	—	5/33
	E.F3.47.757											

CONTROLS
ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F3.47.767								1	S95	—	5/34
	E.F3.47.769								1	S515	—	5/35
	E.F3.47.733								1	S95	—	5/36
	E.F3.47.755								1	S95	—	5/37
	E.F3.47.785								1	—	—	5/38
2A/9501177	HOFFMAN S.5								2	—	C	5/39
	E.F3.47.773								1	S515	—	5/40
	E.F3.47.759								1	S95	—	5/41
	E.F3.47.761								1	S95	—	5/42
	E.F3.47.859								1	S95	—	5/43
	E.F3.47.793								1	—	—	5/44
2A/9500560	SKEFCO SKF.400737 or RANSOME & MARLES 8075 or 12548								1	—	C	5/28
	E.F3.47.751								1	S95	—	5/29
	E.F3.47.747								1	S95	—	5/30
	E.F3.47.741								1	S95	—	5/45
	E.F3.47.743								1	S95	—	5/46
33524	E.F3.11.4519								1	L65	C	5/47
33525	E.F3.11.5107								1	L65	C	5/48
	E.F3.11.4515								1	L73	—	5/49
	E.F2.47.553								1	—	—	15/1
	E.F3.47.1105								1	—	—	15/2
21350	E.F2.47.1545								1	—	B	15/3
2A/9500410	HOFFMAN CS1								3	—	C	15/4
	E.F2.47.1543								1	L65	—	15/5
10202	GEO. SALTER 5100/12								1	—	C	15/6
2589	GEO. SALTER 5100/25								1	—	C	15/7
10204	E.B2.47.751								1	S95	C	15/8
28D/9138768	A25/1C								3	—	C	15/9
23430	EEAS.552/4								3	L65	C	15/10
28D/7002428	A25/6C								3	—	C	15/11
	E.F2.47.573								1	—	—	12/10
10231	E.F2.47.575								1	L65	C	12/11
28D/9133011	A25/2C								1	—	C	12/12
28M/1278190	AGS.2001/C/1								1	—	C	12/13
10232	EEAS.21/1FS								1	L65	C	12/14

CONTROLS
ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10233	E.F2.47.577								1	L65	C	12/15
28D/9140648	A25/19C								2	—	C	12/16
28M/1278190	AGS.2001/C/1								2	—	C	12/13
10232	EEAS.21/1FS								2	L65	C	12/14
	E.F2.47.585								1	—	—	12/17
	E.F3.47.723								1	L73	—	12/18
28D/9436920	A25/1C								2	—	C	12/19
28M/1278190	AGS.2001/C/1								2	—	C	12/20
28W/9419475	SP15/C								2	—	C	12/21
10236	E.F2.47.587								1	—	C	12/22
28D/1009984	A25/7B								2	—	C	12/23
	EEAS.28/6/2A								2	Alum.	C	12/24
	E.F2.47.609								1	—	—	13/1
10243	E.F3.47.189								1	—	B	13/2
	E.F2.47.791								1	S96	—	13/3
	E.F2.47.195								1	—	—	13/4
	E.F2.47.221								1	S95	—	13/5
	E.F2.47.222								1	S95	—	13/6
	E.F2.47.219								1	S95	—	13/7
26FZ/22169	EEAS.13/4								1	S96	C	13/8
10244	E.F2.47.251								1	—	C	13/9
36HH/11674	ROLLS ROYCE D.47142								1	—	C	13/10
	E.F2.47.1215								1	—	—	13/11
	E.F2.47.231								1	—	—	13/12
13772	E.F2.47.1447								1	—	C	13/13
	E.F2.47.231								1	—	—	13/14
	E.F2.47.183								1	L65	—	13/15
26FZ/1098	EEAS.37/20A								4	S96	C	13/16
26FZ/1571	EEAS.38/2A								2	S96	C	13/17
	E.F2.47.197								1	S95	—	13/18
26FZ/22169	EEAS.13/4								1	S96	C	13/19
26FZ/3569	EEAS.63/E								1	S96	C	13/20
28P/9486478	SP90/C5								1	—	C	13/21

ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F2.47.155								1	S95	—	13/22
	E.F2.47.159								1	S95	—	13/23
	E.F2.47.167								1	T58	—	13/24
	E.F2.47.169								1	S95	—	13/25
13777	E.F2.47.1449								1	S95	C	13/26
28D/1013177	AS.1242/2E								2	—	C	13/27
	E.F2.47.171								1	S95	—	13/28
	E.F2.47.179								1	S95	—	13/29
	E.F2.47.181								1	S95	—	13/30
10134	E.F2.47.187								1	—	C	13/31
	E.F2.47.143								1	—	—	13/32
	E.F2.47.203								1	S95	—	13/33
	E.F2.47.145								1	—	—	13/34
	E.F2.47.783								1	S95	—	13/35
	E.F2.47.147								1	—	—	13/36
	E.B2.47.65								1	L65	—	13/37
28Q/9595	AS.156/611								3	—	C	13/38
	E.F2.47.193								1	—	—	13/39
36HH/11674	ROLLS ROYCE D.47142								1	—	C	13/40
	E.F2.47.185								2	P.T.F.E.	—	13/41
	E.F2.47.139								1	—	—	13/42
	E.F2.47.191								1	—	—	13/43
2A/9501175	HOFFMAN S.1								5	—	C	13/44
2A/9500420	HOFFMAN T.21								1	—	C	13/45
2A/9500422	HOFFMAN T.25								1	—	C	13/46
	E.F2.47.173								1	S94	—	13/47
10226	E.F2.47.787								1	DTD215	C	13/48
	E.F2.47.1253								1	S61	—	13/49
	E.F2.47.793								1	S510	—	13/50
19822	E.F2.47.1149								1	—	C	13/51
28D/9436920	A25/1C								4	—	C	13/52
28M/1278190	AGS.2001/C/1								2	—	C	13/53
	10246	EEAS.27/22/10A							1	Alum.	C	13/54
	10247	EEAS.28/22/10A							1	Alum.	C	13/55
		—							—	—	—	14/1
	33522	E.F3.47.917							1	S95	C	14/2
	12459	E.F2.47.1025							7	BAC.M37	C	14/3
33521	E.F3.47.851								1	—	B	14/4

CONTROLS

ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
							1
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT	1	—	C	14/5	
	or						
	E.F3.47.873						
	E.F3.47.825	BLOCK, shear, top and base plates spacing	3	L65	—	14/6	
	EEAS.222/13E	BOLT, 1/4" BSF, hex. head (Drilled for wire locking)	6	HTS	—	14/7	
	E.F3.47.837	CAM, assembly	1	—	—	14/8	
		Spares for:—					
	E.F3.47.731	COLLAR	1	S95	—	14/9	
	E.F3.47.807	PLATE, cam	1	S95	—	14/10	
	E.F3.47.821	TUBE, torque, input	1	S95	—	14/11	
	E.F3.47.845	CHANNEL, welded	1	S514	—	14/12	
	1504469	E.F3.47.847	CHANNEL, welded	1	S514	C	14/13
	1504470	E.F3.47.849	CHANNEL, welded	1	S514	C	14/14
	28N/1007951	AGS.2031/2	CIRCLIP	1	—	C	14/15
	E.F3.47.935	COVER, input and reheat torque tubes	2	S513	—	14/16	
	E.F3.47.789	LEVER, reheat, assembly	1	—	—	14/17	
		Spares for:—					
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT	1	—	C	14/18	
	or						
2A/9500422	E.F3.47.873						
HOFFMAN T.25	BALL-RACE	1	—	C	14/19		
E.F3.47.777	BUSH, bearing	1	S95	—	14/20		
E.F3.47.745	COLLAR	1	S95	—	14/21		
E.F3.47.809	LEVER, input	1	S15	—	14/22		
28P/9713614	SP28/K8	PtN, taper	2	—	C	14/23	
E.F3.47.833	PLATE, top, assembly	1	—	—	14/24		
	Spares for:—						
E.F3.47.823	ARM, throttle follower	1	S95	—	14/25		
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT	1	—	C	14/26	
	or						
2A/9501177	E.F3.47.873						
HOFFMAN S.5	BALL-RACE	1	—	C	14/27		
2A/9500420	HOFFMAN T.21	BALL-RACE	2	—	C	14/28	
2A/9500560	SKEFCO SKF.400737	BEARING, needle roller	1	—	C	14/29	
EEAS.296/60/20C	BOLT, 2 BA 90° c'sk head	1	S97	—	14/30		
E.F3.47.827	BUSH	1	S95	—	14/31		
E.F3.47.805	HOUSING	1	S95	—	14/32		
E.F3.47.811	LEVER, throttle	1	S82	—	14/33		
E.F3.47.801	PLATE, top	1	S515	—	14/34		
E.F3.47.829	RING, retaining, bearing	1	S95	—	14/35		
E.F3.47.813	SHAFT, torque, throttle	1	S95	—	14/36		
E.F3.47.835	PLATE, base, assembly	1	—	—	14/37		
	Spares for:—						
2A/9501177	HOFFMAN S.5	BALL-RACE	2	—	C	14/38	
E.F3.47.803	PLATE, base	1	S515	—	14/39		
E.F3.47.819	RING, retaining, bearing	1	S95	—	14/40		
E.F3.47.831	RING, retaining, bearing	1	S95	—	14/41		
E.F3.47.1077	SHIM, laminated, for bearing retaining ring	1	LA3	—	14/42		
E.F3.47.841	TUBE, distance	1	S95	—	14/43		

ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2A/9500560	E.F3.47.843	TUBE, torque, reheat, assembly	1	—	—	14/44
	E.F3.47.815	Spares for:— ARM, reheat follower	1	S95	—	14/45
	SKEFCO	BEARING, needle roller	1	—	C	14/46
8075	SKF.400737					
	or					
12548	RANSOME & MARLES					
	B.10291					
3485	or					
	B.11720					
33519	E.F3.47.751	BOLT, special	1	S95	—	14/47
	E.F3.47.747	BUSH, special	1	S95	—	14/48
33519	E.F3.47.817	TUBE, torque, reheat	1	S95	—	14/49
	E.B2.47.443	NUT, slotted, control rod fork-end connecting	1	BAC.M37	C	14/50
4131	E.F3.47.925	ROD, control, between frames 47 and 48, assembly	1	—	C	14/51
	Spares for:—					
28M/1007403	E.B2.47.375	FORK-END	1	—	C	14/52
	E.F3.47.931	FORK-END	1	BAC.M37	—	14/53
33518	A27/ET	NUT, 1/4" BSF, thin, fork-end locking	1	—	C	14/54
	E.F3.47.919	TUBE	1	T58	—	14/55
10244	E.F3.47.927	ROD, control, frames 46 to 47, assembly	1	—	C	14/56
	Spares for:—					
36HH/11674	E.F2.47.251	EYE-END, assembly	1	—	C	14/57
	Spares for:—					
28P/9524884	ROLLS ROYCE	BALL-JOINT	1	—	C	14/58
	D.47142					
33517	or					
	E.F3.47.873	PIN, taper, eye-end locking	4	—	C	14/49
36HH/11674	SP28/G6	ROD, control, frames 48 to 49, assembly	1	—	C	14/60
	E.F3.47.929	Spares for:—				
33520	ROLLS ROYCE	BALL-JOINT	1	—	C	14/61
	D.47142					
36VV/3821	or					
	E.F3.47.873	FORK-END	1	S95	C	14/62
28M/1007403	E.F3.47.1069	HOUSING, ball-joint	2	—	C	14/63
	ROLLS ROYCE					
21422	BA.36618	NUT, 1/4" BSF, thin, ball-joint housing and fork-end locking	2	—	C	14/64
	A27/ET					
28D/1200119	E.F2.47.613	MOUNTING, Teleflex, at frame 44, group	1	—	—	12/25
	Consisting of:—					
28D/1011022	E.F3.47.853	BLOCK, clamping	1	—	C	12/26
	Attachments:—					
28M/9403520	A25/4C	Bolt, 2 BA, hex. head	1	—	C	12/27
	A25/18C	Bolt, 2 BA, hex. head	2	—	C	12/28
26FZ/20453	A27/CP	Nut, 2 BA, plain	1	—	C	12/29
	EEAS.20/1CR	Tab, locking	1	L72	C	12/30
28W/9419402	SP13/C	Washer, 2 BA, plain	3	—	C	12/31
	10249	CHANNEL, support	1	—	C	12/32
28D/9436920	E.F2.47.87	Attachments:—				
	A25/1C	Bolt, 2 BA, hex. head	2	—	C	12/33
21423	EEAS.28/11/2A	SHIM, clamping, block	2	Alum.	C	12/34

CONTROLS

ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F2.47.621	MOUNTING, Teleflex, at frame 36, port, group	1	—	—	6/41
		Consisting of:—				
10250	E.F2.07.29	ANGLE, clamp block support (E.F2.47.1059)	1	L72	C	6/42
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	—	C	6/43
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	2	—	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	6/44
26FZ/20453	EEAS.20/1CR	Tab, locking	1	L72	C	6/45
10251	E.F2.47.569	BRACKET, throttle control bearing, assembly	1	—	C	6/46
		Spares for:—				
3059	E.B1.45.1593	BEARING, roller, control tube guide	1	—	C	6/47
		Attachments:—				
28D/1008147	A25/1A	Bolt, 6 BA, hex. head	5	—	C	6/48
28M/9418829	AGS.2002/A/1	Nut, stiff, 6 BA	5	—	C	6/49
10233	E.F2.47.577	BLOCK, clamp, half	1	L65	C	6/50
10252	E.F2.47.637	BLOCK, clamp, half	1	L65	C	6/51
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA hex. head	4	—	C	6/52
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	6/53
28W/9419475	SP15/C	Washer, 2 BA plain	4	—	C	6/54
	E.F2.47.623	MOUNTING, roller, at frame 29, port, group	1	—	—	11/9
		(Mk. 2 A/C)				
	E.F3.47.1195	MOUNTING, roller, at frame 29, port, group	1	—	—	11/10
		(Mk. 2A A/C)				
		Consisting of:—				
3059	E.B1.45.1593	BEARING, roller control tube guide (Pre Mod. 4342)	1	—	C	11/11
1485415	E.B2.45.3219	BEARING, roller, control tube guide (Mod. 4342)	1	—	C	11/12
		Attachments:—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	5	—	C	11/13
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	5	—	C	11/14
10253	E.B2.47.337	BRACKET, control	1	—	C	11/15
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head (Mk. 2 A/C)	4	—	C	11/16
28D/9133011	A25/2C	Bolt, 2 BA, hex. head (Mk. 2A A/C)	4	—	C	11/17
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	4	—	C	11/18
	E.F3.11.1365	Washer, special (Mk. 2A A/C)	2	L72	—	11/19
28W/9419475	SP15/C	Washer, 2 BA, plain (Mk. 2A A/C)	1	—	C	11/20
	E.F2.47.629	MOUNTING, roller, at frame 25B, group	1	—	—	15/12
		Consisting of:—				
	E.F2.07.77	BRACKET, control bearing, group (E.F2.47.1487)	1	—	—	15/13
		Spares for:—				
3059	E.B1.45.1593	BEARING, roller assembly, control tube guide	1	—	C	15/14
		Attachments:—				
28D/1008147	A25/1A	Bolt, 6 BA, hex. head	5	—	C	15/15
28M/9403518	A27/AP	Nut, 6 BA, plain	5	—	C	15/16
3478	E.B2.47.753	ROLLER, 5/8" dia., control tube guide, assembly	1	—	B	15/17
		Spares for:—				
2A/9500410	HOFFMANN CS.1	BALL-RACE	1	—	C	15/18
10200	E.B2.47.311	BOLT, special	1	—	C	15/19
10201	E.B2.47.317	BOLT, special, 4 BA	1	S95	C	15/20

CONTROLS
ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F2.47.1259	MOUNTING , torque tube, at frame 34, assembly ... (Mk. 2 A/C)	1	—	—	7/21
	E.F3.47.1179	MOUNTING , torque tube, at frame 34, assembly ... (Mk. 2A A/C)	1	—	—	7/22
3476	E.B2.47.335	Spares for :— BOLT , special ...	1	S96	C	7/23
10237	E.F2.47.913	NUT , knurled ...	1	L65	C	7/24
28P/1202461	SP9/E8	Attachments :— Pin, split ...	1	—	C	7/25
	E.F3.47.581	PACKING (Mk. 2A A/C) ...	1	L65	—	7/26
10238	E.F2.47.907	PLATE , bearing (Mk. 2 A/C) ...	1	L73	C	7/27
	E.F3.47.579	PLATE , bearing (Mk. 2A A/C) ...	1	L73	—	7/28
28D/1007285	AS.1242/1B	Attachments :— Bolt, 4 BA, hex. head ...	4	—	C	7/29
	E.F3.47.1185	PLATE , anchor, shaft (Mk. 2A A/C) ...	1	L65	—	7/30
10239	E.F2.47.897	RING , friction, assembly (Mk. 2 A/C) ...	1	—	C	7/31
21101	E.F2.47.915	Spares for :— BUSH ...	1	Oilite	C	7/32
	E.F3.47.1183	RING , friction, assembly (Mk. 2A A/C) ...	1	—	—	7/33
	E.F3.47.571	Spares for :— BUSH ...	1	Oilite	—	7/34
10240	E.F2.47.905	SPRING , compression ...	4	DTD.215	C	7/35
10241	E.F2.47.911	SPRING , compression ...	1	DTD.329	C	7/36
12481	E.F2.47.1255	TUBE , torque, assembly ...	1	—	B	7/37
36HH/11674	ROLLS ROYCE D.47142	Spares for :— BALL-JOINT ...	1	—	C	7/38
2A/9500410	HOFFMAN CS.1	BALL-RACE ...	2	—	C	7/39
	E.F2.47.891	FLANGE , torque tube ...	1	S61	—	7/40
	E.F2.47.893	Attachments :— Bolt, special, 2 BA ...	2	S96	—	7/41
	E.F2.47.1243	LEVER , adjustable, assembly ...	1	—	—	7/42
12478	E.F2.47.1219	Spares for :— BUSH ...	1	S95	C	7/43
	E.F2.47.1245	HOUSING , lever ...	1	S95	—	7/44
12479	E.F2.47.1227	LEVER , assembly ...	1	—	B	7/45
36HH/11674	ROLLS ROYCE D.47142	Spares for :— BALL-JOINT ...	1	—	C	7/38
12480	E.F2.47.1221	LEVER ...	1	S82	—	7/46
1484014	E.F2.47.1225	NUT , lock ...	1	S95	C	7/47
28Q/9417226	E.F2.47.1247	RING , retaining ...	1	T45	C	7/48
	AGS.2050/429	RIVET , tucker, 1/8" dia. ...	2	—	C	7/49
	E.F2.47.895	TUBE , distance, 3/8" o/d x 17 SWG ...	1	L62	—	7/50
	E.F2.47.1467	MOUNTING , torque shaft at frame 49, group ...	1	—	—	16/1
10212	E.F2.47.993	Consisting of :— BOLT , special ...	1	—	C	16/2
10213	E.F2.47.983	COLLAR , slotted ...	1	L65	C	16/3
10214	E.F2.47.987	FLANGE ...	1	S61	C	16/4

ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10216	E.F.2.47.543	LUG, aft of frame 49	1	L40	C	16/5
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	3	-	C	16/6
28M/5808573	A27/CS	Nut, 2 BA, slotted	3	-	C	16/7
28P/9486478	SP90/C5	Pin, split	3	-	C	16/8
28W/9419404	SP16/C	Washer, 2BA, plain	3	-	C	16/9
26FZ/1572	EEAS.37/1A	NIPPLE	4	S96	C	16/10
13061	E.F.2.47.1129	PACKING, compressions spring seating	1	BS2572	C	16/11
				Type F3		
28P/9512622	SP90/E14	PIN, split, torque tube and slotted collar locating	1	-	C	16/12
10217	E.F.2.47.985	RING, friction	1	BS369	C	16/13
		Attachments:-				
28D/9709461	AS.1242/3C	Bolt, 2 BA, c'sk head	3	-	C	16/14
28M/9403520	A27/CP	Nut, 2 BA, plain	1	-	C	16/15
28M/5808573	A27/CS	Nut, 2 BA, slotted	2	-	C	16/16
28P/9486478	SP90/C5	Pin, split	2	-	C	16/17
28W/9419404	SP16/C	Washer, 2BA, plain	3	-	C	16/18
R	26FZ/1570	EEAS.38/1A	2	S96	C	16/19
	10218	E.F.2.47.989	1	DTD215	C	16/20
	10219	E.F.2.47.991	1	DTD239	C	16/21
	10220	E.F.2.47.1241	1	-	B	16/22
		TUBE, torque, assembly				
		Consisting of:-				
R	13062	E.F.2.47.1163	1	L65	C	16/23
	10221	E.F.2.47.1231	1	-	C	16/24
		LEVER, assembly				
		Spares for:-				
	12478	E.F.2.47.1219	1	S95	C	16/25
		E.F.2.47.1217	1	S95	-	16/26
	12479	E.F.2.47.1227	1	-	B	16/27
		LEVER, assembly				
		Consisting of:-				
	36HH/11674	ROLLS ROYCE	1	-	C	16/28
		D.47142				
		E.F.2.47.1221	1	S82	-	16/29
	12480	E.F.2.47.1225	1	S95	C	16/30
		E.F.2.47.1223	1	T45	-	16/31
	28Q/9417268	AGS.2050/429BS	2	-	C	16/32
		RIVET, tucker, 1/8" dia.				
		Attachments:-				
R	26FZ/1572	EEAS.37/1A	4	S96	C	16/33
	26FZ/1570	EEAS.38/1A	1	S96	C	16/34
		Spoke (Make from 28R/6123)				
		E.F.2.47.1325	1	L65	-	16/35
		LEVER, rigging				
		Attachments:-				
R	26FZ/1572	EEAS.37/1A	2	S96	C	16/36
	26FZ/1570	EEAS.38/1A	1	S96	C	16/37
		Spoke (Make from 28R/6123)				
	13063	E.F.2.47.1147	1	L65	C	16/38
	13776	E.F.2.47.1469	1	-	C	16/39
		PIECE, distance				
		PLATE, spherical bearing mounting, assembly				
		Spares for:-				
		E.F.2.47.1471	1	-	-	16/40
		E.F.2.47.1251	1	S95	-	16/41
		BEARING, spherical				
		TUBE, torque				

CONTROLS

ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10222	E.F2.47.521	TUBE, torque, assembly	1	—	B	16/42
		Spares for:—				
	E.F2.47.533	LEVER, assembly	1	—	—	16/43
		Spares for:—				
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT	1	—	C	16/44
		Attachments:—				
R 26FZ/1572	EEAS.37/1A	Nipple	4	S96	C	16/45
R 26FZ/1570	EEAS.38/1A	Spoke (Make from 28R/6123)	2	S96	C	16/46
	E.F2.47.535	TUBE, joint	1	S95	—	16/47
		Attachments:—				
R 26FZ/1572	EEAS.37/1A	Nipple	4	S96	C	16/48
R 26FZ/1570	EEAS.38/1A	Spoke (Make from 28R/6123)	2	S96	C	16/49
	3485	NUT, special, control rod fork end connecting bolt	27	BAC.M37	C	9/47
	12468	NUT, special, control rod fork end connecting bolt	3	BAC.M37	C	9/48
28M/5808573	A27/CS	NUT, 1/4" BSF, slotted, control rod to crank securing	3	—	C	9/49
28P/1202558	SP90/A7	PIN, split, 1/32" dia. x 1" long, locking control rod fork	30	—	C	9/50
		end connections				
28P/9527619	SP90/C7	PIN, split, 1/32" dia. x 1" long, control rod to	5	—	C	9/57
		crank locking				
	3490	ROD, control, No. 2 engine, pick-up connection	1	—	B	17/1
		assembly				
	3491	ROD, control, No. 1 engine, pick-up connection	1	—	B	17/2
		assembly				
	10256	ROD, control, at frame 53-55, No. 2 engine	1	—	B	17/3
	10257	ROD, control, at frame 53-55, No. 1 engine	1	—	B	17/4
	10264	ROD, control, No. 2 engine, at frame 49, assembly	1	—	B	17/5
		Spares for:—				
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT	1	—	C	17/6
36VV/2821	ROLLS ROYCE BA.36618	HOUSING, ball-joint	1	—	C	17/7
	10265	ROD, control, No. 2 engine, at frames 48-49, assembly ..	1	—	B	17/8
		(Mk. 2 A/C)				
		Spares for:—				
36HH/11674	ROLLS ROYCE D.47142	BALL-JOINT	1	—	C	17/9
36VV/3821	ROLLS ROYCE BA.36618	HOUSING, ball-joint	1	—	C	17/10
	10266	ROD, control, No. 2 engine, frames 46-47 (Mk. 2 A/C) ..	1	—	B	17/11
	10267	ROD, control, No. 1 engine, frame 34 (Mk. 2 A/C)	1	—	B	17/12
	10268	ROD, control, No. 2 engine, between frames 47 and 48 ..	1	—	B	17/13
		(Mk. 2 A/C)				
1485413	E.F2.47.1661	ROD, control, No. 1 engine, frames 25-29, assembly	1	—	C	18/1
		(Mod. 4278)				
		Consisting of:—				
1484031	UNBRAKO SERIES SC	SCREW, 1/4" BSF x 7/8"	1	—	C	18/2
	3499	TUBE, control, assembly	1	—	C	18/3
	E.F2.47.1663	TUBE, extension (Mod. 4278)	1	S95	—	18/4
10271	E.F2.47.627	ROD, control, No. 2 engine, frames, 25-36, group	1	—	B	18/5
		Consisting of:—				
	E.F2.47.649	BUSH, threaded, assembly	1	—	—	18/6
		Consisting of:—				
	E.F2.47.651	BUSH, threaded	1	S95	—	18/7

CONTROLS

ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10255	E.F2.47.1297	ROD, control, at frames 55-56, No. 1 engine, group Consisting of:—	1	—	B	9/58
4131	E.B2.47.375	FORK-END	2	S95	C	9/59
28M/1007403	A27/ET	NUT, 1/4" BSF, thin	2	—	C	9/60
	E.B2.47.405	ROD-END	2	—	—	9/61
		Attachments:—				
28P/9524884	SP28/G6	Pin, taper	4	—	C	9/62
	E.F2.47.1299	TUBE, 5/8" o/d. x 22 SWG	1	T58	—	9/63
19730	E.F2.47.1425	RDD, control, at frame 48, No. 2 engine, assembly Spares for:—	1	—	B	17/20
36HH/11674	ROLLS ROYCE D.47142 or E.F3.47.873	BALL-JOINT	1	—	C	17/21
4131	E.B2.47.375	FORK-END	1	—	C	17/22
36VV/3821	ROLLS ROYCE BA.36618	HOUSING, control joint	1	—	C	17/23
21120	E.F2.47.1519	ROD, control, telescopic, frames 47 to 49, No. 1 engine, . assembly (Mod. 2090) Spares for:—	1	—	B	17/24
4131	E.B2.47.375	FORK-END	1	S95	C	17/25
28M/1007403	A27/ET	NUT, 1/4" BSF, thin, fork-end locking	1	—	C	17/26
21119	E.F2.47.1569	SPRING	1	DTD215	C	17/27
21118	E.F2.47.1561	ROD, control, telescopic, frames 49 to 50, No. 2 engine, . assembly Spares for:—	1	—	B	17/28
4131	E.B2.47.375	FORK-END	1	S95	C	17/29
28M/1007403	A27/ET	NUT, 1/4" BSF, thin, fork-end locking	1	—	C	17/30
21119	E.F2.47.1569	SPRING	1	DTD215	C	17/31
	E.F2.47.461	ROLLER, mounting, at frame 51, group Consisting of:—	1	—	—	11/21
36149	E.F2.07.79	ROLLER, control tube, guide, assembly (E.F2.47.1109) Spares for:—	1	—	B	11/22
2A/9500410	HOFFMAN CS.1	BALL-RACE	1	—	C	11/23
10200	E.B2.47.311	BOLT, special, tapered roller axis	1	S95	C	11/24
10201	E.B2.47.317	BOLT, special, trunnion clamp	1	S95	C	11/25
28M/1987493	AGS.2001/A/1	NUT, stiff, 6 BA, roller axis bolt attachment	1	—	C	11/26
10202	GEO. SALTER 5100/12	RING, truarc retaining	1	—	C	11/27
2589	GEO. SALTER 5100/25	RING, truarc retaining	1	—	C	11/28
10203	E.B2.47.309	ROLLER, tapered	2	LF882	C	11/29
10204	E.B2.47.751	SHAFT, eccentric	1	S95	C	11/30
28W/9419474	SP15/B	WASHER, 4 BA, plain, between tapered rollers	1	—	C	11/31
28W/9416642	SP47/B	WASHER, 4 BA, spring	1	—	C	11/32
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	—	C	11/33
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	11/34
28W/9419402	SP13/C	Washer, 2 BA, plain	3	—	C	11/35

ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F3.47.1229	ROLLER, mounting at frame 50, group (Mod. 4641)	1	—	—	11/36
6102611	E.F3.07.369	Consisting of:— ROLLER, control tube guide, assembly	1	—	B	11/22
		(Mod. 4641) Spares for:—				
2A/9500410	HOFFMANN CS.1	BALL-RACE	1	—	C	11/23
10200	E.B2.47.311	BOLT, special, tapered roller axis	1	S95	C	11/24
10201	E.B2.47.317	BOLT, special, trunnion clamp	1	S95	C	11/25
28M/1987493	AGS.2001/A/1	NUT, stiff, 6 BA, roller axis bolt attachment	1	—	C	11/26
10202	GEO. SALTER 5100/12	RING, truarc retaining	1	—	C	11/27
2589	GEO. SALTER 5100/25	RING, truarc retaining	1	—	C	11/28
10203	E.B2.47.309	ROLLER, tapered	2	LFB82	C	11/29
6102612	E.F3.47.1225	SHAFT, eccentric (Mod. 4641)	1	S95	C	11/30
28W/9419474	SP15/B	WASHER, 4 BA, plain, between tapered rollers	1	—	C	11/31
28W/9416642	SP47/B	WASHER, 4 BA, spring	1	—	C	11/32
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	—	C	11/33
28W/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	11/34
28W/9419402	SP13/C	Washer, 2 BA plain	3	—	C	11/35

CONTROLS

ENGINE CONTROLS IN REAR FUSELAGE

Ref. No.	Part No.								No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

