

A.P.101B-1002/2A-3A		CONTROLS						Page DC1			
EMERGENCY CONTROLS IN FRONT FUSELAGE, FRAMES 15 TO 25											
Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
	—	CONTROLS, EMERGENCY, IN FRONT						—	—	—	
		FUSELAGE, FRAMES 15 TO 25 (E.F.2.48.5)									
		Spares for:—									
7245	E.B2.48.1205	BLOCK, rubbing, at frame 18						1	LFS26	C	22/1
		Attachments:—									
28D/9140638	A.25/4B	Bolt, 4 BA, hex. head						2	—	C	22/2
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA						2	—	C	22/3
10167	E.F.2.48.99	BOLT, special, pulley pivot at frame 18, port						1	—	C	22/4
10168	EEAS.222/11E	BOLT, 1/4" BSF, hex. head, pulley pivot at frame 21,						1	HTS	C	22/5
		port									
	E.F.2.48.93	BRACKET, main undercarriage emergency selector,						1	—	—	22/6
		c/w valve, group (Pre Mod. 4100)									
		Spares for:—									
2A/9500463	HOFFMAN C.S.1	BALLRACE						2	—	C	22/7
3679	E.B1.48.233	BUSH, distance						2	L65	C	22/8
3677	E.B1.48.227	CAM, selector lever ballrace						1	DTD124	C	22/9
		Attachments:—									
28D/9140648	A.25/19C	Bolt, 2 BA, hex. head						1	—	C	22/10
28M/5808573	A.27/CS	Nut, 2 BA, slotted						1	—	C	22/11
28P/9527619	SP.90/C7	Pin, split						1	—	C	22/12
3678	E.B2.48.851	SPRING, selector lever, cam loading						1	DTD215	C	22/13
		Attachments:—									
28D/9133011	A.25/2C	Bolt, 2 BA, hex. head						6	—	C	22/14
28W/9419475	SP.15/C	Washer, 2 BA, plain						6	—	C	22/15
	E.F.2.48.205	BRACKET, main undercarriage emergency selector,						1	—	—	23/1
		assembly (Mod. 4100) (Pre-Mod. 4504)									
		Spares for:—									
2A/9500410	HOFFMAN C.S.1.	BALLRACE, selector lever						1	—	C	23/2
		Attachments:—									
28M/1006473	A.27/CT	Nut, 2 BA, thin						1	—	C	23/3
28M/1006504	A.27/BT	Nut, 4 BA, thin						1	—	C	23/4
1439929	E.B2.48.1403	Spigot						1	S1	C	23/5
1439930	AS.2810/4/012	Tube, distance						1	—	C	23/6
28W/9419474	SP15/B	Washer, 4 BA, plain						1	—	C	23/7
28W/9419475	SP.15/C	Washer, 2 BA, plain						1	—	C	23/8
	E.B2.48.169	BRACKET, assembly						1	—	—	23/9
		Attachments:—									
28D/7002440	A25/18E	Bolt, 1/4" BSF, hex. head						2	—	C	23/10
28M/9480017	AGS.2001/E/1	Nut, stiff, 1/4" BSF						2	—	C	23/11
28W/9419487	SP.16/E	Washer, 1/4" BSF, plain						2	—	C	23/12
1439566	E.B2.48.1399	CAM, selector lever ballrace						1	—	C	23/13
		Attachments:—									
28D/1214031	AS.1242/BC	Bolt, 2 BA, c'sk head						1	—	C	23/14
28M/5808573	A.27/CS	Nut, 2 BA, plain						1	—	C	23/15
28P/9527619	SP.90/C7	Pin, split						1	—	C	23/16
	AS.2806/4/075	Tube, distance						1	—	—	23/17
28W/9419475	SP.15/C	Washer, 2 BA, plain						1	—	C	23/18
28W/9418921	SP13/E	Washer, 1/4" BSF, plain						2	—	C	23/19

CONTROLS

EMERGENCY CONTROLS IN FRONT FUSELAGE, FRAMES 15 TO 25

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
1439567	E.B2.48.1397	PLATE, link, cable to selector lever							1	L72	C	23/20	
28P/7802435	SP.4Y/A3	Attachments:— Pin, shackle							1	—	C	23/21	
28P/9508504	SP.90/C2	Pin, split							1	—	C	23/22	
	E.B4.48.633	Washer, special (Make from SP.15/B)							1	—	LM	23/23	
	E.B1.48.231	PLATE, side							1	DTD610	—	23/24	
28D/9140648	A.25/19C	Attachments:— Bolt, 2 BA, hex. head							1	—	C	23/25	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	—	C	23/26	
	AS.2809/4/180	Tube, distance							1	—	—	23/27	
	E.B2.48.1401	PLATE, side							1	L72	—	23/28	
28D/9133011	A.25/2C	Attachments:— Bolt, 2 BA, hex. head							2	—	C	23/29	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C	23/30	
	E.B2.48.1381	Spacer							1	L72	—	23/31	
28W/9419475	SP.15/C	Washer, 2 BA, plain							2	—	C	23/32	
37381	E.B2.48.1413	PLATE, side							1	L72	—	23/33	
28D/1214031	AS.1242/8C	Attachments:— Bolt, 2 BA, c'sk head							1	—	C	23/34	
28D/1214091	AS.1242/2C	Bolt, 2 BA, c'sk head							2	—	C	23/35	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C	23/36	
28M/5808573	A.27/C5	Nut, 2 BA, slotted							1	—	C	23/37	
28P/9527619	SP.90/C7	Pin, split							1	—	C	23/38	
	E.B2.48.1381	Spacer							1	L72	—	23/39	
	AS.2809/4/075	Tube, distance							1	—	—	23/40	
28W/9419475	SP.15/C	Washer, 2 BA, plain							1	—	C	23/41	
3678	E.B2.48.851	SPRING, cam loading							1	DTD215 or 239	C	23/42	
28D/9140648	A.25/19C	Attachments:— Bolt, 2 BA, hex. head							1	—	C	23/43	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	—	C	23/44	
	AS.2809/4/125	Tube, distance							1	—	—	23/45	
	AS.2809/4/045	Tube, distance							1	—	—	23/46	
28D/9133011	A.25/2C	Attachments:— Bolt, 2 BA, hex. head							6	—	C	23/47	
28W/9419475	SP.15/C	Washer, 2 BA, plain							6	—	C	23/48	
10169	E.F2.48.151	BRACKET, pulley, upper shear web, frames 20-21, assembly							1	—	C	22/16	
28D/9133011	A.25/2C	Attachments:— Bolt, 2 BA, hex. head							3	—	C	22/17	
28W/9419475	SP.15/C	Washer, 2 BA, plain							3	—	C	22/18	

EMERGENCY CONTROLS IN FRONT FUSELAGE, FRAMES 15 TO 25

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B4.48.651	BRACKET, main undercarriage emergency selector							1	—	—	23A/1
		assembly (Mod. 4504)										
		Spares for:—										
28D/1212305	A25/21E	BOLT, 1/4" BSF, hex. head							2	—	C	23A/2
	E.B4.48.673	BOLT, pivot							1	—	—	23A/3
	E.B4.48.653	BRACKET, sub-assembly							1	—	—	23A/4
1504896	E.B4.48.703	BUSH, spring							2	—	C	23A/5
28N/1046383	SP121/B	COLLAR							2	—	C	23A/6
28N/1046382	SP121/C	COLLAR							1	—	C	23A/7
10317	E.11/2	EXTRUSION							QR	—	C	23A/8
	E.B4.48.677	LEVER, assembly							1	—	—	23A/9
	E.B4.48.713	LINK							1	—	—	23A/10
1504895	E.B4.48.701	NUT, special							1	—	C	23A/11
28M/1201610	AGS.2001/E1	NUT, stiff, 1/4" BSF							1	—	C	23A/12
28M/5808573	A27/CS	NUT, 2 BA, slotted							1	—	C	23A/13
28M/1006473	A27/CT	NUT, 2 BA, thin							2	—	C	23A/14
28P/1021104	SP90/C3	PIN, split							2	—	C	23A/15
28P/9710567	SP90/C4	PIN, split							1	—	C	23A/16
28P/9486478	SP90/C5	PIN, split							1	—	C	23A/17
28P/16926	SP113/B3	PIN, shear							2	—	C	23A/18
1504900	E.B4.48.679	PIN, pivot							1	—	C	23A/19
1504898	E.B4.48.705	ROD, guide							1	—	C	23A/20
1504894	E.B4.48.699	SPRING							1	—	C	23A/21
	E.B4.48.683	TRUNNION							1	—	—	23A/22
	E.B4.48.675	TUBE, distance (Make from Pt. No. 2810/6/084)							1	—	—	23A/23
26FZ/35363	AS.2810/4/16	TUBE, distance							1	—	C	23A/24
	E.B4.48.689	WASHER, packing							2	—	—	23A/25
28W/5806394	SP125/D	WASHER, 10 UNF							1	—	C	23A/26
28W/9416316	SP41/E	WASHER, tab							1	—	C	23A/27
28W/9458599	SP123/E	WASHER, 1/4" BSF							1	—	C	23A/28
28W/9128796	SP126/E	WASHER, 1/4" BSF							2	—	C	23A/29
10170	E.F2.48.103	CABLE, assembly, from connection at frame 17 to							1	—	C	22/19
		connection at frame 24, parachute stream										
10171	E.F2.48.111	CABLE, assembly, from connection at frame 16 to							1	—	C	22/20
		connection at frame 25, drop tank jettison										
10172	E.F2.48.119	CABLE, assembly, from connection forward of frame							1	—	C	22/21
		19 to undercarriage selector lever										
		(Pre-Mod. 4504)										
	E.F2.48.813	CABLE, assembly from connection forward of frame 19							1	—	—	
		to undercarriage selector lever										
		(Mod. 4504)										
	E.B2.48.195	FAIRLEAD, on frame 25A, port assembly							1	—	—	22/22
		Consisting of:—										
	E.F2.48.55	FAIRLEAD							1	—	—	22/23
3698	E.B2.48.155	FAIRLEAD							1	—	C	22/24
		Attachments:—										
28D/9419452	A25/3B	Bolt, 4 BA, hex. head							1	—	C	22/25
28M/1278189	AGS.2001/B1	Nut, stiff, 4 BA							1	—	C	22/26

CONTROLS

EMERGENCY CONTROLS IN FRONT FUSELAGE, FRAMES 15 TO 25

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F2.48.203	FAIRLEAD, at frames 22 and 23, port, assembly	2	—	—	22/27
		Consisting of:—				
	E.F2.48.57	FAIRLEAD, half	1	—	—	22/28
3698	E.B2.48.155	FAIRLEAD, half	1	—	C	22/29
		Attachments:—				
28D/9419452	A25/3B	Bplt, 4 BA, hex. head	2	—	C	22/30
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	22/31
10173	E.F2.48.95	FAIRLEAD, at frames 18 and 20, port	4	BS2572	C	22/32
		Attachments:—				
28D/9419452	A25/3B	Bolt, 4 BA hex. head	4	—	C	22/33
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	22/34
28W/9419474	SP15/B	Washer, 4 BA, plain	4	—	C	22/35
3701	E.B2.48.635	FAIRLEAD, on channel at frame 19	1	LFS21	C	22/36
		Attachments:—				
28D/1010142	A25/9B	Bolt, 4 BA, hex. head	2	—	C	22/37
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	22/38
10174	E.F2.48.135	FORK-END, screwed, emergency undercarriage cable, . . .	1	S94	C	22/39
		forward of frame 19				
10175	E.B2.48.1251	GUARD, undercarriage emergency cable, frames 22	1	—	C	22/41
		and 23 (Pre-Mod. 4100)				
1504889	E.B4.48.719	GUARD, undercarriage emergency cable, frames 22 to . . .	1	—	C	22/40
		23 (Mod. 4504)				
1439568	E.B2.48.1387	GUARD, undercarriage emergency cable, frames 22	1	—	C	22/41
		and 23 (Pre-Mod. 4504)				
3718	E.B2.48.639	PLATE, channel, fairlead clamping at frame 19	1	LFS21	C	22/42
28R/1038190	AS.1151	PULLEY, single shrouded	4	—	C	22/43
28R/13499	AS.1152	PULLEY, double shrouded	4	—	C	22/44
28R/13500	AS.1153	PULLEY, triple shrouded	1	—	C	22/45
10176	E.F2.48.125	SPACER, channel fairlead at frame 19	1	BS2572	C	22/46
10177	EEAS.15/49/ 150GU	STRIP, packing, cable connecting	2	S515	C	22/47
	EEAS.14/49/ 175GU	STRIP, packing, at connection forward of frame 19,	1	S515	—	22/48
		emergency undercarriage "down" control cable				

This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm
Please see site for usage terms,
and more aircraft documents.

