

CONTROLS

FLYING CONTROLS IN FRONT FUSELAGE

R

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
		(For Pull Handle, rudder adjustment installation) (E.F.2.45.127) (See Page CF1)											
		CONTROLS, FLYING, IN FRONT FUSELAGE, ASSEMBLY (E.F.2.45.3) Consisting of:—							—	—	—		
5W/2630	E.E. CO. LTD. BRADFORD AE.4011 Mk. 3	ACTUATOR, aileron trim							1	—	A	30/2	
2362	E.B.2.45.835	BOLT, special, aileron trim actuator connecting							1	S95	C	30/3	
2363	EEAS.191	BOLT, special, control rod connecting							20	S95	C	30/4	
10826	EEAS.223/10E E.B.2.45.2979 E.F.2.45.247	BOLT, special, trim actuator anchor CABLE, brake control, assembly (Pre-Mod. 4319) CABLE, brake control, assembly (Mod. 4319)							1	HTS	C	30/5	
		Spares for:—											
2365	E.B.2.45.1949	ABUTMENT, pressure seal cable							2	L65	C	30/7	
10827	E.B.2.45.2307	BRACKET, securing brake control cable (Pre-Mod. 4319)							1	L72	C	30/8	
10828	E.B.2.45.3005	CABLE, brake control, group (Pre-Mod. 4319)							1	—	C	30/9	
6102055	E.F.2.45.267	CABLE, brake control, group (Mod. 4319)							1	—	C		
		Spares for:—											
27QA/17550	DOWTY SP900/8	SEAL, "O" ring							1	—	C	30/10	
2367	E.B.2.45.1947	CAP, adaptor, pressure seal							1	L65	C	30/11	
26FZ/4965	EEAS.143/5	CLIP, pipe							4	—	C	30/12	
10829	E.B.2.45.2987 E.F.2.45.15	WASHER, special, differential brake cable guide CONTROLS, in cockpit, assembly							2	L72	—	30/13	
		Spares for:—											
203	E.F.2.45.17	BAR, rudder, assembly							1	—	A	28/1	
		Spares for:—											
12372	E.B.2.45.2953	ARM, rudder, assembly							2	—	B	28/2	
2A/9500410	HOFFMANN CS.1	BALL RACE, lifting rod transversing							2	—	C	28/3	
2A/9500420	HOFFMANN T.21	BALL RACE, pedestal casting							2	—	C	28/4	
2372	E.B.2.45.2545	BODY, adjuster							1	—	C	28/5	
2373	E.B.2.45.1013	BOLT, special, rudder pedal pivot							2	S95	C	28A/1	
8811	EEAS.222/1C	BOLT, special, pedestal casting support plate attachment							4	HTS	C	28/6	
26FZ/12066	AS.2203	BOLT, special, link rod to pedal attachment							2	S110	C	28A/2	
26FZ/12068	AS.2196	BOLT, special, rack link attachment							4	S110	C	28/7	
26FZ/12062	AS.2202	BOLT, special, pedal link rod pivot							1	S110	C	28A/3	
26FZ/12069	AS.2180	BUSH, rudder bar arm, top centre							1	B8	C	28/8	
26FZ/12067	AS.2226	BUSH, rudder bar arm, bottom centre							1	—	C	28/9	
10830	E.B.1.45.2079	COLLAR, flanged, lever mounting							1	L65	C	28/10	
8797	E.B.3.45.211	HEAD, lever mounting and cable guide							1	L65	C	28/11	
10831	E.B.1.45.297	LEVER, rudder limit							1	—	C	28/12	
2376	E.B.1.45.309	LEVER, control rod pick-up							1	—	C	28/13	
10832	E.B.2.45.2211	LEVER, control rod pick-up, assembly							1	—	C	28/14	
		Spares for:—											
10834	E.B.2.45.2213	BUSH							1	Oilite	C	28/15	
8794	E.B.3.45.315	LEVER, complete with bush, R.H. link fitting							1	—	C	28/16	
8795	E.B.3.45.317	LEVER, complete with bushes, L.H. link fitting and operating cable attachment							1	—	C	28/17	
8796	E.B.3.45.181	LEVER, lifting mechanism mounting, assembly							1	—	C	28/18	
		Spares for:—											
2503885	E.B.3.45.421	BUSH							2	—	C	28/61	
26FZ/12071	AS.2206	LINK, rudder bar							2	—	C	28A/4	
10833	E.B.2.45.2655	LINK, adjustment, rack to rudder bar							4	DTD171	C	28/19	
8798	E.B.3.45.213	LINK, locating, plunger lifting							1	DTD5040	C	28/20	
26FZ/1099	EEAS.37/22A	NIPPLE, 3/8" dia.							4	S96	C	28/21	

CONTROLS

FLYING CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8806	E.B3.45.221	NUT, special, adjusting rack locking	1	S114	C	28/22
26FZ/6815	AS.2197	NUT, rack link attachment	4	S110	C	28/23
6287	E.B2.45.2651	PEDAL, rudder bar, group	1	-	B	28A/5
	E.B2.45.2660	Consisting of:- PEDAL, foot, R.H.	1	-	-	28A/6
		Spares for:- BUSH	2	-	C	28A/7
2371	E.B2.45.1021	PLATE, foot, R.H.	1	-	C	28A/8
6290	E.B2.45.2675	STIRRUP	1	-	C	28A/9
26FZ/12584	AS.4568	Attachment:- Bolt, 2 BA, round head	4	-	C	28A/10
28D/9137409	AS.1246/2C	Nut, 2 BA, plain	4	-	C	28A/11
28M/9403520	A27/CP					
6288	E.B2.45.2659	PEDAL, foot, L.H., assembly	1	-	C	28A/12
		Spares for:- BUSH	2	-	C	28A/13
2371	E.B2.45.1021	PEDESTAL, lower	1	DTD721	-	28/24
	E.B1.45.325	PEDESTAL, upper	1	DTD721	-	28/25
	E.B1.45.327	Attachments:- Bolt, 1/4" BSF, hex. head	6	-	C	28/26
28D/1008145	A25/6E	Nut, 1/4" BSF, slotted	2	-	C	28/27
28M/1011467	A27/ES	Pin, split	2	-	C	28/28
28P/9486478	SP90/C5					
26FZ/22423	AS.2210	PIECE, distance, pedal pivot bolts	4	S110	C	28A/14
10837	AS.2811/5/208	PIECE, distance, foot plate to pedal attachment bolt	1	-	C	28A/15
10838	AS.2808/8/75	PIECE, distance, rudder bar arm attachment bolt	2	-	C	28A/16
8804	E.B3.45.217	PIN, R.H. lifting lever and mounting pivot	1	S97	C	28/29
8805	E.B3.45.219	PIN, lifting rod ballrace mounting and pivot	1	S97	C	28/30
	E.B2.45.279	PLATE, floor and rudder bar mounting	1	-	-	28/31
26FZ/22422	AS.2189	PLATE, support, rudder pedal tie bar	1	L64	C	28/32
6289	E.B2.45.2653	PLATE, foot and weight, assembly	1	-	C	28A/17
		Spares for:- BRACKET	1	L72	C	28A/18
12373	E.B2.45.2669	PLATE, foot, L.H.	1	-	C	28A/19
10836	E.B2.45.2673	RACK, adjustment	1	S82	C	28/33
10839	E.B2.45.2539	Attachments:- Bolt, special, taper	2	S110	C	28/34
26TV/2472	AS.3399	Nut, 1/4" BSF, slotted	2	-	C	28/35
28M/1011467	A27/ES	Pin, split	2	-	C	28/36
28P/9486478	SP.90/C5	Washer, special	2	-	C	28/37
26TV/2473	AS.3398					
12379	E.B3.45.215	ROD, lifting, rudder pedal adjustment, assembly	1	-	B	28/38
		Consisting of:- CAP, special, lifting rod spring housing	1	-	C	28/39
8799	E.B3.45.199	complete with bush				
8800	E.B2.45.2537	PLUNGER	1	S15	C	28/40
8801	E.B3.45.175	ROD, lifting	1	S97	C	28/41
8802	E.B1.45.2383	SPRING	1	DTD215	C	28/42
8803	E.B2.45.2801	WASHER, special	1	DTD214	C	28/43
2378	E.B1.45.2285	SCREW, special, adjustment rack plunger guide	1	S114	C	28/44
10840	UNBRAKO	SCREW, set, 6 BA, 3/16", adjuster body locking	1	-	C	28/45
	SERIES SP					
3585	UNBRAKO	SCREW, set, 4 BA x 1/2", lifting lever locking	1	-	C	28/46
	SERIES SP					

CONTROLS

FLYING CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10841	E.B1.45.2289								1	—	C	28/47
10842	E.B1.45.313								1	BAC.M37	C	28/48
26FZ/1574	EEAS.38/3A								2	S96	C	28/49
2379	E.B1.45.2231								1	DTD215	C	28/50
26FZ/12584	AS.4568								1	—	C	28A/30
28D/9140203	AS.1246/3C								2	—	C	28A/21
28D/9137409	AS.1246/2C								2	—	C	28A/22
28M/1278190	AGS.2001/C/1								4	—	C	28A/23
10843	E.B3.45.173								1	—	B	28/51
8807	E.B3.45.179								1	L65	C	28/52
8808	E.B3.45.313								1	L65	C	28/53
28M/776	A16Y/ET								1	—	C	28/54
28M/13253	A27/CTL								1	—	C	28/55
28U/14696	SP35/CE								1	—	C	28/56
8809	E.B3.45.223								1	Lam. Shim	C	28/57
8810	E.B5.45.225								1	S93	C	28/58
8811	EEAS.222/1C								4	HTS	C	30/14
28D/1202334	AS.1242/3E								22	—	C	28/59
28D/15571	A25/1-1/2C								4	—	C	28/60
	E.F2.45.19								1	—	—	29A/1
2A/9500415	HOFFMANN CS.5								2	—	C	29A/2
5CZ/4340123	WARD BROOKE WB/UN/1146/D/10Y								1	—	C	29/1
5CZ/4340124	WARD BROOKE WB/UN/1146/S/10Y								1	—	C	29/2
8270	E.B2.45.2967								2	S96	C	29A/3
	E.B3.45.395								1	L72	—	29/3
	E.F2.45.217								1	—	—	29A/4
	E.F2.45.249								1	—	—	29A/4
2A/9500415	HOFFMANN CS.5								1	—	C	29A/5
2A/9500427	HOFFMANN T.37								1	—	C	29A/6
20941	E.F2.45.213								1	—	C	29A/7
	E.F2.45.197								1	L65	—	29A/8
28N/1206380	AS.4601/13								2	—	C	29A/9
30361	E.B2.45.2807								2	L65	C	29A/10
28S/9140929	A33/C12								4	—	C	29A/11
28D/9434873	A59/16E								3	—	C	29A/12
10799	E.B2.45.2965								1	S96	C	29A/12
6102056	E.F2.45.263								1	—	C	29A/13
7212	E.B2.81.7407								1	L72	C	29A/13
6102057	E.F2.45.253								1	—	C	29A/14
6102847	E.F2.45.373								2	—	C	29A/14
7213	E.B2.81.7409								1	L72	C	29A/14
6102058	E.F2.45.255								1	—	C	29A/15
12388	E.B2.45.2803								1	S96	C	29A/15

CONTROLS

FLYING CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
R 6102978	E.F.2.07.141	COLUMN, control, sub-assembly (E.F.2.45.215) (Mod. 4811) Spares for:—	1	—	A	29A/16
	E.F.2.45.199	COLUMN, control	1	DTD721	—	29A/17
27J/755	DUNLOP	HANDLE (Pre-Mod. 4425)	1	—	A	29A/18
R 27J/6115848	DUNLOP	HANDLE (Mod. 4811)	1	—	A	29A/19
	AC.62918					
	AC.66302					
	AS.4601/27	INSERT, wire thread, 1/4" BSF x ".49 long ...	—	—	C	29A/20
	2387	SCREW, blanking	1	L65	C	29A/21
28W/9416644	E.B.2.45.2163	WASHER, 1/4" BSF, spring	1	—	C	29A/22
	SP47/E					
		Attachments:—				
	28D/1212193	Bolt, 5/16" BSF, hex. head	3	—	C	29A/23
	28M/14537	Nut, 5/16" BSF, slotted	3	—	C	29A/24
	28P/9527619	Pin, split	3	—	C	29A/25
	20942	Washer, special	6	—	C	29A/26
	E.B.2.45.427	FORK-END	1	L65	—	29A/27
	13811	FORK, control column	1	L65	C	29A/28
	26FZ/1087	NIPPLE	6	S96	C	29A/29
	10800	NUT, special	1	S96	C	29A/30
	28M/1011467	NUT, 1/4" BSF, slotted	3	—	C	
	28P/9486478	PIN, split	3	—	C	
	2386	RING, retaining (Truarc modified)	1	5000-122	C	29A/31
	7214	SADDLE, cable clip	1	L65	C	29A/32
	3585	SCREW, set, 4 BA x 1/4"	2	—	C	29A/33
	SERIES SP					
5K/9107068	HELLERMANN	SLEEVE, Helsyn, size DP	QR	—	C	29A/34
	EEAS.15/61/210/DP	STRIP, packing	1	L16	—	29A/35
	5944	WASHER, special	1	L72	C	29A/36
	5945	WASHER, special	1	L72	C	29A/37
	8273	WASHER, special	1	L72	C	29A/38
	11717	WASHER, special	1	S521	C	29A/39
	7211	WASHER, special, "D"	2	L72	C	29A/40
	7215	WASHER, special, "D"	2	L72	C	29A/41
	8275	WASHER, shim	1	Alum.	C	29A/42
	19781	COVER, top, and support plate	1	—	C	29/4
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	6	—	C	29/5
	2550	PLATE, end cover	1	—	C	29/6
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	—	C	29/7
28M/9403520	A27/CP	Nut, 2 BA, plain	4	—	C	29/8
	10845	PANEL, side, R.H., assembly	1	—	C	29/9
	21500	PANEL, side, L.H., assembly	1	—	C	29/10
	10846	PLATE, side, L.H. balance weight attachment to control column	1	L65	C	29A/43
	10847	PLATE, side, R.H., balance weight attachment to control column	1	L65	C	29A/44
	20940	PLATE, cover, assembly	1	—	B	29/11
	10849	PLATE, cover, port	1	—	C	29/12
	34480	PLATE, identification, 10-way, single terminal block	1	L73	C	29/13
	EEAS.551/20	PLATE, identification, 10-way, double terminal block	1	L73	—	29/14

A.P.101B-1002/2A-3A		CONTROLS					Page DE5				
FLYING CONTROLS IN FRONT FUSELAGE											
Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
2393	E.B2.45.2175	ROD, tailplane control						1	—	C	29A/45
28D/1213400	A30/9G	Attachments:—									
28M/5808571	A27/GS	Bolt, 5/16" BSF, hex. head						1	—	C	29A/46
28P/9527619	SP90/C7	Nut, 5/16" BSF, slotted						1	—	C	29A/47
		Pin, split, 1/16" x 1"						1	—	C	29A/48
2394	UNBRAKO	SCREW, socket, set, control column limit,						1	—	C	29/15
	SERIES SD	5/16" x 1-1/4"									
6060	UNBRAKO	SCREW, socket, set, control column limit,						1	—	C	29/16
	SERIES SD	5/16" x 1-1/2"									
10850	E.B2.45.1843	SHAFT, torque, group (Pre-Mod. 4687)						1	—	A	29/17
		Spares for:—									
	E.B2.45.421	ARM, actuator						1	—	—	
	HOFFMANN										
28N/13511	CJ1	JOINT, self aligning						1	—	C	
12383	E.B2.45.2249	SHAFT, torsion						1	S99	C	29/18
6102777	E.F3.45.1047	SHAFT, torque sub-assy. (Mod. 4687)						—	—	—	
		Spares for:—									
6102778	E.F3.45.1049	ARM, actuator assy.						1	—	C	
	HOFFMANN										
28N/13511	CJ1	JOINT, self aligning						1	—	C	
10493	E.B2.45.2959	SHAFT, special, control column pivot						1	S96	C	29A/49
4940	E.B2.45.2363	SHIM, control column fork joint						QR	Lam. Alumn.	C	29A/50
5K/9107068	HELLERMANN	SLEEVE, Helsen, size DP						QR	—	C	29/19
13816	E.B3.45.413	STOCKING, assembly (Mod. 1921)						1	—	C	29/20
2397	E.B2.45.2127	STOP, L.H., balance weight side plate						1	L65	C	29A/51
2398	E.B2.45.2128	STOP, R.H., balance weight side plate						1	L65	C	29A/52
	EEAS/15/64/	STRIP, packing						1	L16	—	29/21
	250.DP										
10851	E.B2.45.2129	WEIGHT, balance						1	Heavy Alloy	C	29A/53
		Attachments:—									
28D/1212596	A25/35E	Bolt, 1/4" BSF, hex. head						1	—	C	29A/54
28M/7002430	AGS.2002/E/1	Nut, stiff, 1/4" BSF						1	—	C	29A/55
2399	E.B2.45.1633	EYE-END, self-aligning, between rudder bar and						1	—	C	30/16
		differential unit control rod									
10852	E.B2.45.2933	LINK, between differential unit and rudder bar						1	—	B	30/17
		adjustment, assembly									
		Spares for:—									
2399	E.B2.45.1633	EYE-END, self-aligning						1	—	C	30/18
28M/1007403	A27/ET	NUT, 1/4" BSF						1	—	C	30/19
	E.F2.45.211	MECHANISM, lost motion, assembly						1	—	—	30/20
		Consisting of:—									
4133	E.B2.47.587	BOLT, special						1	BAC.M37	C	30/21
28D/9133011	A25/2C	BOLT, 2 BA, hex. head						5	—	C	30/22
28D/9133012	A25/3C	BOLT, 2 BA, hex. head						1	—	C	30/23
6198	E.B2.45.2189	LEVER, assembly						1	—	C	30/24
6200	E.B2.45.2193	LINK, assembly						1	—	C	30/25
28M/9403520	A27/CP	NUT, 2 BA, plain						1	—	C	30/26
28M/1278189	AGS.2001/B/1	NUT, stiff, 4 BA						2	—	C	30/27
21405	E.B2.45.3091	PIN, special						2	S96	C	30/28
6203	E.B2.45.2199	PIVOT						1	S96	C	30/29
6197	E.B2.45.2187	PLATE, cam						1	LFS21	C	30/30
4120	GEO. SALTER	RING, retaining, truarc						3	—	C	30/31
	5103/18										
21407	E.F2.45.209	SPIGOT						1	S96	C	30/32
6199	E.B2.45.2191	SPRING						1	DTD215	C	30/33
	EEAS.27/22HU										
28W/9419474	SP15/B	WASHER						2	S515	—	30/34
28W/9419475	SP15/C	WASHER, 4 BA, plain						1	—	C	30/35
30A/3053	†	WASHER, 2 BA, plain						1	—	C	30/36
		WIRE, locking, 22 SWG						QR	—	C	

CONTROLS

FLYING CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index										
							1	2	3	4	5	6	7			
10853	E.B2.45.2937	PIN, special	1	S95	C	30/37										
10854	E.F2.45.145	PLATE, butt, rudder bar mounting	1	L72	C	30A/1										
10855	E.F2.45.147	PLATE, floor, rudder bar mounting	1	—	C	30A/2										
10856	GEO. SALTER 5100-18	RING, retaining	1	—	C	30/38										
6195	E.B2.45.2327	ROD, adjustment, between differential unit and rudder bar	1	—	C	30/39										
2400	E.B2.45.2637	ROD, control, rudder, from control column to lever assembly, between frames 7 and 8, assembly	1	—	C	30A/3										
12380	EEAS.216	Spares for:— FORK-END	1	—	C	30A/4										
28M/9452621	A27/NT	Attachments:— Nut, 1/2" BSF, thin	1	—	C	30A/5										
2402	E.B2.45.1601	SEAL, control rod, forward bulkhead, assembly	1	—	B	30/40										
2403	E.B2.45.1605	Spares for:— BEARING, swivel	1	Oilite	C	30/41										
28D/9133012	A25/3C	BOLT, 2 BA, hex. head	2	—	C	30/42										
28M/1278190	AGS.2001/C/1	NUT, stiff, 2 BA	2	—	C	30/43										
2406	E.B2.45.1611	PLATE, clamp	1	L72	C	30/44										
2407	E.B2.45.1607	SEAL, rubber, P.V.C.	1	S/H 35-55	C	30/45										
2408	E.B2.45.1609	SEAL, rubber	1	Linatex	C	30/46										
	E.B3.45.53	UNIT, brake differential, assembly	1	—	—	30A/6										
10857	E.B2.10.8365	Spares for:— CHANNEL, attachment	1	DTD546	C	30A/7										
28D/9436920	A25/1C	Attachments:— Bolt, 4 BA, hex. head	2	—	C	30A/8										
6102598	E.F2.45.271	LEVER, and spindle, assembly (Mod. 4678)	1	—	B	30A/9										
28D/1011006	A25/5B	Attachments:— Bolt, 4 BA, hex. head	2	—	C	30A/10										
28M/1011467	A27/ES	Nut, 1/4" BSF, slotted	1	—	C	30A/11										
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	30A/12										
28D/1006943	SP9/C6	Pin, split	1	—	C	30A/13										
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	1	—	C	30A/14										
10859	EEAS.27/8/7A	SHIM, channel attachment, laminated	QR	Alum	C	30A/15										
28W/9419402	SP13/C	WASHER, 2 BA, plain, brake-unit attachment	4	—	C	30/15										
2409	E.B2.45.1051	WASHER, pad, side plate fixing bolts	13	L72	C	30A/16										
	E.B2.45.959	LEVER, aileron, between frames 8 and 9, assembly	1	—	—	31/1										
28D/1213599	A59/22E	Consisting of:— BOLT, 1/4" BSF, hex. head	1	—	C	31/2										
2410	E.B2.45.951	LEVER, assembly	1	—	C	31/3										
30A/3055	†	WIRE, locking	QR	DTD189	C	31/4										
	E.B2.45.963	LEVER, rudder, between frames 7 and 8, assembly	1	—	—	31/5										
28D/1213601	A59/25E	Consisting of:— BOLT, 1/4" BSF, hex. head	1	—	C	31/6										
2416	E.B2.45.967	LEVER, assembly	1	—	C	31/7										
30A/3055	†	WIRE, locking	QR	DTD189	C	31/4										
	E.F3.45.597	LEVER, tailplane, and mounting, assembly	1	—	—	31/8										
2A/9510419	HOFFMANN T.17	Consisting of:— BALLRACE	1	—	C	31/9										
10860	E.B2.45.2049	BOLT, special	3	—	C	31/10										
10861	E.B2.45.2051	BOLT, special	1	—	C	31/11										
10862	E.B2.45.2319	BOLT, special	2	—	C	31/12										
28D/9133011	A25/2C	BOLT, 2 BA, hex. head	3	—	C	31/13										

FLYING CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28D/9133012	A25/3C	BOLT, 2 BA, hex. head	3	—	C	31/14
10863	E.B2.45.1911	COVER, retaining	1	L65	C	31/15
2411	E.B3.45/51	HOUSING, bearing	1	L65	C	31/16
2412	E.B2.45.2047	LEVER, assembly	1	—	C	31/17
		Spares for:—				
	EEAS.3/CC	HOUSING, ball-race	2	L65	—	31/18
28M/1006473	A27/CT	NUT, 2 BA, thin	6	—	C	31/19
	E.B2.45.2317	PIECE, distance	2	L62	LM	31/20
2413	E.B2.45.1933	SPINDLE, assembly	1	—	C	31/21
21419	E.F3.45.599	TUBE, spacing, 1-1/2" o/d x 18 SWG	1	L54	C	31/22
28W/9419402	SP13/C	WASHER, 2 BA, plain	6	—	C	31/23
13718	E.B2.45.3087	WASHER, special	1	S514, S92 or S1	C	31/24
	EEAS.27/8/4A	WASHER, shim	3	Alum.	—	31/25
28W/9419487	SP16/E	WASHER, 1/4" BSF, plain	1	—	C	31/26
	E.B2.45.3097	WEIGHT, inertia	1	Heavy Alloy	—	31/27
2417	EEAS.63/G	NUT, special, 1/4" BSF, trim control	20	S96	C	30/47
2418	E.B2.45.837	NUT, special, 1/4" BSF, for trim actuator connecting bolt	1	S95	C	30/48
28P/1007741	SP9/C8	PIN, split, 1/16" dia. x 1" long	21	—	C	30/49
10864	E.F2.45.171	ROD, control, rudder, between frames 7 and 10	1	—	C	31/28
2422	E.B2.45.47	ROD, control, rudder, between frames 15 and 18	1	—	C	31A/1
2425	E.B2.45.59	ROD, control, rudder, aileron and tailplane, between frames 18 and 22	3	—	C	31A/2
7207	E.B2.45.2447	ROD, control, rudder, between frame 32 and torque tube lever at frame 33, assembly	1	—	C	31A/3
		Spares for:—				
12380	EEAS.216	FORK-END	1	—	C	31A/4
		Attachments:—				
12395	EEAS.214	Nut, special	1	S94	C	31A/5
7761	E.B2.45.2639	ROD, control, aileron, from control column to lever assembly between frames 8 and 9, assembly	1	—	C	31/29
		Spares for:—				
12380	EEAS.216	FORK-END	1	—	C	31/30
		Attachments:—				
28M/9452621	A27/NT	Nut, 1/2" BSF, thin	1	—	C	31/31
2423	E.B2.45.49	ROD, control, tailplane, between frames 16 and 18	1	—	C	31A/6
2424	E.B2.45.51	ROD, control, railplane, between frames 15 and 18	1	—	C	31A/7
	E.F2.45.175	ROD, control, rudder, from rudder bar through pressure bulkhead, assembly (Pre-Mod. 1539)	1	—	—	31/32
		Spares for:—				
12401	E.B1.45.2051	BOLT, hollow, control rod sub-assembly retaining	1	—	C	31/33
12402	E.B1.45.2053	PLUG, end fitting, screwed, hollow bolt seating	1	—	C	31/34
		Attachments:—				
12924	UNBRAKO SERIES SF	Screw, set, socket, 4 BA x 9/16"	1	—	C	31/35
12936	E.F2.45.185	ROD, control, rudder, from rudder bar through pressure bulkhead, assembly (Mod. 1539)	1	—	B	31/36
		Spares for:—				
12401	E.B1.45.2051	BOLT, hollow, control rod sub-assembly retaining	1	—	C	31/33
12402	E.B1.45.2053	PLUG, end fitting, screwed, hollow bolt seating	1	—	C	31/34
		Attachments:—				
12924	UNBRAKO SERIES SF	Screw, set, socket, 4 BA x 9/16"	1	—	C	31/35

CONTROLS
FLYING CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
12922	E.B3.45.345	ROD, control, aileron, between torque shaft assembly . . . and pressure bulkhead, assembly (Pre-Mod. 1539) Spares for:—	1	—	B	31/37
12401	E.B1.45.2051	BOLT, hollow, control rod sub-assembly retaining	1	—	C	31/33
12402	E.B1.45.2053	PLUG, end fitting, screwed, hollow bolt seating Attachments:—	1	—	C	31/34
12924	UNBRAKO SERIES SF	Screw, set, socket, 4 BA x 9/16"	1	—	C	31/35
12923	E.B3.45.347	ROD, control, tailplane, between transverse link at frame 12 and pressure bulkhead, assembly (Pre-Mod. 1539) Spares for:—	1	—	B	31/38
12401	E.B1.45.2051	BOLT, hollow, control rod sub-assembly retaining	1	—	C	31/33
12402	E.B1.45.2053	PLUG, end fitting, screwed, hollow bolt seating Attachments:—	1	—	C	31/34
12924	UNBRAKO SERIES SF	Screw, set, socket, 4 BA x 9/16"	1	—	C	31/35
4902	E.B2.45.2449	ROD, control, aileron and tailplane, between frame 22 . . . and torque lever forward of frame 24, assembly Spares for:—	2	—	C	31A/8
12380	EEAS.216	FORK-END Attachments:—	1	—	C	31A/4
12395	EEAS.214	Nut, special	1	S94	C	31A/5
12937	E.B2.45.3037	ROD, control, aileron, between torque shaft assembly . . . and pressure bulkhead, assembly (Mod. 1539) Spares for:—	1	—	B	31/39
12401	E.B1.45.2051	BOLT, hollow, control rod sub-assembly retaining	1	—	C	31/33
12402	E.B1.45.2053	PLUG, end fitting, screwed, hollow bolt seating Attachments:—	1	—	C	31/34
12924	UNBRAKO SERIES SF	Screw, set, socket, 4 BA x 9/16"	1	—	C	31/35
12928	E.B2.45.3039	ROD, control, tailplane, between transverse link at frame 12 and pressure bulkhead, assembly (Mod. 1539) Spares for:—	1	—	B	31/40
12401	E.B1.45.2051	BOLT, hollow, control rod sub-assembly retaining	1	—	C	31/33
12402	E.B1.45.2053	PLUG, end fitting, screwed, hollow bolt seating Attachments:—	1	—	C	31/34
12924	UNBRAKO SERIES SF	Screw, set, socket, 4 BA x 9/16"	1	—	C	31/35
	E.B2.45.29	SEAL, control, at pressure bulkhead, group (Pre-Mod. 4444)	1	—	—	31A/9
	E.B2.45.3277	SEAL, control, at pressure bulkhead, group (Mod. 4444) Spares for:—	1	—	—	31A/19
13099	E.B2.45.243	SEAL, assembly (Pre-Mod. 4444)	1	—	C	31A/10
1504297	E.B2.45.3275	SEAL, assembly (Mod. 4444) Consisting of:—	1	—	C	31A/20
4921	E.B2.45.2367	BEARING, swivel (Pre-Mod. 4444)	3	Oilite	C	31A/11
	E.B2.45.3273	BEARING, swivel (Mod. 4444)	3	Oilite	—	31A/21
12405	E.B2.45.3021	BOLT, special, 1/4" BSF Attachments:—	4	—	C	31A/12
28M/1011475	A27/EP	Nut, 1/4" BSF, plain	4	—	C	31A/13
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	4	—	C	31A/14

CONTROLS

FLYING CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
6846	E.B2.45.2881								1	L122	C	31A/15
	E.B2.45.3281											
10738	E.B2.45.2551								1	L122	-	31A/22
12259	E.B2.45.3043								1	-	C	31A/16
12404	E.F3.45.177								1	PVC	C	31A/17
33H/126	PR.1221								1	PVC	C	31A/23
30A/3055	†								QR	-	C	31A/18
									QR	DTD189	C	31/4

CONTROLS

FLYING CONTROLS IN FRONT FUSELAGE

Ref. No.	Part No.								No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				

This file was downloaded from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.

