

FLYING CONTROLS IN PORT WING

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-	FLYING CONTROLS IN PORT WING, ASSEMBLY							-	-	-	
	-	(E.F2.45.7) (Mk. 2 A/c)										
	-	FLYING CONTROLS IN PORT WING, ASSEMBLY							-	-	-	37/1
	-	(E.F4.45.103) (Mk. 2A A/c)										
	-	Spares for:-										
2363	EEAS.191	BOLT, special							18	S95	C	37/2
	-	FLIGHT, limitation of aileron travel, assembly							-	-	-	37/3
	-	(E.F3.20.2949) (Mod. 2145)										
	-	Spares for:-										
33542	E.B2.20.9721	BOLT, special, 2 BA, lever to rod connecting							2	S114 or 92	C	37/4
33543	E.B2.20.9827	BOLT, special, 1/4" BSF, restrictor lever axis							1	S92	C	37/5
33544	E.B2.20.9829	BOLT, special, 1/4" BSF, undercarriage door actuator							1	S92	C	37/6
	-	lever axis										
	E.B2.20.9689	BRACKET, restrictor lever mounting							1	L65	-	37/7
	-	Attachments:-										
28D/1200119	A25/4C	Bolt, 2 BA hex. head							2	-	C	37/8
28D/9142406	AS.1248/3C	Bolt, 2 BA mush. head (Mod. 4734)							2	-	C	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	-	C	37/9
28W/9419475	SP15/C	Washer, 2 BA plain							4	-	C	37/10
	-	Spares for:-										
1504615	E.B2.20.9691	LEVER, undercarriage door actuated, assembly							1	-	-	37/11
	-	Spares for:-										
	GLACIER	BUSH							2	-	-	37/12
	05.DU.06											
28P/9483204	SP4Y/D10	PIN, shackle, roller axis							1	-	C	37/13
28P/9508504	SP90/C3	PIN, split							1	-	C	37/14
33561	E.B2.20.9697	ROLLER, assembly							1	-	C	37/15
	-	Consisting of:-										
	E.B2.20.9701	BUSH							2	S12	-	37/16
	E.B2.20.9699	ROLLER							1	S96	-	37/17
	E.B2.20.9835	TUBE, distance							1	L72	-	37/18
28W/9418921	SP13/E	WASHER, 1/4" BSF, plain							1	-	C	37/19
33549	E.B2.20.9707	LEVER, restrictor, assembly							1	-	C	37/20
	-	Spares for:-										
	GLACIER	BUSH							2	-	-	37/21
	05.DU.06											
28N/13511	HOFFMANN	JOINT, self aligning							1	-	C	37/22
	CJ.1											
33H/2202387	-	LOCKTITE, grade "A"							QR	DTD900/4588	C	37/23
	E.B2.20.9837	TUBE, distance							1	L72	-	37/24
33545	E.B2.20.9723	NUT, 2 BA, slotted, lever to rod, special bolt							2	S114	C	37/25
	-	attachment										
28M/1011467	A27/ES	NUT, 1/4" BSF, slotted, lever axis bolt attachment							2	-	C	37/26
	E.B2.20.9739	PACKING, laminated, mounting bracket							1	LA3	-	37/27
33550	E.B2.20.9651	ROD, aileron restrictor operating, assembly							1	-	C	37/28
	-	Spares for:-										
28P/17277	SP113/G8	PIN, shear							1	-	C	37/29
28P/1202569	SP90/ES	PIN, split							1	-	C	37/30
	E.B2.20.9685	SPRING, compression, outer							1	DTD215	-	37/31
	E.B2.20.9687	SPRING, compression, inner							1	DTD215	-	37/32
	E.B2.20.9653	TUBE, outer, assembly							1	-	-	37/33
	-	Spares for:-										
33551	E.B2.20.9665	ADJUSTER, fitting, assembly							1	-	C	37/34
	-	Spares for:-										
28N/13511	HOFFMANN	JOINT, self aligning							1	-	C	37/35
	CJ.1											

CONTROLS
FLYING CONTROLS IN PORT WING

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
3377	E.B2.45.663	BOLT , shouldered, auto-stabiliser connecting lever pivot	1	—	C	37/72
3387	E.B2.45.653	FORK-END , L.H.	1	L65	C	37/73
13347	E.B3.45.387	FORK-END , R.H. (Mk. 2A A/c)	1	L65	C	37/74
3388	E.B2.45.655	FORK-END , R.H. (Mk. 2A A/c)	1	L65	C	37/75
10732	E.F2.45.37	LEVER , aileron jack and auto-stabiliser, assembly ... Spares for :—	1	—	A	37/76
10488	E.B2.45.2761	END , ball-race, assembly	1	—	C	37/77
3379	E.B2.45.641	LEVER , auto-stabiliser connecting	1	—	B	37/78
3380	E.B2.45.661	LINK , auto-stabiliser jack pick-up (Pre-Mod. 1980) (Mk. 2A A/c)	1	L65	C	37/79
12424	E.F3.45.527	LINK , auto-stabiliser jack pick-up (Mod. 1980) ...	1	L65	C	37/80
2586	E.B2.45.649	NUT , special, 1/2" BSF, L.H.	1	S96	C	37/81
2587	E.B2.45.651	NUT , special, 1/2" BSF, R.H.	2	S96	C	37/82
2563	E.B2.45.659	NUT , slotted shouldered, for aileron jack pick-up bolt	5	S96	C	37/83
37098	E.F3.45.855	ROD , servo unit to lever, assembly (Mod. 4138) ... Spares for :—	1	—	C	37/84
	E.F3.45.861	END , screwed	1	S92	—	37/85
1439605	E.B3.45.877	STRUT , jury (For use when auto-stabiliser is not fitted)	1	—	C	37/86
13348	E.B3.45.385	TURNBARREL (Mk. 2A A/c)	1	L65	C	37/87
3386	E.B2.45.647	TURNBARREL (Mk. 2A A/c)	1	—	C	37/88
2417	EEAS.63/G	NUT , 1/8" BSF, thin, slotted	18	S96	C	37/89
3382	E.B2.45.361	ROD , control, inner and outer aileron jack valve operating, assembly Spares for :—	1	—	B	37/90
3383	E.B2.45.823	FORK-END	1	L65	C	37/91
3389	E.B2.45.489	ROD , control, radiused, between wing and fuselage ...	1	—	C	37/92
3390	E.B2.45.491	ROD , control, radiused	1	—	C	37/93
3391	E.B2.45.493	ROD , control, between ribs 10 and 11	1	—	C	37/94
2620	E.B2.45.495	ROD , control, between ribs 4 and 8	2	—	C	37/95
3392	E.B2.45.497	ROD , control, from radiused rod connection to connections at rib 4	1	—	C	37/96
3393	E.B2.45.499	ROD , control, between ribs 9 and 10	1	—	C	37/97
3394	E.B2.45.501	ROD , control, between ribs 11 and 13	1	—	C	37/98
33541	E.F3.45.653	ROD , aileron control, flight limitation, between auto-stabiliser and aileron jack lever and connection at rib 13, assembly (Mod. 2145) Spares for :—	1	—	B	37/99
36816	E.B2.20.9747	COLLAR , spacing	1	L65	C	37/100
3385	EEAS.189	FORK-END	1	Alum Alloy	C	37/101
12421	E.B2.45.1135	NUT , 1/2" BSF, R.H. thread, turnbarrel locking ...	1	—	C	37/102
12422	E.B2.45.1137	NUT , 1/2" BSF, L.H. thread, turnbarrel locking ...	1	—	C	37/103
	E.B2.20.9733	NUT , adjusting rod (Make from A27/UT)	2	—	LM	37/104
	E.B2.20.9731	ROD , adjusting	2	S1	—	37/105
		Attachments :—				
26FZ/1095	EEAS.37/14A	Nipple	8	S96	C	37/106
26FZ/1571	EEAS.38/2A	Spoke (Make from 28R/6124)	4	S96	C	37/107
2592	E.B2.45.827	TURNBARREL	1	L65	C	37/108

R

**CONTROLS
FLYING CONTROLS IN PORT WING**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
3395	E.B2.45.1685	ROD , control, inner aileron jack valve operating levers connecting (Mk. 2 A/c)							1	—	C	37/109
36242	E.F3.45.837	ROD , control, inner aileron jack valve operating levers connecting (Mk. 2A A/c)							1	—	C	37/110
3396	E.B2.45.1689	ROD , control, outer aileron jack valve operating levers connecting (Mk. 2 A/c)							1	—	C	37/111
36243	E.F3.45.825	ROD , control, outer aileron jack valve operating levers connecting (Mk. 2A A/c)							1	—	C	37/112
3397	E.B1.45.1607	TURNBARREL , aileron jack control							2	L65	C	37/113

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

