

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

R

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE,											
	-	ASSEMBLY (E.F2.81.1) (MK.2 A/C)											
	-	ELECTRICAL EQUIPMENT IN FRONT FUSELAGE,											
	-	ASSEMBLY (E.F4.81.4001) (MK. 2A A/C)											
	-	Spares for:-											
	-	CONDUIT, assembly (E.F2.81.21) (Mk. 2 A/c)											
	-	CONDUIT, assembly (E.F4.81.4021) (Mk. 2A A/c)											
	-	Spares for:-											
	-	CONDUIT, installation, frames 1 to 6 (E.F2.81.1125) .											
	-	(Mk. 2 A/c)											
	-	CONDUIT, installation, frames 1 to 6 (E.F4.81.4775) .											
	-	(Mk. 2A A/c)											
	-	Spares for:-											
	-	CONDUIT, installation, forward equipment bay										1/1	
	-	(E.F2.81.4923)											
	-	Spares for:-											
10968	E.F2.81.4909	COVER, conduit							1	-	C	1/2	
10969	E.F2.81.4913	COVER, conduit							1	-	C	1/3	
10970	E.F2.81.4905	CONDUIT, assembly							1	-	C	1/4	
		Attachments:-											
28D/1010658	A25/1B	Bolt, 4 BA, hex. head							2	-	C	1/5	
28D/1008149	A25/2B	Bolt, 4 BA, hex. head							1	-	C	1/6	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							3	-	C	1/7	
28W/9419474	SP15/B	Washer, 4 BA, plain							1	-	C	1/8	
		Attachments:-											
10971	E.F2.81.4907	CONDUIT, assembly							1	-	C	1/9	
		Attachments:-											
28D/1010658	A25/1B	Bolt, 4 BA, hex. head							2	-	C	1/10	
28D/9436920	A25/1C	Bolt, 2 BA, hex. head							1	-	C	1/11	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	-	C	1/12	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	-	C	1/13	
28W/9419474	SP15/B	Washer, 4 BA, plain							2	-	C	1/14	
28W/9419475	SP15/C	Washer, 2 BA, plain							1	-	C	1/15	
		Attachments:-											
10972	E.F2.81.4911	CONDUIT, assembly							1	-	C	1/16	
		Attachments:-											
28D/9133011	A25/2C	Bolt, 2 BA, hex. head							2	-	C	1/17	
28W/9419404	SP16/C	Washer, 2 BA, plain							2	-	C	1/18	
		Attachments:-											
10973	E.F2.81.4925	CONDUIT, assembly							1	-	C	1/19	
		Attachments:-											
28D/1010658	A25/1B	Bolt, 4 BA, hex. head							11	-	C	1/20	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							11	-	C	1/21	
28W/9419475	SP15/B	Washer, 4 BA, plain							11	-	C	1/22	
		Attachments:-											
10048	E.B2.10.6173	FAIRLEAD, half							1	LFS26	C	2/1	
		Attachments:-											
28D/1010658	A25/1B	Bolt, 4 BA, hex. head							2	-	C	2/2	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	-	C	2/3	
28W/9419465	SP13/B	Washer, 4 BA, plain							2	-	C	2/4	
		Attachments:-											
10049	E.B2.10.6174	FAIRLEAD, half							1	LFS26	C	2/5	
		Attachments:-											
28D/1010658	A25/1B	Bolt, 4 BA, hex. head							2	-	C	2/6	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	-	C	2/7	
28W/9419465	SP13/B	Washer, 4 BA, plain							2	-	C	2/8	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	CONDUIT, installation, frame 7 to pressure bulkhead (E.F2.81.1127) (Mk. 2 A/c)	—	—	—	3/1
	—	CONDUIT, installation, frame 7 to pressure bulkhead (E.F4.81.4777) (Mk. 2A A/c)	—	—	—	3/2
10974	E.F2.81.5331	Spares for :— BRACKET, clip	1	L72	C	3/3
28D/9436920	A25/1C	Attachments :— Bolt, 2 BA, hex. head	2	—	C	3/4
	—	CONDUIT, assembly, in cockpit (E.F2.81.579) ...	—	—	—	3/5
10975	E.F2.81.413	Spares for :— COVER, conduit, between frames 13 and 14, starboard	1	—	C	3/6
10976	E.F2.81.581	COVER, conduit, between frames 7 and 8, port	1	—	C	3/7
10977	E.F2.81.585	COVER, conduit, between frames 12 and 16, port	1	—	C	3/8
10979	E.F2.81.593	COVER, conduit, between frames 14 and 17, starboard	1	—	C	3/9
10980	E.F2.81.601	COVER, conduit, between frames 16 and 18, port	1	—	C	3/10
10981	E.F2.81.603	COVER, conduit, assembly, between frames 11 and 12, port	1	—	C	3/11
10982	E.F2.81.4791	COVER	1	—	C	3/12
10978	E.F2.81.5071	COVER, conduit, assembly, between frames 8 and 9, port	1	—	C	3/13
10983	E.F2.81.5117	COVER, cable assembly, between frames 9 and 11, port	1	—	C	3/14
10984	E.F2.81.4787	FAIRLEAD	1	—	C	3/15
28D/9142406	AS 1248/3C	Attachments :— Bolt, 2 BA, mushroom head	1	—	C	3/16
28S/9992522	A32/B16	Screw, 4 BA, round head	2	—	C	3/17
	E F2 81 5073	SHIELD, cable	1	—	—	3/18
28S/1008327	A32/B14	Attachments :— Screw, 4 BA, round head	2	—	C	3/19
26FZ/3418	EEAS 132/12	STRAP	9	—	C	3/20
10985	E.F2.81.411	TROUGH, cable, assembly, between frames 13 and 14, starboard	1	—	C	3/21
10986	E.F2.81.583	TROUGH, cable assembly, between frames 7 and 8, port	1	—	C	3/22
10987	E.F2.81.587	TROUGH, cable assembly, aft of frame 13 to frame 16, port	1	—	C	3/23
10988	E.F2.81.591	TROUGH, cable, assembly, between frames 14 and 17, starboard	1	—	C	3/24
10989	E.F2.81.599	TROUGH, cable, assembly, between frames 16 and 18, port	1	—	C	3/25
10990	E.F2.81.5045	CONDUIT, assembly, at frame 13... ..	1	—	C	3/26
10991	E.F2.81.5143	CONDUIT, assembly, at frame 9, port	1	—	C	3/27
10992	E.F2.81.5144	CONDUIT, assembly, at frame 9, starboard	1	—	C	3/28
10993	E.F2.81.5145	CONDUIT, assembly, at frame 13, port	1	—	C	3/29
10994	E.F2.81.5147	CONDUIT, assembly, at frame 13, starboard	1	—	C	3/30
10995	E.B3.81.2989	PIECE, spacing	2	—	C	3/31
10996	E.F2.81.1449	TRAY, cable support	2	L44	C	3/32
28D/9436920	A25/1C	Attachments :— Bolt, 2 BA, hex. head	8	—	C	3/33

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10997	E.F2.81.5059								1	L72	C	3/34
10998	E.F2.81/5061								1	L72	C	3/35
	—								—	—	—	2/9
	—								—	—	—	2/10
10999	E.F2.81.5009								1	LFS26	C	2/11
	—								—	—	—	2/12
	—								—	—	—	2/13
9686	E.B2.81.11423								1	—	C	2/14
28D/1010658	A25/1B								6	—	C	2/15
26FZ/15496	EEAS.28/7ER								6	L72	C	2/16
7560	E.B2.81.12187								1	L44	C	2/17
28S/9992592	A32/B16								6	—	C	2/18
	E.F4.81.4935								1	L44	—	2/19
5X/	Z.29888								2	—	—	2/20
28M/1278190	AGS.2001/C/1								4	—	C	2/21
28S/9997545	A31/C16								4	—	C	2/22
11000	E.F2.81.4017								1	—	C	2/23
	E.F4.81.4933								1	—	—	2/24
28D/1218385	AS.1248/2B								6	—	C	2/25
28M/1278189	AGS.2001/B/1								6	—	C	2/26
26FZ/17517	EEAS.28/2ER								8	L72	C	2/27
	E.B2.81.11421								1	L72	LM	2/28
9688	E.B2.81.12185								1	—	C	2/29
11001	E.F2.81.5269								1	L72	C	2/30
	—								—	—	—	4/1
	E.B2.81.12085								1	—	LM	4/2
28D/8337	AS.1248/1B								2	—	C	4/3
28M/1278189	AGS.2001/B/1								2	—	C	4/4
33H/10	B.B. CHEMICAL 1775								QR	—	C	4/5
	E.F2.81.6495								1	—	—	4/6
34317	E.F2.07.73								1	—	C	4/7
28S/9992522	A32/B16								20	—	C	4/8
33449	E.B2.07.763								1	—	C	4/9
28S/9992522	A32/B/16								6	—	C	4/8

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
21946	E.B2.81.6497	DUCT , channel							1	—	C	4/10	
		Attachments :—											
28D/9142406	AS.1248/3C	Bolt, 2 BA, mushroom head							1	—	C	4/11	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	—	C	4/12	
26FZ/1468	EEAS.1/2C	Screw, 2 BA, c'sk head							2	S96	C	4/13	
28S/1011490	A32/C16	Screw, 2 BA, round head							1	—	C	4/14	
28S/1200066	A33/B20	Screw, 2 BA, c'sk head							14	—	C	4/15	
26FZ/4432	EEAS.121	STRIP , sealing							QR	Syn. Rubber	C	4/16	
32C/	†	STRIP , sealing, linatex, $\frac{1}{16}$ " x ".25 wide							QR	—	—	4/17	
32C/	†	STRIP , sealing, linatex, $\frac{3}{32}$ " x ".25 wide							QR	—	—	4/18	
32C/	†	STRIP , sealing, linatex, $\frac{1}{8}$ " x ".25 wide							QR	—	—	4/19	
	—	DUCTING , assembly, gun beam, starboard (E.F2.81.6507) (Mod. 2168)							—	—	—	4/20	
		Spares for :—											
	E.B2.81.12085	BRACKET							1	—	LM	4/2	
		Attachments :—											
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head							2	—	C	4/3	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	—	C	4/4	
33H/10	B.B. CHEMICALS 1775	CEMENT , bostik							QR	—	C	4/5	
24754	E.F2.81.6509	DUCTING , assembly, starboard							1	—	B	4/21	
		Spares for :—											
34318	E.F2.07.75	COVER , assembly (E.F2.81.6513)							1	—	C	4/22	
		Attachments :—											
28S/9992522	A32/B16	Screw, 4 BA, round head							20	—	C	4/8	
33450	E.B2.07.765	COVER , assembly, aft (E.B2.81.12907)							1	—	C	4/23	
		Attachments :—											
28S/9992522	A32/B16	Screw, 4 BA, round head							6	—	C	4/8	
21944	E.F2.81.6511	DUCT , channel							1	—	C	4/24	
		Attachments :—											
28D/9142406	AS.1248/3C	Bolt, 2 BA, mushroom head							1	—	C	4/11	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	—	C	4/12	
26FZ/1468	EEAS.1/2C	Screw, 2 BA, c'sk head							2	S96	C	4/13	
28S/1011490	A32/C16	Screw, 2 BA, round head							1	—	C	4/14	
28S/1200066	A33/B20	Screw, 4 BA, c'sk head							14	—	C	4/15	
26FZ/4432	EEAS.121	STRIP , sealing							QR	Syn. Rubber	C	4/16	
32C/	†	STRIP , sealing, linatex, $\frac{1}{16}$ " x ".25 wide							QR	—	—	4/17	
32C/	†	STRIP , sealing, linatex, $\frac{3}{32}$ " x ".25 wide							QR	—	—	4/18	
32C/	†	STRIP , sealing, linatex, $\frac{1}{8}$ " x ".25 wide							QR	—	—	4/19	
11008	E.F2.81.5007	FAIRLEAD , assembly							1	—	C	4/25	
		Attachments :—											
28S/9436921	A31/C28	Screw, cheese head							2	—	C	4/26	
28W/9419402	SP13/C	Washer, 2 BA, plain							2	—	C	4/27	
7556	E.B2.81.11901	GUARD , cable							1	L72	C	2/31	
		Attachments :—											
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	—	C	2/32	
28W/9419402	SP13/C	Washer, 2 BA, plain							4	—	C	2/33	

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	EQUIPMENT, on duct access panel, frames 22 to	—	—	—	5/1
		23, lower (E.F2.81.245)				
		Spares for:—				
37A/1790	B.T.H. LTD. C.10TS/3	UNIT, high energy ignition	2	—	A	5/2
	or					
37A/1401	ROTAX NB.25/2					
		Attachments:—				
28D/1011247	A25/13E	Bolt, 1/4" BSF, hex. head	6	—	C	5/4
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	6	—	C	5/5
	—	EQUIPMENT, forward pressure bulkhead	—	—	—	5/6
		(E.F2.81.251) (Mk. 2 A/c.)				
		(E.F4.81.4251) (Mk. 2A A/c.) (Mod. 4248)				
		Consisting of:—				
	PLESSEY	CAP, protective (Mk. 2A A/c.)	2	—	—	
	508/1/03442/003					
	PLESSEY	CAP, protective (Mk. 2A A/c.)	2	—	—	
	508/1/03443/003					
10H/0970055	CZ.51538	CAP, protective	2	—	C	5/7
5X/7206	SR.3836	BUNG, pressure	1	—	C	5/8
11009	E.B2.81.2501	GASKET	1	—	C	5/9
8036	E.B2.81.2499	HOUSING, bung, assembly	1	—	C	5/10
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	6	—	C	5/11
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	6	—	C	5/12
28W/9419402	SP13/C	Washer, 2 BA, plain (Mk. 2 A/c.)	6	—	C	5/13
28W/1010519	SP122/D	Washer, 2 BA, thin (Mk. 2A A/c.)	6	—	C	
19H/19457	CZ.62271	PLUG, socket, Mk. 4, 6-way	1	—	B	5/14
	POLYPENCO	ROD, nylon, No. 66, 3/32" dia. x 1" long	36	—	—	5/15
10H/20734	CZ.61883	SOCKET, plug, Mk. 4, 6-way	1	—	B	5/16
10H/20745	CZ.61883/1	SOCKET, plug, Mk. 4, 6-way	1	—	B	5/17
10H/20417	CZ.61887	SOCKET, plug, Mk. 4, 12-way	1	—	B	5/18
10H/20742	CZ.61886/1	SOCKET, plug, Mk. 4, 12-way	1	—	B	5/19
10H/20743	CZ.61887/2	SOCKET, plug, Mk. 4, 12-way	1	—	B	5/20
	—	EQUIPMENT, on aft pressure bulkhead, top	—	—	—	5/21
		(E.F4.81.4253) (Mod. 4248)				
		Consisting of:—				
	AMPHENOL	ADAPTOR, bulkhead	1	—	—	
	83050/C					
10H/0970057	CZ.51540	CAP, protective	2	—	C	5/22
10H/23725	2CZ.84995	PLUG, socket, 25-way	1	—	B	5/23
10H/23736	2CZ.84995/1	PLUG, socket, 25-way	1	—	B	5/24
10H/23737	2CZ.84995/2	PLUG, socket, 25-way	1	—	B	5/25
10H/23734	2CZ.84996	PLUG, socket, 12-way	1	—	B	5/26
10H/23735	2CZ.84996/1	PLUG, socket, 12-way	1	—	C	5/27
10H/23700	2CZ.84997	PLUG, socket, 6-way	1	—	B	5/28
10H/23724	2CZ.84999	SOCKET, plug, 12-way	1	—	B	5/29
10H/23707	2CZ.85000	SOCKET, plug, 6-way	1	—	B	5/30
10H/23726	2CZ.85000/1	SOCKET, plug, 6-way	1	—	B	5/31
10H/23723	2CZ.85000/2	SOCKET, plug, 6-way	1	—	B	5/32
10H/23722	2CZ.85000/5	SOCKET, plug, 6-way	1	—	B	5/33
1484196	E.F3.81.13947	WASHER, special	1	—	C	
	—	EQUIPMENT, aft pressure bulkhead, lower	—	—	—	5/34
		(E.F2.81.255)				
		Consisting of:—				
10H/0970055	CZ.51538	CAP, protective	2	—	C	5/35
10H/23700	2CZ.84997	PLUG, socket, 6-way	1	—	B	5/36
10H/23700	2CZ.84997	PLUG, socket, 6-way	1	—	B	
10H/23724	2CZ.84999	SOCKET, plug, 12-way	1	—	B	5/37
10H/23702	2CZ.108427	SOCKET, plug, 12-way	1	—	B	5/38

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	EQUIPMENT, in forward equipment bay (E.F2.81.257)	—	—	—	6/1
11010	E.F2.81.3133	Spares for:— BRACKET, assembly	1	—	C	6/2
11011	E.B2.81.8619	Spares for:— DOWEL, locating	2	L64	C	6/3
28M/1007403	A27/ET	Attachments:— Nut, 1/4" BSF, thin	2	—	C	6/4
28W/9419405	SP15/E	Washer, 1/4" BSF, plain	2	—	C	6/5
28S/9419435	A31/B/12	Attachments:— Screw, 4 BA, cheese head	2	—	C	6/6
28W/9419448	AGS.2035/B	Washer, 4 BA, shakeproof	2	—	C	6/7
11012	E.F2.81.4841	BRACKET, mounting, assembly	1	—	C	6/8
28D/1007971	A25/-1/2B	Attachments:— Bolt, 4 BA, hex. head	4	—	C	6/9
11013	E.F2.81.4937	BRACKET, mounting, assembly	1	—	C	6/10
28D/1007971	A25/-1/2B	Attachments:— Bolt, 4 BA, hex. head	2	—	C	6/11
5CZ/6027	7CZ/106803/10	CONTROLLER, type 4, Mk. 4	1	—	A	6/12
28S/9419435	A31/B12	Attachments:— Screw, 4 BA, cheese head	4	—	C	6/13
5CZ/6254	7CZ/106803/13	CONTROLLER, type 4, Mk. 4	1	—	A	6/14
28D/9419435	A31/B12	Attachments:— Screw, 4 BA, cheese head	4	—	C	6/15
6A/6609	TEDDINGTON PAG/A/5	CONTROLLER, moisture detector	1	—	A	6/16
6B/2978	64/36001	CONTROL, inverter and directional gyro (Pre-Mod. 2081)	1	—	A	6/17
6B/3219	64/38402	CONTROL, inverter and directional gyro (Mod. 2081)	1	—	A	6/18
9768	E.B2.81.12019	FAIRLEAD, assembly	1	—	C	6/19
28S/9139156	A35/A20	Attachments:— Screw, 6 BA, cheese head	2	—	C	6/20
28W/9137412	AGS.2037/A	Washer, 6 BA, shakeproof	2	—	C	6/21
9967	E.B2.81.12021	FAIRLEAD, assembly	1	—	C	6/22
28S/9139156	A35/A20	Attachments:— Screw, 6 BA, cheese head	2	—	C	6/23
28W/9137412	AGS.2037/A	Washer, 6 BA, shakeproof	2	—	C	6/24
11014	E.F2.81.4939	LABEL	1	L72	C	6/25
11015	E.F2.81.4941	LABEL	1	L72	C	6/26
	E.F2.81.5831	PLATE, transformer mounting	1	L73	C	6/27
28D/9436920	A25/1C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	6/28
5CW/8979	†	RELAY, 20B, No. 1	1	—	A	6/29
28D/1009984	A25/7B	Attachments:— Bolt, 4 BA, hex. head	2	—	C	6/30
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	6/31

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
4258	E B1.81.1247	TERMINAL, earth, assembly							1	—	—	6/32
		Attachments:—										
5358	E B2.81.11031	Bolt, special							1	—	C	6/33
28M/5240	A14/JB	Nut, 3/8" BSF, plain							1	—	C	6/34
28M/10332	AGS.2002/J/1	Nut, stiff, 3/8" BSF							1	—	C	6/35
28W/9419466	SP13/J	Washer, 3/8" BSF, plain							3	—	C	6/36
6B/3026	64/36004	TRAY, mounting, type A							1	—	B	6/37
11017	E B3.81.1997	STRAP, transformer mounting, assembly							1	—	C	6/38
5UB/7079	FERRANTI RD.7093	TRANSFORMER							1	—	A	6/39
		Attachments:—										
5799	E B2.81.10153	Bolt, special							4	—	C	6/40
28W/1006946	AGS.2035/C	Washer, shakeproof, 2 BA							4	—	C	6/41
14A/5487	M905	UNIT, pre-overnrun control							1	—	A	6/42
		Attachments:—										
28D/1011029	A25/1E	Bolt, 1/4" BSF, hex. head							2	—	C	6/43
8B/4183	†	UNIT, altitude and airspeed, Mk. 2							1	—	A	6/44
		Attachments:—										
28D/9480166	A102/1/2B	Bolt, UNC, No. 6							4	—	C	6/45
28W/9419448	AGS.2035/B	Washer, 4 BA, shakeproof							4	—	C	6/46
6D/2362	BRITISH OXY. 802213	UNIT, liquid oxygen gauging, type 2							1	—	A	6/47
		Attachments:—										
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	—	C	6/48
28S/9419435	A31/B12	Screw, 4 BA, cheese head							4	—	C	6/49
	—	EQUIPMENT, lower, front fuselage, frame 1.13							—	—	—	7/1
		(E.F2.81.259)										
		Spares for:—										
5X/2863	CZ.24285	BLOCK, terminal, 10-way							2	—	B	7/2
		Attachments:—										
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							4	—	C	7/3
28S/1005622	A31/B28	Screw, 4 BA, cheese head							3	—	C	7/4
28S/1200039	A31/B32	Screw, 4 BA, cheese head							1	—	C	7/5
5X/1002694	CZ.50207	BLOCK, terminal, 5-way							2	—	B	7/6
		Attachments:—										
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							4	—	C	7/7
28S/1005622	A31/B28	Screw, 4 BA, cheese head							4	—	C	7/8
5X/6630	CZ.72441	BLOCK, terminal, miniature							1	—	B	7/9
		Attachments:—										
8883	EEAS.265	Plate, insulating							1	L44	C	7/10
7823	EEAS.256	Plate, terminal ident.							1	L72	C	7/11
28S/1260043	A31/A18	Screw, 6 BA, round head							2	—	C	7/12
5890	E B2.81.2209	BRACKET, 10-way terminal block mounting							1	—	C	7/13
5891	E B2.81.2217	CHANNEL, cable guide							1	—	C	7/14
		Attachments:—										
28D/1007971	A25/1/2B	Bolt, 4 BA, hex. head							8	—	C	7/15
28W/9419448	AGS.2035/B	Washer, 4 BA, shakeproof							8	—	C	7/16

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
11018	E.F.2.81.1473	CHANNEL, assembly							1	-	C	7/17
28D/1007971	A25/ 1/2B	Attachments:— Bolt, 4 BA, hex. head							1	-	C	7/18
11019	E.F.2.82.313	FAIRLEAD, assembly							1	-	C	7/19
28D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex. head							4	-	C	7/20
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA							4	-	C	7/21
28W/9419474	SP15/B	Washer, 4 BA, plain							4	-	C	7/22
11020	E.F.2.81.4471	FAIRLEAD, assembly							1	-	C	7/23
28D/9133011	A25/2C	Attachments:— Bolt, 2 BA, hex. head							3	-	C	7/24
28D/9133012	A25/3C	Bolt, 2 BA, hex. head							1	-	C	7/25
28W/9419475	SP15/C	Washer, 2 BA, plain							4	-	C	7/26
6A/6610	TEDDINGTON PBA/A/5	HEAD, moisture sensing (Pre Mod. 2140)							1	-	A	7/27
28M/1278189	AGS.2001/B/1	Attachments:— Nut, stiff, 4 BA							6	-	C	7/28
28S/9535715	A33/B16	Screw, 4 BA, c'sk head							6	-	C	7/29
6A/8294	TEDDINGTON PBA/A/7	HEAD, moisture sensing (Mod. 2140)							1	-	A	7/30
28M/1278189	AGS.2001/B/1	Attachments:— Nut, stiff, 4 BA							6	-	C	7/28
28S/9535715	A33/B16	Screw, 4 BA, c'sk head							6	-	C	7/29
	E.B.2.81.11169	PANEL, test, assembly							1	-	LM	7/31
5CW/5062	SIS.6256	Spares for:— BUTTON, push							1	-	B	7/32
5L/9951273	†	FILAMENT, 28V. 3.5 amp.							1	-	B	7/33
5CX/1635	SIS.2968	INDICATOR, green							1	-	B	7/34
28D/1008147	A25/1A	Attachments:— Bolt, 6 BA, hex. head							4	-	C	7/35
28W/9419465	SP13/A	Washer, 6 BA, plain							4	-	C	7/36
	E.F.2.81.4449	PLATE, blanking							1	L72	LM	7/37
28D/9436920	A25/1C	Attachments:— Bolt, 2 BA, hex. head							4	-	C	7/38
28W/9419475	SP15/C	Washer, 2 BA, plain							4	-	C	7/39
	E.F.2.81.4893	SWITCHES, pressure, assembly							1	-	-	7/40
11021	E.F.2.81.4895	Consisting of:— PLATE, mounting, assembly							1	-	C	7/41
5CW/7074	TEDDINGTON PAD "A" 16 CODE 6	SWITCH, altitude							1	-	A	7/42
28D/9133011	A25/2C	Attachments:— Bolt, 2 BA, hex. head							2	-	C	7/43
28D/1278190	AGS.2001/C1	Nut, stiff, 2 BA							2	-	C	7/44
28W/9419475	SP15/C	Washer, 2 BA, plain							2	-	C	7/45
5CW/6891	TEDDINGTON PAD "A" 15	SWITCH, 350 knots							1	-	A	7/46
28D/9133011	A25/2C	Attachments:— Bolt, 2 BA, hex. head							2	-	C	7/47
28M/127190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	7/48
28W/9419475	SP15/C	Washer, 2 BA, plain							2	-	C	7/49
28S/9997545	A31/C16	Attachments:— Screw, 2 BA, cheese head							4	-	C	7/50

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5CW/13467	THERMAL CONTROL TP.30187	SWITCH, pressure, 165 knots (Mod. 4398)	1	—	A	7/51
5CW/6287	THERMAL CONTROL TP.5080	SWITCH, pressure, 250 knots	1	—	A	7/52
6A/6611	TEDDINGTON PBB/A/4	SWITCH, thermal unit (Pre-Mod. 2141)	1	—	A	7/53
28M/1278189	AGS.2001/B/1	Attachments:— Nut, stiff, 4 BA	6	—	C	7/54
28S/9535715	A33/B16	Screw, 4 BA, c'sk head	6	—	C	7/55
6A/8293	TEDDINGTON PBB/A/9	SWITCH, thermal unit (Mod. 2141)	1	—	A	7/56
28M/1278189	AGS.2001/B/1	Attachments:— Nut, stiff, 4 BA	6	—	C	7/54
28S/9535715	A33/B16	Screw, 4 BA, c'sk head	6	—	C	7/55
6A/5550	†	TRANSDUCER, pitot static, Mk. 1, type B	1	—	A	7/57
6TD/875	„†	TRANSDUCER, static (Pre-Mod. 4417) (For use with computer type B, 6TD/877)	1	—	A	7/58
6TD/8	ELLIOT 3D.5978	TRANSDUCER, static (Mod. 4417) (For use with computer 6TD/6)	1	—	A	7/62
6A/5934	†	TRAY	2	—	B	7/59
28D/1010029	A25/6B	Attachments:— Bolt, 4 BA, hex. head	8	—	C	7/60
10A/19429	—	Washer, check	8	—	C	7/61
—	—	EQUIPMENT, in cockpit (E.F2.81.261) (Mk. 2 A/c)	—	—	—	—
—	—	EQUIPMENT, in cockpit (E.F4.81.4261) (Mk. 2A A/c)	—	—	—	—
—	—	Spares for:—	—	—	—	—
E.F.2.81.6203	—	BOX, junction 3, assembly (Mod. 2081) (Mk. 2 A/c) ..	1	—	—	8/1
E.F.4.81.4689	—	BOX, junction 3, assembly (Mk. 2A A/c)	1	—	—	8/2
—	—	Spares for:—	—	—	—	—
5X/1002694	CZ.50207	BLOCK, terminal, 5-way	1	—	B	8/3
28D/1214867	AS.1246/5B	Attachments:— Bolt, 4 BA, round head	2	—	C	8/4
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	8/5
5X/2863	CZ.24285	BLOCK, terminal, 10-way	3	—	B	8/6
28D/1214867	AS.1246/5B	Attachments:— Bolt, 4 BA, round head	6	—	C	8/7
28M/15819	AGS.2021/B/1	Nut, translucent cap, 4 BA	4	—	C	8/8
28W/9129100	SP56/B	Washer, 4 BA, spring	2	—	C	8/9
5X/3181	CZ.23212/1	BLOCK, terminal, 20-way	1	—	B	8/10
28D/1214867	AS.1246/5B	Attachments:— Bolt, 4 BA, round head	2	—	C	8/11
28M/15819	AGS.2021/B/1	Nut, translucent cap, 4 BA	1	—	C	8/12
28W/9129100	SP56/B	Washer, 4 BA, spring	1	—	C	8/13
11022	E.F.2.81.1053	COVER, assembly	1	—	B	8/14
28D/9133012	A25/3C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	8/15
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head	2	—	C	8/16
—	E.F.2.81.959	SHELL, box, assembly	1	—	—	8/17
—	—	Spares for:—	—	—	—	—
11023	E.F.2.81.1073	Bolt, special	4	S114	C	8/18
11024	E.F.2.81.1075	Washer, retaining	4	L72	C	8/19

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F2.81.6563	BOX, fuse and distribution, assembly (Pre-Mod. 4372) (Mk. 2 A/c)							1	-	-	8/20
	E.F2.81.6993	BOX, fuse and distribution, assembly (Mod. 4372) (Mk. 2 A/c)							1	-	-	8/74
	E.F4.81.5103	BOX, fuse and distribution, assembly (Mod. 4437) (Mk. 2A A/c)							1	-	-	8/75
11025	E.B2.81.9989	BLOCK, resistor mounting, assembly Attachments:-							1	-	C	8/22
28S/9419453	A31/B14	Screw, 4 BA, cheese head							2	-	C	8/23
28W/9419474	SP15/B	Washer, 4 BA, plain							2	-	C	8/24
1504921	E.F4.81.5107	COVER, distribution box, assembly (Mod. 4437) Spares for:-							1	-	B	8/25
28FP/9144248	A4-25	FASTENER, dzus							3	-	C	8/26
1504922	E.F4.81.5109	LABEL, cable entry ident. (Mod. 4437) Attachments:-							1	L72	C	8/27
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA							4	-	C	8/28
28S/1012450	A32/B10	Screw, 4 BA, round head							4	-	C	8/29
28W/9419474	SP15/B	Washer, 4 BA, plain							4	-	C	8/30
24699	E.F2.81.6567	COVER, fuse box, assembly (Pre-Mod. 4372) (Mk. 2 A/c)							1	-	B	8/31
	E.F2.81.6997	COVER, fuse box, assembly (Mod. 4372) (Mk. 2 A/c)							1	-	-	8/76
1504923	E.F4.81.5111	COVER, fuse box, assembly (Mk. 2A A/c) (Mod. 4437) Consisting of:-							1	-	C	8/77
11026	E.F2.81.4651	COVER, lower, assembly Spares for:-							1	-	C	8/33
9037	E.B2.81.14461	BOLT, special							2	S116	C	8/34
9038	E.B2.81.14465	WASHER, tapped							2	S116	C	8/35
28W/9457027	AGS.2037/C	WASHER, 2 BA, shakeproof (Pre-Mod. 4372)							2	-	C	8/36
	E.F2.81.6569	COVER, upper, assembly (Pre-Mod. 4372) (Mk. 2 A/c)							1	-	-	8/37
	E.F2.81.6999	COVER, upper, assembly (Mod. 4372) (Mk. 2 A/c)							1	-	-	8/78
	E.F4.81.5113	COVER, upper, assembly (Mod. 4437) (Mk. 2A A/c) Spares for:-							1	-	-	8/79
9040	E.B2.81.14469	BOLT, special							2	S94	C	8/39
	E.F2.81.5291	LABEL (Pre-Mod. 4372) (Mk. 2 A/c)							1	-	-	8/80
	E.F2.81.6985	LABEL (Mod. 4372) (Mk. 2 A/c)							1	-	-	8/81
	E.F4.81.5115	LABEL (Mk. 2A A/c) (Mod. 4437)							1	-	-	8/83
9056	E.B2.81.8087	SCREW, special							2	L72	C	8/40
5913	E.B2.81.1525	WASHER, tapped							2	L72	C	8/41
28W/1200328	AGS.2037/B	WASHER, 4 BA, shakeproof Attachments:-							2	-	C	8/42
9041	E.B2.81.15317	Bolt, special							1	S116	C	8/43
9042	E.B2.81.15319	Bolt, special							1	S116	C	8/44
28M/4095893	AGS.2021/C/1	Nut, translucent cap, 2 BA							2	-	C	8/45
28W/9419404	SP16/C	Washer, 2 BA, plain Attachments:-							2	-	C	8/46
28D/1200119	A25/4C	Bolt, 2 BA, hex. head							2	-	C	8/47
28D/9133013	A25/5C	Bolt, 2 BA, hex. head							2	-	C	8/48
	E.F2.81.6799	BOX, fuse, starboard, assembly (Mod. 4203) (Mk. 2 A/c)							1	-	-	8/49
	E.F4.81.4651	BOX, fuse, starboard, assembly (Pre-Mod. 4290) (Mk. 2A A/c)							1	-	-	8/50

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F4.81.5029	BOX, fuse, starboard, assembly (Mod. 4290)	1	-	-	8/51
		(Mk. 2A A/c)				
		Spares for:-				
11025	E.B2.81.9989	BLOCK, resistor mounting, assembly	1	-	C	8/52
		Attachments:-				
28S/9419453	A31/B14	Screw, 4 BA, cheese head	2	-	C	8/53
28W/9419474	SP15/B	Washer, 4 BA, plain	2	-	C	8/54
	E.F2.81.6803	COVER, fuse box, starboard, assembly	1	-	-	8/55
		(Mod. 4203) (Mk. 2 A/c)				
1440673	E.F4.81.4655	COVER, fuse box, starboard, assembly	1	-	B	8/56
		(Pre Mod. 4290) (Mk. 2A A/c)				
1484468	E.F4.81.5027	COVER, fuse box, starboard, assembly (Mod. 4290)	1	-	B	8/57
		(Mk. 2A A/c)				
		Consisting of:-				
11029	E.F2.81.4657	COVER, lower, assembly	1	-	C	8/58
		Spares for:-				
9037	E.B2.81.14461	BOLT, special	2	S116	C	8/59
9038	E.B2.81.14465	WASHER, tapped	2	S116	C	8/60
28W/9457027	AGS.2037/C	WASHER, 2 BA, shakeproof	2	-	C	8/61
	E.F2.81.6805	COVER, upper, assembly (Mod. 4203)	1	-	-	8/62
		(Mk. 2 A/c)				
	E.F4.81.4657	COVER, upper, assembly (Pre Mod. 4290)	1	-	-	8/63
		(Mk. 2A A/c)				
	E.F4.81.5025	COVER, upper, assembly (Mod. 4290)	1	-	-	8/64
		Spares for:-				
9040	E.B2.81.14469	BOLT, special	2	S94	C	8/65
9056	E.B2.81.8087	SCREW, special	2	L72	C	8/66
5913	E.B2.81.1525	WASHER, tapped	2	L72	C	8/67
28W/1200328	AGS.2037/B	WASHER, 4 BA, shakeproof	2	-	C	8/68
		Attachments:-				
9041	E.B2.81.15317	Bolt, special	1	S116	C	8/69
9042	E.B2.81.15319	Bolt, special	1	S116	C	8/70
28M/4095893	AGS.2021/C/1	Nut, translucent cap, 2 BA	2	-	C	8/71
28W/9419402	SP16/C	Washer, 2 BA, plain	2	-	C	8/72
		Attachments:-				
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	2	-	C	8/73
	E.F2.81.5745	BOX, D.C. relay, assembly (Mk. 2 A/c)	1	-	-	9/1
	E.F4.81.4485	BOX, D.C. relay, assembly (Pre Mod. 4290)	1	-	-	9/2
		(Mk. 2 A/c)				
	E.F4.81.5021	BOX, DC relay, assembly (Mod. 4092)	1	-	-	9/3
		(Mk. 2A A/c)				
		Spares for:-				
10B/16874	OXLEY DEV. TYPE 156	BARB, P.T.F.E. (4 off on Mk. 2 A/c)	6	-	C	9/4
9320	E.B4.81.859	PILLAR, spacing	8	-	C	9/5
	E.F2.81.1869	PLATE, relay mounting, assembly	1	-	-	9/6
		Spares for:-				
10AS/	STAN'D TELE. LP.736720	SOCKET, relay, type STC	18	-	B	9/7
		Attachments:-				
28M/9418829	AGS.2002/A/1	Nut, stiff, 6 BA	18	-	C	9/8
28S/1200056	A33/A10	Screw, 6 BA, c'sk head	18	-	C	9/9
11041	E.F2.81.1873	PLATE, relay retaining, assembly (Mk. 2 A/c)	1	-	C	9/10

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
1440674	E.F4.81.4523								1	—	C	9/11
9759	E.B4.81.269								4	—	C	9/12
11042	E.F2.81.1877								1	—	C	9/13
11043	E.F2.81.1879								4	—	C	9/14
7410	EEAS.232								4	L72	C	9/15
28W/9419448	AGS.2035/B								4	—	C	9/16
11044	E.F2.81.1881								1	—	C	9/17
9759	E.B4.81.269								3	—	C	9/18
11045	E.F2.81.1885								2	—	C	9/19
7410	EEAS.232								4	L72	C	9/20
28W/9419448	AGS.2035/B								4	—	C	9/21
5960-99-037-2036	TEXAS INST. TYPE IS.111								4	—	B	9/22
10W/6699	7CZ.107791								10	—	A	9/23
28S/1007496	A33/B14								20	—	C	9/24
10F/	STAND'D TELE. 4190ED								2	—	A	9/25
10F/0530473	STAND'D TELE. 4190HD or								16	—	A	9/26
10W/0113308	CLARE A-24-NR								16	—	A	
10F/9522409	CLARE A-24-NR/1								16	—	A	9/27
									1	—	B	9/28
									1	—	—	9/29
									1	—	—	9/30
11047	E.F2.81.1839								1	—	C	9/31
28D/1010658	A25/1B								2	—	C	9/32
28M/1006504	A27/BT								2	—	C	9/33
28M/1278189	AGS.2001/B/1								2	—	C	9/34
28W/9419448	AGS.2035/B								2	—	C	9/35
5788	E.B2.81.9495								2	—	C	9/40
28M/13324	A29/CP								2	—	C	9/41
28W/9419475	SP15/C								2	—	C	9/42
5CW/6704	7CZ.107794								10	—	B	9/43
	E.F4.81.4491								1	—	—	9/44
									1	—	A	9/45
									4	—	C	9/46
28M/1278189	AGS.2001/B/1								4	—	C	9/47
28S/1200036	A31/B28								4	—	C	9/48
28W/9419465	SP13/B1								4	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
	E.F.4.81.4493	UNIT , time delay No. 2, assembly (Mk. 2A A/c)						1	—	—	9/49
24910	E.F.3.81.12943	Spares for :— UNIT , time delay						1	—	A	9/45
28M/1278189	AGS.2001/B/1	Attachments :— Nut, stiff, 4 BA						4	—	C	9/46
28S/1200036	A31/B18	Screw, 4 BA, cheese head						4	—	C	9/47
28W/9419465	SP13/B	Washer, 4 BA, plain						4	—	C	9/48
28D/1007982	AS.1246/1C	Attachments :— Bolt, 2 BA, round head						2	—	C	9/54
	—	BOX , aileron relay, installation (E.B3.81.2993)						—	—	—	10/1
11046	E.B3.81.2991	Consisting of :— BOX , aileron relay, assembly						1	—	B	10/2
5X/1002694	†	Spares for :— BLOCK , terminal, 5-way						1	—	B	10/3
28M/1086618	AGS.2002/B/1	Attachments :— Nut, stiff, 4 BA						2	—	C	10/4
28S/1200033	A31/B24	Screw, 4 BA, cheese head						2	—	C	10/5
4154	E.B2.81.5109	COVER , assembly						1	—	C	10/6
9707	EEAS.250/4	Spares for :— BOLT , captive						2	S21	C	10/7
28W/9419474	SP15/B	WASHER , 4 BA, plain						2	—	C	10/8
7410	EEAS.232	WASHER , retaining						2	L72	C	10/9
13747	E.B2.07.669	PLATE , relay retaining, assembly (E.B2.81.12559)						1	—	C	10/10
28M/15819	AGS.2021/B/1	Attachments :— Nut, 4 BA, translucent cap						2	—	C	10/11
28S/1201448	A31/B10	Screw, 4 BA, cheese head						2	—	C	10/12
10F/0530473	STAN'D TELE. 4190HD or	RELAY (Pre Mod. 4049)						1	—	A	10/13
10W/0113308	CLARE A-24-NR	RELAY (Pre Mod. 4049)						1	—	A	10/14
10F/9522409	CLARE A-24-NR/1	RELAY (Mod. 4049)						1	—	A	10/15
28M/10286	AGS.2001/A/1	Attachments :— Nut, stiff, 6 BA						1	—	C	10/16
28S/1200059	A33/A14	Screw, 6 BA, c'sk head						1	—	C	10/17
10AS/	STAN'D TELE. LP.736720	SOCKET , assembly						1	—	B	10/18
4155	E.B1.81.237	TERMINAL , earth						1	—	C	10/19
28M/5233	EEAS.145 A14/BB	Consisting of :— BUSH , insulating						1	LFS26	—	10/20
28M/10309	AGS.2002/B/4	LOCKNUT , 4 BA						1	—	C	10/21
26FZ/17517	E.B1.81.239	NUT , stiff, 4 BA						2	—	C	10/22
	EEAS.28/2ER	STUD , terminal						1	—	—	10/23
28D/1007285	AS.1242/1B	WASHER						4	L72	—	10/24
	11048	Attachments :— Bolt, 4 BA, c'sk head						3	—	C	10/25
28D/1010658	A25/1B	GUARD , cable						1	L59	C	10/26
28M/1278189	AGS.2001/B/1	Attachments :— Bolt, 4 BA, hex. head						2	—	C	10/27
		Nut, stiff, 4 BA						2	—	C	10/28

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11049	E.F2.81.4167	BOX , relay and transformer, assembly	1	—	B	11/1
		Spares for :—				
11050	E.F2.81.4169	COVER , assembly	1	—	C	11/2
		Spares for :—				
8443	EEAS.250/1	BOLT , special	4	S21	C	11/3
5913	E.B2.81.1525	WASHER , tapped	4	—	C	11/4
11051	E.F2.81.4175	COVER , assembly	1	—	C	11/5
		Spares for :—				
	E.F2.81.4179	BOLT , special	2	S95	—	11/6
	EXPANDED	RUBAZOTE , 1½" × ¾"	1	—	—	11/7
	RUBBER CO.					
5913	E.B2.81.1525	WASHER , tapped	2	—	C	11/8
28W/9419448	AGS.2035/B	WASHER , 4 BA, shakeproof	2	—	C	11/9
9320	E.B4.81.859	PILLAR , spacer, assembly	2	—	C	11/10
		Attachments :—				
28M/9403519	A27/BP	Nut, 4 BA, plain	2	—	C	11/11
28W/9419465	SP13/B	Washer, 4 BA, plain	2	—	C	11/12
28W/9416642	SP47/B	Washer, 4 BA, spring	4	—	C	11/13
5CW/6648	7CZ.107791	RELAY , assembly, type S3	1	—	A	11/14
5CW/6704	7CZ.107794	SOCKET , relay... ..	1	—	B	11/15
		Attachments :—				
28S/1007469	A33/B14	Screw, 4 BA, c'sk head	2	—	C	11/16
5UB/6481	†	TRANSFORMER , type 5894	2	—	A	11/17
		Attachments :—				
11052	E.F2.81.4195	Screw, special, No. 10 UNF	8	—	C	11/18
		Attachment :—				
28D/1011029	A25/1E	Bolt, ½" BSF, hex. head	6	—	C	11/19
11053	E.F2.81.4201	BOX , junction, windscreen heating, assembly	1	—	B	11/20
		Spares for :—				
5X/3181	CZ.23212/1	BLOCK , terminal, 20-way	1	—	B	11/21
		Attachments :—				
28D/1214867	AS.1246/5B	Bolt, 4 BA, round head	2	—	C	11/22
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	2	—	C	11/23
5X/1002694	CZ.50207	BLOCK , terminal, 5-way	2	—	B	11/24
		Attachments :—				
28D/1214867	AS.1246/5B	Bolt, 4 BA, round head	4	—	C	11/25
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	4	—	C	11/26
11054	E.F2.81.4213	COVER , assembly	1	—	C	11/27
		Spares for :—				
28FP/9520205	A3/20	FASTENER , dzus	4	—	C	11/28
5X/2787	Z.22432	GROMMET , tension, No. 4	1	—	C	11/29
	E.F2.81.4205	SHELL , box, assembly	1	—	—	11/30
		Spares for :—				
11055	E.F2.81.4211	DOWEL , locating	2	S95	C	11/31
		Attachments :—				
28M/9403519	A27/BP	Nut, 4 BA, plain	2	—	C	11/32
28W/9419465	SP/13B	Washer, 4 BA, plain	2	—	C	11/33

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
11056	E.B2.81.14343								1	—	B	12/1
10F/	STAN'D TELE. LP.736720								2	—	B	12/2
28M/10286	AGS.2001/A/1								2	—	C	12/3
28S/1214597	A41/A10								2	—	C	12/4
10C/0120137	CET-12-5								3	—	B	12/5
10H/0560080	CZ.48995								1	—	B	12/6
10F/0530473	STAN'D TELE. 4190HD								2	—	A	12/7
10F/9522409	CLARE A-24-NR/1								2	—	A	12/8
5905-99-	RCL.112								1	—	B	12/9
021-5131												
5905-99-	RCL.112								1	—	B	12/10
021-5131												
5X/6002	OXLEY								5	—	C	12/11
	E.B2.81.14143								1	—	—	12/12
9712	E.B2.81.8443								1	—	B	12/13
8450	E.B2.81.8447								1	—	C	12/14
28S/1200040	A31/B20								4	—	C	12/15
28M/1278189	AGS.2001/B/1								3	—	C	12/16
28S/9992525	A32/B12								3	—	C	12/17
28W/9419474	SP15/B								3	—	C	12/18
11057	E.B2.81.14341								1	—	C	12/19
5791	E.B2.81.1681								2	—	C	12/20
28W/9416642	SP47/B								2	—	C	12/21
	—								—	—	—	13/1
	E.F2.10.1987								1	—	—	13/2
28D/1010658	A25/1B								2	—	C	13/3
28M/1278189	AGS.2001/B/1								2	—	C	13/4
28W/9419474	SP15/B								2	—	C	13/5
	E.F2.81.3119								1	—	—	13/6
28D/9436920	A25/1C								4	—	C	13/7
28W/9419475	SP15/C								4	—	C	13/8

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
SCZ/6003	KLAXON LTD.	BUZZER , canopy warning, type OB558/28VDC ...	1	—	B	14/1
		Attachments :—				
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA ...	2	—	C	14/2
	9997 E.B2.81.8725	Pillar, rubber ...	2	—	C	14/3
	9998 E.B2.81.8723	Plate, washer ...	2	—	C	14/4
28S/1200040	A31/B20	Screw, 4 BA, cheese head ...	1	—	C	14/5
	9999 EEAS.28/13CR	Washer ...	2	L72	C	14/6
	—	SOCKET , P.A.S. test, installation (E.B2.81.8401) ...	—	—	—	15/1
		Spares for :—				
10782	E.B2.81.14933	COVER ...	1	—	C	15/2
		Attachments :—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head ...	4	—	C	15/3
	E.B3.81.3333	PLUG , shorting, assembly ...	1	—	—	15/4
		Spares for :—				
19250	E.B3.81.3335	PLUG , shorting, assembly (Mod. 2017) ...	1	—	C	15/5
		Attachments :—				
28S/1200044	A31/A14	Screw, 6 BA, cheese head ...	4	—	C	15/6
	7368 E.B2.81.8367	SHROUD , plug, assembly... ..	1	—	C	15/7
		Attachments :—				
	7369 E.B2.81.8375	Screw, special ...	2	—	C	15/8
28W/9419465	SP13/B	Washer, 4 BA, plain ...	2	—	C	15/9
	11058 E.F2.81.4451	CHOKE , assembly ...	1	—	A	13/9
		Spares for :—				
SCZ/5771	E.E. CO. L'POOL LL.1653.Z.3566	CHOKE , A.N.636 VAR ...	1	—	A	13/10
	5851 E.B2.81.4185	COVER , choke ...	1	L44	C	13/11
		Attachments :—				
28S/9992525	A33/B12	Screw, 4 BA, round head ...	3	—	C	13/12
28W/9419465	SP13/B	Washer, 4 BA, plain ...	3	—	C	13/13
	E.B2.81.2801	PLATE , mounting, assembly ...	1	—	—	13/14
		Attachments :—				
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head ...	4	—	C	13/15
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA ...	4	—	C	13/16
28W/9419402	SP13/C	Washer, 2 BA, plain ...	4	—	C	13/17
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head ...	2	—	C	13/18
28W/9419475	SP15/C	Washer, 2 BA, plain ...	2	—	C	13/19
	11059 E.F2.81.4423	CONDENSER , windscreen heating, assembly ...	1	—	B	13/20
		Spares for :—				
	E.F2.81.4429	CASE , outer, assembly ...	1	—	—	13/21
		Attachments :—				
28S/1011499	A33/B32	Screw, 4 BA, c'sk head ...	8	—	C	13/22
	10C/25763 STAN'D TELE. NS.1973	CAPACITOR ...	3	—	B	13/23
	E.F2.81.4425	COVER , end, assembly ...	1	—	—	13/24
	E.F2.81.4427	COVER , end, assembly ...	1	—	—	13/25
		Attachments :—				
28D/1011335	A26/3B	Bolt, 4 BA, hex. head ...	4	—	C	13/26
28W/9419474	SP15/B	Washer, 4 BA, plain ...	2	—	C	13/27

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8B/5051 or 8B/5190	-	CONTROLLER, PAS display unit, Mk. 2R or 2S	1	-	A	14/7
30958	E.B2.81.6971	Attachments:- Angle, L.H.	1	L73	C	14/8
30959	E.B2.81.6973	Angle, R.H.	1	L73	C	14/9
28D/1011240	A25/5E	Bolt, 1/4" BSF, hex. head	2	-	C	14/10
28M/9418915	A125/E	Nut, stiff, 1/4" UNF	4	-	C	14/11
28S/1011490	A32/C16	Screw, 2 BA, round head	4	-	C	14/12
28W/9419405	SP15/E	Washer, 1/4" BSF, plain	6	-	C	14/13
11060	E.B1.81.4393	TERMINAL, earth	2	-	C	13/28
28M/5240	E.B2.81.15673 A14/JB	Attachments:- Bolt, special	1	BSSA102	-	13/29
28M/10332	AGS.2002/J/1	Nut, 3/8" BSF	2	-	C	13/30
5863	E.B2.81.6791	Nut, stiff, 3/8" BSF	2	-	C	13/31
28W/9419477	E.B2.81.15093 SP15/J	Washer, identification, E3	1	-	C	13/32
		Washer, identification, E2	1	-	-	13/33
		Washer, 3/8" plain	2	-	C	13/34
5CZ/6479	†	UNIT, audio alarm	1	-	A	13/35
28D/9128739	AS.1246/ 1/2B	Attachments:- Bolt, 4 BA, round head	4	-	C	13/36
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	-	C	13/37
5CZ/5448	SIS.6286	UNIT, flasher, type "A"	1	-	A	13/38
28D/1013301	AS.1246/4C	Attachments:- Bolt, 2 BA, round head	4	-	C	13/39
	-	EQUIPMENT, in main equipment bay (E.F2.81.263)	-	-	-	-
5CZ/5076	TEDDINGTON FLM/A/14	Spares for:- AMPLIFIER, magnetic (Pre Mod. 4148)	1	-	A	16/1
28D/9133011	A25/2C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	16/2
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	16/3
5CZ/8273	TEDDINGTON FLM/A/36	AMPLIFIER, magnetic (Mod. 4148)	1	-	A	16/4
28D/9133011	A25/2C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	16/2
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	16/3
6B/3243 or 6TD/782	†	AMPLIFIER, navigation display (Mod. 1993)	1	-	A	16/5
28D/9436920	A25/1C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	16/6
	E.F2.81.4461	BATTERY, emergency, assembly	1	-	-	16/7
5J/3340	NIFE NIPO.4	Spares for:- ACCUMULATOR, alkaline, 24v.	1	-	B	16/8
5X/3276	CZ.50205	BLOCK, terminal, 2-way	1	-	B	16/9
28D/1214867	AS.1246/5B	Attachments:- Bolt, 4 BA, round head	2	-	C	16/10
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	16/11
28D/9419474	SP13/B	Washer, 4 BA, plain	2	-	C	16/12

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
11061	E.B2.81.11813	STRAP, battery, assembly							1	—	C	16/13
		Attachments:—										
28D/9436920	A25/1C	Bolt, 2 BA, hex. head							2	—	C	16/14
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C	16/15
28W/9419402	SP13/C	Washer, 2 BA, plain							2	—	C	16/16
11062	E.B2.81.2711	Washer, special							2	L72	C	16/17
11063	E.B2.81.15681	TRAY, battery, assembly							1	—	C	16/18
		Spares for:—										
	E.B2.81.11819	STRIP, flat rubber							3	—	LM	16/19
	E.F2.81.6597	BOX, distribution, master record gyro, assembly							1	—	—	16/20
		(Mod. 2443)										
		Spares for:—										
5X/6630	CZ.72441	BLOCK, terminal							6	—	B	16/21
		Attachments:—										
10008	E.B2.81.8925	Piece, distance							12	—	C	16/22
10020	E.B2.81.15205	Piece, identification							6	—	C	16/23
28S/1017747	A32/A14	Screw, 6 BA, round head							12	—	C	16/24
28S/9992525	A32/B12	Screw, 4 BA, round head							11	—	C	16/25
28S/1008327	A32/B14	Screw, 4 BA, round head							1	—	C	16/26
28W/1200328	AGS.2037/B	Washer, 4 BA, shakeproof							12	—	C	16/27
28W/9137412	AGS.2037/A	Washer, 6 BA, shakeproof							12	—	C	16/28
	E.F2.81.4047	CAPACITOR, and resistor assembly, in M.R.G. box .							1	—	—	16/29
		Spares for:—										
5CZ/5782	CE.51102	CAPACITOR, 140 u.f.							1	—	B	16/30
		Attachments:—										
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA							1	—	C	16/31
5905-Z.113231	R.W.V.3-J	RESISTOR, 100							1	—	B	16/32
	E.F2.81.4049	STRIP, mounting							1	—	—	16/33
		Attachments:—										
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA							2	—	C	16/34
28S/1011488	A32/B28	Screw, 4 BA, round head							2	—	C	16/35
	AS.2810/4/050	Tube, distance							2	—	—	16/36
28W/9419474	SP15/B	Washer, 4 BA, plain							2	—	C	16/37
11064	E.F2.81.4043	COVER, assembly							1	—	C	16/38
5871	E.B2.81.7205	PLATE, earthing, assembly							1	—	C	16/39
		Attachments:—										
28D/9128739	AS.1246/ 1/2B	Bolt, 4 BA, round head							2	—	C	16/40
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA							2	—	C	16/41
28S/9464738	A44/A10	Screw, 6 BA, round head							6	—	C	16/42
28W/9137412	AGS.2037/A	Washer, 6 BA, shakeproof							6	—	C	16/43
10F/18727	ERICSSON TELE. N.22364.AD1	RELAY, miniature, type 2							1	—	A	16/44
		Attachments:—										
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA							2	—	C	16/45
28S/1012450	A32/B10	Screw, 4 BA, round head							2	—	C	16/46
10F/	ERICSSON TELE. N.22369.AD1	RELAY, miniature							1	—	A	16/47
		Attachments:—										
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA							2	—	C	16/45
28S/1012450	A32/B10	Screw, 4 BA, round head							2	—	C	16/46

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
							1
	E.F.2.81.4039	SHELL, box, assembly	1	-	-	16/48	
	11065	Spares for:-					
	E.F.2.81.4059	SPIGOT	1	S94	C	16/49	
	28M/9043520	Attachments:-					
	A27/CP	Nut, 2 BA, plain	1	-	C	16/50	
	28W/9419402	Washer, 2 BA, plain	1	-	C	16/51	
	E.F.2.81.4051	SHELF, bracket, assembly	1	-	-	16/52	
	28S/9133016	Attachments:-					
	A32/C12	Screw, 2 BA, round head	4	-	C	16/53	
	11066	E.F.2.81.4067	STUD, earthing	1	BSS249	C	16/54
	11067	Attachments:-					
	E.F.2.81.4063	Bush, insulating	1	BS2966	C	16/55	
	28M/9136152	Nut, 4 BA, brass, plain	1	-	C	16/56	
R	28M/4342710	Nut, stiff, 4 BA	2	-	C	16/57	
	11068	E.F.2.81.4065	Washer, insulating	1	BS2966	C	16/58
	26FZ/17517	Washer	5	-	C	16/59	
	6E/18	†	SWITCH, power failure	1	-	A	16/60
	28S/9992522	Attachments:-					
	A32/B16	Screw, 4 BA, round head	2	-	C	16/61	
	11069	E.F.2.81.4061	UNIT, relay delay, assembly	1	-	C	16/62
	10AR/0970005	Attachments:-					
	S. G. BROWN	Clamp	1	-	C	16/63	
	28M/1278189	Nut, stiff, 4 BA	2	-	C	16/64	
R	12945	E.F.2.81.5591	BOX, potentiometer, assembly	1	-	B	17/1
	5X/6630	Spares for:-					
	CZ.72441	BLOCK, terminal	1	-	B	17/2	
	E.F.2.81.5593	BODY, assembly	1	-	-	17/3	
	28N/	Spares for:-					
	AS.4921/25	INSERT, wire thread	4	-	C	17/4	
	12946	E.F.2.81.5597	COVER, assembly	1	-	C	17/5
	12947	E.F.2.81.5603	COVER, terminal block	1	-	C	17/6
	28S/1212425	Attachments:-					
	A40/B6	Screw, 4 BA, round head	2	-	C	17/7	
	7324	Washer, crinkle, 4 BA	2	-	C	17/8	
	or						
	H'DON & STOKES						
	5310-99-943-6077	DP.1003					
	5K/1201342	SP40/C8	GROMMET	1	-	C	17/9
	E.F.2.81.5599	LABEL	1	-	-	17/10	
	E.F.2.81.6119	LID	1	-	C	17/11	
	28S/1212705	Attachments:-					
	A40/B10	Screw, 4 BA, round head	2	-	C	17/12	
	7324	Washer, crinkle, 4 BA	2	-	C	17/13	
	or						
	H'DON & STOKES						
	5310-99-943-6077	DP.1003					
	7823	E.F.2.81.6121	PLATE, packing	1	-	-	17/14
	EEAS 256	PLATE, terminal identification	1	L72	C	17/15	
	M.E.C. LTD. 025L	POTENTIOMETER, miniature, 10K	4	-	-	17/16	

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	EEAS.146/6	SLEEVE, 3/8" long	QR	—	—	17/17
	EEAS.146/22	SLEEVE	QR	—	—	17/18
	EEAS.146/EQ	SLEEVE, 3/4" long	QR	—	—	17/19
	EEAS.146/EQ	SLEEVE, 1" long	QR	—	—	17/20
12949	E.F.2.81.5601	SUPPORT, assembly	1	—	C	17/21
		Spares for:—				
28N/20158	AS.4921/13	INSERT, wire thread	2	—	C	17/22
		Attachments:—				
28M/9418829	AGS.2002/A/1	Nut, stiff, 6 BA	2	—	C	17/23
28S/1200061	A33/A18	Screw, 6 BA, c'sk head	2	—	C	17/24
28W/9419473	SP15/A	Washer, 6 BA, plain	2	—	C	17/25
		Attachments:—				
28S/1212717	A40/C16	Screw, 2 BA, round head	2	—	C	17/26
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	17/27
13353	E.F.2.81.5663	BRACKET, plug mounting	1	—	C	18/1
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	—	C	18/2
28S/9992997	A31/C18	Screw, 2 BA, cheese head	2	—	C	18/3
	E.B.2.81.6975	BRACKET, power unit mounting, assembly	1	—	—	19/1
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	4	—	C	19/2
10H/0970055	CZ.51538	CAP, protective, unused socket on M.R.G. (Mod. 2023)	1	—	C	18/4
11183	SMITH & DAVIS K.266/4	CHAIN, light ball, 4" long	2	—	C	18/5
6T/736	†	COMPUTER, flight control (Mod. 2443)	1	—	A	18/6
6TD/877	†	COMPUTER, air data, Mk. 1, type (To be used in conjunction with transducer type B 6TD/875 (Pre-Mod. 4417)	1	—	A	18/7
6TD/6	†	COMPUTOR, air data, Mk. 1, type B (To be used with static transducer type B Ref. 6TD/8) (Mod. 4417)	1	—	A	18/39
22569	SMITH & DAVIS K.267/4	CONNECTOR, chain	4	—	C	18/8
7411	E.B.2.81.7453	COVER, fuse tray	1	—	C	19/3
		Attachments:—				
28S/1200034	A31/B16	Screw, 4 BA, cheese head	3	—	C	19/4
13067	E.F.2.81.5201	FAIRLEAD, assembly, between frames 20 and 21, starboard	1	—	C	18/9
		Attachments:—				
28D/9119452	A25/3B	Bolt, 4 BA, hex. head	6	—	C	18/10
28W/9419486	SP16/B	Washer, 4 BA, plain	6	—	C	18/11
9767	E.B.2.81.12015	FAIRLEAD, blank	1	—	C	19/5
		Attachments:—				
28S/9139156	A35/A20	Screw, 6 BA, cheese head	2	—	C	19/6
28W/9137412	AGS.2037/A	Washer, 6 BA, shakeproof	2	—	C	19/7
9770	E.B.2.81.12025	FAIRLEAD, assembly	1	—	C	19/8
		Attachments:—				
28S/9139156	A35/A20	Screw, 6 BA, cheese head	2	—	C	19/9
28W/9137412	AGS.2037/A	Washer, 6 BA, shakeproof	2	—	C	19/10

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
13044	E.B2.81.15991	FAIRLEAD, assembly, between frames 20 and 21, ... port	1	—	C	18/12
28D/9419452	A25/3B	Attachments:— Bolt, 4 BA, hex. head	6	—	C	18/13
28W/9419486	SP16/B	Washer, 4 BA, plain	6	—	C	18/14
6G/261	†	FRAME, M.R.G. mounting	1	—	C	19/11
6G/36	†	GYRO, master record type "E", Mk. 1	1	—	A	19/12
28FP/7002000	AVIATION DEVELS. A403 E.F2.81.4303	PIN, "pip", quick release	2	—	C	18/15
5CW/8979	†	PLATE, relay mounting, assembly	1	—	—	18/16
		Spare for:— RELAY, type 20B, No. 1	1	—	A	18/17
28M/1086618	AGS.2002/B/1	Attachments:— Nut, stiff, 4 BA	4	—	C	18/18
28S/1200067	A33/B36	Screw, 4 BA, c'sk head	4	—	C	18/19
28D/1013284	AS.1246/2C	Attachments:— Bolt, 2 BA, round head	2	—	C	18/20
5881	E.B2.81.11069	PLATE, transformer mounting	1	L73	C	19/13
28D/9436920	A25/1C	Attachments:— Bolt, 2 BA, hex. head	4	—	C	19/14
5CW/6303	SMITH & DAVIS 680 TEDDINGTON X/FHM/A/70	RING, split, 1/2" dia.	1	—	—	18/21
28S/9435713	A31/C20	SWITCH, time delay	1	—	A	18/22
5CW/7132	TEDDINGTON FHM/A/2205	Attachments:— Screw, 2 BA, cheese head	4	—	C	18/23
6238	E.B2.81.6953	SWITCH, time delay	2	—	A	18/24
28D/9133012	A25/3C	Attachments:— Bolt, 2 BA, special	2	—	C	18/25
28M/1006473	A27/CT	Bolt, 2 BA, hex. head	6	—	C	18/26
28W/9419475	SP15/C	Nut, 2 BA, thin	2	—	C	18/27
5882	E.B2.81.2555	Washer, 2 BA, plain	6	—	C	18/28
5358	E.B2.81.11031	TERMINAL, earth	2	—	C	19/15
28M/5240	A14/JB	Attachments:— Bolt, 3/8" BSF, hex. head	2	—	C	19/16
5883	E.B2.81.2605	Nut, 3/8" BSF, thin brass	2	—	C	19/17
5884	E.B2.81.2607	Washer, identification, E5	1	—	C	19/18
28W/9419477	SP15/J	Washer, identification, E6	1	—	C	19/19
5UB/6478	FERRANTI RD.5891	Washer, 3/8" BSF, plain	4	—	C	19/20
5799	E.B2.81.10153	TRANSFORMER, 200-115v.	1	—	A	19/21
28W/1006946	AGS.2035/C	Attachments:— Bolt, special, UNF 10	4	—	C	19/22
		Washer, 2 BA, shakproof	4	—	C	19/23

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	TRAY, and carrier between gunbeams, installation (E.F2.81.1349) Consisting of:-	-	-	-	20/1
11070	E.F2.81.6017	CARRIER, assembly (Mod. 1996) Spares for:-	1	-	B	20/2
	-	PLATE, side assembly, port (E.F2.81.6019) Spares for:-	-	-	-	20/3
11071	E.F2.81.1357	CLAMP, assembly Consisting of:-	2	-	B	20/4
	E.F2.81.1363	BRACKET, clamp, screw	1	L65	-	20/5
10958	E.F2.81.1393	EYE-BOLT	1	S97	C	20/6
10957	E.F2.81.1397	DOWEL	1	S1	C	20/7
10959	E.F2.81.1395	NUT, clamp	1	S94	C	20/8
28P/1021104	SP90/C3	PIN, split	1	-	C	20/9
	E.B2.81.8931	PLATE, front, assembly Spares for:-	1	-	-	20/10
11071	E.F2.81.1357	CLAMP, assembly Consisting of:-	1	-	B	20/4
	E.F2.81.1363	BRACKET, clamp screw	1	L65	-	20/5
10958	E.F2.81.1393	EYE-BOLT	1	S97	C	20/6
10957	E.F2.81.1397	DOWEL	1	S1	C	20/7
10959	E.F2.81.1395	NUT, clamp	1	S94	C	20/8
28P/1021104	SP90/C3	PIN, split	1	-	C	20/9
10956	E.F2.81.1359	CLAMP, assembly Consisting of:-	2	-	B	20/11
	E.F2.81.1365	BRACKET, clamp screw	1	L65	-	20/12
10958	E.F2.81.1393	EYE-BOLT	1	S97	C	20/6
10957	E.F2.81.1397	DOWEL	1	S1	C	20/7
10959	E.B2.81.1395	NUT, clamp	1	S94	C	20/8
28P/1021104	SP90/C3	PIN, split	1	-	C	20/9
11072	E.F2.81.1379	PIN, locating Attachments:-	2	S94	C	20/13
28M/9403520	A27/CP	Nut, 2 BA, plain	2	-	C	20/14
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	20/15
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	14	-	C	20/16
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	-	C	20/17
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	16	-	C	20/18
28W/9419402	SP13/C	Washer, 2 BA, plain	16	-	C	20/19
	-	PLATE, back, assembly (E.B2.81.8933) Spares for:-	-	-	-	20/20
11073	E.F2.81.1361	CLAMP, assembly Consisting of:-	1	-	B	20/21
	E.F2.81.1367	BRACKET, clamp screw	1	L65	-	20/22
10958	E.F2.81.1393	EYE-BOLT	1	S97	C	20/6
10957	E.F2.81.1397	DOWEL	1	S1	C	20/7
10959	E.F2.81.1395	NUT, clamp	1	S94	C	20/8
28P/1021104	SP90/C3	PIN, split	1	-	C	20/9
	-	TOP-HAT, assembly (E.B2.81.8785) Spares for:-	-	-	-	20/23
11074	E.F2.81.1371	CLAMP, assembly Consisting of:-	1	-	B	20/24
	E.F2.81.1373	BRACKET, clamp screw	1	L65	-	20/25
10958	E.F2.81.1393	EYE-BOLT	1	S97	C	20/6
10957	E.F2.81.1397	DOWEL	1	S1	C	20/7
10959	E.F2.81.1395	NUT, clamp	1	S94	C	20/8

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28P/1202460	SP9/C4	PIN , split							1	—	C	20/9	
	—	PLATE , bottom, assembly (E.F2.81.6027)							—	—	—	20/26	
7729	EEAS.297/10/26C	Spares for:—											
11072	E.F2.81.1379	BOLT , special							8	30/147	C	20/27	
		PIN , locating							4	S94	C	20/28	
28D/1010658	A25/1B	Attachments:—											
28D/1011244	A25/9E	Bolt, 4 BA, hex. head							8	—	C	20/29	
28D/1011242	A25/7E	Bolt, 1/2" BSF, hex. head							6	—	C	20/30	
11075	E.F2.81.1355	Bolt, 1/2" BSF, hex. head							2	—	C	20/31	
10A/17930	†	Mounting, equiflex, assembly							2	—	C	20/32	
28W/9418921	SP13/E	Washer, check							6	—	C	20/33	
28W/9416316	SP41/E	Washer, 1/4" BSF, plain							2	—	C	20/34	
		Washer, tab, 1/4" BSF							2	—	C	20/35	
6G/17	—	TRAY , M.R.G., mounting							1	—	B	19/24	
		Attachments:—											
28D/1013178	AS.1242/5E	Bolt, 1/2" BSF, c'sk head							4	—	C	19/25	
	E.F2.81.4307	TRAY , assembly, time delay switch mounting							1	—	—	18/29	
		Attachments:—											
28D/9436920	A25/1C	Bolt, 2 BA, hex. head							3	—	C	18/30	
	E.B2.81.7455	TRAY , fuse gun firing, assembly							1	—	—	19/26	
		Consisting of:—											
5X/9321049	CZ.50181	BLOCK , terminal							1	—	B	19/27	
		Attachments:—											
28D/1213732	AS.1248/5B	Bolt, 4 BA, mushroom head							2	—	C	19/28	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	—	C	19/29	
28W/9419465	SP13/B	Washer, 4 BA, plain							2	—	C	19/30	
5E/3894	†	CABLE , unifersil No. 20							QR	—	C	19/31	
10H/0590100	—	HOLDER , fuse							4	—	B	19/32	
5X/6172	Z.50212	LINK , commoning, 4-way							1	—	C	19/33	
	EEAS.146/C	SLEEVE , 1/2" long							10	—	—	19/34	
	EEAS.146/A1	SLEEVE , 1/2" long							16	—	—	19/35	
5X/1010324	HELLERMANN	TERMINAL , ring tag							8	—	C	19/36	
	HC.296	TRAY , assembly							1	—	—	19/37	
	E.B2.81.7449	Attachments:—											
28D/9138768	A25/1/2C	Bolt, 2 BA, hex. head							2	—	C	19/38	
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA							2	—	C	19/39	
6B/2965	†	TRAY , amplifier mounting							1	—	B	18/31	
6TD/618	†	UNIT , actuator amplifier							1	—	A	18/32	
6TD/619	†	UNIT , auto trim (For A/c not embodying Mod. 2278)							1	—	A	18/33	
		Attachments:—											
28D/9138768	A25/1/2C	Bolt, 2 BA, hex. head							4	—	C	18/34	
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA							4	—	C	18/35	
6TD/719	†	UNIT , auto trim (Mod. 2461) (For A/c embodying Mod. 2278)							1	—	A	18/36	
		Attachments:—											
28D/9138768	A25/1/2C	Bolt, 2 BA, hex. head							4	—	C	18/37	
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA							4	—	C	18/38	

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5UB/7424	E.B2.81.14129	UNIT , power, A.C. gun firing, assembly	1	—	A	19/40
		Spares for :—				
8791 or 5UB/7631	E.B2.81.14131	BOARD , resistor, assembly	1	—	B	19/41
		Spares for :—				
28W/5905011	PAINTON RWV.5K	RESISTOR , 10 ohms	4	—	B	19/42
		Attachments :—				
28E/9508262 5H/	AS.2295/4 BELLING LEE L.592	Clip, spring	4	—	C	19/43
		Lug, turret	8	—	C	19/44
28M/10326 28S/1006979	AGS.2002/A/1 A32/A10	Nut, stiff, 6 BA	4	—	C	19/45
		Screw, 6 BA, round head	4	—	C	19/46
5886	E.B2.81.8843	COVER , power unit, assembly	1	—	B	19/47
		Spares for :—				
9707	EEAS.250/4	BOLT , special	4	S21 or S91	C	19/48
26FZ/15492	EEAS.28/2DR	WASHER	4	—	C	19/49
7410	EEAS.232	WASHER , retaining	4	L72	C	19/50
5889 or 5UB/7630	E.B2.81.14133	TRANSFORMER , gun firing, assembly	1	—	A	19/51
		Spares for :—				
8792	E.E. CO. L'POOL	TRANSFORMER , type AE.5721	1	—	A	19/52
		Attachments :—				
28D/1007971	A25/½B	Bolt, 4 BA, hex. head	4	—	C	19/53
28W/9419448	AGS.2035/B	Washer, 4 BA, shakeproof	4	—	C	19/54
		Attachments :—				
28D/9140202	AS.1246/1C	Bolt, 2 BA, round head	2	—	C	19/55
	—	EQUIPMENT , in pack bay, frames 13-20, lower (E.F2.81.265) (Mk. 2 A/c)	—	—	—	21/1
	—	EQUIPMENT , in pack bay, frames 13 to 22, lower (E.F4.81.4265) (Mk. 2A A/c)	—	—	—	21/2
	—	Spares for :—				
	—	BOX , armament relay equipment, assembly (E.F2.81.933)	—	—	—	21/3
	—	Spares for :—				
	E.B2.81.15565	BOX , relay armament, assembly	1	—	—	21/4
	—	Spares for :—				
5895	E.B2.81.6659	COVER , rear	1	L59	C	21/5
		Attachments :—				
28S/1212428	A40/A10	Screw, 6 BA, round head	3	—	C	21/6
	—	Spares for :—				
9665	E.B2.81.15557	COVER	1	L59	C	21/7
		Attachments :—				
28D/9128739	AS.1248/½B	Bolt, 4 BA, mushroom head	3	—	C	21/8
	—	Spares for :—				
8453	E.B2.81.7441	DOWEL , locating	2	—	C	21/9
		Attachments :—				
28M/13376	A29/EP	Nut, ¼" BSF, plain	2	—	C	21/10
28W/1006945	AGS.2035/E	Washer, ¼" BSF, shakeproof	2	—	C	21/11
	—	Spares for :—				
5897	E.B2.81.5255	LUG , box anchor	2	L72	C	21/12
		Attachments :—				
5898	E.B2.81.5271	Bolt, special	4	—	C	21/13
9666	EEAS.28/6BR	Washer	4	L72	C	21/14

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5899	E.B2.81.12703								1	—	B	21/15
	E.B2.81.14575								1	—	LM	21/16
28S/1212427	A40/A8								2	—	C	21/17
7655	E.B2.81.12705								1	—	B	21/18
	E.B2.81.14577								1	—	LM	21/19
28S/1212427	A40/A8								2	—	C	21/20
10F/0530473	STAN'D TELE. 4190HD or CLARE A-24-NR								1	—	A	21/21
10F/9522409	CLARE A-24-NR/1								1	—	A	21/22
5CW/8979	†								4	—	B	21/23
5CW/10678	—								2	—	B	21/24
10AS/	STAN'D TELE. LP.736720								1	—	B	21/25
	E.B2.81.12721								1	—	—	22/1
5792	E.B2.81.6311								1	L72	C	22/2
28D/1010658	A25/1B								2	—	C	22/3
28S/1212450	A32/B10								2	—	C	22/4
28S/1007405	A32/C14								4	—	C	22/5
	E.F2.81.1311								1	—	—	22/6
	E.B3.81.3693								1	L72	—	22/7
28D/1008149	A25/2B								2	—	C	22/8
28M/1278189	AGS.2001/B/1								2	—	C	22/9
28VV/9419486	SP16/B								2	—	C	22/10
	E.B2.10.9351								1	—	—	22/11
	E.B2.10.9325								1	—	—	22/12
13359	E.B2.10.9329								1	—	C	22/13
13360	E.B2.10.9333								2	—	C	22/14
	E.B3.10.2149								1	—	—	22/15
	E.B2.10.9325								1	—	—	22/16
13359	E.B2.10.9329								1	—	C	22/17
13360	E.B2.10.9333								2	—	C	22/18
9821	E.B2.81.11635								1	—	B	22/19
5E/3878	†								QR	—	C	22/20
9820	E.B2.81.11633								1	—	C	22/21
5X/7525	2Z.84914/C								1	—	C	22/22
5X/7526	2Z.84912/C								1	—	C	22/23

A.P.101B-1002/2A-3A

ELECTRICAL

Page E27

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F2.81.1307								1	L72	-	22/57
28M/9043519	A.27/BP								2	-	C	22/58
28M/1278189	AGS.2001/B/1								1	-	C	22/59
28S/1005622	A.31/B28								1	-	C	22/60
28W/9419474	SP.15/B								2	-	C	22/61
	E.F2.81.1309								1	L72	-	22/62
28M/9403519	A.27/BP								2	-	C	22/58
28M/1278189	AGS.2001/B1								1	-	C	22/59
28S/1005622	A.31/B28								1	-	C	22/60
28W/9419474	SP.15/B								2	-	C	22/61
5925	E.B2.81.6709								1	L72	C	15/10
28D/1007971	A.25/ 1/2B								2	-	C	15/11
28D/1008149	A.25/2B								2	-	C	15/12
8843	E.B2.81.14909								1	-	C	15/13
28D/1007971	A.25/ 1/2B								5	-	C	15/14
	-								-	-	-	10/29
5CW/10678	-								1	-	A	10/30
28D/1011011	A.25/8B								4	-	C	10/31
7R/697	E.B2.81.12747								1	-	B	15/15
	E.B2.81.6947								2	Rubazote	-	15/16
	†								1	Steel	-	15/17
28FP/9713920	AVIAT'N DEVEL'S A.411								1	-	C	15/18
28FP/824	SP4Y/A14								1	-	C	15/19
28P/9508504	SP.90/C3								1	-	C	15/20
	TERRY								2	-	-	15/21
	No. 169-3/8											
	E.B2.81.12743								1	L72	-	15/22
	E.B2.81.6843								1	-	-	15/23
28W/1278189	AGS.2001/B/1								2	-	C	15/24
28S/1200033	A.31/B24								2	-	C	15/25
7654	E.B2.81.12749								1	-	B	15/26
	E.B2.81.6947								2	Rubazote	-	15/16
	†								1	Steel	-	15/17
28FP/9713920	AVIAT'N DEVEL'S A.411								1	-	C	15/18
28P/824	SP4Y/A14								1	-	C	15/19
28P/9508504	SP.90/C3								1	-	C	15/20
	TERRY								2	-	-	15/21
	No. 169-3/8											

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
							1
	E.B2.81.12743	SADDLE, top	1	L72	-	15/22	
		Attachments:-					
	E.B2.81.6841	Label, F.C.13A, stowage	1	-	-	15/27	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	15/24	
28S/1200033	A31/B24	Screw, 4 BA, cheese head	2	-	C	15/25	
	7735	E.B2.81.7575	SOCKET, earth fuelling point, assembly	1	-	B	23/1
		Consisting of:-					
	7734	E.B2.81.7577	BRACKET, mounting	1	-	C	23/2
		Attachments:-					
28M/10333	AGS.2002/L/1	Nut, stiff, 7/16" BSF	1	-	C	23/3	
	14079	E.B2.81.7579	SOCKET, earth	1	-	C	23/4
	10014	E.B2.81.7581	SPRING, 24 SWG	1	Steel	C	23/5
		E.B2.81.7583	TAB, identification	1	L72	-	23/6
		Attachments:-					
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	-	C	23/7	
28S/9419453	A.31/B14	Screw, 4 BA, cheese head	3	-	C	23/8	
	13069	E.F.2.81.5457	TERMINAL, earth E22	1	-	C	15/28
		Attachments:-					
	5358	E.B2.81.11031	Bolt, 3/8" BSF, hex. head	1	-	C	15/29
28M/9403520	A.27/CP	Nut, 2 BA, plain	1	-	C	15/30	
28M/1011473	A.27/JP	Nut, 3/8" BSF, plain	1	-	C		
28M/1007404	A.27/JT	Nut, 3/8" BSF, thin	1	-	C	15/31	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	15/32	
28M/10292	AGS.2001/J/1	Nut, stiff, 3/8" BSF	1	-	C	15/33	
28S/1011491	A.32/C24	Screw, 2 BA, round head	1	-	C	15/34	
28W/9419477	SP.15/J	Washer, 3/8" BSF, plain	2	-	C	15/35	
28W/9419404	SP.16/C	Washer, 2 BA, plain	1	-	C	15/36	
	5924	E.B2.81.6327	Washer, identification	1	-	C	15/37
		E.B2.81.15855	SWITCH, micro, assembly	1	-	-	24/1
		Consisting of:-					
28D/9419397	A.25/12C	BOLT, 2 BA, hex. head	2	-	C	24/2	
	10492	E.B2.81.15787	BRACKET, assembly	1	-	C	24/3
5CW/7095	DOWTY	SWITCH, downmic limit	1	-	A	24/4	
		C.1831-Y Mk. 18					
		or					
5CW/	C.1831-Y	Mk. 104C					
		Attachments:-					
28D/1007975	AS.1242/1C	Bolt, 2 BA, c'sk head	2	-	C	24/5	
	6T/605	†	UNIT, gyro, type "B"	3	-	A	24/6
		Attachments:-					
28D/1214865	AS.1246/2B	Bolt, 4 BA, round head	6	-	C	24/7	
28D/9130082	AS.1246/3B	Bolt, 4 BA, round head	1	-	C	24/8	
28D/1214866	AS.1246/4B	Bolt, 4 BA, round head	2	-	C	24/9	
28W/9419474	SP.15/B	Washer, 4 BA, plain	9	-	C	24/10	
	-	EQUIPMENT, frames 22-25, lower, port and starboard ..	-	-	-	24/11	
		(E.F.2.81.267)					
		Spares for:-					
5CZ/5918	GRAVINER	BASE, relay	4	-	A	24/12	
	D.2240						
		Attachments:-					
28D/9140645	A.25/10C	Bolt, 2 BA, hex. head	12	-	C	24/13	

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5CZ/432	SIS.1565	BLOCK, terminal, type "B" 3-way	1	—	B	24/14
28S/9992531	A33/A24	Attachments:— Screw, 6 BA, c'sk head	2	—	C	24/15
5X/3277	CZ.50206	BLOCK, terminal, 3-way	1	—	B	24/16
5X/3273	CZ.26802	COVER, block, terminal	1	—	C	24/17
5X/9450403	Z.28426	PILLAR	2	—	C	24/18
4563	E.B1.81.4721	TERMINAL, insulated, assembly	1	—	C	24/19
		Spares for:—				
	E.B1.81.4723	BODY	1	—	—	24/20
	E.B1.81.4725	COVER, front	1	LFS.26	—	24/21
		Attachments:—				
28S/9505800	A44/A16	Screw, 6 BA, round head	4	—	C	24/22
28W/9128181	SP55/A	Washer, 6 BA, spring	4	—	C	24/23
	E.B1.81.4747	COVER, back	1	—	—	24/24
		Attachments:—				
28S/1200060	A33/A16	SCREW, 6 BA, c'sk head	4	—	C	24/25
		Attachments:—				
28D/1007976	AS.1242/4C	Bolt, 2 BA, c'sk head	2	—	C	24/26
5CZ/7404	GRAVINER 162D	UNIT, relay (Mod. 2511)	4	—	A	24/27
	—	EQUIPMENT, frames 22-25, upper, assembly (E.F2.81.271) (Mk. 2 A/c)	—	—	—	25/1
	—	EQUIPMENT, frames 21 to 25, upper, assembly (E.F4.81.4271) (Mk. 2A A/c)	—	—	—	25/2
		Spares for:—				
6A/4457	SMITH WAYMOUTH	AMPLIFIER, type F. A. B. 18	2	—	A	25/3
5358	E.B2.81.11031	BOLT, special, 3/8" BSF, earth at E33 (Mod. 2131)	1	—	C	25/4
	E.F2.81.5545	BOX, A.C. distribution, assembly (Mod. 1810) (Pre Mod. 1990) (Mk. 2 A/c)	1	—	—	25/5
		Spares for:—				
5908	E.B1.81.3969	COVER, torque switch	1	L72	C	25/6
5797	E.B2.81.165	DOWEL, locating	2	—	C	25/7
		Attachments:—				
28M/1007403	A27/ET	Nut, 1/4" BSF, thin	2	—	C	25/8
11077	E.B2.81.1535	LID, upper, assembly	1	—	B	25/9
		Spares for:—				
5912	E.B2.81.1527	BOLT, special	6	—	C	25/10
5913	E.B2.81.1525	WASHER, tapped	6	L54	C	25/11
5911	E.B2.81.1537	LID, lower, assembly	1	—	B	25/12
		Spares for:—				
5912	E.B2.81.1527	BOLT, special	7	—	C	25/13
5913	E.B2.81.1525	WASHER, tapped	7	L54	C	25/14
5CW/5907	SMITH A/C EAP.2340	SWITCH, torque	1	—	A	25/15
		Attachments:—				
28D/1213254	AS.4565/2B	Bolt, 4 BA, round head	4	—	C	25/16
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	—	C	25/17
28W/9419402	SP13/C	Washer, 2 BA, plain	2	—	C	25/18

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F2.81.6149	BOX, A.C. distribution, assembly (Pre-Mod. 4372) (Mk. 2 A/c)	1	—	—	25/19
	E.F2.81.6991	BOX, A.C. distribution, assembly (Mod. 4372) (Mk. 2 A/c)	1	—	—	25/52
	E.F4.81.4637	BOX, A.C. distribution, assembly (Pre-Mod. 4372) (Mk. 2A A/c)	1	—	—	25/20
	E.F4.81.4971	BOX, A.C. distribution, assembly (Mod. 4372) (Mk. 2A A/c)	1	—	—	25/53
5797	E.B2.81.165	Spares for:— DOWEL, locating	2	—	C	25/21
28M/1007403	A27/ET	Attachments:— Nut, 1/4" BSF, thin	2	—	C	25/22
11077	E.B2.81.1535	LID, upper, assembly Spares for:—	1	—	C	25/23
5912	E.B2.81.1527	BOLT, special	6	—	C	25/24
5913	E.B2.81.1525	WASHER, tapped	6	L72, 54 or 55	C	25/25
5911	E.B2.81.1537	LID, lower, assembly Spares for:—	1	—	C	25/26
5912	E.B2.81.1527	BOLT, special	7	—	C	25/27
5913	E.B2.81.1525	WASHER, tapped	7	L72, 54 or 55	C	25/28
5UC/6938	AE.5600	UNIT, U/V phase sequence Attachments:—	1	—	B	25/29
28S/1212706	A40/B12	Screw, 4 BA, round head	4	—	C	25/30
28W/9419448	AGS.2035/B	Washer, 4 BA, shakeproof	4	—	C	25/31
	E.F2.81.6683	BOX, emergency, fuse, assembly (Mod. 4203) (Mk. 2 A/c)	1	—	B	25/32
1440656	E.F4.81.4643	BOX, emergency, fuse, assembly (Mk. 2A A/c) Spares for:—	1	—	B	25/33
	E.F2.81.6685	LID, assembly (Mk. 2 A/c)	1	—	B	25/34
1440657	E.F4.81.4645	LID, assembly (Mk. 2A A/c) Spares for:—	1	—	B	25/35
11079	E.B2.81.14403 †	SCREW, cover, winged STRIP, 1/32" x 3/8"	3 QR	— Shore Hardness 30/35	C —	25/36 25/37
28W/9419465	SP13/B	WASHER	3	—	C	25/38
7410	EEAS.232	WASHER, retaining	3	L72	C	25/39
28D/9436920	A25/1C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	25/40
6A/2813	SMITH WAYMOUTH	BRACKET, amplifier attachment	2	—	B	25/41
28D/1007975	AS.1242/1C	Attachments:— Bolt, 2 BA, c'sk head	8	—	C	25/42
6A/4727	SANGAMO WESTON FD.1014	BRACKET, servo potentiometer mounting	2	—	B	25/43
28M/1278190	AGS.2001/C1	Attachments:— Nut, stiff, 2 BA	6	—	C	25/44
28S/9419411	A31/C32	Screw, 2 BA, cheese head	3	—	C	25/45
28S/9446549	A31/C44	Screw, 2 BA, cheese head	3	—	C	25/46
5905	E.B2.81.10151	Spacer, hexagon	3	L65	C	25/47
5906	E.B2.81.11557	Spacer, hexagon	3	L65	C	25/48
3572	EEAS.28/20EU	Washer	6	S515	C	25/49
5907	EEAS.28/20FU	Washer, plain	2	S515	C	25/50
28W/9419402	SP13/C	Washer, 2 BA, plain	4	—	C	25/51

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
10741	E.B2.81.15179	CHANNEL , assembly						3	—	C	26/1
		Attachments :—									
28D/9436920	A25/1C	Bolt, 2 BA, hex. head						7	—	C	26/2
28D/9133011	A25/2C	Bolt, 2 BA, hex. head						2	—	C	26/3
28D/1200119	A25/4C	Bolt, 2 BA, hex. head						1	—	C	26/4
28W/9419402	SP13/C	Washer, 2 BA, plain						2	—	C	26/5
5CW/8917	ROTAX D.11803/1	CONTACTOR (Mod. 2119) (Pre Mod. 2270) ...						1	—	A	26/6
		Attachments :—									
11080	E.F2.81.5119	Bolt, special, 2 BA						1	S114 or S116	C	26/7
28D/9142406	AS.1248/3C	Bolt, 2 BA, mushroom head						1	—	C	26/8
9340	EEAS.238/2A	Washer, "D"						1	—	C	26/9
5CW/9358	ROTAX D.11803/2	CONTACTOR (Mod. 2270)						1	—	A	26/10
		Attachments :—									
11080	E.F2.81.5119	Bolt, special, 2 BA						1	S114 or S116	C	26/7
28D/9142406	AS.1248/3C	Bolt, 2 BA, mushroom head						1	—	C	26/8
9340	EEAS.238/2A	Washer, "D"						1	L72	C	26/9
19761	E.FX.81.6237	FAIRLEAD , assembly (Mod. 2130) (Mk. 2 A/c) ...						1	L72	C	26/11
1441483	E.F4.81.4863	FAIRLEAD , assembly (Mk. 2A A/c)						1	—	C	26/12
		Attachments :—									
28D/9133011	A25/3C	Bolt, 2 BA, hex. head						4	—	C	26/13
28D/1200119	A25/4C	Bolt, 2 BA, hex. head						3	—	C	26/14
19763	E.F2.81.6227	FAIRLEAD , assembly (Mod. 2131)						1	—	C	26/15
		Attachments :—									
28D/9133011	A25/3C	Bolt, 2 BA, hex. head						4	—	C	26/16
28D/1200119	A25/4C	Bolt, 2 BA, hex. head						2	—	C	26/17
9710	E.B2.81.12017	FAIRLEAD , blank						2	—	C	26/18
		Attachments :—									
28S/9139156	A35/A20	Screw, 6 BA, cheese head						4	—	C	26/19
28W/9137412	AGS.2037/A	Washer, 6 BA, shakeproof						4	—	C	26/20
9768	E.B2.81.12019	FAIRLEAD , assembly						1	—	C	26/21
		Attachments :—									
28S/9139156	A35/A20	Screw, 6 BA, cheese head						2	—	C	26/22
28W/9137412	AGS.2037/A	Washer, 6 BA, shakeproof						2	—	C	26/23
9967	E.B2.81.12021	FAIRLEAD , assembly						1	—	C	26/24
		Attachments :—									
28S/9139156	A35/A20	Screw, 6 BA, cheese head						2	—	C	26/25
28W/9137412	AGS.2037/A	Washer, 6 BA, shakeproof						2	—	C	26/26
9769	E.B2.81.12023	FAIRLEAD , assembly						2	—	C	26/27
		Attachments :—									
28S/9139156	A35/A20	Screw, 6 BA, cheese head						4	—	C	26/28
28W/9137412	AGS.2037/A	Washer, 6 BA, shakeproof						4	—	C	26/29

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7			
11082	E.F2.81.5297	LINK , insulated, terminal	2	—	C	26/30
		Attachments :—										
28D/1212370	AS.1248/1E	Bolt, 1/4" BSF, mushroom head	1	—	C	26/31
28D/1212371	AS.1248/2E	Bolt, 1/4" BSF, mushroom head	3	—	C	26/32
28D/1212373	AS.1248/3E	Bolt, 1/4" BSF, mushroom head	1	—	C	26/33
28M/9480017	AGS.2001/E/1	Nut, stiff, 1/4" BSF	4	—	C	26/33
28W/9418921	SP13/E	Washer, 1/4" BSF	4	—	C	26/34
7652	E.B2.81.8403	LINK , insulated, terminal	1	—	C	26/35
7653	E.B2.81.8404											
		Attachments :—										
28D/1212371	AS.1248/2E	Bolt, 1/4" BSF, mushroom head	1	—	C	26/36
28D/1212372	AS.1248/3E	Bolt, 1/4" BSF, mushroom head	1	—	C	26/37
28W/7002430	AGS.2002/E/1	Nut, stiff, 1/4" BSF	2	—	C	26/38
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	—	C	26/39
	E.F2.81.4325	PLATE , relay mounting, assembly	1	—	—	26/40
		Attachments :—										
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	6	—	C	26/41
10740	E.B2.81.15175	PLATE , transformer mounting	3	—	C	26/42
		Attachments :—										
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	12	—	C	26/43
28W/9419402	SP13/C	Washer, 2 BA, plain	12	—	C	26/44
6A/5549	SANGAMO WESTON S.144-4-42	POTENTIOMETER , servo	2	—	A	26/45
5CW/5986	THORN T.100B	RELAY , type 100B	2	—	A	26/46
		Attachments :—										
28D/1010029	A25/6B	Bolt, 4 BA, hex. head	4	—	C	26/47
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	26/48
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	26/49
5UB/6479	FERRANTI RD.5892	TRANSFORMER , 200-115V single phase	2	—	A	26/50
		Attachments :—										
5799	E.B2.81.10153	Bolt, special	8	—	C	26/51
28W/9457027	AGS.2037/C	Washer, 2 BA, shakeproof	8	—	C	26/52
5UB/6482	FERRANTI 5895	TRANSFORMER , 200-30-28-26v.	1	—	A	26/53
		Attachments :—										
5799	E.B2.81.10153	Bolt, special	4	—	C	26/54
28W/9457027	AGS.2037/C	Washer, 2 BA, shakeproof	4	—	C	26/55
	—	EQUIPMENT , in spine, assembly (E.F2.81.273) (Mk. 2 A/c)	—	—	—	
	—	EQUIPMENT , in spine, assembly (E.F4.81.4273) (Mk. 2A A/c)	—	—	—	
		Spares for :—										
11083	E.F2.81.1759	BOLT , special terminal	1	BS.249	C	27/1
5802	E.B2.81.3093	BOLT , special terminal	1	—	C	27/2
5358	E.B2.81.11031	BOLT , special	1	—	C	27/3

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F.2.81.5501	BOX, relay and A.C. fuse, assembly							1	—	—	27/4
		(Pre-Mod. 4372) (Mk. 2 A/c)										
	E.F.2.81.7003	BOX, relay and A.C. fuse, assembly							1	—	—	27/39
		(Mod. 4372) (Mk. 2 A/c)										
	E.F.4.81.4675	BOX, relay and A.C. fuse, assembly							1	—	—	27/5
		(Pre-Mod. 4372) (Mk. 2A A/c)										
	E.F.4.81.5135	BOX, relay and A.C. fuse, assembly							1	—	—	27/40
		(Mod. 4248) (Mk. 2A A/c)										
		Spares for:—										
5810	E.B.2.81.8817	CLIP, assembly							1	—	C	27/6
		Attachments:—										
28M/9403519	A27/BP	Nut, 4 BA, plain							1	—	C	27/7
28S/9140642	A31/B36	Screw, 4 BA, cheese head							1	—	C	27/8
	AS.2810/4/060	Tube, distance							1	—	LM	27/9
	11084	COVER, assembly (Pre-Mod. 4372) (Mk. 2 A/c)							1	—	B	27/10
	E.F.2.81.7007	COVER, assembly (Mod. 4372) (Mk. 2 A/c)							1	—	—	27/41
		Spares for:—										
11085	EEAS.307/3	BOLT, special, 4 BA							5	S94	C	27/11
	E.F.2.81.1979	LABEL (Pre-Mod. 4372)							1	—	—	27/42
	E.F.2.81.6989	LABEL (Mod. 4372)							1	—	—	27/43
5913	E.B.2.81.1525	WASHER, retaining							5	—	C	27/12
11086	E.F.2.81.1907	COVER, relay, assembly							1	—	B	27/13
1440660	E.F.4.81.4679	COVER, box, assembly (Pre-Mod. 4372)							1	—	C	27/14
		(Mk. 2A A/c)										
	E.F.4.81.5139	COVER, assembly (Mod. 4248) (Mk. 2A A/c)							1	—	—	27/44
		Spares for:—										
9759	E.B.4.81.269	BOLT, special							4	S21	C	27/15
	E.F.2.81.1979	LABEL (Pre-Mod. 4372)							1	—	—	27/45
	E.F.4.81.5137	LABEL (Mod. 4248)							1	—	—	27/46
11087	E.F.2.81.1941	PAD, rubber							1	Sorbocell	C	27/16
7410	EEAS.232	WASHER, retaining							4	—	C	27/17
28W/9419448	AGS.2035/B	WASHER, shakeproof							4	—	C	27/18
11088	E.F.2.81.1909	COVER, relay, assembly							1	—	B	27/19
		Spares for:—										
9759	E.B.4.81.269	BOLT, special							8	S21	C	27/20
11089	E.F.2.81.1939	PAD, rubber							1	Sorbocell	C	27/21
7410	EEAS.232	WASHER, retaining							8	L72	C	27/22
28W/9419448	AGS.2035/B	WASHER, shakeproof							8	—	C	27/23
5CW/6705	7CZ.107805	HOLDER, relay							1	—	B	27/24
5CW/6704	7CZ.107794	HOLDER, relay							11	—	B	27/25
11090	E.F.2.81.4591	PANEL, access							1	—	C	27/26
		Attachments:—										
28S/9995326	A32/B20	Screw, 4 BA, round head							12	—	C	27/27
	8460	PILLAR, spacing							8	—	C	27/28
		Attachments:—										
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							8	—	C	27/29
28W/9419474	SP15/B	Washer, 4 BA, plain							8	—	C	27/30
	11091	PILLAR, spacing							4	—	C	27/31
		Attachments:—										
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							4	—	C	27/32
10F/0530473	STAN'D TELE. 4190HD or CLARE A-24-NR	RELAY (Pre-Mod. 4049)							2	—	A	27/33
10F/9522409	CLARE A-24-NR/1	RELAY (Mod. 4049)							2	—	—	
		RELAY (Mod. 4049)							2	—	A	
10F/9438820	ERICSSON N.22618/AD1	RELAY, miniature, type 2, 4 c/o							1	—	A	27/34
5CW/6699	7CZ.107792	RELAY, type S.1, 'plug-in'							1	—	A	27/35
5CW/6698	7CZ.107791	RELAY, type S.3, 'plug-in'							11	—	A	27/36

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10H/9114121	E.F.2.81.1901	SHELL, relay and A.C. fuse box, assembly	1	—	B	27/37
	STAN'D TELE. LP.736720	SOCKET, relay	2	—	B	27/38
	—	WIRING, A.C. fuse and relay box	—	—	—	—
		(E.F.4.81.5133) (Mod. 4248)				
11093	E.F.2.81.5879	BUSH	1	BS249	C	28/1
11094	E.F.2.81.5775	CONNECTOR, battery, sub-assembly	1	—	B	28/2
		Consisting of:—				
13361	E.F.2.81.5777	CONNECTOR, flexible (PE)	1	—	C	28/3
13362	E.F.2.81.5779	CONNECTOR, flexible (PEN)	1	—	C	28/4
11097	E.B.2.81.4143	CONNECTOR, battery, sub-assembly	1	—	B	28/5
		Consisting of:—				
	E.B.2.81.4163	BODY, battery connector	1	—	—	28/6
19523	E.B.2.81.4159	BOLT, with dogs	1	—	C	28/7
19518	UNBRAKO Series SP	SCREW, set, 4 BA x 5/16"	2	—	C	28/8
15919	E.B.2.81.4161	SCREW, anchor	1	—	C	28/9
19520	E.B.2.81.4157	WASHER, bearing	1	—	C	28/10
19521	E.B.2.81.4177	WASHER, bearing	1	—	C	28/11
9570	H'DON & STOKES DP.1008	WASHER, crinkle	1	—	C	28/12
or						
5310-99-943- 6083						
19522	E.B.2.81.4155	CONNECTOR, insulator	2	—	C	28/13
		Attachments:—				
28S/1200059	A33/A14	Screw, 6 BA, c'sk head	6	—	C	28/14
13368	E.B.2.81.6059	COVER, battery connector	1	—	C	28/15
		Attachments:—				
28S/1200059	A33/A14	Screw, 6 BA, c'sk head	9	—	C	28/16
11098	E.B.2.81.4149	HANDLE, assembly	1	—	C	28/17
11099	E.B.2.81.4171	NUT, special	2	—	C	28/18
11100	E.B.2.81.4147	SOCKET, assembly	2	—	C	28/19
8023	AUT'VE ENG.	TWICLIP, 3/16"	1	—	C	28/20
19524	E.B.2.81.4153	SPRING, for battery connector lug	2	—	C	28/21
11101	E.B.2.81.4165	SPRING, compression	1	—	C	28/22
5X/	Z.29888	CONNECTOR, double bulkhead, Mk. 8, H.F.I.	3	—	—	28/23
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	4	—	C	28/24
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	28/25
28W/9419402	SP13/C	Washer, 2 BA, plain	4	—	C	28/26
11102	E.F.2.81.1751	COVER, plate	1	L44	C	28/27
11103	E.F.2.81.1761	COVER, terminal	1	L44	C	28/28
11104	E.B.3.81.2029	FAIRLEAD, assembly	1	LFS21	C	28/29
		Attachments:—				
28D/9419432	A25/3B	Bolt, 4 BA, hex. head	4	—	C	28/30
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	28/31
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	28/32
5815	E.B.2.81.9673	FAIRLEAD, half	2	—	C	28/33
		Attachments:—				
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	4	—	C	28/34
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	28/35
9057	E.B.2.81.12737	FAIRLEAD, assembly	1	—	C	28/36
		Attachments:—				
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	4	—	C	28/37
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	—	C	28/38
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	28/39

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
R 18049	E.B2.81.16251	FAIRLEAD, assembly	1	-	-	28/40
		Attachments:-				
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	4	-	C	28/41
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	4	-	C	28/42
28W/9419465	SP13/B	Washer, 4 BA	4	-	C	28/43
	E.B2.81.16255	FAIRLEAD, assembly	1	-	-	28/44
		Attachments:-				
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	4	-	C	28/45
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	4	-	C	28/46
28W/9419465	SP13/B	Washer, 4 BA, plain	4	-	C	28/47
	10000	MOUNTING, inverter, assembly	1	-	B	28/48
		Consisting of:-				
	11105	ANGLE, mounting	1	-	C	28/49
		Attachments:-				
5797	E.B2.81.165	Dowell, locating	1	-	C	28/50
28M/13376	A29/EP	Nut, 1/4" BSF, plain	1	-	C	28/51
28W/9419405	SP15/E	Washer, 1/4" BSF, plain	1	-	C	28/52
	11106	ANGLE, mounting	1	-	C	28/53
		Attachments:-				
5797	E.B2.81.165	Dowell, locating	1	-	C	28/50
28M/13376	A29/EP	Nut, 1/4" BSF, plain	1	-	C	28/51
28W/9419405	SP15/E	Washer, 1/4" BSF, plain	1	-	C	28/52
	5U/4938	INVERTER, type 1000A	1	-	A	28/54
		Attachments:-				
26FZ/1468	EEAS.1/2C	Bolt, 2 BA, c'sk head	4	-	C	28/55
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	-	C	28/56
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	-	C	28/57
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	28/58
	E.F.2.81.6809	PANEL, D.C. feeder, fuse, assembly (Mod. 4203)	1	-	-	29/1
		(Mk. 2 A/c)				
	E.F.4.81.5095	PANEL, D.C. feeder fuse, assembly (Mk. 2A A/c)	1	-	-	29/2
		(Mod. 4248)				
		Spares for:-				
	E.B2.81.16231	BLOCK, fuse mounting, assembly	1	-	-	29/3
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	-	C	29/4
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	29/5
	E.B2.81.16235	BLOCK, fuse mounting, assembly	1	-	-	29/6
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	-	C	29/7
28W/9419402	SP13/C	Washer, 2 BA, plain	2	-	C	29/8
	18051	BOLT, special	6	-	C	29/9
5CY/2560	SIS.3639	BREAKER, circuit, type "A"	1	-	B	29/10
	E.B2.81.16509	BUS-BAR, assembly	1	-	-	29/11
	E.B2.81.16513	BUS-BAR, assembly	1	-	-	29/12
	18052	BUS-BAR, assembly	1	-	C	29/13
	E.B2.81.16239	BUS-BAR, assembly	1	-	C	29/13
	E.F.2.81.6813	COVER, D.C. fuse panel, assembly (Mod. 4203)	1	-	B	29/14
		(Mk. 2 A/c)				
	1504369	COVER, D.C. fuse panel, assembly (Mk. 2A A/c)	1	-	B	29/15
		(Mod. 4248)				
		Spares for:-				
	5827	FASTENER, dzus, assembly	2	-	C	29/16
	E.B2.81.2793	FASTENER, dzus, assembly	2	-	C	29/16
	E.F.4.81.5089	LABEL, fuse (Mod. 4248)	1	-	-	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5CY/4520	†								1	—	B	29/17
28S/9992524	A32/A8								2	—	C	29/18
28W/9137412	AGS.2037/A								2	—	C	29/19
11108	E.B3.81.2691								1	L44	C	29/20
28S/9992525	A32/B12								2	—	C	29/21
28W/9419474	SP15/B								2	—	C	29/22
28W/9419448	AGS.2035/B								2	—	C	29/23
18045	E.B2.81.16271								1	—	C	29/24
18046	E.B2.81.16279								3	—	C	29/25
18047	E.B2.81.16283								3	—	C	29/26
8886	H'DON & STOKES								3	—	C	29/27
or												
5310-99-943-6079												
11109	E.B3.81.2687								1	—	B	29/28
	E.B3.81.2689								1	—	—	29/29
28N/18750	AS.4921/37								2	—	C	29/30
28M/9129528	A54/C								3	—	C	29/31
28S/1012361	A43/C32								3	—	C	29/32
	E.B3.81.2147								1	—	—	29/33
5832	E.B2.81.2253								4	—	C	29/34
	E.B3.81.2159								1	—	—	29/35
7425	E.B2.81.8253								3	BS249	C	29/36
18055	E.B2.81.16281								5	BS249	C	29/37
18056	E.B2.81.16289								1	BS249	C	29/38
18057	E.B2.81.16291								2	BS249	C	29/39
7906	E.B3.81.1987								6	—	C	29/40
5837	E.B2.81.2391								1	—	C	29/41
	—								—	—	—	29/42
	—								—	—	—	29/43
	E.E. Co. L'POOL TYPE UAM160								3	—	—	29/44
5CZ/5214	E.E. Co. L'POOL								4	—	B	29/45
5CZ/5215	E.E. Co. L'POOL								15	—	B	29/46
5CZ/5216	E.E. Co. L'POOL								5	—	B	29/47
5CZ/5217	E.E. Co. L'POOL								6	—	B	29/48
5CZ/5218	E.E. Co. L'POOL								6	—	B	29/49
5CZ/5219	E.E. Co. L'POOL								5	—	B	29/50
10H/0590125	—								2	—	B	29/51
5920-99-012-0067	E.E. Co. L'POOL								1	—	B	29/52
5X/6237	EEAS.71/1								2	BS267	C	29/53
13365	E.F2.81.5871								1	—	C	29/54
13363	E.F2.81.5875								1	—	C	29/55
13364	E.F2.81.5877								1	—	C	29/56

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11112	E.F.2.81.1755	PLATE, terminal	1	L44	C	29/57
11113	E.F.2.81.4995	PROTECTOR, battery, connector	1	-	C	29/58
		Attachments:-				
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	2	-	C	29/59
26FZ/1028	EEAS.1/3C	Screw, 2 BA, 120° c'sk head	1	S96	C	29/60
26FZ/1029	EEAS.1/4C	Screw, 2 BA, c'sk head	1	S96	C	29/61
28W/9436805	SP11/C	Washer, 2 BA, plain	1	-	C	29/62
28W/9419402	SP13/C	Washer, 2 BA, plain	1	-	C	29/63
13366	E.F.2.81.5781	SHIELD	1	L44	C	29/64
	E.B.2.81.12821	TRAY, battery, assembly	1	-	-	15/38
		Consisting of:-				
5J/3336	VARLEY	BATTERY, LA 24J, 25 AH	1	-	B	15/39
	24/19/25C					
1440596	E.B.2.81.8201	COVER, vented	1	-	B	15/40
5J/	VARLEY	ROD, hold down lid	2	-	C	15/41
	V.1892					
11114	E.B.2.81.4189	TRAY, assembly	1	-	B	15/42
		Spares for:-				
5927	E.B.2.81.4193	BOLT, special, battery retaining	1	-	C	15/43
28P/1012221	SP4Y/B12	PIN	2	-	C	15/44
28P/1021104	SP90/C3	PIN, split	2	-	C	15/45
28W/9419402	SP13/C	WASHER, 2 BA, plain	2	-	C	15/46
30A/3055	†	WIRE, locking, 22 SWG	QR	DTD189	C	15/47
		Attachments:-				
11115	EEAS.222/3E	Bolt, special	2	HTS	C	15/48
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	-	C	15/49
	E.B.2.81.8191	VENTING, battery, assembly	-	-	-	15/50
		Spares for:-				
	E.B.2.81.8199	TUBING, 9 m/m o/d x 6 m/m i/d x 13" long	1	-	LM	15/51
		(Make from 32C/514)				
		Attachments:-				
28E/1011791	AGS.606/B	Clip, hose	1	-	C	15/52
5837	E.B.2.81.2391	WASHER	2	-	C	29/41
13367	E.F.2.81.5883	WASHER	1	Brass	C	29/65
	-	LOOMS, cable, in front fuselage (E.F.2.81.31)	-	-	-	
		(Mk. 2 A/c)				
	-	LOOMS, cable, in front fuselage (E.F.4.81.4031)	-	-	-	
		(Mk. 2A A/c)				
		Spares for:-				
	E.B.2.81.660	CABLE, assembly, C29, from starboard console	1	-	-	
		panel to D.C. relay box, group				
		(Pre-Mod. 4673)				
	E.F.4.81.5187	CABLE, assembly, C29, from starboard console	1	-	-	
		panel to D.C. relay box, group				
		(Mod. 4673)				
		Consisting of:-				
5E/3894	†	CABLE, unifersil No. 20	QR	-	C	
10H/0970295	508/1/07779/003	CLAMP, cable	2	-	C	
10H/0970059	508/2/07706/200	GASKET, outlet	2	-	C	
10H/0970109	508/2/07722/200	GASKET, union	2	-	C	
10H/0970063	CZ.51528	OUTLET, straight	1	-	C	
10H/0970070	CZ.51529	OUTLET, angle	1	-	C	
10H/0560363	CZ.49458/C	PLUG, 12-way, Mk. 4	1	-	C	
10H/0970097	508/2/07757/007	RING, thrust	2	-	C	
10H/0970089	Z.62230	RING, sealing	2	-	C	
	EEAS.146/O	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/E	SLEEVE, 1" long	QR	-	-	
	EEAS.146/E	SLEEVE, 1-1/2" long	QR	-	-	
10H/0560180	CZ.49126	SOCKET, 12-way, Mk. 4	1	-	B	
5F/2279	HV.3254	STRAP, helvin	QR	-	C	

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
5F/9138823	HV.3255 E.B2.81.733	STUD , helvin CABLE , assembly, 2F.192, from terminal block bung No. 3 assembly to brake pressure transmitter, group Consisting of :—							QR 1	— —	C —		
6A/4824 8898	L.5418 EEAS.146/O EEAS.146/E EEAS.146/E	CABLE SLEEVE , 3/4" long SLEEVE , 1" long SLEEVE , 1 1/2" long							1 QR QR 1	— — — —	C C — —		
5X/9450396 11634	HC.490 E.B3.81.1267	TERMINAL , quick release CABLE , assembly, F16, from starboard transport joint break panel at frame 27 to No. 1 and No. 2 servo-potentiometers at frame 23, group Consisting of :—							3 1	— —	C B		
10AR/9729904	CANNON AN.3057-4	CLAMP , cable							2	—	C		
5E/3709	† EEAS.146/A1 EEAS.146/C EEAS.146/E EEAS.146/E	LEAD , compensating SLEEVE , 3/4" long SLEEVE , 1" long SLEEVE , 1" long SLEEVE , 1 1/2" long							QR QR QR QR QR	No. 1 Ducrasil — — — —	C — — — —		
10H/9403103	CANNON AN.3106/B10S L35	SOCKET , 3-way							QR	—	B		
5F/9434858	HELLERMAN HV.3254	STRAP , helvin							QR	—	C		
5F/2250	HELLERMAN OP.3255 E.B3.81.1947	STUD , helvin CABLE , assembly, F146, from A.C. fuse and relay box to No. 5 single phase transformer 200-28v., group Consisting of :—							QR 1	— — —	C LM		
5E/3898	†	CABLE , unifersil No. 12							QR	—	C		
10H/0970294	508/1/07778/003	CLAMP , cable							2	—	C		
10H/0970059	508/2/07706/200	GASKET , outlet							1	—	C		
10H/0970111	508/2/07720/200	GASKET , union							1	—	C		
10H/0970072	CZ.49183	OUTLET , angle							1	—	C		
10H/23253	2CZ.84988	PLUG , free, 4 x 19 amp., Mk. 4							1	—	B		
10H/9995082	508/2/07756/007	RING , thrust							1	—	C		
10H/0970091	508/2/07709/200	RING , sealing							1	—	C		
	EEAS.146/C	SLEEVE , 1/2" long							QR	—	—		
	EEAS.146/C	SLEEVE , 3/4" long							QR	—	—		
	EEAS.146/E	SLEEVE , 1" long							QR	—	—		
	EEAS.146/E	SLEEVE , 1 1/2" long							QR	—	—		
5X/9450380	HC.312 E.B3.81.1953	TERMINAL , ring tongue CABLE , assembly, F187, from A.C. fuse end and relay box end "A" to earth terminal E6, frame 18 main equipment bay starboard side end "B", group Consisting of :—							2 1	— —	C —		
5E/3898	†	CABLE , unifersil No. 12							QR	—	C		
10H/0970292	508/1/07776/003	CLAMP , cable							1	—	C		
5X/9726836	HC.1352	FERRULE , S.B.A.C.							1	—	C		

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10H/0119877	508/1/07705/200								1	—	C	
10H/0970108	508/1/07719/200								1	—	C	
10H/0970069	CZ.49181								1	—	C	
10H/23248	2CZ.84994								1	—	B	
10H/0970096	508/2/07752/007								1	—	C	
10H/0970088	508/2/07708/200								1	—	C	
	EEAS.146/C								QR	—	—	
	EEAS.146/C								QR	—	—	
	E.B3.81.1959								1	—	LM	
	E.F4.81.4619								1	—	—	
	5E/3894	†							QR	—	C	
10H/0970292	508/1/07776/003								2	—	C	
10H/0970293	508/1/07777/003								1	—	C	
10H/0119877	508/2/07705/200								3	—	C	
10H/0970108	508/2/07719/200								2	—	C	
10H/0970111	508/2/07720/200								1	—	C	
10H/0970068	CZ.49179								1	—	C	
10H/0970069	CZ.49181								2	—	C	
	33B/	—							QR	BSS.38/C or DTD827	C	
10H/23254	2CZ.84986								1	—	B	
10H/0970088	508/2/07708/200								2	—	C	
10H/0970091	508/2/07709/200								1	—	C	
10H/0970096	508/2/07752/007								2	—	C	
10H/1201698	508/2/07753/007								1	—	C	
	EEAS.146/20								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/6								QR	—	—	
10H/23325	2CZ.84993								2	—	B	
	E.B3.81.2007								1	—	—	
	5E/3893	†							QR	—	C	
	5E/	†							QR	—	C	
10H/0970295	508/1/07779/003								2	—	C	
	30B/	†							QR	—	C	
10H/0970059	508/2/07706/200								2	—	C	
10H/0970070	CZ.51529								2	—	C	
10H/23259	2CZ.84984/1								1	—	B	
10H/0970097	508/2/07757/007								2	—	C	
10H/0970089	Z.62230								2	—	C	
	EEAS.146/O								QR	—	—	
	EEAS.146/F								QR	—	—	
	EEAS.146/F								QR	—	—	
10H/23311	2CZ.84983								1	—	B	
5F/2301	NY.18007								QR	—	C	
5F/2307	NY.3255								QR	—	C	
5E/	†								QR	—	C	
	E.B3.81.3275								1	—	LM	
	5E/3896	†							QR	—	C	
	5E/3894	†							QR	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	EEAS.146/16	SLEEVE, 3/8" long	QR	—	—		
	EEAS.146/20	SLEEVE, 3/8" long	QR	—	—		
	EEAS.146/16	SLEEVE, 1" long	QR	—	—		
	EEAS.146/6	SLEEVE, 1" long	QR	—	—		
	EEAS.146/6	SLEEVE, 1 1/2" long	QR	—	—		
5X/1010324	HC.296	TAG, ring tongue	2	—	C		
5X/9450396	HC.490	TAG, quick release	2	—	C		
5X/9482491	HC.500	TAG, quick release	2	—	C		
	E.F2.81.2022	CABLE, assembly, F122, from crimp break, starboard wing, to A.C. distribution box, 6 way plug, group	1	—	—		
		Consisting of :—										
5E/3894	†	CABLE, unifersil No. 20	QR	—	C		
10H/0970292	508/1/07776/003	CLAMP, cable	1	—	C		
	5K/4024	COVER, insulating	6	—	C		
10H/0119877	508/1/07705/200	GASKET, outlet	1	—	C		
10H/0970108	508/1/07719/200	GASKET, union	1	—	C		
10H/0970069	CZ.49181	OUTLET, angle	1	—	C		
	10H/23263	PLUG, 6 way, Mk. 4	1	—	B		
10H/0970096	508/1/07752/007	RING, thrust	1	—	C		
10H/0970088	508/1/07708/200	RING, sealing	1	—	C		
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—		
8898	EEAS.146/O	SLEEVE, 3/8" long	QR	—	C		
	EEAS.146/E	SLEEVE, 1" long	QR	—	—		
	EEAS.146/E	SLEEVE, 1 1/2" long	QR	—	—		
5X/7310	HC.1290	SPLICE, inline compression	6	—	C		
5F/2301	NY.18007	STRAP, nylon	QR	—	C		
5F/2307	NY.3255	STUDS, nylon	QR	—	C		
	E.F2.81.2023	CABLE, assembly, F123, from crimp break, port wing, to A.C. distribution box, 6 way plug, group	1	—	—		
		Consisting of :—										
5E/3894	†	CABLE, unifersil No. 20	QR	—	C		
10H/090292	508/1/07776/003	CLAMP, cable	1	—	C		
	5K/4024	COVER, insulating	6	—	C		
10H/0119877	508/2/07705/200	GASKET, outlet	1	—	C		
10H/0970108	508/2/07719/200	GASKET, union	1	—	C		
10H/0970069	CZ.49181	OUTLET, angle	1	—	C		
	10H/23262	PLUG, 6 way, Mk. 4	1	—	B		
10H/0970096	508/2/07752/007	RING, thrust	1	—	C		
10H/0970088	508/2/07708/200	RING, sealing	1	—	C		
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—		
8898	EEAS.146/O	SLEEVE, 3/8" long	QR	—	C		
	EEAS.146/E	SLEEVE, 1" long	QR	—	—		
	EEAS.146/E	SLEEVE, 1" 5 long	QR	—	—		
5X/7310	HC.1290	SPLICE, inline compression	6	—	C		
5F/2301	NY.18007	STRAP, nylon	QR	—	C		
5F/2307	NY.3255	STUD, nylon	QR	—	C		
	E.F2.81.2027	CABLE, assembly, F127, from Ferranti transformer, centre NESAs controller, side NESAs controller, to demister blower and A.C. fuse and relay box, group	1	—	—		
		Consisting of :—										
5E/3894	†	CABLE, unifersil No. 20	QR	—	C		
5E/3893	†	CABLE, unifersil No. 22	QR	—	C		
10H/0970295	508/1/07779/003	CLAMP, cable	1	—	C		
10H/0970059	508/1/07706/200	GASKET, outlet	1	—	C		

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
10H/0970109	508/2/07722/200								1	—	C	
10H/0970070	CZ.51529								1	—	C	
10H/23264	2CZ.84984								1	—	B	
10H/0970097	508/2/07757/007								1	—	C	
10H/0970091	508/2/07709/200								1	—	C	
	EEAS.146/O								QR	—	—	
8898	EEAS.146/O								QR	—	C	
	EEAS.146/C								QR	—	—	
	EEAS.146/E								QR	—	—	
	EEAS.146/F								QR	—	—	
5X/9462951	HC.294								2	—	C	
5X/1010324	HC.296								8	—	C	
	E.F.2.81.2028								1	—	—	
									CABLE, assembly, F28, from terminal block at frame 27 starboard to D.C. feeder fuse panel, group			
									Consisting of:—			
5E/3904	†								QR	—	C	
5X/6530	12130								2	—	C	
	EEAS.146/H								QR	—	—	
	EEAS.146/J								QR	—	—	
	EEAS.146/H								QR	—	—	
	E.F.2.81.6181								1	—	—	
									CABLE, assembly, F203, from artificial horizon contact unit to A.C. distribution box, group (Mod. 2081)			
									Consisting of:—			
5E/3893	†								QR	—	C	
10H/0970292	508/1/07777/003								2	—	C	
5X/3685	NL.8141								3	—	C	
5X/9726815	HC.1350								1	—	C	
10H/0119877	508/2/07705/200								1	—	C	
10H/0970059	508/2/07706/200								1	—	C	
10H/0970108	508/2/07719/200								2	—	C	
10H/0970069	CZ.49181								1	—	C	
10H/01905	CZ.49185								1	—	C	
	†								QR	BSS.381C	C	
10H/23260	2CZ.84986/2								1	—	B	
10H/0970096	508/2/07752/007								2	—	C	
10H/0970088	508/2/07708/200								2	—	C	
	EEAS.146/6								QR	—	—	
	EEAS.146/20								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/14								QR	—	—	
	EEAS.146/20								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/20								QR	—	—	
10H/	2CZ.108469								1	—	B	
5X/7310	HC.1290								3	—	C	
	E.F.2.81.2034								1	—	—	
									CABLE, assembly, F119, from camera test panel in nose wheel bay to camera terminal block at frame 3, earth point 23 in forward equipment bay, group			
									Consisting of:—			
5E/3893	†								QR	—	C	
5X/9726815	HC.1350								1	—	C	
									CABLE, unifersil No. 22			
									FERRULE			

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
8899	EEAS.146/O	SLEEVE, 1" long	QR	—	C	
	EEAS.146/C	SLEEVE, 1 1/2" long	QR	—	—	
5K/	HELLERMANN LP	SLEEVE, helsyn 100	QR	—	C	
5X/1010324	HC.296	TAG, ring tongue	3	—	C	
5X/9709526	HC.296D	TAG, ring tongue	2	—	C	
5X/9450396	HC.490	TAG, quick release	4	—	C	
	E.F2.81.2053	CABLE, assembly, F251, from AI relay and 10-way terminal block in forward equipment bay, frame 3, port, to 5-way terminal block and fuse blocks at frame 25A, and relay, frames 28 to 29, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4615	CABLE, assembly, F251, from AI relay and 10-way terminal block in forward equipment bay, frame 3, port, to 6-way terminal block and fuse blocks at frame 25A, and relay, frame 28 to 29, group (Mk. 2A A/c) Consisting of:—	1	—	—	
5E/3895	†	CABLE, uniterasil No. 18	QR	—	C	
5E/3893	†	CABLE, uniterasil No. 22	QR	—	C	
	EEAS.146/18	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/22	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/12	SLEEVE, 1" long	QR	—	—	
	EEAS.146/22	SLEEVE, 1" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1 1/2" long	QR	—	—	
5F/2301	NY.18007	STRAP, nylon	QR	—	C	
5F/2307	NY.3255	STUD, nylon	QR	—	C	
5X/9462951	HC.294	TAG, ring tongue (Mk. 2A A/c)	2	—	C	
5X/1010324	HC.296	TAG, ring tongue	3	—	C	
5X/9462954	HC.306B	TAG, ring tongue	6	—	C	
5X/9450396	HC.490	TAG, quick release (2 off on Mk. 2A A/c)	4	—	C	
5X/9482491	HC.500	TAG, quick release	6	—	C	
	12136	CABLE, assembly, F.154, from Varley battery positive terminal to battery isolator relay, group Consisting of:—	1	—	B	
	E.F2.81.4835	BOOT, neoprene, CXY yellow	1	—	—	
5E/3904	†	CABLE, uniterasil No. 1	QR	—	C	
5X/2788	†	GROMMET, No. 5 tension	1	—	C	
5X/9400096	12130	LUG, cable	1	—	C	
5X/9400995	12341	LUG, cable	1	—	C	
	EEAS.146/G	SLEEVE, 3/4" long	2	—	—	
	EEAS.146/G	SLEEVE, 1" long	2	—	—	
	EEAS.146/G	SLEEVE, 1 1/2" long	1	—	—	
5K/3459	—	SLEEVING, helsyn 100 NP	QR	—	C	
5F/2301	NY.18007	STRAPPING, cable	QR	—	C	
5F/2307	NY.3255	STUD, nylon	QR	—	C	
	E.F2.81.2055	CABLE, assembly, F155, from emergency services fuse box to battery isolator relay, group Consisting of:—	1	—	—	
5X/7604	HV.3438	BOOT, helvin	1	—	C	
5E/3898	†	CABLE, uniterasil No. 12	QR	—	C	
5X/2784	†	GROMMET, No. 1 tension	1	—	C	
5X/9400390	12110	LUG, cable	1	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.	
							1
5X/9450224	EEAS.146/C	SLEEVE, 3/4" long	QR	—	—	—	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	—	
	EEAS.146/C	SLEEVE, 1 1/2" long	QR	—	—	—	
	HC.510	TERMINAL, quick release	1	—	C	—	
	E.F2.81.2056	CABLE, assembly, F160, from A.C. fuse and relay box to A.C. distribution box, group (Mk. 2 A/c)	1	—	—	—	
	E.F4.81.4451	CABLE, assembly, F160, from A.C. fuse and relay box to A.C. distribution box, group (Mk. 2A A/c)	1	—	—	—	
		Consisting of :—					
	5E/3893	†	CABLE, unifersil, No. 22	QR	—	C	—
	10H/0970297	508/1/07781/003	CLAMP, cable	2	—	C	C
	10H/0970060	Z.60669	GASKET, outlet	2	—	C	C
10H/0970112	Z.62238	GASKET, union	2	—	C	C	
10H/23611	2CZ.111478	OUTLET, angle	1	—	C	B	
10H/23612	2CZ.111477	OUTLET, straight	1	—	C	B	
10H/23242	2CZ.84982/2	PLUG, free, 25-way, Mk. 4	1	—	C	B	
10H/0970100	508/2/07759/007	RING, thrust	2	—	C	C	
10H/0970092	Z.62232	RING, sealing	2	—	C	C	
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—	—	
	EEAS.146/H	SLEEVE, 1" long	QR	—	—	—	
	EEAS.146/H	SLEEVE, 1 1/2" long	QR	—	—	—	
	EEAS.146/16	SLEEVE, 1/2" long (Mk. 2 A/c)	QR	—	—	—	
	EEAS.146/22	SLEEVE, 3/4" long (Mk. 2 A/c)	QR	—	—	—	
10H/23303	2CZ84981/2	SOCKET, free, 25-way, Mk. 4	1	—	B	C	
5F/2301	NY.18007	STRAP, cable, nylon	QR	—	C	C	
5F/2307	NY.3255	STUD, nylon	QR	—	C	C	
	E.F2.81.2057	CABLE, assembly, F161, from A.C. fuse and relay box, spine, to A.C. distribution box, frames 21-25 upper, group	1	—	—	—	
		Consisting of :—					
5E/3895	†	CABLE, unifersil, No. 18	QR	—	C	—	
5E/3894	†	CABLE, unifersil, No. 20	QR	—	C	C	
10H/0970295	508/1/07779/003	CLAMP, cable	2	—	C	C	
10H/0970059	508/2/07776/200	GASKET, outlet	2	—	C	C	
10H/0970109	508/2/07722/200	GASKET, union	2	—	C	C	
10H/0970070	CZ.51529	OUTLET, angle	2	—	C	B	
10H/23257	2CZ.84984/3	PLUG, 12-way, Mk. 4	1	—	C	B	
10H/0970097	508/2/07757/007	RING, thrust	2	—	C	C	
10H/0970091	508/2/07709/200	RING, sealing	2	—	C	C	
	EEAS.146/A1	SLEEVE, 1/2" long	QR	—	—	—	
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—	—	
	EEAS.146/F	SLEEVE, 1" long	QR	—	—	—	
	EEAS.146/F	SLEEVE, 1 1/2" long	QR	—	—	—	
10H/23310	2CZ.84983/1	SOCKET, 12-way, Mk. 4	1	—	B	C	
5F/2301	NY.18007	STRAP, nylon	QR	—	C	C	
5F/2307	NY.3255	STUD, nylon	QR	—	C	C	
	E.F2.81.2058	CABLE, assembly, F258, from A1 relay, frame 3, port forward equipment bay, to D.C. feeder fuse panel, group	1	—	—	—	
		Consisting of :—					
5E/3897	†	CABLE, unifersil, No. 14	QR	—	C	—	
	EEAS.146/C	SLEEVE, 3/4" long	QR	—	—	—	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	—	
	EEAS.146/C	SLEEVE, 1 1/2" long	QR	—	—	—	
5X/9462957	HC.316A	TAG, ring tongue	1	—	C	C	
5X/9450224	HC.510	TERMINAL, compression, quick release	1	—	C	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.F2.81.2060	CABLE , assembly, F260, from earth terminal E5 to emergency battery, group	1	—	—	
5E/3893	†	CABLE , unifersil, No. 22	QR	—	C	
5X/9726815	HC.1350	FERRULE	1	—	C	
8898	EEAS.146/O	SLEEVE , 3/8" long	QR	—	C	
8899	EEAS.146/O	SLEEVE , 1" long	QR	—	C	
	EEAS.146/O	SLEEVE , 1 1/2" long	QR	—	—	
5X/9450396	HC.490	TERMINAL , quick release	1	—	C	
	E.F2.81.2062	CABLE , assembly, F263, from battery isolator relay to ground supply relay, group	1	—	—	
		Consisting of:—				
5K/3680	HV.3604	BOOT , helvin	2	—	C	
5E/3904	†	CABLE , unifersil No. 1	QR	—	C	
5X/9400995	12341	LUG , crimped	2	—	C	
	EEAS.146/G	SLEEVE , 3/8" long	QR	—	—	
	EEAS.146/G	SLEEVE , 1" long	QR	—	—	
	EEAS.146/G	SLEEVE , 1 1/2" long	QR	—	—	
	E.F2.81.2063	CABLE , assembly, F163, from M.R.G. distrubution box to A.C. distribution box, group	1	—	—	
		Consisting of:—				
5E/3893	†	CABLE , unifersil No. 22	QR	—	C	
10H/0970295	508/1/07779/003	CLAMP , cable	2	—	C	
10H/0970059	508/2/07706/200	GASKET , outlet	2	—	C	
10H/0970109	508/2/07722/200	GASKET , union	2	—	C	
10H/0970070	CZ.51529	OUTLET , angle	2	—	C	
10H/23246	2CZ.84984/5	PLUG , free, 12-way, Mk. 4	1	—	B	
10H/0970097	508/2/07757/007	RING , thrust	2	—	C	
10H/0970091	508/2/07709/200	RING , sealing	2	—	C	
10H/23311	2CZ.84983	SOCKET , free, 12-way, Mk. 4	1	—	B	
	EEAS.146/O	SLEEVE , 3/8" long	QR	—	—	
	EEAS.146/E	SLEEVE , 1" long	QR	—	—	
	EEAS.146/E	SLEEVE , 1 1/2" long	QR	—	—	
5F/2301	NY.18007	STRAP , nylon	QR	—	C	
5F/2307	NY.3255	STUDS , nylon	QR	—	C	
	E.F2.81.2065	CABLE , assembly, F165, from firewire relays, frames 23-25, lower starboard, No. 1 and 2 engine zones, to A.C. distribution box, group	1	—	—	
		Consisting of:—				
5E/3894	†	CABLE , unifersil No. 20	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable	1	—	C	
10H/0119877	508/2/07705/200	GASKET , outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET , union	1	—	C	
10H/0970069	CZ.49181	OUTLET , angle	1	—	C	
10H/23255	2CZ.84986/1	PLUG , free, 6-way, 5 amp., Mk. 4	1	—	B	
10H/0970096	508/2/07752/007	RING , thrust	1	—	C	
10H/0970088	508/2/07708/200	RING , sealing	1	—	C	
	EEAS.146/O	SLEEVE , 1/2" long	QR	—	—	
8898	EEAS.146/O	SLEEVE , 3/4" long	QR	—	C	
	EEAS.146/C	SLEEVE , 1" long	QR	—	—	
	EEAS.146/D	SLEEVE , 1" long	QR	—	—	
	EEAS.146/D	SLEEVE , 1 1/2" long	1	—	—	
5X/1010324	HC.296	TERMINAL , ring tongue	4	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.F2.81.2067	CABLE , assembly, F167, from crimp break aft end of main equipment bay to A.C. pitot terminal block at frame 3, group Consisting of:—	1	—	—	
5E/3896	†	CABLE , unifersil No. 16	QR	—	C	
5X/9726835	HC.1351	FERRULE , S.B.A.C.	2	—	C	
	EEAS.146/A1	SLEEVE , 3/4" long	QR	—	—	
	EEAS.146/A1	SLEEVE , 1" long	QR	—	—	
	EEAS.146/C	SLEEVE , 1" long	QR	—	—	
	EEAS.146/C	SLEEVE , 1 1/2" long	QR	—	—	
5X/9482491	HC.500	TERMINAL , quick release	2	—	C	
	E.F2.81.2078	CABLE , assembly, F78, from inline crimp at frames 25-27 to A.C. distributor box, group Consisting of:—	1	—	—	
5E/3893	†	CABLE , unifersil No. 22	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable	1	—	C	
10H/0970058	508/2/07705/200	GASKET , outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET , union	1	—	C	
10H/0970063	CZ.49181	OUTLET , angle	1	—	C	
33B/	†	PAINT , grass green No. 218	QR	DTD827	C	
10H/	2CZ.84386/1	PLUG , free Mk. IV, 6 x 5A.	1	—	B	
10H/0970096	508/2/07752/007	RING , thrust	1	—	C	
10H/0970088	508/2/07708/200	RING , sealing	1	—	C	
	EEAS.146/O	SLEEVE , 1/2" long	QR	—	—	
8898	EEAS.146/O	SLEEVE , 3/4" long	QR	—	C	
	EEAS.146/C	SLEEVE , 1" long	QR	—	—	
	EEAS.146/C	SLEEVE , 1 1/2" long	QR	—	—	
	E.B3.81.2083	CABLE , assembly, 5F362E, from de-ice "on" switch at frame 7-8 to 5-way terminal block at frame 8 and 9, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4465	CABLE , assembly, 5F362E, from de-ice "on" switch at frame 7-8 to 6-way terminal block at frame 8 and 9, group (Mk. 2A A/c) Consisting of:—	1	—	—	
5E/3893	†	CABLE , unifersil No. 22	QR	—	C	
	EEAS.146/22	SLEEVE , 3/4" long	QR	—	C	
	EEAS.146/12	SLEEVE , 1" long	QR	—	—	
	EEAS.146/12	SLEEVE , 1 1/2" long (Mk. 2 A/c)	QR	—	—	
5X/9462951	HC.294	TERMINAL , ring tongue	2	—	C	
5X/1010324	HC.296	TERMINAL , ring tongue	2	—	C	
	E.B3.81.2085	CABLE , assembly, 3F362E, from de-ice hot air solenoid valve at frames 7 and 8, port, to terminal block at frames 8 and 9 port, group (Mk. 2 A/c)	1	—	LM	
	E.F4.81.4461	CABLE , assembly, 3F362E, from de-ice hot air solenoid valve at frames 7 and 8, port, to terminal block at frames 8 and 9, port, group (Mk. 2A A/c) Consisting of:—	1	—	—	
5E/3875	†	CABLE , uniefglas No. 22	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable	1	—	C	
10H/0970058	508/2/07705/200	GASKET , outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET , union	1	—	C	
10H/0970069	CZ.49181	OUTLET , angle	1	—	C	
10H/0970096	508/2/07752/007	RING , thrust	1	—	C	
10H/0970088	508/2/07708/200	RING , sealing	1	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
	EEAS.146/22								QR	—	—	
	EEAS.146/22								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/12								QR	—	—	
10H/23325	2CZ.84993								1	—	B	
5X/1010324	HC.296								2	—	C	
5X/9462951	HC.294								2	—	C	
	E.F.2.81.6867								1	—	—	
									CABLE, assembly, F510, from D.C. feeder fuse panel between aft pressure bulkhead and transport joint to terminal block, frame 27, port, group (Mod. 4203)			
									Consisting of:—			
5K/3680	HV.3604								1	—	C	
5E/3894	†								QR	—	C	
5E/3898	†								QR	—	C	
5E/3902	†								QR	—	C	
5F/	SUPERFLEXIT								1	—	C	
	SC.001-14/82											
5F/2657	SUPERFLEXIT								1	—	C	
	SCF.277-14											
5X/9400089	12123								1	—	C	
5X/9400090	12124								1	—	C	
	10748								1	—	C	
	E.B3.81.2441								1	—	C	
	EEAS.146/4								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/20								QR	—	C	
	EEAS.146/00								QR	—	—	
	EEAS.146/4								QR	—	—	
	EEAS.146/00								QR	—	—	
	TC.4003 CRNG								1	—	—	
5K/3686	NL.8142								1	—	C	
5F/2301	NY.18007								QR	—	C	
5F/2307	NY.3255								QR	—	C	
5X/9718093	HC.296B								5	—	C	
5X/9709524	HC.310								1	—	C	
5X/9450396	HC.490								4	—	C	
5X/9450224	HC.510								2	—	C	
	E.F.2.81.2112								1	—	—	
									CABLE, assembly, F212, from Tacan transmitter-receiver to A.C. distribution box, group			
									Consisting of:—			
5E/3894	†								QR	—	C	
5935/280/1936/UK	AN.3507/10A								1	—	C	
10H/0970294	508/1/07778/003								1	—	C	
5K/4024	NL.8140								2	—	C	
10H/0970059	508/2/07706/200								1	—	C	
10H/0970111	508/2/07720/200								1	—	C	
10H/0970072	CZ.49183								1	—	C	
10H/20962	AN.3106B/18/GS								1	—	B	
10H/23256	2CZ.84984/4								1	—	B	
10H/21419	Z.66473								1	—	C	
10H/0970091	508/2/07709/200								1	—	C	
	EEAS.146/O								QR	—	—	
	EEAS.146/A								QR	—	—	
8898	EEAS.146/O								QR	—	C	
	EEAS.146/C								QR	—	—	
	EEAS.146/E								QR	—	—	
	EEAS.146/E								—	—	—	

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5X/7310	HC.1290 H. D. SYMONDS SP.1172/5/SC E.F.2.81.2113	SPLICE, inline compression TAPE, nylon, varnished, 1" wide, black CABLE, assembly, F513, from stand-by generator in port electrical bay to earth point E5, group Consisting of:-	2 QR 1	- - -	C - -	
5E/3894 5X/9726815 8898 8899	† HC.1350 EEAS.146/O EEAS.146/O EEAS.146/O	CABLE, unifersil No. 20 FERRULE (S.B.A.C.) SLEEVE, 3/4" long SLEEVE, 1" long SLEEVE, 1-1/2" long	QR 1 QR QR QR	- - - - -	C C C C -	
5X/1010324	HC.296 E.F.2.81.6429	TERMINAL, ring tongue CABLE, assembly, F514, from contactor in port electrical bay to battery isolator relay, group (Mod. 2119) Consisting of:-	1 1	- -	C -	
5E/3902	E.F.2.81.4829 † E.F.2.81.6431 E.F.2.81.6433 EEAS.146/4 EEAS.146/4 E.F.2.81.2115	BOOT, neoprene, CXH yellow CABLE, unifersil LUG, cable (Make from Ref. 5X/16523) LUG, cable (Make from Ref. 5X/16523) SLEEVE, 1" long SLEEVE, 1-1/2" long CABLE, assembly, F255, from D.C. feeder fuse box to relay type T100B at frame 23 port, group Consisting of:-	2 QR 1 1 QR QR 1	- - - - - -	- C LM LM - -	
5K/3680 5E/3904 5X/6530 5X/6791	HV.3604 † ERMA LTD. ERMA LTD. EEAS.146/H EEAS.146/H E.F.2.81.2147	BOOT, helvin CABLE, unifersil LUG, crimped LUG, crimped SLEEVE, 1" long SLEEVE, 1-1/2" long CABLE, assembly, F147, from A.C. fuse and relay box to transformers No. 1, 2, 2A and 5, group (Pre-Mod. 4372)	1 QR 1 1 QR QR 1	- - - - - -	C C C C - -	
5E/3894 5E/3893	† †	CABLE, unifersil No. 20 CABLE, unifersil No. 22	QR QR	- -	C C	
10H/0970296 10H/0970060 10H/0970110 10H/0970074 10H/23243 10H/0970098 10H/0970090	508/1/07780/003 Z.60669 Z.62239 CZ.49187 2CZ.84982/1 508/2/07758/007 Z.62233	CLAMP, cable GASKET, outlet GASKET union OUTLET, outlet PLUG, 25-way, Mk. 4 RING, thrust RING, sealing	1 1 1 1 1 1 1	- - - - - -	C C C C B C C	
8898	EEAS.146/O EEAS.146/O EEAS.146/C EEAS.146/D EEAS.146/E EEAS.146/F EEAS.146/F	SLEEVE, 1/2" long SLEEVE, 3/4" long SLEEVE, 1" long SLEEVE, 1" long SLEEVE, 1" long SLEEVE, 1" long SLEEVE, 1-1/2" long	QR QR QR QR QR QR QR	- - - - - -	- C - - - C -	
5X/9462951	HC.294 E.F.2.81.2200	TERMINAL, ring tongue compression CABLE, assembly, 4F362E, from rain dispersal hot air solenoid valve at frames 9 and 10 port to terminal block at frames 8 and 9 port, group (Mk. 2 A/c)	16 1	- -	C -	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F.4.81.4463	CABLE, assembly, 4F362E, from rain dispersal hot ... air solenoid valve at frames 9 and 10, port, to terminal block at frames 8 and 9 port, group (Mk. 2A A/c) Consisting of:—	1	—	—	
5E/3875	†	CABLE, unieffglas No. 22	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable	1	—	C	
10H/0119877	508/2/07705/200	GASKET, outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET, union	1	—	C	
10H/0970089	CZ.49181	OUTLET, angle	1	—	C	
10H/0970096	Z.49037	RING, thrust	1	—	C	
10H/0970088	5082/07708/200	RING, sealing	1	—	C	
	EEAS.146/22	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/22	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/12	SLEEVE, 1" long	QR	—	—	
10H/23325	2CZ.84993	SOCKET, 2-way, Mk. 4	1	—	B	
5X/1010324	HC.296	TERMINAL, ring tongue (Mk. 2 A/c)	2	—	C	
5X/9462951	HC.294	TERMINAL, ring tongue (Mk. 2A A/c)	2	—	C	
	E.F.2.81.2202	CABLE, assembly, C2, from JB3 free socket 12-way ... Mk. 4 to cockpit lighting terminal blocks starboard console side panel, auxiliary warning panel starboard and cockpit lighting dimmer switches starboard console side, group (Mk. 2 A/c)	1	—	—	
	E.F.4.81.4447	CABLE, assembly, C2, from JB3, free socket to cockpit lighting terminal block starboard console, auxiliary warning panel starboard and dimmer switches, starboard console, group (Mk. 2A A/c) Consisting of:—	1	—	—	
5E/3894	†	CABLE, uniersal No. 20	QR	—	C	
5E/3893	†	CABLE, uniersal No. 22	QR	—	C	
10H/0970295	508/1/07779/003	CLAMP, cable	1	—	C	
10H/0970059	508/2/07706/200	GASKET, outlet	1	—	C	
10H/0970109	508/2/07722/200	GASKET, union	1	—	C	
10H/0970097	508/2/07757/007	RING, thrust	1	—	C	
10H/0970091	508/2/07709/200	RING, sealing	1	—	C	
10H/0970063	CZ.51528	OUTLET, straight	1	—	C	
	EEAS.146/20	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1-1/2" long	QR	—	—	
10H/0560182	CZ.49126/2	SOCKET, free, 12-way, Mk. 4	1	—	B	
5X/1010324	HC.296	TERMINAL, ring tongue (6 off on Mk. 2 A/c)	9	—	C	
	E.F.2.81.6061	CABLE, assembly, C6, from JB3 to oxygen regulator, oxygen pressure switch, terminal board for cent warning audio alarm starboard console, UHF panel, control column terminal blocks, oxygen flow indicator and control column terminal board, group (Mod. 1921) Consisting of:—	1	—	—	
5E/3894	†	CABLE, uniersil No. 20	QR	—	C	
5E/3893	†	CABLE, uniersil No. 22	QR	—	C	
10H/0970296	508/1/07780/003	CLAMP, cable	1	—	C	
32B/	FIBREGLASS	CORD, tying, 1/32" dia. glass C.F.	QR	—	—	

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10H/0970060	Z.60669								1		C	
10H/0970110	Z.62239								1		C	
10H/0970067	CZ.49186								1		C	
5D/645	†								1		B	
10H/0560405	CZ.49228/5								1		B	
10H/0970098	508/2/07758/007								1		C	
10H/0970090	Z.62233								1		C	
	EEAS.146/O								QR		-	
	EEAS.146/C								QR		-	
8898	EEAS.146/O								QR		-	C
	EEAS.146/C								QR		-	
	EEAS.146/D								QR		-	
	EEAS.146/E								QR		-	
	EEAS.146/G								QR		-	
8899	EEAS.146/O								QR		-	C
	EEAS.146/G								QR		-	
	EEAS.146/5								QR		-	
5F/2301	NY.18007								QR		-	C
5F/2307	NY.3255								QR		-	C
5X/1010324	HC.296								3		-	C
5X/7424	HELLERMANN HC.296D								2		-	C
5X/9462951	HELLERMANN HC.294								12		-	C
	MIDLANDS SILICONES MS.996								QR		-	-
	E.F.2.81.2207								1		-	-
	E.F.4.81.4441								-		-	-
5E/3893	†								QR		-	C
5E/3894	†								QR		-	C
10H/0970296	508/1/07780/003								1		-	C
10H/0970060	Z.60669								1		-	C
10H/0970098	Z.62239								1		-	C
10H/0970067	CZ.49186								1		-	C
10H/0970098	508/2/07758/007								1		-	C
10H/0970090	Z.62233								1		-	C
	EEAS.146/20								QR		-	-
	EEAS.146/20								QR		-	-
	EEAS.146/2								QR		-	-
	EEAS.146/2								QR		-	-
10H/0560220	CZ.49070								1		-	B
5F/2301	NY.18007								QR		-	C
5F/2307	NY.3255								QR		-	C
	E.F.2.81.6483								1		-	-
5E/3893	†								QR		-	C
5E/3894	†								QR		-	C
10H/0970296	508/1/07780/003								1		-	C
10H/0970060	Z.60669								1		-	C
10H/0970110	Z.62239								1		-	C
10H/0119199	508/2/07653/003								1		-	C
10H/0560401	CZ.49228/1								1		-	C
10H/0970098	508/2/07758/007								1		-	C
10H/0970090	Z.62233								1		-	C

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8898	EEAS.146/O	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/O	SLEEVE, 3/4" long	QR	-	C	
	EEAS.146/H	SLEEVE, 1" long	QR	-	-	
	EEAS.146/H	SLEEVE, 1-1/2" long	QR	-	-	
5F/2279	HV.3254	STRAPPING, nylon	QR	-	C	
5F/2280	OP.3255	STUD, nylon	QR	-	C	
	E.F.2.81.2209	CABLE, assembly, C14, from JB3 to stand-by inverter indicator, cabin pressure fail switch port, feel cut-out switch port, and undercarriage selector, port, group (Mk. 2 A/c)	1	-	-	
R	E.F.4.81.4435	CABLE, assembly, C14, from JB3 to stand-by inverter to indicator, cabin pressure fail switch, feel cut-out switch port and undercarriage selector, port, group (Mk. 2A A/c) (Mod. 4725) Consisting of:-	1	-	-	
	5E/3893	† CABLE, unifersil No. 22	QR	-	C	
	5E/3894	† CABLE, unifersil No. 20	QR	-	C	
	10H/0970296	508/1/07780/003 CLAMP, cable	1	-	C	
	10H/0970060	Z.60669 GASKET, outlet	1	-	C	
	10H/0970110	Z.62239 GASKET, union	1	-	C	
	10H/0970074	CZ.48187 OUTLET, angle	1	-	C	
	10H/0970098	Z.49084 RING, thrust	1	-	C	
	10H/0970090	Z.62233 RING, sealing	1	-	C	
R	EEAS.146/20	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/2	SLEEVE, 1" long	QR	-	-	
	EEAS.146/6	SLEEVE, 1" long	QR	-	-	
	EEAS.146/12	SLEEVE, 1" long	QR	-	-	
	EEAS.146/2	SLEEVE, 1" long	QR	-	-	
R	5F/9130208	EEAS.146/2 SLEEVE, 1-1/2" long (Mk. 2 A/c)	QR	-	-	
		SLEEVE, PVC, 4 m/m i/d x 0.5 m/m wall, black (Mk. 2A A/c)	QR	-	C	
	10H/0560224	CZ.49070/4 SOCKET, free, 25-way, Mk. 4	1	-	B	
	5F/2301	NY.18007 STRAPPING, nylon	QR	-	C	
	5F/2307	NY.3255 STUD, nylon	QR	-	C	
	5X/7593	HC.294D TERMINAL, ring tongue	2	-	C	
	5X/9718094	HC.295 TERMINAL, ring tongue	4	-	C	
	5X/1010324	HC.296 TERMINAL, ring tongue (2 off on Mk. 2 A/c)	4	-	C	
	E.F.2.81.2212	CABLE, assembly, C22, from forward pressure bulkhead to windscreen heating JB, group Consisting of:-	1	-	-	
	5E/3894	† CABLE, unifersilmetsheath No. 20	QR	-	-	
	10H/0970292	508/1/07776/003 † CABLE, unifersil No. 20	QR	-	C	
		† CLAMP, cable	2	-	C	
	10H/0119877	508/2/07705/200 † FOIL, lead, 5/8" x ".02	QR	-	-	
	10H/0970062	CZ.49180 GASKET, outlet	1	-	C	
	10H/0970096	508/2/07752/007 OUTLET, straight	1	-	C	
	10H/0970088	508/2/07708/200 RING, thrust	2	-	C	
		EEAS.146/O RING, sealing	2	-	C	
	8898	EEAS.146/O SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/O	SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/C	SLEEVE, 1" long	QR	-	-	
	EEAS.146/E	SLEEVE, 1" long	QR	-	-	
	EEAS.146/E	SLEEVE, 1-1/2" long	QR	-	-	
	10H/0560120	CZ.49017 SOCKET, 6 x 5 amp.	1	-	-	
	5X/9450396	HC.490 TERMINAL, quick release compression	5	-	C	
		† WIRE, copper tinned, 36 SWG	QR	-	-	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.F2.81.2232	CABLE , assembly, C32, from flasher type "A" starboard, console top at frames 6-7 to starboard console panel crimped tag, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4443	CABLE , assembly, C32, from flasher type "A", starboard console at frames 6-7 to starboard console panel crimped tag, group (Mk. 2A A/c) Consisting of:—	1	—	—	
	5E/3894 †	CABLE , unifersil No. 20	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable	1	—	C	
10H/0119877	508/2/07705/200	GASKET , outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET , union	1	—	C	
10H/0970069	CZ.49181	OUTLET , angle	1	—	C	
10H/0970096	508/2/07752/007	RING , thrust	1	—	C	
10H/0970088	508/2/07708/200	RING , sealing	1	—	C	
	EEAS.146/12	SLEEVE , 1/2" long	QR	—	—	
	EEAS.146/20	SLEEVE , 1/2" long (Mk. 2A A/c)	QR	—	—	
	EEAS.146/12	SLEEVE , 3/4" long	QR	—	—	
	EEAS.146/20	SLEEVE , 3/4" long (Mk. 2A A/c)	QR	—	—	
	EEAS.146/12	SLEEVE , 1" long	QR	—	—	
	EEAS.146/12	SLEEVE , 1 1/2" long (Mk. 2 A/c)	QR	—	—	
10H/0560100	CZ.49015	SOCKET , 3-way, Mk. 4	1	—	B	
5X/7297	HC.296	TERMINAL , ring tongue compression	3	—	C	
	E.F2.81.2233	CABLE , assembly, C33, from starboard fuse box to auxiliary warning panel starboard longeron frames 10-13, and pilot's controller, group Consisting of:—	1	—	—	
	5E/3893 †	CABLE , unifersil No. 22	QR	—	C	
	5E/3894 †	CABLE , unifersil No. 20	QR	—	C	
10H/0970296	508/1/07780/003	CLAMP , cable	1	—	C	
10H/0970060	Z.60669	GASKET , outlet	1	—	C	
10H/0970110	Z.62233	GASKET , union	1	—	C	
10H/0970074	CZ.49187	OUTLET , angle	1	—	C	
10H/0560400	CZ.49228	PLUG , 25-way, Mk. 4	1	—	C	
10H/0970098	508/2/00758/007	RING , thrust	1	—	C	
10H/0970090	Z.62233	RING , sealing	1	—	C	
	EEAS.146/O	SLEEVE , 1/2" long	QR	—	—	
8898	EEAS.146/O	SLEEVE , 3/4" long	QR	—	C	
	EEAS.146/D	SLEEVE , 1" long	QR	—	—	
	EEAS.146/E	SLEEVE , 1" long	QR	—	—	
	EEAS.146/G	SLEEVE , 1" long	QR	—	—	
	EEAS.146/G	SLEEVE , 1 1/2" long	QR	—	—	
5F/2301	NY.18007	STRAPPING , nylon	QR	—	C	
5F/2307	NY.3255	STUD , nylon	QR	—	C	
5X/1010324	HC.296	TERMINAL , ring tongue	1	—	C	
	E.F2.81.2235	CABLE , assembly, C316, from D.C. relay box to port console terminal block at frames 7-8, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4439	CABLE , assembly, C316, from D.C. relay box to port console terminal block at frames 7-8, group (Mk. 2A A/c) Consisting of:—	1	—	—	
	5E/3894 †	CABLE , unifersil No. 20	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable	1	—	C	
10H/0970059	508/2/07706/200	GASKET , outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET , union	1	—	C	
10H/019105	CZ.49185	OUTLET , angle	1	—	C	
10H/0560361	CZ.49458/1	PLUG , free, Mk. 4, 12-way	1	—	B	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
10H/0970096	508/2/07752/007								1	—	C	
10H/0970088	508/2/07708/200								1	—	C	
	EEAS.146/20								QR	—	—	
8898	EEAS.146/20								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/6								QR	—	—	
5X/1010324	HC.296								4	—	C	
	E.F2.81.2236								1	—	—	
									CABLE, assembly, C36, from JB3 to earth point E3, group			
									Consisting of:—			
5E/3898	†								QR	—	C	
10H/0970293	508/1/07777/003								1	—	C	
5X/9726836	HC.1352								2	—	—	
10H/0119877	508/2/07705/200								1	—	C	
10H/0970107	Z.62234								1	—	C	
10H/0970068	CZ.49179								1	—	C	
10H/0560270	CZ.49216								1	—	B	
10H/0970095	508/2/07754/007								1	—	C	
10H/0970087	Z.62228								1	—	C	
	EEAS.146/C								QR	—	—	
8898	EEAS.146/O								QR	—	C	
	EEAS.146/D								QR	—	—	
	EEAS.146/D								QR	—	—	
	E.F2.81.2237								1	—	—	
									CABLE, assembly, C317, from miniature terminal block to micro switch, assembly, group			
									Consisting of:—			
5E/3893	†								QR	—	C	
8898	EEAS.146/O								QR	—	C	
	EEAS.146/C								QR	—	—	
	EEAS.146/D								QR	—	—	
	EEAS.146/C								QR	—	—	
5X/1010324	HC.296								6	—	C	
5F/	†								QR	ES1659	—	
	E.F2.81.2238								1	—	—	
									CABLE, assembly, C318, from canopy unlock warning lamp to miniature terminal block, group			
									Consisting of:—			
5E/3893	†								QR	—	C	
5X/9726815	HC.1350								1	—	C	
8898	EEAS.146/O								QR	—	C	
	EEAS.146/C								QR	—	—	
	EEAS.146/D								QR	—	—	
8899	EEAS.146/O								QR	—	C	
	EEAS.146/D								QR	—	—	
5X/1010324	HC.296								1	—	C	
5F/	†								QR	E. & I. 659	C	
5F/	†								QR	E. & I. 659	C	
	E.F2.81.6179								1	—	—	
									CABLE, assembly, C319, from JB3 free plug to port shroud extension and port coaming panel, group (Mod. 2081)			
									Consisting of:—			
5E/3893	†								QR	—	C	
5E/3894	†								QR	—	C	
10H/0970292	508/1/07776/003								1	—	C	
10H/0970059	508/2/07706/200								1	—	C	
10H/0970108	508/2/07719/200								1	—	C	
10H/019104	CZ.49184								1	—	C	
10H/0560365	CZ.49458/5								1	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
10H/9453210	EEAS.146/20	SLEEVE, 1/8" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/16" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1 1/2" long	QR	—	—	
10H/0560223	97.3106.10SL 3S (438)	SOCKET, 3-way potting	2	Amphenol	B	
	CZ.49070/3	SOCKET, 25-way, Mk. 4	1	—	C	
5X/7310	HC.1290	SPLICE, inline	25	—	C	
	NY.18007	STRAPPING, nylon	QR	—	C	
5F/2301	NY.3255	STUD, nylon	QR	—	C	
	E.F.2.81.2257	CABLE, assembly, 2C7, from JB3 to crimp break frames 7-8, group (Mk. 2 A/c)	1	—	—	
5F/2307	E.F.4.81.4433	CABLE, assembly, 2C7, from JB3 to crimp break frames 7-8, group (Mk. 2A A/c)	1	—	—	
		Consisting of:—										
5E/3893	†	CABLE, unitercil No. 22	QR	—	C	
5E/3894	†	CABLE, unitercil No. 20	QR	—	C	
10H/0970296	508/1/07780/003	CLAMP, cable	1	—	C	
	5K/4024	COVER, insulating	25	—	C	
10H/0970060	Z.60669	GASKET, outlet	1	—	C	
10H/0970110	Z.62239	GASKET, union	1	—	C	
10H/0970067	CZ.49186	OUTLET, straight	1	—	C	
10H/0560404	CZ.49228/4	PLUG, 25-way, Mk. 4	1	—	B	
10H/0970098	508/2/07758/007	RING, thrust	1	—	C	
10H/0970090	Z.62233	RING, sealing	1	—	C	
5X/7310	EEAS.146/20	SLEEVE, 1/8" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/16" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1 1/2" long	QR	—	—	
	HC.1290	SPLICE, inline compression	25	—	C	
5F/2301	NY.18007	STRAPPING, nylon	QR	—	C	
	NY.3255	STUD, nylon	QR	—	C	
5F/2307	E.F.2.81.6485	CABLE, assembly, 2C8, from JB3 to crimp break at frames 7 and 8, group (Mod. 2158)	1	—	—	
		Consisting of:—										
5E/3893	†	CABLE, unitercil No. 22	QR	—	C	
5E/3894	†	CABLE, unitercil No. 20	QR	—	C	
10H/0970296	508/1/07780/003	CLAMP, cable	1	—	C	
	5K/3685	COVER, insulating	25	—	C	
10H/0970060	Z.60669	GASKET, outlet	1	—	C	
10H/0970110	Z.62239	GASKET, union	1	—	C	
10H/0119121	508/2/07645/003	OUTLET, straight	1	—	C	
10H/0970098	508/2/07758/007	RING, thrust	1	—	C	
10H/0970090	Z.62233	RING, sealing	1	—	C	
10H/0560221	EEAS.146/20	SLEEVE, 1/8" long	QR	—	—	
	EEAS.146/14	SLEEVE, 3/16" long	QR	—	—	
	EEAS.146/18	SLEEVE, 3/8" long	QR	—	—	
	EEAS.146/20	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/00	SLEEVE, 1" long	QR	—	—	
5X/7018	CZ.49070/1	SOCKET, 25-way, Mk. 4	1	—	C	
	HC.1300	SPLICE, inline compression	25	—	C	
5F/2279	HELLERMAN HV.3254	STRAPPING, nylon	QR	—	C	
	HELLERMAN OP.3255	STUD, nylon	QR	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
	E.F2.81.2268	CABLE , assembly, 2C18, from windscreen heating JB to NESA panel, group							1	—	—	
5E/3895	†	Consisting of :—										
	EEAS.146/A1	CABLE , unifersil							QR	—	C	
	EEAS.146/C	SLEEVE , 3/4" long							QR	—	—	
	EEAS.146/C	SLEEVE , 1" long							QR	—	—	
5X/9462952	HC.302	SLEEVE , 1 1/2" long							QR	—	—	
5X/9482491	HC.500	TERMINAL , ring tongue							2	—	C	
	E.F2.81.2270	TERMINAL , quick release							2	—	C	
		CABLE , assembly, 2C20, from NESA windscreen side panel to windscreen heating JB, group							1	—	—	
		Consisting of :—										
5E/3894	†	CABLE , unifersil No. 20							QR	—	C	
5E/	†	CABLE , unifersilmetsheath No. 20							QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable							1	—	C	
	†	FOIL , lead, 5/8" x ".02							QR	—	—	
10H/0970096	508/2/07752/007	RING , thrust							1	—	C	
10H/0970088	508/2/07708/200	RING , sealing							1	—	C	
8898	EEAS.146/O	SLEEVE , 3/4" long							QR	—	C	
	EEAS.146/C	SLEEVE , 1" long							QR	—	—	
	EEAS.146/E	SLEEVE , 1" long							QR	—	—	
	EEAS.146/E	SLEEVE , 1 1/2" long							QR	—	—	
5X/9450393	HC.292	TERMINAL , ring tongue, 2 BA							2	—	C	
5X/9462951	HC.294	TERMINAL , ring tongue, 4 BA							3	—	C	
5X/9450396	HC.490	TERMINAL , quick release compression							5	—	C	
5E/	†	WIRE , copper tinned, 36 SWG							QR	—	C	
	E.F2.81.2272	CABLE , assembly, 2C22, from NESA centre panel to windscreen heating J.B., group							1	—	—	
		Consisting of :—										
5E/	†	CABLE , unifersilmetsheath No. 20							QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable							1	—	C	
30B/	†	FOIL , lead, 5/8" wide x ".02							QR	—	C	
10H/0970096	508/2/07752/007	RING , thrust							1	—	C	
10H/0970088	508/2/07708/200	RING , sealing							1	—	C	
8898	EEAS.146/O	SLEEVE , 3/4" long							QR	—	C	
	EEAS.146/E	SLEEVE , 1" long							QR	—	—	
	EEAS.146/E	SLEEVE , 1 1/2" long							QR	—	—	
5X/9462951	HC.294	TERMINAL , ring tongue							4	—	C	
5X/9450396	HC.490	TERMINAL , quick release compression							4	—	C	
5E/	†	WIRE , tinned copper, 36 SWG							QR	—	C	
	E.F2.81.2276	CABLE , assembly, N303C, from G90 camera panel mounting coupler socket to terminal block lower nose bay and E23 forward equipment bay, group							1	—	—	
		Consisting of :—										
5E/3894	†	CABLE , unifersil No. 20							QR	—	C	
5E/3896	†	CABLE , unifersil No. 16							QR	—	C	
10H/0970293	508/1/07777/003	CLAMP , cable							1	—	C	
5X/9726835	HC.1351	FERRULE							1	—	C	
10H/0119877	508/2/07705/200	GASKET , outlet							1	—	C	
10H/0970111	508/2/07720/200	GASKET , union							1	—	C	
10H/0970061	CZ.49178	OUTLET , straight							1	—	C	
10H/1201698	508/2/07753/007	RING , thrust							1	—	C	
10H/0970091	508/2/07709/200	RING , sealing							1	—	C	
	EEAS.146/A	SLEEVE , 3/4" long							QR	—	—	
	EEAS.146/O	SLEEVE , 1" long							QR	—	—	
	EEAS.146/A1	SLEEVE , 3/4" long							QR	—	—	
8898	EEAS.146/O	SLEEVE , 1" long							QR	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1½" long (Mk. 2 A/c)	QR	—	—	
5X/7310	HC.1290	SPLICE, inline	4	—	C	
5X/1010324	HC.296	TERMINAL, ring tongue (Mk. 2 A/c)	4	—	C	
5X/9462951	HC.294	TERMINAL, ring tongue (Mk. 2A A/c)	4	—	C	
	E.F2.81.6681	CABLE, bung No. 1, assembly (Mod. 4203) (Mk. 2 A/c)	1	—	—	
	E.F4.81.4401	CABLE, bung No. 1, assembly (Mk. 2A A/c) ...	1	—	—	
		Consisting of—				
5X/	SR.5406	BUNG, pressure, Helsyn	1	—	C	
5E/3893	†	CABLE, unitercil No. 12	QR	—	C	
5E/2896	†	CABLE, unitercil No. 16	QR	—	C	
5E/3894	†	CABLE, unitercil No. 20	QR	—	C	
5E/3893	†	CABLE, unitercil No. 22	QR	—	C	
		CABLE, unitercilmesheath	QR	—	—	
10H/0970292	508/1/07776/003	CLAMP, cable	6	—	C	
10H/0970294	508/1/07778/003	CLAMP, cable	1	—	C	
10H/0970295	508/1/07779/003	CLAMP, cable	5	—	C	
10H/0970296	508/1/07780/003	CLAMP, cable	7	—	C	
	AN.3057-B	CLAMP, cable	2	Amphenol	—	
5K/4024	NL.8140	COVER, insulating	8	—	C	
5K/3685	NL.8141	COVER, insulating	3	—	C	
5K/3686	NL.8142	COVER, insulating	1	—	C	
5X/9726815	HC.1350	FERRULE, S.B.A.C.	15	—	C	
5X/9726835	HC.1351	FERRULE, S.B.A.C.	2	—	C	
30B/	—	FOIL, lead, ⅜" × 0"·02 thick	QR	—	C	
10H/0119877	508/2/07705/200	GASKET, outlet	5	—	C	
10H/0970059	508/2/07706/200	GASKET, outlet	3	—	C	
10H/0970060	Z.60669	GASKET, outlet	7	—	C	
5X/7526	2Z.84912/C	GASKET, plug moulding	1	—	C	
10H/0970108	508/2/07719/200	GASKET, union	6	—	C	
10H/0970109	508/2/07722/200	GASKET, union	5	—	C	
10H/0970110	Z.62239	GASKET, union	6	—	C	
10H/0970111	508/2/07720/200	GASKET, union	1	—	C	
5X/7512	2Z.84914/B	GASKET, socket ferrule	2	—	C	
5X/	2Z.84914/Z	GASKET, socket ferrule	1	—	C	
5X/12786	†	GROMMET, No. 3 tension, Helsyn	1	—	C	
6028	E.B2.81.2271	HOUSING, pressure bung	1	—	C	
5X/9450380	HC.312	LUG, ring tongue	1	—	C	
10H/0970069	CZ.49181	OUTLET, angle	5	—	C	
10H/0970070	CZ.51529	OUTLET, angle	2	—	C	
10H/0970074	CZ.49187	OUTLET, angle	6	—	C	
	EEAS.277/B	OUTLET, angle (or standard socket "B" size) ...	2	S94	—	
10H/0970063	CZ.51528	OUTLET, straight	1	—	C	
10H/0970067	CZ.49186	OUTLET, straight	1	—	C	
	EEAS.281/C1	OUTLET, straight (for standard plug "C" size) ...	1	S94	—	
12129	EEAS.276/Z	OUTLET, straight (for standard socket "Z" size)	1	S94	C	
33B/	†	PAINT, canary yellow No. 309	QR	BSS381C and DTD826	C	
10H/0560400	CZ.499228	PLUG, 25-way, Mk. 4	1	—	B	
10H/0560401	CZ.49228/1	PLUG, 25-way, Mk. 4	1	—	B	
10H/23254	2CZ.84986	PLUG, 6-way, Mk. 4	1	—	B	
10H/23261	2CZ.84986/3	PLUG, 6-way, Mk. 4	1	—	B	
10H/23247	2CZ.84988/1	PLUG, 4-way, Mk. 4	1	—	B	
10H/23250	2CZ.84992	PLUG, 3-way, Mk. 4	1	—	B	
5X/7036	2CZ.108916	PLUG, 14-way "C" size standard	1	—	B	
10H/0970096	508/2/07752/007	RING, thrust	6	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
10H/0970097	508/2/07757/007	RING, thrust	5	—	C	
10H/0970098	508/2/07758/007	RING, thrust	7	—	C	
10H/21419	Z.66473	RING, thrust	1	—	C	
10H/0970088	508/2/07708/200	RING, sealing	6	—	C	
10H/0970090	Z.62233	RING, sealing	7	—	C	
10H/0970091	508/2/07709/200	RING, sealing	6	—	C	
	POLYPENCO	ROD, nylon 66, $\frac{3}{32}$ " dia. x 1" long (Mk. 2 A/c) ...	3	—	—	
	POLYPENCO	ROD, nylon 66, $\frac{1}{8}$ " dia. x 1" long ...	1	—	—	
	EEAS.146/12	SLEEVE, $\frac{1}{2}$ " long	QR	—	—	
	EEAS.146/16	SLEEVE, $\frac{1}{2}$ " long	QR	—	—	
	EEAS.146/20	SLEEVE, $\frac{1}{2}$ " long	QR	—	—	
	EEAS.146/A	SLEEVE, $\frac{3}{4}$ " long (Mk. 2 A/c)	QR	—	—	
	EEAS.146/12	SLEEVE, $\frac{3}{4}$ " long	QR	—	—	
	EEAS.146/16	SLEEVE, $\frac{3}{4}$ " long	QR	—	—	
	EEAS.146/20	SLEEVE, $\frac{3}{4}$ " long	QR	—	—	
	EEAS.146/00	SLEEVE, 1" long	QR	—	—	
	EEAS.146/0000	SLEEVE, 1" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/12	SLEEVE, 1" long	QR	—	—	
	EEAS.146/16	SLEEVE, 1" long	QR	—	—	
	EEAS.146/20	SLEEVE, 1" long	QR	—	—	
	EEAS.146/B	SLEEVE, 1" long (Mk. 2 A/c)	QR	—	—	
	EEAS.146/6	SLEEVE, 1 $\frac{1}{2}$ " long	QR	—	—	
5X/3148	Z.49428	SLEEVE	2	—	C	
	RAYCHEM	SLEEVE, termination, red	1	—	—	
	TC.4003CRN-G	(Mk. 2 A/c)				
10H/0560160	CZ.51328	SOCKET, 4-way, Mk. 4	2	—	C	
10H/0560220	CZ.49070	SOCKET, 25-way, Mk. 4	2	—	C	
10H/23597	CZ.66959	SOCKET, 9-way, Mk. 4	1	—	B	
5X/7049	2CZ.84878	SOCKET, 5-way, "Z" size standard	1	—	B	
10H/23304	2CZ.84981	SOCKET, 25-way, Mk. 4	1	—	B	
10H/23303	2CZ.84981/1	SOCKET, 25-way, Mk. 4	1	—	B	
10H/23322	2CZ.84991	SOCKET, 3-way, Mk. 4	2	—	B	
5X/7178	2CZ.111234	SOCKET, 9-way, "B" size standard	2	—	B	
5935/99/	AN.31068/165/IS	SOCKET, 7-way	2	Amphenol	B	
940/1834						
5X/7310	HC.1290	SPLICE, inline	8	—	C	
5X/7018	HC.1300	SPLICE, inline	3	—	C	
5X/7019	HC.2300	SPLICE, inline	1	—	C	
5F/2301	NY.18007	STRAPPING, nylon	QR	—	C	
5F/2307	NY.3255	STUDS, nylon	QR	—	C	
5X/9462951	HC.294	TAG, ring tongue	6	—	C	
5X/7552	HC.294C	TAG, ring tongue	2	—	C	
5X/1010324	HC.296	TAG, ring tongue	7	—	C	
5X/7424	HC.296D	TAG, ring tongue (Mk. 2 A/c)	1	—	C	
5X/9462745	HC.304	TAG, ring tongue	1	—	C	
5X/9713735	HC.305	TAG, ring tongue	1	—	C	
5X/9462954	HC.306B	TAG, ring tongue	3	—	C	
5X/9713736	HC.306A	TAG, ring tongue	1	—	C	
5X/9450396	HC.490	TAG, quick release	26	—	C	
5X/9482491	HC.500	TAG, quick release	11	—	C	
5X/9450224	HC.510	TAG, quick release	4	—	C	
32B/	H. D. SYMONDS	TAPE, nylon, varnished, 1" wide, black	QR	—	C	
	SP1172/5/SC					
5F/	†	TUBING, P.V.C., black, $\frac{1}{2}$ -25 i/d	QR	E. & I. SPEC.659	C	
5E/	†	WIRE, copper tinned, 36 SWG	QR	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.										
							1	2	3	4	5	6	7			
	E.F2.81.6339	CABLE , bung No. 2, assembly (Mod. 2393) (Mk. 2 A/c)	1	—	—											
	E.F4.81.4403	CABLE , bung No. 2, assembly (Mk. 2A A/c)	1	—	—											
		Consisting of :—														
5X/7601	SR.5379	BUNG , pressure, 80-way	1	—	C											
5E/3896	†	CABLE , unifersil No. 16	QR	—	C											
5E/3894	†	CABLE , unifersil No. 20	QR	—	C											
5E/3893	†	CABLE , unifersil No. 22	QR	—	C											
5E/	†	CABLE , unifersilmetsheath No. 20	QR	—	C											
	SUPERFLEXIT	CONDUIT , $\frac{3}{8}$ " i/d	1	—	—											
	SC.001-9/126	CONDUIT , $\frac{3}{16}$ " i/d	1	—	—											
	SUPERFLEXIT	CONDUIT , $\frac{3}{16}$ " i/d	1	—	—											
	SC.001-6/112	CONDUIT , $\frac{3}{16}$ " i/d	1	—	—											
	SUPERFLEXIT	CONDUIT , $\frac{3}{16}$ " i/d	1	—	—											
	SC.001-6/114	CONDUIT , $\frac{3}{8}$ " i/d	2	—	C											
12113*	SUPERFLEXIT	CONDUIT , $\frac{1}{2}$ " i/d	1	—	—											
or																
5F/2604	SC.001-12/20	CONDUIT , $\frac{1}{2}$ " i/d	1	—	—											
	SUPERFLEXIT															
	SC.001-16/20															
23398	EEAS.561	CONNECTOR , 4-way, taper pin	1	—	C											
5K/3687	NL.8143	COVER , insulating	1	—	C											
10H/0970292	508/1/07776/003	CLAMP , cable	1	—	C											
10H/0970293	508/1/07777/003	CLAMP , cable	2	—	C											
10H/0970295	508/1/07779/003	CLAMP , cable (3 off on Mk. 2 A/c)	4	—	C											
10H/0970296	508/1/07780/003	CLAMP , cable	2	—	C											
	SUPERFLEXIT	END , assembly	1	—	—											
	SCF.283/SS/12	END , assembly	1	—	—											
	SUPERFLEXIT	END , assembly	1	—	—											
	SCF.710/SS/12	END , assembly	1	—	—											
	SUPERFLEXIT															
	SCF.714/SS/16															
5X/9726815	HC.1350	FERRULE , S.B.A.C.	12	—	C											
5X/9726835	HC.1351	FERRULE , S.B.A.C.	2	—	C											
10H/0119877	508/2/07705/200	GASKET , outlet	1	—	C											
10H/0970059	508/2/07706/200	GASKET , outlet (3 off on Mk. 2 A/c)	4	—	C											
10H/0970060	Z.60669	GASKET , outlet	1	—	C											
10H/0970108	508/2/07719/200	GASKET , union	1	—	C											
10H/0970109	508/2/07722/200	GASKET , union (3 off on Mk. 2 A/c)	4	—	C											
10H/0970110	Z.62239	GASKET , union	1	—	C											
10H/23764	508/2/07724/300	GASKET , union	1	—	C											
10H/23742	508/2/07705/300	GASKET , outlet	2	—	C											
10H/9527638	508/2/07707/300	GASKET , outlet	1	—	C											
6029	E.B2.81.9607	HOUSING , bung assembly	1	—	C											
5X/7645	508/1/05602/002	INSERT , socket	3	—	C											
10H/0119122	508/2/07649/003	OUTLET , angle	2	—	C											
10H/0119123	508/2/07648/003	OUTLET , angle	1	—	C											
10H/0119124	508/2/07652/003	OUTLET , angle (3 off on Mk. 2 A/c)	4	—	C											
5X/7430	A.M.P. 41667	PIN , taper	3	—	C											
5C/455	†	PLUG , flat type "R" 2-pin	1	—	B											
10H/0560360	CZ.49458	PLUG , free, Mk. 4, 12-way	1	—	B											
10H/0560361	CZ.49458/1	PLUG , free, Mk. 4, 12-way	1	—	B											
10H/0560364	2CZ.49458/4	PLUG , free, Mk. 4, 12-way	1	—	B											
10H/22882	2CZ.111923	PLUG , free, Mk. 5, 6-way	1	—	B											
10H/22883	2CZ.111923/1	PLUG , free, Mk. 5, 6-way	1	—	B											

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10H/0970096	Z.49037								1	—	C	
10H/0970097	Z.51342								4	—	C	
10H/0970098	Z.49084								2	—	C	
10AC/4773	Z.285838								2	—	C	
10H/0970088	Z.62223								1	—	C	
10H/0970090	Z.62233								1	—	C	
10H/0970091	Z.62231								4	—	C	
10H/23762	508/2/07709/300								2	—	C	
10H/23759	508/2/07713/300								1	—	C	
	POLYPENCO								7	—	—	
	POLYPENCO								2	—	—	
5X/8089	Z.139623								3	—	C	
5X/3146	Z.49397								2	—	C	
5X/3148	A.49428								21	—	C	
	EEAS.146/20								QR	—	—	
	EEAS.146/16								QR	—	—	
	EEAS.146/20								QR	—	—	
	EEAS.146/16								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/20								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/2								QR	—	—	
	EEAS.146/00								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/2								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/2								QR	—	—	
	EEAS.146/00								QR	—	—	
	EEAS.146/0000								QR	—	—	
	HT.30								QR	—	—	
5F/9133799	HT.50								QR	—	C	
5F/9133800	HT.75								QR	—	C	
5X/7973	2CZ.111750								1	—	C	
10H/0560222	CZ.49070/2								1	—	C	
10H/0560120	CZ.49017								1	—	C	
10H/0560180	CZ.49126								1	—	C	
5X/7045	2CZ.84875								1	—	B	
5X/7047	2CZ.84876								1	—	B	
5X/7048	2CZ.84877								1	—	B	
10H/22912	2CZ.111937								1	—	B	
5F/9545141	NY.18007								QR	—	C	
6F/9138823	NY.3255								QR	—	C	
5X/9713736	HC.306A								1	—	C	
5X/1010324	HC.296								11	—	C	
5X/7532	HC.294C								1	—	C	
5X/9462951	HC.294								8	—	C	
5X/9450396	HC.490								1	—	C	
	—								QR	—	—	
	E.F.2.81.2803								1	—	—	
	E.F.4.81.4405								1	—	—	
									Consisting of:—			
5X/7598	SR.5375								1	—	C	
5E/3896	†								QR	—	C	
5E/3894	†								QR	—	C	
5E/3893	†								QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10H/0970292	508/1/07776/003	CLAMP, cable	2	—	C	
10H/0970295	508/1/07779/003	CLAMP, cable	1	—	C	
10H/0970296	508/1/07780/003	CLAMP, cable	4	—	C	
5X/9726815	HC.1350	FERRULE	7	—	C	
12103	EEAS.277/A	FERRULE, adaptor angle	2	—	C	
10H/0970059	508/2/07706/200	GASKET, outlet	1	—	C	
10H/0970060	Z.60669	GASKET, outlet	4	—	C	
10H/0970108	508/2/07719/200	GASKET, union	2	—	C	
10H/0970109	508/2/07722/200	GASKET, union	1	—	C	
10H/0970110	Z.62239	GASKET, union	4	—	C	
	E.F.2.81.5067	HOUSING, bung assembly	1	—	—	
10H/0970067	CZ.51529	OUTLET, angle	1	—	C	
10H/0970074	CZ.49187	OUTLET, angle	3	—	C	
10H/0970067	CZ.49186	OUTLET, straight	1	—	C	
10H/0560364	CZ.49458/4	PLUG, 12-way, Mk. 4	1	—	C	
10H/0560400	CZ.49228	PLUG, 25-way, Mk. 4	1	—	C	
10H/0560401	CZ.49228/1	PLUG, 25-way, Mk. 4	1	—	C	
10H/0560402	CZ.49228/2	PLUG, 25-way, Mk. 4	1	—	C	
10H/0970096	508/2/07752/007	RING, thrust	2	—	C	
10H/0970097	508/2/07757/007	RING, thrust	1	—	C	
10H/0970098	508/2/07758/007	RING, thrust	4	—	C	
10H/0970088	508/2/07708/200	RING, sealing	2	—	C	
10H/0970090	Z.62233	RING, sealing	4	—	C	
10H/0970091	508/2/07709/200	RING, sealing	1	—	C	
	POLYPENCO	ROD, nylon 66, 3/32" dia. x 1" long	13	—	—	
5X/3148	Z.49428	SLEEVE, 6-7A	4	—	C	
	EEAS.146/20	SLEEVE, 3/8" long	QR	—	—	
	EEAS.146/16	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/20	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/16	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/12	SLEEVE, 1" long	QR	—	—	
	EEAS.146/16	SLEEVE, 1" long	QR	—	—	
	EEAS.146/20	SLEEVE, 1" long	QR	—	—	
	EEAS.146/00	SLEEVE, 1" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1-1/2" long	QR	—	—	
5F/9133797	HT.20	SLEEVE, helsyn 150 white, 1/2" long (Mk. 2A A/c)	2	—	C	
5F/9133798	HT.30	SLEEVE, helsyn 150 white, 1/2" long (Mk. 2A A/c)	2	—	C	
5X/7038	2CZ.84872	SOCKET, 2-way, "A" size	2	—	B	
10H/23304	2CZ.84981	SOCKET, 25-way, Mk. 4	1	—	B	
5F/9545141	NY.18007	STRAPPING, nylon	QR	—	C	
5F/9138823	NY.3255	STUD, nylon	QR	—	C	
5X/1010324	HC.296	TAG, ring tongue	7	—	C	
5X/9450396	HC.490	TAG, quick release (1 off on Mk. 2 A/c)	2	—	C	
	E.F.2.81.6775	CABLE, bung No. 4, assembly (Mod. 4203) (Mk. 2 A/c)	1	—	—	
	E.F.4.81.4407	CABLE, bung No. 4, assembly (Pre-Mod. 4290) (Mk. 2A A/c)	1	—	—	
	E.F.4.81.51.7	CABLE, bung, No. 4, assembly (Mod. 4437) (Mk. 2A A/c) Consisting of:—	1	—	—	
33H/18	M.M.M. EC.776	ADHESIVE, (Mk. 2 A/c)	QR	—	C	
5X/7597	SR.5374	BUNG, pressure	1	—	C	
5E/3898	†	CABLE, unisersil No. 12	QR	—	C	
5E/3894	†	CABLE, unisersil No. 20	QR	—	C	
5E/3893	†	CABLE, unisersil No. 22	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable (Mk. 2 A/c)	1	—	C	
10H/0970295	508/1/07779/003	CLAMP, cable (Mk. 2 A/c)	3	—	C	
10H/0970296	508/1/07780/003	CLAMP, cable (Mk. 2 A/c)	5	—	C	
	SUPERFLEXIT	CONDUIT, 3/16" dia. P.T.F.E.	1	—	—	
	SC.001-6-96					

A.P.101B-1002/2A-3A		ELECTRICAL							Page E63			
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE												
Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	SUPERFLEXIT SC.001-6-174							CONDUIT, 3/16" dia. P.T.F.E.	1	-	-	
	SUPERFLEXIT SC.001-10-159							CONDUIT, 5/16" dia. P.T.F.E.	1	-	-	
	SUPERFLEXIT SC.001-10-17							CONDUIT, 5/16" dia. P.T.F.E.	1	-	-	
	SUPERFLEXIT SC.001-12-47							CONDUIT, 5/16" dia. P.T.F.E.	1	-	-	
5X/10735	SUPERFLEXIT SCF.243/12							END, fitting	1	-	C	
5X/9726815	HC.1350							FERRULE	3	-	C	
10046	EEAS.274							FERRULE, assembly, "A" size (Mk. 2 A/c)	1	-	C	
10H/0970059	508/2/07706/200							GASKET, outlet (Mk. 2 A/c)	3	-	C	
10H/0970060	Z.60669							GASKET, outlet (Mk. 2 A/c)	5	-	C	
10H/0970108	508/2/07719/200							GASKET, union (Mk. 2 A/c)	1	-	C	
10H/0970109	508/2/07722/200							GASKET, union (Mk. 2 A/c)	3	-	C	
10H/0970110	Z.62239							GASKET, union (Mk. 2 A/c)	5	-	C	
6022	E.B2.81.9609							HOUSING, bung, assembly	1	-	C	
10H/0119199	508/2/07654/003							OUTLET, angle (Mk. 2 A/c)	1	-	C	
10H/0970070	CZ.51529							OUTLET, angle (Mk. 2 A/c)	2	-	C	
10H/0970074	CZ.49187							OUTLET, angle (Mk. 2 A/c)	2	-	C	
10H/0970063	CZ.51528							OUTLET, straight (Mk. 2 A/c)	2	-	C	
10H/0970067	CZ.49186							OUTLET, straight (Mk. 2 A/c)	2	-	C	
5X/7430	41667							PIN, taper (Mk. 2A A/c)	1	-	C	
	CPL.01.06.1.12.2.1.0							PLUG, 4-way, Mk. 7 (Mk. 2A A/c)	1	-	-	
	CPL.01.06.1.11.2.4.0							PLUG, 12-way, Mk. 7 (Mk. 2A A/c)	1	-	-	
	CPL.01.06.1.12.2.4.1							PLUG, 12-way, Mk. 7 (Mk. 2A A/c)	1	-	-	
	CPL.01.06.1.11.3.2.0							PLUG, 25-way, Mk. 7 (Mk. 2A A/c)	1	-	-	
	CPL.01.06.11.3.2.1							PLUG, 25-way, Mk. 7 (Mk. 2A A/c)	1	-	-	
	CPL.01.06.1.12.3.2.2							PLUG, 25-way, Mk. 7 (Mk. 2A A/c)	1	-	-	
	CPL.01.06.1.12.3.2.3							PLUG, 25-way, Mk. 7 (Mk. 2A A/c)	1	-	-	
10H/0550360	CZ.49458							PLUG, free, 12-way, Mk. 4 (Mk. 2 A/c)	1	-	C	
10H/0550361	CZ.49458/1							PLUG, free, 12-way, Mk. 4 (Mk. 2 A/c)	1	-	C	
10H/0560400	CZ.49228							PLUG, free, 25-way, Mk. 4 (Mk. 2 A/c)	1	-	C	
10H/0560401	CZ.49228/1							PLUG, free, 25-way, Mk. 4 (Mk. 2 A/c)	1	-	C	
10H/0560402	CZ.49228/2							PLUG, free, 25-way, Mk. 4 (Mk. 2 A/c)	1	-	C	
10H/0560403	CZ.49228/3							PLUG, free, 25-way, Mk. 4 (Mk. 2 A/c)	1	-	C	
10H/23253	2CZ.84988							PLUG, free, 25-way, Mk. 4 (Mk. 2 A/c)	1	-	B	
10748	E.B3.81.2441							RING, locking, 5/8" dia. thread	1	-	C	
10H/0970098	508/2/07758/007							RING, thrust (Mk. 2 A/c)	4	-	C	
10H/0970096	508/2/07752/007							RING, thrust (Mk. 2 A/c)	1	-	C	
10H/0970097	508/2/07757/007							RING, thrust (Mk. 2 A/c)	3	-	C	
10H/0970090	Z.62233							RING, sealing (Mk. 2 A/c)	4	-	C	
10H/0970088	508/2/07708/200							RING, sealing (Mk. 2 A/c)	1	-	C	
10H/0970091	508/2/07709/200							RING, sealing (Mk. 2 A/c)	3	-	C	
	POLYPENCO							ROD, nylon 66, 3/32" dia. x 1" long	1	-	-	
	EEAS.146/6							SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/12							SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/6							SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/20							SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/12							SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/20							SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/6							SLEEVE, 1" long	QR	-	-	
	EEAS.146/12							SLEEVE, 1" long	QR	-	-	
	EEAS.146/2							SLEEVE, 1" long	QR	-	-	
	EEAS.146/00							SLEEVE, 1" long	QR	-	-	
	EEAS.146/20							SLEEVE, 1" long	QR	-	-	
	EEAS.146/6							SLEEVE, 1-1/2" long	QR	-	-	
	EEAS.146/2							SLEEVE, 1-1/2" long	QR	-	-	
	EEAS.146/0000							SLEEVE, 1-1/2" long	QR	-	-	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5K/5919	TC.4003. CRN-G							SLEEVE, thermofit, cap, red (Mk. 2A A/c)	8	-	C	
5K/6231	TC.4005.CRN							SLEEVE, thermofit, cap, grey (Mk. 2A A/c)	2	-	C	
	CPL.01.06.1.12.3. 2.2							SOCKET, 25-way, Mk. 7 (Mk. 2A A/c)	1	-	-	
	CPL.01.06.2.12.3. 2.2							SOCKET, 25-way, Mk. 7 (Mk. 2A A/c)	1	-	-	
5X/7038	2CZ.84872							SOCKET, 2-way, "A" size, standard (Mk. 2 A/c) ...	1	-	B	
10H/0560222	CZ.49070/2							SOCKET, 25-way, Mk. 4 (Mk. 2 A/c)	1	-	B	
5F/9454141	NY.18007							STRAPPING, nylon	QR	-	C	
5F/9434858	HV.3254							STRAPPING	QR	-	C	
5F/2307	NY.3255							STUD, nylon	QR	-	C	
	OP.3255							STUD	QR	-	C	
5X/9462951	HC.294							TAG, ring tongue	2	-	C	
5X/9718094	HC.295							TAG, ring tongue	13	-	C	
5X/1010324	HC.296							TAG, ring tongue (7 off Mk. 2A A/c)	5	-	C	
5X/7424	HC.296/D							TAG, ring tongue	6	-	C	
5X/9450396	HC.490							TAG, quick release (15 off Mk. 2A A/c)	17	-	C	
	-							TUBING, P.V.C., 6 m/m i/d x 1/2 m/m wall	QR	-	-	
	-							(Mk. 2 A/c)				
	-							TUBING, P.V.C., 8 m/m i/d x 1 m/m wall	QR	-	-	
	-							TUBING, P.V.C., 6 m/m i/d x 1 m/m wall	QR	-	-	
	-							(Mk. 2A A/c)				
	-							TUBING, P.V.C., 8 m/m i/d x 1/2 m/m wall	QR	-	-	
	-							(Mk. 2A A/c)				
	E.F.2.81.6527							CABLE, bung No. 5, assembly (Mod. 2118)	1	-	-	
	-							(Mk. 2 A/c)				
	E.F.4.81.4409							CABLE, bung No. 5, assembly (Mk. 2A A/c)	1	-	-	
	-							Consisting of:-				
5X/7603	SR.5381							BUNG, pressure	1	-	C	
5E/3896	†							CABLE, unifersil 16	QR	-	C	
5E/3894	†							CABLE, unifersil 20	QR	-	C	
	†							CABLE, unifersilmetsheath	QR	-	EL	
10H/0970292	508/1/07776/003							CLAMP, cable	2	-	C	
10H/0970295	508/1/07779/003							CLAMP, cable	3	-	C	
10H/0970296	508/1/07780/003							CLAMP, cable	2	-	C	
	AGS.605/00							CLIP, jubilee	1	-	-	
	SUPERFLEXIT							CONDUIT, electrical, P.T.F.E.	QR	-	-	
	SC.001-9-36											
5X/9726815	HC.1350							FERRULE	6	-	C	
	†							FOIL, lead, 5/8" wide x .02 thick	QR	-	-	
10H/0119877	508/2/07705/200							GASKET, outlet	1	-	C	
10H/0970059	508/2/07706/200							GASKET, outlet	3	-	C	
10H/0970060	Z.60669							GASKET, outlet	2	-	C	
10H/0970109	508/2/07722/200							GASKET, union	3	-	C	
10H/0970110	Z.62239							GASKET, union	2	-	C	
	6027							HOUSING, bung	1	-	C	
10H/0970069	CZ.49181							OUTLET, angle	1	-	C	
10H/0970074	CZ.49187							OUTLET, angle	1	-	C	
10H/0970070	CZ.51529							OUTLET, angle	2	-	C	
10H/0970067	CZ.49186							OUTLET, straight	1	-	C	
10H/0970063	CZ.51528							OUTLET, straight	1	-	C	
5X/7430	A.M.P.							PIN, taper	1	-	C	
	41667											
	CANNON							PLUG, 6-way	1	-	-	
	NC/23E/10/6SN											
10H/0560362	CZ.49458/2							PLUG, free, 12-way, Mk. 4	1	-	C	
10H/23244	2CZ.84982							PLUG, free, 25-way, Mk. 4	1	-	C	
	or											
10H/22906	2CZ.111935							PLUG, free, 25-way, Mk. 4	1	-	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index					
		1	2	3	4	5	6	7									
10H/0970068	CZ.49179												OUTLET, angle (Mk. 2 A/c)	1	—	C	
10H/0970074	CZ.49187												OUTLET, angle (Mk. 2 A/c)	1	—	C	
10H/0970070	CZ.51529												OUTLET, angle (Mk. 2 A/c)	1	—	C	
10H/0970061	508/1/07622/003												PUTLET, angle	2	—	C	
10H/0560340	CZ.51329												PLUG, 4-way, Mk. 4	1	—	C	
	31121												RING	4	—	C	
10H/0970095	508/2/07754/007												RING, thrust (2 off on Mk. 2A A/c)	3	—	C	
10H/0970098	508/2/07758/007												RING, thrust (Mk. 2 A/c)	1	—	C	
10H/0970097	508/2/07757/007												RING, thrust (Mk. 2 A/c)	2	—	C	
10H/0970091	508/2/07709/200												RING, sealing (Mk. 2 A/c)	2	—	C	
10H/0970090	Z.62233												RING, sealing (Mk. 2 A/c)	1	—	C	
10H/0970087	508/2/07710/200												RING, sealing (2 off Mk. 2A A/c)	3	—	C	
5X/10364	508/2/05851/005												RING, anti-chafe (Mk. 2A A/c)	2	—	C	
	POLYPENCO												ROD, nylon, 66, 3/32" dia. x 1" long	14	—	—	
	POLYPENCO												ROD, nylon 66, 1/8" dia. x 1" long	25	—	—	
	EEAS.146/16												SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/16												SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/16												SLEEVE, 1" long	QR	—	—	
	EEAS.146/20												SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/20												SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/20												SLEEVE, 1" long (Mk. 2 A/c)	QR	—	—	
	EEAS.146/6												SLEEVE, 3/4" long (Mk. 2A A/c)	QR	—	—	
	EEAS.146/6												SLEEVE, 1" long	QR	—	—	
	EEAS.146/12												SLEEVE, 1" long	QR	—	—	
	EEAS.146/12												SLEEVE, 3/5" long	QR	—	—	
	EEAS.146/22												SLEEVE, 1/4" long (Mk. 2A A/c)	QR	—	—	
	EEAS.146/18												SLEEVE, 1-1/4" long (Mk. 2A A/c)	QR	—	—	
	EEAS.146/2												SLEEVE, 1-1/2" long (Mk. 2 A/c)	QR	—	—	
5K/5919	RAYCHEM												SLEEVE, termination (14 off Mk. 2A)	10	—	—	
	TC.4003-CRN-G																
	508/2/15664												SLEEVE, packing (Mk. 2A A/c)	15	—	—	
10H/0560160	CZ.51328												SOCKET, 4-way, Mk. 4 (Mk. 2 A/c)	1	—	B	
10H/23325	2CZ.84993												SOCKET, 2-way, Mk. 4	2	—	B	
10H/23317	2CZ.84985												SOCKET, 6-way, Mk. 4 (Mk. 2 A/c)	1	—	B	
5X/8140	UKAN.9000-18-1SW												SOCKET, free, 10-way (Mk. 2A A/c)	1	—	B	
5X/9479515	UKAN.9000-18-1S												SOCKET, free, 10-way (Mk. 2A A/c)	1	—	B	
10H/23298	2CZ.108423												SOCKET, 25-way, Mk. 4, PM coupler (Mk. 2 A/c)	1	—	B	
5F/9545141	NY.18007												STRAPPING, nylon	QR	—	C	
5F/9138823	NY.3255												STUD, nylon	QR	—	C	
32C/	M.M.M.												TAPE, adhesive, No. 33 electrical, 3/8" wide	QR	—	C	
													black				
32C/	H.D. SYMONDS												TAPE, nylon, 1" wide wide, varnished (Mk. 2 A/c)	QR	—	C	
5K/9462951	HC.204												TAG, ring tongue (Mk. 2A A/c)	4	—	C	
	01.04.1.12.1.4.0												TERMINAL, lug crimping (Mk. 2A A/c)	1	—	—	
	01.01.1.12.2.1.0												TERMINAL, lug crimping (Mk. 2A A/c)	1	—	—	
	01.01.2.12.2.1.0												TERMINAL, lug crimping (Mk. 2A A/c)	1	—	—	
5X/9450396	HC.490												TERMINAL, quick release, size "O"	3	—	C	
													(2 off for Mk. 2A)				
5X/9450224	HC.510												TERMINAL, quick release, size "2"	4	—	C	
	E.F.4.81.5097												CABLE, assembly, F151, from A.C. fuse and relay	1	—	—	
													box, spine, to external duct, frames 25-27, group (Mod. 4248)				
													Consisting of:—				
5E/3894	†												CABLE, unitersil No. 20	QR	—	C	
10H/0970292	508/1/07776/003												CLAMP, cable	1	—	C	
10H/0119877	508/2/07705/200												GASKET, outlet	1	—	C	
10H/0970108	508/2/07719/200												GASKET, union	1	—	C	
10H/0970069	CZ.49181												OUTLET, angle	1	—	C	
10H/23255	2CZ.84986/1												PLUG, free, 6-way, Mk. 4	1	—	B	

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10H/0970096	508/2/07752/007	RING, thrust	1	-	C	
10H/0970088	508/2/07708/200	RING, sealing	1	-	C	
	EEAS.146/A	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/A	SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/C	SLEEVE, 1" long	QR	-	-	
	EEAS.146/C	SLEEVE, 1-1/2" long	QR	-	-	
	E.B3.81.2965	CABLE, assembly, F130, from sense element forward equipment bay, sense element main equipment bay, and aft pressure bulkhead, group	1	-	-	
		Consisting of:-				
5E/3893	†	CABLE, unifersil No. 22	QR	-	C	
	†	CABLE, unifersilmetsheath No. 22	QR	-	-	
10H/0970293	508/1/07777/003	CLAMP, cable	3	-	C	
10H/0970296	508/1/07780/003	CLAMP, cable	1	-	C	
	†	FOIL, lead, 5/8" wide x .02	QR	-	-	
10H/0119877	508/2/07705/200	GASKET, outlet	3	-	C	
10H/0970059	508/2/07706/200	GASKET, outlet	1	-	C	
10H/0970068	CZ.49179	OUTLET, angle	1	-	C	
10H/0970071	CZ.50748	OUTLET, angle	1	-	C	
10H/0970061	CZ.49178	OUTLET, straight	2	-	C	
10H/23265	2CZ.84984	PLUG, free, 12-way, Mk. 4	1	-	B	
10H/0970094	508/2/07754/007	RING, thrust	2	-	C	
10H/0970098	508/2/07758/007	RING, thrust	1	-	C	
10H/1201698	508/2/07753/007	RING, thrust	1	-	C	
10H/0970087	Z.62228	RING, sealing	2	-	C	
10H/0970091	508/2/07709/200	RING, sealing	1	-	C	
10H/0970090	Z.62233	RING, sealing	1	-	C	
	EEAS.146/O	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/C	SLEEVE, 1" long	QR	-	-	
	EEAS.146/E	SLEEVE, 1" long	QR	-	-	
	EEAS.146/F	SLEEVE, 1" long	QR	-	-	
	EEAS.146/F	SLEEVE, 1-1/2" long	QR	-	-	
10H/23316	2CZ.84985/1	SOCKET, 6-way, Mk. 4	1	-	B	
10H/23325	2CZ.84993	SOCKET, 2-way, Mk. 4	2	-	B	
	E.B2.81.3389	CABLE, assembly, C348, from control column panel to terminal blocks relay box, pilot's floor, group (Mod. 1921)	1	-	-	
		Consisting of:-				
5E/3894	†	CABLE, unifersil No. 20	QR	-	C	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	-	C	
	EEAS.146/A1	SLEEVE, 1" long	QR	-	-	
	EEAS.146/A1	SLEEVE, 1-1/2" long	QR	-	-	
5X/9462951	HC.294	TAG, ring tongue	3	-	C	
5X/9450396	HC.490	TAG, quick release	1	-	C	
5K/3457	HELLERMANN	TUBING, helsyn 100 LP	QR	-	C	
	E.F2.81.4463	CABLE, electrical connections forward of aft pressure bulkhead, group (Mk. 2 A/c)	1	-	-	
	E.F4.81.4761	CABLE, electrical connections forward of aft pressure bulkhead, group (Mk. 2A A/c)	1	-	-	
		Consisting of:-				
5E/3894	†	CABLE, unifersil No. 20	QR	-	C	
5E/3893	†	CABLE, unifersil No. 22	QR	-	C	
23398	EEAS.561	CONNECTOR, taper pin	2	BS249	C	
5K/3687	NL.8143	COVER, insulating	2	-	C	
5K/7645	HC.1290	CRIMP, inline	3	-	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
		1	2	3	4	5	6	7					
5K/4024	NL.8140								COVER, insulating	3	—	C	
5K/	NL.8141								COVER, insulating (Mk. 2A A/c)	6	—	C	
5X/6163	Z.50210								LINK, commoning	4	—	C	
9817	EEAS.273/1								LINK, commoning	1	BS265	C	
5CZ/6894	WARD BROOKE WB.1146/72								LINK, 2-way	3	—	B	
	E.F3.81.11359								LINK	1	BS899	—	
5X/7430	A.M.P. 41667								PIN, taper	6	—	C	
	or												
5X/7226	HC.1281								PIN, taper	6	—	C	
	TEXAS IS.111								RECTIFIER, silicone (Mk. 2 A/c)	1	—	B	
5CX/5569	80/10/0300								SHROUD, terminal	2	—	C	
8908	EEAS.270								SCREW, 5 BA	1	BS249	C	
28S/9137407	A.43/A8								SCREW, 6 BA, cheese head	1	—	C	
28S/9148119	A.43/A10								SCREW, 6 BA, cheese head	9	—	C	
5CW/6634	PAGE ENG. A.257								SLEEVE, cable	1	—	C	
5CW/6635	PAGE ENG. A.258								SLEEVE, cable (Mod. 4517)	1	—	C	
23687	EEAS.563								SLEEVE	2	—	C	
23688	EEAS.566								SLEEVE	1	—	C	
5CW/6636	PAGE ENG. B.186								SOCKET, connector (Mod. 4517)	1	—	C	
5CZ/6398	WARD BROOKE WB.1114/22								SPACER, cable	5	—	C	
	EEAS.146/C								SLEEVE, 3/8" long (Mk. 2 A/c)	QR	—	—	
	EEAS.146/20								SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/14								SLEEVE, 1-1/4" long (Mk. 2 A/c)	QR	—	—	
	EEAS.146/20								SLEEVE, 1" long	QR	—	—	
	HC.1300								SPLICE, inline compression (Mk. 2 A/c)	6	—	C	
5F/2301	NY.18007								STRAPPING, nylon	QR	—	C	
5F/2279	HV.3254								STRAPPING	QR	—	C	
5F/2250	OP.3255								STUD	QR	—	C	
5F/9138823	NY.3255								STUD, nylon	QR	—	C	
5X/9718094	HC.295								TAG, ring tongue (Mk. 2 A/c)	2	—	C	
5X/9713736	HC.306/A								TAG, ring tongue	1	—	C	
5X/1010324	HC.296								TAG, ring tongue	21	—	C	
5X/9718093	HC.296B								TAG, ring tongue	10	—	C	
5X/9450396	HC.490								TAG, quick release (Mk. 2 A/c)	2	—	C	
28W/9995407	SP.25/A								WASHER, brass	44	—	C	
28W/9137412	AGS.2037/A								WASHER, shakeproof	13	—	C	
9627	EEAS.272								WASHER, special	12	BS249	C	
	E.F2.81.4465								CABLE, electrical connections aft of aft pressure bulkhead, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4763								CABLE, electrical connections aft of aft pressure bulkhead, group (Mk. 2A A/c) Consisting of:—	1	—	—	
28D/1008149	A.25/2B								BOLT, hex. head (Mk. 2 A/c)	2	—	C	
5K/4024	NL.8140								COVER, insulating	5	—	C	
5X/7645	HC.1290								CRIMP, inline	5	—	C	
28S/9148119	A.43/A10								SCREW, cheese head, 6 BA	3	—	C	
	EEAS.146/C								SLEEVE, 3/8" long (Mk. 2 A/c)	5	—	—	
	—								SLEEVE, 3 m/m i/d x 3/8" long, pink	—	M.A.M. Grade CXH	—	
28M/1278189	AGS.2001/B/1								NUT, stiff, 4 BA (Mk. 2 A/c)	2	—	C	
28W/9137412	AGS.2037/A								WASHER, shakeproof	3	—	C	
28W/9419474	SP.15/B								WASHER, plain	2	—	C	
9627	EEAS.272								WASHER, packing	4	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.F2.81.5209	CABLE , assembly, F228, from A.C. fuse and relay box to 40 amp 3-phase contactor, group Consisting of :—	1	—	—	
10790	E.B2.81.14813	ADAPTOR , ferrule	3	—	C	
5E/3902	†	CABLE , unifersil	QR	—	C	
5K/3946	2032	GROMMET , tension	1	—	C	
5X/6523	Z.70023	LUG , crimped, ¼"	3	—	C	
	EEAS.146/4	SLEEVE , ¾" long	6	—	—	
	EEAS.146/0000	SLEEVE , 1" long	4	—	—	
	EEAS.146/1	SLEEVE , 1½" long	3	—	—	
	EEAS.146/0000	SLEEVE , 1½" long	1	—	—	
	E.F2.81.5267	CABLE , assembly, F149, from A.C. fuse and relay box to A.C. distribution box, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4453	CABLE , assembly, F149, from A.C. fuse and relay box to A.C. distribution box, group (Mk. 2A A/c) Consisting of :—	1	—	—	
5E/3893	†	CABLE , unifersil No. 22	QR	—	C	
10H/0970297	508/1/07781/003	CLAMP , cable	2	—	C	
	6030	FORMER (4 off on Mk. 2 A/c)	5	—	C	
10H/0970060	Z.60669	GASKET , outlet	2	—	C	
10H/0970112	Z.62238	GASKET , union	2	—	C	
	10H/23611	OUTLET , angle	1	—	B	
	10H/23612	OUTLET , straight	1	—	B	
	10H/23244	PLUG , 25-way, Mk. 4	1	—	B	
10H/0970100	508/2/07759/007	RING , thrust	2	—	C	
10H/0970092	Z.62232	RING , sealing	2	—	C	
	EEAS.146/22	SLEEVE , ½" long	QR	—	—	
	EEAS.146/00	SLEEVE , 1" long	QR	—	—	
	EEAS.146/12	SLEEVE , 1" long	QR	—	—	
	EEAS.146/00	SLEEVE , 2" long	QR	—	—	
10H/23304	2CZ/84981	SOCKET , 25-way, Mk. 4	1	—	B	
	5F/2301	STRAPPING , nylon	QR	—	C	
	5F/2307	STUD , nylon	QR	—	C	
	32C/	TAPE , glass, ½" wide	QR	—	C	
	33B/	VARNISH , silicone	QR	—	C	
	E.F2.81.5489	CABLE , assembly, F375, from port shroud extension hydraulic service pressure gauge, 6-way Mk. 4 socket to starboard sloping bulkhead, group Consisting of :—	1	—	—	
5E/3894	†	CABLE , unifersil No. 20	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable	1	—	C	
10H/0119877	508/2/07705/200	GASKET , outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET , union	1	—	C	
10H/0970062	CZ.49180	OUTLET , straight	1	—	C	
10H/0970096	508/2/07752/007	RING , thrust	1	—	C	
10H/0970088	508/2/07708/200	RING , sealing	1	—	C	
	EEAS.146/C	SLEEVE , 1" long	QR	—	—	
	EEAS.146/E	SLEEVE , 1" long	QR	—	—	
	EEAS.146/E	SLEEVE , 1½" long	QR	—	—	
8898	EEAS.146/O	SLEEVE , ¾" long	QR	—	C	
	EEAS.146/O	SLEEVE , ½" long	QR	—	—	
10H/0560120	CZ.49017	SOCKET , free, 6-way, Mk. 4	1	—	—	
	†	TUBING , P.V.C., 7 m/m i/d × ½ m/m thick, black ...	QR	SPEC.E11 659	—	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
	E.F4.81.4457	CABLE , assembly, F565, from A.C. distribution box free plug and emergency services fuse box to transport joint, group (Mk. 2A A/c) Consisting of :—							1	—	—	
5E/3893	†	CABLE , uniersil No. 22							QR	—	C	
5E/3894	†	CABLE , uniersil No. 20							QR	—	C	
10H/	508/1/07779/001	CLAMP , cable							1	—	C	
10H/9504382	508/2/07706/300	GASKET , outlet							1	—	C	
10H/	508/2/07722/300	GASKET , union							1	—	C	
5X/2784	Z.23671	GROMMET , tension No. 1							1	—	C	
10H/	508/2/07652/001	OUTLET , angle							1	—	—	
33B/	—	PAINT , salmon pink, No. 443							QR	BS381C and DTD827	C	
10H/	508/1/07029/320	PLUG , free, 12-way, Mk. 7							1	—	C	
10H/23762	508/2/07709/300	RING , sealing							1	—	C	
10H/0970097	508/2/07757/007	RING , thrust							1	—	C	
	EEAS.146/2	SLEEVE , 1/8" long							QR	—	—	
	EEAS.146/12	SLEEVE , 1/8" long							QR	—	—	
	EEAS.146/20	SLEEVE , 1/8" long							QR	—	—	
	EEAS.146/2	SLEEVE , 3/16" long							QR	—	—	
	EEAS.146/20	SLEEVE , 3/16" long							QR	—	—	
	EEAS.146/2	SLEEVE , 1" long							QR	—	—	
	EEAS.146/12	SLEEVE , 1" long							QR	—	—	
	EEAS.146/20	SLEEVE , 1" long							QR	—	—	
5F/945414	NY.18007A	STRAP							QR	—	C	
5F/9138822	NY.3342	STUD , nylon							QR	—	C	
5X/9450396	HC.490	TAG , quick release							1	—	C	
	E.F4.81.4467	CABLE , assembly, 6F362E, from 6-way terminal block frames 8-9 port to rain dispersal "ON" switch frames 9-10 port, group (Mk. 2A A/c) Consisting of :—							1	—	—	
5E/3893	†	CABLE , uniersil No. 22							QR	—	C	
	EEAS.146/12	SLEEVE , 1/8" long							QR	—	—	
	EEAS.146/22	SLEEVE , 3/16" long							QR	—	—	
	EEAS.146/12	SLEEVE , 1" long							QR	—	—	
5F/9133798	HT.30	SLEEVEING , Helsyn 150, white, 1/8" long							2	—	C	
5X/9462951	HC.294	TERMINAL , ring tongue							4	—	C	
	E.F2.81.6945	CABLE , assembly, F71B, from voltage regulator rear spine to transport joint, group (Mod. 4203) Consisting of :—							1	—	—	
5E/3898	†	CABLE , uniersil No. 12							QR	—	C	
	EEAS.146/2	SLEEVE , 1/8" long							QR	—	—	
	EEAS.146/12	SLEEVE , 3/16" long							QR	—	—	
	EEAS.146/2	SLEEVE , 1" long							QR	—	—	
	EEAS.146/2	SLEEVE , 1 1/8" long							QR	—	—	
5F/9133799	HT.50	SLEEVEING , Helsyn 150, white, 1/8" long							1	—	C	
5X/7220	HC.314A	TAG , ring tongue							4	—	C	
	E.F2.81.6947	CABLE , assembly, F71C, from control panel spine frames 27-18 to transport joint starboard, group (Mod. 4203) Consisting of :—							1	—	—	
5E/4542	†	CABLE , uniersilmetsheath No. 20							QR	—	C	
	EEAS.146/20	SLEEVE , 3/16" long							QR	—	—	
	EEAS.146/20	SLEEVE , 1" long							QR	—	—	
	EEAS.146/EQ	SLEEVE , 1 1/8" long							QR	—	—	
5F/9133798	HT.30	SLEEVEING , Helsyn 150, white, 1/8" long							1	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
5X/9450396	HC.490										
5X/9482491	HC.500										
	E.F.2.81.6949										
5E/3894	†										
	EEAS.146/12										
	EEAS.146/20										
	EEAS.146/12										
	EEAS.146/20										
5F/9133797	HT.20										
5F/9133798	HT.30										
5X/1010324	HC.296										
5X/9450396	HC.490										
	E.F.2.81.6253										
	E.F.4.81.4431										
5E/3893	—										
5F/9133797	HT.20										
5F/9133798	HT.30										
	EEAS.146/6										
	EEAS.146/6										
	EEAS.146/16										
	EEAS.146/16										
	EEAS.146/16										
	EEAS.146/22										
	EEAS.146/22										
5X/9718094	HC.295										
5X/1010324	HC.296										
	†										
	E.F.2.81.6255										
5E/3893	—										
5F/9133799	HT.50										
	EEAS.146/2										
	EEAS.146/6										
	EEAS.146/6										
	EEAS.146/22										
5X/1010324	HC.296										
	—										
10765	E.B.2.81.7541										
	6CZ.96881										
	EEAS.146/T/E										
	EEAS.146/T/K										

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5F/2301	EEAS.146/T/K	SLEEVE, 1½" long	QR	—	—	
5F/2307	NY.18007	STRAPPING, nylon	QR	—	C	
	NY.3255	STUD, nylon	QR	—	C	
	E.B2.81.8549	CABLE, assembly, C130A, from cabin temperature selector starboard console panel to aft pressure bulkhead, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4621	CABLE, assembly, C130A, from cabin temperature selector starboard console panel to aft pressure bulkhead, group (Mk. 2A A/c)	1	—	—	
		Consisting of :—				
5E/3893	†	CABLE, unifersil No. 22	QR	—	—	
5E/	†	CABLE, unifersilmetsheath No. 22	QR	—	C	
10H/0970293	508/1/07777/003	CLAMP, cable	2	—	C	
	†	FOIL, lead, ⅜" wide × ".02 thick	QR	—	—	
10H/0119877	508/2/07705/200	GASKET, outlet	2	—	C	
10H/0970068	CZ.49179	OUTLET, angle (Mk. 2 A/c)	1	—	C	
10H/0970061	CZ.49178	OUTLET, straight (Mk. 2 A/c)	1	—	C	
10H/0119122	508/2/07649/003	OUTLET, angle (Mk. 2A A/c)	2	—	C	
10H/0560301	CZ.49222/1	PLUG, free, 6-way, Mk. 4	1	—	B	
10H/1201698	508/2/07753/007	RING, thrust	2	—	C	
10H/0970091	508/2/07709/200	RING, sealing	2	—	C	
	EEAS.146/20	SLEEVE, ½" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1½" long	QR	—	—	
10H/0560120	CZ.49017	SOCKET, 6-way, Mk. 4	1	—	C	
5F/2301	NY.18007	STRAPPING, nylon	QR	—	C	
5F/2307	NY.3255	STUD, nylon	QR	—	C	
5E/	†	WIRE, copper tinned, 36 SWG	QR	—	C	
	E.B2.81.8579	CABLE, assembly, F211, from canopy selector terminal block, spine main equipment bay, to 3-way terminal block at frame 22 port, group	1	—	—	
		Consisting of :—				
5E/3893	†	CABLE, unifersil No. 22	QR	—	C	
5X/9726815	HC.1350	FERRULE, 4 amp.	1	—	C	
	EEAS.146/A	SLEEVE, ¾" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
8899	EEAS.146/O	SLEEVE, 1" long	QR	—	C	
	EEAS.146/C	SLEEVE, 1¼" long	QR	—	—	
	EEAS.146/O	SLEEVE, 1½" long	QR	—	—	
5X/9462951	HC.294	TERMINAL, ring tongue	3	—	C	
5X/1010324	HC.296	TERMINAL, ring tongue	2	—	C	
	E.B2.81.8580	CABLE, assembly, 2F211, from 3-way terminal block at frame 22 port to 4-way socket at canopy selector valve, group	1	—	—	
		Consisting of :—				
5E/3893	†	CABLE, unifersil No. 22	QR	—	C	
5X/1383	Z.14485/2	FERRULE, cut	1	—	C	
8898	EEAS.146/O	SLEEVE, ¾" long	QR	—	C	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1½" long	QR	—	—	
5X/7039	2CZ.84873	SOCKET, 4-way, "A" size	1	—	B	
5X/9462951	HC.294	TERMINAL, ring tongue	3	—	—	

LIGHTNING F. MK. 2 AND MK. 2A

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
	E.B2.81.9690	CABLE , assembly, F124, from JB8, to A.C. distribution box, group							1	—	—	
		Consisting of :—										
	5E/3894 †	CABLE , unifersil No. 20							QR	—	C	
	5E/3893 †	CABLE , unifersil No. 22							QR	—	C	
	10H/0970295 508/1/07779/003	CLAMP , cable							2	—	C	
	10H/0970059 508/2/07706/200	GASKET , outlet							2	—	C	
	10H/0970109 508/2/07722/200	GASKET , union							2	—	C	
	10H/0970070 CZ.51529	OUTLET , angle							2	—	C	
	10H/23258 2CZ.84984/2	PLUG , free, 12-way, Mk. 4							1	—	B	
	10H/0970097 508/2/07757/007	RING , thrust							2	—	C	
	10H/0970089 Z.62230	RING , sealing							2	—	C	
	EEAS.146/O	SLEEVE , 1/2" long							QR	—	—	
	EEAS.146/F	SLEEVE , 1" long							QR	—	—	
	EEAS.146/F	SLEEVE , 1 1/2" long							QR	—	—	
	10H/23311 2CZ.84983	SOCKET , free, 12-way, Mk.4							1	—	B	
	5F/2301 NY.18007	STRAPPING , nylon							QR	—	C	
	5F/2307 NY.3255	STUD , nylon							QR	—	C	
	E.B2.81.9691	CABLE , assembly, F125, from JB7, to A.C. distribution box, group							1	—	—	
		Consisting of :—										
	5E/3894 †	CABLE , unifersil No. 20							QR	—	C	
	5E/3893 †	CABLE , unifersil No. 22							QR	—	C	
	10H/0970295 508/1/07779/003	CLAMP , cable							2	—	C	
	10H/0970059 508/2/07706/200	GASKET , outlet							2	—	C	
	10H/0970109 508/2/07722/200	GASKET , union							2	—	C	
	10H/0970070 CZ.51529	OUTLET , angle							2	—	C	
	10H/23257 2CZ.84984/3	PLUG , free, 12-way, Mk.4							1	—	B	
	10H/0970097 508/2/07757/007	RING , thrust							2	—	C	
	10H/0970089 Z.62230	RING , sealing							2	—	C	
	EEAS.146/O	SLEEVE , 1/2" long							QR	—	—	
	EEAS.146/F	SLEEVE , 1" long							QR	—	—	
	EEAS.146/F	SLEEVE , 1 1/2" long							QR	—	—	
	10H/23311 2CZ.84983	SOCKET , free, 12-way, Mk.4							1	—	B	
	5F/2301 NY.18007	STRAPPING , nylon							QR	—	C	
	5F/2307 NY.3255	STUD , nylon							QR	—	C	
	E.B2.81.9693	CABLE , assembly, F145, from end "A" A.C. distribution box to end "B" G2 suppressor, group							1	—	—	
		Consisting of :—										
	5K/ B.I.C.C. LTD.	BRAID , copper, i/d .31 24/6/0076							QR	—	C	
	5E/3894 †	CABLE , unifersil No. 20							QR	—	C	
	10H/0970077 Z.49042	FERRULE , outer							1	—	C	
	10H/0970078 Z.49041	FERRULE , inner							1	—	C	
	10H/0119877 508/2/07706/200	GASKET , outlet							1	—	C	
	5K/87 AGS.1658/O	NUT , gland							1	—	C	
	10H/0970069 CZ.49181	OUTLET , angle							1	—	C	
	10H/0970088 508/2/07708/200	RING , sealing							1	—	C	
	5K/41 AGS.1653/1	SLEEVE , inner							1	—	C	
	5K/50 AGS.1654/1	SLEEVE , outer							1	—	C	
	EEAS.146/A	SLEEVE , 1/2" long							QR	—	—	
	EEAS.146/A	SLEEVE , 3/4" long							QR	—	—	
	EEAS.146/D1	SLEEVE , 1" long							QR	—	—	
	10H/23319 2CZ.84990	SOCKET , free, 4-way, Mk. 4							1	—	B	
	5F/ JONES, STROUD	VIDAFLEX , L24 8 m/m i/d							QR	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B2.81.9694	CABLE , assembly, 2F145, from type G2 suppressor to No. 1 inverter control unit, group Consisting of :—	1	—	—	
	EEAS.276/Z	ADAPTOR , outlet	1	—	—	
5E/3694	†	CABLE , uniersil No. 20	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable	1	—	C	
10H/0970108	508/2/07719/200	GASKET , union	1	—	C	
5K/87	AGS.1658/O	NUT , gland	1	—	C	
10H/0970102	Z.49040	RING , compression	1	—	C	
10H/0970096	Z.49037	RING , thrust	1	—	C	
5K/41	AGS.1653/1	SLEEVE , inner	1	—	C	
5K/50	AGS.1654/1	SLEEVE , outer	1	—	C	
5X/3148	Z.49428	SLEEVE , 4-7 amp.	3	—	C	
5K/	B.I.C.C. LTD.	SLEEVE , .445 i/d 24/4/0075 tinned copper close weave	QR	—	C	
8898	EEAS.146/O	SLEEVE , 3/4" long	QR	—	C	
8899	EEAS.146/O	SLEEVE , 1" long	QR	—	C	
	EEAS.146/C	SLEEVE , 1 1/2" long	QR	—	—	
5X/7128	2CZ.84874	SOCKET , 5-way, "Z" size standard	1	—	B	
19548	E.B2.81.9695	CABLE , assembly, F148, from standard 5-way socket "B" size and type 100 inverter to control panel, group Consisting of :—	1	—	B	
	EEAS.276/B	ADAPTOR , outlet	1	—	C	
12101	†	BRAID , copper, i/d .31 24/6/.0076	QR	—	C	
5K/	†	CABLE , uniersil No. 16	QR	—	—	
5E/3896		CLAMP , cable	1	—	C	
10H/0970294	508/1/07778/003	CLAMP , cable	1	—	C	
10H/0970295	508/1/07779/003	CLAMP , cable	1	—	C	
	EEAS.277/B	FERRULE , right angle	1	—	—	
10H/0970109	508/2/07722/200	GASKET , union	1	—	C	
10H/0970111	508/2/07720/200	GASKET , union	1	—	C	
5K/	Z.61543/1/2	NUT , gland special	1	—	C	
10H/0970103	Z.51340	RING , compression	1	—	C	
10H/0970105	Z.49147	RING , compression	1	—	C	
10H/9995082	508/2/07756/007	RING , thrust	1	—	C	
10H/0970097	508/2/07757/007	RING , thrust	1	—	C	
5X/3146	Z.49397	SLEEVE , 7-19 amp.	10	—	C	
	EEAS.146/A1	SLEEVE , 3/4" long	QR	—	—	
	EEAS.146/E	SLEEVE , 1" long	QR	—	—	
5X/7178	2CZ.111439	SOCKET , 5-way standard "B" size	2	—	B	
	E.B2.81.9723	CABLE , assembly, 2F.157A, from one-way socket to inverter supply relay, group Consisting of :—	1	—	—	
	EEAS.276/B	ADAPTOR , outlet	1	—	C	
5E/3896	†	CABLE , uniersil No. 16	QR	—	C	
32B/	FIBREGLASS	CORD , tying glass 3/32" dia.	QR	—	C	
4312	E.B1.81.3385	FERRULE , right angle cut	1	—	C	
5X/7401	Z.111576	NUT , gland special	1	—	C	
5X/3146	Z.49397	SLEEVE , 7-19 amp.	1	—	C	
	EEAS.146/A1	SLEEVE , 3/4" long	QR	—	—	
	EEAS.146/A1	SLEEVE , 1" long	QR	—	—	
5X/7174	2CZ.111232	SOCKET , one-way "A" size	1	—	C	
5X/9462745	HC.304	TAG , ring tongue	1	—	C	
	H. D. SYMONDS	TAPE , nylon varnished, 1" wide black	QR	—	—	
	SP1172/5/SC	VARNISH , silicone	QR	—	—	
	MIDLAND					
	SILICONES					
	MS.996					

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.81.9784	CABLE , assembly, 2F255, from relay at frame 23 port to terminal block transport break at frame 25 port, group Consisting of :-	1	—	—	
5K/3698	HV.2910	BOOT , helvin	1	—	C	
5E/3904	†	CABLE , unitercil No. 1	QR	—	C	
5X/6530	12130	LUG , crimped	1	—	C	
5X/6791	12341	LUG , crimped	1	—	C	
	EEAS.146/H	SLEEVE , 1" long	QR	—	—	
	E.B2.81.9786	CABLE , assembly, F256, from relay at frame 23 port to earth point E5, group Consisting of :-	1	—	—	
5E/3894	†	CABLE , unitercil No. 20	QR	—	C	
5X/9726815	HC.1350	FERRULE , S.B.A.C.	1	—	C	
8898	EEAS.146/O	SLEEVE , 1" long	QR	—	C	
5X/9462951	HC.294	TERMINAL , ring tongue compression	1	—	C	
	E.B2.81.10778	CABLE , assembly, C26 from port fuse box to D.C. relay box, group Consisting of :-	1	—	—	
5E/3894	†	CABLE , unitercil No. 20	QR	—	C	
5E/3893	†	CABLE , unitercil No. 22	QR	—	C	
10H/0970297	508/1/07781/003	CLAMP , cable	2	—	C	
10H/0970060	Z.60669	GASKET , outlet	2	—	C	
10H/0970112	Z.62238	GASKET , union	2	—	C	
10H/	2CZ.111478	OUTLET , angle	1	—	C	
10H/23612	2CZ.111477	OUTLET , straight	1	—	C	
10H/560403	CZ.49228/3	PLUG , 25-way, Mk. 4	1	—	C	
10H/0970100	508/2/07759/007	RING , thrust	2	—	C	
10H/0970092	Z.62232	RING , sealing	2	—	C	
	EEAS.146/A	SLEEVE , 1/2" long	QR	—	—	
	EEAS.146/H	SLEEVE , 1" long	QR	—	—	
5E/2279	HV.3254	STRAPPING , helvin	QR	—	C	
5F/2280	OP.3255	STUD , helvin	QR	—	C	
	E.F2.81.6593	CABLE , assembly, C27, from port fuse-box to star-board console panel, group (Mod. 2261) Consisting of :-	1	—	—	
5E/3896	†	CABLE , unitercil No. 16	QR	—	C	
5E/3895	†	CABLE , unitercil No. 18	QR	—	C	
5E/3894	†	CABLE , unitercil No. 20	QR	—	C	
5E/3893	†	CABLE , unitercil No. 22	QR	—	C	
10H/0970297	508/1/07781/003	CLAMP , cable	2	—	C	
10H/0970060	Z.60669	GASKET , outlet	2	—	C	
10H/0970112	Z.62238	GASKET , union	2	—	C	
	2CZ.111636	OUTLET , angle	1	—	—	
	2CZ.111635	OUTLET , straight	1	—	—	
10H/0560404	CZ.49228/4	PLUG , 25-way, Mk.4	1	—	C	
10H/0970100	508/2/07759/007	RING , thrust	2	—	C	
10H/0970092	Z.62232	RING , sealing	2	—	C	
	EEAS.146/16	SLEEVE , 1/2" long	QR	—	—	
	EEAS.146/18	SLEEVE , 1/2" long	QR	—	—	
	EEAS.146/20	SLEEVE , 1/2" long	QR	—	—	
	EEAS.146/22	SLEEVE , 1/2" long	QR	—	—	
	EEAS.146/20	SLEEVE , 1/2" long	QR	—	—	
	EEAS.146/00	SLEEVE , 1" long	QR	—	—	
	EEAS.146/00	SLEEVE , 1 1/2" long	QR	—	—	
10H/0560221	CZ.49070/1	SOCKET , 25-way, Mk.4	1	—	C	
5F/2279	HV.3254	STRAPPING , helvin	QR	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7			
5F/2280	HV.3255 HC.296 E.B2.81.10780	STUD , helvin TAG , ring tongue CABLE , assembly, C30, from starboard fuse box to D.C. relay box, group Consisting of:—							QR 1 1	— — —	C — —	
5E/3894	†	CABLE , unifersil No. 20							QR	—	C	
5E/3893	†	CABLE , unifersil No. 22							QR	—	C	
10H/0970297	508/1/07781/003	CLAMP , cable							2	—	C	
10H/0970060	Z.60669	GASKET , outlet							2	—	C	
10H/0970112	Z.62238	GASKET , union							2	—	C	
10H/23611	2CZ.111478	OUTLET , angle							2	—	C	
10H/0560401	CZ.492284	PLUG , 25-way, Mk.4							1	—	C	
10H/0970100	508/2/07759/007	RING , thrust							2	—	C	
10H/0970092	Z.62232	RING , sealing							2	—	C	
	EEAS.146/A	SLEEVE , 1/2" long							50	—	—	
	EEAS.146/H	SLEEVE , 1" long							2	—	—	
10H/0560220	CZ.49070	SOCKET , 25-way, Mk. 4							1	—	C	
5F/2279	HV.3254	STRAPPING , helvin							QR	—	C	
5F/2280	OP.3255 E.B2.81.10789	STUD , helvin CABLE , assembly, F84, from overspeed switch and low pressure ignition switch to bulkhead break at frame 25, group Consisting of:—							QR 1	— —	C —	
5E/3896	†	CABLE , unifersil No. 16							QR	—	C	
5E/3894	†	CABLE , unifersil No. 20							QR	—	C	
	EEAS.312/A	CLAMP , cable							1	—	—	
10H/0970297	508/1/07781/003	CLAMP , cable							1	—	C	
10H/0970294	508/1/07778/003	CLAMP , cable							1	—	C	
	10046	EEAS.274							1	—	C	
10H/9504381	508/2/07719/300	FERRULE , assembly							1	—	C	
10H/9472444	508/2/07720/300	GASKET , union							1	—	C	
	12125	EEAS.281/B							1	—	C	
5X/7034	2CZ.108913	OUTLET , straight							1	S94	C	
10H/9504381	508/2/07719/300	PLUG , single, standard							1	—	C	
10H/9472444	508/2/07720/300	RING , sealing							1	—	C	
10H/0970096	508/2/07752/007	RING , sealing							1	—	C	
10H/9995082	508/2/07756/007	RING , thrust							1	—	C	
	EEAS.146/A1	RING , thrust							1	—	C	
	8898	EEAS.146/O							6	—	—	
		EEAS.146/C							4	—	C	
		EEAS.146/D							3	—	—	
5X/3148	Z.49428	SLEEVE , 1" long							4	—	—	
5X/7039	2CZ.84873	SLEEVE , 1" long							4	—	C	
	23696	ROLLS ROYCE							4	—	—	
	BR.16004A	SLEEVE , 4-7 amp.							4	—	C	
5F/2279	HV.3254	SOCKET , standard							1	—	B	
5F/2280	HV.3255	SOCKET , special							1	—	B	
36266	E.B2.81.10792	STRAPPING , helvin, 5/16" wide STUD CABLE , assembly, F131, from end "B" resistor terminal block and actuator to end "A" A.C. distribution box, group Consisting of:—							QR QR 1	— — —	C C B	
5E/3893	†	CABLE , unifersil No. 22							QR	—	C	
5E/	†	CABLE , unifersilmetsheath No. 22							QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable							1	—	C	
10H/0970293	508/1/07777/003	CLAMP , cable							1	—	C	
	12103	EEAS.277/A							1	—	C	
30B/	†	FERRULE , assembly FOIL , lead, 5/8" x ".02 thick							QR QR	— —	C C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
	E.B2.81.9784	CABLE , assembly, 2F255, from relay at frame 23 port to terminal block transport break at frame 25 port, group Consisting of :—							1	—	—	
5K/3698	HV.2910	BOOT , helvin							1	—	C	
5E/3904	†	CABLE , unifersil No. 1							QR	—	C	
5X/6530	12130	LUG , crimped							1	—	C	
5X/6791	12341	LUG , crimped							1	—	C	
	EEAS.146/H	SLEEVE , 1" long							QR	—	—	
	E.B2.81.9786	CABLE , assembly, F256, from relay at frame 23 port to earth point E5, group Consisting of :—							1	—	—	
5E/3894	†	CABLE , unifersil No. 20							QR	—	C	
5X/9726815	HC.1350	FERRULE , S.B.A.C.							1	—	C	
8898	EEAS.146/O	SLEEVE , 3/4" long							QR	—	C	
5X/9462951	HC.294	TERMINAL , ring tongue compression							1	—	C	
	E.B2.81.10778	CABLE , assembly, C26 from port fuse box to D.C. relay box, group Consisting of :—							1	—	—	
5E/3894	†	CABLE , unifersil No. 20							QR	—	C	
5E/3893	†	CABLE , unifersil No. 22							QR	—	C	
10H/0970297	508/1/07781/003	CLAMP , cable							2	—	C	
10H/0970060	Z.60669	GASKET , outlet							2	—	C	
10H/0970112	Z.62238	GASKET , union							2	—	C	
10H/	2CZ.111478	OUTLET , angle							1	—	C	
10H/23612	2CZ.111477	OUTLET , straight							1	—	C	
10H/560403	CZ.49228/3	PLUG , 25-way, Mk. 4							1	—	C	
10H/0970100	508/2/07759/007	RING , thrust							2	—	C	
10H/0970092	Z.62232	RING , sealing							2	—	C	
	EEAS.146/A	SLEEVE , 3/4" long							QR	—	—	
	EEAS.146/H	SLEEVE , 1" long							QR	—	—	
5E/2279	HV.3254	STRAPPING , helvin							QR	—	C	
5F/2280	OP.3255	STUD , helvin							QR	—	C	
	E.F2.81.6593	CABLE , assembly, C27, from port fuse-box to star-board console panel, group (Mod. 2261) Consisting of :—							1	—	—	
5E/3896	†	CABLE , unifersil No. 16							QR	—	C	
5E/3895	†	CABLE , unifersil No. 18							QR	—	C	
5E/3894	†	CABLE , unifersil No. 20							QR	—	C	
5E/3893	†	CABLE , unifersil No. 22							QR	—	C	
10H/0970297	508/1/07781/003	CLAMP , cable							2	—	C	
10H/0970060	Z.60669	GASKET , outlet							2	—	C	
10H/0970112	Z.62238	GASKET , union							2	—	C	
	2CZ.111636	OUTLET , angle							1	—	—	
	2CZ.111635	OUTLET , straight							1	—	—	
10H/0560404	CZ.49228/4	PLUG , 25-way, Mk.4							1	—	C	
10H/0970100	508/2/07759/007	RING , thrust							2	—	C	
10H/0970092	Z.62232	RING , sealing							2	—	C	
	EEAS.146/16	SLEEVE , 1/2" long							QR	—	—	
	EEAS.146/18	SLEEVE , 1/2" long							QR	—	—	
	EEAS.146/20	SLEEVE , 1/2" long							QR	—	—	
	EEAS.146/22	SLEEVE , 1/2" long							QR	—	—	
	EEAS.146/20	SLEEVE , 3/4" long							QR	—	—	
	EEAS.146/00	SLEEVE , 1" long							QR	—	—	
	EEAS.146/00	SLEEVE , 1 1/2" long							QR	—	—	
10H/0560221	CZ.49070/1	SOCKET , 25-way, Mk.4							1	—	C	
5F/2279	HV.3254	STRAPPING , helvin							QR	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5F/2280	HV.3255	STUD, helvin	QR	—	C	
	HC.296	TAG, ring tongue	1	—	—	
	E.B2.81.10780	CABLE, assembly, C30, from starboard fuse box to D.C. relay box, group	1	—	—	
		Consisting of :—				
5E/3894	†	CABLE, uniersil No. 20	QR	—	C	
5E/3893	†	CABLE, uniersil No. 22	QR	—	C	
10H/0970297	508/1/07781/003	CLAMP, cable	2	—	C	
10H/0970060	Z.60669	GASKET, outlet	2	—	C	
10H/0970112	Z.62238	GASKET, union	2	—	C	
10H/23611	2CZ.111478	OUTLET, angle	2	—	C	
10H/0560401	CZ.492284	PLUG, 25-way, Mk.4	1	—	C	
10H/0970100	508/2/07759/007	RING, thrust	2	—	C	
10H/0970092	Z.62232	RING, sealing	2	—	C	
	EEAS.146/A	SLEEVE, ½" long	50	—	—	
	EEAS.146/H	SLEEVE, 1" long	2	—	—	
10H/0560220	CZ.49070	SOCKET, 25-way, Mk. 4	1	—	C	
5F/2279	HV.3254	STRAPPING, helvin	QR	—	C	
5F/2280	OP.3255	STUD, helvin	QR	—	C	
	E.B2.81.10789	CABLE, assembly, F84, from overspeed switch and low pressure ignition switch to bulkhead break at frame 25, group	1	—	—	
		Consisting of :—				
5E/3896	†	CABLE, uniersil No. 16	QR	—	C	
5E/3894	†	CABLE, uniersil No. 20	QR	—	C	
	EEAS.312/A	CLAMP, cable	1	—	—	
10H/0970297	508/1/07781/003	CLAMP, cable	1	—	C	
10H/0970294	508/1/07778/003	CLAMP, cable	1	—	C	
	10046	FERRULE, assembly	1	—	C	
10H/9504381	508/2/07719/300	GASKET, union	1	—	C	
10H/9472444	508/2/07720/300	GASKET, union	1	—	C	
	12125	OUTLET, straight	1	S94	C	
5X/7034	2CZ.108913	PLUG, single, standard	1	—	C	
10H/9504381	508/2/07719/300	RING, sealing	1	—	C	
10H/9472444	508/2/07720/300	RING, sealing	1	—	C	
10H/0970096	508/2/07752/007	RING, thrust	1	—	C	
10H/9995082	508/2/07756/007	RING, thrust	1	—	C	
	EEAS.146/A1	SLEEVE, ¾" long	6	—	—	
8898	EEAS.146/O	SLEEVE, ¾" long	4	—	C	
	EEAS.146/C	SLEEVE, 1" long	3	—	—	
	EEAS.146/D	SLEEVE, 1" long	4	—	—	
5X/3148	Z.49428	SLEEVE, 4-7 amp.	4	—	C	
5X/7039	2CZ.84873	SOCKET, standard	1	—	B	
6004	ROLLS ROYCE BA.90914	SOCKET, special	1	—	B	
5F/2279	HV.3254	STRAPPING, helvin, ⅝" wide	QR	—	C	
5F/2280	HV.3255	STUD	QR	—	C	
36266	E.B2.81.10792	CABLE, assembly, F131, from end "B" resistor terminal block and actuator to end "A" A.C. distribution box, group	1	—	B	
		Consisting of :—				
5E/3893	†	CABLE, uniersil No. 22	QR	—	C	
5E/	†	CABLE, uniersilmetsheath No. 22	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable	1	—	C	
10H/0970293	508/1/07777/003	CLAMP, cable	1	—	C	
	12103	FERRULE, assembly	1	—	C	
30B/	†	FOIL, lead, ⅝" × ".02 thick	QR	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
10H/0119877	508/2/07705/200								1	—	C	
10H/0970108	508/2/07719/200								1	—	C	
10H/0970068	CZ.49179								1	—	C	
10H/23261	2Z.84986/3								1	—	C	
10H/0970095	508/2/07754/007								1	—	B	
10H/0970096	508/2/07752/007								1	—	C	
10H/0970087	Z.62228								1	—	C	
10H/0970088	508/2/07708/200								1	—	C	
	EEAS.146/O								QR	—	—	
8898	EEAS.146/O								QR	—	C	
	EEAS.146/C								QR	—	—	
	EEAS.146/E								QR	—	—	
	EEAS.146/E								QR	—	—	
5X/7039	2CZ.84873								1	—	B	
5E/	†								QR	—	C	
	E.B2.81.10804								1	—	—	
5E/3898	†								QR	—	C	
10H/0970293	508/1/07777/003								1	—	C	
5X/7545	HC.1352								2	—	C	
10H/0119877	508/2/07705/200								1	—	C	
10H/0970107	Z.62234								1	—	C	
10H/0970068	CZ.49179								1	—	C	
10H/23249	2CZ.84994/1								1	—	C	
10H/0970087	Z.62228								1	—	B	
10H/0970095	508/2/07754/007								1	—	C	
	EEAS.146/C								QR	—	—	
	EEAS.146/C								2	—	—	
	EEAS.146/E								2	—	—	
	E.B2.81.10806								1	—	—	
5E/3893	†								QR	—	C	
10H/0970292	508/1/07776/003								1	—	C	
10H/0119877	508/2/07705/200								1	—	C	
10H/0970108	508/2/07719/200								1	—	C	
10H/0970069	CZ.49181								1	—	C	
	†								1	BSS381C DTD827	—	
10H/0970096	508/2/07752/007								1	—	C	
10H/0970088	508/2/07708/200								1	—	C	
	EEAS.146/A								QR	—	—	
8898	EEAS.146/O								QR	—	C	
	EEAS.146/A1								QR	—	—	
	EEAS.146/A1								QR	—	—	
10H/23325	2CZ.84993								1	—	—	
5X/9450396	HC.490								2	—	B	
	E.B2.81.11869								1	—	C	
5E/3896	†								QR	—	C	
	†								QR	—	—	
5K/87	AGS.1658/O								1	—	C	
	EEAS.146/A1								QR	—	—	
5K/24	AGS.1651/1								1	—	C	
5X/9462745	HC.304								1	—	C	
5X/9482491	HC.500								1	—	C	
33B/	MIDLAND SILICONES MS.996								1	—	C	
									QR	—	—	

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.										
							1	2	3	4	5	6	7			
	E.B2.81.12123	CABLE , assembly, F265, from emergency services fuse box to firewire relays at frames 23 to 25 lower starboard, No. 1 and No. 2 engine zones, group Consisting of:—	1	—	—											
5E/3894 5X/2784	† Z.23671	CABLE , unifersil No. 20	QR	—	C											
	EEAS.146/A1	GROMMET , tension No. 1	1	—	C											
	EEAS.146/A1	SLEEVE , 1/2" long	QR	—	—											
	EEAS.146/A	SLEEVE , 3/4" long	QR	—	—											
	EEAS.146/A1	SLEEVE , 1" long	QR	—	—											
5X/1010324	HC.296	SLEEVE , 1" long	QR	—	—											
5X/9450396	HC.490	SLEEVE , 1" long	QR	—	—											
	E.B2.81.12265	TAG , ring tongue	2	—	C											
		TAG , quick release	2	—	C											
		CABLE , assembly, F218, from emergency services fuse box to canopy control terminal box, group Consisting of:—	1	—	—											
5E/3893 5X/9491422	— Z.22430	CABLE , unifersil No. 22	QR	—	C											
	EEAS.146/C	GROMMET , tension, No. 2	1	—	C											
	EEAS.146/C	SLEEVE , 1/2" long	QR	—	—											
	EEAS.146/C	SLEEVE , 1" long	QR	—	—											
8898 5X/9450396	EEAS.146/O HC.490	SLEEVE , 3/4" long	QR	—	C											
5X/1010324	HC.296	TERMINAL , quick release	2	—	C											
	E.B2.81.12409	TERMINAL , ring tongue	2	—	C											
		CABLE , assembly, F266, from firewire warning relay No. 1 jet pipe to firewire warning relay No. 1 engine zone, group Consisting of:—	1	—	—											
5E/3894	† EEAS.146/A	CABLE , unifersil No. 20	QR	—	C											
	EEAS.146/C	SLEEVE , 3/4" long	QR	—	—											
	E.B2.81.12411	SLEEVE , 1" long	QR	—	—											
		CABLE , assembly, F267, from firewire warning relay at No. 2 jet pipe to firewire warning relay at No. 2 engine zone, group Consisting of:—	1	—	—											
5E/3894	† EEAS.146/C	CABLE , unifersil No. 20	QR	—	C											
	EEAS.146/A1	SLEEVE , 1/2" long	QR	—	—											
	EEAS.146/C	SLEEVE , 3/4" long	QR	—	—											
	EEAS.146/C	SLEEVE , 1" long	QR	—	—											
5X/1010324	HC.296	TAG , ring tongue	8	—	C											
	E.B2.81.12413	CABLE , assembly, F268, from firewire warning relay No. 2 engine zone to firewire warning relays No. 1 jet pipe, group Consisting of:—	1	—	—											
5E/3894	† EEAS.146/A1	CABLE , unifersil No. 20	QR	—	C											
	EEAS.146/A	SLEEVE , 3/4" long	2	—	—											
	EEAS.146/A	SLEEVE , 1" long	1	—	—											
5X/1010324	HC.296	TAG , ring tongue	2	—	C											
	E.B2.81.12765	CABLE , assembly, 2F167, from pitot head to 10-way terminal block at frame 3, group Consisting of:—	1	—	—											
5E/3896 5X/	† A.M.P. 41673	CABLE , unifersil No. 16	QR	—	C											
	or	PIN , taper	2	—	C											
5X/7227	HC.1282 EEAS.146/A	SLEEVE , 3/4" long	2	—	—											

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	EEAS.146/A1	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1 1/2" long	QR	—	—	
	E.B2.81.12817	CABLE, assembly, C345, from relay box pilot's floor to aileron trim actuator at frame 9, group Consisting of:—	1	—	LM	
5E/3894	†	CABLE, unifersil No. 20	QR	—	C	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1 1/2" long	QR	—	—	
5X/9462951	HC.294	TERMINAL, ring tongue compression	1	—	C	
5X/9450396	HC.490	TERMINAL, quick release compression	1	—	C	
5K/3456	HELLERMANN	TUBING, 100 Helsyn KP	QR	—	C	
	E.B3.81.3387	CABLE, assembly, C346, from aileron trim actuator to control column terminal blocks, group (Mod. 1921) Consisting of:—	1	—	LM	
5E/3893	†	CABLE, unifersil No. 22	QR	—	C	
5K/3457	HELLERMANN	SLEEVING, Helsyn 100 LP.0".27 i/d	QR	—	C	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
5X/9462951	HC.294	TAG, ring tongue	6	—	C	
5X/9450396	HELLERMANN	TAG, quick release	3	—	C	
	HC.490					
	E.B3.81.3391	CABLE, assembly, C347, from aileron trim actuator at frame 9 and control column terminal blocks to D.C. relay box, group (Mod. 1921) Consisting of:—	1	—	LM	
5E/3894	†	CABLE, unifersil No. 20	QR	—	C	
5K/2872	SP40/B12	GROMMET	1	—	C	
5X/2788	Z.23672	GROMMET, No. 5 tension	1	—	C	
5K/3458	HELLERMANN	SLEEVING, Helsyn 100 MP ".40 i/d	QR	—	C	
5K/3457	HELLERMANN	SLEEVING, Helsyn 100 LP ".27 i/d	QR	—	C	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
	EEAS.146/D	SLEEVE, 1" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1 1/2" long	QR	—	—	
5X/9462951	HC.294	TAG, ring tongue	7	—	C	
5X/9450396	HC.490	TAG, quick release	12	—	C	
	E.B2.81.14401	CABLE, mounting of bung assemblies, group Consisting of:—	1	—	—	
12138	E.F2.81.5069	GASKET, bung No. 3 Attachments:—	1	—	C	
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	7	—	C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	7	—	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	
28W/9419404	SP16/C	Washer, 2 BA, plain	5	—	C	
6037	E.B2.81.9613	GASKET, bung No. 4 Attachments:—	1	—	C	
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	8	—	C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	8	—	C	
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	
28W/9419404	SP16/C	Washer, 2 BA, plain	4	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B2.81.14411	CABLE , assembly, F159, A.C. fuse and relay box to A.C. distribution box, group Consisting of:—	1	—	LM	
5E/3893	†	CABLE , unifersil No. 22	QR	—	C	
10H/0970295	508/1/07779/003	CLAMP , cable	2	—	C	
10H/0970059	508/2/07706/200	GASKET , outlet	2	—	C	
10H/0970109	508/2/07722/200	GASKET , union	2	—	C	
10H/0970070	CZ.51529	OUTLET , angle	2	—	C	
10H/23258	2CZ.84984/2	PLUG , free, 12-way, Mk. 4	1	—	B	
10H/0970091	508/2/07709/200	RING , sealing	2	—	C	
10H/0970097	508/2/07757/007	RING , thrust	2	—	C	
	EEAS.146/O	SLEEVE , 1/2" long	QR	—	—	
	EEAS.146/F	SLEEVE , 1" long	QR	—	—	
	EEAS.146/F	SLEEVE , 1 1/2" long	QR	—	—	
10H/2331	2CZ.84983	SOCKET , free, 12-way, Mk. 4	1	—	B	
5F/2301	NY.18007	STRAPPING , nylon	QR	—	C	
5F/2307	NY.3255	STUD , nylon	QR	—	C	
12110	E.B.2.81.15533	CABLE , assembly, 2F85, from No. 1 engine plugs to starter lead plug break at frame 23, group Consisting of:—	1	—	B	
	6CZ.96882/2	CABLE , assembly	2	—	—	
	EEAS.146/E	SLEEVE , 3/4" long	QR	—	—	
	EEAS.146/K	SLEEVE , 1" long	QR	—	—	
	EEAS.146/K	SLEEVE , 1 1/4" long	QR	—	—	
5F/2301	NY.18007	STRAPPING , nylon	QR	—	C	
5F/2280	NY.3255	STUD , nylon	QR	—	C	
	E.B.2.81.16010	CABLE , assembly, F376, from No. 1 engine bay hatch longeron, frame 23 starboard to hydraulic general services pressure transmitter, frame 20, pack bay, group Consisting of:—	1	—	—	
5E/3894	†	CABLE , unifersil No. 20	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable	1	—	C	
10H/0119877	508/2/07705/200	GASKET , outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET , union	1	—	C	
10H/0970062	CZ.49180	OUTLET , straight	1	—	C	
10H/0970096	508/2/07752/007	RING , thrust	1	—	C	
10H/0970088	508/2/07708/200	RING , sealing	1	—	C	
	EEAS.146/6	SLEEVE , 1" long	QR	—	—	
	EEAS.146/6	SLEEVE , 1 1/2" long	QR	—	—	
	EEAS.146/20	SLEEVE , 1/2" long	QR	—	—	
	EEAS.146/20	SLEEVE , 3/4" long	QR	—	—	
	2CZ.84985	SOCKET , 6-way, Mk. 4	1	—	—	
6A/6303	SMITH WEYMOUTH CS.134	CONNECTOR , co-axial	2	—	B	
6A/	BRITISH OXYGEN 801317-26	CONNECTOR , co-axial (Mk. 2 A/c)	1	—	B	
6D/2268	BRITISH OXYGEN 801321	CABLE , and plug, assembly (Mk. 2A A/c)	1	—	C	
12285	E.B.2.81.2049	SOCKET , shorting, group Consisting of:—	1	—	C	
33H/	MIDLAND SILICONES	COMPOUND , insulating silicone	QR	—	C	
33B/	†	PAINT , canary, yellow, No. 33	QR	BSS381C DTD827	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
10H/0560120	CZ.49017	SOCKET , 6-way, Mk.4							1	—	B	
	E.B3.81.2089	TOP-HAT							1	Glasscloth	—	
	—	LOOMS , cable, instrument (E.F2.81.41) (Mk. 2 A/c) ...							—	—	—	
	—	LOOMS , cable, instrument (E.F4.81.4041) (Mk. 2A A/c) ...							—	—	—	
	E.F2.81.6607	Consisting of:— CABLE , assembly, FS2, from sloping pressure bulkhead and starboard main equipment bay to flight control computer and auto trim unit, group (Mod. 2461)							1	—	—	
		Consisting of:—										
5E/3893	†	CABLE , unifersil No. 22							QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable							2	—	C	
10H/0970295	508/1/07779/003	CLAMP , cable							1	—	C	
10H/0970296	508/1/07780/003	CLAMP , cable							1	—	C	
	5K/4024	COVER , insulating							6	—	C	
10H/0119877	508/2/07705/200	GASKET , outlet							2	—	C	
10H/0970059	508/2/07706/200	GASKET , outlet							1	—	C	
10H/0970060	Z.60669	GASKET , outlet							1	—	C	
10H/0970108	508/2/07719/200	GASKET , union							2	—	C	
10H/0970109	508/2/07722/200	GASKET , union							1	—	C	
10H/0970110	Z.62239	GASKET , union							1	—	C	
10H/0970069	CZ.49181	OUTLET , angle							1	—	C	
10H/0970074	CZ.49187	OUTLET , angle							1	—	C	
10H/0970062	CZ.49180	OUTLET , straight							1	—	C	
10H/0970063	CZ.51528	OUTLET , straight							1	—	C	
	10H/23243	PLUG , free, 25-way, Mk.4							1	—	B	
	10H/23259	PLUG , free 12-way, Mk.4							1	—	B	
10H/0970088	508/2/07708/200	RING , sealing							2	—	C	
10H/0970091	508/2/07709/200	RING , sealing							1	—	C	
10H/0970090	Z.62233	RING , sealing							1	—	C	
10H/0970096	508/2/07752/007	RING , thrust							2	—	C	
10H/0970098	508/2/07758/007	RING , thrust							1	—	C	
10H/0970097	508/2/07757/007	RING , thrust							1	—	C	
	EEAS.146/O	SLEEVE , 1/2" long							QR	—	—	
8898	EEAS.146/O	SLEEVE , 3/4" long							QR	—	C	
	EEAS.146/C	SLEEVE , 1" long							QR	—	—	
	EEAS.146/D	SLEEVE , 1" long							QR	—	—	
	EEAS.146/E	SLEEVE , 1" long							QR	—	—	
	EEAS.146/F	SLEEVE , 1" long							QR	—	—	
	EEAS.146/H	SLEEVE , 1" long							QR	—	—	
	EEAS.146/H	SLEEVE , 1 1/2" long							QR	—	—	
5K/3457	HELLERMANN	SLEEVING , helsyn 100, L.P.							QR	—	C	
5F/9133799	HT.50	SLEEVING , helsyn 150							QR	—	C	
10H/23317	2CZ.84985	SOCKET , free, 6-way, Mk.4							1	—	B	
10H/23315	2CZ.84985/2	SOCKET , free, 6-way, Mk.4							1	—	B	
5X/	THORN ELEC.	SOCKET , pigmy, 19-way							1	—	B	
	PTO6E.14-195											
5X/7310	HC.1290	SPLICE , inline compression							6	—	C	
5F/2301	NY.18007	STRAPPING , nylon							QR	—	C	
5F/2307	NY.3255	STUD , nylon							QR	—	C	
5X/9450396	HC.490	TERMINAL , quick release							2	—	C	
	E.F2.81.2653	CABLE , assembly, FS3, from altitude and rate of climb indicator, to sloping bulkhead 25-way socket, group							1	—	—	
		Consisting of:—										
5E/3893	†	CABLE , unifersil No. 22							QR	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
10H/0970296	508/1/07780/003	CLAMP , cable	1	—	C	
32B/	FIBREGLASS	CORD , glass tying CF, $\frac{1}{32}$ " dia.	QR	—	C	
10H/0970060	Z.60669	GASKET , outlet	1	—	C	
10H/0970111	508/2/07720/200	GASKET , union	1	—	C	
10H/0970067	CZ.49186	OUTLET , straight	1	—	C	
5X/7226	HC.1281	PIN , taper	3	—	C	
	or					
5X/7430	A.M.P. 41667	PIN , taper	3	—	C	
10H/0970090	Z.62233	RING , sealing	1	—	C	
10H/0970098	508/2/07758/007	RING , thrust	1	—	C	
	EEAS.146/O	SLEEVE , $\frac{1}{2}$ " long	QR	—	—	
8898	EEAS.146/O	SLEEVE , $\frac{3}{4}$ " long	QR	—	C	
	EEAS.146/C	SLEEVE , 1" long	QR	—	—	
	EEAS.146/H	SLEEVE , 1" long	QR	—	—	
	EEAS.146/J	SLEEVE , 1" long	QR	—	—	
	EEAS.146/O	SLEEVE , 1" long	QR	—	—	
	EEAS.146/H	SLEEVE , 1 $\frac{1}{2}$ " long	QR	—	—	
10H/0560221	CZ.49070/1	SOCKET , free, 25-way, Mk.4	1	—	B	
5X/	McMURDO	SOCKET , red range, 32-way	1	—	B	
	RS.32					
5F/2301	NY.18007	STRAPPING , nylon	QR	—	C	
5F/2307	NY.3255	STUDS , nylon	QR	—	C	
32B/	MINNESOTA	TAPE , adhesive electrical, 1" wide, black	QR	—	C	
	No. 33					
	E.F2.81.2654	CABLE , assembly, FS4, from altitude indicator to aft pressure bulkhead 12-way plug, group	1	—	—	
		Consisting of:—				
5E/3893	†	CABLE , unifersil No. 22	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable	1	—	C	
10H/0970295	508/1/07779/003	CLAMP , cable	1	—	C	
32B/	FIBREGLASS	CORD , glass tying CF, $\frac{1}{32}$ " dia.	QR	—	C	
10H/0119877	508/2/07705/200	GASKET , outlet	1	—	C	
10H/0970059	508/2/07706/200	GASKET , outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET , union	1	—	C	
10H/0970109	508/2/07722/200	GASKET , union	1	—	C	
10H/0970069	CZ.49181	OUTLET , angle	1	—	C	
10H/0970070	CZ.51529	OUTLET , angle	1	—	C	
5X/7226	HC.1281	PIN , taper	3	—	C	
	or					
5X/	A.M.P.	PIN , taper	3	—	C	
	41667					
10H/0560305	CZ.49222/5	PLUG , free, 6-way, Mk. 4	1	—	C	
10H/0560360	CZ.49458	PLUG , free, 12-way, Mk. 4	1	—	C	
10H/0970088	508/2/07708/200	RING , sealing	1	—	C	
10H/0970091	508/2/07709/200	RING , sealing	1	—	C	
10H/0970096	508/2/07752/007	RING , thrust	1	—	C	
10H/0970097	508/2/07757/007	RING , thrust	1	—	C	
	EEAS.146/O	SLEEVE , $\frac{1}{2}$ " long	QR	—	—	
8898	EEAS.146/O	SLEEVE , $\frac{3}{4}$ " long	QR	—	C	
	EEAS.146/C	SLEEVE , 1" long	QR	—	—	
	EEAS.146/E	SLEEVE , 1" long	QR	—	—	
	EEAS.146/H	SLEEVE , 1" long	QR	—	—	
	EEAS.146/O	SLEEVE , 1" long	QR	—	—	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/	EEAS.146/E McMURDO RS.24	SLEEVE , 1½" long	QR	—	—	
		SOCKET , red range, 24-way	1	—	B	
5F/2301	NY.18007	STRAPPING , nylon	QR	—	C	
5F/2307	NY.3255	STUD , nylon	QR	—	C	
32B/	MINNESOTA No. 33 E.F2.81.2656	TAPE , adhesive electrical, 1" wide, black	QR	—	C	
		CABLE , assembly, FS6, from aft pressure bulkhead and test panel to air data computer, group	1	—	—	
		Consisting of:—				
5E/3893	†	CABLE , unitercil No. 22	QR	—	C	
10H/0970296	508/1/07780/003	CLAMP , cable	3	—	C	
10H/0970060	Z.60669	GASKET , outlet	3	—	C	
10H/0970110	Z.62239	GASKET , union	3	—	C	
10H/0970074	CZ.49187	OUTLET , angle	2	—	C	
10H/0970067	CZ.49186	OUTLET , straight	1	—	C	
10H/23243	2CZ.84982/1	PLUG , free, 25-way, Mk.4	1	—	B	
10H/23239	2CZ.84982/5	PLUG , free, 25-way, Mk.4	1	—	B	
10H/0970090	Z.62233	RING , sealing	3	—	C	
10H/0970098	508/2/07758/007	RING , thrust	3	—	C	
	EEAS.146/O	SLEEVE , ½" long	QR	—	—	
8898	EEAS.146/O	SLEEVE , ¾" long	QR	—	C	
	EEAS.146/D	SLEEVE , 1" long	QR	—	—	
	EEAS.146/E	SLEEVE , 1" long	QR	—	—	
	EEAS.146/H	SLEEVE , 1" long	QR	—	—	
	EEAS.146/D	SLEEVE , 1½" long	QR	—	—	
10H/23298	2CZ.108423	SOCKET , coupler mounted	1	—	B	
5F/2301	NY.18007	STRAPPING , nylon	QR	—	C	
5F/2307	NY.3255	STUD , nylon	QR	—	C	
	E.F2.81.6595	CABLE , assembly, FS8, from flight control computer to sloping bulkhead, MRG distribution box and panel break frames 21-22, group	1	—	—	
		(Mod. 2443)				
		Consisting of:—				
5E/3893	†	CABLE , unitercil No. 22	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP , cable	3	—	C	
10H/0970296	508/1/07780/003	CLAMP , cable	1	—	C	
10H/0119877	508/2/07705/200	GASKET , outlet	3	—	C	
10H/0970060	Z.60669	GASKET , outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET , union	3	—	C	
10H/0970110	Z.62239	GASKET , union	1	—	C	
10H/0970062	CZ.49180	OUTLET , straight	1	—	C	
10H/0970069	CZ.49181	OUTLET , angle	2	—	C	
10H/0970074	CZ.49187	OUTLET , angle	1	—	C	
10H/23242	2CZ.84982/2	PLUG , free, 25-way, Mk.4	1	—	B	
or						
10H/22908	2CZ.111935/2	PLUG , free, 25-way, Mk.5	1	—	B	
10H/23250	2CZ.84992	PLUG , free, 3-way, Mk.4	1	—	B	
or						
10H/22874	2CZ.111911	PLUG , free, 3-way, Mk.5	1	—	B	
10H/0970088	508/2/07708/200	RING , sealing	3	—	C	
10H/0970090	Z.62233	RING , sealing	1	—	C	
10H/0970096	508/2/07752/007	RING , thrust	3	—	C	
10H/0970098	508/2/07758/007	RING , thrust	1	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
10H/23258	2CZ.84984/2	PLUG, free, 12-way, Mk.4	1	—	B	
10H/0970091	508/2/07709/200	RING, sealing	2	—	C	
10H/0970097	508/2/07757/007	RING, thrust	2	—	C	
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1 1/2" long	QR	—	—	
10H/23311	2CZ.84983	SOCKET, free, 12-way, Mk.4	1	—	B	
5F/2301	NY.18007	STRAPPING, nylon	QR	—	C	
5F/2307	NY.3255	STUD, nylon	QR	—	C	
	E.F2.81.2662	CABLE, assembly, FS12, from A.C. distribution box to transport joint frames 23-25, group Consisting of:—	1	—	—	
5E/3893	†	CABLE, unifersil No. 22	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable	1	—	C	
5K/4024	NL.8140	COVER, insulating	3	—	C	
10H/0119877	508/2/07705/200	GASKET, outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET, union	1	—	C	
10H/0970069	CZ.49181	OUTLET, angle	1	—	C	
10H/23254	2CZ.84986	PLUG, free, 6-way, Mk.4	1	—	B	
10H/0970088	508/2/07708/200	RING, sealing	1	—	C	
10H/0970096	Z.49037	RING, thrust	1	—	C	
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—	
8898	EEAS.146/C	SLEEVE, 3/4" long	QR	—	C	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
	EEAS.146/D	SLEEVE, 1" long	QR	—	—	
	EEAS.146/D	SLEEVE, 1 1/2" long	QR	—	—	
5X/7310	HC.1290	SPLICE, inline compression	3	—	C	
	E.F2.81.2663	CABLE, assembly, FS13, from panel break frames 21-20 to starboard gun beam, group Consisting of:—	1	—	—	
5E/3893	†	CABLE, unifersil No. 22	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable	1	—	C	
5K/4024	NL.8140	COVER, insulating	3	—	C	
10H/0119877	508/2/07705/200	GASKET, outlet	1	—	C	
10H/0970108	508/2/07719/200	GASKET, union	1	—	C	
10H/0970062	CZ.49180	OUTLET, straight	1	—	C	
10H/23780	2CZ.84992/1	PLUG, free, 3-way, Mk.4	1	—	B	
10H/0970088	508/2/07708/200	RING, sealing	1	—	C	
10H/0970096	508/2/07752/007	RING, thrust	1	—	C	
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1 1/2" long	QR	—	—	
5X/7310	HC.1290	SPLICE, inline compression	3	—	C	
	E.F2.81.2664	CABLE, assembly, FS14, from test panel to flight control computer, group Consisting of:—	1	—	—	
5E/3893	†	CABLE, unifersil No. 22	QR	—	C	
10H/0970296	508/1/07780/003	CLAMP, cable	2	—	C	
10H/0970060	Z.60669	GASKET, outlet	2	—	C	
10H/0970110	Z.62239	GASKET, union	2	—	C	
10H/0970074	CZ.49187	OUTLET, angle	2	—	C	
10H/23240	2CZ.84982/4	PLUG, free, 25-way, Mk. 4	1	—	B	
10H/0970090	Z.62233	RING, sealing	2	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
10H/0970098	508/2/07758/007								2	—	C	
	EEAS.146/O								QR	—	—	
	EEAS.146/H								QR	—	—	
	EEAS.146/H								QR	—	—	
10H/23299	2CZ.108423/1								1	—	B	
5F/2301	NY.18007								QR	—	C	
5F/2307	NY.3255								QR	—	C	
	E.F.2.81.2665								1	—	—	
5E/3893	†								QR	—	C	
10H/0970296	508/1/07780/003								1	—	C	
10H/0970060	Z.60669								1	—	C	
10H/0970110	Z.62239								1	—	C	
10H/0970074	CZ.49187								1	—	C	
10H/0970090	Z.62233								1	—	C	
10H/0970098	508/2/07758/007								1	—	C	
	EEAS.146/O								QR	—	—	
8898	EEAS.146/O								QR	—	C	
	EEAS.146/H								QR	—	—	
	EEAS.146/H								QR	—	—	
10H/23266	2CZ.84981/3								1	—	B	
5F/2301	NY.18007								QR	—	C	
5F/2307	NY.3255								QR	—	C	
	E.F.2.81.2666								1	—	—	
	E.F.4.81.4623								1	—	—	
5E/3893	†								QR	—	C	
10H/0970296	508/1/07780/003								1	—	C	
5K/3685	NL.8140								25	—	C	
10H/0970060	Z.60669								1	—	C	
10H/0970110	Z.62239								1	—	C	
10H/0970074	CZ.49187								1	—	C	
10H/0970090	Z.62233								1	—	C	
10H/0970098	508/2/07758/007								1	—	C	
	EEAS.146/22								QR	—	—	
	EEAS.146/22								QR	—	—	
	EEAS.146/2								QR	—	—	
	EEAS.146/2								QR	—	—	
10H/23303	2CZ.84981/1								1	—	B	
5X/7310	HC.1290								25	—	C	
	E.F.2.81.2667								1	—	—	
5E/3893	†								QR	—	C	
10H/0970295	508/1/07779/003								1	—	C	
10H/0970059	508/2/07706/200								1	—	C	
10H/0970109	508/2/07722/200								1	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
			1	2	3	4	5	6	7			
10H/0970070	CZ.51529	OUTLET, angle	1	—	C	
10H/0970091	508/2/07709/200	RING, sealing	1	—	C	
10H/0970097	508/2/07757/007	RING, thrust	1	—	C	
8898	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
	EEAS.146/E	SLEEVE, 1" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1 1/2" long	QR	—	—	
	10H/23311	2CZ.84983	SOCKET, free, 12-way, Mk. 4	1	—	B
5F/2301	NY.18007	STRAPPING, nylon	QR	—	C	
5F/2307	NY.3255	STUD, nylon	QR	—	C	
	E.F2.81.2668	CABLE, assembly, FS17, from air data computer to transport joint, group	1	—	—	
		Consisting of :—										
5E/3893	†	CABLE, unifersil No. 22	QR	—	C	
10H/0970296	508/1/07780/003	CLAMP, cable	1	—	C	
10H/0970060	Z.60669	GASKET, outlet	1	—	C	
10H/0970110	Z.62239	GASKET, union	1	—	C	
10H/0970074	CZ.49187	OUTLET, angle	1	—	C	
10H/0970090	Z.62233	RING, sealing	1	—	C	
10H/0970098	508/2/07758/007	RING, thrust	1	—	C	
8898	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—	
	EEAS.147/O	SLEEVE, 3/4" long	QR	—	C	
	EEAS.146/H	SLEEVE, 1" long	QR	—	—	
	EEAS.146/H	SLEEVE, 1 1/2" long	QR	—	—	
	10H/23303	2CZ.84981/1	SOCKET, 25-way, Mk. 4	1	—	B
5F/2301	NY.18007	STRAPPING, nylon	QR	—	C	
5F/2307	NY.3255	STUD, nylon	QR	—	C	
	E.F2.81.2669	CABLE, assembly, FS18, from sloping bulkhead to flight control computer, group	1	—	—	
		Consisting of :—										
5E/3893	†	CABLE, unifersil No. 22	QR	—	C	
10H/0970296	508/1/07780/003	CLAMP, cable	2	—	C	
10H/0970060	Z.60669	GASKET, outlet	2	—	C	
10H/0970110	Z.62239	GASKET, union	2	—	C	
10H/0970074	CZ.49187	OUTLET, angle	1	—	C	
10H/0970067	CZ.49186	OUTLET, straight	1	—	C	
10H/23244	2CZ.84982	PLUG, free, 25-way, Mk. 4	1	—	B	
10H/0970090	Z.62233	RING, sealing	2	—	C	
10H/0970098	508/2/07758/007	RING, thrust	2	—	C	
10H/23304	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/H	SLEEVE, 1" long	QR	—	—	
	EEAS.146/H	SLEEVE, 1 1/2" long	QR	—	—	
	2CZ.84981	SOCKET, free, 25-way, Mk. 4	1	—	B
5F/2301	NY.18007	STRAPPING, nylon	QR	—	C	
5F/2307	NY.3255	STUD, nylon	QR	—	C	
	E.F2.81.2671	CABLE, assembly, FS20, from port console side panel to sloping bulkhead, group	1	—	—	
		Consisting of :—										
5E/3893	†	CABLE, unifersil No. 22	QR	—	C	
10H/0970295	508/1/07779/003	CLAMP, cable	1	—	C	
10H/0970059	508/2/07706/200	GASKET, outlet	1	—	C	
10H/0970109	508/2/07722/200	GASKET, union	1	—	C	
10H/0970063	CZ.51528	OUTLET, straight	1	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
10H/0970091	508/2/07709/200								1	—	C	
10H/0970097	508/2/07757/007								1	—	C	
8898	EEAS.146/O								QR	—	—	
	EEAS.146/O								QR	—	C	
	EEAS.146/E								QR	—	—	
	EEAS.146/E								QR	—	—	
10H/0560181	CZ.49126/1								1	—	B	
5F/2301	NY.18007								QR	—	C	
5F/2307	NY.3255								QR	—	C	
	E.F.2.81.2672								1	—	—	
5E/3893	†								QR	—	C	
10H/0970292	508/1/07776/003								1	—	C	
10H/0970058	Z.60067								1	—	C	
10H/0970108	508/2/07719/200								1	—	C	
10H/0970062	CZ.49180								1	—	C	
5X/7226	HC.1281								4	—	C	
	or											
5X/	A.M.P. 41667								4	—	C	
10H/0970088	508/2/07708/200								1	—	C	
10H/0970096	508/2/07752/007								1	—	C	
8898	EEAS.146/O								QR	—	—	
	EEAS.146/O								QR	—	C	
	EEAS.146/C								QR	—	—	
	EEAS.146/C								QR	—	—	
10H/0560110	CZ.49016								1	—	B	
	E.F.2.81.2673								1	—	—	
5E/3893	†								QR	—	C	
10H/0970292	508/1/07776/003								1	—	C	
10H/0119877	508/2/07705/200								2	—	C	
10H/0970108	508/2/07719/200								1	—	C	
10H/0970069	CZ.49181								1	—	C	
10H/0970062	CZ.49180								1	—	C	
10H/23260	2CZ.84986/2								1	—	B	
10H/0970088	508/2/07708/200								1	—	C	
10H/0970096	508/2/07752/007								1	—	C	
	EEAS.146/O								QR	—	—	
	EEAS.146/D								QR	—	—	
	EEAS.146/D								QR	—	—	
10H/23317	2CZ.84985								1	—	B	
	E.F.2.81.2674								1	—	—	
5E/3893	†								QR	—	C	
10H/0970296	508/2/07780/003								1	—	C	
10H/0970060	Z.60669								1	—	C	
10H/0970110	Z.62239								1	—	C	
10H/0970074	CZ.49187								1	—	C	
10H/0970090	Z.62233								1	—	C	
10H/0970098	Z.49084								1	—	C	

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8898	EEAS.146/O	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/O	SLEEVE, 3/4" long	QR	-	C	
	EEAS.146/H	SLEEVE, 1" long	QR	-	-	
	EEAS.146/H	SLEEVE, 1-1/2" long	QR	-	-	
10H/23304	2CZ.84981	SOCKET, free, 25-way, Mk. 4	1	-	B	
	E.F2.81.2675	CABLE, assembly, 2FS23, from inline crimp break frames 10-11 port lower to pitot-static transducer, group	1	-	-	
		Consisting of:-				
5E/3893	†	CABLE, unifersil No. 22	QR	-	C	
10H/0970296	508/1/07780/003	CABLE, clamp	1	-	C	
5K/4024	NL.8140	COVERS, insulating	25	-	C	
10H/0970069	Z.60669	GASKET, outlet	1	-	C	
10H/0970110	Z.62239	GASKET, union	1	-	C	
10H/0970074	CZ.49187	OUTLET, angle	1	-	C	
10H/23244	2CZ.84982	PLUG, free, 25-way, Mk. 4	1	-	B	
10H/0970090	Z.62233	RING, sealing	1	-	C	
10H/0970098	508/2/07758/007	RING, thrust	1	-	C	
8898	EEAS.146/O	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/O	SLEEVE, 3/4" long	QR	-	C	
	EEAS.146/H	SLEEVE, 1" long	QR	-	-	
	EEAS.146/H	SLEEVE, 1-1/1" long	QR	-	-	
5X/7310	HC.1290	SPLICE, inline compression	25	-	C	
5F/2301	NY.18007	STRAPPING, nylon	QR	-	C	
5F/2307	NY.3255	STUD, nylon	QR	-	C	
	E.F2.81.2678	CABLE, assembly, 2FS20, from plug break frame 12 port, throttle servo actuator to port console side panel, group	1	-	-	
		Consisting of:-				
5E/3893	†	CABLE, unifersil No. 22	QR	-	C	
10H/0970295	508/1/07779/003	CLAMP, cable	1	-	C	
5K/4024	NL.8140	COVER, insulating	12	-	C	
10H/0970059	508/2/07706/200	GASKET, outlet	1	-	C	
10H/0970109	508/2/07722/200	GASKET, union	1	-	C	
	E.F2.81.5229	LABEL, ident.	1	-	-	
10H/0970091	508/2/07709/200	RING, sealing	1	-	C	
10H/0970097	508/2/07757/007	RING, thrust	1	-	C	
8898	EEAS.146/O	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/O	SLEEVE, 3/4" long	QR	-	C	
	EEAS.146/E	SLEEVE, 1" long	QR	-	-	
	EEAS.146/E	SLEEVE, 1-1/2" long	QR	-	-	
10H/0560850	CZ.56745	SOCKET, panel mounting coupler, 12-way, Mk. 4	1	-	C	
5X/7310	HC.1290	SPLICE, inline	12	-	C	
5F/2301	NY.18007	STRAPPING, nylon	QR	-	C	
5F/2307	NY.3255	STUD, nylon	QR	-	C	
	E.F2.81.2679	CABLE, assembly, FS27, from master reference gyro No. 2 to master reference gyro distribution box, group	1	-	-	
		Consisting of:-				
5E/3893	†	CABLE, unifersil No. 22	QR	-	C	
10H/0970296	508/1/07780/003	CLAMP, cable	1	-	C	
	PR.905	COMPOUND, potting	QR	-	-	
10H/0970060	Z.60669	GASKET, outlet	2	-	C	
10H/0970110	Z.62239	GASKET, union	1	-	C	
10H/0970074	CZ.49187	OUTLET, angle	1	-	C	
	E.F2.81.5509	OUTLET, angle modified	1	-	-	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index														
							1	2	3	4	5	6	7							
10H/23243	2CZ.84982/1	PLUG, free, 25-way, Mk. 4	1	—	B															
10H/0970090	Z.62233	RING, sealing	1	—	C															
10H/0970098	508/2/07758/007	RING, thrust	1	—	C															
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—															
	EEAS.146/H	SLEEVE, 1" long	QR	—	—															
	EEAS.146/H	SLEEVE, 1-1/2" long	QR	—	—															
10H/23304	2CZ.84981	SOCKET, free, 25-way, Mk. 4	1	—	B															
5F/2301	NY.18007	STRAPPING, nylon	QR	—	C															
5F/2307	NY.3255	STUD, nylon	QR	—	C															
	E.F2.81.2680	CABLE, assembly, FS28, from master reference gyro No. 1 to master reference gyro distribution box, group Consisting of:—	1	—	—															
5E/3893	†	CABLE, uniersil No. 22	QR	—	C															
10H/0970296	508/1/07780/003	CLAMP, cable	2	—	C															
10H/0970060	Z.60669	GASKET, outlet	2	—	C															
10H/0970110	Z.62239	GASKET, union	2	—	C															
10H/0970074	CZ.49187	OUTLET, angle	2	—	C															
10H/23244	2CZ.84982	PLUG, free, 25-way, Mk. 4	1	—	B															
10H/0970090	Z.62233	RING, sealing	2	—	C															
10H/0970098	508/2/07758/007	RING, thrust	2	—	C															
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—															
	EEAS.146/H	SLEEVE, 1" long	QR	—	—															
	EEAS.146/H	SLEEVE, 1-1/2" long	QR	—	—															
10H/23303	2CZ.84981/1	SOCKET, free, 25-way, Mk. 4	1	—	B															
5F/2301	NY.18007	STRAPPING, nylon	QR	—	C															
5F/2307	NY.3255	STUD, nylon	QR	—	C															
	E.F2.81.2681	CABLE, assembly, FS29, from navigation display amplifier unit, starboard wing break to compass detector, group (Mk. 2 A/c) Consisting of:—	1	—	—															
5E/3893	†	CABLE, uniersil No. 22	QR	—	C															
10H/0970295	508/1/07779/003	CLAMP, cable	1	—	C															
5K/4024	NL.8140	COVER, insulating	12	—	C															
10H/0970059	508/2/07706/200	GASKET, outlet	1	—	C															
10H/0970109	508/2/07722/200	GASKET, union	1	—	C															
10H/0970063	CZ.51528	OUTLET, straight	1	—	C															
10H/23264	2CZ.84984	PLUG, free, 12-way, Mk. 4	1	—	B															
10H/0970091	508/2/07709/200	RING, sealing	1	—	C															
10H/0970097	508/2/07757/007	RING, thrust	1	—	C															
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—															
	8898	EEAS.146/O	QR	—	C															
	EEAS.146/E	SLEEVE, 3/4" long	QR	—	—															
	EEAS.146/E	SLEEVE, 1" long	QR	—	—															
	EEAS.146/E	SLEEVE, 1-1/2" long	QR	—	—															
5X/7310	HC.1290	SPLICE, inline compression	12	—	C															
5F/2301	NY.18007	STRAPPING, nylon	QR	—	C															
5F/2307	NY.3255	STUD, nylon	QR	—	C															
R	E.F4.81.4479	CABLE, assembly, FS29, from navigation display amplifier to transport joint tails, group (Mk. 2A A/c) Consisting of:—	1	—	—															
5E/3875	†	CABLE, uniefglas No. 22	QR	—	C															
R	508/1/07779/001	CLAMP, cable	1	—	—															
R	10H/9504382	508/2/07706/300	1	—	C															
R	508/2/07643/001	GASKET, outlet	1	—	—															
R	508/1/07029/320	OUTLET, straight	1	—	—															
	10H/0970097	508/2/07757/007	1	—	—															
		PLUG, free, Mk. 7, 12-way	1	—	—															
		RING, thrust	1	—	C															

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
10H/23257	2CZ.84982/3	PLUG, free, 25-way, Mk. 4	1	—	B	
10H/0970088	508/2/07708/200	RING, sealing	1	—	C	
10H/0970090	Z.62233	RING, sealing	3	—	C	
10H/0930096	508/2/07752/007	RING, thrust	1	—	C	
10H/0970098	508/2/07758/007	RING, thrust	3	—	C	
	EEAS.146/22	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/8	SLEEVE, 1" long	QR	—	—	
	EEAS.146/00	SLEEVE, 1" long	QR	—	—	
	EEAS.146/18	SLEEVE, 1 1/4" long	QR	—	—	
	EEAS.146/00	SLEEVE, 1 1/2" long	QR	—	—	
10H/23304	2CZ.84981	SOCKET, free, 25-way, Mk. 4	1	—	B	
10H/23300	2CZ.10843/2	SOCKET, coupler, panel mounted, 25-way, Mk. 4	1	—	B	
5X/7310	HC.1290	SPLICE, inline compression	26	—	C	
5F/9454141	NY.18007	STRAPPING, nylon	QR	—	C	
5F/2307	NY.3255	STUD, nylon	QR	—	C	
5X/1010324	HC.296	TAG, ring tongue	5	—	C	
	E.F2.81.9011	CABLE, assembly, FS19, from pilot's control unit to sloping bulkhead, group (Mod. 1976) Consisting of:—	1	—	LM	
	8755	BLOCK, connector	2	—	C	
	5E/3893	† CABLE, unitersil No. 22	QR	—	C	
10H/0970296	508/1/07780/003	CLAMP, cable	2	—	C	
10H/0970060	Z.60669	GASKET, outlet	2	—	C	
10H/0970110	Z.62239	GASKET, union	2	—	C	
10H/0970074	CZ.49187	OUTLET, angle	2	—	C	
	5X/7339	HC.1280	PIN, taper	6	—	C
		or				
	5X/7430	A.M.P. 41667	PIN, taper	6	—	C
10H/560400	CZ.49228	PLUG, 25-way, Mk. 4	1	—	C	
10H/0970090	Z.62233	RING, sealing	2	—	C	
10H/0970098	508/2/07758/007	RING, thrust	2	—	C	
	EEAS.146/A1	SLEEVE, 1" long	QR	—	—	
	EEAS.146/H	SLEEVE, 1" long	QR	—	—	
	EEAS.146/H	SLEEVE, 1 1/2" long	QR	—	—	
	EEAS.146/O	SLEEVE, 1 1/2" long	QR	—	—	
	8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C
	5K/9712745	NL.8141	SLEEVE, insulating	2	—	C
10H/0560220	CZ.49070	SOCKET, 25-way, Mk. 4	1	—	C	
5F/9454141	NY.18007	STRAPPING, nylon	QR	—	C	
5F/2307	NY.3255	STUD, nylon	QR	—	C	
5X/9718093	HC.296B	TAG, ring tongue	2	—	C	
	E.F2.81.9013	CABLE, assembly, FS38, from indicator selector to earth point E2, group (Mod. 1976) Consisting of:—	1	—	LM	
	5E/3893	† CABLE, unitersil No. 22	QR	—	C	
5X/9726815	HC.1350	FERRULE	1	—	C	
	8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C
	8899	EEAS.146/O	SLEEVE, 1" long	QR	—	C
		EEAS.146/O	SLEEVE, 1 1/2" long	QR	—	—
	HC.296A	TAG, ring tongue	1	—	—	
23065	E.F2.07.55	END, FS7L, cable assembly, for red range potted connector	1	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
23066	E.F2.07.57	END , FS7M, cable assembly, for red range potted connector								1	—	—	
23067	E.F2.07.59	END , FS7N, cable assembly, for red range potted connector								1	—	—	
23068	E.F2.07.61	END , FS7P, cable assembly, for red range potted connector								1	—	—	
23069	E.F2.07.63	END , FS4A, cable assembly, for red range potted connector								1	—	—	
23070	E.F2.07.65	END , FS3B, cable assembly, for red range potted connector								1	—	—	
23071	E.F2.07.67	END , FS7Q, cable assembly, for red range potted connector								1	—	—	
	E.F2.81.5053	MOUNTING , instrument bung, group Consisting of :—								1	—	—	30/1
12363	E.F2.81.5015	GASKET , bung Attachments :—								1	—	C	30/2
28D/9133012	A25/3C	Bolt, 2 BA, hex. head								8	—	C	30/3
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA								8	—	C	30/4
28W/9419404	SP16/C	Washer, 2 BA, plain								8	—	C	30/5
12364	E.B3.81.1131	GASKET , bung Attachments :—								1	—	C	30/6
28D/1008149	A25/2B	Bolt, 4 BA, hex. head								8	—	C	30/7
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA								8	—	C	30/8
28W/9419474	SP15/B	Washer, 4 BA, plain								8	—	C	30/9
12365	E.F2.81.1585	PANEL , socket mounting, assembly Spares for :—								1	—	B	30/10
	E.F2.81.1587	PANEL , socket mounting								1	—	—	30/11
	E.F2.81.5299	PLATE , tapped								12	—	—	30/12
	E.F2.81.5301	PLATE , capping								12	—	LM	30/13
12366	E.F2.81.4071	PLUG , shorting, group Consisting of :—								1	—	B	30/14
	E.F2.81.5309	LABEL								1	—	—	30/15
	E.F2.81.4073	LANYARD								1	—	—	30/16
10H/23241	2CZ.84982/3	PLUG , free, 25-way, Mk. 4								1	—	B	30/17
33H/	BRITISH PAINTS PR.905	RESIN , potting								QR	—	C	30/18
5E/9102375	†	WIRE , tinned copper, 20 SWG								QR	—	C	30/19
28D/1013172	AS.1242/5C	BOLT , 2 BA, c'sk head								3	—	C	30/20
10H/0970057	CZ.51540	CAP , protective								3	—	C	30/21
28S/1200049	A31/A12	SCREW , 6 BA, cheese head								12	—	C	30/22
5K/4024	NL.8140	SLEEVE , insulating								6	—	C	30/23
	EEAS.146/2	SLEEVE , 3/4" long								QR	—	—	30/24
5X/7310	HELLERMANN HC.1290	SPLICE , inline compression								6	—	C	30/25
28W/9995407	SP25/A	WASHER , 6 BA								10	—	C	30/26
28W/9452620	SP56/A	WASHER , spring... ..								12	—	C	30/27
5X/	2Z.139602	WASHER , panel packing								1	—	C	30/28
	—	LOOMS , cable, armament (E.F2.81.51) (Mk. 2 A/c) ...								—	—	—	
	—	LOOMS , cable, armament (E.F4.81.4051) (Mk. 2A A/c) Consisting of :—								—	—	—	
	E.F2.81.2703	CABLE , assembly, FC3, from plug break coupler panel forward equipment bay, greasefil micro-switch, armament relay box to transport joint frame 25, group Consisting of :—								1	—	—	
5E/3894	†	CABLE , uniterasil No. 20								QR	—	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
23066	E.F2.07.57	END , FS7M, cable assembly, for red range potted connector	1	—	—	
23067	E.F2.07.59	END , FS7N, cable assembly, for red range potted connector	1	—	—	
23068	E.F2.07.61	END , FS7P, cable assembly, for red range potted connector	1	—	—	
23069	E.F2.07.63	END , FS4A, cable assembly, for red range potted connector	1	—	—	
23070	E.F2.07.65	END , FS3B, cable assembly, for red range potted connector	1	—	—	
23071	E.F2.07.67	END , FS7Q, cable assembly, for red range potted connector	1	—	—	
	E.F2.81.5053	MOUNTING , instrument bung, group	1	—	—	
		Consisting of :—				
12363	E.F2.81.5015	GASKET , bung	1	—	C	
		Attachments :—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	8	—	C	
28M/10288	AGS.2001/C/1	Nut, stiff, 2 BA	8	—	C	
28W/9419404	SP16/C	Washer, 2 BA, plain	8	—	C	
12364	E.B3.81.1131	GASKET , bung	1	—	C	
		Attachments :—				
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	8	—	C	
28M/10287	AGS.2001/B/1	Nut, stiff, 4 BA	8	—	C	
28W/9419474	SP15/B	Washer, 4 BA, plain	8	—	C	
12365	E.F2.81.1585	PANEL , socket mounting, assembly	1	—	B	
		Spares for :—				
	E.F2.81.1587	PANEL , socket mounting	1	—	—	
	E.F2.81.5299	PLATE , tapped	12	—	—	
	E.F2.81.5301	PLATE , capping	12	—	LM	
12366	E.F2.81.4071	PLUG , shorting, group	1	—	B	
		Consisting of :—				
	E.F2.81.5309	LABEL	1	—	—	
	E.F2.81.4073	LANYARD	1	—	—	
10H/23241	2CZ.84982/3	PLUG , free, 25-way, Mk. 4	1	—	B	
33H/	BRITISH PAINTS PR.905	RESIN , potting	QR	—	C	
5E/9102375	†	WIRE , tinned copper, 20 SWG	QR	—	C	
28D/1013172	AS.1242/5C	BOLT , 2 BA, c'sk head	3	—	C	
10H/0970057	CZ.51540	CAP , protective	3	—	C	
28S/1200049	A31/A12	SCREW , 6 BA, cheese head	12	—	C	
5K/4024	NL.8140	SLEEVE , insulating	6	—	C	
	EEAS.146/2	SLEEVE , 3/4" long	QR	—	—	
5X/7310	HELLERMANN HC.1290	SPLICE , inline compression	6	—	C	
28W/9995407	SP25/A	WASHER , 6 BA	10	—	C	
28W/9452620	SP56/A	WASHER , spring... ..	12	—	C	
5X/	2Z.139602	WASHER , panel packing	1	—	C	
	—	LOOMS , cable, armament (E.F2.81.51) (Mk. 2 A/c)	—	—	—	
	—	LOOMS , cable, armament (E.F4.81.4051) (Mk. 2A A/c)	—	—	—	
		Consisting of :—				
	E.F2.81.2703	CABLE , assembly, FC3, from plug break coupler panel forward equipment bay, greasefil micro-switch, armament relay box to transport joint frame 25, group	1	—	—	
		Consisting of :—				
5E/3894	†	CABLE , unitersil No. 20	QR	—	C	

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
			1	2	3	4	5	6	7				
5X/9450396	HC.490 E.F2.81.2709	TERMINAL , quick release CABLE , assembly, FC9, from inline crimp starboard upper gun bay frames 17-18 to armament relay panel plug break frames 13-14, group Consisting of:—							2 1	— —	C —		
5E/3898	†	CABLE , unifersil No. 12							QR	—	C		
5E/3894	†	CABLE , unifersil No. 20							QR	—	C		
5E/	†	CABLE , unifersilmetsheath No. 20							QR	EL1934	C		
10H/0970296	508/1/07780/003	CLAMP , cable							1	—	C		
30B/	†	FOIL , lead, $\frac{3}{8}$ " wide x $\frac{1}{16}$ " thick							QR	—	C		
5X/7526	2CZ.84912/C EEAS.281/C2	GASKET , plug moulding							1	—	C		
5X/7036	2CZ.108916	OUTLET , straight							1	—	—		
10H/0970239	Z.67407	PLUG , standard, 14-way, "C" size							1	—	B		
10H/0970098	508/2/07758/007	RING , sealing							1	—	C		
5X/3148	Z.49428	RING , thrust							1	—	C		
	EEAS.146/A	SLEEVE , 4-7A							10	—	C		
	EEAS.146/C	SLEEVE , $\frac{1}{4}$ " long							QR	—	—		
	EEAS.146/G	SLEEVE , $\frac{3}{8}$ " long							QR	—	—		
	EEAS.146/G	SLEEVE , 1" long							QR	—	—		
5F/2301	NY.18007	SLEEVE , $1\frac{1}{2}$ " long							QR	—	—		
5F/2307	NY.3255	STRAPPING , nylon							QR	—	C		
32B/	H. D. SYMONDS SP.1172/5/SC	STUD , nylon							QR	—	C		
5E/	† E.F2.81.2711	TAPE , varnished nylon, 1" wide WIRE , tinned copper, 36 SWG							QR 1	— —	C —		
		CABLE , assembly, FC11, from Mk. 4 free socket to armament safety break special socket, group (Mk. 2 A/c) Consisting of:—							1	—	—		
12124	EEAS.276/C2	ADAPTOR , outlet							1	—	C		
5E/3896	†	CABLE , unifersil No. 16							QR	—	C		
5E/3894	†	CABLE , unifersil No. 20							QR	—	C		
10H/0970292	508/1/07776/003	CLAMP , cable							1	—	C		
10H/0970296	508/1/07780/003	CLAMP , cable							2	—	C		
10H/0970058	508/2/07705/200	GASKET , outlet							1	—	C		
10H/0970060	Z.60669	GASKET , outlet							1	—	C		
10H/0970108	508/2/07719/200	GASKET , union							1	—	C		
10H/0970110	Z.62239	GASKET , union							2	—	C		
10H/	2Z.84914/C	GASKET , socket ferrule							1	—	C		
10H/0970069	CZ.49181	OUTLET , angle							1	—	C		
10H/0970067	CZ.49186	OUTLET , straight							1	—	C		
10H/23255	2CZ.84986/1	PLUG , free, Mk. 4, 6 x 5 amp.							1	—	B		
10H/0970088	508/2/07708/200	RING , sealing							1	—	C		
10H/0970090	Z.62233	RING , sealing							2	—	C		
10H/0970096	508/2/07752/007	RING , thrust							1	—	C		
10H/0970098	508/2/07758/007	RING , thrust							2	—	C		
5X/3148	Z.49428	SLEEVE , cable 4-7A							6	—	C		
	EEAS.146/A	SLEEVE , $\frac{1}{8}$ " long							QR	—	—		
	EEAS.146/A1	SLEEVE , $\frac{1}{8}$ " long							QR	—	—		
	EEAS.146/A	SLEEVE , $\frac{3}{8}$ " long							QR	—	—		
	EEAS.146/A1	SLEEVE , $\frac{3}{8}$ " long							QR	—	—		
	EEAS.146/C	SLEEVE , 1" long							QR	—	—		
	EEAS.146/D	SLEEVE , 1" long							QR	—	—		
	EEAS.146/F	SLEEVE , 1" long							QR	—	—		
	EEAS.146/D	SLEEVE , $1\frac{1}{2}$ " long							QR	—	—		
	EEAS.146/E	SLEEVE , $1\frac{1}{2}$ " long							QR	—	—		
5X/7381	E.B2.81.11625	SOCKET , special, 12-way, assembly							1	—	C		
10H/23267	2CZ.84980	SOCKET , free, Mk. 9 x 19 amp.							1	—	B		

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5F/9545141	NY.18007	STRAPPING, nylon	QR	-	C	
5F/9138823	NY.3255	STUD, nylon	QR	-	C	
5X/1010324	HC.296	TAG, ring tongue	2	-	C	
5X/9450396	HC.490	TERMINAL, quick release	4	-	C	
5X/9482491	HC.500	TERMINAL, quick release	3	-	C	
	E.F4.81.4477	CABLE, assembly, FC11, from D.C. feeder fuse panel, armament relay box and emergency services fuse box to transport joint tails, group (Mk. 2A A/c) Consisting of:-	1	-	-	
5E/3896	†	CABLE, unifersil No. 16	QR	-	C	
5E/3894	†	CABLE, unifersil No. 20	QR	-	C	
	508/2/07776/001	CLAMP, cable	1	-	-	
	508/2/07780/001	CLAMP, cable	1	-	-	
10H/23742	508/2/07705/300	GASKET, outlet	1	-	C	
10H/9527683	508/2/07707/300	GASKET, outlet	1	-	C	
10H/9504381	508/2/07719/300	GASKET, union	1	-	C	
10H/23764	508/2/07724/300	GASKET, union	1	-	C	
	508/2/07645/001	OUTLET, straight	1	-	-	
	508/2/07648/001	OUTLET, angle	1	-	-	
	508/1/07023/321	PLUG, free, Mk. 7, 6-way	1	-	-	
10H/23763	508/1/07708/300	RING, sealing	1	-	C	
10H/23759	508/2/07713/300	RING, sealing	1	-	C	
10H/0970096	508/2/07752/007	RING, thrust	1	-	C	
10H/0970098	508/2/07758/007	RING, thrust	1	-	C	
	EEAS.146/16	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/20	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/16	SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/20	SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/2	SLEEVE, 1" long	QR	-	-	
	EEAS.146/2	SLEEVE, 1-1/4" long	QR	-	-	
	508/1/0713/320	SOCKET, free, Mk. 7, 9-way	1	-	-	
5F/2950	NY.18067	STRAP	QR	-	C	
5F/9138823	NY.3255	STUD	QR	-	C	
5X/9450396	HC.490	TERMINAL, quick release	3	-	C	
5X/9482491	HC.500	TERMINAL, quick release	4	-	C	
	E.F.2.81.2712	CABLE, assembly, FC12, from forward pressure bulkhead port side to pilot's control for GGS recorder starboard console side, group Consisting of:-	1	-	-	
5E/3894	†	CABLE, unifersil No. 20	QR	-	C	
10H/0970292	508/1/07776/003	CLAMP, cable	2	-	C	
10H/0970295	508/1/07779/003	CLAMP, cable	1	-	C	
10H/0229877	508/2/07705/200	GASKET, outlet	2	-	C	
10H/0970059	508/2/07706/200	GASKET, outlet	1	-	C	
10H/0970108	508/2/07719/200	GASKET, union	2	-	C	
10H/0970109	508/2/07722/200	GASKET, union	1	-	C	
10H/0970069	CZ.49181	OUTLET, angle	1	-	C	
10H/0970070	CZ.51529	OUTLET, angle	1	-	C	
10H/0970062	CZ.49180	OUTLET, straight	1	-	C	
10H/23254	2CZ.84986	PLUG, free, 6-way, Mk. 4	1	-	B	
10H/23258	2CZ.84984/2	PLUG, free, 12-way, Mk. 4	1	-	B	
10H/0970088	508/2/07708/200	RING, sealing	2	-	C	
10H/0970089	Z.62230	RING, sealing	1	-	C	
10H/0970096	508/2/07752/007	RING, thrust	2	-	C	
10H/0970097	508/2/07757/007	RING, thrust	1	-	C	
	EEAS.146/A	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/A	SLEEVE, 3/4" long	QR	-	-	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10H/23317 5F/2279 5F/2280	EEAS.146/E								QR	-	-	
	EEAS.146/G								QR	-	-	
	EEAS.146/E								QR	-	-	
	2CZ.84985								1	-	B	
	HV.3254								QR	-	C	
	OP.3255								QR	-	C	
	E.F.2.81.2713								1	-	-	
5E/3894	†								QR	-	C	
10H/0970292	508/1/07776/003								3	-	C	
10H/0970295	508/1/07779/003								1	-	C	
23398	EEAS.561								1	-	C	
5X/9310	HC.1290								1	-	C	
5K/4024	NL.8140								1	-	C	
5K/3687	NL.8143								1	-	C	
5X/9726815	HC.1350								3	-	C	
10H/0119877	508/2/07705/200								3	-	C	
10H/0970059	508/2/07704/200								1	-	C	
10H/0970108	508/2/07719/200								3	-	C	
10H/0970109	508/2/07722/200								1	-	C	
10H/0970062	CZ.49180								3	-	C	
10H/0970063	CZ.51528								1	-	C	
	†								QR	BSS381C DTD827	-	
	†								QR	BSS381C DTD827	-	
	†								QR	BSS381C DTD827	-	
5X/7226	HC.1281 or								3	-	C	
5X/7430	A.M.P. 41667								3	-	-	
10H/23254	2CZ.84986								1	-	B	
10H/23251	2CZ.84989								1	-	B	
10H/0970088	508/2/07708/200								3	-	C	
10H/0970091	508/2/07709/200								1	-	C	
10H/0970096	508/2/07752/007								3	-	C	
10H/0970097	508/2/07757/007								1	-	C	
	EEAS.146/A								QR	-	-	
	EEAS.146/A								QR	-	-	
	EEAS.146/D								QR	-	-	
	EEAS.146/E								QR	-	-	
	EEAS.146/G								QR	-	-	
	EEAS.146/G								QR	-	-	
10H/23323	2CZ.84991								1	-	B	
10H/23309	2CZ.84983/2								1	-	B	
5F/9545141	NY.18007								QR	-	C	
5F/9138823	NY.3255								QR	-	C	
	H. D. SYMONDS SP.1172/5/SC								QR	-	-	

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F4.81.5153	CABLE, assembly, FC13, group (Mod. 4472)	1	—	—	
		Consisting of:—				
5E/3894	—	CABLE, unifersil No. 20	1	—	C	
5K/4024	HCNL.8140	COVER, insulating	1	—	C	
5X/9726815	HC.1350	FERRULE	—	—	C	
	—	PAINT, french blue, No. 166	QR	BSS381C	—	
	—	PAINT, signal red, No. 537	QR	DTD827	—	
	—	PAINT, canary yellow, No. 309	QR	BSS381C	—	
	—	PAINT, canary yellow, No. 309	QR	DTD827	—	
	01.06.1.11.1.3.0	PLUG, 4-way, Mk. 7	1	—	—	
	01.06.1.11.1.4.0	PLUG, 6-way, Mk. 7	1	—	—	
	EEAS.146/20	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/20	SLEEVE, 1" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1-1/4" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1/2" long	QR	—	—	
	01.06.2.11.1.2.0	SOCKET, 3-way, Mk. 7	1	—	—	
	01.06.2.11.2.4.2	SOCKET, 12-way, Mk. 7	1	—	—	
5X/7310	HC.1290	SPLICE, in-line	1	—	C	
5X/9450396	HC.490	TAG, quick release	1	—	C	
5X/9462951	HC.294	TAG, ring tongue	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.								No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
	E.F2.81.2714	CABLE, assembly, FC14, from relay panel plug break to upper and lower gun relays Consisting of:-							1	-	-		
5E/3894	†	CABLE, unifersil No. 20							QR	-	C		
10H/0970292	508/1/07776/003	CLAMP, cable							1	-	C		
10H/0970058	508/2/07705/200	GASKET, outlet							1	-	C		
10H/0970108	508/2/07719/200	GASKET, union							1	-	C		
10H/0970062	CZ.49180	OUTLET, straight							1	-	C		
10H/23228	2CZ.84974	PLUG, coupler, 4 x 5 amp.							1	-	B		
10H/0970088	508/2/07708/200	RING, sealing							1	-	C		
10H/0970096	508/2/07752/007	RING, thrust							1	-	C		
	EEAS.146/O	SLEEVE, 1/2" long							QR	-	-		
8898	EEAS.146/O	SLEEVE, 3/4" long							QR	-	C		
	EEAS.146/C	SLEEVE, 1" long							QR	-	-		
	EEAS.146/D	SLEEVE, 1" long							QR	-	-		
	EEAS.146/D	SLEEVE, 1-1/2" long							QR	-	-		
5X/7424	HC.296D	TERMINAL, ring tongue							2	-	C		
5X/9450396	HC.490	TERMINAL, quick release							2	-	C		
	E.F2.81.2719	CABLE, assembly, FC19, from armament relay box plug break to over-run control and purging valve, group Consisting of:-							1	-	-		
5E/3894	†	CABLE, unifersil No. 20							QR	-	C		
10H/0970292	508/1/07776/003	CLAMP, cable							2	-	C		
10046	EEAS.274	FERRULE, assembly							1	-	C		
10H/0970059	508/2/07706/200	GASKET, outlet							1	-	C		
10H/0970108	508/2/07719/200	GASKET, union							2	-	C		
5X/7548	2Z.84914/A	GASKET, socket ferrule							1	-	C		
10H/019104	CZ.49184	OUTLET, straight							1	-	C		
5X/7226	HC.1281	PIN, taper							2	-	C		
	or												
5X/7430	A.M.P. 41667	PIN, taper							2	-	-		
10H/23233	2CZ.84975/1	PLUG, coupler, Mk. 4							1	-	B		
10H/0970088	508/2/07708/200	RING, sealing							2	-	C		
10H/0970096	508/2/07752/007	RING, thrust							2	-	C		
5K/3457	-	SLEEVE, Helsyn 100-LP							QR	-	C		
	EEAS.146/O	SLEEVE, 1/2" long							6	-	-		
	EEAS.146/A1	SLEEVE, 3/4" long							2	-	-		
8898	EEAS.146/O	SLEEVE, 3/4" long							6	-	C		
	EEAS.146/C	SLEEVE, 1" long							15	-	-		
	EEAS.146/D	SLEEVE, 1" long							29	-	-		
	EEAS.146/E	SLEEVE, 1" long							2	-	-		
	EEAS.146/E	SLEEVE, 1-1/2" long							1	-	-		
5K/3.48	Z.49428	SLEEVE, 4-7 AMP							2	-	C		
5X/7038	2CZ.84872	SOCKET, standard, 2-way, "A" size							1	-	B		
	E.F2.81.2720	CABLE, assembly, FC20, from AC gun firing unit power unit to lower gun relay, group Consisting of:-							1	-	-		
5E/3894	†	CABLE, unifersil No. 20							QR	-	C		
10H/0970292	508/1/07776/003	CLAMP, cable							1	-	C		
10H/0119877	508/2/07705/200	GASKET, outlet							1	-	C		
10H/0970108	508/2/07719/200	GASKET, union							1	-	C		
10H/0970069	CZ.49181	OUTLET, angle							1	-	C		
10H/23251	2CZ.84989	PLUG, free, Mk. 4							1	-	B		
10H/0970088	508/2/07708/200	RING, sealing							1	-	C		
10H/0970096	508/2/07752/007	RING, thrust							1	-	C		
	EEAS.146/O	SLEEVE, 1/2" long							4	-	-		
8898	EEAS.146/O	SLEEVE, 3/4" long							4	-	C		
	EEAS.146/C	SLEEVE, 1" long							20	-	-		
	EEAS.146/D	SLEEVE, 1" long							2	-	-		
	EEAS.146/D	SLEEVE, 1-1/2" long							1	-	-		
5X/7424	HC.296D	TAG, ring tongue							2	-	C		
5X/9450396	HC.490	TAG, quick release							2	-	C		

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
	E.F.2.81.2729	CABLE, assembly, FC29, from AC fuse and relay box, earth point E6, fuse panel spine floor, to AC gun firing power unit, group Consisting of:—								1	—	—	
5E/3894	†	CABLE, unitercil No. 20								QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable								1	—	C	
10H/0970295	508/1/07779/003	CLAMP, cable								1	—	C	
5X/9726815	HC.1350	FERRULE, size "O"								1	—	C	
10H/0970058	508/2/07705/200	GASKET, outlet								1	—	C	
10H/0970059	508/2/07706/200	GASKET, outlet								1	—	C	
10H/0970108	508/2/07719/200	GASKET, union								1	—	C	
10H/0970109	508/2/07722/200	GASKET, union								1	—	C	
10H/0970069	CZ.49181	OUTLET, angle								1	—	C	
10H/0970063	CZ.51528	OUTLET, straight								1	—	C	
10H/0970088	508/2/07708/200	RING, sealing								1	—	C	
10H/0970089	Z.62230	RING, sealing								1	—	C	
10H/097096	508/2/07752/007	RING, thrust								1	—	C	
10H/0970097	508/2/07757/007	RING, thrust								1	—	C	
	EEAS.146/O	SLEEVE, 1/2" long								QR	—	—	
8898	EEAS.146/O	SLEEVE, 3/4" long								QR	—	C	
	EEAS.146/C	SLEEVE, 1" long								QR	—	—	
	EEAS.146/D	SLEEVE, 1" long								QR	—	—	
	EEAS.146/E	SLEEVE, 1" long								QR	—	—	
	EEAS.146/E	SLEEVE, 1-1/2" long								QR	—	—	
10H/23317	2CZ.84985	SOCKET, free, Mk. 4								1	—	B	
10H/23311	2CZ.84983	SOCKET, free, Mk. 4								1	—	B	
5X/9450396	HC.490	TAG, quick release								5	—	C	
	E.F.2.81.2732	CABLE, assembly, FC32, from port upper gun to upper gun relay, group Consisting of:—								1	—	—	
5E/3894	†	CABLE, unitercil No. 20								QR	—	C	
5X/9462951	HC.294	LUG, crimped, 4 BA								1	—	C	
9801	E.B2.81.6729	PIECE, distance, 14 SWG								1	L54	C	
	BRITISH PAINTS PR.905	RESIN, potting								QR	—	—	
	EEAS.146/A	SLEEVE, 3/4" long								QR	—	—	
	EEAS.146/C	SLEEVE, 1" long								QR	—	—	
	EEAS.146/A	SLEEVE, 1-1/2" long								QR	—	—	
	EEAS.146/C	SLEEVE, 1-1/2" long								QR	—	—	
10H/27827	2CZ.108421	SOCKET, coupler, Mk. 4								1	—	B	
	E.F.2.81.5969	CABLE, assembly, FC34, from taper pin block AE18 frames 10-13 starboard windscreen longeron, earth point E2, to armament time indicator and relay box starboard console frames 8-9, group Consisting of:—								1	—	—	
5E/3894	†	CABLE, unitercil No. 20								QR	—	C	
10H/0970292	Z.69733	CLAMP, cable								2	—	C	
	A.M.P. 323796	CONNECTOR, butt								3	—	—	
5X/9726815	HC.1350	FERRULE, size "O"								3	—	—	
10H/0970058	Z.60667	GASKET, outlet								2	—	C	
10H/0970108	Z.62235	GASKET, union								2	—	C	
10H/0970069	CZ.49181	OUTLET, angle								1	—	C	
10H/0970062	CZ.49180	OUTLET, straight								1	—	C	
5X/7543	HC.1281	PIN, taper								4	—	C	
	or												
5X/7430	A.M.P. 41667	PIN, taper								4	—	—	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
10H/0970088	Z.62229								2	—	C	
10H/0970096	Z.49037								2	—	C	
	EEAS.146/O								QR	—	—	
8898	EEAS.146/O								QR	—	C	
	EEAS.146/C								QR	—	—	
	EEAS.146/D								QR	—	—	
	EEAS.146/E								QR	—	—	
	EEAS.146/E								QR	—	—	
8899	EEAS.146/O								QR	—	C	
10H/23319	2CZ.84990								1	—	B	
10H/23317	2CZ.84985								1	—	B	
5X/1010324	HC.296								3	—	C	
	E.F2.81.2735								1	—	—	
									CABLE, assembly, FC35, from starboard upper gun to upper gun relay, group			
									Consisting of:—			
5E/3894	†								QR	—	C	
5X/9462951	HC.294								1	—	C	
	E.B2.81.6729								1	L54	C	
33H/	BRITISH PAINTS PR.905								QR	—	C	
	EEAS.146/A								QR	—	—	
	EEAS.146/C								QR	—	—	
	EEAS.146/A								QR	—	—	
	EEAS.146/C								QR	—	—	
10H/23287	2CZ.108421								1	—	B	
	E.F2.81.2739								1	—	—	
									CABLE, assembly, FC59, from port wing panel break frame 18 to starboard wing panel break frame 18, group (Mk. 2 A/c)			
									Consisting of:—			
5E/3894	†								QR	—	C	
10H/0970292	508/1/07776/003								2	—	C	
10H/0119877	508/2/07705/200								2	—	C	
10H/0970108	508/2/07708/200								2	—	C	
5X/	HC.295A								2	—	—	
10H/0970069	CZ.49181								2	—	C	
10H/23229	2CZ.84972								1	—	B	
10H/0970088	508/2/07708/200								2	—	C	
10H/0970096	508/2/07752/007								2	—	C	
	EEAS.146/A								QR	—	—	
	EEAS.146/A1								QR	—	—	
	EEAS.146/C								QR	—	—	
	EEAS.146/D								QR	—	—	
	EEAS.146/D								QR	—	—	
10H/23292	2CZ.84971								1	—	B	
	E.F4.81.4469								1	—	—	
									CABLE, assembly, FC59, from port wing panel break frame 18 to starboard wing panel break frame 18, group (Mk. 2A A/c)			
									Consisting of:—			
5E/3894	—								QR	—	C	
10H/	508/1/07776/001								2	—	—	
10H/23742	508/1/07705/300								2	—	C	
10H/9504381	508/2/07719/300								2	—	C	
10H/	508/2/07531/001								2	—	—	
10H/	508/2/07648/001								2	—	—	

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
10H/	508/1/07063/320								1	—	—	
10H/23763	508/2/07708/300								2	—	C	
10H/970096	508/2/07752/300								2	—	C	
	EEAS.146/6								QR	—	—	
	EEAS.146/20								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/20								QR	—	—	
	EEAS.146/6								QR	—	—	
10H/	508/1/07043/321								1	—	—	
	E.F2.81.2740								1	—	—	
									SOCKET, coupler, fixed, Mk. 7, 6-way			
									CABLE, assembly, FC60, from JB7 port wing to D.C. feeder fuse panel, group			
									Consisting of:—			
5E/3897	†								QR	—	C	
5E/3894	†								QR	—	C	
10H/0970294	508/1/07778/003								1	—	C	
10H/0970059	508/2/07706/200								1	—	C	
10H/0970111	508/2/07720/200								1	—	C	
10H/0970072	CZ.49183								1	—	C	
10H/0970091	508/2/07719/200								1	—	C	
10H/2149	Z.66473								1	—	C	
	EEAS.146/A								QR	—	—	
	EEAS.146/C								QR	—	—	
	EEAS.146/A								QR	—	—	
	EEAS.146/C								QR	—	—	
	EEAS.146/D								QR	—	—	
	EEAS.146/D								1	—	—	
10H/23595	2CZ.84987								1	—	B	
5X/9450396	HC.490								2	—	C	
5X/9400386	12106								1	—	—	
	E.F2.81.2741								1	—	—	
									CABLE, assembly, FC61, from JB7 port wing to port wing panel break frame 18, group			
									Consisting of:—			
5E/3894	†								QR	—	C	
10H/0970292	508/1/07776/003								1	—	C	
10H/0970296	508/1/07780/003								2	—	C	
10H/0119877	508/2/07705/200								1	—	C	
10H/0970060	Z.60669								2	—	C	
10H/0970108	508/2/07719/200								1	—	C	
10H/0970240	Z.67406								2	—	C	
10H/0970074	CZ.49187								1	—	C	
10H/0970062	CZ.49180								1	—	C	
10H/0970067	CZ.49186								1	—	C	
10H/23244	2CZ.84982								1	—	B	
10H/23254	2CZ.84986								1	—	B	
10H/0970088	508/2/07708/200								1	—	C	
10H/0970239	Z.67407								2	—	C	
10H/0970096	508/2/07752/007								1	—	C	
10H/0970098	508/2/07758/007								2	—	C	
	EEAS.146/A								QR	—	—	
	EEAS.146/D								QR	—	—	
	EEAS.146/H								QR	—	—	
	EEAS.146/J								QR	—	—	
	EEAS.146/J								QR	—	—	
10H/23303	2CZ.84981/1								1	—	B	
5F/2301	NY.18007								QR	—	C	
									SOCKET, free, 25 × 5 a., Mk. 4			
									STRAPPING, nylon			

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.										
							1	2	3	4	5	6	7			
5F/2307	NY.3255	STUD, nylon	QR	—	C											
	E.F2.81.2742	CABLE, assembly, FC70, from JB8 starboard wing to starboard wing panel break frame 18, group	1	—	—											
		Consisting of :—														
	5E/3894 †	CABLE, uniersil No. 20	QR	—	C											
10H/0970292	508/1/07776/003	CLAMP, cable	1	—	C											
10H/0970294	508/1/07778/003	CLAMP, cable	1	—	C											
10H/0119877	508/2/07705/200	GASKET, outlet	1	—	C											
10H/0970059	508/2/07706/200	GASKET, outlet	1	—	C											
10H/0970108	508/2/07719/200	GASKET, union	1	—	C											
10H/0970111	508/2/07720/200	GASKET, union	1	—	C											
10H/0970072	CZ.49183	OUTLET, angle	1	—	C											
10H/0970069	CZ.49181	OUTLET, angle	1	—	C											
	32B/ †	PAINT, french blue, No. 166	QR	BSS381 and DTD827	C											
	9801	PIECE, distance... ..	1	—	C											
10H/23264	2CZ.84984	PLUG, Mk. 4	1	—	B											
	33H/	RESIN, potting	QR	—	C											
		PR.509														
10H/0970088	508/2/07708/200	RING, sealing	1	—	C											
10H/0970091	508/2/07709/200	RING, sealing	1	—	C											
10H/0970096	508/2/07752/007	RING, thrust	1	—	C											
10H/9995082	508/2/07756/007	RING, thrust	1	—	C											
	EEAS.146/A	SLEEVE, ½" long	QR	—	—											
	EEAS.146/C	SLEEVE, 1" long	QR	—	—											
	EEAS.146/D	SLEEVE, 1" long	QR	—	—											
	EEAS.146/E	SLEEVE, 1" long	QR	—	—											
	EEAS.146/E	SLEEVE, 1½" long	QR	—	—											
10H/23317	2CZ.84985	SOCKET, Mk. 4	1	—	B											
10H/23288	2CZ.108446	SOCKET, coupler, fixed, Mk. 4	1	—	B											
	5F/2301	STRAPPING, nylon	QR	—	C											
	5F/2307	STUD, nylon	QR	—	C											
	E.F2.81.2745	CABLE, assembly, FC33, from P.A.S. controller aft pressure bulkhead plug break starboard, to plug break port and inline crimp break starboard console frame 12, group (Mod. 2017)	1	—	—											
		Consisting of :—														
	5E/3894 †	CABLE, uniersil No. 20	QR	—	C											
	5E/3895 †	CABLE, uniersil No. 22	QR	—	C											
10H/0970295	508/1/07779/003	CLAMP, cable	1	—	C											
10H/0970296	508/1/07780/003	CLAMP, cable	2	—	C											
	6038	CLAMP, cable (half)	2	—	C											
		Attachments :—														
28D/9436320	A169/½/D	Bolt, hex. head, UNF No. 10	4	—	C											
28M/10328	AGS.2002/C/1	Nut, stiff, 2 BA	2	—	C											
28S/9997545	A31/C16	Screw, 2 BA cheese head	2	—	C											
	28S/	Screw, UNF, 100° c'sk head, ½" long	2	—	—											
28W/1006946	AGS.2035/C	Washer, shakeproof, 2 BA	4	—	C											
	23398	CONNECTOR, taper pin	1	—	C											
	5K/4024	COVER, insulating	133	—	C											
	5K/3687	COVER, insulating	1	—	C											
10H/0970059	508/2/07706/200	GASKET, outlet	1	—	C											
10H/0970060	Z.60669	GASKET, outlet	2	—	C											
10H/0970109	508/2/07722/200	GASKET, union	1	—	C											
10H/0970110	Z.62239	GASKET, union	2	—	C											
10H/0970074	CZ.49187	OUTLET, angle	1	—	C											

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.										
							1	2	3	4	5	6	7			
10H/0970067	CZ.49186	OUTLET, straight	1	—	C											
10H/0970063	CZ.51528	OUTLET, straight	1	—	—											
5X/7226	HC.1281	PIN, taper	3	—	C											
	or															
5X/7430	A.M.P.41667	PIN, taper	3	—	—											
	E.B2.81.8503	PLATE, mounting	1	—	—											
10H/0970098	Z.62230	RING, sealing	1	—	C											
10H/0970090	Z.62233	RING, sealing	2	—	C											
10H/0970098	508/2/07758/007	RING, thrust	2	—	C											
10H/0970097	508/2/07757/007	RING, thrust	1	—	C											
5K/4403	HV.4381	SLEEVE, outlet... ..	1	—	C											
	EEAS.146/20	SLEEVE, 1/2" long	QR	—	—											
	EEAS.146/12	SLEEVE, 3/4" long	QR	—	—											
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—											
	EEAS.146/12	SLEEVE, 1" long	QR	—	—											
	EEAS.146/6	SLEEVE, 1" long	QR	—	—											
	EEAS.146/2	SLEEVE, 1" long	QR	—	—											
	EEAS.146/0000	SLEEVE, 1" long	QR	—	—											
	EEAS.146/0000	SLEEVE, 1 1/2" long	QR	—	—											
8B/3920	FERRANTI	SOCKET, 109-way	1	—	B											
	B/94/20450															
10H/0560850	CZ.56745	SOCKET, coupler, 12-way, Mk. 4	1	—	B											
10H/0560870	CZ.56746	SOCKET, coupler, 25-way, Mk. 4	1	—	B											
10H/23298	CZ.108423	SOCKET, coupler, 25-way, Mk. 4	1	—	B											
5X/7310	HC.1290	SPLICE, inline compression	133	—	C											
5F/2301	NY.18007	STRAPPING, nylon	QR	—	C											
5F/2307	NY.3255	STUD, nylon	QR	—	C											
	E.F2.81.2747	CABLE, assembly, 2FC7A, from inline crimp frames 20-21 to Mk. 4 panel mounting coupler socket, group	1	—	—											
		Consisting of:—														
5E/3894	†	CABLE, unifersil No. 20	QR	—	C											
5E/	†	CABLE, unifersilmet sheath No. 20	QR	EL1934	C											
30B/	†	FOIL, lead, 3/8" wide x .02 thick	QR	—	C											
33B/	†	PAINT, canary yellow, No. 309	QR	BSS381C and DTD827	C											
8841	E.B2.81.14963	PIECE, distance	1	—	C											
33H/	BRITISH PAINTS PR.905	RESIN, potting	QR	—	C											
	EEAS.146/A	SLEEVE, 1/2" long	QR	—	—											
	EEAS.146/A	SLEEVE, 3/4" long	QR	—	—											
	EEAS.146/C	SLEEVE, 1" long	QR	—	—											
	EEAS.146/E	SLEEVE, 1" long	QR	—	—											
	EEAS.146/F	SLEEVE, 1" long	QR	—	—											
	EEAS.146/H	SLEEVE, 1" long	QR	—	—											
	EEAS.146/H	SLEEVE, 1 1/2" long	QR	—	—											
5K/4024	NY.8140	SLEEVE, cable	8	—	C											
10H/23293	2CZ.84970	SOCKET, coupler fixed 12 x 5 amp. Mk. 4	1	—	C											
5X/7310	HC.1290	SPLIT, inline	8	—	C											
5E/	†	WIRE, tinned copper, 32 SWG	QR	—	C											
	E.B3.81.3331	CABLE, assembly, 2FC33F, from FC33F cable break to access panel on starboard console frames 11 and 12, group (Mod. 2017)	1	—	—											
		Consisting of:—														
7366	E.B2.81.8381	COVER, assembly, for 91-way socket	1	—	C											
	E.B2.81.8377	PLATE, mounting, assembly	1	—	—											

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
28S/9992531	A33/A24	SCREW, 6 BA c'sk 90°	4	—	C	
	EEAS.146/O	SLEEVE, 1/8" long	QR	—	—	
	EEAS.146/E	SLEEVE, 3/8" long	QR	—	—	
8898	EEAS.146/O	SLEEVE, 3/8" long	QR	—	C	
	EEAS.146/K	SLEEVE, 1" long	QR	—	—	
	EEAS.146/K	SLEEVE, 1 1/2" long	QR	—	—	
10H/	FERRANTI	SOCKET, 91-way	1	—	B	
	A/15/01053					
32C/	H. D. SYMONDS	TAPE, nylon varnished, 1" wide, black	QR	—	C	
	SP.1172/5/SC					
5E/	†	WIRE, equipment P.T.F.E. type "B" 191-0076	QR	EL1930	C	
	E.B3.81.3695	CABLE, assembly, FC37, from ground arming link and pressure switch, frames 21 to 22 to gun purging pressure switch, group (Mod. 2419) (Mk. 2 A/c)	1	—	—	
		Consisting of:—				
5E/3894	†	CABLE, unitercil No. 20	QR	—	C	
5X/7430	A.M.P.41667	PIN, taper	2	—	C	
	EEAS.146/6	SLEEVE, 1/8" long	QR	—	—	
	EEAS.146/6	SLEEVE, 3/8" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/8" long	QR	—	—	
5F/9133798	HT.30	SLEEVE, helsyn, 150, 1/2" long, white	3	—	C	
5X/9718094	HC.295	TERMINAL, ring tongue	2	—	C	
5X/1010324	HC.296	TERMINAL, ring tongue	2	—	C	
	E.F4.81.4475	CABLE, assembly, FC37, from gun purging pressure switch to transport joint, group (Mk. 2A A/c)	1	—	—	
		Consisting of:—				
5E/3894	†	CABLE, unitercil No. 20	QR	—	C	
5X/7430	A.M.P.41667	PIN, taper	2	—	C	
	EEAS.146/6	SLEEVE, 1/8" long	QR	—	—	
	EEAS.146/6	SLEEVE, 3/8" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/8" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	E.B2.81.14923	CABLE, assembly, 2FC3A, from Mk. 4 fixed coupler socket pack plug panel break to inline splices frames 19-20, group	1	—	—	
		Consisting of:—				
5E/3894	†	CABLE, unitercil No. 20	QR	—	C	
5K/4024	NL.8140	COVER, insulating	13	—	C	
	†	PAINT, signal red	QR	BSS381C and DTD827	—	
8842	E.B2.81.14965	PIECE, distance...	1	—	C	
5X/7226	HC.1281	PIN, taper	5	—	C	
	or					
5X/	A.M.P. 41667	PIN, taper	5	—	C	
33H/	BRITISH PAINTS PR.905	RESIN, potting	QR	—	C	
8898	EEAS.146/O	SLEEVE, 3/8" long	36	—	C	
	EEAS.146/J	SLEEVE, 1" long	2	—	—	
	EEAS.146/J	SLEEVE, 1 1/2" long	1	—	—	
10H/23298	2CZ.108423	SOCKET, coupler fixed, 25 x 5 amp.	1	—	B	
	E.B2.81.14925	CABLE, assembly, 2FC7E, from GW master relay to plug panel weapons pack, frames 21-22, group	1	—	—	
		Consisting of:—				
5E/3898	†	CABLE, unitercil No. 12	QR	—	C	

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28W/18551	E.B2.81.12045	WASHER, ident., FC35	1	-	-	
	BARBER	WASHER, shakeproof, 5 BA	2	-	C	
28W/1200328	COLEMAN					
	1905					
28W/1200328	AGS.2037/B	WASHER, shakeproof, 6 BA	6	-	C	
	-	WIRING, in cockpit, forward end (E.F2.81.6525) (Mod. 2118) (Mk. 2 A/c)	-	-	-	30/29
33391	-	WIRING, in cockpit, forward end (E.F4.81.4285) (Mk. 2A A/c)	-	-	-	30/30
	E.F2.81.6531	Spares for:- CLIP, special, assembly	4	-	C	30/31
28D/1013171	E.F2.81.6529	Consisting of:- CLIP, special	1	L72	-	30/32
	E.F2.81.6537	SPIGOT	1	S1	-	30/33
28M/15819	E.F2.81.6533	SHIELD, cable	1	L44	-	30/34
	AS.1242/14B	Attachments:- Bolt, 4 BA, c'sk head	2	-	C	30/35
28W/9419474	AGS.2021/B/1	Nut, 4 BA, translucent cap	2	-	C	30/36
	SP15/B	Washer, 4 BA, plain	2	-	C	30/37
28D/1013171	E.F2.81.6535	SHIELD, cable	1	-	-	30/38
	AS.1242/14B	Attachments:- Bolt, 4 BA, c'sk head	2	-	C	30/39
28M/15819	AGS.2021/B/1	Nut, 4 BA, translucent cap	2	-	C	30/40
	SP15/B	Washer, 4 BA, plain	2	-	C	30/41
33H/228	-	WIRING, frames 22 to 25 lower, port (E.F2.81.5335)	-	-	-	23/9
	M.M.M. CO.	Spares for:- ADHESIVE	QR	-	C	
28D/9436920	EC.826	BRACKET	1	L72	-	23/10
	E.F2.81.5553	Attachments:- Bolt, 2 BA, hex. head	2	-	C	23/11
28M/9433473	A25/1C	Nut, stiff, 2 BA	2	-	C	23/12
	AGS.2002/C/1	CLIP, saddle, assembly	1	-	C	23/13
5K/3458	E.F2.81.5477	Consisting of:- CLIP, saddle	1	L72	-	23/14
	E.F2.81.5479	SLEEVEING, Helsyn 100-MP	QR	-	C	23/15
28D/9133011	†	SLEEVEING, Helsyn 150	QR	-	C	23/16
	or	Attachments:- Bolt, 2 BA, hex. head	2	-	C	23/17
28M/9433473	HT.100	Nut, stiff, 2 BA	1	-	C	23/18
	A25/2C	Pad, rubber	1	-	LM	23/19
28M/1278189	AGS.2002/C/1	Washer, "D"	2	L72	C	23/20
	E.F2.81.5475	CLIP, "P"	4	-	C	23/21
28D/1010658	EEAS.237/7/A	Attachments:- Bolt, 4 BA, hex. head	2	-	C	23/22
	HELLERMANN	Bolt, 4 BA, hex. head	2	-	C	23/23
28M/1278189	HT.0813/3/B	Nut, stiff, 4 BA	4	-	C	23/24
	A25/1B	Washer, "D"	4	L72	C	23/25
28M/1278189	A25/2B					
	AGS.2001/B/1					
9852	EEAS.238/1/A					

ELECTRICAL

ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
12068	HELLERMANN HT.0813/5/B	CLIP, "P"	1	—	C	23/26
		Attachments:—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	1	—	C	23/27
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	1	—	C	23/28
9852	EEAS.238/1/A	Washer, "D"	1	L72	C	23/29
12040	HELLERMANN HT.0813/8/B	CLIP, "P"	1	—	C	23/30
		Attachments:—				
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	1	—	C	23/31
10561	EEAS.237/6/A	Washer, "D"	1	L72	C	23/32
12069	HELLERMANN HT.0813/4/C	CLIP, "P"	1	—	C	23/33
		Attachments:—				
9340	EEAS.238/2A	Washer, "D"	1	L72	C	23/34
28E/4062058	AS.5418/22	CLIP, "P"	1	—	C	23/35
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	1	—	C	23/36
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	1	—	C	23/37
12370	E.F.2.81.5555	CONDUIT, assembly	1	—	C	23/38
	HELLERMANN					
10317	EE.11/2	EXTRUSION, Helsyn 100	QR	—	C	23/39
5F/9133802	HT.150	SLEEVE, Helsyn 150, white, 1/2" long	QR	—	C	
5F/9454141	NY.18007	STRAPPING, nylon	QR	—	C	23/40
5F/9138822	NY.3255	STUD, nylon	QR	—	C	23/41
32C/	FIBREGLASS	TAPE, glass, 1" x 0".009	QR	—	C	
33B/	MIDLAND	VARNISH, silicone	QR	—	C	
	SILICONE					
	MS.996					
	—	WIRING, in cockpit, port (E F 2 81 287) (Mk. 2 A/c)	—	—	—	23/42
	—	WIRING, in cockpit, port (E F 4 81 4287) (Mk. 2A A/c)	—	—	—	
		Spares for:—				
18005	E.F.2.81.3151	COVER, cable, assembly	1	—	C	23/43
	—	WIRING, in cockpit, starboard (E.F.2.81.289)	—	—	—	23/44
		(Mk. 2 A/c)				
	—	WIRING, in cockpit, starboard (E.F.4.81.4289)	—	—	—	
		(Mk. 2A A/c)				
		Spares for:—				
5937	E.B.2.81.4073	CLIP, cable, assembly	2	—	C	23/45
		Attachments:—				
28D/9140639	A25/11B	Bolt, 4 BA, hex. head	4	—	C	23/46
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	4	—	C	23/47
	E.F.2.81.5215	Plate	4	—	—	23/48
11116	E.F.2.81.5213	Spacer	2	—	C	23/49
5938	E.B.2.81.4074	CLIP, cable, assembly	2	—	C	23/50
		Attachments:—				
28D/9140639	A25/11B	Bolt, 4 BA, hex. head	4	—	C	23/51
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	4	—	C	23/52
	E.F.2.81.5215	Plate	4	—	—	23/53
11116	E.F.2.81.5213	Spacer	2	—	C	23/54
11117	E.F.2.81.3141	COVER, cable, assembly	1	—	C	23/55
		Consisting of:—				
29G/4214	CARR FASTENERS No. 52	BUTTON	QR	—	C	

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
29G/4216	CARR FASTENERS No. 82B								QR	—	C	
29G/4210	CARR FASTENERS No. C63								QR	—	C	
29G/4205	CARR FASTENERS No. 82								QR	—	C	
11118	E.F2.81.3145								1	—	B	23/56
29G/	CARR FASTENERS No. 18								3	—	C	
29G/	NEWWEY LTD. No. 54								4	—	C	
32A/	†								QR	—	C	
	—								—	—	—	31/1
	—								—	—	—	31/2
11119	E.F2.81.5133								1	—	C	31/3
	E.F2.81.5137								1	Shore Hardness 30-35	—	31/4
28D/9133011	A25/2C								1	—	C	31/5
28M/1278190	AGS.2001/C/1								1	—	C	31/6
9340	EEAS.238/2A								1	L72	C	31/7
11120	E.F2.81.5139								2	—	C	31/8
28M/1278190	AGS.2002/C/1								4	—	C	31/9
28S/9131095	A31/C14								4	—	C	31/10
9340	EEAS.282/2A								4	L72	C	31/11
12057	HELLERMANN HT.0813/4/B								1	—	C	31/12
9852	EEAS.238/1A								1	L72	C	31/13
12039	HELLERMANN HT.0813/6/B								2	—	C	31/14
28D/1008149	A25/2B								1	—	C	31/15
28D/9419452	A25/3B								1	—	C	31/16
28M/1278190	AGS.2001/B/1								2	—	C	31/17
	EEAS.238/A								2	L72	—	31/18
26FZ/8394	EEAS.28/2JR								1	L72	C	31/19

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7804	HELLERMANN HT0813/7/B	CLIP, "P"							2	—	C	31/20	
		Attachments :—											
28D/9140638	A25/4B	Bolt, 4 BA, hex. head							1	—	C	31/21	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							1	—	C	31/22	
26FZ/17743	EEAS.28/2CR	Washer							1	L72	C	31/23	
26FZ/8394	EEAS.28/2JR	Washer							1	L72	C	31/24	
	EEAS.238/A	Washer, "D"							2	L72	—	31/25	
12058	HELLERMANN HT.0813/9/B	CLIP, "P" (Mk. 2 A/c)							1	—	C	31/26	
		Attachments :—											
28D/1008149	A25/2B	Bolt, 4 BA, hex. head							1	—	C	31/27	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							1	—	C	31/28	
10561	EEAS.237/6A	Washer, "D"							1	L72	C	31/29	
12073	HELLERMANN HT.0813/12/B	CLIP, "P"							1	—	C	31/30	
		Attachments :—											
28D/1008149	A25/2B	Bolt, 4 BA, hex. head							1	—	C	31/31	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							1	—	C	31/32	
10561	EEAS.237/6A	Washer, "D"							1	L72	C	31/33	
12042	HELLERMANN HT.0813/13/B	CLIP, "P"							2	—	C	31/34	
		Attachments :—											
28D/1008149	A25/2B	Bolt, 4 BA, hex. head							2	—	C	31/35	
28D/1010658	A25/1B	Bolt, 4 BA, hex. head							1	—	C	31/36	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							1	—	C	31/37	
10561	EEAS.237/6A	Washer, "D"							2	L72	C	31/38	
12074	HELLERMANN HT.0813/14/B	CLIP, "P"							1	—	C	31/39	
		Attachments :—											
28D/1008149	A25/2B	Bolt, 4 BA, hex. head							1	—	C	31/40	
10561	EEAS.237/6A	Washer, "D"							1	L72	C	31/41	
12063	HELLERMANN HT.0813/3/C	CLIP, "P"							1	—	C	31/42	
		Attachments :—											
28D/9138768	A25/1C	Bolt, 2 BA, hex. head							1	—	C	31/43	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	—	C	31/44	
9340	EEAS.238/2A	Washer, "D"							1	L72	C	31/45	
12064	HELLERMANN HT.0813/7/C	CLIP, "P"							2	—	C	31/46	
		Attachments :—											
28D/9133011	A25/2C	Bolt, 2 BA, hex. head							1	—	C	31/47	
28D/9133012	A25/3C	Bolt, 2 BA, hex. head							1	—	C	31/48	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C	31/49	
26FZ/21064	EEAS.28/4JR	Washer							1	L72	C	31/50	
9340	EEAS.238/2A	Washer, "D"							2	L72	C	31/51	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
12067	HELLERMANN HT.0813/11/C								2	—	C	31/52
28D/9133012	A25/3C								1	—	C	31/53
28M/1278190	AGS.2001/C/1								1	—	C	31/54
	EEAS.28/11GR								1	L72	—	31/55
7871	EEAS.237/7A								1	L72	C	31/56
12046	HELLERMANN HT.0813/12/C								1	—	C	31/57
28D/9133011	A25/2C								1	—	C	31/58
28M/1278190	AGS.2001/C/1								1	—	C	31/59
7871	EEAS.237/7A								1	L72	C	31/60
12048	HELLERMANN HT.0813/13/C								3	—	C	31/61
28D/9133011	A25/2C								2	—	C	31/62
28M/1278190	AGS.2001/C/1								1	—	C	31/63
28S/9992533	A32/C20								1	—	C	31/64
7871	EEAS.237/7A								3	L72	C	31/65
33H/122	PR.611								QR	—	C	31/66
123												
33H/126	PR.1221BT								QR	—	C	31/67
127												
128												
11121	E.F2.81.5151								1	L44	C	31/68
28D/1007971	A25/1/2B								4	—	C	31/69
28S/1012450	A32/B10								4	—	C	31/70
9856	E.B2.81.15339								4	—	C	31/71
11122	E.F2.81.5153								1	L72	C	31/72
28W/1007776	AGS.2034/B								8	—	C	31/73
9855	E.B2.81.15265								1	—	C	31/74
28D/1007971	A25/1/2B								4	—	C	31/75
28S/1012450	A32/B10								4	—	C	31/76
9856	E.B2.81.15339								4	—	C	31/77
11123	E.B2.81.15337								1	L72	C	31/78
28W/1007776	AGS.2034/B								8	—	C	31/79
9857	E.B2.81.15537								1	—	C	31/80
28D/9138768	A25/1/2C								2	—	C	31/81
28S/9133016	A32/C12								2	—	C	31/82
	EEAS.146/E								2	—	—	31/83
5905	E.B2.81.10151								2	L65	C	31/84
28W/1006940	AGS.2034/C								4	—	C	31/85
5X/3177	Z.28021/C								1	—	C	22/63
28D/9706373	A25/2A								4	—	C	22/64
28M/9403518	A27/AP								4	—	C	22/65
28W/1007778	AGS.2035/A								4	—	C	22/66

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8909	E.B2.81.8209	SLEEVE , armament safety break switch	1	—	C	22/67
23687	EEAS.563	SLEEVE , armament safety break switch	1	—	C	22/36
	—	WIRING , frames 22-25 lower, starboard (E.F2.81.297) (Mk. 2 A/c)	—	—	—	32/1
	—	WIRING , frames 22-25 lower, starboard (E.F4.81.4297) (Mk. 2A A/c)	—	—	—	32/2
	E.F2.81.421	Spares for :— CLIP , assembly (Mk. 2 A/c)	1	—	—	32/3
		Attachments :—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	1	—	C	32/4
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	1	—	C	32/5
12068	HELLERMANN HT.0813/5/B	CLIP , "P"	2	—	C	32/6
		Attachments :—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	2	—	C	32/7
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	2	—	C	32/8
9852	EEAS.238/1A	Washer, "D"	2	L72	C	32/9
7804	HELLERMANN HT.0813/7/B	CLIP , "P" (Mk. 2 A/c)	1	—	C	32/10
12058	HELLERMANN HT.0813/9/B	CLIP , "P" (Mk. 2 A/c)	4	—	C	32/11
		Attachments :—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	1	—	C	32/7
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	4	—	C	32/12
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	5	—	C	32/13
10561	EEAS.237/6A	Washer, "D"	5	L72	C	32/14
12059	HELLERMANN HT.0813/11/B	CLIP , "P" (Mk. 2 A/c)	2	—	C	32/15
12064	HELLERMANN HT.0813/7/C	CLIP , "P" (Mk. 2 A/c)	3	—	C	32/16
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	—	C	32/17
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	3	—	C	32/5
9340	EEAS.238/2A	Washer, "D"	3	L72	C	32/18
28E/15679	AS.3181/32B	CLIP , "P" (Mk. 2 A/c)	2	—	C	32/19
		Attachments :—				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	2	—	C	32/7
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	32/13
10561	EEAS.237/6A	Washer, "D"	2	—	C	32/14
12057	HELLERMANN HT.0813/4B	CLIP , "P" (Mk. 2A A/c)... ..	1	—	C	32/20
12069	HELLERMANN HT.0813/4C	CLIP , "P" (Mk. 2A A/c)... ..	3	—	C	32/21
12041	HELLERMANN HT.0813/10B	CLIP , "P" (Mk. 2A A/c)... ..	1	—	C	32/22
12045	HELLERMANN HT.0813/10C	CLIP , "P" (Mk. 2A A/c)	5	—	C	32/23
12068	HELLERMANN HT.0813/5B	CLIP , "P"	1	—	C	32/6
12040	HELLERMANN HT.0813/8B	CLIP , "P" (4 off Mk. 2A A/c)	1	—	C	32/24

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	WIRING , frames 21-25, upper (E.F2.81.299) (Mk. 2 A/c)	—	—	—	32/25
	—	WIRING , frames 21-25, upper (E.F4.81.4299) (Mk. 2A A/c)	—	—	—	32/26
	E.B2.81.8187	Spares for :— BRACKET , assembly	1	—	—	32/27
28D/1007972	A25/1/2 C	Attachments :— Bolt, 2 BA, hex. head	2	—	C	32/28
11128	E.F2.81.4539	CLIP , assembly (Mk. 2 A/c)	1	—	C	32/29
28D/9436920	A25/1C	Attachments :— Bolt, 2 BA, hex. head	1	—	C	32/17
1441480	E.F4.81.4869	CLIP , assembly (Mk. 2A A/c)	1	—	C	32/30
28D/9346920	A25/1C	Attachments :— Bolt, 2 BA, hex. head	1	—	C	32/17
5940	E.B2.81.14791	CLIP , assembly (Mk. 2 A/c)	1	—	C	
28D/9436920	A25/1C	Attachments :— Bolt, 2 BA, hex. head	2	—	C	
11129	E.B3.81.2811	SHIELD , cable, assembly	1	—	C	32/31
28D/9133012	A25/3C	Attachments :— Bolt, 2 BA, hex. head	2	—	C	32/32
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	1	—	C	32/33
	—	WIRING , for main equipment bay (E.F2.81.301) (Mk. 2 A/c)	—	—	—	32/34
	—	WIRING , for main equipment bay (E.F4.81.4301) (Mk. 2A A/c)	—	—	—	32/35
11130	E.F2.81.4545	Spares for :— CLIP , assembly	2	—	C	32/36
28D/1008149	A25/2B	Attachments :— Bolt, 4 BA, hex. head	2	—	C	32/12
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	32/13
28S/1200034	A31/B16	Screw, 4 BA, cheese head (Mk. 2A A/c)	2	—	C	32/37
9852	EEAS.238/1A	Washer, "D" (Mk. 2A A/c)	2	L72	C	32/38
10561	EEAS.237/6A	Washer, "D"	2	L72	C	32/14
11131	E.F2.81.5041	CLIP , assembly	2	—	C	32/39
28M/9433473	AGS.2002/C/1	Attachments :— Nut, stiff, 2 BA	4	—	C	32/5
28S/9131095	A31/C14	Screw, 2 BA, cheese head	4	—	C	32/40
7871	EEAS.237/7A	Washer, "D"	4	L72	C	32/41
11132	E.F2.81.5163	CLIP , assembly	1	—	C	32/42
28D/1010658	A25/1B	Attachments :— Bolt, 4 BA, hex. head	2	—	C	32/7
9852	EEAS.238/1A	Washer, "D"	2	L72	C	32/38
12251	E.B2.81.7525	CONDUIT , flexible	1	—	C	32/43
12252	E.B2.81.7527	CONDUIT , flexible	1	—	C	32/44
	E.F2.81.4549	FAIRLEAD , assembly	2	—	—	32/45
28D/1008149	A25/2B	Attachments :— Bolt, 4 BA, hex. head	8	—	C	32/12
11571	E.B2.81.11781	FAIRLEAD , assembly	2	—	C	32/46
28S/1200047	A31/C24	Attachments :— Screw, 2 BA, cheese head	8	—	C	32/47

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5931	E.B2.81.6741	WASHER , identification	1	—	C	32/48	
		Attachments :—											
28W/9403519	A27/BP	Nut, 4 BA, plain	1	—	C	32/49	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	1	—	C	32/13	
28S/1200040	A31/B20	Screw, 4 BA, cheese head	1	—	C	32/50	
28W/9419474	SP15/B	Washer, 4 BA, plain	1	—	C	32/51	
5932	E.B2.81.6742	WASHER , identification	1	—	C	32/52	
		Attachments :—											
28M/9403519	A27/BP	Nut, 4 BA, plain	1	—	C	32/49	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	1	—	C	32/13	
28S/1200040	A31/B20	Screw, 4 BA, cheese head	1	—	C	32/50	
28W/9419474	SP15/B	Washer, 4 BA, plain	1	—	C	32/51	
	—	WIRING , in spine (E.F2.81.303) (Mk. 2 A/c)	—	—	—	33/1	
	—	WIRING , in spine (E.F4.81.4303) (Mk. 2A A/c)	—	—	—	33/2	
		Spares for :—											
13068	E.F2.81.5279	BRACKET , assembly	1	—	C	33/3	
		Spares for :—											
33H/228	M.M.M. EC.826	ADHESIVE	QR	—	C	33/4	
10317	HELLERMANN EE.11/2 E.F2.81.5281	EXTRUSION , Helsyn 100	QR	—	C	33/5	
		SPIGOT	1	S1	—	33/6	
		Attachments :—											
28M/15462	AGS.2021/C/3	Nut, cap, 2 BA	1	—	C	33/7	
		Attachments :—											
28S/1200053	A33/C16	Screw, 2 BA, c'sk head	1	—	C	33/8	
11133	E.F2.81.1771	CLIP , assembly	1	—	C	33/9	
		Attachments :—											
28D/9133011	A25/2C	Bolt, 2 BA, hex. head.	1	—	C	33/10	
26FZ/40304	EEAS.239/3A	Washer, "D"	1	L72	C	33/11	
11134	E.F2.81.1775	CLIP , assembly	3	—	C	33/12	
		Attachments :—											
33324	EEAS.21A/4GR	Washer, "D"	3	L72	C	33/13	
11135	E.F2.81.1779	CLIP , assembly	2	—	C	33/14	
		Attachments :—											
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	—	C	33/15	
28M/1278190	AGS.2001/C/1 EEAS.21A/4ER	Nut, stiff, 2 BA Washer, "D"	2 1	— L72	C —	33/16 33/17	
11136	E.F2.81.1783	CLIP , assembly	2	—	C	33/18	
12043	HELLERMANN HT.0813/5/C	CLIP , "P"	2	—	C	33/19	
		Attachments :—											
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	—	C	33/20	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	33/21	
28W/9419402	SP13/C	Washer, 2 BA, plain	1	—	C	33/22	
9340	EEAS.238/2A	Washer, "D"	2	L72	C	33/23	
12039	HELLERMANN HT.0813/6/B	CLIP , "P"	6	—	C	33/24	
		Attachments :—											
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	3	—	C	33/25	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	—	C	33/26	
9852	EEAS.238/1A	Washer, "D"	3	L72	C	33/27	

ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			12064	HELLERMANN HT.0813/7/C	CLIP, "P"								
		Attachments:—											
28D/9133011	A25/2C	Bolt, 2 BA, hex. head								1	—	C	33/20
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA								1	—	C	33/21
	9340	EEAS.238/2A								1	L72	C	33/23
28W/9419402	SP13/C	Washer, 2 BA, plain								1	—	C	33/22
12040	HELLERMANN HT.0813/8/B	CLIP, "P"								1	—	C	33/29
		Attachments:—											
28D/9419452	A25/3B	Bolt, 4 BA, hex. head								1	—	C	33/30
	10561	EEAS.237/6A								1	L72	C	33/31
12065	HELLERMANN HT.0813/8/C	CLIP, "P"								2	—	C	33/32
		Attachments:—											
	7871	EEAS.237/7A								2	L72	C	33/33
12073	HELLERMANN HT.0813/12/B	CLIP, "P"								1	—	C	33/34
		Attachments:—											
28D/1010658	A25/1B	Bolt, 4 BA, hex. head								1	—	C	33/25
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA								1	—	C	33/26
	10561	EEAS.237/6A								1	L72	C	33/31
12070	HELLERMANN HT.0813/16/B	CLIP, "P"								2	—	C	33/35
		Attachments:—											
28D/1010658	A25/1B	Bolt, 4 BA, hex. head								1	—	C	33/25
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA								1	—	C	33/26
28S/9419453	A31/B14	Screw, 4 BA, cheese head								1	—	C	33/36
	10561	EEAS.237/6A								1	L72	C	33/31
	9852	EEAS.238/1A								1	L72	C	33/27
12062	HELLERMANN HT.0813/20/B	CLIP, "P"								1	—	C	33/37
		Attachments:—											
28S/9419453	A31/B14	Screw, 4 BA, cheese head								1	—	C	33/36
	10561	EEAS.237/6A								1	L72	C	33/31
12050	HELLERMANN HT.0813/20/C	CLIP, "P"								1	—	C	33/38
		Attachments:—											
28D/9133012	A25/3C	Bolt, 2 BA, hex. head								1	—	C	33/39
	7871	EEAS.237/7A								1	L72	C	33/33
28W/9419402	SP13/C	Washer, 2 BA, plain								1	—	C	33/22
12068	HELLERMANN HT.0813/5/B	CLIP, "P"								6	—	C	33/40
		Attachments:—											
28D/1010658	A25/1B	Bolt, 4 BA, hex. head								2	—	C	33/25
28D/1008149	A25/2B	Bolt, 4 BA, hex. head								2	—	C	33/41
28D/9140638	A25/4B	Bolt, 4 BA, hex. head								1	—	C	33/42
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA								4	—	C	33/26
	9852	EEAS.238/1A								5	L72	C	33/27

**ELECTRICAL
ELECTRICAL EQUIPMENT IN FRONT FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
12058	HELLERMANN HT.0813/9/B								2	—	C	33/43
28D/1010658	A25/1B								1	—	C	33/25
28D/1008149	A25/2B								1	—	C	33/41
28M/1278189	AGS.2001/B/1								2	—	C	33/26
10561	EEAS.237/6A								2	L72	C	33/31
12066	HELLERMANN HT.0813/9/C								1	—	C	33/41
28D/9133011	A25/2C								1	—	C	33/20
28M/1278190	AGS.2001/C/1								1	—	C	33/21
7871	EEAS.237/7A								1	L72	C	33/33
12074	HELLERMANN HT.0813/14/B								4	—	C	33/45
28D/9419452	A25/3B								2	—	C	33/30
28S/9419435	A31/B14								1	—	C	33/36
10561	EEAS.237/6A								2	L72	C	33/31
9852	EEAS.238/1A								1	L72	C	33/27
28W/9419465	SP13/B								2	—	C	33/46
12041	HELLERMANN HT.0813/10/B								2	—	C	33/47
28D/1008149	A25/2B								1	—	C	33/41
28M/1278189	AGS.2001/B/1								1	—	C	33/26
10561	EEAS.237/6A								1	L72	C	33/31
12047	HELLERMANN HT.0813/15/C								1	—	C	33/48
28D/9133011	A25/2C								1	—	C	33/20
28M/1278190	AGS.2001/C/1								1	—	C	33/21
7871	EEAS.237/7A								1	L72	C	33/33
13046	E.F2.82.205								1	—	C	33/49
28D/9133012	A25/3C								1	—	C	33/50
28W/9419402	SP13/C								1	—	C	33/51

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

