

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	<b>ELECTRICAL EQUIPMENT IN REAR FUSELAGE, ASSEMBLY (E.F2.81.3) (MK. 2 A/C)</b>	—	—	—	34/1
	—	<b>ELECTRICAL EQUIPMENT IN REAR FUSELAGE, ASSEMBLY (E.F4.81.4003) (MK. 2A A/C)</b>	—	—	—	34/2
	—	Spares for :—				
	—	<b>CONDUITS, assembly (E.F2.81.23) (Mk. 2 A/c)</b>	—	—	—	34/3
	—	<b>CONDUITS, assembly (E.F4.81.4023) (Mk. 2A A/c)</b>	—	—	—	34/4
	—	Spares for :—				
	E.B3.81.3021	<b>BRACKET, conduit mounting</b>	1	L72	—	34/5
		Attachments :—				
28D/	A25/1½C	<b>Bolt, 2 BA, hex. head</b>	2	—	C	34/6
28M/1278190	AGS.2001/C/1	<b>Nut, stiff, 2 BA</b>	4	—	C	34/7
28S/1011490	A32/C16	<b>Screw, 2 BA, round head</b>	2	—	C	34/8
28VV/9419402	SP13/C	<b>Washer, 2 BA, plain</b>	4	—	C	34/9
	E.B3.03.21	<b>CONDUIT, between frames 47 and 48 starboard, group (E.B3.81.1475) (Mk. 2 A/c)</b>	1	—	—	34/10
		Consisting of :—				
	E.B3.81.1503	<b>COVER, assembly</b>	1	—	—	34/11
		Spares for :—				
	E.B3.81.2735	<b>BOLT, special</b>	5	S96	—	34/12
	E.B3.81.2825	<b>BOLT, special</b>	1	S96	—	34/13
7410	EEAS.232	<b>WASHER, retaining</b>	6	L72	C	34/14
	E.B3.81.1501	<b>TROUGH, assembly</b>	1	—	—	34/15
		Spares for :—				
11615	E.B3.81.2699	<b>FAIRLEAD, assembly</b>	1	—	C	34/16
		Attachments :—				
28M/10286	AGS.2001/A/1	<b>Nut, stiff, 6 BA</b>	4	—	C	34/17
28S/1017747	A32/A14	<b>Screw, 6 BA, round head</b>	4	—	C	34/18
		Attachments :—				
28M/1278189	AGS.2001/B/1	<b>Nut, stiff, 4 BA</b>	16	—	C	34/19
28S/1008327	A32/B14	<b>Screw, 4 BA, round head</b>	8	—	C	34/20
28S/9992522	A32/B16	<b>Screw, 4 BA, round head</b>	1	—	C	34/21
28S/9995326	A32/B20	<b>Screw, 4 BA, round head</b>	8	—	C	34/22
	E.B3.81.1565	<b>Stiffener</b>	2	—	—	34/23
	E.B3.81.1567	<b>Stiffener</b>	1	—	—	34/24
28VV/9419465	EEAS.15/74/60CR	<b>Strip</b>	1	L72	—	34/25
	SP13/B	<b>Washer, 4 BA, plain</b>	8	—	C	34/26
	E.B3.81.1477	<b>CONDUIT, between frames 45 and 46 starboard, group</b>	1	—	—	34/27
		Consisting of :—				
28D/1218387	AS.1248/4B	<b>BOLT, 4 BA, mushroom head</b>	2	—	C	34/28
31858	E.B3.81.1507	<b>COVER, assembly</b>	1	—	C	34/29
		Spares for :—				
11085	EEAS.307/3	<b>BOLT, special</b>	3	S94 or 95	C	34/30
7410	EEAS.232	<b>WASHER, retaining</b>	3	L72	C	34/31
1439598	E.B3.81.2753	<b>COVER, assembly</b>	1	—	C	34/32
		Spares for :—				
11085	EEAS.307/3	<b>BOLT, special</b>	2	S94 or 95	C	34/30
7410	EEAS.232	<b>WASHER, retaining</b>	2	L72	C	34/31
1439597	E.B3.81.2749	<b>COVER</b>	1	L44	C	34/33

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B3.81.1505	<b>TROUGH</b> , assembly ... ..							1	—	—	34/34	
8772	E.B2.81.14673	Spares for :— <b>FAIRLEAD</b> , assembly (Pre Mod. 2045)							1	—	C	34/35	
28M/10286	AGS.2001/A/1	Attachments :— Nut, stiff, 6 BA							4	—	C	34/36	
28S/1006948	A32/A12	Screw, 6 BA, round head							2	—	C	34/37	
28S/1017747	A32/A14	Screw, 6 BA, round head							2	—	C	34/38	
28M/1278189	AGS.2001/B/1	Attachments :— Nut, stiff, 4 BA							16	—	C	34/19	
28S/1008327	A32/B14	Screw, 4 BA, round head							8	—	C	34/20	
28S/9995326	A32/B20	Screw, 4 BA, round head							8	—	C	34/22	
	E.B3.81.1613	Stiffener							2	L72	—	34/42	
	EEAS.15/49/130CR	Strip							2	L72	—	34/43	
	E.B3.81.1479	<b>CONDUIT</b> , between frames 52 and 53 starboard, group							1	—	—	35/1	
	E.B3.81.1491	Consisting of :— <b>COVER</b> , assembly							1	—	—	35/2	
	E.B3.81.2735	Spares for :— <b>BOLT</b> , special							6	—	—	35/3	
7410	EEAS.232	<b>WASHER</b> , retaining							6	L72	C	35/4	
	E.B3.81.1489	<b>TROUGH</b> , assembly							1	—	—	35/5	
28D/1010658	A25/1B	Attachments :— Bolt, 4 BA, hex. head							4	—	C	35/6	
	E.B3.81.1557	Cleat							1	—	—	35/7	
	E.B3.81.1558	Cleat							1	—	—	35/8	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							18	—	C	35/9	
28S/1008327	A32/B14	Screw, 4 BA, round head							6	—	C	35/10	
28S/9995326	A32/B20	Screw, 4 BA, round head							4	—	C	35/11	
	E.B3.81.1545	Stiffener							2	—	—	35/12	
28W/9419465	SP13/B	Washer, 4 BA, plain							12	—	C	35/13	
31859	E.B3.81.1509	<b>CONDUIT</b> , assembly, frame 54, group							—	—	C	35/14	
	E.B3.81.1513	Consisting of :— <b>COVER</b> , assembly							1	—	—	35/15	
	E.B3.81.2735	Spares for :— <b>BOLT</b> , special							6	S96	—	35/16	
7410	EEAS.232	<b>WASHER</b> , retaining							6	L72	C	35/17	
	E.B3.81.1511	<b>TROUGH</b> , assembly							1	—	—	35/18	
5965	E.B2.81.11117	Spares for :— <b>FAIRLEAD</b> , half							2	—	C	35/19	
28M/10286	AGS.2001/A/1	Attachments :— Nut, stiff, 6 BA							4	—	C	35/20	
28S/1006948	A32/A2	Screw, 6 BA, round head							2	—	C	35/21	
28S/1017747	A32/A14	Screw, 6 BA, round head							2	—	C	35/22	
28M/1278189	AGS.2001/B/1	Attachments :— Nut, stiff, 4 BA							7	—	C	35/23	
28S/1008327	A32/B14	Screw, 4 BA, round head							7	—	C	35/24	
	E.B2.81.5481	Stiffener							1	L72	—	35/25	
	E.B2.81.6181	Stiffener							4	L72	—	35/26	
11632	E.B3.81.1521	<b>CONDUIT</b> , flexible, assembly between frames 52 and 53							1	—	C	35/27	
	—	<b>CONDUIT</b> , flexible installation (E.B3.81.3153)							—	—	—	36/1	
11969	E.B2.81.15675	Spares for :— <b>BUSH</b> , assembly							1	—	C	36/2	
28M/1278189	AGS.2001/B/1	Attachments :— Nut, stiff, 4 BA							2	—	C	36/3	
28S/9992522	A32/B16	Screw, 4 BA, round head							2	—	C	36/4	

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.81.8681	<b>CLIP, "P"</b> ... ..							1	—	—	36/5	
28M/1278189	AGS.2001/B/1	Attachments :—											
28S/9992525	A32/B12	Nut, stiff, 4 BA							2	—	C	36/6	
11970	EEAS.237/6AH	Screw, 4 BA, round head							2	—	C	36/7	
		Washer, "D"							2	L72	C	36/8	
11971	EEAS.143/15H	<b>CLIP, "P"</b> ... ..							3	L72	C	36/9	
11972	EEAS.143/31H	<b>CLIP, "P"</b> ... ..							3	L72	C	36/10	
		Attachments :—											
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							4	—	C	36/11	
28S/9419453	A31/B14	Screw, 4 BA, cheese head							2	—	C	36/12	
28S/1200034	A31/B16	Screw, 4 BA, cheese head							2	—	C	36/13	
11973	EEAS.21/10ERH	Washer, "D"							3	L72	C	36/14	
11970	EEAS.237/6AH	Washer, "D"							1	L72	C	36/15	
	—	<b>CONDUIT, ignition, at frame 49, installation</b> (E.F2.81.6619) (Mod. 4003)							—	—	—	36/16	
		Spares for :—											
18699	E.F3.81.4897	<b>CLIP, assembly</b> ... ..							3	—	C	36/17	
		Attachments :—											
28D/9436920	A25/1C	Bolt, 2 BA, hex. head							3	—	C	36/18	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							3	—	C	36/19	
28W/9419402	SP13/C	Washer, 2 BA, plain							3	—	C	36/20	
13065	E.F3.81.4389	<b>CONDUIT, assembly</b> ... ..							1	—	C	36/21	
13066	E.F3.81.4453	<b>CONDUIT, assembly</b> ... ..							1	—	C	36/22	
28E/1007984	AGS.605/1A	<b>CLIP, hose, type J</b> ... ..							1	—	C	36/23	
32872	E.F2.81.4243	<b>CONDUIT, frames 48 to 50 port, group</b> ... ..							1	—	C	37/1	
		Consisting of :—											
	E.F2.81.4245	<b>COVER, assembly</b> ... ..							1	—	—	37/2	
		Spares for :—											
10491	EEAS.307/MK.1	<b>BOLT, special, 4 BA</b> ... ..							6	S94 or 95	C	37/3	
7410	EEAS.232	<b>WASHER, retaining</b> ... ..							6	L72	C	37/4	
11611	E.B3.81.2469	<b>FAIRLEAD, half</b> ... ..							1	—	C	37/5	
11612	E.B3.81.2743	<b>FAIRLEAD, top half</b> ... ..							1	—	C	37/6	
6265	E.B2.81.6917	<b>FAIRLEAD, top half</b> ... ..							1	—	C	37/7	
	E.B3.81.1693	<b>TROUGH, assembly</b> ... ..							1	—	—	37/8	
		Spares for :—											
11613	E.B3.81.2467	<b>FAIRLEAD, half</b> ... ..							1	—	C	37/9	
		Attachments :—											
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA							2	—	C	37/10	
28S/9139152	A37/A14	Screw, 6 BA c'sk head							2	—	C	37/11	
11614	E.B3.81.2745	<b>FAIRLEAD, half</b> ... ..							1	—	C	37/12	
		Attachments :—											
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA							2	—	C	37/13	
28S/9139152	A37/A14	Screw, 6 BA, c'sk head							2	—	C	37/14	
6266	E.B2.81.6915	<b>FAIRLEAD, half</b> ... ..							1	—	C	37/15	
		Attachments :—											
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA							2	—	C	37/16	
28S/9139152	A37/A14	Screw, 6 BA, c'sk head							2	—	C	37/17	
		Attachments :—											
28D/1010658	A25/1B	Bolt, 4 BA, hex. head							3	—	C	37/18	
	E.B2.81.12531	Bracket							1	—	—	37/19	
37309	E.B2.07.819	Bracket (E.B2.81.12535)							1	—	—	37/20	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							3	—	C	37/21	
28S/1011490	A32/C16	Screw, 2 BA, round head							2	—	C	37/22	
28W/9419465	SP13/B	Washer, 4 BA, plain							3	—	C	37/23	

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7			
	E.F2.81.4255	<b>CONDUIT</b> , frames 47 to 48 starboard, group ... (Mk. 2 A/c)							1	—	—	38/1
		Consisting of :—										
	E.F2.81.4247	<b>COVER</b> , assembly ... ..							1	—	—	38/2
		Spares for :—										
	E.B3.81.2735	<b>BOLT</b> , special ... ..							6	—	—	38/3
7410	EEAS.232	<b>WASHER</b> , retaining ... ..							6	L72	C	38/4
	E.F2.81.4253	<b>TROUGH</b> , assembly ... ..							1	—	—	38/5
		Spares for :—										
4182	E.B1.81.4571	<b>FAIRLEAD</b> , half ... ..							2	—	C	38/6
		Attachments :—										
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA ... ..							4	—	C	38/7
28S/1017747	A32/A14	Screw, 6 BA, round head ... ..							4	—	C	38/8
		Spares for :—										
4190	E.B1.81.4575	<b>FAIRLEAD</b> , half ... ..							2	—	C	38/9
		Attachments :—										
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA ... ..							4	—	C	38/10
28S/1017747	A32/A14	Screw, 6 BA, round head ... ..							4	—	C	38/11
		Attachments :—										
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA ... ..							9	—	C	38/12
28S/9992525	A32/B12	Screw, 4 BA, round head ... ..							9	—	C	38/13
	E.B2.81.5293	Stiffener ... ..							2	—	—	38/14
	E.B2.81.6197	Stiffener ... ..							1	—	—	38/15
	E.F4.81.4877	<b>CONDUIT</b> , between frames 47 and 48, starboard, assembly (Mk. 2A A/c)							1	—	—	38/16
		Spares for :—										
	E.F4.81.4881	<b>COVER</b> , assembly ... ..							1	—	—	38/17
		Spares for :—										
11085	EEAS.307/3	<b>BOLT</b> , special ... ..							8	S94 or 95	C	38/18
7410	EEAS.232	<b>WASHER</b> , retaining ... ..							8	L72	C	38/19
	EEAS.28/6AR	<b>WASHER</b> ... ..							8	L72	—	38/20
	E.F4.81.4879	<b>TROUGH</b> , assembly ... ..							1	—	—	38/21
		Spares for :—										
4182	E.B1.81.4571	<b>FAIRLEAD</b> , half ... ..							2	—	C	38/22
		Attachments :—										
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA ... ..							4	—	C	38/23
28S/1017747	A32/A14	Screw, 6 BA, round head ... ..							4	—	C	38/24
28W/17541	SP124/A	Washer, packing ... ..							4	—	C	38/25
		Spares for :—										
4190	E.B1.81.4575	<b>FAIRLEAD</b> , assembly ... ..							1	—	C	38/26
		Attachments :—										
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA ... ..							4	—	C	38/27
28S/1017747	A32/A14	Screw, 6 BA, round head ... ..							4	—	C	38/28
28W/17541	SP124/A	Washer, packing ... ..							4	—	C	38/29
		Spares for :—										
	E.F4.81.4913	<b>FAIRLEAD</b> , assembly ... ..							1	—	—	38/30
		Attachments :—										
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA ... ..							4	—	C	38/31
28S/9992522	A32/B16	Screw, 4 BA, round head ... ..							4	—	C	38/32
28W/9419465	SP13/B	Washer, 4 BA, plain ... ..							4	—	C	38/33
	E.F2.81.6789	<b>CONDUIT</b> , frames 54 to 56, port, group (Mod. 4203) (Mk. 2 A/c)							1	—	—	37/24

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
1440698	E.F.4.81.4819	CONDUIT, frames 54 to 56, port, group (Mk. 2A A/c)	1	—	C	37/25
		Consisting of:—				
	E.F.2.81.6787	COVER, assembly (Mk. 2 A/c)	1	—	—	37/26
	E.F.4.81.4815	COVER, assembly (Mk. 2A A/c)	1	—	—	37/27
		Spares for:—				
10491	EEAS.307/MK. 1	BOLT, special, 4 BA	6	S94	C	37/28
7410	EEAS.232	WASHER, retaining	6	L72	C	37/29
	E.F.2.81.4257	TROUGH, assembly (Mk. 2 A/c)	1	—	—	37/30
	E.F.4.81.4817	TROUGH, assembly (Mk. 2A A/c)	1	—	—	37/31
		Spares for:—				
11623	E.B3.81.2471	FAIRLEAD, half	1	—	C	37/32
		Attachments:—				
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	2	—	C	37/33
28S/1200058	A33/A12	Screw, 6 BA, c'sk head	4	—	C	37/34
28S/1200056	A33/A10	Screw, 6 BA, c'sk head	6	—	C	
11622	E.B3.81.2473	FAIRLEAD, half	1	—	C	37/35
		Attachments:—				
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	2	—	C	37/33
28S/1200058	A33/A12	Screw, 6 BA, c'sk head	4	—	C	37/34
6266	E.B2.81.6915	FAIRLEAD, half (1 off, Mk. 2A A/c)	2	—	C	37/36
		Attachments:—				
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	4	—	C	37/37
28S/1200058	A33/A12	Screw, 6 BA, c'sk head	2	—	C	37/38
6265	E.B2.81.6917	FAIRLEAD, half (1 off, Mk. 2A A/c)	2	—	C	37/39
		Attachments:—				
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	4	—	C	37/37
28S/1200058	A33/A12	Screw, 6 BA, c'sk head	2	—	C	37/38
		Attachments:—				
28D/1007971	A25/ 1/2B	Bolt, 4 BA, hex. head	3	—	C	37/40
	E.B2.81.11745	Bracket	1	—	—	37/41
	E.B2.81.12537	Bracket	1	—	—	37/42
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	—	C	37/43
28S/9992525	A32/B12	Screw, 4 BA, round head	6	—	C	37/44
28S/9992522	A32/B16	Screw, 4 BA, round head	2	—	C	37/45
	E.F.2.81.6785	CONDUIT, frames 51 to 54, port, group (Mod. 4203) (Mk. 2 A/c)	1	—	—	37/46
1440661	E.F.4.81.4813	CONDUIT, frames 51 to 54, port, group (Mk. 2A A/c)	1	—	C	37/47
		Consisting of:—				
	E.F.2.81.6783	COVER, assembly (Mk. 2 A/c)	1	—	—	37/48
	E.F.4.81.4811	COVER, assembly (Mk. 2A A/c)	1	—	—	37/49
		Spares for:—				
10491	EEAS.307/MK. 1	BOLT, special, 4 BA	9	S94	C	37/50
7410	EEAS.232	WASHER, retaining	9	L72	C	37/51
	E.F.2.81.6781	TROUGH, assembly (Mod. 4203) (Mk. 2 A/c)	1	—	—	37/52
	E.F.4.81.4873	TROUGH, assembly (Mk. 2A A/c)	1	—	—	37/53
		Spares for:—				
13072	E.F.2.81.5683	FAIRLEAD, half, top	1	—	C	37/54
		Attachments:—				
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	2	—	C	37/55
28S/1200056	A33/A10	Screw, 6 BA, round head	2	—	C	37/56
13071	E.F.2.81.5685	FAIRLEAD, half, bottom	1	—	C	37/57
		Attachments:—				
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	2	—	C	37/55
28S/1200056	A33/A10	Screw, 6 BA, round head	2	—	C	37/56

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
13073	E.F.2.81.5687	FAIRLEAD, half, bottom	1	—	C	37/58
28M/1987493	AGS.2001/A/1	Attachments:—				
28S/1200056	A33/A10	Nut, stiff, 6 BA	2	—	C	37/59
		Screw, 6 BA, round head	2	—	C	37/60
1441481	E.F.2.81.6631	FAIRLEAD, half, top (Mod. 4092)	1	—	C	37/61
28M/1987493	AGS.2001/A/1	Attachments:—				
28S/1200056	A33/A10	Nut, stiff, 6 BA	2	—	C	37/59
		Screw, 6 BA, round head	2	—	C	37/60
35068	E.F.3.81.7605	FAIRLEAD, half, top (Mk. 2A A/c)	1	—	C	37/62
28M/1987493	AGS.2001/A/1	Attachments:—				
28S/1200056	A33/A10	Nut, stiff, 6 BA	2	—	C	37/63
		Screw, 6 BA, round head	2	—	C	38/64
35069	E.F.3.81.7607	FAIRLEAD, half, bottom (Mk. 2A A/c)	1	—	C	37/65
28M/1987493	AGS.2001/A/1	Attachments:—				
28S/1200056	A33/A10	Nut, stiff, 6 BA	2	—	C	37/63
		Screw, 6 BA, round head	2	—	C	37/64
28M/1278189	E.B.2.81.5371	Attachments:—				
28S/1012450	AGS.2001/B/1	Bracket, assembly	1	—	—	37/66
28S/9992525	A32/B10	Nut, stiff, 4 BA	14	—	C	37/67
28S/1008327	A32/B12	Screw, 4 BA, round head	11	—	C	37/68
	A32/B14	Screw, 4 BA, round head	3	—	C	37/69
		Screw, 4 BA, round head	3	—	C	37/70
	E.F.2.81.6907	CONDUIT, frames 53 to 54, starboard, group (Mod. 4203) (Mk. 2 A/c)	1	—	—	38/34
1440677	E.F.4.81.4797	CONDUIT, frames 53 to 54, starboard, group (Mk. 2A A/c)	1	—	C	38/35
		Consisting of:—				
	E.F.2.81.6905	COVER, assembly (Mod. 4203) (Mk. 2 A/c)	1	—	—	38/36
1440678	E.F.4.81.4795	COVER, assembly (Mk. 2A A/c)	1	—	C	38/37
		Spares for:—				
	E.B.3.81.2735	BOLT, special	4	—	—	38/38
7410	EEAS.232	WASHER, retaining	4	L72	C	38/39
	E.F.2.81.5857	TROUGH, assembly (Mk. 2 A/c)	1	—	—	38/40
	E.F.4.81.4793	TROUGH, assembly (Mk. 2A A/c)	1	—	—	38/41
28M/1278189	AGS.2001/B/1	Attachments:—				
28S/9992525	A32/B12	Nut, stiff, 4 BA	7	—	C	38/42
	E.B.3.81.1567	Screw, 4 BA, round head	7	—	C	38/43
	13756	Stiffener	1	—	—	38/44
	E.B.3.07.45	Stiffener (E.B.3.81.1677)	2	—	C	38/45
	E.F.2.81.4283	CONDUIT, frames 54 to 56, starboard, group (Mk. 2 A/c)	1	—	—	38/46
1440663	E.F.4.81.4805	CONDUIT, frames 54 to 56, starboard, group (Mk. 2A A/c)	1	—	C	38/47
		Consisting of:—				
	E.F.2.81.4315	COVER, assembly (Mk. 2 A/c)	1	—	—	38/48
1440664	E.F.4.81.4803	COVER, assembly (Mk. 2A A/c)	1	—	C	38/49
		Spares for:—				
	E.B.3.81.2735	BOLT, special	11	—	—	38/50
7410	EEAS.232	WASHER, retaining	11	L72	C	38/51

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F2.81.4311	TROUGH, assembly	1	-	-	38/52
4180	E.B2.81.1061	Spares for:- FAIRLEAD, half	2	-	C	38/53
28M/1987493	AGS.2001/A/1	Attachments:- Nut, stiff, 6 BA	4	-	C	38/54
28S/1200061	A33/A18	Screw, 6 BA, round head	4	-	C	38/55
6272	E.B2.81.11713	FAIRLEAD, half	1	-	C	38/56
28M/1987493	AGS.2001/A/1	Attachments:- Nut, stiff, 6 BA	2	-	C	38/57
28S/1200061	A33/A18	Screw, 6 BA, round head	2	-	C	38/58
28D/9436920	A25/1C	Attachments:- Bolt, 2 BA, hex. head	3	-	C	38/59
	E.B2.81.5807	Bracket	1	L72	-	38/60
	E.F2.81.4801	Bracket	1	L72	-	38/61
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	8	-	C	38/62
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	38/63
28S/9992525	A32/B12	Screw, 4 BA, round head	3	-	C	38/64
28S/1008327	A32/B14	Screw, 4 BA, round head	1	-	C	38/65
28S/9992522	A32/B16	Screw, 4 BA, round head	1	-	C	38/66
28S/9995326	A32/B20	Screw, 4 BA, round head	2	-	C	38/67
28S/1007817	A32/B24	Screw, 4 BA, round head	1	-	C	38/68
13740	E.B2.07.633	Stiffener (E.B2.81.6463)	2	-	C	38/69
17996	E.B2.07.635	Stiffener (E.B2.81.6467)	1	-	C	38/70
13746	E.B2.07.627	Stiffener (E.B2.81.11853)	1	-	C	38/71
28W/9419465	SP13/B	Washer, 4 BA, plain	2	-	C	38/72
28W/9419402	SP13/C	Washer, 2 BA, plain	3	-	C	38/73
	-	CONDUIT, mounting, frame 46, port (E.F2.81.4807)	-	-	-	39/1
11980	E.F2.81.4811	Consisting of:- CLIP	1	L72	C	39/2
28D/9133011	A25/2C	Attachments:- Bolt, 2 BA, hex. head	2	-	C	39/3
28W/9419404	SP16/C	Washer, 2 BA, plain	2	-	C	39/4
32891	E.F2.81.4809	CONDUIT	1	L44	C	39/5
28D/1007982	AS.1248/1C	Attachments:- Bolt, 2 BA, mushroom head	3	-	C	39/6
4207	E.B2.81.11229	CONDUIT, frame 54, port, group	1	-	B	39/7
4208	E.B2.81.11233	Consisting of:- COVER, assembly	1	-	B	39/8
	E.B2.81.2735	Spares for:- BOLT, special	4	-	-	39/9
7410	EEAS.232	WASHER, retaining	4	L72	C	39/10
31046	E.B2.81.11231	TROUGH, assembly	1	-	C	39/11
	E.B3.81.2517	Attachments:- Bracket	1	-	-	39/12
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	6	-	C	39/13
28S/1008327	A32/B14	Screw, 4 BA, round head	6	-	C	39/14
	E.B2.81.5481	Stiffener	1	-	-	39/15
	EEAS.15/74/60CR	Strip	1	L72	-	39/16
31049	E.B2.81.11269	CONDUIT, frames 47 to 48, port, group (Mk. 2 A/C)	1	-	B	39/17
1440665	E.F4.81.4809	CONDUIT, frames 47 to 48, port group (Mk. 2A A/C)	1	-	B	39/18
4216	E.B2.81.11273	Consisting of:- COVER, assembly (Mk. 2 A/C)	1	-	B	39/19

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
1440666	E.F4.81.4807	COVER, assembly (Mk. 2A A/C) .....	1	—	B	39/20
		Spares for:—				
10491	EEAS.307/MK. 1	BOLT, special .....	5	S94	C	39/21
7410	EEAS.232	WASHER, retaining .....	5	L72	C	39/22
31050	E.B2.81.11271	TROUGH, assembly (Mk. 2 A/C) .....	1	—	C	39/23
	E.F4.81.4905	TROUGH, assembly (Mk. 2A A/C) .....	1	—	C	39/24
		Attachments:—				
28S/9992522	A32/B16	Screw, 4 BA, round head .....	4	—	C	39/25
31051	E.B2.81.11279	CONDUIT, frames 50 to 51, port, group .....	1	—	B	39/26
		Consisting of:—				
4211	E.B2.81.11283	COVER, assembly .....	1	—	B	39/27
		Spares for:—				
10491	EEAS.307/MK. 1	BOLT, special .....	4	S94	C	39/28
7410	EEAS.232	WASHER, retaining .....	4	L72	C	39/29
	E.B2.81.11281	TROUGH, assembly .....	1	—	—	39/30
		Attachments:—				
34279	E.B3.07.71	Bracket (E.B3.81.2631) .....	1	—	C	39/31
11678	E.B3.81.2631	Bracket .....	1	—	C	39/32
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA .....	6	—	C	39/33
28S/9992525	A32/B12	Screw, 4 BA, round head .....	3	—	C	39/34
28S/1008327	A32/B14	Screw, 4 BA, round head .....	3	—	C	39/35
11632	E.B3.81.1521	CONDUIT, flexible, assembly, between frames 52 and 53 .....	1	—	C	39/36
4973	E.B2.81.11655	CONDUIT, flexible, assembly, between frames 54 and 55 .....	1	—	C	39/37
4974	E.B2.81.11657	CONDUIT, flexible, assembly, between frames 54 and 55 .....	1	—	C	39/38
4975	E.B2.81.14659	CONDUIT, flexible, assembly, between frames 53 and 54 .....	1	—	C	39/39
10024	E.B2.81.14661	CONDUIT, flexible, assembly, between frames 53 and 54 .....	1	—	C	39/40
18024	E.F2.81.6071	FAIRLEAD, assembly .....	1	—	C	39/41
		Attachments:—				
28S/1007817	A32/B24	Screw, 4 BA, round head .....	1	—	C	39/42
28S/1011488	A32/B28	Screw, 4 BA, round head .....	3	—	C	39/43
	E.F4.81.4789	FAIRLEAD, half (Mk. 2A A/C) .....	2	—	—	39/44
		Attachments:—				
28S/1008327	A32/B13	Screw, 4 BA, round head .....	4	—	C	39/45
	E.F2.81.5247	PLATE, blanking .....	1	L72	—	39/46
		Attachments:—				
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA .....	2	—	C	39/47
28S/9992525	A32/B12	Screw, 4 BA, round head .....	2	—	C	39/48
5K/4024	NL.8140	COVER, insulating .....	4	—	C	
	—	EQUIPMENT, in spine (E.F2.81.19) (Mod. 1987) .....	—	—	—	40/1
		Spares for:—				
	E.B2.81.561	BRACKET, earth terminal .....	1	—	—	40/2
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head .....	4	—	C	40/3
28W/9419475	SP15/C	Washer, 2 BA, plain .....	4	—	C	40/4

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11177	KING A/C C.13674/18B	CLAMP, half (Mod. 4203)	3	-	C	40/5
5CW/8336	E.E. CO. B'FORD AE.5354	CONTACTOR, 80 amp., 3-phase, Mk. 3	1	-	A	40/6
28D/1215647	A59/18C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	40/7
1504085	E.F5.11.223	GUARD, debris (Mod. 4350)	1	-	C	41/68
26FZ/12326	DUNLOP DAS.393/24/3	HOSE, air inlet pipe connecting	1	Rubber	C	41/1
28E/9129092	AGS.605/2	Attachments:- Clip; jubilee	2	-	C	41/2
	E.F3.81.1787	MOUNTING, fuse block, assembly (Mod. 1987) Consisting of:-	1	-	-	41/3
R 5X/6607	CZ.73988	BLOCK, fuse, 4-way (Pre-Mod. 4751)	1	-	B	41/4
18048	E.F3.07.35	BRACKET, fuse block mounting (E.F3.81.2009)	1	-	C	41/5
11991	E.F2.81.4767	BRACKET	1	L73	C	41/6
		Attachments:-				
28S/1200080	A32/B8	Screw, 4 BA, round head	2	-	C	41/7
28W/9419448	AGS.2035/B	Washer, 4 BA, shakeproof	2	-	C	41/8
	E.F3.81.16109	BRACKET, fuse carrier (Mod. 4751)	1	-	-	
R 10H/9140686	-	CARRIER, fuse (Mod. 4751)	2	-	C	
R 5X/6593	CZ.54744	EXTRACTOR, fuse (Pre-Mod. 4751)	2	-	C	41/9
R 10H/0119925	-	FUSE, 10 amp. (Mod. 4751)	2	-	C	
R 5CZ/5216	E.E. CO. B'FORD	FUSE, 10 amp., type AS (Pre-Mod. 4751)	2	-	C	41/10
5CZ/5866	HELLERMANN 102096	FUSE, dummy	2	-	B	41/11
5X/6238	EEAS.71/3	LINK, commoning, 4-way	1	BS267	C	41/12
		Attachments:-				
28D/9130082	AS.1246/3B	Bolt, 4 BA, round head	2	-	C	41/13
28D/9137408	AS.1246/ 1/2B	Bolt, 4 BA, round head	2	-	C	41/14
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	-	C	41/15
11981	E.F2.81.5283	Packing	1	-	C	41/16
11992	E.F2.81.1667	Piece, packing	1	BS2572	C	41/17
5UC/8426	E.E. CO. B'FORD AE.7014	PANEL, control, Mk. 2 (Mod. 4097)	1	-	A	41/18
		Attachments:-				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	3	-	C	41/19
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	1	-	C	41/20
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	41/21
18707	E.F3.55.27	PIPE, air cooling, connection between control panel and voltage regulator reference unit (Pre-Mod. 4351)	1	-	C	41/22
18706	E.F3.55.25	PIPE, air cooling, inlet to control panel and voltage regulator reference unit (Pre-Mod. 4351)	1	-	C	41/23
5UC/9028	AE.7511	REGULATOR, voltage, Mk. 4 (For Mk. 2 A/c not embodying Mod. 4203) (Mod. 4349)	1	-	A	41/69
5CW/10329	B5/115/B1B/1C/2	RELAY, type B5, diamond "H" (Mod. 4203)	1	-	B	41/24
28F/17675	AS.5402	RING, sealing	3	-	C	41/25
5CW/5863	7CZ.97225/3	SWITCH, magnetic type AH/IM/28/30	2	-	A	41/26
5CW/8979	†	SWITCH, magnetic type 20B No. 1	1	-	A	41/27
5CW/4621	EL.38609	SWITCH, magnetic relay type 2	2	-	A	41/28
		Attachments:-				
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	-	C	41/29
	E.B3.81.3833	SWITCH, magnetic relay, group (Mod. 4203) Consisting of:-	1	-	-	41/30
28D/9436920	A25/1C	BOLT, 2 BA, hex. head	2	-	C	41/31



ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F.2.81.1637	UNITS: ignition, assembly	1	—	—	41/54
		Consisting of:—				
5X/3181	CZ.23212/1	BLOCK, terminal, 20-way	1	—	B	41/55
		Attachments:—				
28S/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	2	—	C	41/56
28S/1200033	A.31/B24	Screw, 4 BA, cheese head (Pre-Mod. 4671)	2	—	C	41/57
	E.F.3.81.16073	Pillar, fixing (Make from 5CZ/6424) (Mod. 4671)	2	—	—	—
13739	E.B.2.07.631	BRACKET, mounting (E.B.2.81.5279)	1	L72	C	41/58
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	—	C	41/59
11996	E.B.3.81.1669	PLATE, mounting, assembly	1	—	C	41/60
	EEAS.146/C	SLEEVE, 3/8" long	QR	—	—	41/61
37F/20007	7CZ.75700	UNIT, H.F.I., Mk. 8B	2	—	A	41/62
		Attachments:—				
28D/1215330	AS.1246/4E	Bolt, 1/4" BSF, round head	3	—	C	41/63
28M/9480017	AGS.2001/E/1	Nut, stiff, 1/4" BSF	3	—	C	41/64
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	—	C	41/65
5UC/4396015	E.E. CO. B'FORD AE.7311	UNIT, voltage regulator reference, Mk. 1 (Mod. 4203)	1	—	A	41/66
5UC/7294	E.E. CO. B'FORD AE.5601	UNIT, phase, sequence undervoltage	1	—	A	41/67
	—	EQUIPMENT, between frames 25 and 42, assembly (E.F.2.81.351) (Mk. 2 A/c)	—	—	—	42/1
	—	EQUIPMENT, between frames 25 and 42, assembly (E.F.4.81.4351) (Mk. 2A A/c)	—	—	—	42/2
		Spares for:—				
	E.F.2.81.3053	BOX, terminal, assembly	1	—	—	42/3
		Consisting of:—				
12000	E.F.2.81.3049	BLOCK, terminal, assembly	1	—	C	42/4
		Attachments:—				
28D/1202771	A25/4G	Bolt, 5/16" BSF, hex. head	1	—	C	42/5
28M/10291	AGS.2001/G/1	Nut, stiff, 5/16" BSF	1	—	C	42/6
28S/9995325	A33/B8	Screw, 4 BA, c'sk head	4	—	C	42/7
28W/9419403	SP13/G	Washer, 5/16" BSF, plain	2	—	C	42/8
12001	E.F.2.81.3051	LID	1	L44	C	42/9
		Attachments:—				
28W/1200040	A31/B20	Screw, 4 BA, cheese head	2	—	C	42/10
	E.F.2.81.3047	SHELL, box, assembly	1	—	—	42/11
		Attachments:—				
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	42/12
28S/1007469	A.33/B14	Screw, 4 BA, c'sk head	2	—	C	42/13
	E.F.2.81.4831	BOX, junction 4, assembly (Mk. 2 A/c)	1	—	—	42/14
	E.F.4.81.4695	BOX, junction 4, assembly (Mk. 2A A/c)	1	—	—	42/15
		Spares for:—				
11609	E.B.3.81.465	COVER, assembly	1	—	B	42/16
		Spares for:—				
9707	EEAS.250/4	BOLT, special, 4 BA	4	S21	C	42/17
7410	EEAS.232	WASHER, retaining	4	L72	C	42/18
26FZ/17743	EEAS.28/2CR	WASHER	4	L72	C	42/19
28F/9433483	AGS.1186/2	WASHER, sealing	4	—	C	42/20

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11610	E.B3.81.2059	FAIRLEAD, assembly	1	-	C	42/21
28S/9992522	A.32/B16	Attachments:- Screw, 4 BA, round head	4	-	C	42/22
28D/9436920	A.25/1C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	42/23
28W/9419402	SP.13/C	Washer, 2 BA, plain	4	-	C	42/24
25129	E.B1.12.737	CLAMP, plug sealing	1	L72	C	42/25
28M/1987493	AGS.2001/A/1	Attachments:- Nut, stiff, 6 BA	2	-	C	42/26
12002	E.B2.81.5517	Piece, packing	1	Ferobestos	C	42/27
28S/1011484	A.32/A20	Screw, 6 BA, round head	2	-	C	42/28
5CZ/5222	GRAVINER D.900	FITTING, bulkhead	2	-	C	42/29
28D/9436920	A 25/1C	Attachments:- Bolt, 2 BA, hex. head	6	-	C	42/30
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	6	-	C	42/31
26FZ/1729	EEAS.20/1DU	Tab, locking	2	S515	C	42/32
4563	E.B1.81.4721	TERMINAL, insulated, assembly	1	-	C	42/33
	E.B1.81.4723	Spares for:- BODY	1	L44	-	42/34
	E.B1.81.4725	COVER, front	1	LFS26	-	42/35
28S/9505800	A.44/A16	Attachments:- Screw, 6 BA, round head	4	-	C	42/36
28W/9128181	SP.55/A	Washer, spring	4	-	C	42/37
	E.B1.81.4727	COVER, back	1	LFS26	-	42/38
28S/1200060	A.33/A16	Attachments:- Screw, 6 BA, c'sk head	4	-	C	42/39
28M/1278190	AGS.2001/C/1	Attachments:- Nut, stiff, 2 BA	2	-	C	42/40
12005	E.B2.81.6379	Piece, packing	1	LFS26	C	42/41
28S/9435719	A.33/C36	Screw, 2 BA, c'sk head	2	-	C	42/42
-	-	EQUIPMENT, between frames 42 and 49, assembly (E.F.2.81.353) (Mk. 2 A/c)	-	-	-	43/1
-	-	EQUIPMENT, between frames 42 and 49, assembly (E.F.4.81.4353) (Mk. 2A A/c)	-	-	-	43/2
5X/1002694	CZ.50207	Spares for:- BLOCK, terminal, 5-way	1	-	B	43/3
28M/1278189	AGS.2001/B/1	Attachments:- Nut, stiff, 4 BA	2	-	C	43/4
28S/1200033	A.31/B24	Screw, 4 BA, cheese head	2	-	C	43/5
-	-	BOX, relay and fairlead installation (E.F.2.81.4227) ...	-	-	-	43/6
	E.F.2.81.4229	Consisting of:- BOX, relay, assembly	1	-	-	43/7
10B/20334	OXLEY	Spares for:- BARB, miniature insulator	4	-	C	43/8
5X/9321048	CZ.50180 093/20P	BLOCK, terminal, 5-way	1	-	B	43/9
28M/1278189	AGS.2001/B/1	Attachments:- Nut, stiff, 4 BA	2	-	C	43/10
28S/1200033	A31/B24	Screw, 4 BA, cheese head	2	-	C	43/11

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
12006	E.F2.81.4199	<b>COVER</b> , insulated ... ..							1	—	C	43/12	
28M/10286	AGS.2001/A/1	Attachments :—											
28S/1006979	A32/A10	Nut, stiff, 6 BA ... ..							2	—	C	43/13	
		Screw, 6 BA, round head ... ..							2	—	C	43/14	
4154	E.B2.81.5109	<b>COVER</b> , relay box assembly ... ..							1	—	C	43/15	
8443	EEAS.250/1	Spares for :—											
28W/9419474	SP15/B	<b>BOLT</b> , special ... ..							2	S21	C	43/16	
7410	EEAS.232	<b>WASHER</b> , 4 BA, plain ... ..							2	—	C	43/17	
13747	E.B2.07.669	<b>WASHER</b> , retaining ... ..							2	L72	C	43/18	
		<b>PLATE</b> , relay retaining assembly (E.B2.81.12559)							1	—	C	43/19	
28M/15819	AGS.2021/B/1	Attachments :—											
28S/9992532	A31/B10	Nut, stiff, 4 BA ... ..							2	—	C	43/20	
		Screw, 4 BA, cheese head ... ..							2	—	C	43/21	
5CZ/5960-99-037-2036	TEXAS INST. 1S111	<b>RECTIFIER</b> , silicon ... ..							2	—	B	43/22	
10F/0530473	S.T.C. LTD. 4190.HD	<b>RELAY</b> (Pre Mod. 4049) ... ..							1	—	A	43/23	
	or												
10F/9522409	CLARE A.24.NR	<b>RELAY</b> (Pre Mod. 4049) ... ..							1	—	A	43/24	
	CLARE A.24.NR/1	<b>RELAY</b> (Mod. 4049) ... ..							1	—	A	43/25	
10AS/	S.T.C. LTD. LP.736720	<b>SOCKET</b> ... ..							1	—	C	43/26	
28D/1008149	A25/2B	Attachments :—											
28W/9419474	SP15/B	Bolt, 4 BA, hex. head ... ..							2	—	C	43/27	
		Washer, 4 BA, plain ... ..							2	—	C	43/28	
4182	E.B1.81.4571	<b>FAIRLEAD</b> , half ... ..							2	—	C	43/29	
28D/1008147	A25/1A	Attachments :—											
28M/10286	AGS.2001/A/1	Bolt, 6 BA, hex. head ... ..							2	—	C	43/30	
		Nut, stiff, 6 BA ... ..							2	—	C	43/31	
25129	E.B1.12.737	<b>CLAMP</b> ... ..							2	—	C	43/32	
28S/9992524	A32/A8	Attachments :—											
		Screw, 6 BA, round head ... ..							4	—	C	43/33	
4157	E.B2.81.4259	<b>CONDUIT</b> , flexible ... ..							1	—	C	43/34	
28M/10286	AGS.2001/A/1	Attachments :—											
28S/1200062	A33/A20	Nut, stiff, 6 BA ... ..							2	—	C	43/35	
		Screw, 6 BA, c'sk head ... ..							2	—	C	43/36	
37F/20647	PLESSEY Z.29888	<b>CONNECTOR</b> , double bulkhead, Mk. 8 HF ... ..							1	—	C	43/37	
28D/9436920	A25/1C	Attachments :—											
28M/1278190	AGS.2001/C/1	Bolt, 2 BA, hex. head ... ..							2	—	C	43/38	
		Nut, stiff, 2 BA ... ..							2	—	C	43/39	
11617	E.B3.81.1169	<b>FAIRLEAD</b> , assembly, between frames 45 and 46 ... ..							1	—	C	43/40	
11618	E.B3.81.1483	Attachments :—											
11619	E.B3.81.1569	Cleat ... ..							1	L72	C	43/41	
10793	E.B3.81.3063	Cleat ... ..							1	L72	C	43/42	
28S/9435912	A31/B44	Piece, distance, tapped ... ..							4	S114	C	43/43	
28W/9419465	SP13/B	Screw, 4 BA, cheese head ... ..							4	—	C	43/44	
28W/9419486	SP16/B	Washer, 4 BA, plain ... ..							4	—	C	43/45	
		Washer, 4 BA, plain ... ..							4	—	C	43/46	

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
11621	E.B3.81.1289	<b>FAIRLEAD</b> , assembly, at frame 43 ... ..							1	—	C	43/47	
28D/9133011 28W/9419402	A25/2C SP13/C	Attachments:—							4	—	C	43/48	
		Bolt, 2 BA, hex. head ... ..							4	—	C	43/49	
12007	E.B3.81.1449	<b>FAIRLEAD</b> , assembly, between frames 42 and 43 ...							1	—	C	43/50	
		Attachments:—							4	—	C	43/51	
28M/10286 28S/1200060	AGS.2001/A/1 A33/A16	Nut, stiff, 6 BA ... ..							4	—	C	43/52	
		Screw, 6 BA, c'sk head ... ..							4	—	C	43/53	
28M/1278189 28S/9419453	E.F2.81.6443 AGS.2001/B/1 A31/B14	<b>FAIRLEAD</b> , assembly (Mod. 2170) ... ..							1	—	—	43/53	
		Attachments:—							6	—	C	43/54	
28M/1278189 28S/9419453	AGS.2001/B/1 A31/B14	Nut, stiff, 4 BA ... ..							6	—	C	43/55	
		Screw, 4 BA, cheese head ... ..							6	—	C	43/55	
12009	E.F2.81.3087	<b>FAIRLEAD</b> , assembly, between frames 48 and 49 ...							1	—	C	43/56	
		Attachments:—							4	—	C	43/57	
28D/9706373 28W/9419464	A25/2A SP13/A	Bolt, 6 BA, hex. head ... ..							4	—	C	43/58	
		Washer, 6 BA, plain ... ..							4	—	C	43/58	
12010	E.F2.81.5219 or E.F2.81.5261	<b>FAIRLEAD</b> , assembly, aft of frame 44, starboard ...							1	—	C	43/59	
		Attachments:—							6	—	C	43/60	
28D/9133012 28M/9433473 28W/9419402	A25/3C AGS.2002/C/1 SP13/C	Bolt, 2 BA, hex. head ... ..							6	—	C	43/61	
		Nut, stiff, 2 BA ... ..							6	—	C	43/62	
12011	E.F2.81.5223	Washer, 2 BA, plain ... ..							6	—	C	43/62	
		<b>FAIRLEAD</b> , assembly, forward of frame 43, starboard							2	—	C	43/63	
28D/9140635 28M/10286 28W/9419464	A25/3A AGS.2001/A/1 SP13/A	Attachments:—							4	—	C	43/64	
		Bolt, 6 BA, hex. head ... ..							4	—	C	43/65	
19764	E.F2.81.6233	Nut, stiff, 6 BA ... ..							4	—	C	43/66	
		Washer, 6 BA, plain ... ..							4	—	C	43/66	
28M/1278190 12013	E.F2.81.6233 E.F2.81.1803	<b>FAIRLEAD</b> , assembly, at firefloor panel (Mod. 2131)							1	—	C	43/67	
		Attachments:—							4	—	C	43/68	
28S/1200047 28W/9419402	AGS.2001/C/1 A31/C24 SP13/C	Nut, stiff, 2 BA ... ..							4	—	C	43/69	
		Plate, flanged ... ..							1	L44	C	43/69	
12014	E.F2.81.5243	Screw, 2 BA, cheese head ... ..							4	—	C	43/70	
		Washer, 2 BA, plain ... ..							4	—	C	43/71	
28M/1278189	AGS.2001/B1	<b>FAIRLEAD</b> , assembly, between frames 45 and 46 ...							1	—	C	43/72	
		Attachments:—							4	—	C	43/73	
7616 7617	E.B2.81.8667 E.B2.81.8668	Nut, stiff, 4 BA ... ..							4	—	C	43/73	
		<b>FAIRLEAD</b> , half, assembly, between frames 44 and 45							1	—	C	43/74	
28M/1278189 28S/9995326	AGS.2001/B/1 A32/B20	Attachments:—							4	—	C	43/75	
		Nut, stiff, 4 BA ... ..							4	—	C	43/76	
5CZ/5222	GRAVINER D.900	Screw, 4 BA, round head ... ..							4	—	C	43/76	
		<b>FITTING</b> , bulkhead ... ..							4	—	B	43/77	
28D/9436920 28D/9133012	A25/1C A25/3C	Attachments:—							4	—	C	43/78	
		Bolt, 2 BA, hex. head ... ..							3	—	C	43/78	
28M/1278190 26FZ/1729	AGS.2001/C/1 EEAS.20/1DU	Bolt, 2 BA, hex. head ... ..							3	—	C	43/79	
		Nut, stiff, 2 BA ... ..							6	—	C	43/80	
		Tab, locking ... ..							2	S515	C	43/81	



**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5L/9959122	† E.B2.11.16659 EEAS.146/12 EEAS.146/20 E.B2.81.8923	<b>LAMP</b> , 28v., 2½w. ... ..							5	—	B	44/19
		<b>PANEL</b> , lamp identification ... ..							1	L72	—	44/20
		<b>SLEEVE</b> , ¾" long ... ..							QR	—	—	44/25
		<b>SLEEVE</b> , ¾" long ... ..							QR	—	—	44/26
		<b>PLATE</b> , blanking ... ..							1	—	—	44/27
		Attachments:—									C	44/28
		Bolt, 4 BA, hex. head ... ..							4	—	C	44/29
		Nut, stiff, 4 BA ... ..							4	—	C	44/30
		Washer, 4 BA, plain ... ..							4	—		
		28D/1010658	A25/1B	<b>PLUG</b> , bulkhead, 4-way ... ..							1	—
28M/1278189	AGS.2001/B/1	<b>PLUG</b> , bulkhead, 9-way ... ..							1	—	B	44/32
28W/9419465	SP13/B	<b>PLUG</b> , bulkhead, 26-way ... ..							1	—	B	44/33
5X/7022	2CZ.84865	<b>SWITCH</b> , refuelling micro, group ... ..							1	—	B	44/34
5X/7025	2CZ.84866	Spares for:—										
5X/7029	2CZ.84869	<b>BLOCK</b> , plunger guide ... ..							1	LFS26	C	44/35
4555	E.B1.11.5857	<b>LEVER</b> , trip ... ..							1	—	C	44/36
4556	E.B1.11.4523	Attachments:—										
4557	E.B1.11.4325	Piece, distance ... ..							2	—	C	44/37
4558	AS.2808/5/024	Pin, steel, ⅜" dia. ... ..							1	—	C	44/38
28P/842	SP4Y/B16	Pin, split ... ..							1	—	C	44/39
28P/1202460	SP9/C4	<b>PLUNGER</b> , operating ... ..							1	—	C	44/40
4559	E.B1.11.5797	<b>SPRING</b> , plunger locating ... ..							1	—	C	44/41
4343	E.B1.11.4327	<b>SWITCH</b> , micro (Pre-Mod. 4277) ... ..							1	—	B	44/42
5CW/1085884	HONEYWELL 1.HY.1	<b>SWITCH</b> , micro (Mod. 4277) ... ..							1	—	B	44/43
5CW/11939	HONEYWELL 1.HY.1 Mk. 3	Attachments:—										
28D/9435711	A25/10B	Bolt, 4 BA, hex. head ... ..							4	—	C	44/44
27N/94	SIS.60	<b>SWITCH</b> , inertia, Mk. 2 ... ..							1	—	A	44/45
28D/9133012	A25/2C	Attachments:—										
28M/1278190	AGS.2001/C/1	Bolt, 2 BA, hex. head ... ..							4	—	C	44/46
28W/9419402	SP13/C	Nut, stiff, 2 BA ... ..							4	—	C	44/47
		Washer, 2 BA, plain ... ..							4	—	C	44/48
17695	E.B3.81.1485	<b>SWITCH</b> , inertia, assembly ... ..							1	—	A	44/49
		Consisting of:—										
28D/9133012	A25/3C	<b>BOLT</b> , 2 BA, hex. head ... ..							4	—	C	44/50
28M/1278190	AGS.2001/C/1	<b>NUT</b> , stiff, 2 BA ... ..							4	—	C	44/51
	E.B3.81.1487	<b>PLATE</b> ... ..							1	L72	—	44/52
27N/94	SIS.60	<b>SWITCH</b> , inertia, Mk. 2 ... ..							1	—	A	44/53
28D/9133011	A25/2C	Attachments:—										
		Bolt, 2 BA hex. head ... ..							3	—	C	44/54
4258	E.B1.81.1247	<b>TERMINAL</b> , earth assembly ... ..							1	—	C	44/55
		Attachments:—										
28M/1220743	AGS.2001/G/4	Nut, stiff, ⅝" BSF ... ..							2	—	C	44/56
7907	E.B3.81.1851	Stud, earth, assembly ... ..							1	—	C	44/57
7908	E.B3.81.1857	Washer, special ... ..							1	—	C	44/58
	E.F2.81.4021	Washer, identification ... ..							1	—	—	44/59
28W/9419403	SP13/G	Washer, ⅝" BSF, plain ... ..							1	—	C	44/60

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	EQUIPMENT, between frames 49 and 55, assembly . . . . . (E.F2.81.355) (Mk. 2 A/c)	-	-	-	45/1
	-	EQUIPMENT, between frames 49 and 55, assembly . . . . . (E.F4.81.4355) (Mk. 2A A/c)	-	-	-	45/2
	E.F3.81.15211	Spares for:- BLOCK, spacer (Make from EEAS.323/C) (Mod. 4160)	1	-	LM	45/3
28D/1010029	A25/6B	Attachments:- Bolt, 4 BA, hex. head . . . . .	6	-	C	45/4
28W/9419474	SP15/B	Washer, 4 BA, plain . . . . .	6	-	C	45/5
	5CZ/430	BLOCK, terminal, 2-way, No. 1 . . . . .	1	-	B	45/6
		Attachments:-				
28W/1987493	AGS.2001/A/1	Nut, stiff, 6 BA . . . . .	2	-	C	45/7
28S/1200062	A33/A20	Screw, 6 BA, c'sk head . . . . .	2	-	C	45/8
	5CZ/432	BLOCK, terminal, 3-way, type "B" . . . . .	2	-	B	45/9
		Attachments:-				
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA . . . . .	2	-	C	45/10
28S/1200062	A33/A20	Screw, 6 BA, c'sk head . . . . .	2	-	C	45/11
	-	EQUIPMENT, compartment, port (E.F2.81.361) . . . . . (Mk. 2 A/c)	-	-	-	45/12
	-	EQUIPMENT, compartment, port (E.F4.81.4361) . . . . . (Mk. 2A A/c)	-	-	-	45/13
	-	Spares for:- AMPLIFIER, No. 1 and No. 2 engines temperature . . . . . control, at frames 50 and 51, assembly (E.B3.81.2175)	-	-	-	45/14
		Consisting of:-				
	E.B3.81.2177	TRAY, and amplifier, No. 2 engine, group . . . . .	1	-	-	45/15
		Consisting of:-				
5CZ/5656	TYPE 203	AMPLIFIER (Pre-Mod. 2367) . . . . .	1	-	A	45/16
5CZ/6799	TYPE 207	AMPLIFIER (Mod. 2367) . . . . .	1	-	A	45/17
		Attachments:-				
9633	E.B3.81.2755	Bolt, special, 1/4" UNF hex. head . . . . .	4	-	C	45/18
28W/9418921	SP13/E	Washer, 1/4" BSF, plain . . . . .	4	-	C	45/19
28W/9416644	SP47/E	Washer, 1/4" BSF, spring . . . . .	4	-	C	45/20
	9286	TRAY, assembly . . . . .	1	-	C	45/21
		Spares for:-				
	9288	SPIGOT . . . . .	2	S116	C	45/22
		Attachments:-				
28D/1011023	A25/20C	Bolt, 2 BA, hex. head . . . . .	2	-	C	45/23
28W/9419402	SP13/C	Washer, 2 BA, plain . . . . .	2	-	C	45/24
	E.B3.81.2179	TRAY, and amplifier No. 1 engine, group . . . . .	1	-	-	45/25
		Consisting of:-				
5CZ/5656	TYPE 203	AMPLIFIER (Pre-Mod. 2367) . . . . .	1	-	A	45/26
5CZ/6799	TYPE 207	AMPLIFIER (Mod. 2367) . . . . .	1	-	A	45/27
		Attachments:-				
9633	E.B3.81.2755	Bolt, special, 1/4" UNF hex. head . . . . .	4	-	C	45/28
28W/9418921	SP13/E	Washer, 1/4" BSF, plain . . . . .	4	-	C	45/29
28W/9416644	SP47/E	Washer, 1/4" BSF, spring . . . . .	4	-	C	45/30

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
9287	E.B3.81.2183								1	—	C	45/31
9288	E.B2.81.2185								2	S116	C	45/32
28D/1011023	A25/20C								2	—	C	45/33
28W/9419402	SP13/C								2	—	C	45/34
5X/3181	CZ.23212/1								3	—	B	45/35
4259	E.B1.81.291								6	L40	C	45/36
28S/9419435	A31/B12								6	—	C	45/37
28S/1200033	A31/B24								6	—	C	45/38
28W/9419465	SP13/B								6	—	C	45/39
28W/9416642	SP47/B								12	—	C	45/40
	E.F2.81.6825								1	—	—	46/1
	E.F4.81.4699								1	—	—	46/2
4261	E.B2.81.143								1	EEDX91	C	46/3
28D/1010658	A25/1B								2	—	C	46/4
28M/1086618	AGS.2002/B/1								2	—	C	46/5
28W/9419465	SP13/B								2	—	C	46/6
4262	E.B2.81.144								1	EEDX91	C	46/7
28D/1010658	A25/1B								2	—	C	46/4
28M/1086618	AGS.2002/B/1								2	—	C	46/5
28W/9419465	SP13/C								2	—	C	46/6
	E.F2.81.4983								1	—	—	46/8
10H/23491	OXLEY 093/S0/20P								2	—	B	46/9
28M/1086618	AGS.2002/B/1								2	—	C	46/10
28S/1008327	A32/B14								2	—	C	46/11
28W/9419465	SP13/B								2	—	C	46/12
5X/3181	CZ.23212/2								1	—	B	46/13
28M/1086618	AGS.2002/B/1								2	—	C	46/14
28S/1011488	A31/B28								2	—	C	46/15
28W/9419465	SP13/B								2	—	C	46/16
5X/2863	CZ.24285								2	—	B	46/17
28M/1278189	AGS.2001/B/1								4	—	C	46/14
28S/1011488	A31/B28								4	—	C	46/15
28W/9419465	SP13/B								4	—	C	46/16
12015	E.F2.81.1285								1	—	C	46/18
8443	EEAS.250/1								4	S21	C	46/19

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7410	EEAS.232	WASHER, retaining	4	L72	C	46/20
28W/9419474	SP15/B	WASHER, 4 BA, plain	4	-	C	46/21
5X/7511	2Z.84912/B	GASKET, plug, moulding	1	-	C	46/22
5X/7526	2Z.84912/C	GASKET, plug, moulding	5	-	C	46/23
	E.F2.81.5727	LABEL, assembly (Mk. 2 A/c)	1	-	-	46/24
	E.F4.81.4697	LABEL, assembly (Mk. 2A A/c)	1	-	-	46/25
		Spares for:-				
	E.F2.81.1283	PAD, rubber	1	Rubazote	LM	46/26
8443	EEAS.250/1	SCREW, special, 4 BA	4	S21	C	46/27
7410	EEAS.232	WASHER, retaining	4	L72	C	46/28
28W/9419474	SP15/B	WASHER, 4 BA, plain	4	-	C	46/29
12017	E.F2.81.5751	LABEL, assembly	1	-	C	46/30
		Spares for:-				
	E.F2.81.1283	PAD, rubber	1	Rubazote	LM	46/26
8443	EEAS.250/1	SCREW, special, 4 BA	4	S21	C	46/27
7410	EEAS.232	WASHER, retaining	4	L72	C	46/28
28W/9419474	SP15/B	WASHER, 4 BA, plain	4	-	C	46/29
	E.F2.81.1289	PANEL, access	1	L72	-	46/31
		Attachments:-				
28S/9992525	A32/B12	Screw, 4 BA, round head	4	-	C	46/32
28W/9419465	SP13/B	Washer, 4 BA, plain	4	-	C	46/33
9320	E.B4.81.859	PILLAR, spacer, assembly	8	-	C	46/34
		Attachments:-				
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA, plain	8	-	C	46/35
28W/9419465	SP13/B	Washer, 4 BA, plain	8	-	C	46/36
5X/7145	2CZ.111224	PLUG, single, 9-way, "B" size	1	-	B	46/37
5X/7152	2CZ.111227	PLUG, single, 14-way, "C" size	3	-	B	46/38
5X/7153	2CZ.111297	PLUG, single, 6-way, "C" size	2	-	B	46/39
6102089	E.F2.81.5837	SHELL, assembly	1	-	-	46/40
		Spares for:-				
5797	E.B2.81.165	DOWEL, locating	1	-	C	46/41
13045	E.B3.81.3261	DOWEL, locating	1	-	C	46/42
		Attachments:-				
28M/13376	A.29/EP	Nut, 1/4" BSF	2	-	C	46/43
28W/9419487	SP.16/E	Washer, 1/4" BSF, plain	2	-	C	46/44
5CW/6704	7CZ/107794	SOCKET	9	-	B	46/45
5CW/6705	7CZ.107805	SOCKET	1	-	B	46/46
5CW/6698	7CZ.107791	SWITCH, magnetic relay, 10A	9	-	A	46/47
		Attachments:-				
28S/1007469	A.33/B14	Screw, 4 BA, c'sk head	18	-	C	46/48
5CW/6699	7CZ.107792	SWITCH, magnetic relay, 25A	1	-	A	46/49
		Attachments:-				
28S/1007469	A.33/B14	Screw, 4 BA, c'sk head	2	-	C	46/50
	-	WIRING, diagram (E.F2.81.6827) (Mod. 4203) (Mk. 2 A/c)	-	-	-	46/51
	-	WIRING, D2 relay box (E.F4.81.4701) (Mk. 2A A/c)	-	-	-	46/52
		Spares for:-				
7640	E.B2.81.12647	BRACKET, mounting	1	BS7432	C	46/53
		Attachments:-				
28W/1006946	AGS.2035/C	Washer, 2 BA, locking	1	-	C	46/54



ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
1441420	E.B3.81.3773								1	-	B	48/1
4268	E.B2.81.9813								1	-	C	48/2
28S/1006948	A32/A12								2	-	C	48/3
28W/9416641	SP47/A								2	-	C	48/4
5X/3268	CZ.50180								1	-	B	48/5
29M/1278189	AGS.2001/B/1								2	-	C	49/6
28S/1011488	A32/B28								2	-	C	48/7
28W/9419465	SP13/B								2	-	C	48/8
5E/3893	†								QR	-	C	48/9
5CZ/5782	CE.51102								2	-	C	48/10
4269	E.B2.81.5779								1	-	B	48/11
9707	EEAS.250/4								4	S21	C	48/12
7410	EEAS.232								4	L72	C	48/13
10CV/0005103	FERRANTI								4	-	B	48/14
	ZS.20B											
10AS/3509	S.T.C.								1	-	C	48/15
	LP.733615											
10H/0530472	S.T.C.								1	-	A	48/16
	4190HC											
28M/1987493	AGS.2001/A/1								1	-	C	48/17
28S/1200058	A33/A12								1	-	C	48/18
5905/99/011/3235	PAINTON								1	-	B	48/19
10W/0117881	†								1	-	B	48/20
	E.B2.81.5773								1	-	-	48/21
	EEAS.146/EQ								QR	-	-	48/22
	EEAS.146/2								QR	-	-	48/23
	EEAS.146/20								QR	-	-	48/24
	EEAS.146/EQ								-	-	-	48/25
	EEAS.146/EQ								QR	-	-	48/26
	M.A.M.								QR	Grade C x H	-	48/27
	S.T.C.								1	-	-	48/28
	LP.736720											
9545/99/932/3397	S.T.C.								1	-	C	48/29
	LP.733614											
12018	†								QR	-	C	48/30
4272	E.B2.81.0915								1	LFS21	C	48/31
28D/1017747	A32/A14								2	-	C	48/32
28W/9416641	SP47/A								2	-	C	48/33
5X/9462951	HC.294								1	-	C	48/34
5X/1010324	HC.296								9	-	C	48/35
5K/3960	ROSS								5	-	C	48/36
	COURTNEY											
	No. 397											
28D/1007971	A25/1-1/2B								4	-	C	48/37
	E.F4.81.5159								1	-	-	45/51
	E.F4.81.5161								1	-	-	45/42
10317	HELLERMANN								QR	-	C	45/43
	EE.11/2											

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
12019	E.F2.81.1497								1	—	C	49/1
28M/1278189	AGS.2001/B/1								6	—	C	49/2
28S/1200034	A31/B16								6	—	C	49/3
12020	E.F2.81.1793								1	—	C	49/4
28M/1278190	AGS.2001/C/1								4	—	C	49/5
28S/9435713	A31/C20								4	—	C	49/6
12021	E.F2.81.1797								1	—	C	49/7
28M/1278190	AGS.2001/C/1								4	—	C	49/8
28S/9435713	A31/C20								4	—	C	49/9
	E.F3.81.12545								1	—	—	49/10
28M/1289190	AGS.2001/C/1								4	—	C	48/11
28S/9435713	A31/C20								4	—	C	49/12
12022	E.F2.81.5657								1	—	C	49/13
28S/9435713	A31/C20								4	—	C	49/14
12023	E.F2.81.1897								1	—	C	49/15
	E.B3.81.3727								1	—	—	49/16
28S/9435713	A31/C20								4	—	C	49/17
	E.F4.81.5067								1	—	—	49/18
28D/9133011	A25/2C								4	—	C	49/19
7389	E.B2.81.12655								1	—	C	49/20
28M/1278190	AGS.2001/C/1								4	—	C	49/21
28S/9435713	A31/C20								4	—	C	49/22
1440770	E.F4.81.4853								1	—	C	49/23
28M/1278190	AGS.2001/C/1								1	—	C	49/21
28S/9435713	A31/C20								4	—	C	49/22
5CZ/6013	ELEC. COMP'S Type 22508-775								2	—	C	49/24
5X/7606	Z.25004								2	—	C	49/25
28S/1006948	A32/A12								8	—	C	49/26

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4258	E.B1.81.1247	TERMINAL, earth at frame 50 (Mk. 2 A/c) . . . . .	1	—	C	49/27
11060	E.B1.81.4393	TERMINAL, earth, at frame 50 (Mk. 2A A/c) . . . . .	1	—	C	49/28
		Attachments:—				
5358	E.B2.81.11031	Bolt, 3/8" BSF, hex. head, special . . . . .	1	—	C	49/29
28M/10292	AGS.2001/J/1	Nut, stiff, 3/8" BSF . . . . .	1	—	C	49/30
28M/5240	A14/JB	Nut, 3/8" BSF, thin . . . . .	1	—	C	49/31
28W/9419466	SP13/J	Washer, 3/8" BSF, plain . . . . .	1	—	C	49/32
5CZ/5425	ELEC. COMP'S 22515	UNIT, resistor, 1/2 ohm . . . . .	2	—	B	49/33
		Attachments:—				
28D/1215078	AS.1246/5C	Bolt, 2 BA, round head . . . . .	4	—	C	49/34
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA . . . . .	4	—	C	49/35
6A/6822 or 6A/8548 4294	ELLIOT BROS.  E.B2.81.5299	UNIT, power supply, type "B" . . . . .	1	—	A	49/36
	—	WASHER, ident, E21 . . . . .	1	—	C	49/37
	—	EQUIPMENT, D.C. compartment, frames 52 to 53, . . . . . assembly (E.F2.81.6885) (Mod. 4203) (Mk. 2 A/c)	—	—	—	50/1
	—	EQUIPMENT, D.C. compartment, frames 52 to 53, . . . . . assembly (E.F4.81.4363) (Mk. 2A A/c)	—	—	—	50/2
	E.B2.81.8331	Spares for:— BLOCK, mounting, assembly . . . . .	6	—	—	50/3
	E.B2.81.8327	Consisting of:— BLOCK, support . . . . .	1	L44	—	50/4
7569	E.B2.81.8329	COVER . . . . .	1	L44	C	50/5
		Attachments:—				
28D/9435711	A25/10B	Bolt, 4 BA, hex. head . . . . .	11	—	C	50/6
28W/9419474	SP15/B	Washer, 4 BA, plain . . . . .	11	—	C	50/7
12025	E.F2.81.4567	BUS-BAR, assembly, P12 . . . . .	1	—	C	50/8
		Attachments:—				
7570	E.B2.81.8337	Bolt, 1/4" BSF, brass . . . . .	2	BS249	C	50/9
28M/12344	AGS.2002/E/4	Nut, stiff, 1/4" BSF, brass . . . . .	2	—	C	50/10
7571	E.B2.81.8361	Washer, brass . . . . .	2	BS267	C	50/11
12026	E.F2.81.4569	BUS-BAR, assembly, P1 . . . . .	1	—	C	50/12
		Attachments:—				
7570	E.B2.81.8337	Bolt, 1/4" BSF, brass . . . . .	1	BS249	C	50/13
28M/12344	AGS.2002/E/4	Nut, stiff, 1/4" BSF, brass . . . . .	1	—	C	50/14
7571	E.B2.81.8361	Washer, brass . . . . .	2	BS267	C	50/15
	E.F3.81.14335	CABLE, rectifier, assembly . . . . .	1	—	—	50/16
		Spares for:—				
24398	E.A3.81.12855	BLOCK, recifier, assembly . . . . .	1	—	C	50/17
	EEAS.146/20	SLEEVE, 3/4" long . . . . .	QR	—	—	50/18
5X/1010324	HC.294	TAG, ring tongue . . . . .	2	—	C	50/19
12039	HELLERMANN HT.0813/6B	CLIP, "P" . . . . .	3	—	C	50/20
12073	HELLERMANN HT.0813/12B	CLIP, "P" . . . . .	1	—	C	50/21
12043	HELLERMANN HT.0813/5C	CLIP, "P" . . . . .	1	—	C	50/22
12045	HELLERMANN HT.0813/10C	CLIP, "P" . . . . .	1	—	C	50/23
12069	HELLERMANN HT.0813/4C	CLIP, "P" . . . . .	1	—	C	50/24

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F3.81.14337	CONNECTOR, flexible	1	—	C	50/25
		Attachments:—				
7574	E.B2.81.8339	Bolt, terminal, 1/4" BSF	1	BS249	C	50/26
7575	E.B2.81.8349	Nut, thin, brass, 1/4" BSF	1	BS249	C	50/27
28M/12344	AGS.2002/E/4	Nut, stiff, 1/4" BSF	1	—	C	50/28
7571	E.B2.81.8361	Washer, brass	4	BS267	C	50/29
5CW/11209	N.S.F. 6042/H/152	CONTACTOR	1	—	C	50/30
		Attachments:—				
28D/1011238	A25/3E	Bolt, 1/4" BSF, hex. head	2	—	C	50/31
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	3	—	C	50/32
5CW/12210	N.S.F. 49-2672	COVER, terminal	1	—	C	50/33
5CZ/6576	ROTAX F.8101	INDICATOR, current (Mod. 4063) (with Rotax Mod. SW.6520)	1	—	A	50/34
		Attachments:—				
28S/1200049	A31/A12	Screw, 6 BA, cheese head	4	—	C	50/35
12027	E.F2.81.5257	LINK, bus-bar assembly	1	—	C	50/37
5CW/10329	BS/115/B1B/1C/2	RELAY, diamond "H"	1	—	B	50/38
		Attachments:—				
28S/1200047	A31/C24	Screw, 2 BA, cheese head	2	—	C	50/39
7577	EEAS.27/7DR	Washer	2	L72	C	50/40
5C/3002	S.I.S.3713	SOCKET, test	1	—	B	50/41
		Attachments:—				
28S/9535715	A33/B16	Screw, 4 BA, c'sk head	3	—	C	50/42
		Attachments:—				
	E.F2.81.14809	STUD, 4 BA	1	S114	—	50/43
26FZ/3823	EEAS.142	TERMINAL, earth	1	—	C	50/44
	E.F2.81.6883	TRAY, equipment, assembly (Mod. 4203) (Mk. 2 A/c)	1	—	—	47/27
	E.F4.81.4755	TRAY, equipment, assembly (Mk. 2A A/c) Spares for:—	1	—	—	47/28
5X/6607	†	BLOCK, fuse	2	—	B	47/29
		Attachments:—				
28S/9435712	A31/B8	Screw, 4 BA, cheese head	4	—	C	47/30
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	47/31
28W/9419448	AGS.2035/B	Washer, 4 BA, shakeproof	4	—	C	47/32
10317	HELLERMANN EE.11/2	EXTRUSION, helsyn	QR	—	C	47/33
5K/	SP93/A8	GROMMET, fuse block	2	—	—	47/34
	E.F2.81.6881	LABEL, fuse (Mk. 2 A/c)	1	—	—	47/35
	E.F4.81.4759	LABEL, fuse (Mk. 2A A/c)	1	—	—	47/36
		Attachments:—				
28D/9706373	A25/2A	Bolt, 6 BA, hex. head	3	—	C	47/37
28W/9419464	SP13/A	Washer, 6 BA, plain	3	—	C	47/38
5CW/6625	7CZ.97508/1	RELAY, type AD/IM/28/30	3	—	B	47/39
		Attachments:—				
28S/1200033	A31/B24	Screw, 4 BA, cheese head	6	—	C	47/40

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B3.81.3955	TRAY, assembly	1	-	-	47/41
	E.B3.81.3961	Spares for:- PLATE, relay mounting, assembly	1	-	-	47/42
28D/1010029	A25/6B	Attachments:- Bolt, 4 BA, hex. head	4	-	C	47/43
	AS.2305/050	Piece, distance	4	-	-	47/44
18745	E.B2.11.16377	SPIGOT, assembly	1	-	C	47/45
18746	E.B2.11.16378	SPIGOT, assembly	1	-	C	47/46
5UC/1179994	E.E. CO. B'FORD AE.7023 MK.2	UNIT, control and protection (Mod. 4572)	1	-	A	47/47
		Attachments:-				
28D/1212414	A25/45C	Bolt, 2 BA, hex. head	3	-	C	47/48
28D/1212415	A45/46C	Bolt, 2 BA, hex. head	1	-	C	47/49
28W/9419402	SP13/C	Washer, 2 BA, plain	4	-	C	47/50
7571	E.B2.81.8361	Washer	9	-	C	47/51
	-	WIRING, DC compartment, frames 52-53 (E.F2.81.6887) (Mod. 4203) (Mk. 2 A/c)	-	-	-	50/45
	-	WIRING, DC compartment (E.F4.81.4757) (Mk. 2A A/c)	-	-	-	50/46
		Spares for:-				
	E.F3.81.14355	COVER, protective and cable P11, assembly (Mod. 4203)	1	-	-	50/47
		Consisting of:-				
	M.A.M.	ADHESIVE, L.A.	QR	-	-	50/48
	E.F2.81.4561	BRACKET	1	-	-	50/49
		Attachments:-				
7570	E.B2.81.8337	Bolt, special, 1/4" BSF	1	-	C	50/50
28M/12344	AGS.2002/E/4	Nut, stiff, 1/4" BSF	1	-	C	50/51
7571	E.B2.81.8361	Washer, special	1	-	C	50/52
	E.F3.81.14353	CABLE, assembly, P11 (Mod. 4203)	1	-	C	50/53
37463	E.F2.81.5651	COVER, protective, assembly	1	-	C	50/54
37464	E.F2.81.5679	RING, support	1	L44	-	50/55
	EEAS.146/2	SLEEVE, 1-1/4" long	QR	-	-	50/56
	-	EQUIPMENT, between frames 54 and 55, assembly (E.B2.81.6951) (Mod. 4203)	-	-	-	51/1
		Spares for:-				
5X/6630	CZ.72411	BLOCK, terminal, 5-way (Mk. 2 A/c)	1	-	B	51/2
		Attachments:-				
28D/9140635	A25/3A	Bolt, 6 BA, hex. head	2	-	C	51/3
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	2	-	C	51/4
8883	EEAS.265	Piece, insulating	1	-	C	51/5
28W/9149464	SP13/A	Washer, 6 BA, plain	2	-	C	51/6
5CZ/8457	WARD BROOKE WB/UN/1146/D/ 5/W	BLOCK, terminal	1	-	C	51/7
		Attachments:-				
5CZ/6391	WARD BROOKE WB/1110/B9	Cover	1	-	C	51/8
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	51/9
5CZ/6424	WARD BROOKE WB/1114/28	Pillar, fixing	2	-	C	51/10

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B3.81.1727	BOX, relay, air brake, assembly	1	—	—	51/11
5X/3277	CZ.50206	Spares for:— BLOCK, terminal, 3-way	1	—	B	51/12
		Attachments:—				
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	51/13
28S/1005622	A31/B28	Screw, 4 BA, cheese head	2	—	C	51/14
5X/3268	CZ.50207	BLOCK, terminal, 5-way	2	—	B	51/15
		Attachments:—				
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	51/16
28S/1005622	A31/B28	Screw, 4 BA, cheese head	4	—	C	51/17
8442	E.B2.81.12347	COVER, assembly	1	—	B	51/18
		Spares for:—				
11085	EEAS.307/3	BOLT, special	4	S95	C	51/19
7410	EEAS.232	WASHER, retaining	4	L72	C	51/20
	E.B2.81.12341	PLATE, end, assembly	1	—	—	51/21
		Spares for:—				
	E.B2.81.12345	PAD, rubber	1	Sorbocel	LM	51/22
9707	EEAS.250/4	SCREW, special	4	S21	C	51/23
7410	EEAS.232	WASHER, retaining	4	L72	C	51/24
28W/9419474	SP15/B	WASHER, 4 BA, plain	4	—	C	51/25
10H/9991656	PLESSEY	PLUG, panel unit	1	—	B	51/26
	2CZ.84963					
10F/0530473	S.T.C.	RELAY (Pre-Mod. 4049)	2	—	A	51/27
	4190HD or					
	CLARE	RELAY (Pre-Mod. 4049)	2	—	—	51/28
	A-24-NR					
10F/9522409	CLARE	RELAY (Mod. 4049)	2	—	A	51/29
	A-24-NR/1					
		Attachments:—				
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	2	—	C	51/30
28S/1200059	A33/A14	Screw, 6 BA, c'sk head	2	—	C	51/31
4241	E.B2.11.10413	SPIGOT	2	—	C	51/32
		Attachments:—				
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	51/33
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	51/34
	S.T.C.	SOCKET	2	—	B	51/35
	LP.736720					
	E.B3.81.1723	WASHER, ident	1	—	—	51/36
		Attachments:—				
28D/1213720	AS.1248/11B	Bolt, 4 BA, mushroom head	2	—	C	51/37
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	51/38
28S/1012450	A32/B10	Screw, 4 BA, round head	2	—	C	51/39
5E/3876	†	CABLE, unieglas No. 20	QR	—	C	51/40
	EEAS.551/10	PLATE, ident	1	L73	—	51/41
5CW/10678	†	RELAY, type 20B No. 3	1	—	B	51/42
		Attachments:—				
28D/1213723	A25/8B	Bolt, 4 BA, hex. head	3	—	C	51/43
	M.A.M.	SLEEVE, 3 m/m i/d x 3/8" long, pink	QR	Grade C x H	—	51/44
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	51/45

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5X/9462951	HC.294	TAG, ring tongue (Mk. 2A A/c) .....	3	-	C	51/46
5X/1010324	HC.296	TAG, ring tongue (Mk. 2A A/c) .....	5	-	C	51/47
11620	E.B3.81.1811	FAIRLEAD, assembly, aft of frame 53, starboard ....	1	-	C	52/1
		Attachments:-				
28D/9419452	A25/3B	Bolt, 4 BA, hex. head .....	4	-	C	52/2
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA .....	4	-	C	52/3
28W/9419465	SP13/B	Washer, 4 BA, plain .....	4	-	C	52/4
12029	E.F2.81.3057	FAIRLEAD, assembly, forward frame 53, starboard ..	1	-	C	52/5
		(Pre-Mod. 4092) (Mk. 2 A/c)				
		Attachments:-				
28S/9995324	A32/A16	Screw, 6 BA, round head .....	4	-	C	52/6
1484364	E.B3.81.3731	FAIRLEAD, assembly, forward of frame 53, starboard	1	-	C	52/7
		(Mod. 4092)				
		Attachments:-				
28S/9995324	A32/A16	Screw, 6 BA, round head .....	4	-	C	52/8
7414	E.B2.81.7439	FAIRLEAD, assembly, forward of frame 50 .....	1	-	C	52/9
		Attachments:-				
28D/9419452	A25/3B	Bolt, 4 BA, hex. head .....	4	-	C	52/10
28W/9419465	SP13/B	Washer, 4 BA, plain .....	4	-	C	52/11
	E.F3.81.7587	FAIRLEAD, assembly, forward of frame 53, port ....	1	-	-	52/12
		(Mk. 2A A/c)				
		Attachments:-				
28D/1008149	A25/2B	Bolt, 4 BA, hex. head .....	4	-	C	52/13
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA .....	4	-	C	52/14
28W/9419465	SP13/B	Washer, 4 BA, plain .....	4	-	C	52/15
11674	E.B2.81.15167	FAIRLEAD, assembly, forward of frame 53, starboard	1	-	C	52/16
		Attachments:-				
28D/9419452	A25/3B	Bolt, 4 BA, hex. head .....	4	-	C	52/17
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA .....	4	-	C	52/18
28S/1200062	A33/A20	Screw, 6 BA, c'sk head .....	4	-	C	52/19
5CZ/5222	GRAVINER D.900	FITTING, bulkhead, frame 53, port and starboard ....	2	-	C	52/20
		Attachments:-				
28D/9436920	A25/1C	Bolt, 2 BA .....	6	-	C	52/21
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA .....	6	-	C	52/22
11670	E.B2.81.14899	PLUG, screening cap and lanyard, assembly .....	1	-	C	52/25
		Consisting of:-				
28D/1008149	A25/2B	BOLT, 4 BA, hex. head .....	1	-	C	52/26
12030	E.B2.81.14897	CAP, plug screening, assembly .....	1	-	C	52/27
		Spares for:-				
28N/9143896	AS.4736/25	INSERT, wire thread, 4 BA .....	1	-	C	52/28
	A.M.P. 34137	CONNECTOR, parallel, 16-14 amp. ....	2	-	C	52/29
2381	†	LINE, nylon, monofilament, 3/32" .....	QR	-	C	52/30
28M/1006504	A27/BT	NUT, 4 BA, thin .....	1	-	C	52/31
	E.B2.81.14891	PLATE, attachment, assembly .....	1	-	-	52/32
	E.B2.81.14895	PLATE, attachment, assembly .....	1	-	-	52/33

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
30938	E.B2.81.5745	RESISTOR, at frame 53, group (Pre-Mod. 4160) . . . . .	1	—	B	52/34
		Spares for:—				
10H/21656	PAINTON 521635	CLIP, retaining . . . . .	2	—	C	52/35
		Attachments:—				
	E.B2.81.15225	Bolt, 2 BA, hex. head . . . . .	2	—	—	52/36
28M/1006473	A.27/CT	Nut, 2 BA, thin . . . . .	2	—	C	52/37
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA . . . . .	2	—	C	53/38
28W/9149402	SP.13/C	Washer, 2 BA, plain . . . . .	2	—	C	52/39
4554	E.B2.81.1749	COVER, resistor . . . . .	1	—	C	52/40
		Attachments:—				
28S/1011785	A.39/B10	Screw, 4 BA, cheese head . . . . .	4	—	C	52/41
10W/24276	PAINTON P.5003	RESISTOR, 1/2 ohm + 10% .90 watts, type F . . . . .	1	—	B	52/42
		Attachments:—				
28D/1007971	A.25/ 1/2B	Bolt, 4 BA, hex. head . . . . .	6	—	C	52/43
12031	E.B2.81.12833	SOCKET, shorting, assembly . . . . .	1	—	B	52/44
		Spares for:—				
12032	E.B2.81.4129	DISC, blanking . . . . .	1	—	C	52/45
12033	E.B2.81.12835	SHELL, socket, special . . . . .	1	—	C	52/46
5X/7172	2CZ.111230	SOCKET, 2-way, "A" size . . . . .	1	—	B	52/47
26FZ/1729	EEAS.20/1DU	TAB, locking . . . . .	2	S515	C	52/23
4258	E.B1.81.1247	TERMINAL, earth at frame 53 . . . . .	1	—	C	52/48
11060	E.B1.81.4393	TERMINAL, earth at frame 53 . . . . .	1	—	C	52/49
		Attachments:—				
5358	E.B2.81.11031	Bolt, special, 3/8" BSF . . . . .	1	—	C	52/50
28M/10292	AGS.2001/J/1	Nut, stiff, 3/8" BSF . . . . .	1	—	C	52/51
28M/5240	A14/JB	Nut, 3/8" BSF, thin brass . . . . .	1	—	C	52/52
	E.F2.81.4785	Washer, ident . . . . .	1	—	—	52/53
28W/9419466	SP13/J	Washer, 3/8" BSF, plain . . . . .	1	—	C	52/54
28W/9419489	SP16/J	Washer, 3/8" BSF, plain . . . . .	1	—	C	52/55
	E.F3.81.15217	TRANSFORMER, current, unit, assembly . . . . .	1	—	—	53/1
		(Mod. 4160)				
		Consisting of:—				
5E/3878	†	CABLE, uniefglas No. 10 . . . . .	QR	—	C	53/2
5E/3881	†	CABLE, uniefglas No. 16 . . . . .	QR	—	C	53/3
	E.F3.81.15221	CLIP, "P" . . . . .	4	L72	—	53/4
5CZ/6894	WARD BROOKE WB/1146/72	LINK, 2-way . . . . .	1	—	C	53/5
1504425	E.F3.81.15581	LUG, crimped . . . . .	1	—	C	53/37
5X/9400078	Z.70012	LUG, ring tongue . . . . .	2	—	C	53/6
26FZ/41431	EEAS.550/5	PLATE, identification . . . . .	1	L73	C	53/7
10W/0113302	†	RESISTOR, RWV4-U . . . . .	1	—	B	53/8
		Attachments:—				
28D/9419452	A.25/3B	Bolt, 4 BA, hex. head . . . . .	1	—	C	53/9
12057	HELLERMANN HT.0813/4B	Clip, "P" . . . . .	1	—	C	53/10
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA . . . . .	1	—	C	53/11
28W/9419474	SP.15/B	Washer, 4 BA, plain . . . . .	1	—	C	53/12
	EEAS.146/10	SLEEVE, 3/4" long . . . . .	QR	—	—	53/13
	EEAS.146/16	SLEEVE, 3/4" long . . . . .	QR	—	—	53/14
	EEAS.146/20	SLEEVE, 1-1/2" long . . . . .	QR	—	—	53/15
	M.A.M.	SLEEVE, 3 m/m i/d x 3/8" long, pink . . . . .	QR	Crade C x H	—	53/16

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
							1
5X/9462951	HC.294	TAG, ring tongue .....	2	—	C	53/17	
5X/9462952	HC.302	TAG, ring tongue .....	1	—	C	53/18	
5X/9462954	HC.306B	TAG, ring tongue .....	1	—	C	53/19	
	E.F.3.81.15215	TRANSFORMER, current, sub-assembly .....	1	—	—	53/20	
		Consisting of:—					
	E.F.3.81.15213	BLOCK, mounting (Make from EEAS.323/C) ...	1	—	LM	53/21	
5CZ/7701	WARD BROOKE WB/UN/1146/S/ 5/200	BLOCK, terminal .....	1	—	C	53/22	
		Attachments:—					
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA .....	2	—	C	53/23	
5CZ/6424	WARD BROOKE WB/1114/28	Pillar .....	2	—	C	53/24	
28W/9419474	SP15/B	Washer, 4 BA, plain .....	2	—	C	53/25	
	5CZ/7702	WARD BROOKE WB/EP/1110/B4 E.E. CO. B'FORD AE.5762	COVER, terminal block .....	1	—	C	53/26
		TRANSFORMER, current .....	1	—	—	53/27	
		Attachments:—					
	EEAS.552/14	Bobbin, 2 BA .....	2	L65	—	53/28	
28D/9419452	A25/3B	Bolt, 4 BA, hex. head .....	2	—	C	53/29	
28D/1212276	A25/15B	Bolt, 4 BA, hex. head .....	2	—	C	53/30	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA .....	4	—	C	53/31	
28W/9419474	SP15/B	Washer, 4 BA, plain .....	8	—	C	53/32	
	4565	E.B.2.81.1103 E.B.2.81.14959	WASHER, ident .....	1	—	C	52/56
	—	WASHER, ident .....	1	—	—	52/57	
	—	EQUIPMENT, between frames 55 and 63 (E.F.2.81.357) . (Mk. 2 A/c)	—	—	—	54/1	
	—	EQUIPMENT, between frames 55 and 63 (E.F.4.81.4357) (Mk. 2A A/c)	—	—	—	54/2	
		Spares for:—					
	4152	E.B.2.81.6065	BLOCK, terminal, assembly .....	2	—	C	54/3
		Attachments:—					
28D/9130080	AS.1242/10B	Bolt, 4 BA, c'sk head .....	4	—	C	54/4	
	5CZ/430	SIS.1564	BLOCK, terminal, 2-way, No. 1 .....	1	—	B	54/5
		Attachments:—					
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA .....	4	—	C	54/6	
28S/1200062	A33/A20	Screw, 6 BA, c'sk head .....	4	—	C	54/7	
	5CZ/432	SIS.1565	BLOCK, terminal, 3-way, No. 1 .....	2	—	B	54/8
		Attachments:—					
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA .....	4	—	C	54/9	
28S/1200062	A33/A20	Screw, 6 BA, c'sk head .....	4	—	C	54/10	
		E.B.2.81.5955	BRACKET, plug .....	1	—	—	54/11
		Attachments:—					
28S/9992522	A32/B16	Screw, 4 BA, round head .....	4	—	C	54/12	
	5X/1965	Z.22166	CAP, plug sealing .....	2	—	C	54/13
	4180	E.B.2.81.1061	FAIRLEAD, half .....	2	—	C	54/14
		Attachments:—					
28D/1008147	A25/1A	Bolt, 6 BA, hex. head .....	4	—	C	54/15	
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA .....	4	—	C	54/16	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7414	E.B2.81.7439	FAIRLEAD, assembly	1	—	C	54/17
28D/9419452	A25/3B	Attachments:— Bolt, 4 BA, hex. head	4	—	C	54/18
28W/9419465	SP13/B	Washer, 4 BA, plain	4	—	C	54/19
5L/9953294	†	FILAMENT, lamp, 24v.—10w.	2	—	B	54/20
5CX/4330071	SIS.3077	LAMPHOLDER	2	—	B	54/21
28S/1200058	A33/A12	Attachments:— Screw, 6 BA, c'sk head	6	—	C	54/22
12004	E.F2.81.4413	PLUG, stowage	2	—	C	54/23
28S/9992522	A32/B16	Attachments:— Screw, 4 BA, round head	6	—	C	54/24
5CW/5057	SIS.6256	SWITCH, push-button, Mk. 3, tail parachute jettison unit test, at frame 62	1	—	B	54/25
	E.F2.81.5729	SWITCH, time, assembly (Mod. 1923) (Mk. 2 A/c)	2	—	—	54/26
	E.F3.81.2067	SWITCH, time, assembly (Mk. 2A A/c)	2	—	—	54/27
		Consisting of:—				
28D/1200119	A25/3C	BOLT, 2 BA, hex. head	4	—	C	54/28
28M/1278190	AGS.2001/C/1	NUT, stiff, 2 BA	4	—	C	54/29
5CW/8080	TEDDINGTON FHM/A/2251	SWITCH, time delay (Mk. 2 A/C)	1	—	A	54/30
5CW/9511	TEDDINGTON FHM/A/2273	SWITCH, time delay (Mk. 2A A/c)	1	—	A	54/31
	E.F2.81.4137	TRAY, assembly	1	—	—	54/32
		Spares for:—				
5788	E.B2.81.9495	SPIGOT	2	—	C	54/33
		Attachments:—				
28M/9403520	A27/CP	Nut, 2 BA, plain	2	—	C	54/34
28W/9419475	SP15/C	Washer, 2 BA, plain	3	—	C	54/35
	E.F3.81.17533	SWITCH, micro, assembly (Mk. 2A A/c)	1	—	—	54/36
		Spares for:—				
5X/9703237	508/2/09481	NUT, outlet	1	—	C	54/37
5X/7847	508/2/05604/002	PIN, contact, 16/20	3	—	C	54/38
5X/9713359	UK—AN(ET)9000 -14S-7P	PLUG, free	1	—	B	54/39
5X/9138835	2Z.139623	SLEEVE, packing	3	—	C	54/40
	EEAS.146/6	SLEEVE, 1/2" long	QR	—	—	54/41
	EEAS.146/16	SLEEVE, 1" long	QR	—	—	54/42
	EEAS.146/20	SLEEVE, 1/4" long	QR	—	—	54/43
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	54/44
5CW/11658	HONEYWELL 121.EN.N69	SWITCH, micro	1	—	B	54/45
4258	E.B1.81.1247	TERMINAL, earth, assembly	1	—	C	54/46
		Attachments:—				
5358	E.B2.81.11031	Bolt, special, 3/8" BSF	1	—	C	54/47
28M/10332	AGS.2002/J/1	Nut, stiff, 3/8" BSF	1	—	C	54/48
28M/5240	A14/JB	Nut, 3/8" thin brass	2	—	C	54/49
4566	E.B2.81.1105	Washer, ident	1	—	C	54/50
28W/9419466	SP13/J	Washer, 3/8" plain	4	—	C	54/51

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
37A/1301	B.T.H. C27TS/1	UNIT, igniter HE .....	2	-	A	54/52
28D/1011247	A25/13E	Attachments:- Bolt, 1/4" BSF, hex. head .....	4	-	C	54/53
28D/1212307	A25/23E	Bolt, 1/4" BSF, hex. head .....	2	-	C	54/54
4552	E.B2.11.12033	Packing .....	2	-	C	54/55
28W/9419405	SP15/E	Washer, 1/4" BSF, plain .....	6	-	C	54/56
-	-	EQUIPMENT, upper engine hatch, assembly (E.F2.81.359) (Mk. 2 A/c) .....	-	-	-	55/1
-	-	EQUIPMENT, upper engine hatch, assembly (E.F4.81.4359) (Mk. 2A A/c) .....	-	-	-	55/2
5X/6607	†	Spares for:- BLOCK, fuse, 4-way .....	1	-	B	55/3
-	-	CONDUIT, engine hatch, assembly (E.F2.81.5187) .....	-	-	-	55/4
12034	E.F2.81.4797	Spares for:- CONDUIT, between frames 48 and 49 .....	1	-	C	55/5
28D/1010658	A25/1B	Attachments:- Bolt, 4 BA, hex. head .....	4	-	C	55/6
4229	AVIAT'N DEVEL'S TLC-BTC-M10	Nut, anchor "Avlok" .....	4	-	C	55/7
28W/9419448	AGS.2035/B	Washer, 4 BA, shakeproof .....	4	-	C	55/8
12035	E.F2.81.4799	CONDUIT, between frames 48 and 49 .....	1	-	C	55/9
28D/1010658	A25/1B	Attachments:- Bolt, 4 BA, hex. head .....	4	-	C	55/10
4229	AVIAT'N DEVEL'S TLC-BTC-M10	Nut, anchor "Avlok" .....	4	-	C	55/11
28W/9419448	AGS.2035/B	Washer, 4 BA, shakeproof .....	4	-	C	55/12
12036	E.F2.81.5191	CONDUIT, between frames 44 and 46 .....	1	-	C	55/13
28D/1008149	A25/2B	Attachments:- Bolt, 4 BA, hex. head .....	4	-	C	55/14
28D/9133012	A25/3C	Bolt, 4 BA, hex. head .....	7	-	C	55/15
4229	AVIAT'N DEVEL'S TLC-BTC-M10	Nut, anchor "Avlok" .....	13	-	C	55/16
28S/9535715	A33/B16	Screw, 4 BA, c'sk head .....	3	-	C	55/17
28W/9419448	AGS.2035/B	Washer, 4 BA, shakeproof .....	11	-	C	55/18
R 32898	E.F2.81.5197	PLATE, base, assembly .....	1	-	C	55/19
5X/6593	†	EXTRACTOR, fuse .....	2	-	C	55/20
5L/995245	THORN VBN.40	FILAMENT, lamp, 40W (Mk. 2A A/c) .....	1	-	C	55/21
5CZ/5866	HELLERMANN 102096	FUSE, dummy .....	2	-	B	55/22
5CZ/5215	E.E. CO. LTD.	FUSE, type AS 5 amp .....	2	-	B	55/23
5CZ/6576	ROTAX F.8101	INDICATOR, current (Mod. 4063) .....	1	-	C	55/24
		(With Rotax Mod. SW.6520)				
28D/1008147	A25/1A	Attachments:- Bolt, 6 BA, hex. head .....	4	-	C	55/25
28W/9419464	SP13/A	Washer, 6 BA, plain .....	4	-	C	55/26
12037	E.F2.81.4581	LABEL, fuse .....	1	-	C	55/27
28M/1086618	AGS.2002/B/1	Attachments:- Nut, stiff, 4 BA .....	1	-	C	55/28
28S/9435712	A31/B8	Screw, 4 BA, cheese head .....	1	-	C	55/29

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5CX/4330071	SIS.3077	LAMPHOLDER (Mk. 2A A/c) .....	1	—	B	55/30
28S/1200058	A33/A12	Attachments:— Screw, 6 BA, c'sk head .....	6	—	C	55/31
5X/6237	EEAS.71/1	LINK, commoning, 2-way .....	1	—	C	55/32
5UC/7018	NEWTON BROS.	REGULATOR, auto CP type 31/63553Z .....	1	—	A	55/33
		(Pre-Mod. 2519)				
5UC/7018	NEWTON BROS.	REGULATOR, auto CP type 31/63553Z/1 (Mod. 2519)	1	—	A	55/34
		Attachments:—				
28D/1212309	A25/25E	Bolt, 1/4" BSF, hex. head .....	4	—	C	55/35
28W/9418921	SP13/E	Washer, 1/4" BSF, plain .....	4	—	C	55/36
	EEAS.146/C	SLEEVE, 3/8" long .....	4	—	—	55/37
5CY/3002	SIS.3713	SOCKET, 3 pole, 2 amp .....	1	—	B	55/38
		Attachments:—				
28S/9535715	A33/B16	Screw, 4 BA, c'sk head .....	3	—	C	55/39
5CW/8979	—	SWITCH, magnetic relay, 20B No. 1 .....	1	—	A	55/40
		Attachments:—				
28S/9140642	A31/B36	Screw, 4 BA, cheese head .....	4	—	C	55/41
5CW/6939	ROTAX F.7901/1	SWITCH, voltage pick-up relay .....	1	—	A	55/42
	or					
5CW/6939	EXP.6013					
		Attachments:—				
28D/1008147	A25/1A	Bolt, 6 BA, hex. head .....	4	—	C	55/43
5CW/6938	ROTAX F.8001	SWITCH, magnetic differential relay .....	1	—	A	55/44
	or					
5CW/6938	EXP.6014					
		Attachments:—				
28D/1009984	A25/7B	Bolt, 4 BA, hex. head .....	4	—	C	55/45
28W/9419465	SP13/B	Washer, 4 BA, plain .....	4	—	C	55/46
37A/1790	B.T.H. LTD. C.10TS3	UNIT, igniter, H.E. ....	2	—	A	55/47
	or					
37A/1401	ROTAX NB/25/2					
		Attachments:—				
7917	E.B3.81.2559	Bolt, special .....	1	S96	C	55/48
28D/1011247	A25/13E	Bolt, 1/4" BSF, hex. head .....	5	—	C	55/49
28W/9418921	SP13/E	Washer, 1/4" BSF, plain .....	6	—	C	55/50
	—	EQUIPMENT, in fin (E.F3.81.2367) (Mk. 2A A/c) .....	—	—	—	53/33
		Consisting of:—				
6B/3169	1D-137	DETECTOR, compass unit, type C .....	1	—	A	53/34
		Attachments:—				
28DU/7000931	A104/ 1/2D	Bolt, 10 UNF, hex. head (Pre-Mod. 4401) .....	4	—	C	53/35
1503669	CSP.118/3/1/H	Bolt, 10 UNF, hex. head (Mod. 4401) .....	4	—	C	53/35
28W/5806394	SP125/D	Washer, 10 UNF .....	8	—	C	53/36
	—	LOOMS, cable, assembly (E.F2.81.33) (Mk. 2 A/c) .....	—	—	—	—
	—	LOOMS, cable, assembly (E.F4.81.4033) (Mk. 2A A/c) ..	—	—	—	—
		Spares for:—				
18767	E.B2.81.758	CABLE, assembly, R59, from slipper tank release unit to slipper tank test plug, group (Mk. 2 A/c)	1	—	B	—
		Consisting of:—				
5E/3876	†	CABLE, uniefglasmet No. 20 .....	QR	—	C	—



**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.B3.81.1296	<b>CABLE</b> , assembly, R6, from JB4 to earth point E4 at frame 31, group Consisting of :—	1	—	LM	
5E/3879	†	<b>CABLE</b> , uniefglas No. 14 ... ..	QR	—	—	
5K/79	AGS.1657/1	<b>COLLET</b> ... ..	2	—	C	
32B/	FIBREGLASS	<b>CORD</b> , glass C.F. tying, 3/8" dia. ... ..	QR	—	C	
5X/9709524	HC.310	<b>LUG</b> ... ..	2	—	C	
5K/89	AGS.1658/1A	<b>NUT</b> , gland ... ..	QR	—	C	
5K/37	AGS.1652/2	<b>SLEEVE</b> ... ..	1	—	C	
	EEAS.146/C	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	—	
	EEAS.146/D	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/D	<b>SLEEVE</b> , 1 1/2" long ... ..	QR	—	—	
5X/9450224	HC.510	<b>TAG</b> , quick release ... ..	2	—	C	
33B/	MIDLAND SILICONE MS.996	<b>VARNISH</b> , silicone ... ..	QR	—	C	
	E.B3.81.1297	<b>CABLE</b> , assembly, R7, from JB4 to trailing edge flap selector valve, port, group Consisting of :—	1	—	—	
5E/3876	†	<b>CABLE</b> , uniefglas No. 20 ... ..	QR	—	C	
11628	E.B3.81.1271	<b>CONDUIT</b> , flexible, assembly ... ..	1	—	C	
5X/3148	Z.49428	<b>SLEEVE</b> , 4-7 amp ... ..	3	—	C	
	EEAS.146/A1	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	—	
	EEAS.146/C	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/C	<b>SLEEVE</b> , 1 1/2" long ... ..	QR	—	—	
5X/7039	2CZ.84873	<b>SOCKET</b> , 4-way, "A" size ... ..	1	—	B	
5X/9450396	HC.490	<b>TERMINAL</b> , quick release ... ..	3	—	C	
	E.B3.81.1354	<b>CABLE</b> , assembly, R214, from transport break inline splice to rudder trim actuator, group Consisting of :—	1	—	—	
5E/3876	†	<b>CABLE</b> , uniefglas No. 20 ... ..	QR	—	C	
5X/3457	LP.100	<b>SLEEVE</b> , Helsyn ... ..	QR	—	C	
8898	EEAS.146/O	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	C	
	EEAS.146/D	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/D	<b>SLEEVE</b> , 1 1/2" long ... ..	QR	—	—	
5X/9462951	HC.294	<b>TAG</b> , ring tongue ... ..	3	—	C	
	E.B3.81.1366	<b>CABLE</b> , assembly, R256, from JB4 to fatigue meter at frames 46 and 47, starboard, group Consisting of :—	1	—	LM	
5E/3876	†	<b>CABLE</b> , uniefglas No. 20 ... ..	QR	—	C	
10H/0970292	508/1/07776/003	<b>CLAMP</b> , cable ... ..	1	—	C	
10H/0119877	508/2/07705/200	<b>GASKET</b> , outlet ... ..	1	—	C	
10H/0970108	508/2/07719/200	<b>GASKET</b> , union ... ..	1	—	C	
10H/0970069	CZ.49181	<b>OUTLET</b> , angle ... ..	1	—	C	
10H/0970096	508/2/07752/007	<b>RING</b> , thrust ... ..	1	—	C	
10H/0970088	508/2/07708/200	<b>RING</b> , sealing ... ..	1	—	C	
	EEAS.146/A	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	—	
	EEAS.146/C	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/C	<b>SLEEVE</b> , 1 1/2" long ... ..	QR	—	—	
10H/23325	2CZ.84993	<b>SOCKET</b> , Mk. 4, 2 x 19 amps ... ..	1	—	B	
5X/9450396	HC.490	<b>TERMINAL</b> , quick release ... ..	2	—	C	
	E.B3.81.1375	<b>CABLE</b> , assembly, R93J1, from 3-way terminal block between frames 57 and 59 to parachute jettison, interlock micro-switch, group Consisting of :—	1	—	—	
5E/3876	†	<b>CABLE</b> , uniefglas No. 20 ... ..	QR	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
	EEAS.146/A EEAS.146/C EEAS.146/C E.B3.81.1376	SLEEVE, 3/4" long SLEEVE, 1" long SLEEVE, 1-1/2" long							QR QR QR				
5E/3876 8898	† EEAS.146/O EEAS.146/C EEAS.146/C E.B3.81.1377	CABLE, assembly, R93 J2, from 3-way terminal block between frames 57 and 59 to parachute release unit jettison test switch, group Consisting of:— CABLE, uniefglas No. 20 SLEEVE, 3/4" long SLEEVE, 1" long SLEEVE, 1-1/2" long							1 QR QR QR QR			LM	
5E/3876	† EEAS.146/A EEAS.146/C EEAS.146/C E.B3.81.1378	CABLE, assembly, R93K1, from terminal block at frame 62 starboard to port navigation light, group Consisting of:— CABLE, uniefglas No. 20 SLEEVE, 3/4" long SLEEVE, 1" long SLEEVE, 1-1/2" long							1 QR QR QR QR			LM	
5E/3876	† EEAS.146/A EEAS.146/C EEAS.146/C E.B3.81.1379	CABLE, assembly, R93K2, from terminal block at frame 62 starboard to starboard navigation light, group Consisting of:— CABLE, uniefglas No. 20 SLEEVE, 3/4" long SLEEVE, 1" long SLEEVE, 1-1/2" long							1 QR QR QR QR			LM	
5E/3876	† EEAS.146/A EEAS.146/C EEAS.146/C E.B3.81.1379	CABLE, assembly, R.101H1, link between port and starboard air brake lock switch terminal blocks, group Consisting of:— CABLE, uniefglas No. 20 SLEEVE, 3/4" long SLEEVE, 1" long SLEEVE, 1-1/2" long							1 QR QR QR QR			LM	
5E/3876	† EEAS.146/A EEAS.146/C EEAS.146/C HC.294 E.F2.81.6771	CABLE, assembly, 2R201, from bulkhead break frame 43 starboard to A.C. compartment port, 10-way terminal block, group (Mod. 4203) Consisting of:— CABLE, uniefglas No. 20 SLEEVE, 3/4" long SLEEVE, 1" long SLEEVE, 1-1/2" long TAG, ring tongue							1 QR QR QR QR 4				C
5E/3876	† EEAS.294/1 EEAS.274 2Z.139098/A 508/2/07719/300 508/2/07708/300 Z.49428 EEAS.146/6 EEAS.146/6 EEAS.146/6 EEAS.146/20 EEAS.146/20 508/1/04010 HC.294 E.F.4.81.5155	CABLE, assembly, 2R201, from bulkhead break frame 43 starboard to A.C. compartment port, 10-way terminal block, group (Mod. 4203) Consisting of:— CABLE, uniefglas No. 20 SLEEVE, 3/4" long SLEEVE, 1" long SLEEVE, 1-1/2" long SLEEVE, 1" long SLEEVE, 3/4" long SOCKET, 4-way TAG, ring tongue							1 QR 1 1 1 1 4 QR QR QR QR QR 1 4 1				C C C C C C B C C
5E/3894 5CY/5000	† †	CABLE, assembly, R573, from micro jet test plug No. 1 to T.B. compartment at frames 50-52, port, group Consisting of:— CABLE, uniersil 20 PLUG, 2 pin, flat, type R							1 QR 1				C B

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5X/9450396	EEAS.146/20								QR	—	—	
	EEAS.146/16								QR	—	—	
	EEAS.146/16								QR	—	—	
	HC.490								2	—	C	
	E.F.2.81.6893								1	—	—	
5E/3876	†								QR	—	—	C
5E/4026	†								QR	—	—	C
	EEAS 294/3								1	—	—	C
5X/10728	A.M.P.323794								1	—	—	C
5X/7560	2Z.139098/B								1	—	—	C
12101	EEAS.276/B								1	—	—	C
10H/23762	508/2/07709/300								1	—	—	C
10H/9995082	508/2/07756/007								1	—	—	C
5X/3184	Z.49428								8	—	—	C
5X/5939	RAYCHEM								6	—	—	C
	TC.4003.CRN-G											
	EEAS.146/2								QR	—	—	—
	EEAS.146/6								QR	—	—	—
	EEAS.146/6								QR	—	—	—
	EEAS.146/6								QR	—	—	—
	EEAS.146/20								QR	—	—	—
5X/9144	508/1/04010								1	—	—	B
5X/9462951	HC.294								1	—	—	C
5X/9450396	HC.490								1	—	—	C
5X/9482491	HC.500								1	—	—	C
	E.B3.81.1721								1	—	—	LM
5E/3876	†								QR	—	—	C
12102	E B2.81.12379								1	—	—	C
5X/3148	Z.49428								3	—	—	C
8898	EEAS.146/O								QR	—	—	C
	EEAS.146/C								QR	—	—	—
	EEAS.146/E								QR	—	—	—
	EEAS.146/E								QR	—	—	—
5X/7039	2CZ.84873								1	—	—	B
5X/9450396	HC.490								3	—	—	C
	E.B3.81.1743								1	—	—	—
5E/3876	†								QR	—	—	C
10H/0970292	508/1/07776/003								1	—	—	C
5K/79	AGS.1657/1								1	—	—	C
32B/	FIBREGLASS								QR	—	—	—
12103	EEAS.277/A								1	—	—	C
10H/0970108	508/2/07719/200								1	—	—	C
5K/90	AGS.1658/2								1	—	—	C
10H/0970088	508/2/07718/200								1	—	—	C
10H/0970096	508/2/07752/007								1	—	—	C
5K/2361	AGS.1733/1								1	—	—	C
5X/3148	Z.49428								2	—	—	C
8898	EEAS.146/O								QR	—	—	C
	EEAS.146/C								QR	—	—	—
	EEAS.146/C								QR	—	—	—
5X/7038	2CZ.84872								1	—	—	B
5X/9450396	HC.490								2	—	—	C

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
33B/	MIDLAND SILICONES MS.996 E.F4.81.5009	VARNISH, silicone .....							QR	-	-	
		CABLE, assembly, R.151, from transport break at frames 25-27 to terminal block at frame 50 (port) (Mod. 4248) Consisting of:-							1	-	-	
5E/3876	-	CABLE, uniefglas No. 20 .....							QR	-	C	
	EEAS.146/20	SLEEVE, 3/4" long .....							QR	-	-	
	EEAS.146/12	SLEEVE, 1/2" long .....							QR	-	-	
	EEAS.146/12	SLEEVE, 3/4" long .....							QR	-	-	
	EEAS.146/12	SLEEVE, 1" long .....							QR	-	-	
	HELLERMANN LTD.											
5X/1010324	HC.296	TAG, ring tongue .....							4	-	C	
	E.F2.81.2302	CABLE, assembly, R2, from No. 1 and No. 2 engine jet pipe relays at frames 23 to 25 to firewire bulkhead fittings port and starboard, frames 43 and 44, group Consisting of:-							1	-	LM	
5E/3896	†	CABLE, uniersil No. 16 .....							QR	-	C	
32B/	FIBREGLASS	CORD, glass C.F. tying, 1/32" dia. ....							QR	-	C	
5K/87	AGS.1658/O	NUT, gland ..							4	-	C	
5K/38	AGS.1652/3	SLEEVE, slotted oval .....							4	-	C	
	EEAS.146/A1	SLEEVE, 3/4" long .....							QR	-	-	
	EEAS.146/C	SLEEVE, 1" long .....							QR	-	-	
	EEAS.146/D	SLEEVE, 1" long .....							QR	-	-	
	EEAS.146/H	SLEEVE, 1" long .....							QR	-	-	
	EEAS.146/H	SLEEVE, 1".5 long .....							QR	-	-	
5F/2301	NY.18007	STRAP, nylon .....							QR	-	C	
5F/9138823	NY.3255	STUD, nylon .....							QR	-	C	
5X/9462745	HC.304	TAG, ring tongue, 4 BA .....							8	-	C	
5X/9462953	HC.306	TAG, ring tongue, 6 BA .....							8	-	C	
33B/	MIDLAND SILICONES MS.996	VARNISH .....							QR	-	-	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B3.81.2065	CABLE, assembly, R4, from No. 1 engine zone relays at frame 23 to 25 to firewire bulkhead fittings frame 27, port and frames 29 to 31, starboard, group Consisting of:—							1	—	LM	
5E/3896	†	CABLE, unifersil No. 16							QR	—	C	
32B/	FIBREGLASS	CORD, glass C.F. tying, 1/32" dia.							QR	—	—	
5K/87	AGS.1658/O	NUT, gland							2	—	C	
5K/38	AGS.1652/3	SLEEVE, slotted oval							2	—	C	
	EEAS.146/A1	SLEEVE, 3/4" long							QR	—	—	
	EEAS.146/C	SLEEVE, 1" long							QR	—	—	
	EEAS.146/D	SLEEVE, 1" long							QR	—	—	
	EEAS.146/D	SLEEVE, 1-1/2" long							QR	—	—	
5X/9462745	HC.304	TAG, ring tongue							4	—	C	
5X/9462953	HC.306	TAG, ring tongue							4	—	C	
32B/	MIDLAND SILICONE MS.996	VARNISH, silicone							QR	—	C	
	E.B3.81.2066	CABLE, assembly, R5, from No. 2 engine jet pipe relay to firewire bulkhead fitting at frame 53, port and starboard, group Consisting of:—							1	—	LM	
5E/3896	†	CABLE, unifersil No. 16							QR	—	C	
11633	E.B3.81.1523	CONDUIT, assembly							1	—	C	
32B/	FIBREGLASS	CORD, glass C.F. tying, 1/32" dia.							QR	—	C	
5K/87	AGS.1658/O	NUT, gland							2	—	C	
5K/38	AGS.1652/3	SLEEVE, slotted oval							2	—	C	
	EEAS.146/A1	SLEEVE, 3/4" long							QR	—	—	
	EEAS.146/C	SLEEVE, 1" long							QR	—	—	
	EEAS.146/D	SLEEVE, 1" long							QR	—	—	
	EEAS.146/D	SLEEVE, 1-1/2" long							QR	—	—	
5X/9462745	HC.304	TAG, ring tongue							4	—	C	
5X/9462953	HC.306	TAG, ring tongue							4	—	C	
32B/	MIDLAND SILICONE MS.996	VARNISH, silicone							QR	—	—	
11631	E.B3.81.2203	CABLE, assembly, R.16, from transport break plug to port and starboard thermocouple terminal blocks, engines No. 1 and No. 2 jet pipes at frame 56, group Consisting of:—							1	—	C	
	E.E.SPEC.	LEAD, compensating, blue and white							QR	—	—	
	E.B2.S21	LEAD, compensating, red and white							QR	—	—	
	E.E. SPEC.	LEAD, compensating, red and white							QR	—	—	
	E.B2.S21	LEAD, compensating, red and white							QR	—	—	
	EEAS.146/A1	SLEEVE, 3/4" long							QR	—	—	
	EEAS.146/D	SLEEVE, 1" long							QR	—	—	
	EEAS.146/E	SLEEVE, 1" long							QR	—	—	
4962	E.B2.81.5757	TAG, 4 BA, terminal							2	Copper	C	
4960	E.B2.81.5763	TAG, 4 BA, terminal							2	—	C	
	E.F4.81.5157	CABLE, assembly, R.574, from micro jet test plug No. 2 to T.B. compartment at frames 50-52, port, group (Mod. 4485) Consisting of:—							1	—	—	
5E/3894	†	CABLE, unifersil 20							QR	—	C	
5CY/5000	†	PLUG, 2 pin, flat, type R							1	—	B	
	EEAS.146/20	SLEEVE, 3/4" long							QR	—	—	
	EEAS.146/16	SLEEVE, 1" long							QR	—	—	
	EEAS.146/16	SLEEVE, 3/4" long							QR	—	—	
5X/9450396	HC.490	TAG, quick release							2	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
13084	E.F2.81.2366	<b>CABLE</b> , assembly, R66, from No. 2 engine H.E. ignition unit connection to panel connector at frame 48 to 49 (Supplied by Avica Equip. Ltd.)	1	—	C	
13064	E.F2.81.2367	<b>CABLE</b> , assembly, R67, from panel connector at frames 48 to 49 to No. 2 engine H.E. ignition plug starboard (Supplied by Avica Equip. Ltd.)	1	—	C	
7401	E.B3.81.2217	<b>CABLE</b> , assembly, R68, from No. 2 engine H.E. ignition unit connection to No. 2 engine H.E. ignition plugs, port (Supplied by Avica Equip. Ltd.)	1	—	C	
	E.F2.81.2301	<b>CABLE</b> , assembly, R1, from JB4 to main fuel tank vent, datum air pressure control valve, frame 31, port, reheat fuel pump No. 1 engine, socket 2-way "A" size and fuel pressure switch socket, 2-way "A" size, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4571	<b>CABLE</b> , assembly, R1, from JB4 to reheat fuel pump No. 1 engine and fuel pressure switch, group (Mk. 2A A/c) Consisting of :—	1	—	—	
12104	E.F2.81.4479	<b>ADAPTOR</b> ... ..	1	—	C	
5E/3876	†	<b>CABLE</b> , unieglas No. 20 ... ..	QR	—	C	
10H/0970292	508/1/07776/003	<b>CLAMP</b> , cable ... ..	2	—	C	
5K/79	AGS.1657/1	<b>COLLET</b> ... ..	1	—	C	
32B/	FIBREGLASS	<b>CORD</b> , C.F. tying, glass, $\frac{1}{32}$ " dia. ... ..	QR	—	—	
10046	EEAS.274	<b>FERRULE</b> , assembly ... ..	1	—	C	
10H/0970108	508/2/07719/200	<b>GASKET</b> , union ... ..	2	—	C	
5K/90	AGS.1658/2	<b>NUT</b> , gland ... ..	1	—	C	
10H/0970088	508/2/07708/200	<b>RING</b> , sealing ... ..	2	—	C	
10H/0970096	508/2/07752/007	<b>RING</b> , thrust ... ..	2	—	C	
10H/23763	508/2/07708/300	<b>RING</b> , thrust ... ..	2	—	C	
5X/3148	Z.49428	<b>SLEEVE</b> , 4-7 amps ... ..	2	—	C	
5K/2361	AGS.1733/1	<b>SLEEVE</b> ... ..	1	—	C	
	EEAS.146/20	<b>SLEEVE</b> , $\frac{3}{4}$ " long ... ..	QR	—	—	
	EEAS.146/6	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/12	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/6	<b>SLEEVE</b> , 1 $\frac{1}{2}$ " long ... ..	QR	—	—	
5X/7573	2CZ.138243	<b>SOCKET</b> , short reach, right angle ... ..	1	—	B	
5X/7548	2Z.84914/A	<b>SOCKET</b> , gasket, ferrule ... ..	1	—	B	
23696	ROLLS ROYCE BR.16400/A	<b>SOCKET</b> , 2-way, "A" size ... ..	1	—	C	
5X/1010324	HC.296	<b>TAG</b> , ring tongue ... ..	2	—	C	
5X/9450396	HC.490	<b>TAG</b> , quick release ... ..	6	—	C	
33B/	MIDLAND SILICONES MS.996	<b>VARNISH</b> , silicone ... ..	QR	—	C	
	E.F2.81.2328	<b>CABLE</b> , assembly, R28, from terminal block frame 27, starboard to terminal block D.C. compartment frames 52-53 starboard, group Consisting of :—	1	—	—	
5E/3887	†	<b>CABLE</b> , unieglas No. 0 ... ..	QR	—	C	
11629	E.B3.81.1525	<b>CONDUIT</b> , flexible, assembly ... ..	1	—	C	
5X/9400099	12133	<b>LUG</b> , cable ... ..	1	—	C	
5X/7399	12364	<b>LUG</b> , cable ... ..	1	—	C	
	EEAS.146/H	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/H	<b>SLEEVE</b> , 1 $\frac{1}{2}$ " long ... ..	QR	—	—	







LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
	EEAS.146/00								QR	—	—	
	EEAS.146/100								QR	—	—	
	EEAS.146/2								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/14								QR	—	—	
	EEAS.146/16								QR	—	—	
	EEAS.146/18								QR	—	—	
	EEAS.146/20								QR	—	—	
	EEAS.146/20								QR	—	—	
	EEAS.146/20								QR	—	—	
5X/3146	Z.49397								2	—	C	
5X/3418	Z.49428								34	—	C	
5F/9133800	HT.75								1	—	C	
5F/9133798	HT.30								1	—	C	
5F/9133799	HT.50								1	—	C	
5K/5939	RAYCHEM								2	—	C	
	TC.4003-CRN-G											
5K/	RAYCHEM								2	—	C	
	TC.4005.CRN-G											
12119	ROLLS ROYCE								2	—	C	
	BR.16406/A											
5X/7048	2CZ.84877								1	—	B	
10H/23317	2CZ.84985								2	—	B	
23696	ROLLS ROYCE								2	—	C	
	BR.16400/A											
	or											
	BR.409581/A											
21084	ROLLS ROYCE								2	—	B	
	BR.16403/A											
12120	SUPERFLEXIT								4	—	C	
	or											
	SCF.501-9											
5F/2660												
12121	SUPERFLEXIT								2	—	C	
	SCF.506-12											
5F/2301	NY.18007								QR	—	C	
5F/9138823	NY.3255								QR	—	C	
5X/7310	HC.1290								1	—	C	
5X/7019	HC.2300								2	—	C	
5X/9462951	HC.294								2	—	C	
5X/9462745	HC.304								2	—	C	
5X/1010324	HC.296								3	—	C	
5X/9450396	HC.490								13	—	C	
5X/9450224	HC.510								2	—	C	
32B/	MIDLAND								QR	—	C	
	SILICONES											
	MS.996											
	E.F2.81.2377								1	—	—	
	E.F4.81.4537								1	—	—	
12122	EEAS.276/D								1	—	C	
5E/3876	†								QR	—	C	
10H/0970296	508/1/07780/003								1	—	C	



**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.F4.81.4541	<b>CABLE</b> , assembly, R80 (Routing is identical with E.F2.81.6843) Consisting of:—	1	—	—	
	5E/3878 †	<b>CABLE</b> , uniefglas 16 ... ..	QR	—	C	
	5E/3876 †	<b>CABLE</b> , uniefglas 20 ... ..	QR	—	C	
	5E/4904 †	<b>CABLE</b> , uniefglasmetsheath 20 ... ..	QR	—	C	
	EEAS.294/1	<b>CLAMP</b> , cable ... ..	1	—	—	
10H/0970294	508/1/07778/003	<b>CLAMP</b> , cable ... ..	1	—	C	
	5K/4024 NL.8140	<b>COVER</b> , insulating ... ..	5	—	C	
	10046 EEAS.274	<b>FERRULE</b> ... ..	1	—	C	
	5X/7559 2Z.139098/A	<b>GASKET</b> , furrule ... ..	1	—	C	
10H/9472444	508/2/07720/300	<b>GASKET</b> , union ... ..	1	—	C	
	12123 EEAS.276/C1	<b>OUTLET</b> , assembly ... ..	1	—	C	
	33B/10777 †	<b>PAINT</b> , signal red, No. 537 ... ..	QR	BSS3814	C	
	10H/23763 508/2/07708/300	<b>RING</b> , sealing ... ..	1	—	C	
	10H/23762 508/2/07709/300	<b>RING</b> , sealing ... ..	1	—	C	
	10H/0970096 508/2/07752/007	<b>RING</b> , thrust ... ..	1	—	C	
10H/9995082	508/2/07756/007	<b>RING</b> , thrust ... ..	1	—	C	
	5X/3146 Z.49397	<b>SLEEVE</b> ... ..	2	—	C	
	5X/3148 Z.49428	<b>SLEEVE</b> ... ..	QR	—	C	
	5K/5939 RAYCHEM	<b>SLEEVE</b> , termination cap, red ... ..	1	—	C	
	TC.4003.CRN-G					
	EEAS.146/00	<b>SLEEVE</b> , 1½" long (Mk. 2A A/c) ... ..	QR	—	—	
	EEAS.146/2	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/2	<b>SLEEVE</b> , 1¼" long (Mk. 2A A/c) ... ..	QR	—	—	
	EEAS.146/6	<b>SLEEVE</b> , ½" long (Mk. 2A A/c) ... ..	QR	—	—	
	EEAS.146/6	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
	EEAS.146/12	<b>SLEEVE</b> , ½" long ... ..	QR	—	—	
	EEAS.146/12	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
	EEAS.146/16	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
	EEAS.146/18	<b>SLEEVE</b> , 1¼" long ... ..	QR	—	—	
	EEAS.146/20	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
	5F/9133797 HT.20	<b>SLEEVE</b> , Helsyn 150, white, ½" long ... ..	1	—	C	
	5F/9133798 HT.30	<b>SLEEVE</b> , Helsyn 150, white, ½" long ... ..	1	—	C	
	5F/9133799 HT.50	<b>SLEEVE</b> , Helsyn 150, white, ½" long ... ..	1	—	C	
	5X/9088 508/1/03954	<b>SOCKET</b> , 14-way ... ..	1	—	B	
	5X/9120 508/1/03986	<b>SOCKET</b> , 2-way ... ..	1	—	B	
	5X/7310 HC.1290	<b>SPLICE</b> , inline ... ..	5	—	C	
	5F/2301 NY.18007	<b>STRAP</b> , nylon ... ..	QR	—	C	
	5F/9138823 NY.3255	<b>STUD</b> , nylon ... ..	QR	—	C	
	5X/9462951 HC.294	<b>TAG</b> , ring tongue ... ..	4	—	C	
	5X/1010324 HC.296	<b>TAG</b> , ring tongue ... ..	2	—	C	
	5X/9450396 HC.490	<b>TAG</b> , quick release (1 off on Mk. 2 A/c) ... ..	7	—	C	
	5X/9482491 HC.500	<b>TAG</b> , quick release ... ..	2	—	C	
	E.F2.81.2381	<b>CABLE</b> , assembly, R81, from inline splice to D2 relay box, No. 1 engine terminal block frame 50, terminal block frame 52, and terminal block No. 2 engine frame 51, group (Mk. 2 A/c) Consisting of:—	1	—	—	
	5E/3878 †	<b>CABLE</b> , uniefglas No. 16 ... ..	QR	—	C	
	5E/1936 †	<b>CABLE</b> , uniefglasmets No. 16 ... ..	QR	—	C	
	5E/3876 †	<b>CABLE</b> , uniefglas No. 20 ... ..	QR	—	C	
	5E/3875 †	<b>CABLE</b> , uniefglas No. 22 ... ..	QR	—	C	
10H/0970296	508/1/07780/003	<b>CLAMP</b> , cable ... ..	1	—	C	
	30B/ †	<b>FOIL</b> , lead, ⅛" wide × ".02 ... ..	QR	—	—	
	12124 EEAS.276/C2	<b>OUTLET</b> , assembly ... ..	1	—	C	
	33B/ †	<b>PAINT</b> , dark violet, No. 796 ... ..	QR	BSS381C	C	

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
10H/0970090	Z.62233											
10H/0970098	508/2/07758/007											
5X/3146	Z.49397											
5X/3148	Z.49428											
	EEAS.146/A											
	EEAS.146/E											
	EEAS.146/F											
	EEAS.146/H											
	EEAS.146/J											
8898	EEAS.146/O											
5X/7185	2CZ.111236											
5F/945414	NY.18007A											
5F/9138823	NY.3255											
5X/9450396	HC.490											
5X/9482491	HC.500											
5F/2516	JONES STROUD											
5E/3141	†											
	E.F.2.81.6749											
	E.F.4.81.4543											
5E/3878	†											
5E/1936	†											
5E/4918	†											
5E/3876	†											
5E/3875	†											
10H/0970296	508/1/07780/003											
5K/4024	NL.8140											
	A.M.P.323754											
30B/	†											
12124	EEAS.276/C2											
33B/	†											
10H/23759	508/2/07713/300											
10H/0970090	Z.62233											
10H/0970098	508/2/07758/007											
5X/3146	Z.49397											
5X/3148	Z.49428											
5K/5939	RAYCHEM											
	TC.4003.CRN-G											
5F/9133798	HT.30											
	EEAS.146/00											
	EEAS.146/2											
	EEAS.146/2											
	EEAS.146/6											
	EEAS.146/16											
	EEAS.146/18											
	EEAS.146/20											
5X/9088	508/1/03954											
5X/7185	2CZ.111236											
5X/7310	HC.1290											

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5F/945414	NY.18007A								QR	—	C	
5F/9138823	NY.3255								QR	—	C	
5X/9462951	HC.294								2	—	C	
5X/9450396	HC.490								26	—	C	
5X/9482491	HC.500								4	—	C	
5F/2516	JONES STROUD								QR	—	C	
5E/3141	†								QR	—	C	
12126	E.F2.81.2383								1	—	B	
1440697	E.F4.81.4545								1	—	C	
12125	EEAS.281/B								1	—	C	
5E/3878	†								QR	—	C	
10H/0970294	508/1/07778/003								1	—	C	
5X/7511	2Z.84912/B								1	—	C	
10H/0970111	508/2/07720/200								1	—	C	
	E.E. CO. LTD.								QR	—	—	
	E.B2.S.21								QR	—	—	
	EE. CO. LTD.								QR	—	—	
	E.B2.S.21								QR	—	—	
5X/9462745	HC.304								2	—	C	
5X/2585	2CZ.111241								1	—	B	
10H/0970091	508/2/07709/200								1	—	C	
10H/9995082	508/2/07756/007								1	—	C	
	EEAS.146/2								QR	—	—	
	EEAS.146/2								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/16								QR	—	—	
5K/	HELLERMANN								1	—	—	
5K/	HELLERMANN								1	—	—	
4962	E.B2.81.5757								1	Copper	C	
4960	E.B2.81.5763								1	Constantan	C	
5X/9482491	HC.500								4	—	C	
	E.F2.81.2384								1	—	—	
	E.F4.81.4547								1	—	—	
12125	EEAS.281/B								1	—	C	
5E/3878	†								QR	—	C	
10H/0970294	508/1/07778/003								1	—	C	
5X/7511	2Z.84912/B								1	—	C	
10H/0970111	508/2/07720/200								1	—	C	
	E.E. CO. LTD.								QR	—	—	
	EB2.S.21								QR	—	—	
	E.E. CO. LTD.								QR	—	—	
	EB2.S.21								QR	—	—	
5X/2585	2CZ.111241								1	—	B	
10H/9995082	508/2/07756/007								1	—	C	
10H/0970091	508/2/07709/200								1	—	C	

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	EEAS.146/6								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/16								QR	—	—	
	EEAS.146/16								QR	—	—	
	EEAS.146/16								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/2								QR	—	—	
	EEAS.146/2								QR	—	—	
12127	M.A.M.								1	—	C	
12128	M.A.M.								1	—	C	
4962	E.B2.81.5757								1	Copper	C	
4960	E.B2.81.5763								1	Constantan	C	
5X/9482491	HC.500								4	—	C	
5X/9462745	HC.304								2	—	C	
	E.F2.81.2386								1	—	—	
	E.F4.81.4549								1	—	—	
5E/3878	†								QR	—	C	
10H/0970292	508/1/07776/003								1	—	C	
13048	EEAS.277/Z								1	—	C	
10H/0970108	508/2/07719/200								1	—	C	
10H/0970088	508/2/07708/200								1	—	C	
10H/0970096	508/2/07752/007								1	—	C	
5X/3146	Z.49397								2	—	C	
	EEAS.146/6								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/16								QR	—	—	
5X/7042	2CZ.108945								1	—	B	
5F/2301	NY.18007								QR	—	C	
5F/9138823	NY.3255								QR	—	C	
5X/9482491	HC.500								4	—	C	
	E.F2.81.2387								1	—	—	
	E.F4.81.4551								1	—	—	
5E/3878	†								QR	—	C	
10H/0970292	508/1/07776/003								1	—	C	
13048	EEAS.277/Z								1	—	C	
10H/0970108	508/2/07719/200								1	—	C	
10H/0970088	508/2/07708/200								1	—	C	
10H/0970096	508/2/07752/007								1	—	C	
5X/3146	Z.49397								2	—	C	
	EEAS.146/6								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/16								QR	—	—	
5X/7042	2CZ.108945								1	—	B	
5F/2301	NY.18007								QR	—	C	
5F/9138823	NY.3255								QR	—	C	
5X/9482491	HC.500								4	—	C	

**LIGHTNING F. MK. 2 AND MK. 2A**

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
	E.F2.81.2393	<b>CABLE</b> , assembly, R93, from transport break to elevator trim actuator, navigation lights terminal block, rudder trim actuator, parachute jettison terminal block and hydraulic pressure switch, group (Mk. 2 A/c)							1	—	—	
	E.F4.81.4925	<b>CABLE</b> , assembly, R93 (Mk. 2A A/c) (Routing is identical with E.F2.81.2393) Consisting of:—							1	—	—	
	5E/3876 †	<b>CABLE</b> , unieffglas No. 20 ... ..							QR	—	C	
10H/0970292	508/1/07776/003	<b>CLAMP</b> , cable ... ..							1	—	C	
	5K/4024 NL.8140	<b>COVER</b> , insulating (Mk. 2A A/c) ... ..							2	—	C	
	10046 EEAS.274	<b>FERRULE</b> , assembly ... ..							1	—	C	
5X/9726815	HC.1350	<b>FERRULE</b> , S.B.A.C. ... ..							1	—	C	
10H/0970108	508/2/07719/200	<b>GASKET</b> , union ... ..							1	—	C	
10H/0970088	508/2/07708/200	<b>RING</b> , sealing ... ..							1	—	C	
10H/0970096	508/2/07752/007	<b>RING</b> , thrust ... ..							1	—	C	
	5X/3188 A.49428	<b>SLEEVE</b> , 4-7 amp ... ..							2	—	C	
	EEAS.146/4	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/10	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/4	<b>SLEEVE</b> , 1½" long ... ..							QR	—	—	
	EEAS.146/20	<b>SLEEVE</b> , ¾" long ... ..							QR	—	—	
	EEAS.146/18	<b>SLEEVE</b> , 1¼" long (Mk. 2A A/c) ... ..							QR	—	—	
	EEAS.146/20	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	5X/7030 2CZ.84872	<b>SOCKET</b> , 2-way, "A" size normal ... ..							1	—	B	
	5X/7310 HC.1290	<b>SPLICE</b> , inline (Mk. 2A A/c) ... ..							2	—	C	
	5F/2301 NY.18007	<b>STRAP</b> , nylon ... ..							QR	—	C	
	5F/9138823 NY.3255	<b>STUD</b> , nylon ... ..							QR	—	C	
	5X/9462951 HC.294	<b>TAG</b> , ring tongue ... ..							7	—	C	
	E.F2.81.2394	<b>CABLE</b> , assembly, R94, from earth point E21 to No. 2 engine terminal block frame 51, No. 1 engine terminal block frame 50, and terminal block at frame 52, group Consisting of:—							1	—	—	
	5E/3878 †	<b>CABLE</b> , unieffglas No. 16 ... ..							QR	—	C	
5X/9726835	HC.1351	<b>FERRULE</b> , S.B.A.C. size 1 ... ..							6	—	C	
	EEAS.146/A	<b>SLEEVE</b> , ¾" long ... ..							QR	—	—	
	EEAS.146/C	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/D	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/E	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/E	<b>SLEEVE</b> , 1½" long ... ..							QR	—	—	
5X/9482491	HC.500	<b>TERMINAL</b> , quick release compression ... ..							6	—	C	
	36814 E.F2.81.2400	<b>CABLE</b> , assembly, R100, from transport joint to junction box No. 4, group (Mk. 2 A/c)							1	—	B	
	1440668 E.F4.81.4553	<b>CABLE</b> , assembly, R100, from transport joint to junction box No. 4, group (Mk. 2A A/c) Consisting of:—							1	—	B	
	5E/3878 †	<b>CABLE</b> , unieffglas No. 20 ... ..							QR	—	C	
32B/	FIBREGLASS	<b>CORD</b> , glass, C.F. tying, ⅜" dia. ... ..							QR	—	C	
	5K/90 AGS.1658/2	<b>NUT</b> , gland ... ..							3	—	C	
	EEAS.146/20	<b>SLEEVE</b> , ¾" long ... ..							QR	—	—	
	EEAS.146/20	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/2	<b>SLEEVE</b> , 1¼" long ... ..							QR	—	—	
	EEAS.146/6	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/00	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/00	<b>SLEEVE</b> , 1½" long ... ..							QR	—	—	
	5K/2361 AGS.1733/1	<b>SLEEVE</b> , cable, plain ... ..							3	—	C	
	5F/2301 NY.18007	<b>STRAP</b> , nylon ... ..							QR	—	C	
	5F/9138823 NY.3255	<b>STUD</b> , nylon ... ..							QR	—	C	
	5X/9450396 HC.490	<b>TERMINAL</b> , quick release compression ... ..							18	—	C	

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
33B/	MIDLAND SILICONES MS.996 E.F.81.6737								QR	—	C	
	E.F.81.4555								1	—	—	
									1	—	—	
5E/3876	† EEAS.294/1								QR	—	C	
5K/4024	NL.8140								2	—	—	
10046	EEAS.274								7	—	C	
12103	EEAS.277/A								1	—	C	
5X/9726815	HC.1350								1	—	C	
5X/7559	2Z.139098/A								4	—	C	
10H/9504381	2Z.139114								2	—	C	
10H/0970096	508/2/07752/007								2	—	C	
10H/23763	508/2/07708/300								2	—	C	
5X/3148	Z.49428								6	—	C	
	EEAS.146/00								QR	—	—	
	EEAS.146/2								QR	—	—	
	EEAS.146/2								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/18								QR	—	—	
	EEAS.146/20								QR	—	—	
5X/9126	508/1/03992								1	—	B	
5X/9120	508/1/03986								1	—	B	
5X/7310	HC.1290								7	—	C	
5F/2301	NY.18007								QR	—	C	
5F/9138823	NY.3255								QR	—	C	
5X/9462951	HC.294								6	—	C	
5X/1010324	HC.296								6	—	C	
5X/9450396	HC.490								7	—	C	
	E.F.2.81.2410								1	—	—	
	E.F.4.81.4557								1	—	—	
									QR	—	C	
5E/3876	†								QR	—	C	
5E/4026	†								QR	—	C	
10H/0970292	508/1/07776/003								1	—	C	
30B/	†								QR	—	—	
10H/0119877	508/2/07705/200								1	—	C	
10H/0790062	CZ.49180								1	—	C	



**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6				
5X/9462951	HC.294	TAG, ring tongue ... ..						1	—	C	
	RAYCHEM	TUBE, heat shrink, grey ... ..						1	—	—	
	SCL. $\frac{3}{16}$ E.F.2.81.2419	CABLE, assembly, R252, from transport joint to tailplane trim actuator and relay box frame 49, starboard, group (Mk. 2 A/c)						1	—	—	
	E.F.4.81.4923	CABLE, assembly, R252 (Mk. 2A A/c) (Routing is identical with E.F.2.81.2419) Consisting of :—						1	—	—	
5E/3876 33223	†	CABLE, unieglas No. 20 ... ..						QR	—	C	
	SUPERFLEXIT	CONDUIT, P.T.F.E. ... ..						1	—	C	
	SC.001-9-19	CONDUIT, P.T.F.E. ... ..						1	—	—	
	SUPERFLEXIT	CONDUIT, P.T.F.E. ... ..						1	—	—	
	SC.001-9-29	CONDUIT, P.T.F.E. ... ..						1	—	—	
	SUPERFLEXIT	CONDUIT, P.T.F.E. ... ..						1	—	—	
	SC.001-10-44	CONDUIT, P.T.F.E. ... ..						1	—	—	
	SUPERFLEXIT	CONDUIT, P.T.F.E. ... ..						1	—	—	
	SC.001-10-192	CONDUIT, P.T.F.E. ... ..						1	—	—	
	SUPERFLEXIT	CONNECTOR, conduit, assembly ... ..						1	—	—	
	SCF.179-10										
5K/4024	NL.8140	COVER, insulating (Mk. 2A A/c) ... ..						2	—	C	
	SUPERFLEXIT	JUNCTION, 3-way, assembly ... ..						1	—	—	
	SCF.211-10-9-9										
5X/9400382	12102	LUG, ring tongue ... ..						2	—	C	
	EEAS.146/18	SLEEVE, 1 $\frac{1}{4}$ " long (Mk. 2A A/c) ... ..						QR	—	C	
	EEAS.146/10	SLEEVE, 1" long ... ..						QR	—	—	
	EEAS.146/2	SLEEVE, 1 $\frac{1}{2}$ " long ... ..						QR	—	—	
	EEAS.146/6	SLEEVE, 1 $\frac{1}{2}$ " long ... ..						QR	—	—	
	EEAS.146/20	SLEEVE, $\frac{3}{4}$ " long ... ..						QR	—	—	
5X/7310	HC.1290	SPLICE, inline (Mk. 2A A/c) ... ..						2	—	C	
5X/9450396	HC.490	TERMINAL, quick release compression ... ..						2	—	C	
	E.F.2.81.6869	CABLE, assembly, R221, from transport break frames 27-29 to D.C. compartment frames 52-53, starboard, group (Mod. 4203) Consisting of :—						1	—	—	
5E/3878	†	CABLE, unieglas 16 ... ..						QR	—	C	
	EEAS.146/16	SLEEVE, $\frac{3}{4}$ " long ... ..						2	—	—	
	EEAS.146/16	SLEEVE, 1" long ... ..						2	—	—	
	EEAS.146/16	SLEEVE, 1 $\frac{1}{2}$ " long ... ..						2	—	—	
5F/9133797	HT.20	SLEEVE, Helsyn 150, white, $\frac{1}{2}$ " long ... ..						1	—	C	
	E.F.2.81.6861	CABLE, assembly, R265, from 3-way terminal board at frame 53 to D.C. compartment fuse block, R221 connection and control and protection unit, group (Mod.4203) Consisting of :—						1	—	—	
5E/3878 5K/3685	†	CABLE, unieglas 16 ... ..						QR	—	C	
	NL.8141	COVER, protective ... ..						1	—	C	
	EEAS.146/6	SLEEVE, 1" long ... ..						QR	—	—	
	EEAS.146/6	SLEEVE, 1 $\frac{1}{2}$ " long ... ..						QR	—	—	
	EEAS.146/14	SLEEVE, 1 $\frac{1}{2}$ " long ... ..						QR	—	—	
	EEAS.146/16	SLEEVE, $\frac{3}{4}$ " long ... ..						QR	—	—	
5F/9133799	HT.50	SLEEVE, Helsyn 150, white, $\frac{1}{2}$ " long ... ..						1	—	C	
5X/7018	HC.1300	SPLICE, inline ... ..						1	—	C	
5F/2301	NY.18007	STRAP, nylon ... ..						QR	—	C	
5F/9138823	NY.3255	STUD, nylon ... ..						QR	—	C	
5X/9462745	HC.304	TERMINAL, ring tongue ... ..						3	—	C	
5X/9482491	HC.500	TERMINAL, quick release ... ..						3	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.F2.81.6765	<b>CABLE</b> , assembly, 2R205, from relay box D2 to alternator field, generator field, 10-way terminal board at A.C. compartment and 3-way terminal block type B frame 53, port, group (Mod. 4203)	1	—	—	
	12123 EEAS.276/C1	Consisting of :— <b>ADAPTOR</b> , outlet ... ..	1	—	C	
	5E/3880 †	<b>CABLE</b> , uniefglas No. 12 ... ..	QR	—	C	
	5E/3878 †	<b>CABLE</b> , uniefglas No. 16 ... ..	QR	—	C	
10H/0970294	CZ.69735	<b>CLAMP</b> , cable ... ..	1	—	C	
10H/0970111	508/2/07720/300	<b>GASKET</b> , union ... ..	1	—	C	
10H/0970091	508/2/07709/200	<b>RING</b> , sealing ... ..	1	—	C	
10H/9995082	508/2/07756/007	<b>RING</b> , thrust ... ..	1	—	C	
5X/3146	Z.49397	<b>SLEEVE</b> ... ..	2	—	C	
	EEAS.146/12	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	—	
	EEAS.146/2	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/16	<b>SLEEVE</b> , 3/8" long ... ..	QR	—	—	
	EEAS.146/6	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/12	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/2	<b>SLEEVE</b> , 1 1/4" long ... ..	QR	—	—	
5X/7186	2CZ.111296	<b>SOCKET</b> , 6-way, "C" size ... ..	1	—	B	
5X/9462745	HC.304	<b>TERMINAL</b> , ring tongue ... ..	2	—	C	
5X/9450380	HC.312	<b>TERMINAL</b> , ring tongue ... ..	1	—	C	
5X/7220	HC.314/A	<b>TERMINAL</b> , ring tongue ... ..	2	—	C	
5X/7395	HC.314C	<b>TERMINAL</b> , ring tongue ... ..	1	—	C	
	E.F2.81.2429	<b>CABLE</b> , assembly, R509, from transport break to earth point E10, group	1	—	—	
	5E/3876 †	Consisting of :— <b>CABLE</b> , uniefglas No. 20 ... ..	QR	—	C	
10H/0970292	508/1/07776/003	<b>CLAMP</b> , cable ... ..	2	—	C	
	10046 EEAS.274	<b>FERRULE</b> , assembly ... ..	1	—	C	
5X/9726815	HC.1350	<b>FERRULE</b> , earth ... ..	2	—	C	
10H/0119877	508/2/07705/200	<b>GASKET</b> , outlet ... ..	1	—	C	
5X/7548	2Z.84914/A	<b>GASKET</b> , socket, ferrule ... ..	1	—	C	
10H/0970108	508/2/07719/200	<b>GASKET</b> , union ... ..	1	—	C	
10H/9504381	508/2/07719/300	<b>GASKET</b> , union ... ..	1	—	C	
10H/0970062	CZ.49180	<b>OUTLET</b> , straight ... ..	1	—	B	
10H/0970088	508/2/07708/200	<b>RING</b> , sealing ... ..	1	—	C	
10H/23763	508/2/07708/300	<b>RING</b> , sealing ... ..	1	—	C	
10H/0970096	508/2/07752/007	<b>RING</b> , thrust ... ..	2	—	C	
	EEAS.146/A	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	—	
	EEAS.146/C	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/C	<b>SLEEVE</b> , 1 1/2" long ... ..	QR	—	—	
5X/7348	2CZ.111242	<b>SOCKET</b> , short reach, right angle ... ..	1	—	B	
10H/23325	2CZ.84993	<b>SOCKET</b> , 2-way, Mk. 4 ... ..	1	—	B	
	E.F2.81.6223	<b>CABLE</b> , assembly, R510, from hatch panel break frame 46 to transport joint, and earth point E33, group (Mod. 2131)	1	—	—	
	13086 E.F2.81.5769	Consisting of :— <b>BLOCK</b> , cable brace ... ..	1	LFS21	C	
	5E/3884 †	<b>CABLE</b> , uniefglas No. 4 ... ..	QR	—	C	
	5E/3880 †	<b>CABLE</b> , uniefglas No. 12 ... ..	QR	—	C	
	5E/3876 †	<b>CABLE</b> , uniefglas No. 20 ... ..	QR	—	C	
	SUPERFLEXIT	<b>CONDUIT</b> , convoluted ... ..	1	—	—	
	SC.001-12/183					
5X/10735	SUPERFLEXIT	<b>FITTING</b> , panel end ... ..	1	—	C	
	SCF.243-12					
5X/9400091	Z.70025	<b>LUG</b> , cable, 3/16" ... ..	1	—	C	
5X/9400090	Z.70024	<b>LUG</b> , cable, 1/8" ... ..	1	—	C	

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.	
		1	2	3	4	5	6	7					
13087	E.F2.81.5771								NUT, retaining ... ..	1	—	C	
5X/7850	2Z.110427								PIN, plug, size 16 ... ..	3	—	C	
5X/8414	2Z.111098								PIN, plug, size 4 ... ..	2	—	C	
5X/7848	2Z.111033								PIN, plug, size 12 ... ..	2	—	C	
5X/8346	2Z.111100								PIN, plug, size 8 ... ..	3	—	C	
5X/7851	2Z.139492								PIN, plug, size 16 × 18 ... ..	3	—	C	
5X/7847	2Z.139493								PIN, plug, size 16 × 20 ... ..	10	—	C	
5X/8258	UK/AN/FIX/32/ 6PW								PLUG ... ..	1	—	B	
10748	E.B3.81.2441								RING, locking ... ..	1	—	C	
	EEAS.146/2								SLEEVE, 1 1/4" long ... ..	QR	—	—	
	EEAS.146/4								SLEEVE, 3/8" long ... ..	QR	—	—	
	EEAS.146/4								SLEEVE, 1 1/2" long ... ..	QR	—	—	
	EEAS.146/12								SLEEVE, 1/2" long ... ..	QR	—	—	
	EEAS.146/12								SLEEVE, 3/4" long ... ..	QR	—	—	
	EEAS.146/20								SLEEVE, 1/4" long ... ..	QR	—	—	
	EEAS.146/20								SLEEVE, 3/4" long ... ..	QR	—	—	
	EEAS.146/00								SLEEVE, 1 1/2" long ... ..	QR	—	—	
	EEAS.146/0000								SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/0000								SLEEVE, 1 1/2" long ... ..	QR	—	—	
5F/2301	NY.18007								STRAP, nylon ... ..	QR	—	C	
5F/9138823	NY.3255								STUD, nylon ... ..	QR	—	C	
13085	E.F2.81.5773								TROUSER ... ..	1	—	C	
5X/8408	2Z.139603								WASHER, panel packing ... ..	1	—	C	
	E.F2.81.6847								CABLE, assembly, R511, from hatch break frames 45-46 to D.C. compartment, crimp break frame 52, and earth point E10, group (Mod. 4203) Consisting of:—	1	—	—	
5E/3878	†								CABLE, uniefglas 16 ... ..	QR	—	C	
5E/3876	†								CABLE, uniefglas 20 ... ..	QR	—	C	
10H/0970294	508/1/07778/003								CLAMP, cable ... ..	1	—	C	
5X/7310	HC.1290								CRIMP, inline ... ..	2	—	C	
5X/7018	HC.1300								CRIMP, inline ... ..	1	—	C	
5X/9726815	HC.1350								FERRULE, S.B.A.C. ... ..	3	—	C	
5X/7526	2Z.84912/C								GASKET, plug moulding ... ..	1	—	C	
10H/0970111	508/2/07720/200								GASKET, union ... ..	1	—	C	
	EEAS.281/C1								OUTLET, straight ... ..	1	—	—	
5X/7036	2CZ.108916								PLUG, 14-way "C" size ... ..	1	—	B	
10H/0970091	508/2/07709/200								RING, sealing ... ..	1	—	C	
10H/9995082	508/2/07756/007								RING, thrust ... ..	1	—	C	
5K/	RAYCHEM								SLEEVE, termination cap, red ... ..	1	—	C	
	TC.4003.CRN-G												
5X/3146	Z.49428								SLEEVE, 4-7 amp. ... ..	8	—	C	
5K/4024	NL.8140								SLEEVE, insulating ... ..	2	—	C	
5K/3685	NL.8141								SLEEVE, insulating ... ..	1	—	C	
	EEAS.146/2								SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/2								SLEEVE, 1 1/2" long ... ..	QR	—	—	
	EEAS.146/6								SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/14								SLEEVE, 1 1/4" long ... ..	QR	—	—	
	EEAS.146/16								SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/18								SLEEVE, 1 1/4" long ... ..	QR	—	—	
	EEAS.146/20								SLEEVE, 3/4" long ... ..	QR	—	—	
5X/1010324	HC.296								TAG, ring tongue ... ..	1	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.F2.81.2432	<b>CABLE</b> , assembly R521, from No. 1 engine trimmer unit to J.P. nozzle area trim unit, group Consisting of :—	1	—	—	
12130	E.F2.81.4481	<b>ADAPTOR</b> ... ..	2	—	C	
5E/3878	†	<b>CABLE</b> , uniefglas No. 16 ... ..	QR	—	C	
5E/3875	†	<b>CABLE</b> , uniefglas No. 22 ... ..	QR	—	C	
10H/0970294	508/1/07778/003	<b>CLAMP</b> , cable ... ..	2	—	—	
10H/0970111	508/2/07720/200	<b>GASKET</b> , union ... ..	2	—	C	
10H/0970091	508/2/07709/200	<b>RING</b> , sealing ... ..	2	—	C	
10H/9995082	508/2/07756/007	<b>RING</b> , thrust ... ..	2	—	C	
5X/3146	Z.49397	<b>SLEEVE</b> , 7-19 amp ... ..	2	—	C	
	EEAS.146/A	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
	EEAS.146/C	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/E	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
	EEAS.146/E	<b>SLEEVE</b> , 1½" long ... ..	QR	—	—	
8898	EEAS.146/O	<b>SLEEVE</b> , ¾" long ... ..	QR	—	C	
12131	ROLLS ROYCE BR.16408A	<b>SOCKET</b> ... ..	2	—	B	
	5F/2301	<b>STRAP</b> , nylon ... ..	QR	—	C	
	5F/9138823	<b>STUD</b> , nylon ... ..	QR	—	C	
	5X/9450396	<b>TERMINAL</b> , quick release compression ... ..	1	—	C	
	5X/9482491	<b>TERMINAL</b> , quick release compression ... ..	2	—	C	
	E.F2.81.2433	<b>CABLE</b> , assembly, R522, from No. 1 engine amplifier to No. 1 engine trim unit, group Consisting of :—	1	—	—	
12130	E.F2.81.4481	<b>ADAPTOR</b> ... ..	1	—	C	
5E/3878	†	<b>CABLE</b> , uniefglas No. 16 ... ..	QR	—	C	
5E/3875	†	<b>CABLE</b> , uniefglas No. 22 ... ..	QR	—	C	
10H/0970294	508/1/07778/003	<b>CLAMP</b> , cable ... ..	2	—	C	
10H/0970111	508/2/07720/200	<b>GASKET</b> , union ... ..	2	—	C	
	12123	<b>OUTLET</b> , adaptor ... ..	1	—	C	
10H/0970091	508/2/07709/200	<b>RING</b> , sealing ... ..	2	—	C	
10H/9995082	508/2/07756/007	<b>RING</b> , thrust ... ..	2	—	C	
5X/3146	Z.49397	<b>SLEEVE</b> , 7-19 amp ... ..	2	—	C	
	EEAS.146/A1	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
	EEAS.146/D	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/E	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/E	<b>SLEEVE</b> , 1½" long ... ..	QR	—	—	
8898	EEAS.146/O	<b>SLEEVE</b> , ¾" long ... ..	QR	—	C	
12132	ROLLS ROYCE BR.4329	<b>SOCKET</b> ... ..	1	—	C	
	5X/7048	<b>SOCKET</b> , 14-way, "C" size ... ..	1	—	B	
	5F/2301	<b>STRAP</b> , nylon ... ..	QR	—	C	
	5F/9138823	<b>STUD</b> , nylon ... ..	QR	—	C	
	5X/9482491	<b>TERMINAL</b> , quick release compression ... ..	2	—	C	
	E.F2.81.2434	<b>CABLE</b> , assembly, R523, from No. 2 engine T.1 trimmer unit to jet pipe nozzle area trim unit, group Consisting of :—	1	—	—	
12130	E.F2.81.4481	<b>ADAPTOR</b> , "C" size, key location ... ..	2	—	C	
	†	<b>ADHESIVE</b> ... ..	QR	—	—	
5E/3878	†	<b>CABLE</b> , uniefglas No. 16 ... ..	QR	—	C	
5E/3875	†	<b>CABLE</b> , uniefglas No. 22 ... ..	QR	—	C	
10H/0970294	508/1/07778/003	<b>CLAMP</b> , cable ... ..	1	—	C	
10H/0970111	508/2/07720/200	<b>GASKET</b> , union ... ..	1	—	C	
10H/0970091	508/2/07709/200	<b>RING</b> , sealing ... ..	1	—	C	
10H/9995082	508/2/07756/007	<b>RING</b> , thrust ... ..	1	—	C	
5X/3146	Z.49397	<b>SLEEVE</b> , 7-19 amp ... ..	2	—	C	

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	EEAS.146/A	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1 1/2" long	QR	—	—	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
8899	EEAS.146/O	SLEEVE, 1" long	QR	—	C	
12131	ROLLS ROYCE BR.16408A	SOCKET, 14-way, "C14" size	1	—	B	
5F/2301	NY.18007	STRAP, nylon	QR	—	C	
5F/9138823	NY.3255	STUD, nylon	QR	—	C	
5X/9450396	HC.490	TAG, quick release	1	—	C	
5X/9482991	HC.500	TAG, quick release	2	—	C	
	E.F2.81.2435	CABLE, assembly, R524, from No. 2 engine T.I. trimmer unit to amplifier unit, frames 51 and 52, group Consisting of :—	1	—	—	
33H/	†	ADHESIVE	QR	—	C	
5E/3878	†	CABLE, uniefglas No. 16	QR	—	C	
5E/3875	†	CABLE, uniefglas No. 22	QR	—	C	
10H/0970294	508/1/07778/003	CLAMP, cable	1	—	C	
10H/0970111	508/2/07720/200	GASKET, union	1	—	C	
12123	EEAS.276/C1	OUTLET, adaptor	1	—	C	
10H/0970091	508/2/07709/200	RING, sealing	1	—	C	
10H/9995082	508/2/07756/007	RING, thrust	1	—	C	
5X/3146	Z.49347	SLEEVE, 7-19 amp	2	—	C	
	EEAS.146/A1	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1 1/2" long	QR	—	—	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
8899	EEAS.146/O	SLEEVE, 1" long	QR	—	C	
5X/7048	2CZ.84877	SOCKET, 14-way, "C" size	1	—	B	
5F/2301	NY.18007	STRAP, nylon	QR	—	C	
5F/9138823	NY.3255	STUD, nylon	QR	—	C	
5X/9482491	HC.500	TAG, quick release	2	—	C	
	E.F2.81.6877	CABLE, assembly, R525, from No. 1 reheat time switch to D.C. compartment and terminal block at frame 50, group (Mod. 4203) (Mk. 2 A/c)	1	—	—	
	E.F4.81.4561	CABLE, assembly, R525 (Mk. 2A A/c) (Routing is identical with E.F2.81.6877) Consisting of :—	1	—	—	
5E/3876	†	CABLE, uniefglas 20	QR	—	C	
	SUPERFLEXIT SC.001-12/84	CONDUIT, P.T.F.E., 3/8" i/d	QR	—	—	
5X/10735	SUPERFLEXIT SCF.243-12	FITTING, panel end	1	—	C	
	SUPERFLEXIT SCF.283-12	FITTING, socket end	1	—	—	
10748	E.B3.81.2441	RING, locking	1	—	C	
5X/3148	Z.49428	SLEEVE (6 off on Mk. 2A A/c)	7	—	C	
	EEAS.146/00	SLEEVE, 1" long	QR	—	—	
	EEAS.146/00	SLEEVE, 1 1/2" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/20	SLEEVE, 1" long	QR	—	—	
5F/9133797	HT.20	SLEEVE, Helsen 150, white, 1/2" long	1	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/7045	2CZ.84875	SOCKET, 9-way, size "B" ... ..	1	—	B	
5X/1010324	HC.296	TERMINAL, ring tongue ... ..	1	—	C	
5X/9450396	HC.490	TERMINAL, quick release ... ..	51	—	C	
12133	SUPERFLEXIT V.3004	WASHER, P.T.F.E. ... ..	1	—	C	
	E.F2.81.6873	CABLE, assembly, R526, from No. 2 reheat time switch to D.C. compartment and terminal block at frame 51, group (Mod. 4203) (Mk. 2 A/c)	1	—	—	
	E.F4.81.4563	CABLE, assembly, R526 (Mk. 2A A/c) (Routing is identical with E.F2.81.6873) Consisting of:—	1	—	—	
5E/3876	† SUPERFLEXIT SC.001-12/84	CABLE, uniefglas 20 ... ..	QR	—	C	
		CONDUIT, P.T.F.E., 3/8" i/d ... ..	QR	—	—	
5X/10735	SUPERFLEXIT SCF.243-12	FITTING, panel end ... ..	1	—	C	
	SUPERFLEXIT SCF.283-12	FITTING, socket end ... ..	1	—	—	
10748	E.B3.81.2441	RING, locking ... ..	1	—	C	
5X/3148	Z.49428	SLEEVE (6 off on Mk. 2A A/c) ... ..	7	—	C	
	EEAS.146/00	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/00	SLEEVE, 1 1/2" long ... ..	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/20	SLEEVE, 3/4" long ... ..	QR	—	—	
	EEAS.146/20	SLEEVE, 1" long ... ..	QR	—	—	
5F/9133797	HT.20	SLEEVE, Helsyn 150, white, 1/2" long ... ..	1	—	C	
5X/7045	2CZ.89875	SOCKET, 9-way, size B ... ..	1	—	B	
5X/1010324	HC.296	TERMINAL, ring tongue ... ..	1	—	C	
5X/9450396	HC.490	TERMINAL, quick release ... ..	51	—	C	
12133	SUPERFLEXIT V.3004	WASHER, P.T.F.E. ... ..	1	—	C	
	E.F2.81.2438	CABLE, assembly, R527, from No. 1 engine to No. 1 engine temperature control amplifier, group Consisting of:—	1	—	—	
	E.E. Co. E.B2.S.21	CABLE, compensating, blue and white ... ..	QR	—	—	
	E.E. CO. E.B2.S.21	CABLE, compensating, red and white ... ..	QR	—	—	
	EEAS.146/A1	SLEEVE, 3/4" long ... ..	QR	—	—	
	EEAS.146/D	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/D	SLEEVE, 1 1/2" long ... ..	QR	—	—	
4962	E.B2.81.5757	TAG, terminal, 4 BA ... ..	1	Copper	C	
4959	E.B2.81.5761	TAG, terminal, 1/4" ... ..	1	Copper	C	
4960	E.B2.81.5763	TAG, terminal, 4 BA ... ..	1	Constantan	C	
4961	E.B2.81.5765	TAG, terminal, 2 BA ... ..	1	Constantan	C	
	E.F2.81.2439	CABLE, assembly, R528, from No. 2 engine to No. 2 engine temperature control amplifier, group Consisting of:—	1	—	—	
	E.E. CO. E.B2.S.21	CABLE, compensating, blue and white ... ..	QR	—	—	
	E.E. CO. E.B2.S.21	CABLE, compensating, red and white ... ..	QR	—	—	
	EEAS.146/A1	SLEEVE, 3/4" long ... ..	QR	—	—	
	EEAS.146/D	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/D	SLEEVE, 1 1/2" long ... ..	QR	—	—	
4962	E.B2.81.5757	TAG, terminal, 4 BA ... ..	1	Copper	C	
4959	E.B2.81.5761	TAG, terminal, 1/4" ... ..	1	Copper	C	

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.	1 2 3 4 5 6 7									
							1	2	3	4	5	6	7			
4960	E.B2.81.5763	TAG, terminal, 4 BA ... ..	1	Constantan	C											
4961	E.B2.81.5765	TAG, terminal, 2 BA ... ..	1	Constantan	C											
	E.F2.81.2440	CABLE, assembly, R529, from fuel pump control valve at frame 42 to junction box 4, group (Mk. 2 A/c) Consisting of:—	1	—	—											
5E/3875	†	CABLE, unieglas No. 22 ... ..	QR	—	C											
10H/0970292	508/1/07776/003	CLAMP, cable ... ..	1	—	C											
10046	EEAS.274	FERRULE, assembly ... ..	1	—	C											
10H/0970108	508/2/07719/200	GASKET, union ... ..	1	—	C											
10H/0970088	508/2/07708/200	RING, sealing ... ..	1	—	C											
10H/0970096	508/2/07752/007	RING, thrust ... ..	1	—	C											
	EEAS.146/A1	SLEEVE, 1" long ... ..	QR	—	—											
	EEAS.146/A1	SLEEVE, 1½" long ... ..	QR	—	—											
8898	EEAS.146/O	SLEEVE, ¾" long ... ..	QR	—	C											
5X/7038	2CZ.84872	SOCKET, assembly, 2-way, "A" size ... ..	1	—	B											
5X/9450396	HC.490	TERMINAL, quick release ... ..	2	—	C											
	E.F2.81.2443	CABLE, assembly, R543, from No. 1 engine temperature trimmer to terminal block at frame 52, group Consisting of:—	1	—	—											
12104	E.F2.81.4479	ADAPTOR ... ..	1	—	C											
5E/3875	†	CABLE, unieglas No. 22 ... ..	QR	—	C											
10H/0970292	508/1/07776/003	CLAMP, cable ... ..	1	—	C											
10H/0970108	508/2/07719/200	GASKET, union ... ..	1	—	C											
10H/0970088	508/2/07708/200	RING, sealing ... ..	1	—	C											
10H/0970096	508/2/07752/007	RING, thrust ... ..	1	—	C											
	EEAS.146/A	SLEEVE, ¾" long ... ..	QR	—	—											
	EEAS.146/A1	SLEEVE, 1" long ... ..	45	—	—											
	EEAS.146/A1	SLEEVE, 1½" long ... ..	1	—	—											
36VV/17473	ROLLS ROYCE	SOCKET ... ..	1	—	B											
	EA.96068															
5X/9450396	HC.490	TERMINAL, quick release compression ... ..	3	—	C											
	E.F2.81.2444	CABLE, assembly, R544, from No. 2 engine connection to terminal block at frame 52, group Consisting of:—	1	—	—											
33H/228	M.M.M.	ADHESIVE ... ..	QR	—	C											
	EC.826															
5E/3875	†	CABLE, unieglas No. 22 ... ..	QR	—	C											
	EEAS.146/C	SLEEVE, 1" long ... ..	QR	—	—											
	EEAS.146/C	SLEEVE, 1½" long ... ..	QR	—	—											
8898	EEAS.146/O	SLEEVE, ¾" long ... ..	QR	—	C											
8899	EEAS.146/O	SLEEVE, 1" long ... ..	QR	—	C											
5X/9450396	HC.490	TAG, quick release ... ..	3	—	C											
	E.F2.81.2445	CABLE, assembly, R545, from terminal block at frame 51 to resistor at frame 50, group Consisting of:—	1	—	—											
5E/3878	†	CABLE, unieglas No. 16 ... ..	QR	—	C											
	EEAS.146/A	SLEEVE, ¾" long ... ..	QR	—	—											
	EEAS.146/C	SLEEVE, 1" long ... ..	QR	—	—											
	EEAS.146/C	SLEEVE, 1½" long ... ..	QR	—	—											
5X/9462745	HC.304	TAG, ring tongue ... ..	2	—	C											
5X/9482491	HC.500	TAG, quick release ... ..	2	—	C											
	E.F2.81.2446	CABLE, assembly, R546, from terminal block at frame 51 port to resistor at frame 50, group Consisting of:—	1	—	—											
5E/3878	†	CABLE, unieglas No. 16 ... ..	QR	—	C											

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5X/9462745 5X/9482491	EEAS.146/A	SLEEVE, ¾" long ... ..	QR	—	—	
	EEAS.146/C	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/C	SLEEVE, 1½" long ... ..	QR	—	—	
	HC.304	TAG, ring tongue, 4 BA ... ..	2	—	C	
	HC.500	TAG, quick release ... ..	2	—	C	
	E.F2.81.6439	CABLE, assembly, R547, from D.C. feeder fuse panel connection terminal block to I.L.S. terminal block port equipment panel, group (Mod. 2170) Consisting of :—	1	—	—	
5E/3880	†	CABLE, unieglas 12 ... ..	QR	—	C	
	EEAS.146/6	SLEEVE, ¾" long ... ..	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/12	SLEEVE, ¾" long ... ..	QR	—	—	
5F/2301	NY.18007	STRAP, nylon ... ..	QR	—	C	
5F/9138823	NY.3255	STUD, nylon ... ..	QR	—	C	
5X/9450224	HC.510	TAG, quick release ... ..	4	—	C	
	E.F2.81.5757	CABLE, assembly, 2R77, from fire wall at frame 43 to engine mounted junction box sockets and 20-way terminal block at frame 51 port, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4539	CABLE, assembly, 2R77, from fire wall at frame 43 to engine mounted junction box sockets, 20-way terminal board at frame 21, microjet test plug at frame 48 and earth point 21 at frame 50, group (Mk. 2A A/c) Consisting of :—	1	—	—	
12122	EEAS.276/D	ADAPTOR, outlet, "D" size ... ..	1	—	C	
5X/9726815	HC.1350	FERRULE (Mk. 2A A/c) ... ..	1	—	C	
8755	E.B2.81.7595 or	BLOCK, 4-way taper pin ... ..	1	—	C	
23398	EEAS.561	CONNECTOR ... ..	1	—	C	
5E/3878	†	CABLE, unieglas No. 16 ... ..	QR	—	C	
5E/3876	†	CABLE, unieglas No. 20 ... ..	QR	—	C	
10H/0970296	CZ.69738	CLAMP, cable ... ..	1	—	C	
	SUPERFLEXIT	CONDUIT, elect., P.T.F.E. ... ..	QR	—	—	
	SC.001-9/12	CONDUIT, elect., P.T.F.E. ... ..	QR	—	—	
	SUPERFLEXIT	CONDUIT, elect., P.T.F.E. (Make from Ref. 13035)	QR	—	—	
	SC.001-12/12					
	SUPERFLEXIT					
	SC.001-14/12					
5X/3686	NL.8142	COVER, insulating ... ..	1	—	C	
	SUPERFLEXIT	FITTING, end ... ..	1	—	—	
	SCF.706-9	FITTING, end ... ..	1	—	—	
	SUPERFLEXIT	FITTING, end ... ..	1	—	—	
	SCF.710-12	FITTING, end ... ..	1	—	C	
5X/10112	SUPERFLEXIT	FITTING, end ... ..	1	—	C	
	SCF.713-14					
10H/0970240	Z.67406	GASKET, union ... ..	1	—	C	
5X/7226	HC.1281 or	PIN, taper ... ..	3	—	C	
5X/7430	A.M.P. 41667					
5C/455	SIS.1657	PLUG, 2-pin. flat, type "R" ... ..	1	—	B	
10H/0970239	Z.67407	RING, sealing ... ..	1	—	C	
10H/0970098	Z.49084	RING, thrust ... ..	1	—	C	
5X/3146	Z.49397	SLEEVE, 7-19 amp ... ..	2	—	C	
5X/3148	Z.49428	SLEEVE, 4-7 amp (4 off on Mk. 2A A/c) ... ..	26	—	C	
	EEAS.146/20	SLEEVE, ¾" long ... ..	QR	—	—	

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	EEAS.146/12	SLEEVE, 1" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/20	SLEEVE, 1" long	QR	—	—	
	EEAS.146/4	SLEEVE, 1½" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1" long	QR	—	—	
	EEAS.146/2	SLEEVE, 1½" long	QR	—	—	
	EEAS.146/00	SLEEVE, 1" long	QR	—	—	
	EEAS.146/00	SLEEVE, 1½" long	QR	—	—	
5X/7045	2CZ.84875	SOCKET, 9-way, "B" size	1	—	B	
5X/7047	2CZ.84876	SOCKET, 12-way, "C" size	1	—	B	
5X/7048	2CZ.84877	SOCKET, 14-way, "C" size	1	—	B	
5X/7049	2CZ.84878	SOCKET, 26-way, "D" size	1	—	B	
5F/2301	NY.18007	STRAP, nylon	QR	—	C	
5F/9138823	NY.3255	STUD, nylon	QR	—	C	
5X/9462951	HC.294	TAG, ring tongue (Mk. 2 A/c)	1	—	C	
5X/9450396	HC.490	TERMINAL, quick release compression	6	—	C	
	E.F2.81.2478	(7 off on Mk. 2A A/c) CABLE, assembly, 2R78, from terminal block at frame 52 to temperature control amplifier No. 1 and 2 engine jet pipes, group Consisting of:—	1	—	—	
5E/3876	†	CABLE, unieffglas No. 20	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable	2	—	C	
12103	EEAS.277/A	FERRULE, assembly, right angle	2	—	C	
10H/0970108	508/2/07719/200	GASKET, union	2	—	C	
10H/0970088	508/2/07708/200	RING, sealing	2	—	C	
10H/0970096	508/2/07752/007	RING, thrust	2	—	C	
5X/3148	Z.49428	SLEEVE, 4-7 amp	6	—	C	
	EEAS.146/A	SLEEVE, ¾" long	QR	—	—	
	EEAS.146/A1	SLEEVE, ¾" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1½" long	QR	—	—	
5X/7039	2CZ.84873	SOCKET, 4-way, "A" size	2	—	B	
5X/9450396	HC.490	TAG, quick release compression	6	—	C	
	E.B3.81.2723	CABLE, assembly, R97, from rudder trim actuator at frame 57 to earth point E20 at frame 53, group Consisting of:—	1	—	—	
5E/3876	†	CABLE, unieffglas No. 20	QR	—	C	
5X/9726815	HC.1350	FERRULE	1	—	C	
8898	EEAS.146/O	SLEEVE, ¾" long	QR	—	C	
	EEAS.146/O	SLEEVE, 1½" long	QR	—	—	
5X/9462951	HC.294	TAG, ring tongue	1	—	C	
	E.B3.81.2725	CABLE, assembly, R99, between relay box and earth point E20 at frame 53, group Consisting of:—	1	—	LM	
5E/3876	†	CABLE, unieffglas No. 20	QR	—	C	
5X/9726815	HC.1350	FERRULE, S.B.A.C. size 0	1	—	C	
8898	EEAS.146/O	SLEEVE, ¾" long	QR	—	C	
	EEAS.146/O	SLEEVE, 1½" long	QR	—	—	
5X/9462951	HC.294	TERMINAL, ring tongue	1	—	C	
	E.B3.81.4049	CABLE, assembly, R215, from D.C. compartment equipment tray relay and E19 frame 55 port to No. 1 engine reheat igniter unit, group (Mod. 4203) Consisting of:—	1	—	—	
5E/3876	—	CABLE, unieffglas 20	QR	—	C	
	EEAS.294/1	CLAMP, cable	1	—	—	

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	EEAS.274	<b>FERRULE</b> , assembly ... ..	1	—	—	
5X/9726815	HC.1350	<b>FERRULE</b> ... ..	1	—	C	
5X/7559	2Z.139098/A	<b>GASKET</b> , ferrule ... ..	1	—	C	
10H/9504381	508/2/07719/300	<b>GASKET</b> , union ... ..	1	—	C	
10H/23763	508/2/07708/300	<b>RING</b> , sealing ... ..	1	—	C	
10H/0970096	508/2/07752/007	<b>RING</b> , thrust ... ..	1	—	C	
5X/3148	Z.49428	<b>SLEEVE</b> ... ..	2	—	C	
	EEAS.146/16	<b>SLEEVE</b> , ½" long ... ..	QR	—	—	
	EEAS.146/16	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/20	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
5F/9133796	HT.15	<b>SLEEVEING</b> , Helsyn 150, white, ½" long ... ..	1	—	C	
5X/9120	508/1/03986	<b>SOCKET</b> , 2-way ... ..	1	—	B	
5X/9462951	HC.294	<b>TAG</b> , ring tongue ... ..	1	—	C	
	E.B3.81.4051	<b>CABLE</b> , assembly, R216, from D.C. equipment to No. 2 engine reheat igniter unit between frames 56 and 57, group (Mod. 4203) Consisting of:—	1	—	—	
5E/3876	†	<b>CABLE</b> , unieglas 20 ... ..	QR	—	C	
	EEAS.294	<b>CLAMP</b> , cable ... ..	1	—	—	
10046	EEAS.274	<b>FERRULE</b> , assembly ... ..	1	—	C	
5X/9726815	HC.1350	<b>FERRULE</b> ... ..	1	—	C	
5X/7559	2Z.139098/A	<b>GASKET</b> , ferrule ... ..	1	—	C	
10H/9504381	508/2/07719/300	<b>GASKET</b> , union ... ..	1	—	C	
10H/23763	508/2/07708/300	<b>RING</b> , sealing ... ..	1	—	C	
10H/0970096	Z.49037	<b>RING</b> , thrust ... ..	1	—	C	
	EEAS.146/16	<b>SLEEVE</b> , ½" long ... ..	QR	—	—	
	EEAS.146/16	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/20	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
5X/3148	Z.49428	<b>SLEEVE</b> , 4-7 amp ... ..	2	—	C	
5F/9133796	HT.15	<b>SLEEVEING</b> , Helsyn 150, white, ½" long ... ..	QR	—	C	
5X/9462951	HC.294	<b>TERMINAL</b> , ring tongue ... ..	1	—	C	
	E.F2.81.2901	<b>CABLE</b> , assembly, R151, from transport break to aerial 3-way cut-out switch frames 49-50 and 5-way terminal block at I.F.F. capacitor box frame 50, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4577	<b>CABLE</b> , assembly, R151 (Mk. 2A A/c) (Routing is identical with E.F2.81.2901) Consisting of:—	1	—	—	
5E/3876	†	<b>CABLE</b> , unieglas No. 20 ... ..	QR	—	C	
5K/4023	NL.8140	<b>COVER</b> , insulating (Mk. 2 A A/c) ... ..	4	—	C	
	EEAS.146/12	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/12	<b>SLEEVE</b> , 1½" long ... ..	QR	—	—	
8898	EEAS.146/20	<b>SLEEVE</b> , ¾" long ... ..	QR	—	C	
5X/1010324	HC.296	<b>TAG</b> , ring tongue ... ..	3	—	C	
5X/7316	HELLERMANN	<b>TERMINAL</b> , cranked, R.H. ... ..	1	—	C	
	HC.1187	<b>CABLE</b> , assembly, R85, from relay box "D2", frames 52-53 to air shut-off valve, earth point E19, 10-way T/B in A.C. compartment port, underspeed switch and 3-way T/B, group (Mod. 4203) Consisting of:—	1	—	—	
	E.F2.81.6733	<b>ADAPTOR</b> , outlet ... ..	1	—	C	
12101	EEAS.276/B	<b>ADAPTOR</b> , outlet ... ..	1	—	C	
12129	EEAS.276/Z	<b>CABLE</b> , unieglas 16 ... ..	QR	—	C	
5E/3878	—	<b>CABLE</b> , unieglas 20 ... ..	QR	—	C	
5E/3876	—	<b>CABLE</b> , unieglas 20 ... ..	QR	—	C	
5E/4904	—	<b>CABLE</b> , unieglas/metsheath 20 ... ..	QR	—	C	



LIGHTNING F. MK. 2 AND MK. 2A

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	EEAS.146/D	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/F	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/G	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/G	SLEEVE, 1½" long ... ..	QR	—	—	
	RAYCHEM	SLEEVE, termination, brown (Mod. 4092) ...	1	—	—	
	TC.4006.CRN-G					
5X/7038	2CZ.84872	SOCKET, 2-way, "A" size ... ..	1	—	B	
5F/2301	NY.18007	STRAP, nylon ... ..	QR	—	C	
5F/2307	NY.3255	STUD, nylon ... ..	QR	—	C	
33B/	MIDLAND	VARNISH, silicone ... ..	QR	—	C	
	SILICONE					
	MS.996					
	E.B2.81.17425	CABLE, assembly, R95, from rectifier and relay box to current transformer terminal board frame 53, group (Mod. 4160) Consisting of:—	1	—	—	
5E/3876	†	CABLE, unieffglas 20 ... ..	QR	—	C	
	EEAS.146/2	SLEEVE, ¾" long ... ..	QR	—	—	
	EEAS.146/12	SLEEVE, ¾" long ... ..	QR	—	—	
	EEAS.146/12	SLEEVE, 1" long ... ..	QR	—	—	
5X/9462951	HC.294	TAG, ring tongue ... ..	2	—	C	
5X/9450396	HC.490	TERMINAL, quick release ... ..	2	—	C	
	E.B3.81.3857	CABLE, assembly, R96, from terminal block at frame 52 to rectifier and relay box, group (Mod. 4203) Consisting of:—	1	—	—	
5E/3878	†	CABLE, unieffglas 20 ... ..	QR	—	C	
5E/4904	†	CABLE, unieffglasmetsheath 20 ... ..	QR	—	C	
	A.M.P.	CONNECTOR, parallel ... ..	1	—	C	
	323794					
	EEAS.146/16	SLEEVE, ½" long ... ..	QR	—	—	
	EEAS.146/16	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/20	SLEEVE, ¾" long ... ..	QR	—	—	
	M.M.M.	TAPE, glasscloth No. 27, ½" wide ... ..	QR	—	—	
5X/9450396	HC.490	TERMINAL, quick release ... ..	5	—	C	
	E.F2.81.5899	CABLE, assembly, R291, from No. 1 engine terminal block, frame 50 port to rectifier box, frame 49-50, group (Mk. 2 A/c) Consisting of:—	1	—	—	
5E/3876	†	CABLE, unieffglas 20 ... ..	QR	—	C	
5K/9133798	HT.30	SLEEVE, Helsyn 150, ½" long ... ..	2	—	C	
	EEAS.146/12	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/12	SLEEVE, 1½" long ... ..	QR	—	—	
	EEAS.146/20	SLEEVE, ¾" long ... ..	QR	—	—	
5X/9462951	HC.294	TAG, ring tongue ... ..	2	—	C	
5X/9450396	HC.490	TAG, quick release ... ..	2	—	—	
	E.F2.81.5900	CABLE, assembly, R292, from No. 2 engine terminal block frame 51 port to rectifier box, frames 49-50, group (Mk. 2 A/c) Consisting of:—	1	—	—	
5E/3870	†	CABLE, unieffglas 20 ... ..	QR	—	C	
5K/9133798	HT.30	SLEEVE, Helsyn 150, ½" long ... ..	2	—	C	
	EEAS.146/12	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/12	SLEEVE, 1½" long ... ..	QR	—	—	
	EEAS.146/20	SLEEVE, ¾" long ... ..	QR	—	—	
5X/9462951	HC.294	TAG, ring tongue ... ..	2	—	C	
5X/9450396	HC.490	TAG, quick release ... ..	2	—	C	

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Equip. M.R. L.M.	and Index

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
	E.B2.81.8007	<b>CABLE</b> , assembly, 2R252, from relay box to tail trim actuator, group							1	—	—	
5E/3876	†	<b>CABLE</b> , uniefglas No. 20 ... ..							QR	—	C	
5K/3457	HELLERMANN	<b>SLEEVE</b> , Helsyn 100, ".27 i/d ... ..							QR	—	C	
	EEAS.146/C	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/D	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/D	<b>SLEEVE</b> , 1½" long ... ..							QR	—	—	
8898	EEAS.146/O	<b>SLEEVE</b> , ¾" long ... ..							QR	—	—	
5X/7552	HC.294C	<b>TAG</b> , ring tongue ... ..							3	—	C	
5X/9450396	HC.490	<b>TAG</b> , quick release ... ..							1	—	C	
	E.B2.81.8335	<b>CABLE</b> , assembly, R205, from D.C. compartment to 2-way terminal block and generator, group							1	—	—	
		Consisting of:—										
5E/3887	†	<b>CABLE</b> , uniefglas No. 0 ... ..							QR	—	C	
4968	E.B2.81.4253	<b>CONDUIT</b> , flexible, assembly ... ..							1	—	C	
5X/400099	12133	<b>LUG</b> , cable ... ..							1	—	C	
5X/7399	12364	<b>LUG</b> , cable ... ..							1	—	C	
	EEAS.146/H	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/H	<b>SLEEVE</b> , 1½" long ... ..							QR	—	—	
	EEAS.146/J	<b>SLEEVE</b> , 1½" long ... ..							QR	—	—	
	E.F.2.81.6247	<b>CABLE</b> , assembly, R206, from generator to earth point E.30 at forward spine bay, group							1	—	—	
		Consisting of:—										
5E/3887	†	<b>CABLE</b> , uniefglas No. 0 ... ..							QR	—	C	
19762	E.F.2.81.6245	<b>CONDUIT</b> , flexible, assembly ... ..							1	—	C	
5X/400099	Z.70033/1	<b>LUG</b> , crimped ... ..							1	—	C	
	EEAS.146/00	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/00	<b>SLEEVE</b> , 1½" long ... ..							QR	—	—	
	E.F.2.81.6761	<b>CABLE</b> , assembly, 3R202, from terminal block at frame 54 to auxiliary control panel, port, group (Mod. 4203)							1	—	—	
		Consisting of:—										
5E/3878	—	<b>CABLE</b> , uniefglas 16 ... ..							QR	—	C	
	EEAS.146/12	<b>SLEEVE</b> , ½" long ... ..							QR	—	—	
	EEAS.146/12	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/16	<b>SLEEVE</b> , ¾" long ... ..							QR	—	—	
5X/9462745	HC.304	<b>TAG</b> , ring tongue ... ..							4	—	C	
	E.B3.81.3849	<b>CABLE</b> , assembly, 2R85B, from 3-way T/B frame 54 to overspeed cut-out switch, group (Mod. 4203)							1	—	—	
		Consisting of:—										
5E/3876	—	<b>CABLE</b> , uniefglas 20 ... ..							QR	—	C	
5E/4026	—	<b>CABLE</b> , uniefglasmet 20 ... ..							QR	—	C	
4312	E.B1.81.3385	<b>FERRULE</b> , cut right angle ... ..							1	—	C	
5X/3148	Z.49428	<b>SLEEVE</b> , 4-7 amp ... ..							2	—	C	
	EEAS.146/16	<b>SLEEVE</b> , 1" long ... ..							QR	—	—	
	EEAS.146/20	<b>SLEEVE</b> , ¾" long ... ..							QR	—	—	
5X/9120	508/1/03986	<b>SOCKET</b> , 2-way "A" size ... ..							1	—	B	
5X/9462951	HC.294	<b>TAG</b> , ring tongue ... ..							2	—	C	
5X/6957	12334	<b>TAG</b> , ring tongue ... ..							1	—	C	
5E/3141	—	<b>WIRE</b> , tinned copper, 32 SWG ... ..							QR	—	C	
	E.B2.81.9747	<b>CABLE</b> , assembly, R210, from D.C. compartment insulated terminal bar to earth point E20 at frame 53, group							1	—	—	
		Consisting of:—										
5E/3878	†	<b>CABLE</b> , uniefglas No. 16 ... ..							QR	—	C	

Restricted

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5X/9726835	HC.1351	FERRULE .....	2	-	C	
	EEAS.146/A1	SLEEVE, 3/4" long .....	QR	-	-	
	EEAS.146/C	SLEEVE, 1" long .....	QR	-	-	
	EEAS.146/C	SLEEVE, 1-1/2" long .....	QR	-	-	
5X/9462745	HC.304	TERMINAL, ring tongue .....	2	-	C	
	E.B3.81.3853	CABLE, assembly, 3R85B, from 3-way T/B, frame 54 . port to test plug, group (Mod. 4203) Consisting of:-	1	-	-	
	5E/3876	CABLE, uniefglas No. 20 .....	QR	-	C	
	5E/4904	CABLE, uniefglasmetsheath No. 20 .....	QR	-	C	
10H/0970292	508/1/07776/003	CLAMP, cable .....	1	-	C	
	5X/7551	2Z.84912/A GASKET, plug moulding .....	1	-	C	
	EEAS.282/A	OUTLET, right angle .....	1	-	-	
	5X/9165	508/1/06393 PLUG, 2-way "A" size .....	1	-	B	
	10H/23763	508/2/07708/300 RING, sealing .....	1	-	C	
	10H/0970096	508/2/07752/007 RING, thrust .....	1	-	C	
	5X/3148	Z.49428 SLEEVE, 4-7 amp .....	2	-	C	
	EEAS.146/16	SLEEVE, 1" long .....	QR	-	-	
	EEAS.146/20	SLEEVE, 3/4" long .....	QR	-	-	
	EEAS.146/20	SLEEVE, 1/4" long .....	QR	-	-	
5X/9462951	HC.294	TAG, ring tongue, 4 BA .....	2	-	C	
	5X/6957	12334 TAG, ring tongue, 4 BA .....	1	-	C	
	E.B3.81.9764	CABLE, assembly, R82, from 40 amp 3-phase .....	1	-	-	
		contactor to port trailing edge wing break, group Consisting of:-				
	5E/3887	CABLE, uniefglas No. 8 .....	QR	-	C	
32B/	FIBREGLOSS	CORD, glass C.F. tying, 1/32" dia. ....	QR	-	C	
	E.B2.81.14817	FERRULE, adaptor .....	3	-	-	
	6017	E.B2.81.371 FERRULE, right angle cut .....	1	-	C	
	5X/7404	2Z.111579 NUT, coupling, short type .....	1	-	C	
	EEAS.146/D	SLEEVE, 3/4" long .....	QR	-	-	
	EEAS.146/F	SLEEVE, 1-1/2" long .....	QR	-	-	
	EEAS.146/H	SLEEVE, 1" long .....	QR	-	-	
	EEAS.146/H	SLEEVE, 1-1/2" long .....	QR	-	-	
	5X/7290	2CZ.109971 SOCKET, 4-way standard .....	1	-	B	
33B/	MIDLAND	VARNISH, silicone .....	QR	-	C	
	SILICONE					
	MS.996					
	E.B3.81.4057	CABLE, assembly, 2R253, from D.C. compartment ... to parachute jettison slip release unit, group (Mod. 4203) Consisting of:-	1	-	-	
	5E/3880	CABLE, uniefglas No. 12 .....	QR	-	C	
	5E/3876	CABLE, uniefglas No. 20 .....	QR	-	C	
	EEAS.146/6	SLEEVE, 1/2" long .....	QR	-	-	
	EEAS.146/6	SLEEVE, 1" long .....	QR	-	-	
	EEAS.146/12	SLEEVE, 3/4" long .....	QR	-	-	
	EEAS.146/20	SLEEVE, 3/4" long .....	QR	-	-	
5F/9133799	HT.50	SLEEVE, 3/4" long .....	QR	-	-	
	5X/1010324	HT.50 SLEEVE, 1/2" long .....	1	-	C	
	5X/7220	HC.296 TERMINAL, ring tongue .....	1	-	C	
	HC.314A	TERMINAL, ring tongue .....	1	-	C	
	E.B2.81.9776	CABLE, assembly, 2R254, from parachute jettison ... solenoid to earth point E20, group Consisting of:-	1	-	-	
	5E/3881	CABLE, uniefglas No. 10 .....	QR	-	C	
5X/400082	12116	LUG, cable .....	1	-	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	EEAS.146/C	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/C	SLEEVE, 1-1/2" long	QR	—	—	
	E.B2.81.9785	CABLE, assembly, 2R255, from transport break terminal block at frame 25 to port wing break, group Consisting of:—	1	—	—	
5E/3887	†	CABLE, uniefglas No. 0	QR	—	C	
5X/6533	12133	LUG, crimped	1	—	C	
5X/6875	12342	LUG, crimped	1	—	C	
	EEAS.146/J	SLEEVE, 1" long	QR	—	—	
	EEAS.146/J	SLEEVE, 1-1/2" long	QR	—	—	
5223	E.B2.81.12783	CABLE, assembly, R73, from temperature control amplifier engines No. 1 and No. 2 to port and starboard terminal blocks at frame 56, group Consisting of:—	1	—	C	
	E.E. CO. LTD. SPECN. E.B2.S.21	LEAD, compensating, blue and white	QR	—	—	
	EE. CO. LTD. SPECN. E.B2.S.21	LEAD, compensating, red and white	QR	—	—	
	EEAS.146/A1	SLEEVE, 3/4" long	8	—	—	
	EEAS.146/C	SLEEVE, 1" long	35	—	—	
	EEAS.146/E	SLEEVE, 1" long	8	—	—	
	EEAS.146/E	SLEEVE, 1-1/2" long	1	—	—	
4962	E.B2.81.5757	TAG, terminal, 4 BA	2	Copper	C	
4963	E.B2.81.5759	TAG, terminal, 2 BA	2	Constantan	C	
4960	E.B2.81.5763	TAG, terminal, 4 BA	2	Constantan	C	
4961	E.B2.81.5765	TAG, terminal, 2 BA	2	Constantan	C	
7403	E.B2.81.12857	CABLE, assembly, R60, from No. 1 engine ignition plug port to H.E. ignition unit connection (Supplied by Avica Equipment Ltd.)	1	—	C	
7398	E.B2.81.12859	CABLE, assembly, R61, from No. 1 engine ignition plug starboard to H.E. ignition unit connection (Supplied by Avica Equipment Ltd.)	1	—	C	
7399	E.B2.81.12861	CABLE, assembly, R64, from reheat igniter unit connection to No. 1 engine reheat H.E. igniter plugs (Supplied by Avica Equipment Ltd.)	1	—	C	
7400	E.B2.81.12863	CABLE, assembly, R65, from reheat igniter unit connection to No. 2 engine reheat H.E. igniter plugs (Supplied by Avica Equipment Ltd.)	1	—	C	
	E.F2.81.6981	CABLE, assembly, R207, from 1/2 ohm resistor at frame 53 port to alternator, frames 53-54, port, group (Mod. 4160) Consisting of:—	1	—	—	
5E/3881	—	CABLE, uniefglas No. 10	QR	—	C	
5E/3876	—	CABLE, uniefglas No. 20	QR	—	C	
1504425	E.F3.81.15581	LUG, crimped	1	—	C	
5X/9400078	Z.70012	LUG, crimped, 4 BA	1	—	C	
5X/9400081	Z.70015	LUG, crimped, 5/16"	1	—	C	
	EEAS.146/6	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/10	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
5X/9462951	HC.294	TAG, ring tongue	2	—	C	

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.81.15133	CABLE, assembly, 2R207B, from .5 ohms resistance . . . at frame 53 to earth point E.26 at frame 54, group (Pre-Mod. 4160) Consisting of:—	1	—	—	
5E/3881	†	CABLE, uniefglas No. 10 . . . . .	QR	—	C	
5X/9400079	12113	LUG, crimped, 2 BA . . . . .	1	—	C	
5X/9400082	12116	LUG, crimped, 3/8" . . . . .	1	—	C	
	EEAS.146/C	SLEEVE, 1" long . . . . .	QR	—	—	
	EEAS.146/C	SLEEVE, 1-1/2" long . . . . .	QR	—	—	
	E.B2.81.17427	CABLE, assembly, 2R207B, from current transformer . T/B to earth point E26 group (Mod. 4160) Consisting of:—	1	—	—	
5E/3881	—	CABLE, uniefglas No. 10 . . . . .	QR	—	C	
1504425	E.F3.81.15581	LUG, crimped . . . . .	1	—	C	
5X/9400078	Z.70012	LUG, crimped, 4 BA . . . . .	1	—	C	
5X/9400082	Z.70016	LUG, crimped, 3/8" . . . . .	1	—	C	
	EEAS.146/10	SLEEVE, 1" long . . . . .	QR	—	—	
	EEAS.146/10	SLEEVE, 1-1/4" long . . . . .	QR	—	—	
	E.B2.81.15949	CABLE, assembly, 2R3C, from terminal block fire . . . . extinguisher compartment port to zone 2 fire extinguisher port, group Consisting of:—	1	—	—	
5E/3896	†	CABLE, uniersil No. 16 . . . . .	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable . . . . .	1	—	C	
10046	EEAS.274	FERRULE, assembly . . . . .	1	—	C	
10H/0970108	508/2/07719/200	GASKET, union . . . . .	1	—	C	
10H/7548	2Z.84914/A	GASKET, socket ferrule . . . . .	1	—	C	
10H/0970088	508/2/07708/200	RING, sealing . . . . .	1	—	C	
10H/0490096	508/2/077752/007	RING, thrust . . . . .	1	—	C	
	EEAS.146/A1	SLEEVE, 3/4" long . . . . .	QR	—	—	
	EEAS.146/C	SLEEVE, 1" long . . . . .	QR	—	—	
	EEAS.146/C	SLEEVE, 1-1/2" long . . . . .	QR	—	—	
5X/7348	2CZ.111242	SOCKET, right angle short reach . . . . .	1	—	B	
5X/9482491	HC.500	TERMINAL, quick release compression . . . . .	2	—	C	
	E.B2.81.15951	CABLE, assembly, 2R3D, from terminal block fire . . . . extinguisher compartment port to zone 2 fire extinguisher port, group Consisting of:—	1	—	LM	
5E/3896	†	CABLE, uniersil No. 16 . . . . .	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable . . . . .	1	—	C	
10046	EEAS.274	FERRULE, assembly . . . . .	1	—	C	
5X/7548	2Z.84914/A	GASKET, socket ferrule . . . . .	1	—	—	
10H/0970108	508/2/07719/200	GASKET, union . . . . .	1	—	C	
10H/0970088	508/2/07708/200	RING, sealing . . . . .	1	—	C	
10H/0490096	508/2/07752/007	RING, thrust . . . . .	1	—	C	
	EEAS.146/A1	SLEEVE, 3/4" long . . . . .	QR	—	—	
	EEAS.146/C	SLEEVE, 1" long . . . . .	QR	—	—	
	EEAS.146/C	SLEEVE, 1-1/2" long . . . . .	QR	—	—	
5X/7573	2CZ.138243	SOCKET, right angle short reach . . . . .	1	—	B	
5X/9482591	HC.500	TERMINAL, quick release compression . . . . .	2	—	C	
	E.B3.81.4021	CABLE, assembly, R280, from D.C. compartment . . . . starboard to generator port, group (Mod. 4203) Consisting of:—	1	—	—	
5E/3878	†	CABLE, uniefglas No. 16 . . . . .	QR	—	C	
	EEAS.146/6	SLEEVE, 1/2" long . . . . .	QR	—	—	
	EEAS.146/6	SLEEVE, 3/4" long . . . . .	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long . . . . .	QR	—	—	
	EEAS.146/16	SLEEVE, 3/4" long . . . . .	QR	—	—	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5F/9133799	HT.50	SLEEVING, Helsyn 150, white, 1/2" long	2	-	C	
5X/9462745	HC.304	TAG, ring tongue	8	-	C	
	E.F.4.81.4565	CABLE, assembly, R561, from transport joint, starboard to arrester hook bay, frames 59-60, group (Mk. 2A A/c) Consisting of:-	1	-	-	
5E/3876	-	CABLE, uniefglas No. 20	QR	-	C	
5X/7843	508/1/04585/002	INSERT, socket, size 16	1	-	C	
5X/7645	508/1/05602/002	INSERT, socket, size 16/20	2	-	C	
5X/9139938	508/2/09484	NUT, outlet	1	-	C	
5X/9717833	508/2/04367	PLUG, filler, grey	1	-	C	
5X/8089	2Z.139623	SLEEVE, packing, blue	2	-	C	
	EEAS.146/12	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/12	SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/12	SLEEVE, 1" long	QR	-	-	
	EEAS.146/20	SLEEVE, 1/4" long	QR	-	-	
	EEAS.146/20	SLEEVE, 3/4" long	QR	-	-	
5X/	UKAN (ET)	SOCKET, fixed, 3-way	1	-	-	
	8000-14S-7S					
5X/8410	2Z.139596	WASHER, panel packing	1	-	C	
	E.F.4.81.4567	CABLE, assembly, R565, from JB4 frames 31-34, starboard and transport joints to fuel tank de-pressurizing valve and ventral tank plug break, group (Mk. 2A A/c) Consisting of:-	1	-	-	
5E/3878	†	CABLE, uniefglas No. 16	QR	-	C	
5E/3876	†	CABLE, uniefglas No. 20	QR	-	C	
5E/3875	†	CABLE, uniefglas No. 22	QR	-	C	
	SUPERFLEXIT	CONDUIT, P.T.F.E.	1	-	-	
	SC.001-6/45					
	SUPERFLEXIT	CONDUIT, P.T.F.E.	1	-	-	
	SC.001-20/20					
	SUPERFLEXIT	END, assembly	1	-	-	
	SCF.118/SR.20					
	SUPERFLEXIT	END, assembly	1	-	-	
	SCF.1855/SR.6					
10H/9527683	508/2/07797/300	GASKET, outlet	1	-	C	
5X/7843	508/1/04585/002	INSERT, socket, size 16	4	-	C	
5X/7645	508/1/05602/002	INSERT, socket, size 16/20	2	-	C	
	Z.49075	NUT, outlet	1	-	-	
5X/	508/2/04366	PLUG, filler, white	QR	-	C	
5X/9717833	508/2/04367	PLUG, filler, grey	QR	-	C	
5X/8089	2Z.139623	SLEEVE, packing, blue	2	-	C	
	EEAS.146/00	SLEEVE, 1-1/2" long	QR	-	-	
	EEAS.146/0000	SLEEVE, 1-1/2" long	QR	-	-	
	EEAS.146/2	SLEEVE, 1-1/4" long	QR	-	-	
	EEAS.146/2	SLEEVE, 1-1/2" long	QR	-	-	
	EEAS.146/6	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/6	SLEEVE, 1" long	QR	-	-	
	EEAS.146/6	SLEEVE, 1-1/2" long	QR	-	-	
	EEAS.146/12	SLEEVE, 1" long	QR	-	-	
	EEAS.146/16	SLEEVE, 1/4" long	QR	-	-	
	EEAS.146/16	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/16	SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/20	SLEEVE, 1/4" long	QR	-	-	
	EEAS.146/20	SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/20	SLEEVE, 1" long	QR	-	-	







ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
36833	E.F.2.81.2763	CABLE, assembly, H512, from generator to differential relay, 4-way fuse block, voltage pick-up relay, generator field crash relay, voltage test socket and current indicator, group Consisting of:—	1	—	B	
5E/3884	†	CABLE, uniefglas No. 4	QR	—	C	
5E/3878	†	CABLE, uniefglas No. 16	QR	—	C	
5E/3876	†	CABLE, uniefglas No. 20	QR	—	C	
	SUPERFLEXIT	CONDUIT, electrical, P.T.F.E. 3/8"	QR	—	—	
	SC.001-12-71					
19214	E.F.2.81.5655	COVER, protective	1	—	C	
5X/9400089	12123	LUG, crimped, 1/4"	1	—	C	
5X/7591	12357	LUG, crimped, 4 BA	1	—	C	
5X/8154	12446	LUG, crimped, 5/16"	1	—	C	
	EEAS.146/A	SLEEVE, 3/4" long	2	—	—	
	EEAS.146/A	SLEEVE, 1" long	2	—	—	
	EEAS.146/C	SLEEVE, 1" long	2	—	—	
	EEAS.146/E	SLEEVE, 3/4" long	2	—	—	
	EEAS.146/E	SLEEVE, 1" long	2	—	—	
	EEAS.146/G	SLEEVE, 1" long	1	—	—	
	EEAS.146/G	SLEEVE, 2" long	2	—	—	
	EEAS.146/H	SLEEVE, 1" long	1	—	—	
	EEAS.146/H	SLEEVE, 1-1/2" long	1	—	—	
8898	EEAS.146/O	SLEEVE, 3/4" long	8	—	—	
8899	EEAS.146/O	SLEEVE, 1" long	2	—	C	
5X/9462951	HC.294	TERMINAL, ring tongue	1	—	C	
5X/1010324	HC.296	TERMINAL, ring tongue	3	—	C	
5X/9462954	HC.306B	TERMINAL, ring tongue	1	—	C	
5X/9450396	HC.490	TERMINAL, quick release	3	—	C	
36834	E.F.2.81.2764	CABLE, assembly, H513, from generator to differential relay, group Consisting of:—	1	—	B	
5K/3680	HV.3604	BOOT	1	—	C	
5E/3884	†	CABLE, uniefglas No. 4	QR	—	C	
	SUPERFLEXIT	CONDUIT, electrical, P.T.F.E., 3/8"	QR	—	—	
	SC.001-12-41					
5X/9400090	12124	LUG, crimped	1	—	C	
5X/7592	12445	LUG, crimped	1	—	C	
	EEAS.146/E	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1" long	QR	—	—	
	EEAS.146/G	SLEEVE, 1-1/2" long	QR	—	—	
	EEAS.146/G	SLEEVE, 2" long	QR	—	—	
37328	E.F.2.81.2765	CABLE, assembly, H70A, from plug break at frame . . . 48 port to No. 2 engine H.E. ignition units, group (Mk. 2 A/c) Consisting of:—	1	—	B	
10046	EEAS.274	ADAPTOR, ferrule	2	—	C	
5E/3876	†	CABLE, uniefglas No. 20	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable	2	—	C	
5F/9150091	SUPERFLEXIT	CONDUIT, electrical P.T.F.E., 9/32" i/d	QR	—	C	
	SC.001-9					
	SUPERFLEXIT	FITTING, socket end	1	—	—	
	SCF.284-9					
5X/7548	22.84914/A	GASKET, socket ferrule	4	—	C	



**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
5X/7214	HC.1189								2	—	C	
5X/7299	HC.4010								1	—	C	
	—								—	—	—	
	—								—	—	—	
	E.F.2.81.2602								1	—	—	
										—	—	
5E/3896	†								QR	—	C	
10H/0970292	508/1/07776/003								1	—	C	
	12103								1	—	C	
10H/0970108	508/2/07719/200								1	—	C	
10H/0970088	508/2/07708/200								1	—	C	
10H/0970096	508/2/07752/007								1	—	C	
	EEAS.146/A1								QR	—	—	
	EEAS.146/C								QR	—	—	
	EEAS.146/C								QR	—	—	
5X/7038	1CZ.84872								1	—	B	
5X/9482491	HC.500								2	—	C	
	E.F.2.81.2603								1	—	—	
										—	—	
										—	—	
5E/3896	†								QR	—	C	
5E/3894	†								QR	—	C	
10H/0970292	508/1/07776/003								1	—	C	
	12103								1	—	C	
10H/0970108	508/2/07719/200								1	—	C	
	†								QR	BSS381C	—	
10H/0970088	508/2/07708/200								1	—	C	
10H/0970096	508/2/07752/007								1	—	C	
5X/3149	Z.49428								3	—	C	
	EEAS.146/A1								QR	—	—	
	EEAS.146/C								QR	—	—	
	EEAS.146/C								QR	—	—	
8898	EEAS.146/O								QR	—	C	
5X/7039	2CZ.84873								1	—	B	
5X/9450396	HC.490								3	—	C	
5X/9482491	HC.500								1	—	C	
	E.F.2.81.2604								1	—	—	
										—	—	
										—	—	
										—	—	
5E/3894	†								QR	—	C	
10H/0970292	508/1/07776/003								1	—	C	
	12103								1	—	C	
10H/0970108	508/2/07719/200								1	—	C	
	†								QR	BSS381C	—	
10H/0970088	508/2/07708/200								1	—	C	
10H/0970096	508/2/07752/007								1	—	C	
5X/3148	A.49428								QR	—	C	
	EEAS.146/C								QR	—	—	
	EEAS.146/C								QR	—	—	
8898	EEAS.146/O								QR	—	C	

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
5X/7039	2CZ.84873	SOCKET, 4-way, "A" size ... ..	1	—	B	
5X/9450296	HC.490	TERMINAL, quick release ... ..	3	—	C	
	E.F2.81.2606	CABLE, assembly, U6, from solenoid valve high pressure switch No. 1 engine to No. 1 engine terminal block at frames 39-41 starboard, group Consisting of :—	1	—	—	
5E/3896	†	CABLE, unifersil No. 16 ... ..	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable ... ..	1	—	C	
	12103	FERRULE, assembly, right angle ... ..	1	—	C	
10H/0970108	508/2/07719/200	GASKET, union ... ..	1	—	C	
10H/0970088	508/2/07708/200	RING, sealing ... ..	1	—	C	
10H/0970096	508/2/07752/007	RING, thrust ... ..	1	—	C	
	EEAS.146/A1	SLEEVE, 3/4" long ... ..	QR	—	—	
	EEAS.146/E	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/E	SLEEVE, 1 1/2" long ... ..	QR	—	—	
5X/7039	2CZ.84873	SOCKET, 4-way, "A" size ... ..	1	—	B	
5X/9482491	HC.500	TERMINAL, quick release ... ..	3	—	C	
	E.F2.81.2607	CABLE, assembly, U7, from solenoid valve high pressure switch No. 1 engine to No. 1 engine terminal block at frames 39-41 starboard, group Consisting of :—	1	—	—	
5E/3894	†	CABLE, unifersil No. 20 ... ..	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable ... ..	1	—	C	
	12103	FERRULE, assembly, right angle ... ..	1	—	C	
10H/0970108	508/2/07719/200	GASKET, union ... ..	1	—	C	
10H/0970088	508/2/07708/200	RING, sealing ... ..	1	—	C	
10H/0970096	508/2/07752/007	RING, thrust ... ..	1	—	C	
	Z.49428	SLEEVE, 4-7 amp ... ..	2	—	C	
	EEAS.146/C	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/C	SLEEVE, 1 1/2" long ... ..	QR	—	—	
	8898	SLEEVE, 3/4" long ... ..	QR	—	C	
5X/7038	2CZ.84872	SOCKET, 2-way, "A" size ... ..	1	—	B	
5X/9450396	HC.490	TERMINAL, quick release ... ..	2	—	C	
	36780	CABLE, assembly, U8, from No. 1 engine switch magnetic relay to No. 1 engine terminal block at frames 39-41 starboard, group Consisting of :—	1	—	B	
5E/3894	†	CABLE, unifersil No. 20 ... ..	QR	—	C	
	EEAS.146/C	SLEEVE, 1" long ... ..	QR	—	—	
	EEAS.146/C	SLEEVE, 1 1/2" long ... ..	QR	—	—	
	8898	SLEEVE, 3/4" long ... ..	QR	—	C	
5X/7552	HC.294C	TAG, ring tongue, 4 BA ... ..	2	—	C	
5X/9450396	HC.490	TERMINAL, quick release ... ..	2	—	C	
	E.F2.81.2609	CABLE, assembly, U9, from ignition unit No. 1 engine start to No. 1 engine terminal block at frames 39-41 starboard, group Consisting of :—	1	—	—	
5E/3896	†	CABLE, unifersil No. 16 ... ..	QR	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable ... ..	1	—	C	
	12103	FERRULE, assembly, right angle ... ..	1	—	C	
10H/0970108	508/2/07719/200	GASKET, union ... ..	1	—	C	
10H/0970088	508/2/07708/200	RING, sealing ... ..	1	—	C	
10H/0970096	508/2/07752/007	RING, thrust ... ..	1	—	C	
	EEAS.146/A1	SLEEVE, 3/4" long ... ..	QR	—	—	
	EEAS.146/C	SLEEVE, 1" long ... ..	QR	—	—	

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
5X/7038 5X/9482491 33433	EEAS.146/C								QR	—	—	
	2CZ.84872								1	—	B	
	HC.500								2	—	C	
	E.B3.81.3377								1	—	B	
5E/3903 5X/7210	† 12319								QR	—	C	
	EEAS.146/2								2	—	C	
	EEAS.146/2								QR	—	—	
33434	E.B3.81.3379								QR	—	—	
									1	—	B	
5E/3903 5X/7210	† 12319								QR	—	C	
	EEAS.146/2								2	—	C	
	EEAS.146/2								QR	—	—	
	E.F2.81.2612								QR	—	—	
									1	—	—	
5E/3896 10H/0970292 12103	† 508/1/07776/003 EEAS.277/A								QR	—	C	
									1	—	C	
10H/0970108	508/2/07719/200								1	—	C	
10H/0970088	508/2/07708/200								1	—	C	
10H/0970096	508/2/07752/007								1	—	C	
	EEAS.146/A1								QR	—	—	
	EEAS.146/C								QR	—	—	
	EEAS.146/C								QR	—	—	
5X/7038 5X/9482491	2CZ.84872 HC.500 E.F2.81.2613								1	—	B	
									2	—	C	
									1	—	—	
5E/3896 10H/0970292 12103	† 508/1/07776/003 EEAS.277/A								QR	—	C	
									1	—	C	
10H/0970108	508/2/07719/200								1	—	C	
	†								QR	BSS381C	—	
10H/0970088	508/2/07708/200								1	—	C	
10H/0970096	508/2/07752/007								1	—	C	
	EEAS.146/A1								QR	—	—	
	EEAS.146/E								QR	—	—	
	EEAS.146/E								QR	—	—	
5X/7039 5X/9482491	2CZ.84873 HC.500 E.F2.81.2614								1	—	B	
									4	—	C	
									1	—	—	
5E/3894 10H/0970292 12103	† 508/1/07776/003 EEAS.277/A								QR	—	C	
									1	—	C	
									1	—	C	





LIGHTNING F. MK. 2 AND MK. 2A

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
33435	E.F2.81.2623	<b>CABLE</b> , assembly, U23, from No. 2 engine pump unit start to No. 2 engine switch magnetic relay, group Consisting of :—	1	—	B	
5E/3903	†	<b>CABLE</b> , unifersil No. 2 ... ..	QR	—	C	
5X/2788	—	<b>GROMMET</b> , tension, helsyn No. 5 ... ..	1	—	C	
5X/6527	12127	<b>LUG</b> , crimping ... ..	1	—	C	
5X/7210	12319	<b>LUG</b> , crimping ... ..	1	—	C	
	EEAS.146/G	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/G	<b>SLEEVE</b> , 1½" long ... ..	QR	—	—	
24962	E.F2.81.2624	<b>CABLE</b> , assembly, U24, from pump unit No. 2 engine start to E11 earth point between frames 34 and 35, port, group Consisting of :—	1	—	B	
5E/3903	†	<b>CABLE</b> , unifersil No. 2 ... ..	QR	—	C	
5X/2788	—	<b>GROMMET</b> , tension, helsyn No. 5 ... ..	1	—	C	
5X/6527	12127	<b>LUG</b> , crimping ... ..	2	—	C	
	EEAS.146/G	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/G	<b>SLEEVE</b> , 1½" long ... ..	QR	—	—	
	E.F2.81.2626	<b>CABLE</b> , assembly, U26, from overspeed switch plugs No. 2 engine, port, to No. 2 engine terminal block at frames 38 and 39, starboard, group Consisting of :—	1	—	—	
12104	E.F2.81.4479	<b>ADAPTOR</b> ... ..	1	—	C	
5E/3876	†	<b>CABLE</b> , uniefglas No. 20 ... ..	QR	—	C	
33275	EEAS.294/1	<b>CLAMP</b> , cable ... ..	1	—	C	
10H/0970108	508/2/07719/200	<b>GASKET</b> , union ... ..	1	—	C	
10H/0970088	508/2/07708/200	<b>RING</b> , sealing ... ..	1	—	C	
10H/0970096	508/2/07752/007	<b>RING</b> , thrust ... ..	1	—	C	
5X/3148	Z.49428	<b>SLEEVE</b> , 4-7 amp ... ..	2	—	C	
	EEAS.146/C	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/C	<b>SLEEVE</b> , 1½" long ... ..	QR	—	—	
8898	EEAS.146/O	<b>SLEEVE</b> , ¾" long ... ..	QR	—	C	
23696	ROLLS ROYCE R.16400A or BR.40958A	<b>SOCKET</b> , special ... ..	1	—	C	
5X/9450396	HC.490 E.F2.81.6697	<b>TERMINAL</b> , quick release ... .. <b>CABLE</b> , assembly, U27, from Mk.4 test socket between frames 34 and 35 starboard to earth point E17 and voltage regulator power amplifier unit, group (Mod. 4203) Consisting of :—	2	—	C	
	E.B1.81.8537	<b>BRACKET</b> , angle ... ..	1	—	—	
5E/3894	†	<b>CABLE</b> , unifersil No. 20 ... ..	QR	—	C	
10H/9408659	2CZ.83028	<b>CAP</b> , protective ... ..	1	—	C	
5X/9726815	HC.1350	<b>FERRULE</b> , S.B.A.C. size 0 ... ..	1	—	C	
10H/0970058	508/2/07705/200	<b>GASKET</b> , outlet ... ..	1	—	C	
10H/0970108	508/2/07719/200	<b>GASKET</b> , union ... ..	1	—	C	
10H/9408689	Z.71253	<b>NUT</b> , outlet ... ..	1	—	C	
28M/10287	AGS.2001/B/1	<b>NUT</b> , stiff, 4 BA ... ..	4	—	C	
10H/9435876	CZ.62969	<b>OUTLET</b> , straight ... ..	1	—	C	
	E.B2.81.8521	<b>PLATE</b> , mounting ... ..	1	—	—	
10H/0970088	508/2/07708/200	<b>RING</b> , sealing ... ..	1	—	C	
10H/0970096	508/2/07752/007	<b>RING</b> , thrust ... ..	1	—	C	
28E/9467497	TERRY 169-½	<b>RING</b> , split ... ..	1	—	C	
28S/9535715	A33/B16	<b>SCREW</b> , 4 BA, c'sk head ... ..	4	—	C	

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
	EEAS.146/6								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/20								QR	—	—	
	EEAS.146/6								QR	—	—	
5F/9133797	HT.20								1	—	C	
5F/9133798	HT.30								1	—	C	
10H/9408634	2CZ.84795								1	—	B	
5X/9462951	HC.294								3	—	C	
28W/9419465	SP13/B								4	—	C	
	E.F2.81.6701								1	—	—	
									CABLE, assembly, U29, from control panel type AE.7002 to 3-phase contactor, voltage regulator, and earth point E17, frame 26 to 27 spine, port, group (Mod. 4203) Consisting of:—			
5E/3894	†								QR	—	C	
5E/3898	†								QR	—	C	
5X/9726815	HC.1350								1	—	C	
5X/9726836	HC.1352								1	—	C	
	EEAS.146/6								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/20								QR	—	—	
	EEAS.146/6								QR	—	—	
5X/7294	HC.290								3	—	C	
5X/	HC.314A								1	—	C	
5X/9450396	HC.490								4	—	C	
	E.B3.81.3795								1	—	—	
									CABLE, assembly, U31, from under-voltage phase sequence unit and earth point E17 to 40 amp contactor D.6704 and 80 amp contactor AE.5354, group (Mod. 4203) Consisting of:—			
5E/3893	†								QR	—	C	
5X/9726815	HC.1350								3	—	C	
	EEAS.146/16								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/22								QR	—	—	
	EEAS.146/6								QR	—	—	
5X/9450393	HC.292								3	—	C	
5X/9462951	HC.294								1	—	C	
5X/1010324	HC.296								5	—	C	
	E.F2.81.2632								1	—	—	
									CABLE, assembly, U32, from spine fuse blocks to 80 amp 3-phase contactor, group Consisting of:—			
5E/3895	†								QR	—	C	
	EEAS.146/A1								QR	—	—	
	EEAS.146/D								QR	—	—	
	EEAS.146/D								QR	—	—	
5X/9014365	HC.300								3	—	C	
5X/9482491	HC.500								3	—	C	
	E.F2.81.2635								1	—	—	
									CABLE, assembly, U35, from No. 2 engine switch magnetic relay to 4-way block, group Consisting of:—			
5E/3898	†								QR	—	C	
5X/9400390	12110								1	—	C	
	EEAS.146/C								QR	—	—	

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
R	5X/9462957	EEAS.146/C	SLEEVE, 1" long	QR	-	-
	5X/9450224	EEAS.146/C	SLEEVE, 1-1/2" long	QR	-	-
R	5X/9450224	HC.510	TAG, R.T., 6 BA (Mod. 4751)	1	-	C
		E.F.2.81.2636	TERMINAL, quick release (Pre-Mod. 4751)	1	-	C
			CABLE, assembly, U36, from 4-way fuse block to No. 2 engine magnetic relay and No. 1 engine magnetic relay, group	1	-	-
			Consisting of:-			
	5E/3896	†	CABLE, unitersil No. 16	QR	-	C
		EEAS.146/A1	SLEEVE, 3/4" long	QR	-	-
		EEAS.146/A1	SLEEVE, 1" long	QR	-	-
		EEAS.146/C	SLEEVE, 1" long	QR	-	-
		EEAS.146/C	SLEEVE, 1-1/2" long	QR	-	-
R	5X/9462745	HC.304	TERMINAL, ring tongue, 4 BA	2	-	C
	5X/9482491	HC.500	TERMINAL, quick release (Pre-Mod. 4751)	2	-	C
		E.F.2.81.2637	CABLE, assembly, U37, from magnetic relay No. 1 engine to No. 1 engine terminal block between frames 39 and 41, starboard, group	1	-	-
			Consisting of:-			
	5E/3896	†	CABLE, unitersil No. 16	QR	-	C
	5E/3894	†	CABLE, unitersil No. 20	QR	-	C
		EEAS.146/A1	SLEEVE, 3/4" long	QR	-	-
		EEAS.146/C	SLEEVE, 1" long	QR	-	-
		EEAS.146/C	SLEEVE, 1-1/2" long	QR	-	-
	8898	EEAS.146/O	SLEEVE, 3/4" long	QR	-	C
	5X/1010324	HC.296	TERMINAL, ring tongue, 6 BA	2	-	C
	5X/9462745	HC.304	TERMINAL, ring tongue, 4 BA	1	-	C
	5X/9450396	HC.490	TERMINAL, quick release, size O	2	-	C
	5X/9482491	HC.500	TERMINAL, quick release, size 1	1	-	C
		E.F.2.81.2638	CABLE, assembly, U38, from No. 2 engine magnetic relay to No. 2 engine terminal block between frames 38 and 39 starboard, group	1	-	-
			Consisting of:-			
	5E/3896	†	CABLE, unitersil No. 16	QR	-	C
	5E/3894	†	CABLE, unitersil No. 20	QR	-	C
		EEAS.146/A1	SLEEVE, 3/4" long	QR	-	-
		EEAS.146/C	SLEEVE, 1" long	QR	-	-
		EEAS.146/C	SLEEVE, 1-1/2" long	QR	-	-
	8898	EEAS.146/O	SLEEVE, 3/4" long	QR	-	-
	5X/1010324	HC.296	TERMINAL, ring tongue	2	-	C
	5X/9462745	HC.304	TERMINAL, ring tongue	1	-	C
	5X/9450396	HC.490	TERMINAL, quick release	2	-	C
	5X/9482491	HC.500	TERMINAL, quick release	1	-	C
		E.F.2.81.6705	CABLE, assembly, U40, from type 10B relay, frame 28 to 29, to 80 amp. 3-phase contactor and earth point E17 at frame 27, group (Mod. 4203)	1	-	-
			Consisting of:-			
	5E/3894	†	CABLE, unitersil No. 20	QR	-	C
	5X/9726815	HC.1350	FERRULE	2	-	C
		EEAS.146/12	SLEEVE, 1/2" long	QR	-	-
		EEAS.146/6	SLEEVE, 3/4" long	QR	-	-
		EEAS.146/12	SLEEVE, 3/4" long	QR	-	-
		EEAS.146/20	SLEEVE, 3/4" long	QR	-	-
		EEAS.146/6	SLEEVE, 1" long	QR	-	-
		EEAS.146/20	SLEEVE, 1" long	QR	-	-
	5X/9462951	HC.294	TAG, ring tongue	1	-	C
	5X/1010324	HC.296	TAG, ring tongue	3	-	C

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.F2.81.5735	<b>CABLE</b> , assembly, U83, from 14-way socket "C" size bulkhead break frame 25 to No. 1 engine terminal block between frames 39 and 41 starboard, No. 2 engine terminal block between frames 38 and 39 starboard, relay type 10B between frames 28 and 29 and terminal block at frame 25, group (Mod. 1904) (Mk. 2 A/c)	1	—	—	
	E.F4.81.4579	<b>CABLE</b> , assembly, U83 (Mk. 2A A/c) (Routing is identical with E.F2.81.5735) Consisting of:—	1	—	—	
12123	EEAS.276/C1	<b>ADAPTOR</b> , outlet ... ..	1	—	C	
5E/3896	†	<b>CABLE</b> , unisersil No. 16 ... ..	QR	—	C	
5E/3894	†	<b>CABLE</b> , unisersil No. 20 ... ..	QR	—	C	
10H/0970294	508/1/07778/003	<b>CLAMP</b> , cable ... ..	1	—	C	
10H/0970111	508/2/07720/200	<b>GASKET</b> , union ... ..	1	—	C	
10H/0970091	508/2/07709/200	<b>RING</b> , sealing ... ..	1	—	C	
10H/9995082	508/2/07756/007	<b>RING</b> , thrust ... ..	1	—	C	
5X/3148	Z.49428	<b>SLEEVE</b> , 4-7 amp ... ..	4	—	C	
	EEAS.146/6	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	—	
	EEAS.146/16	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	—	
	EEAS.146/20	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	—	
	EEAS.146/2	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/2	<b>SLEEVE</b> , 1 1/2" long ... ..	QR	—	—	
5X/7048	2CZ.84877	<b>SOCKET</b> , 14-way "C" size normal steel ... ..	1	—	B	
5X 7424	HC.296D	<b>TERMINAL</b> , ring tongue ... ..	2	—	C	
5X 9462951	HC.294	<b>TERMINAL</b> , ring tongue (Mk. 2A A/c) ... ..	1	—	C	
5X 9450396	HC.490	<b>TERMINAL</b> , quick release ... ..	1	—	C	
5X 9482491	HC.500	<b>TERMINAL</b> , quick release ... ..	6	—	C	
	E.F.2.81.2644	<b>CABLE</b> , assembly, U84, from bulkhead break frame 25 socket "B" size to No. 1 engine terminal block between frames 39 and 41 starboard, group Consisting of:—	1	—	—	
12101	EEAS.276/B	<b>ADAPTOR</b> , outlet ... ..	1	—	C	
5E/3896	†	<b>CABLE</b> , unisersil No. 16 ... ..	QR	—	C	
5E/3894	†	<b>CABLE</b> , unisersil No. 20 ... ..	QR	—	C	
10H/0970294	508/1/07778/003	<b>CLAMP</b> , cable ... ..	1	—	C	
10H/0970111	508/2/07720/200	<b>GASKET</b> , union ... ..	1	—	C	
10H/0970091	508/2/07709/200	<b>RING</b> , sealing ... ..	1	—	C	
10H/9995082	508/2/07756/007	<b>RING</b> , thrust ... ..	1	—	C	
5X/3148	Z.49428	<b>SLEEVE</b> , 4-7 amp ... ..	3	—	C	
	EEAS.146/A1	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	—	
	EEAS.146/E	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/E	<b>SLEEVE</b> , 1 1/2" long ... ..	QR	—	—	
8898	EEAS.146 O	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	C	
5X 7046	2CZ.108949	<b>SOCKET</b> , 9-way, "B" size ... ..	1	—	B	
5X/9450396	HC.490	<b>TERMINAL</b> , quick release ... ..	3	—	C	
5X 9482491	HC.500	<b>TERMINAL</b> , quick release ... ..	2	—	C	
35043	E.F.2.81.2645	<b>CABLE</b> , assembly, U85, from transport break frame 25 to ignition unit No. 1 engine start, group Consisting of:—	1	—	B	
	701/1/00050/001	<b>CABLE</b> , assembly ... ..	2	—	—	
	EEAS.146/E	<b>SLEEVE</b> , 3/4" long ... ..	QR	—	—	
	EEAS.146/J	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/J	<b>SLEEVE</b> , 1 1/2" long ... ..	QR	—	—	

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5X/2301 5X/9138823	NY.18007 NY.3255 E.F.2.81.2648	STRAP, nylon ..... STUD, nylon ..... CABLE, assembly, U228, from 40 amp. 3-phase ..... contactor to 80 amp. 3-phase contactor, group Consisting of:—	QR QR 1	— — —	C C —	
10790 5E/3902 5X/6523	E.B.2.81.14813 † 12123 EEAS.146/E EEAS.146/F EEAS.146/K EEAS.146/K E.F.2.81.2650	ADAPTOR, ferrule ..... CABLE, unitercil No. 4 ..... LUG, crimping ..... SLEEVE, 3/4" long ..... SLEEVE, 1-1/2" long ..... SLEEVE, 1" long ..... SLEEVE, 1-1/2" long ..... CABLE, assembly, E17, from earth point E17 between frames 26 and 27 port side of spine to No. 2 engine terminal block between frames 38 and 39 starboard and No. 1 engine terminal block between frames 39 and 41 starboard, group Consisting of:—	3 QR 3 QR QR QR QR 1	— — — — — — — —	C C C — — — — —	
5E/3896 5X/9726835	† HC.1351 EEAS.146/A1 EEAS.146/C EEAS.146/C EEAS.146/E	CABLE, unitercil No. 16 ..... FERRULE ..... SLEEVE, 3/4" long ..... SLEEVE, 1" long ..... SLEEVE, 1-1/2" long ..... SLEEVE, 1" long .....	QR 2 QR QR QR QR	— — — — — —	C C — — — —	
5X/9482491	HC.500 E.B.3.81.3375	TERMINAL, quick release ..... CABLE, assembly, U34, from relay magnetic, frames .. 34-35 to 4-way fuse block, frame 35, group Consisting of:—	4 1	— —	C —	
5E/3898 5X/16676	† 12110 EEAS.146/12 EEAS.146/12 EEAS.146/12	CABLE, unitercil No. 12 ..... LUG, cable ..... SLEEVE, 3/4" long ..... SLEEVE, 1" long ..... SLEEVE, 1-1/2" long .....	QR 1 QR QR QR	— — — — —	C C — — —	
5X/9462957 5X/9450224	— HC.510 E.B.3.81.3779	TAG, R.T., 6 BA (Mod. 4751) ..... TERMINAL, quick release (Pre-Mod. 4751) ..... CABLE, assembly, U93, from 8 amp. 3-phase ..... contactor to voltage regulator amplifier, rear fuse spine, group (Mod. 4203) Consisting of:—	1 1 1	— — —	C C —	
5E/3898 5E/3894	† † EEAS.146/2 EEAS.146/12 EEAS.146/20 EEAS.146/2 EEAS.146/2	CABLE, unitercil No. 12 ..... CABLE, unitercil No. 20 ..... SLEEVE, 1/2" long ..... SLEEVE, 3/4" long ..... SLEEVE, 3/4" long ..... SLEEVE, 1" long ..... SLEEVE, 1-1/4" long .....	QR QR QR QR QR QR QR	— — — — — — —	C C — — — — —	
5X/7294 5X/9462951 5X/9709524 5X/9462956	HC.290 HC.294 HC.310 HC.314 E.B.3.81.3781	TAG, ring, tongue ..... TAG, ring tongue ..... TAG, ring tongue ..... TAG, ring tongue ..... CABLE, assembly, U94, from under-speed relay to ... 40 amp. contactor, 80 amp. contactor, earth point E17, control panel AE.7014 Mk. 2, and voltage regulator amplifier, group (Mod. 4203) Consisting of:—	2 2 1 1 1	— — — — —	C C C C —	
5E/3894 5X/972815	† HC.1350 EEAS.146/6	CABLE, unitercil No. 20 ..... FERRULE ..... SLEEVE, 1/2" long .....	QR 4 QR	— — —	C C —	

R  
R

FUSELAGE

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	EEAS.146/12	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/6	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/12	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
5F/9133798	HT.30	SLEEVING, Helsyn 150, white, 1-1/2" long	QR	—	C	
5F/9133799	HT.50	SLEEVING, Helsyn 150, white, 1-1/2" long	QR	—	C	
5X/9462951	HC.294	TAG, ring tongue	7	—	C	
5X/1010324	HC.296	TAG, ring tongue	5	—	C	
5X/9450396	HC.490	TAG, quick release	6	—	C	
	E.F4.81.4581	CABLE, assembly, U95, from 6-way T/B frame 25, ... spine to control panel rear fuselage, spine, group (Mk. 2A A/c) Consisting of:—	1	—	—	
5E/3894	†	CABLE, unitercil No. 20	QR	—	C	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/20	SLEEVE, 1" long	QR	—	—	
5X/9462951	HC.294	TAG, ring tongue	1	—	C	
5X/9450396	HC.490	TAG, quick release	1	—	C	
	E.B3.81.3783	CABLE, assembly, U95, from 5-way T/B frame 25, ... spine to control panel rear fuselage spine, group (Mod. 4203) (Mk. 2 A/c) Consisting of:—	1	—	—	
5E/3894	†	CABLE, unitercil No. 20	QR	—	C	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/20	SLEEVE, 1" long	QR	—	—	
5X/9450396	HC.490	TAG, quick release	2	—	C	
	E.F4.81.4583	CABLE, assembly, U573, from ram air temp. sensor ... to 6-way T/B, frame 25 and earth point E17, group (Mk. 2A A/c) Consisting of:—	1	—	—	
5E/3894	†	CABLE, unitercil No. 20	QR	—	C	
5X/9726815	HC.1350	FERRULE	2	—	C	
5X/8904	508/2/04367	FILLER, plug, greay	2	—	C	
	508/1/04585/002	INSERT, socket, 16	2	—	C	
	508/1/05602/002	INSERT, socket, 16/20	3	—	C	
	EEAS.146/20	SLEEVE, 1/4" long	QR	—	—	
	EEAS.146/12	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/12	SLEEVE, 1" long	QR	—	—	
	EEAS.146/16	SLEEVE, 1" long	QR	—	—	
	2Z.139623	SLEEVE, packing, blue	3	—	—	
5F/9133798	HT.30	SLEEVING, Helsyn 150, white	QR	—	C	
	UKAN (ET)	SOCKET, free, 5-way	1	—	—	
	9000-14S-5S					
5X/9462951	HC.294	TAG, ring tongue	3	—	C	
5CZ/6894	WARD BROOKE WB/1146/72	LINK, 2-way (Mk. 2A A/c)	1	—	C	
5CZ/6398	WARD BROOKE WB/1114/22	SPACER, cable (Mk. 2A A/c)	3	—	C	
	—	LOOMS, cable, instrument (E.F2.81.43) (Mk. 2 A/c)	—	—	—	
	—	LOOMS, cable, instrument (E.F4.81.4043) (Mk. 2A A/c) Spares for:—	—	—	—	
	E.F2.81.2683	CABLE, assembly, FS31, from inline crimps at ... transport break to 12-way Mk. 4 coupler socket, rudder actuator, group (Mk. 2 A/c)	1	—	—	

R  
R  
R

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F2.81.5677	<b>CABLE</b> , assembly, FS.37, between A.D.C. power supply unit and list panel, group (Mod. 1931) Consisting of :—	1	—	—	
5E/3875	†	<b>CABLE</b> , unieflas No. 22 ... ..	QR	—	C	
10H/0970295	508/1/07779/003	<b>CLAMP</b> , cable ... ..	2	—	C	
10H/9504382	508/2/07706/300	<b>GASKET</b> , outlet ... ..	2	—	C	
10H/	508/2/07722/300	<b>GASKET</b> , union ... ..	2	—	—	
10H/0970070	CZ.51529	<b>OUTLET</b> , angle ... ..	1	—	C	
10H/22897	2CZ.111931/3	<b>PLUG</b> , free, 12-way, Mk. 4 ... ..	1	—	C	
10H/23762	508/2/07709/300	<b>RING</b> , sealing ... ..	2	—	C	
10H/0970097	508/2/07757/007	<b>RING</b> , thrust ... ..	2	—	C	
	EEAS.146/2	<b>SLEEVE</b> , 1½" long ... ..	QR	—	—	
	EEAS.146/2	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/22	<b>SLEEVE</b> , ½" long ... ..	QR	—	—	
10H/	2CZ.139210/3	<b>SOCKET</b> , coupler, fixed, Mk. 4 ... ..	1	—	—	
	E.F4.81.4481	<b>CABLE</b> , assembly, FS.30, from transport joint to compass detector, group (Mk. 2A A/c) Consisting of :—	1	—	—	
5E/3875	†	<b>CABLE</b> , unieflas No. 22 ... ..	QR	—	C	
10H/9443598	KELVIN HUGHES ZM.731	<b>CONNECTOR</b> , pygmy, non-magnetic ... ..	1	—	C	
	EEAS.146/2	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/2	<b>SLEEVE</b> , 1½" long ... ..	QR	—	—	
	EEAS.146/22	<b>SLEEVE</b> , ½" long ... ..	QR	—	—	
	EEAS.146/22	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
5F/9133800	HT.75	<b>SLEEVE</b> , Helsyn 150, white, ½" long ... ..	2	—	C	
5F/9454141	NY.18007	<b>STRAP</b> , nylon ... ..	QR	—	C	
5F/9138823	NY.3255	<b>STUD</b> , nylon ... ..	QR	—	C	
10H/0970056	CZ.51539	<b>CAP</b> , protective ... ..	1	—	C	
	—	<b>LOOMS</b> , cable, armament (E.F4.81.4053) (Mk. 2A A/c) Consisting of :—	—	—	—	
	E.F4.81.4471	<b>CABLE</b> , assembly, FC.41, from transport joint to starboard wing break, group Consisting of :—	1	—	—	
5E/3878	†	<b>CABLE</b> , unieflas No. 16 ... ..	QR	—	C	
5E/3876	†	<b>CABLE</b> , unieflas No. 20 ... ..	QR	—	C	
5K/5939	RAYCHEM TC.4003.CRN-G	<b>SLEEVE</b> , thermofit cap, red ... ..	4	—	C	
	EEAS.146/00	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/00	<b>SLEEVE</b> , 1½" long ... ..	QR	—	—	
	EEAS.146/16	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
	EEAS.146/20	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
5F/9133801	HT.100	<b>SLEEVE</b> , Helsyn 150, white, ½" long ... ..	1	—	C	
5F/9454141	NY.18007	<b>STRAP</b> , nylon ... ..	QR	—	C	
5F/9138823	NY.3255	<b>STUD</b> , nylon ... ..	QR	—	C	
12045	HELLERMANN HT.0813/10C	<b>CLIP</b> , "P" type ... ..	2	—	C	56/1
	HELLERMANN HT.0813/13C	<b>CLIP</b> , "P" type ... ..	1	—	C	56/2
12046	HELLERMANN HT.0813/12C	<b>CLIP</b> , "P" type ... ..	2	—	C	56/3
8088	HELLERMANN HT.0813/14C	<b>CLIP</b> , "P" type ... ..	1	—	C	56/4
12047	HELLERMANN HT.0813/15C	<b>CLIP</b> , "P" type ... ..	1	—	C	56/5
12048	HELLERMANN HT.0813/16C	<b>CLIP</b> , "P" type ... ..	3	—	C	56/6



LIGHTNING F. MK. 2 AND MK. 2A

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
	E.F4.81.4885	<b>CABLE</b> , assembly, FS31 (Mk. 2A A/c) (Routing is identical with E.F2.81.2683)	1	—	—	
	5E/3875 †	Consisting of:—				
	10H/0970295 508/1/07779/003	<b>CABLE</b> , unieflas No. 22 ... ..	QR	—	C	
	5K/4024 NL.8140	<b>CLAMP</b> , cable ... ..	1	—	C	
	10H/0970059 508/2/07706/200	<b>COVER</b> , insulating (Mk. 2A A/c) ... ..	10	—	C	
	10H/0970109 508/2/07722/200	<b>GASKET</b> , outlet ... ..	1	—	C	
	10H/0970063 CZ.51528	<b>GASKET</b> , union ... ..	1	—	C	
	10H/0970091 508/2/07709/200	<b>OUTLET</b> , straight ... ..	1	—	C	
	10H/0970097 508/2/07757/007	<b>RING</b> , sealing ... ..	1	—	C	
	EEAS.146/4	<b>RING</b> , thrust ... ..	1	—	C	
	EEAS.146/4	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/22	<b>SLEEVE</b> , 1½" long ... ..	QR	—	—	
	EEAS.146/22	<b>SLEEVE</b> , ½" long ... ..	QR	—	—	
	EEAS.146/22	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
	EEAS.146/18	<b>SLEEVE</b> , 1¼" long (Mk. 2A A/c) ... ..	QR	—	—	
	10H/23293 2CZ.84970	<b>SOCKET</b> , coupler, Mk. 4, 12-way ... ..	1	—	B	
	5X/7310 HC.1290	<b>SPLICE</b> , inline (Mk. 2A A/c) ... ..	10	—	C	
	5F/2301 NY.18007	<b>STRAP</b> , nylon ... ..	QR	—	C	
	5F/9138823 NY.3255	<b>STUD</b> , nylon ... ..	QR	—	C	
	E.F2.81.2684	<b>CABLE</b> , assembly, FS32, from inline crimps at transport joint to air data computer power supply unit, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4887	<b>CABLE</b> , assembly, FS32 (Mk. 2A A/c) (Routing is identical with E.F2.81.2684)	1	—	—	
	5E/3875 †	Consisting of:—				
	10H/0970296 508/1/07780/003	<b>CABLE</b> , unieflas No. 22 ... ..	QR	—	C	
	5K/4042 NL.8140	<b>CLAMP</b> , cable ... ..	1	—	C	
	10H/0970060 Z.60669	<b>COVER</b> , insulating (Mk. 2A A/c) ... ..	25	—	C	
	10H/0970110 Z.62239	<b>GASKET</b> , outlet ... ..	1	—	C	
	10H/0970074 CZ.49187	<b>GASKET</b> , union ... ..	1	—	C	
	10H/23244 2CZ.84982	<b>OUTLET</b> , angle ... ..	1	—	C	
	10H/0970090 Z.62233	<b>PLUG</b> , free, Mk. 4, 25-way ... ..	1	—	B	
	10H/0970098 508/2/07758/007	<b>RING</b> , sealing ... ..	1	—	C	
	EEAS.146/00	<b>RING</b> , thrust ... ..	1	—	C	
	EEAS.146/00	<b>SLEEVE</b> , 1" long ... ..	QR	—	—	
	EEAS.146/18	<b>SLEEVE</b> , 1½" long ... ..	QR	—	—	
	EEAS.146/22	<b>SLEEVE</b> , 1¼" long (Mk. 2A A/c) ... ..	QR	—	—	
	EEAS.146/22	<b>SLEEVE</b> , ½" long ... ..	QR	—	—	
	EEAS.146/22	<b>SLEEVE</b> , ¾" long ... ..	QR	—	—	
	5X/7310 HC.1290	<b>SPLICE</b> , inline (Mk. 2A A/c) ... ..	25	—	C	
	5X/2301 NY.18007	<b>STRAP</b> , nylon ... ..	QR	—	C	
	5F/9138823 NY.3255	<b>STUD</b> , nylon ... ..	QR	—	C	
	E.F2.81.2685	<b>CABLE</b> , assembly, FS33, from inline crimps at transport joint to 12-way Mk. 4 fixed coupler socket at tailplane actuator, group (Mk. 2 A/c)	1	—	—	
	E.F4.81.4889	<b>CABLE</b> , assembly, FS33 (Mk. 2A A/c) (Routing is identical with E.F2.81.2685)	1	—	—	
	5E/3875 †	Consisting of:—				
	10H/0970295 508/1/07779/003	<b>CABLE</b> , unieflas No. 22 ... ..	QR	—	C	
	5K/4024 NL.8140	<b>CLAMP</b> , cable ... ..	1	—	C	
	10H/0970059 508/2/07706/200	<b>COVER</b> , insulating (Mk. 2A A/c) ... ..	10	—	C	
	10H/0970109 508/2/07722/200	<b>GASKET</b> , outlet ... ..	1	—	C	
	10H/0970063 CZ.51528	<b>GASKET</b> , union ... ..	1	—	C	
	10H/0970091 508/2/07709/200	<b>OUTLET</b> , straight ... ..	1	—	C	
	10H/0970097 508/2/07757/007	<b>RING</b> , sealing ... ..	1	—	C	
		<b>RING</b> , thrust ... ..	1	—	C	

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
			1	2	3	4	5	6	7				
	EEAS.146/4	SLEEVE, 1" long	...	...	...	...	...	...	QR	—	—		
	EEAS.146/4	SLEEVE, 1½" long	...	...	...	...	...	...	QR	—	—		
	EEAS.146/22	SLEEVE, ½" long	...	...	...	...	...	...	QR	—	—		
	EEAS.146/22	SLEEVE, ¾" long	...	...	...	...	...	...	QR	—	—		
	EEAS.146/18	SLEEVE, 1¼" long (Mk. 2A A/c)	...	...	...	...	...	...	QR	—	—		
10H/23281	2CZ.84976	SOCKET, coupler, 12-way Mk. 4	...	...	...	...	...	...	1	—	B		
5X/7310	HC.1290	SPLICE, inline (Mk. 2A A/c)	...	...	...	...	...	...	10	—	C		
5F/2301	NY.18007	STRAP, nylon	...	...	...	...	...	...	QR	—	C		
5F/9138823	NY.3255	STUD, nylon	...	...	...	...	...	...	QR	—	C		
	E.F.2.81.2686	CABLE, assembly, FS34, from inline crimps at transport break to 3-way Mk. 4 free socket at air data computer power supply unit, group (Mk. 2 A/c)	...	...	...	...	...	...	1	—	—		
	E.F.4.81.4891	CABLE, assembly, FS34 (Mk. 2A A/c) (Routing is identical with E.F.2.81.2686) Consisting of:—	...	...	...	...	...	...	1	—	—		
	5E/3875	† CABLE, unieglas No. 22	...	...	...	...	...	...	QR	—	C		
10H/0970292	508/1/07776/003	CLAMP, cable	...	...	...	...	...	...	1	—	C		
	5K/4024	NL.8140	COVER, insulating (Mk. 2A A/c)	...	...	...	...	...	3	—	C		
10H/0119877	508/2/07705/200	GASKET, outlet	...	...	...	...	...	...	1	—	C		
10H/0970108	508/2/07709/200	GASKET, union	...	...	...	...	...	...	1	—	C		
10H/0970062	CZ.49180	OUTLET, straight	...	...	...	...	...	...	1	—	C		
10H/0970088	508/2/07708/200	RING, sealing	...	...	...	...	...	...	1	—	C		
10H/0970096	508/2/07752/007	RING, thrust	...	...	...	...	...	...	1	—	C		
	EEAS.146/18	SLEEVE, 1¼" long (Mk. 2A A/c)	...	...	...	...	...	...	QR	—	—		
	EEAS.146/12	SLEEVE, 1" long	...	...	...	...	...	...	QR	—	—		
	EEAS.146/12	SLEEVE, 1½" long	...	...	...	...	...	...	QR	—	—		
	EEAS.146/22	SLEEVE, ½" long	...	...	...	...	...	...	QR	—	—		
	EEAS.146/22	SLEEVE, ¾" long	...	...	...	...	...	...	QR	—	—		
10H/23322	2CZ.84991	SOCKET, Mk. 4 free, 3-way	...	...	...	...	...	...	1	—	B		
5X/7310	HC.1290	SPLICE, inline (Mk. 2A A/c)	...	...	...	...	...	...	3	—	C		
	E.F.2.81.2688	CABLE, assembly, FS36, from inline crimps at transport joint to M4 free 12-way plug at air data computer power supply unit, group	...	...	...	...	...	...	1	—	—		
	E.F.4.81.4893	CABLE, assembly, FS36 (Routing is identical with E.F.2.81.2688) Consisting of:—	...	...	...	...	...	...	1	—	—		
	5E/3875	† CABLE, unieglas No. 22	...	...	...	...	...	...	QR	—	C		
	5K/4024	NL.8140	COVER, insulating (Mk. 2 A A/c)	...	...	...	...	...	12	—	C		
10H/0970295	508/1/07779/003	CLAMP, cable	...	...	...	...	...	...	1	—	C		
10H/0970059	508/2/07706/200	GASKET, outlet	...	...	...	...	...	...	1	—	C		
10H/0970109	508/2/07722/200	GASKET, union	...	...	...	...	...	...	1	—	C		
10H/0970070	CZ.51529	OUTLET, angle	...	...	...	...	...	...	1	—	C		
10H/23258	2CZ.84984/2	PLUG, Mk. 4 free, 12-way	...	...	...	...	...	...	1	—	C		
10H/0970091	508/2/07709/200	RING, sealing	...	...	...	...	...	...	1	—	C		
10H/0970097	508/2/07757/007	RING, thrust	...	...	...	...	...	...	1	—	C		
	EEAS.146/18	SLEEVE, 1¼" long	...	...	...	...	...	...	QR	—	—		
	EEAS.146/4	SLEEVE, 1" long	...	...	...	...	...	...	QR	—	—		
	EEAS.146/4	SLEEVE, 1½" long	...	...	...	...	...	...	QR	—	—		
	EEAS.146/22	SLEEVE, ½" long	...	...	...	...	...	...	QR	—	—		
	EEAS.146/22	SLEEVE, ¾" long	...	...	...	...	...	...	QR	—	—		
5X/7310	HC.1290	SPLICE, inline (Mk. 2A A/c)	...	...	...	...	...	...	10	—	C		
5F/2301	NY.18007	STRAP, nylon	...	...	...	...	...	...	QR	—	C		
5F/9138823	NY.3255	STUD, nylon	...	...	...	...	...	...	QR	—	C		

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
12043	HELLERMANN HT.0813/5C								3	—	C	56/41
12044	HELLERMANN HT.0813/6C								8	—	C	56/42
12066	HELLERMANN HT.0813/9C								1	—	C	56/43
	—								—	—	—	56/44
		<b>WIRING</b> , and clipping of aerial leads in spine hatch (E.B3.81.411) Consisting of :—										
12039	HELLERMANN HT.0813/6B								2	—	C	56/45
		Attachments :—										
28D/1008149	A25/2B								1	—	C	56/46
28M/1278189	AGS.2001/B1								1	—	C	56/47
9852	EEAS.238/1A								1	—	C	56/48
12041	HELLERMANN HT.0813/10B								2	—	C	56/49
		Attachments :—										
28D/1007971	A25/1/2B								2	—	C	56/50
28D/1278189	AGS.2001/B/1								2	—	C	56/51
9852	EEAS.238/1A								2	—	C	56/52
5F/9454141	NY.18007								QR	—	C	56/53
5F/9138823	NY.3255								QR	—	C	56/54
	—								—	—	—	56/55
		<b>WIRING</b> , and clipping of cables at frame 43 (E.F2.81.1663) Spares for :—										
9871	E.B3.81.1137								1	—	C	56/56
		Attachments :—										
28D/9436920	A25/1C								1	—	C	56/57
12051	E.F2.81.1415								1	—	C	56/58
		Attachments :—										
28D/9706373	A25/2A								4	—	C	56/59
28M/10286	AGS.2001/A/1								4	—	C	56/60
	—								—	—	—	56/61
	—								—	—	—	56/62
		<b>WIRING</b> , and clipping in upper engine hatch (E.F2.81.369) (Mk. 2 A/c) Spares for :—										
12052	E.F2.81.1323								1	L44	C	56/63
		Attachments :—										
28D/9130082	AS.1246/3B								2	—	C	56/61
28W/9419465	SP13/B								2	—	C	56/65
11125	E.F2.81.1483								1	—	C	56/66
		Attachments :—										
28D/1010658	A25/1B								1	—	C	56/67
28M/1278189	AGS.2001/B/1								1	—	C	56/68
9852	EEAS.238/1A								1	—	C	56/69
13049	E.F2.81.5645								1	—	C	56/70
		Attachments :—										
28D/1214865	AS.1246/2B								1	—	C	56/71
10561	EEAS.237/6A								1	—	C	56/72

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F2.81.6077	<b>CLIP</b> , special ... ..							1	L72	LM	56/73	
		Attachments :—											
4229	AVIAN DEVEL'S TLC/BTC/M/10	Nut, anchor, 4 BA, Avlok ... ..							1	—	C	56/74	
28S/1200036	A31/B18	Screw, 4 BA, cheese head ... ..							1	—	C	56/75	
	EEAS.238/1AH	Washer, "D", 4 BA ... ..							1	L72	—	56/76	
28W/9419448	AGS.2035/B	Washer, 4 BA, shakeproof ... ..							1	—	C	56/77	
12053	E.F2.81.3077	<b>COVER</b> ... ..							1	—	C	56/78	
		Attachments :—											
28D/1008147	A25/1A	Bolt, 6 BA, hex. head ... ..							4	—	C	56/79	
28W/9419464	SP13/A	Washer, 6 BA, plain ... ..							4	—	C	56/80	
12054	E.F2.81.3079	<b>LINK</b> , connecting ... ..							2	BS1432	C	56/81	
		Attachments :—											
7570	E.B2.81.8337	Bolt, 1/2" brass ... ..							2	BS249	C	56/82	
28M/12344	AGS.2002/E/4	Nut, stiff, 1/2" brass ... ..							2	—	C	56/83	
12055	EEAS.28/15/F/W	Washer, 1/2" brass ... ..							2	—	C	56/84	
	—	<b>WIRING</b> , and clipping, frames 25 to 42 (E.F2.81.371) (Mk. 2 A/c)							—	—	—	57/1	
	—	<b>WIRING</b> , and clipping, frames 25 to 42 (E.F4.81.4371) (Mk. 2A A/c)							—	—	—	57/2	
		Spares for :—											
24765	EEAS.552/1	<b>BOBBIN</b> , distance ... ..							1	—	C	57/3	
13757	E.B3.07.41	<b>BRACKET</b> , assembly (E.B3.81.3069) ... ..							1	—	C	57/4	
		Attachments :—											
28D/7002428	A25/6C	Bolt, 2 BA, hex. head ... ..							3	—	C	57/5	
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ... ..							3	—	C	57/6	
12056	E.B3.81.3181	<b>CLIP</b> , assembly ... ..							8	—	C	57/7	
		Attachments :—											
28D/1008149	A25/2B	Bolt, 4 BA, hex. head ... ..							8	—	C	57/8	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA ... ..							8	—	C	57/9	
10561	EEAS.237/6A	Washer, "D", 4 BA ... ..							8	—	C	57/10	
13047	E.F2.81.3159	<b>CLIP</b> , cable, assembly ... ..							1	—	C	57/11	
12038	HELLERMANN HT.0813/3B	<b>CLIP</b> , "P" type (4 off on Mk. 2A A/c) ... ..							9	—	C	57/12	
7804	HELLERMANN HT.0813/7B	<b>CLIP</b> , "P" type ... ..							3	—	C	57/13	
12064	HELLERMANN HT.0813/7C	<b>CLIP</b> , "P" type ... ..							2	—	C	57/14	
12058	HELLERMANN HT.0813/9B	<b>CLIP</b> , "P" type ... ..							3	—	C	57/15	
12042	HELLERMANN HT.0813/13B	<b>CLIP</b> , "P" type ... ..							1	—	C	57/16	
12041	HELLERMANN HT.0813/10B	<b>CLIP</b> , "P" type (9 off on Mk. 2A A/c) ... ..							10	—	C	57/17	
12061	HELLERMANN HT.0813/18B	<b>CLIP</b> , "P" type ... ..							1	—	C	57/18	
12062	HELLERMANN HT.0813/20B	<b>CLIP</b> , "P" type (3 off on Mk. 2A A/c) ... ..							4	—	C	57/19	
12063	HELLERMANN HT.0813/3C	<b>CLIP</b> , "P" type ... ..							1	—	C	57/20	
12065	HELLERMANN HT.0813/8C	<b>CLIP</b> , "P" type ... ..							1	—	C	57/21	

**ELECTRICAL**  
**ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
12048	HELLERMANN HT.0813/16C	CLIP, "P" type ... ..	1	—	C	57/22
12050	HELLERMANN HT.0813/20C	CLIP, "P" type (2 off Mk. 2A A/c) ... ..	1	—	C	57/23
	E.B3.81.3077	PIECE, packing ... ..	1	BSS2572 TF3	—	57/24
26FZ/25145	AS.2809/4/02	TUBE, distance ... ..	1	—	C	57/25
	AS.2810/6/03	TUBE, distance ... ..	3	—	—	57/26
10672	AS.2811/5/04	TUBE, distance ... ..	1	—	C	57/27
10561	EEAS.237/6A	WASHER, "D", 4 BA ... ..	22	L72	C	57/28
7871	EEAS.237/7A	WASHER, "D", 2 BA ... ..	6	L72	C	57/29
9852	EEAS.238/1A	WASHER, "D", 4 BA ... ..	9	L72	C	57/30
9340	EEAS.238/2A	WASHER, "D", 2 BA ... ..	3	L72	C	57/31
	—	WIRING, and clipping, frames 42-49 (E.F2.81.373) (Mk. 2 A/c) ... ..	—	—	—	57/32
	—	WIRING, and clipping, frames 42-49 (E.F4.81.4373) (Mk. 2A A/c) Spares for :—	—	—	—	57/33
12057	HELLERMANN HT.0813/4B	CLIP, "P" type ... ..	12	—	C	57/34
12068	HELLERMANN HT.0813/5B	CLIP, "P" type ... ..	1	—	C	57/35
12039	HELLERMANN HT.0813/6B	CLIP, "P" type ... ..	1	—	C	57/36
12058	HELLERMANN HT.0813/9B	CLIP, "P" type ... ..	1	—	C	57/37
12069	HELLERMANN HT.0813/4C	CLIP, "P" type ... ..	3	—	C	57/38
12045	HELLERMANN HT.0813/10C	CLIP, "P" type ... ..	2	—	C	57/39
	—	CLIPPING, in fire bottle compartment, cables R3A and R3B (E.F2.81.5797) Spares for :—	—	—	—	57/40
12057	HELLERMANN HT.0813/4B	CLIP, "P" type ... ..	2	—	C	57/41
12068	HELLERMANN HT.0813/5B	CLIP, "P" type ... ..	2	—	C	57/42
12039	HELLERMANN HT.0813/6B	CLIP, "P" type ... ..	1	—	C	57/43
17979	E.B2.60.181	FAIRLEAD Attachments	1	—	C	57/44
28D/1008149	A25/2B	Bolt, 4 BA, hex. head ... ..	4	—	C	57/45
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA ... ..	4	—	C	57/46
28W/9419474	SP13/B	Washer, 4 BA, plain ... ..	4	—	C	57/47
7871	EEAS.237/7A	WASHER, "D" ... ..	3	—	C	57/48
9852	EEAS.238/1A	WASHER, "D" ... ..	16	—	C	57/49
	—	WIRING, and clipping, frames 43-49 (E.F2.81.405) (Mk. 2 A/c) ... ..	—	—	—	57/50
	—	WIRING, and clipping, frames 42-49 (E.F4.81.4373) (Mk. 2A A/c) Spares for :—	—	—	—	—
12038	HELLERMANN HT.0813/3B	CLIP, "P" type ... ..	1	—	C	57/51
12057	HELLERMANN HT.0813/4B	CLIP, "P" type ... ..	4	—	C	57/52
12068	HELLERMANN HT.0813/5B	CLIP, "P" type ... ..	1	—	C	57/53
12039	HELLERMANN HT.0813/6B	CLIP, "P" type ... ..	8	—	C	57/54

**ELECTRICAL  
ELECTRICAL EQUIPMENT IN REAR FUSELAGE**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
12040	HELLERMANN HT.0813/8B	CLIP, "P" type	...	...	...	...	...	...	1	—	C	57/55	
12041	HELLERMANN HT.0813/10B	CLIP, "P" type	...	...	...	...	...	...	7	—	C	57/56	
12062	HELLERMANN HT.0813/20B	CLIP, "P" type	...	...	...	...	...	...	1	—	C	57/57	
12063	HELLERMANN HT.0813/3C	CLIP, "P" type	...	...	...	...	...	...	2	—	C	57/58	
12044	HELLERMANN HT.0813/6C	CLIP, "P" type (1 off Pre Mod. 2033, 2 off Mod. 2033)	...	...	...	...	...	...	3	—	C	57/59	
12065	HELLERMANN HT.0813/8C	CLIP, "P" type (Mk. 2 A/c)	...	...	...	...	...	...	2	—	C	57/60	
12069	HELLERMANN HT.0813/4C	CLIP, "P" type	...	...	...	...	...	...	1	—	C	57/61	
12066	HELLERMANN HT.0813/9C	CLIP, "P" type	...	...	...	...	...	...	1	—	C	57/62	
12071	HELLERMANN HT.0813/13C	CLIP, "P" type	...	...	...	...	...	...	3	—	C	57/62	
8008	HELLERMANN HT.0813/14C	CLIP, "P" type	...	...	...	...	...	...	3	—	C	57/64	
12050	HELLERMANN HT.0813/20C	CLIP, "P" type	...	...	...	...	...	...	1	—	C	57/65	
7438	E.B2.81.12877	COVER, cable, for IFF aerial connector, assembly (Pre Mod. 2033) (Mk. 2 A/c)	...	...	...	...	...	...	1	—	C	57/66	
		Spares for :—											
17240	E.B2.81.12879	COVER, cable	...	...	...	...	...	...	1	—	C	57/67	
		Attachments :—											
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	...	...	...	...	...	...	4	—	C	57/68	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	...	...	...	...	...	...	2	—	C	57/69	
	EEAS.28/7FR	Washer	...	...	...	...	...	...	1	L72	—	57/70	
28W/9419465	SP13/B	Washer, 4 BA, plain	...	...	...	...	...	...	4	—	C	57/71	
10561	EEAS.237/6A	WASHER, "D"	...	...	...	...	...	...	6	L72	C	57/72	
7871	EEAS.237/7A	WASHER, "D"	...	...	...	...	...	...	6	L72	C	57/73	
9852	EEAS.238/1A	WASHER, "D"	...	...	...	...	...	...	13	L72	C	57/74	
9340	EEAS.238/2A	WASHER, "D"	...	...	...	...	...	...	10	L72	C	57/75	
	—	WIRING, and clipping, frames 49-53 (E.F2.81.375) (Mk. 2 A/c)	...	...	...	...	...	...	—	—	—	58/1	
	—	WIRING, and clipping, frames 49-53 (E.F4.81.4375) (Mk. 2A A/c)	...	...	...	...	...	...	—	—	—	58/2	
12072	E.B2.81.8683	CLIP, conduit	...	...	...	...	...	...	3	L59	C	58/3	
12038	HELLERMANN HT.0813/3B	CLIP, "P" type	...	...	...	...	...	...	4	—	C	58/4	
12057	HELLERMANN HT.0813/4B	CLIP, "P" type	...	...	...	...	...	...	4	—	C	58/5	
7804	HELLERMANN HT.0813/7B	CLIP, "P" type (4 off on Mk. 2A A/c)	...	...	...	...	...	...	7	—	C	58/6	
12040	HELLERMANN HT.0813/8B	CLIP, "P" type	...	...	...	...	...	...	1	—	C	58/7	
12058	HELLERMANN HT.0813/9B	CLIP, "P" type	...	...	...	...	...	...	3	—	C	58/8	
12041	HELLERMANN HT.0813/10B	CLIP, "P" type (2 off on Mk. 2A A/c)	...	...	...	...	...	...	1	—	C	58/9	
12063	HELLERMANN HT.0813/3C	CLIP, "P" type	...	...	...	...	...	...	2	—	C	58/10	
12069	HELLERMANN HT.0813/4C	CLIP, "P" type	...	...	...	...	...	...	2	—	C	58/11	

ELECTRICAL

ELECTRICAL EQUIPMENT IN REAR FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
12043	HELLERMANN HT.0813/5C								1	-	C	58/12
12067	HELLERMANN HT.0813/11C								1	-	C	58/13
10561	EEAS.237/6A								10	-	C	58/14
11970	EEAS.237/6AH								11	-	C	58/15
7871	EEAS.237/7A								4	-	C	58/16
9852	EEAS.238/1A								18	-	C	58/17
9340	EEAS.238/2A								5	-	C	58/18
	-								-	-	-	58/19
	-								-	-	-	58/20
10H/0970056	-											
4277	E.B2.81.5321								1	-	C	58/21
4278	E.B2.81.5315								1	-	C	58/22
4275	E.B1.81.289								1	L44	C	58/23
28S/9437020	A31/C12								2	L40	C	58/24
28W/9419475	SP15/C								2	-	C	58/25
28W/9416643	SP47/C								2	-	C	58/26
									2	-	C	58/27
12048	HELLERMANN HT.0813/16C								1	-	C	58/28
4274	E.B2.81.5317								1	L44	C	58/29
4275	E.B1.81.289								2	L40	C	58/30
28S/9437020	A31/C12								3	-	C	58/31
28S/9992997	A31/C18								1	-	C	58/32
28W/9419475	SP15/C								3	-	C	58/33
28W/9416643	SP47/C								4	-	C	58/34
7871	EEAS.237/7A								1	L72	C	58/35
12057	HELLERMANN HT.0813/4B								1	-	C	58/5
12068	HELLERMANN HT.0813/5B								1	-	C	58/36
12039	HELLERMANN HT.0813/6B								1	-	C	58/37
7804	HELLERMANN HT.0813/7B								1	-	C	58/6
12040	HELLERMANN HT.0813/8B								1	-	C	58/7
12058	HELLERMANN HT.0813/9B								1	-	C	58/8
12041	HELLERMANN HT.0813/10B								2	-	C	58/9
12059	HELLERMANN HT.0813/11B								7	-	C	58/38
12073	HELLERMANN HT.0813/12B								3	-	C	58/39
12042	HELLERMANN HT.0813/13B								4	-	C	58/40
12060	HELLERMANN HT.0813/15B								4	-	C	59/41



This file was downloaded  
from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms,  
and more aircraft documents.

