

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	ELECTRICAL EQUIPMENT IN PORT WING, ASSEMBLY (E.F2.81.7) (MK. 2 A/C)	-	-	-	
	-	ELECTRICAL EQUIPMENT IN PORT WING, ASSEMBLY (E.F4.81.4007) (MK. 2A A/C)	-	-	-	
	-	Spares for:-				
	-	LOOMS, cable, assembly (E.F2.81.37) (Mk. 2 A/c)	-	-	-	
	-	LOOMS, cable, assembly (E.F4.81.4037) (Mk. 2A A/c)	-	-	-	
	-	Spares for:-				
	E.B2.81.787	CABLE, assembly, 2P1, from panel mounting coupler to No. 1 fuel pump connector, group	1	-	-	
		Consisting of:-				
5E/3894	†	CABLE, unitercil 20	QR	-	C	
10H/0970292	508/1/07776/003	CLAMP, cable	1	-	C	
10H/0119877	508/2/07705/200	GASKET, outlet	1	-	C	
10H/0970108	508/2/07719/200	GASKET, union	1	-	C	
10H/0970062	CZ.49180	OUTLET, straight	1	-	C	
10H/23252	2CZ.84989/1	PLUG, 4-way, Mk. 4	1	-	B	
10H/0970088	508/2/07708/200	RING, sealing	1	-	C	
10H/0970096	508/2/07752/007	RING, thrust	1	-	C	
	EEAS.146/O	SLEEVE, 1/2" long	QR	-	-	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	-	C	
	EEAS.146/D	SLEEVE, 1" long	QR	-	-	
	EEAS.146/D	SLEEVE, 1-1/2" long	QR	-	-	
5X/9462951	HC.294	TERMINAL, ring tongue	3	-	C	
	E.B2.81.794	CABLE, assembly, 2P2, from panel mounting coupler to No. 2 fuel pump connector, group	1	-	-	
		Consisting of:-				
5E/3894	†	CABLE, unitercil No. 20	QR	-	C	
10H/0970292	508/1/07776/003	CLAMP, cable	1	-	C	
10H/0119877	508/2/07705/200	GASKET, outlet	1	-	C	
10H/0970108	508/2/07719/200	GASKET, union	1	-	C	
10H/0970062	CZ.49180	OUTLET, straight	1	-	C	
10H/23251	2CZ.84989	PLUG, 4-way, Mk. 4	1	-	B	
10H/0970088	508/2/07708/200	RING, sealing	1	-	C	
10H/0970096	508/2/07752/007	RING, thrust	1	-	C	
	EEAS.146/O	SLEEVE, 1/2" long	QR	-	-	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	-	C	
	EEAS.146/D	SLEEVE, 1" long	QR	-	-	
	EEAS.146/D	SLEEVE, 1-1/2" long	QR	-	-	
5X/9462951	HC.294	TERMINAL, ring tongue	3	-	C	
	E.B2.81.810	CABLE, assembly, P24, from terminal stud at rib 12A to earth point E14, group	1	-	-	
		Consisting of:-				
5K/7364	HV.4123	BOOT, helvin	1	-	C	
	†	CABLE, unitercil 8	QR	-	-	
5X/6519	Z.70019	LUG, cable, 50 amp.	2	-	C	
	EEAS.146/D	SLEEVE, 1" long	QR	-	-	
	EEAS.146/D	SLEEVE, 1-1/2" long	QR	-	-	
	E.B2.81.813	CABLE, assembly, P23, from AC ground supply plug to terminal stud at rib 12A, group	1	-	-	
		Consisting of:-				
5X/7364	HV.4123	BOOT, helvin	2	-	C	
	†	CABLE, unitercil 8	QR	-	-	
5X/6519	Z.70019	LUG, cable, 50 amp	2	-	C	

ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
10H/0970062	CZ.49180	OUTLET, straight	2	—	C	
10H/0970088	508/2/07708/200	RING, sealing	2	—	C	
10H/0970096	508/2/07752/007	RING, thrust	2	—	C	
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1 1/2" long	QR	—	—	
10H/23290	2CZ.84973	SOCKET, panel mounting coupler, 4-way, Mk. 4 ...	1	—	B	
10H/23291	2CZ.84973/1	SOCKET, panel mounting coupler, 4-way, Mk. 4 ...	1	—	B	
	5F/2279	STRAP, helvin	QR	—	C	
	5F/2280	STUD, helvin	QR	—	C	
5X/9450396	HC.490	TERMINAL, quick release	6	—	C	
10551	E.B2.81.9343	CABLE, assembly, P6, P7, from J.B.7 to inward and outward vent valve heaters, group Consisting of:—	1	—	C	
6A/6726	SANGAMO WESTON L5.182	CABLE, and socket, assembly, 9 ft. long	1	—	C	
6A/6728	SANGAMO WESTON FD751/26	CABLE, and socket, assembly, 26 ft. long	1	—	C	
5X/2786	Z.22431	GROMMET, Helsyn No. 3	1	—	C	
	EEAS.146/C	SLEEVE, 3/4" long	QR	—	—	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
	EEAS.146/E	SLEEVE, 1" long	QR	—	—	
	EEAS.146/E	SLEEVE, 1 1/2" long	QR	—	—	
5X/9450396	HC.490	TERMINAL, quick release	4	—	C	
	E.B2.81.9344	CABLE, assembly, P9, from J.B.7 to navigation light terminal board, group (Mk. 2 A/c) Consisting of:—	1	—	—	
5E/3894	†	CABLE, unifersil 20	QR	—	C	
5X/2785	Z.22430	GROMMET, Helsyn No. 2	1	—	C	
	EEAS.146/C	SLEEVE, 3/4" long	QR	—	—	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
	EEAS.146/C	SLEEVE, 1 1/2" long	QR	—	—	
5X/9462951	HC.294	TAG, ring tongue	2	—	C	
5X/9450396	HC.490	TERMINAL, quick release	2	—	C	
	E.F4.81.4589	CABLE, assembly, P9, from J.B.7 to navigation light terminal board, group (Mk. 2A A/c) Consisting of:—	1	—	—	
5E/3894	†	CABLE, unifersil 20	QR	—	C	
5X/2785	Z.22430	GROMMET, Helsyn No. 2	1	—	C	
	EEAS.146/12	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/12	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/12	SLEEVE, 1" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
5F/9133796	HT.15	SLEEVE, Helsyn 150, white, 1/2" long	1	—	C	
5X/9462951	HC.294	TAG, ring tongue	2	—	C	
5X/9450396	HC.490	TAG, quick release	2	—	C	
10552	E.B2.81.9345	CABLE, assembly, P10, from J.B.7 to float switch connector, group (Mk. 2 A/c) Consisting of:—	1	—	C	
6A/5727	SANGAMO WESTON L5.307	CABLE, and socket, assembly, 7 ft. long	1	—	C	
5X/2786	Z.22431	GROMMET, Helsyn No. 3	1	—	C	

**ELECTRICAL
ELECTRICAL EQUIPMENT IN PORT WING**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Plate No.
		1	2	3	4	5	6	7				
8898	EEAS.146/D								QR	—	—	
	EEAS.146/O								QR	—	C	
5X/9450396 1440675	EEAS.146/D								QR	—	—	
	HC.490								3	—	C	
	E.F.4.81.4601								1	—	C	
		CABLE, assembly, P10, from J.B.7 to float switch connector, group (Mk. 2A A/c) Consisting of:—										
6A/6727	SANGAMO WESTON L5.307								1	—	C	
		CABLE, and socket, assembly, 7 ft. long ...										
5X/2786	Z.22431								1	—	C	
		GROMMET, Helsyn No. 3 ...										
5X/9450396	EEAS.146/6								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/20								QR	—	—	
	HC.490								3	—	C	
	E.F.2.81.2514								1	—	—	
		CABLE, assembly, P14, P17, P29, P30, from J.B.7 to inboard and outboard fuel cock actuators and refuelling valves Mk. 12 and MK. 27, group (Mk. 2 A/c) Consisting of:—										
5E/3894	†								QR	—	C	
5E/3893	†								QR	—	C	
5X/2787	Z.22432								1	—	C	
		GROMMET, No. 4 ...										
8898	EEAS.146/O								QR	—	—	
	EEAS.146/O								QR	—	C	
	EEAS.146/C								QR	—	—	
	EEAS.146/G								QR	—	—	
	EEAS.146/G								QR	—	—	
	EEAS.146/G								QR	—	—	
5F/2301	NY.18007								QR	—	C	
5F/9138823	NY.3255								QR	—	C	
	SYMONDS SP1172/5/SC								QR	—	—	
		TAPE, varnished nylon ...										
5X/9450396	HC.490								14	—	C	
5X/9462951	HC.294								2	—	C	
	E.F.4.81.4597								1	—	—	
		CABLE, assembly, P14, P17, P29, P30, from J.B.7 to inboard and outboard fuel cock actuators and Mk. 27 refuelling valve and T/B at trailing edge rib 6, group (Mk. 2A A/c) Consisting of:—										
5E/3894	†								QR	—	C	
5E/3893	†								QR	—	C	
5X/2787	Z.22432								1	—	C	
5K/5939	RAYCHEM TC.4003.CRN-G								4	—	C	
		SLEEVE, termination cap, red ...										
	EEAS.146/2								QR	—	—	
	EEAS.146/2								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/6								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/12								QR	—	—	
	EEAS.146/20								QR	—	—	
	EEAS.146/22								QR	—	—	
	EEAS.146/22								QR	—	—	
5F/2301	NY.18007								QR	—	C	
5F/9138823	NY.3255								QR	—	C	
5X/9462951	HC.294								2	—	C	
5X/9450396	HC.490								12	—	C	
		CABLE, assembly, P14, P17, P29, P30, from J.B.7 to inboard and outboard fuel cock actuators and Mk. 27 refuelling valve and T/B at trailing edge rib 6, group (Mk. 2A A/c) Consisting of:—										
		CABLE, unifersil 20 ...										
		CABLE, unifersil 22 ...										
		GROMMET, Helsyn No. 4 ...										
		SLEEVE, 1" long ...										
		SLEEVE, 1 1/4" long ...										
		SLEEVE, 3/4" long ...										
		SLEEVE, 1 1/2" long ...										
		SLEEVE, 1/2" long ...										
		SLEEVE, 3/8" long ...										
		SLEEVE, 1/2" long ...										
		SLEEVE, 1" long ...										
		SLEEVE, 3/4" long ...										
		STRAP, nylon ...										
		STUD, nylon ...										
		TAG, ring tongue ...										
		TAG, ring tongue ...										

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description						No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
	E.B2.81.9347							1	—	—	
5E/3893	†							QR	—	C	
5X/2786	Z.22431							1	—	C	
	EEAS.146/A1							QR	—	—	
	EEAS.146/D							QR	—	—	
	EEAS.146/D							QR	—	—	
5X/9450396	HC.490							10	—	C	
	E.B2.81.9348							1	—	—	
5E/3898	†							QR	—	C	
5E/3893	†							QR	—	C	
5X/2786	Z.22431							1	—	C	
	EEAS.146/C							QR	—	—	
8898	EEAS.146/O							QR	—	C	
	EEAS.146/C							QR	—	—	
	EEAS.146/D							QR	—	—	
	EEAS.146/E							QR	—	—	
	EEAS.146/E							QR	—	—	
5F/9434858	HV.3254							QR	—	C	
5F/2250	OP.3255							QR	—	C	
5X/9462951	HC.294							3	—	C	
5X/9462956	HC.314							2	—	C	
5X/9450396	HC.490							3	—	C	
5X/9450224	HC.510							2	—	C	
	E.F4.81.4593							1	—	—	
5E/3898	†							QR	—	C	
5E/3893	†							QR	—	C	
5X/2786	Z.22431							1	—	C	
	EEAS.146/2							QR	—	—	
	EEAS.146/6							QR	—	—	
	EEAS.146/12							QR	—	—	
	EEAS.146/22							QR	—	—	
5F/9545141	NY.18007							QR	—	—	
5F/9138823	NY.3255							QR	—	C	
5X/9462951	HC.294							3	—	C	
5X/9462956	HC.314							2	—	C	
5X/9450396	HC.490							3	—	C	
5X/9450224	HC.510							2	—	C	
	E.B2.81.9351							1	—	—	
5K/3698	HV.2910							1	—	C	
5E/3903	†							QR	—	C	
5X/6528	Z.70028							1	—	C	
5X/7210	12319							1	—	C	
	EEAS.146/H							QR	—	—	
	EEAS.146/H							QR	—	—	
6102427	E.F3.81.15551							1	—	B	
6A/5301	FD.766							1	—	C	
	EEAS.146/6							QR	—	—	
	EEAS.146/20							QR	—	—	
	EEAS.146/20							QR	—	—	
5X/9462951	HC.294							3	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.81.9352	CABLE, assembly, P27, from J.B.7 to earth point	1	-	-	
		E7, group				
		Consisting of:-				
5E/3898	†	CABLE, unifersil 12	QR	-	C	
5X/2786	Z.22431	GROMMET, Helsyn No. 3	1	-	C	
	EEAS.146/C	SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/E	SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/E	SLEEVE, 1-1/2" long	QR	-	-	
5X/9709524	HC.310	TERMINAL, ring tongue	2	-	C	
5X/9450224	HC.510	TERMINAL, quick release	2	-	C	
	E.B2.81.9353	CABLE, assembly, P22, from J.B.7 to earth point	1	-	-	
		E7, group				
		Consisting of:-				
5E/3898	†	CABLE, unifersil 12	QR	-	C	
5X/2786	Z.22431	GROMMET, Helsyn No. 3	1	-	C	
	EEAS.146/C	SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/E	SLEEVE, 1" long	QR	-	-	
	EEAS.146/E	SLEEVE, 1-1/2" long	QR	-	-	
5X/9709524	HC.310	TERMINAL, ring tongue	2	-	C	
5X/9450224	HC.510	TERMINAL, quick release	2	-	C	
	E.B2.81.9355	CABLE, assembly, 2P.16, from 5-way terminal board .	1	-	-	
		to flap position transmitter, trailing edge, group				
		Consisting of:-				
5E/3893	†	CABLE, unifersil 22	QR	-	C	
	EEAS.146/A	SLEEVE, 3/4" long	5	-	-	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	-	C	
	EEAS.146/D	SLEEVE, 1" long	QR	-	-	
	EEAS.146/D	SLEEVE, 1-1/2" long	QR	-	-	
5X/9450396	HC.490	TERMINAL, quick release	5	-	C	
	E.B2.81.9356	CABLE, assembly, 2P32, from D.C. ground supply . . .	1	-	-	
		plug at rib 11B to terminal stud at rib 12A, group				
		Consisting of:-				
5X/3763	HV.2478C	BOOT, helvin	1	-	C	
5E/3894	†	CABLE, unifersil 20	QR	-	C	
8899	EEAS.146/O	SLEEVE, 1" long	QR	-	C	
	EEAS.146/O	SLEEVE, 1-1/2" long	QR	-	-	
5X/9450393	HC.292	TERMINAL, ring tongue	1	-	C	
5X/9462951	HC.294	TERMINAL, ring tongue	1	-	C	
	E.B2.81.9375	CABLE, assembly, 2P33, between taxiing lamp	1	-	-	
		terminal boards, group				
		Consisting of:-				
5E/3896	†	CABLE, unifersil 16	QR	-	C	
	EEAS.146/A1	SLEEVE, 3/4" long	QR	-	-	
8899	EEAS.146/O	SLEEVE, 1" long	QR	-	C	
	EEAS.146/C	SLEEVE, 1-1/2" long	QR	-	-	
5X/9462745	HC.304	TERMINAL, ring tongue	4	-	C	
	E.B2.81.9376	CABLE, assembly, 3P.33, between taxiing lamp	1	-	-	
		terminal board and taxiing lamp, group				
		Consisting of:-				
5E/3896	†	CABLE, unifersil 16	QR	-	C	
	EEAS.146/A1	SLEEVE, 3/4" long	QR	-	-	
	EEAS.146/C	SLEEVE, 1" long	QR	-	-	
	EEAS.146/C	SLEEVE, 1-1/2" long	QR	-	-	
5X/9462745	HC.304	TERMINAL, ring tongue	2	-	C	

A.P.101B-1002/2A-3A		ELECTRICAL							Page EB5			
ELECTRICAL EQUIPMENT IN PORT WING												
Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.81.9347	CABLE, assembly, P16, from J.B.7 to 5-way terminal board, trailing edge flaps, group							1	-	-	
5E/3893	†	CABLE, unifersil 22							QR	-	C	
5X/2786	Z.22431	GROMMET, Helsyn No. 3							1	-	C	
	EEAS.146/A1	SLEEVE, 3/4" long							QR	-	-	
	EEAS.146/D	SLEEVE, 1" long							QR	-	-	
	EEAS.146/D	SLEEVE, 1-1/2" long							QR	-	-	
5X/9450396	HC.490	TERMINAL, quick release							10	-	C	
	E.B2.81.9348	CABLE, assembly, P21, P31, from J.B.7 to No. 4 fuel pump terminal board and 3-way terminal block at trailing edge flap, group (Mk. 2 A/c)							1	-	-	
		Consisting of:-										
5E/3898	†	CABLE, unifersil 12							QR	-	C	
5E/3893	†	CABLE, unifersil 22							QR	-	C	
5X/2786	Z.22431	GROMMET, Helsyn No. 3							1	-	C	
	EEAS.146/C	SLEEVE, 3/4" long							QR	-	-	
	EEAS.146/O	SLEEVE, 3/4" long							QR	-	C	
	EEAS.146/C	SLEEVE, 1" long							QR	-	-	
	EEAS.146/D	SLEEVE, 1" long							QR	-	-	
	EEAS.146/E	SLEEVE, 1" long							QR	-	-	
	EEAS.146/E	SLEEVE, 1-1/2" long							QR	-	-	
5F/9434858	HV.3254	STRAPPING, P.V.C., 5/16" wide							QR	-	C	
5F/2250	OP.3255	STUD, polythene							QR	-	C	
5X/9462951	HC.294	TERMINAL, ring tongue							3	-	C	
5X/9462956	HC.314	TERMINAL, ring tongue							2	-	C	
5X/9450396	HC.490	TERMINAL, quick release							3	-	C	
5X/9450224	HC.510	TERMINAL, quick release							2	-	C	
	E.F4.81.4593	CABLE, assembly, P21, P31, from J.B.7 to No. 4 fuel pump T/B and trailing edge flap float switch T/B, group (Mk. 2A A/c)							1	-	-	
		Consisting of:-										
5E/3898	†	CABLE, unifersil 12							QR	-	C	
5E/3893	†	CABLE, unifersil 22							QR	-	C	
5X/2786	Z.22431	GROMMET, tension No. 3							1	-	C	
	EEAS.146/2	SLEEVE, 1-1/4" long							QR	-	-	
	EEAS.146/6	SLEEVE, 3/4" long							QR	-	-	
	EEAS.146/12	SLEEVE, 3/4" long							QR	-	-	
	EEAS.146/22	SLEEVE, 3/4" long							QR	-	-	
5F/9545141	NY.18007	STRAP, nylon							QR	-	C	
5F/9138823	NY.3255	STUD, nylon							QR	-	C	
5X/9462951	HC.294	TAG, ring tongue							3	-	C	
5X/9462956	HC.314	TAG, ring tongue							2	-	C	
5X/9450396	HC.490	TAG, quick release							3	-	C	
5X/9450224	HC.510	TAG, quick release							2	-	C	
	E.B2.81.9351	CABLE, assembly, 2P.255, from Rotax terminal board at leading edge to terminal stud at rib 12A, group							1	-	-	
		Consisting of:-										
5K/3698	HV.2910	BOOT, helvin							1	-	C	
5E/3903	†	CABLE, unifersil 2							QR	-	C	
5X/6528	Z.70028	LUG, cable							1	-	C	
5X/7210	12319	LUG, cable							1	-	C	
	EEAS.146/H	SLEEVE, 1" long							QR	-	-	
	EEAS.146/H	SLEEVE, 1-1/2" long							QR	-	-	
	E.F3.81.15551	CABLE, assembly, 2P.34A, from brake pressure transmitter to 3-way T.B. (Mk. 2A A/c) (Mod. 4437)							1	-	-	
		Consisting of:-										
6A/5301	FD.766	CABLE, Sangamo-Weston, 14" long							1	-	C	
	EEAS.146/6	SLEEVE, 1" long							QR	-	-	
	EEAS.146/20	SLEEVE, 3/4" long							QR	-	-	
	EEAS.146/20	SLEEVE, 1" long							QR	-	-	
5X/9462951	HC.294	TAG, ring tongue							3	-	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.81.9352	CABLE, assembly, P27, from J.B.7 to earth point							1	-	-	
		E7, group										
		Consisting of:-										
5E/3898	†	CABLE, unifersil 12							QR	-	C	
5X/2786	Z.22431	GROMMET, Helsyn No. 3							1	-	C	
	EEAS.146/C	SLEEVE, 3/4" long							QR	-	-	
	EEAS.146/E	SLEEVE, 3/4" long							QR	-	-	
	EEAS.146/E	SLEEVE, 1-1/2" long							QR	-	-	
5X/9709524	HC.310	TERMINAL, ring tongue							2	-	C	
5X/9450224	HC.510	TERMINAL, quick release							2	-	C	
	E.B2.81.9353	CABLE, assembly, P22, from J.B.7 to earth point							1	-	-	
		E7, group										
		Consisting of:-										
5E/3898	†	CABLE, unifersil 12							QR	-	C	
5X/2786	Z.22431	GROMMET, Helsyn No. 3							1	-	C	
	EEAS.146/C	SLEEVE, 3/4" long							QR	-	-	
	EEAS.146/E	SLEEVE, 1" long							QR	-	-	
	EEAS.146/E	SLEEVE, 1-1/2" long							QR	-	-	
5X/9709524	HC.310	TERMINAL, ring tongue							2	-	C	
5X/9450224	HC.510	TERMINAL, quick release							2	-	C	
	E.B2.81.9355	CABLE, assembly, 2P.16, from 5-way terminal board .							1	-	-	
		to flap position transmitter, trailing edge, group										
		Consisting of:-										
5E/3893	†	CABLE, unifersil 22							QR	-	C	
	EEAS.146/A	SLEEVE, 3/4" long							5	-	-	
8898	EEAS.146/O	SLEEVE, 3/4" long							QR	-	C	
	EEAS.146/D	SLEEVE, 1" long							QR	-	-	
	EEAS.146/D	SLEEVE, 1-1/2" long							QR	-	-	
5X/9450396	HC.490	TERMINAL, quick release							5	-	C	
	E.B2.81.9356	CABLE, assembly, 2P32, from D.C. ground supply . . .							1	-	-	
		plug at rib 11B to terminal stud at rib 12A, group										
		Consisting of:-										
5X/3763	HV.2478C	BOOT, helvin							1	-	C	
5E/3894	†	CABLE, unifersil 20							QR	-	C	
8899	EEAS.146/O	SLEEVE, 1" long							QR	-	C	
	EEAS.146/O	SLEEVE, 1-1/2" long							QR	-	-	
5X/9450393	HC.292	TERMINAL, ring tongue							1	-	C	
5X/9462951	HC.294	TERMINAL, ring tongue							1	-	C	
	E.B2.81.9375	CABLE, assembly, 2P33, between taxying lamp							1	-	-	
		terminal boards, group										
		Consisting of:-										
5E/3896	†	CABLE, unifersil 16							QR	-	C	
	EEAS.146/A1	SLEEVE, 3/4" long							QR	-	-	
8899	EEAS.146/O	SLEEVE, 1" long							QR	-	C	
	EEAS.146/C	SLEEVE, 1-1/2" long							QR	-	-	
5X/9462745	HC.304	TERMINAL, ring tongue							4	-	C	
	E.B2.81.9376	CABLE, assembly, 3P.33, between taxying lamp							1	-	-	
		terminal board and taxying lamp, group										
		Consisting of:-										
5E/3896	†	CABLE, unifersil 16							QR	-	C	
	EEAS.146/A1	SLEEVE, 3/4" long							QR	-	-	
	EEAS.146/C	SLEEVE, 1" long							QR	-	-	
	EEAS.146/C	SLEEVE, 1-1/2" long							QR	-	-	
5X/9462745	HC.304	TERMINAL, ring tongue							2	-	C	

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.81.9377	CABLE, assembly, P82, from trailing edge wing	1	—	—	
		break connector to A.C. ground supply plug, group Consisting of:—				
5K/7364	HV.4123	BOOT, helvin	3	—	C	
	†	CABLE, unifersil 8	QR	—	—	
6017	E.B2.81.371	FERRULE, cut, right angle	1	S84	C	
5X/7525	2Z.84914/C	GASKET, plug moulding	1	—	C	
5X/7526	2Z.84912/C	GASKET, socket ferrule	1	—	C	
5X/6519	12119	LUG, cable	3	—	C	
5X/7404	2Z.111579	NUT, gland	1	—	C	
5X/7287	2CZ.110046	PLUG, standard, 4-way	1	—	C	
5X/3154	Z.27444	SHROUD, plug	1	—	C	
	EEAS.146/D	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/H	SLEEVE, 1" long	QR	—	—	
	EAS.146/H	SLEEVE, 1-1/2" long	QR	—	—	
	E.B2.81.14507	CABLE, assembly, P34, P35, from J.B.7 to fuel	1	—	—	
		flow sensing valve connection and cable box plug, group (Mk. 2 A/c) Consisting of:—				
5E/3894	†	CABLE, unifersil 20	QR	—	C	
5X/9491422	Z.22430	GROMMET, tension, No. 2	1	—	C	
	EEAS.146/O	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/C	SLEEVE, 3/4" long	QR	—	—	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	
	EEAS.146/D	SLEEVE, 1" long	QR	—	—	
	EEAS.146/D	SLEEVE, 1-1/2" long	QR	—	—	
5X/1010324	HC.296	TAG, ring tongue	2	—	C	
5X/9450396	HC.490	TERMINAL, quick release	4	—	C	
	E.F4.81.5121	CABLE, assembly, P34, P35, from J.B.7 to port	1	—	—	
		wing T/E stowage and cable box, group (Mk. 2A A/c) (Mod. 4437) Consisting of:—				
5E/3894	—	CABLE, unifersil 20	QR	—	C	
5X/9491422	Z.22430	GROMMET, tension, No. 2	1	—	C	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/20	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/20	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/20	SLEEVE, 1" long	QR	—	—	
	EEAS.146/12	SLEEVE, 3/4" long	QR	—	—	
5X/9450396	HC.490	TAG, quick release	4	—	C	
5X/9450393	HC.292	TAG, ring tongue	1	—	C	
5X/9462951	HC.294	TAG, ring tongue	3	—	C	
6A/5555	SMITH- WAYMOUTH	CABLE, assembly, interconnection, between fuel	1	—	B	
	C.G.6	contents junction and terminal boxes				
6A/6547	SMITH- WAYMOUTH	CABLE, assembly, interconnection, between fuel	1	—	B	
	C.G.8	contents connection and terminal box				
6A/4473	SMITH- WAYMOUTH	CABLE, assembly, between cable box plug and fuel	1	—	B	
	C.R.51	contents terminal				
10H/0970292	508/1/07776/003	CLAMP, cable	1	—	C	
10H/0970293	508/1/07777/003	CLAMP, cable	1	—	C	
10H/0970292	508/1/07776/003	CLAMP, cable	2	—	—	
10046	EEAS.274	FERRULE, assembly	1	—	C	
10H/0970058	508/2/07705/200	GASKET, outlet	1	—	C	
10H/23742	508/2/07705/300	GASKET, outlet	2	—	C	
10H/0970107	508/2/06621/200	GASKET, union	1	—	C	

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5X/	ROTAX G.3201	BLOCK, terminal, 2-way	1	—	B	59/13
28S/5694	A.32/B40	Attachments:— Screw, 4 BA, round head	2	—	C	59/14
28W/9419465	SP.13/B	Washer, 4 BA, plain	2	—	C	59/15
1504918	E.F3.81.1399	BOLT, special (Mod. 4437)	1	—	C	
6A/6546	SMITH-WAYMOUTH BT/20/26	BOX, cable, type 2	1	—	B	60/1
28S/1200047	A.31/C24	Attachments:— Screw, 2 BA, c'sk head	4	—	C	60/2
10050	E.B3.81.3101	CLIP, cable, at rib 12A	2	—	C	60/3
	AS.5419/16/C	CLIP, "P" type, 2 BA	1	—	—	60/4
12039	HELLERMANN HT.0813/6/B	CLIP, "P" type	1	—	C	60/5
12063	HELLERMANN HT.0813/3/C	CLIP, "P" type (1 off on Mk. 2A A/c)	2	—	C	60/6
12069	HELLERMANN HT.0813/4/C	CLIP, "P" type	2	—	C	60/7
12043	HELLERMANN HT.0813/5/C	CLIP, "P" type	2	—	C	60/8
12044	HELLERMANN HT.0813/6/C	CLIP, "P" type	1	—	C	60/9
12065	HELLERMANN HT.0813/8/C	CLIP, "P" type	2	—	C	60/10
12045	HELLERMANN HT.0813/10/C	CLIP, "P" type	1	—	C	60/11
12047	HELLERMANN HT.0813/15/C	CLIP, "P" type	5	—	C	60/12
12049	HELLERMANN HT.0813/18/C	CLIP, "P" type	3	—	C	60/13
28E/1012878	AS.3181/16/C	CLIP, "P" type (Mk. 2 A/c)	1	—	C	60/14
10555	E.B3.81.1017	CLIP, saddle, between ribs 11 and 12, spar 5	1	—	C	60/15
9992	E.B2.81.7567	CLIP, assembly, spar 5	1	—	C	60/16
5CZ/7910	WARD BROOKE WB/EP/1110/B3	COVER, T.B. (Mod. 4437)	1	—	C	
8756	E.B2.81.7607	FAIRLEAD, bush, at rib 12A	1	L44	C	59/16
28D/1008149	A.25/2B	Attachments:— Bolt, 4 BA hex. head	2	—	C	59/17
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	59/18
4709	E.B2.81.9173	FAIRLEAD, half, at rib 1	2	Ferobestos	C	59/19
28S/9435718	A.33/C24	Attachments:— Screw, 2 BA, c'sk head	4	—	C	59/20
5CZ/6424	WARD BROOKE WB/1114/28	PILLAR, fixing (Mod. 4437)	2	—	C	
34479	EEAS.550/3	PLATE, ident. (Mod. 4437)	1	—	C	
	EEAS.146/12	SLEEVE, 3/4" long	QR	—	—	60/17
5F/9454141	NY.18007	STRAPPING, P.V.C.	QR	—	C	60/18
5F/9138823	NY.3255	STUD, polythene	QR	—	C	60/19
5X/9462956	HC.314	TAG, ring tongue	2	—	C	60/20
	†	TUBING, P.V.C., 19 m/m i/d x 1".2	QR	—	—	60/21
	†	TUBING, P.V.C., 25 m/m i/d x 1".2	QR	—	—	60/22
7871	EEAS.237/7A	WASHER, "D"	10	L72	C	60/23
9206	EEAS.337/11A	WASHER, "D"	4	L72	C	60/24
9852	EEAS.238/1A	WASHER, "D"	1	L72	C	60/25
9340	EEAS.238/2A	WASHER, "D"	6	L72	C	60/26
1504919	E.F4.81.5151	WASHER, ident. (Mod. 4437)	1	—	C	

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	WIRING, on spar 1, assembly (E.F2.81.6107)	-	-	-	62/1
	-	(Mod. 2053) (Mk. 2 A/c)				
	-	WIRING, on spar 1, assembly (E.F4.4347)	-	-	-	62/2
	-	(Mk. 2A A/c)				
		Spares for:-				
	E.F2.81.435	BOX, junction, No. 7, wiring and equipment,	1	-	-	61/1
		assembly (Mk. 2 A/c)				
	E.F4.81.5125	BOX, junction, No. 7, wiring and equipment,	1	-	-	61/2
		assembly (Mk. 2A A/c) (Mod. 4437)				
		Spares for:-				
9318	E.B3.81.2391	COVER, A.C., assembly	1	-	C	61/3
		Spares for:-				
9707	EEAS.250/4	BOLT, special, 4 BA	3	S21	C	61/4
	†	BOSTIK, "C"	QR	-	-	
	AS.2807/4/022	PIECE, distance	3	-	-	61/5
10553	†	SEAL, synthetic rubber, ".14 dia. x 23" long	1	DTD552	C	61/6
7410	EEAS.232	WASHER, tapped	3	L72	C	61/7
28W/9419471	SP.15/B	WASHER, plain	3	-	C	61/8
9319	E.B3.81.2409	LID, lower, assembly	1	-	C	61/9
		Spares for:-				
4696	E.B2.81.9339	BOLT, special, 4 BA	2	-	C	61/10
33H/	†	BOSTIK, "C"	QR	-	C	
	†	SEAL, synthetic rubber, ".14 dia. x 2" long	1	DTD552	-	61/11
26FZ/15492	EEAS.28/2DR	WASHER, plain	2	L72	C	61/12
7410	EEAS.232	WASHER, tapped	2	L72	C	61/13
9320	E.B4.81.859	PILLAR, spacer	1	-	C	61/14
5CW/6698	7CZ.107791	RELAY, 10 amp.	3	-	A	61/15
	E.B3.81.2355	SHELL, box, assembly (Mk. 2 A/c)	1	-	-	61/16
	E.F4.81.4713	SHELL, box, assembly (Mk. 2A A/c)	1	-	-	61/17
		Spares for:-				
9321	E.B3.81.2363	LID, lower, hinged, assembly	1	-	C	61/18
		Spares for:-				
9759	E.B4.81.269	BOLT, 4 BA, special	1	S91 or S21	C	61/19
4696	E.B2.81.9339	BOLT, special, 4 BA	2	S91 or S21	C	61/20
33H/	†	BOSTIK, "C"	QR	-	C	
	E.B3.81.2379	HINGE (Make from AS.1877/100)	1	-	LM	61/21
	E.B3.81.2429	PAD, rubber	1	Sorbocel	LM	61/22
	†	SEAL, synthetic rubber, ".14 dia. x 8" long	1	DTD552	-	61/23
7410	EEAS.232	WASHER, tapped	3	L72	C	61/24
28W/9419474	SP.15/B	WASHER, 4 BA, plain	2	-	C	61/25
28W/9416642	SP.47/B	WASHER, 4 BA, spring	1	-	C	61/26
4697	E.B2.81.9577	WASHER, ident., FC.60	1	L72	C	61/27
4698	E.B2.81.9579	WASHER, ident., FC.61	1	-	C	61/28
4700	E.B2.81.9583	WASHER, ident., F.121	1	-	C	61/29
9975	E.B2.81.1471	WASHER, ident., F.125	1	L72	C	61/30
4699	E.B2.81.12207	WASHER, ident., F.219	1	-	C	61/31
	E.B3.81.2493	BRACKET, clip attachment	1	L72	-	62/3
	E.F3.81.10977	BRACKET, clip attachment	1	L72	LM	62/4
		Attachments:-				
28D/1010658	A.25/1B	Bolt, 4 BA, hex. head	1	-	C	62/5
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	1	-	C	62/6
	E.F2.73.2529	CHANNEL, fairlead backing	1	L72	-	62/7
22466	E.F2.81.6093	CLIP, special, cable	3	-	C	62/8
22467	E.F2.81.6097	CLIP, special, cable	2	-	C	62/9

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
12060	HELLERMANN HT.0813/15B	CLIP, cable, "P" type	3	-	C	62/10
		Attachments:-				
28D/1010658	A25/1B	Bolt, 4 BA, hex.head	1	-	C	62/11
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	2	-	C	62/12
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	62/13
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	1	-	C	62/14
10561	EEAS.237/6A	Washer, "D"	3	L72	C	62/15
12047	HELLERMANN HT.0813/15C	CLIP, cable, "P" type (2 off on Mk. 2A A/c)	3	-	C	62/16
		Attachments:-				
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	62/17
28S/1200047	A31/C24	Screw, 2 BA, cheese head	3	-	C	62/18
7871	EEAS.237/7A	Washer, "D"	6	L72	C	62/19
12049	HELLERMANN HT.0813/18C	CLIP, cable, "P" type	1	-	C	62/20
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	1	-	C	62/21
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	-	C	62/22
7871	EEAS.237/7A	Washer, "D"	1	L72	C	62/23
9924	E.B3.73.1219	FAIRLEAD, for hydraulic pipes	1	-	C	62/24
		Attachments:-				
28D/1212807	AS.1248/7C	Bolt, 2 BA, mushroom head	1	-	C	62/25
28D/1212792	AS.1248/8C	Bolt, 2 BA, mushroom head	1	-	C	62/26
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	-	C	62/27
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	62/28
	E.F2.81.5865	CLIP, cable	1	L72	-	62/29
		Attachments:-				
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	62/30
28S/1200034	A31/B16	Screw, 4 BA, cheese head	2	-	C	62/31
10561	EEAS.237/6A	Washer, "D"	2	L72	C	62/32
10557	E.B2.81.8523	CLIP, special, cable	1	-	C	62/33
12038	HELLERMANN HT.0813/3/B	CLIP, "P" type	2	-	C	62/34
		Attachments:-				
28D/1010658	A25/1B	Bolt, 4 BA, hex. head	2	-	C	62/35
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	-	C	62/36
9852	EEAS.238/A	Washer, "D"	2	L72	C	62/37
	-	WIRING, spar 1, rib 11B, assembly (E.B3.81.1183)	-	-	-	63/1
		Spares for:-				
5K/3298	HV.2910	BOQT, helvin	1	-	C	63/2
33H/	B.B. CHEMICALS	BOSTIK, 1775	QR	-	C	63/3
4710	E.B1.81.405	BUSH, insulating, cable connection	2	LFB82	C	63/4
4711	E.B1.81.3493	BUSH, insulating, cable connection	1	LFB82	C	63/5
9988	E.B2.81.12679	CLAMP, base	1	LFS26	C	63/6
9989	E.B2.81.12677	CLAMP, cover	1	LFS26	C	63/7
28E/9450597	AS.3180/16C	CLIP, "P" type	2	-	C	63/8
12046	HELLERMANN HT.0813/12C	CLIP, "P" type	1	-	C	63/9
12049	HELLERMANN HT.0813/18C	CLIP, "P" type	1	-	C	63/10

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4714	E.B1.81.407	DISC, insulating	2	LFS82	C	63/11
4715	E.B1.81.3495	DISC, insulating	1	LFB82	C	63/12
	-	EARTH-POINT, servicing, installation (E.F3.81.7749) (Mod. 2411) Spares for:-	-	-	-	63/13
33933	E.F3.81.7751	BOLT, special	1	-	C	63/14
33934	E.F3.81.7753	BUSH, special	1	L72	C	63/15
28M/9416047	A103/GT	NUT, 5/16" UNF	2	-	C	63/16
28M/9573834	AGS.3413/G	NUT, wing, 5/16" UNF	1	-	C	63/17
28P/9486478	SP90/C5	Pin, split	1	-	C	63/18
33935	EEAS.28/31ER	WASHER	1	L72	C	63/19
28W/7002438	SP55/G	WASHER, 5/16" BSF, spring	1	-	C	63/20
28W/9459071	SP126/G	WASHER, 5/16" BSF	1	-	C	63/21
4716	NATIONAL PLASTICS X.114	EXTRUSION, plastic	QR	Plastic	C	63/22
	E.B2.73.6723	FAIRLEAD, upper (Mod. 2053) Attachments:-	1	-	C	63/23
28D/1010030	A25/7C	Bolt, 2 BA, hex. head	2	-	C	63/24
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	63/25
	E.B2.73.6733	FAIRLEAD, lower (Mod. 2053) Attachments:-	1	-	C	63/26
28D/1010030	A25/7C	Bolt, 2 BA hex. head	2	-	C	63/27
28W/9419475	SP15/C	Washer, 2 BA, plain	2	-	C	63/28
	E.B2.73.6731	FAIRLEAD, half, spar 1 (Mod. 2053) Attachments:-	2	-	C	63/29
28D/1010030	A25/7C	Bolt, 2 BA, hex. head	4	-	C	63/30
28W/9419475	SP15/C	Washer, 2 BA, plain	4	-	C	63/31
4720	AS.2810/8/055	PIECE, distance, 1/2" dia. x ".55 long	1	-	C	63/32
4721	E.B2.20.7163	PLATE, mounting, D.C. ground supply plug Attachments:-	1	-	C	63/33
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	4	-	C	63/34
5CY/5314	KB/063/10C	PLUG, external, power supply, 28v. D.C.	1	-	B	63/35
5CY/5371	†	PLUG, external, power supply, A.C. Attachments:-	1	-	B	63/36
28D/1010030	A25/8E	Bolt, 1/4" BSF, hex. head	4	-	C	63/37
28M/7002430	AGS.2001/E/1	Nut, stiff, 1/4" BSF	4	-	C	63/38
5F/2301	NY.18007	STRAP, cable	QR	-	C	63/39
9990	E.B2.81.12673	STRIP, flexible, earth (Pre-Mod. 4347)	1	-	C	63/40
1504878	E.F3.81.15549	STRIP, flexible, earth (Mod. 4347)	1	-	C	63/41
4723	E.B2.81.12681	STRIP, flexible, positive (Pre-Mod. 4347)	1	-	C	63/42
1504877	E.F3.81.15547	STRIP, flexible, positive (Mod. 4347)	1	-	C	63/43
4724	E.B2.81.9671	STRIP, connecting (Pre-Mod. 4427)	1	-	C	63/44
1504242	E.B2.81.17525	STRIP, connecting (Mod. 4427)	1	-	C	63/45
4725	E.B1.81.403	STUD, cable connection	2	BSS249	C	63/45
4726	E.B1.81.3491	STUD, cable connection	1	BSS249	C	63/46
5F/9138823	NY.3255	STUD, nylon	QR	-	C	63/47
4727	E.B1.81.885	WASHER, identification, E.14	1	DTD646	C	63/48
4728	EEAS.28/33/DR	WASHER, 3/8"	2	L72	C	63/49
4729	EEAS.28/33/DW	WASHER, 3/8"	8	BS267	C	63/50
4730	EEAS.28/33/JR	WASHER, 3/8"	2	L72	C	63/51
7871	EEAS.237/7A	WASHER, "D"	2	L72	C	63/52
9206	EEAS.237/11A	WASHER, "D"	1	L72	C	63/53

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description	No. off	Mtl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	WIRING, main undercarriage, "down" lock switch, assembly (E.F2.81.433)	-	-	-	59/21
5CZ/430	SIS.1564	Spares for:-				
		BLOCK, terminal, 2-way, type "B"	1	-	B	59/22
28S/1200061	A33/A18	Attachments:-				
		Screw, 6 BA csk. head	2	-	C	59/23
	10562	CLIP, Perfect, 18" long	2	-	C	59/24
	37582	PIN (May be made from B.1031/2A)	2	-	C	
	37583	CLIP (May be made from B.1031/1)	2	-	C	
	37584	STRAP (18" long)	2	-	C	
	10563	CLIP, Perfect, 42" long	1	-	C	59/25
	37585	STRAP, 42" long (May be made from B.1031/3)	1	-	C	
5L/9952511	-	LAMP, filament	1	-	B	59/26
5CX/3863	-	LAMP, taxi, type "A"	1	-	A	59/27
		Attachments:-				
28D/1011030	A25/2E	Bolt, 1/4" BSF hex. head	2	-	C	59/28
	10761	SUPPORT, flexible cable	2	-	C	59/29
	10762	SUPPORT, flexible cable	1	-	C	59/30
	-	WIRING, outboard of leading edge rib 13, assembly (E.F2.81.6327) (Mod. 2206) (Mk. 2 A/c)	-	-	-	64/1
		Spares for:-				
5CZ/430	†	BLOCK, terminal, type "B"	1	-	B	64/2
		Attachments:-				
28S/1200062	A33/A20	Screw, 6 BA csk. head	2	-	C	64/3
	E.F2.81.6323	CABLE, assembly, 2P9, navigation light, group	1	-	-	64/4
		Consisting of:-				
5E/3893	†	CABLE, unitersil 22	QR	-	C	64/5
5K/4410	2466	GROMMET, helvin	1	-	C	64/6
	E.F2.81.6313	HOLDER, lamp	1	-	-	64/7
	EEAS.146/12	SLEEVE, 3/4" long	QR	-	-	64/8
	EEAS.146/22	SLEEVE, 3/4" long	QR	-	-	64/9
5X/9462951	HC.294	TAG, ring tongue	2	-	C	64/10
		Attachments:-				
	24085	Bolt, special	3	S1	C	64/11
	34257	Packing	2	Jablex	C	64/12
	24087	Washer, top	1	L72	C	64/13
	24088	Washer, base	1	L72	C	64/14
	12038	CLIP, "P" type	3	-	C	64/15
	HELLERMANN HT.0813/3B					
5340/99/9469180	HELLERMANN HT.0813/7B	CLIP, "P" type	1	-	C	64/16
	12064	HELLERMANN HT.0813/7C	13	-	C	64/17
	11529	HELLERMANN HT.0813/20H	1	-	C	64/18
	12050	HELLERMANN HT.0813/20C	1	-	C	64/19
5L/9952431	†	LAMP, filament, 28v. 24w.	1	-	B	64/20
	E.F3.81.12977	MOUNTING, channel, assembly	1	-	-	64/21
	AS.2810/5/040	PIECE distance	2	-	-	64/22
5F/0454141	NV.18007	STRAP, nylon	QR	-	G	64/23
5F/9138823	NY.3255	STUD, nylon	QR	-	C	64/24
	7871	WASHER, "D"	7	L72	C	64/25
	9852	WASHER, "D"	4	L72	C	64/26
	9440	WASHER, "D"	13	L72	C	64/27

ELECTRICAL

ELECTRICAL EQUIPMENT IN PORT WING

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	—	WIRING, outboard of L/E rib 13, assembly							—	—	—	64/28
		(E.F4.81.4345) (Mk. 2A A/c)										
		Consisting of:—										
5CZ/7120	WARD BROOKE WB/UN/1146/S/ 2/W	BLOCK, terminal, 2-way							1	—	B	64/29
		Attachments:—										
5CZ/7125	WARD BROOKE WB/NY/1110/B/2	Cover							1	—	C	64/30
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	—	C	64/31
5CZ/6424	WARD BROOKE WB/1114/28 EEAS.550/2	Pillar, fixing							2	—	C	64/32
		Plate, identification							1	—	—	64/33
23665	E.F3.81.11327	CLIP, assembly							1	—	C	64/34
1485979	E.F3.81.13811	CLIP, assembly							1	—	C	64/35
11529	EEAS.143/20H	CLIP, "P" type							1	—	C	64/36
12038	HELLERMANN HT.0813/3B	CLIP, "P" type							2	—	C	64/37
12063	HELLERMANN HT.0813/3C	CLIP, "P" type							1	—	C	64/38
12064	HELLERMANN HT.0813/7C	CLIP, "P" type							8	—	C	64/39
10317	E.F3.81.12977 HELLERMANN EE.11/2	CHANNEL, mounting, assembly							1	—	C	64/40
		EXTRUSION, Helsyn							QR	—	C	64/41
5F/2301	HELLERMANN NY.18007	STRAP, nylon							QR	—	C	64/42
5F/9138823	HELLERMANN NY.3255	STUD, nylon							QR	—	C	64/43
7871	EEAS.237/7A	WASHER, "D"							6	L72	C	64/44
9852	EEAS.138/1A	WASHER, "D"							2	L72	C	64/45
9340	EEAS.238/2A	WASHER, "D"							9	L72	C	64/46

This file was downloaded from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms, and more aircraft documents.

