

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|----------|--------------|--|---------|-------------|-------------------------|-----------|
| | | | | | | |
| | — | ELECTRICAL EQUIPMENT IN STARBOARD WING, ASSEMBLY (E.F.2.81.8) (MK. 2 A/C) | — | — | — | |
| | — | ELECTRICAL EQUIPMENT IN STARBOARD WING, ASSEMBLY (E.F.4.81.4008) (MK. 2A A/C) | — | — | — | |
| | — | Spares for :— | | | | |
| | — | LOOMS , cable, assembly (E.F.2.81.38) (MK. 2 A/c) ... | — | — | — | |
| | — | LOOMS , cable, assembly (E.F.4.81.4038) (Mk. 2A A/c) | — | — | — | |
| | — | Spares for :— | | | | |
| | E.B2.81.820 | CABLE , assembly, 2S1, from panel mounting coupler to No. 1 fuel pump connector, group | 1 | — | — | |
| | | Consisting of :— | | | | |
| | 5E/3894 † | CABLE , unifersil 20 | QR | — | C | |
| | 10H/0970292 | CLAMP , cable | 1 | — | C | |
| | 10H/0119877 | GASKET , outlet | 1 | — | C | |
| | 10H/0970108 | GASKET , union | 1 | — | C | |
| | 10H/0970062 | OUTLET , straight | 1 | — | C | |
| | 10H/23252 | PLUG , cable unit, 4-way, Mk. 4 | 1 | — | C | |
| | 10H/0970088 | RING , sealing | 1 | — | C | |
| | 10H/0970096 | RING , thrust | 1 | — | C | |
| | EEAS.146/A | SLEEVE , 1/2" long | QR | — | — | |
| | EEAS.146/A1 | SLEEVE , 3/4" long | QR | — | — | |
| | EEAS.146/D | SLEEVE , 1" long | QR | — | — | |
| | EEAS.146/D | SLEEVE , 1 1/2" long | QR | — | — | |
| | 5X/9462951 | TERMINAL , ring tongue | 3 | — | C | |
| | E.B2.81.828 | CABLE , assembly, 2S2, from panel mounting coupler to No. 2 fuel pump connector, group | 1 | — | — | |
| | | Consisting of :— | | | | |
| | 5E/3894 † | CABLE , unifersil 20 | QR | — | C | |
| | 10H/0970292 | CLAMP , cable | 1 | — | C | |
| | 10H/0119877 | GASKET , outlet | 1 | — | C | |
| | 10H/0970108 | GASKET , union | 1 | — | C | |
| | 10H/Z.970062 | OUTLET , straight | 1 | — | C | |
| | 10H/23251 | PLUG , cable unit, 4-way, Mk. 4 | 1 | — | B | |
| | 10H/0970088 | RING , sealing | 1 | — | C | |
| | 10H/0970096 | RING , thrust | 1 | — | C | |
| | EEAS.146/A | SLEEVE , 1/2" long | QR | — | — | |
| | EEAS.146/A1 | SLEEVE , 3/4" long | QR | — | — | |
| | EEAS.146/D | SLEEVE , 1" long | QR | — | — | |
| | EEAS.146/D | SLEEVE , 1 1/2" long | QR | — | — | |
| | 5X/9462951 | TERMINAL , ring tongue | 3 | — | C | |
| | E.F2.81.2555 | CABLE , assembly, S5, S17, S18, S33, S36, from J.B.8 to taxiing lamp terminal board at rib 12A, undercarriage "down" lock micro-switch terminal board at spar 4 and taper pin connections at rib 13, wheel wall well, group | 1 | — | — | |
| | | Consisting of :— | | | | |
| | 5E/3896 † | CABLE , unifersil 16 | QR | — | C | |
| | 5E/3893 † | CABLE , unifersil 22 | QR | — | C | |
| | 5X/2787 | GROMMET , No. 4 | 1 | — | C | |
| | EEAS.146/A1 | SLEEVE , 3/4" long | QR | — | — | |
| | 8898 | SLEEVE , 3/4" long | QR | — | C | |
| | EEAS.146/A1 | SLEEVE , 1" long | QR | — | — | |
| | EEAS.146/C | SLEEVE , 1" long | QR | — | — | |
| | EEAS.146/F | SLEEVE , 1" long | QR | — | — | |
| | EEAS.146/F | SLEEVE , 1 1/2" long | QR | — | — | |
| | 5F/2301 | STRAPPING , nylon | QR | — | C | |

LIGHTNING F. MK. 2 AND MK. 2A

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|-------------|--------------------------|---|---------|-------------|-------------------------|-----------|
| | | | | | | |
| | EEAS.146/12 | SLEEVE, 1/2" long | QR | — | — | |
| | EEAS.146/12 | SLEEVE, 3/4" long | QR | — | — | |
| | EEAS.146/12 | SLEEVE, 1" long | QR | — | — | |
| | EEAS.146/20 | SLEEVE, 3/4" long | QR | — | — | |
| 5F/9133796 | HT.15 | SLEEVE, Helsyn 150, 1/2" long, white | 1 | — | C | |
| 5X/9462951 | HC.294 | TAG, ring tongue | 2 | — | C | |
| 5X/9450396 | HC.490 | TAG, quick release | 2 | — | C | |
| 10565 | E.B2.81.9363 | CABLE, assembly, S10, from J.B.8 to float switch connector, group (Mk. 2 A/c) Consisting of :— | 1 | — | C | |
| 6A/6727 | SANGAMO-WESTON L5.307 | CABLE, and socket, assembly, 7 ft. long | 1 | — | C | |
| 5X/2786 | Z.22431 | GROMMET, Helsyn No. 3 | 1 | — | C | |
| | EEAS.146/D | SLEEVE, 3/4" long | QR | — | — | |
| 8898 | EEAS.146/O | SLEEVE, 3/4" long | QR | — | C | |
| | EEAS.146/D | SLEEVE, 1 1/2" long | QR | — | — | |
| 5X/ | HC.490 | TERMINAL, quick release | 3 | — | C | |
| 1440676 | E.F4.81.4603 | CABLE, assembly, S10, from J.B.8 to floats witch connector, group (Mk. 2A A/c) Consisting of :— | 1 | — | C | |
| 6A/6727 | SANGAMO-WESTON L5.307 | CABLE, and socket, assembly, 7 ft. long | 1 | — | C | |
| 5X/2786 | Z.22431 | GROMMET, Helsyn No. 3 | 1 | — | C | |
| | EEAS.146/6 | SLEEVE, 3/4" long | QR | — | — | |
| | EEAS.146/6 | SLEEVE, 1" long | QR | — | — | |
| | EEAS.146/20 | SLEEVE, 3/4" long | QR | — | — | |
| 5X/9450396 | HC.490 | TAG, quick release | 3 | — | C | |
| | E.F2.81.2564 | CABLE, assembly, S14, S26, S29, S30, from J.B.8 to inboard and outboard fuel cock actuator and terminal block at trailing edge rib 6, group (Mk. 2 A/c) Consisting of :— | 1 | — | — | |
| 5E/3894 | † | CABLE, unifersil 20 | QR | — | C | |
| 5E/3893 | † | CABLE, unifersil 22 | QR | — | C | |
| 10H/0970292 | 508/1/07776/003 | CLAMP, cable | 3 | — | C | |
| 10046 | EEAS.274 | FERRULE, assembly | 3 | — | C | |
| 10H/ | 2Z.84914/A | GASKET, socket ferrule | 3 | — | C | |
| 10H/0970108 | 508/2/07719/200 | GASKET, union | 3 | — | C | |
| 5X/2787 | Z.22432 | GROMMET, Helsyn No. 4 | 1 | — | C | |
| 10H/0970088 | 508/2/07708/200 | RING, sealing | 3 | — | C | |
| 10H/0970096 | 508/2/07752/007 | RING, thrust | 3 | — | C | |
| | EEAS.146/O | SLEEVE, 1/2" long | QR | — | — | |
| 8898 | EEAS.146/O | SLEEVE, 3/4" long | QR | — | C | |
| | EEAS.146/C | SLEEVE, 1" long | QR | — | — | |
| | EEAS.146/G | SLEEVE, 1" long | QR | — | — | |
| | EEAS.146/G | SLEEVE, 1 1/2" long | QR | — | — | |
| 5X/7039 | 2CZ.84873 | SOCKET, "A" size | 1 | — | B | |
| 5X/7348 | 2CZ.111242 | SOCKET, right angle short reach | 2 | — | B | |
| 5E/2301 | NY.18007 | STRAPPING, nylon | QR | — | C | |
| 5F/9138823 | NY.3255 | STUD, nylon | QR | — | C | |
| 5X/9462951 | HC.294 | TAG, ring tongue | 2 | — | C | |
| | SYMONDS | TAPE, varnished nylon, black | QR | — | — | |
| | SP.1172/5/SC | | | | | |
| 5X/9450396 | HC.490 | TERMINAL, quick release | 14 | — | C | |

ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Plate No. |
|----------|-----------------------|--|---|---|---|---|---|---|---------|-------------|-------------------------|-----------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | |
| | E.F4.81.4599 | CABLE , assembly, S14, 2S6, S29, S30, from J.B.8 to inboard and outboard fuel cock actuators, Mk. 27 refuelling valve and T/B at rib 16, group (Mk. 2A) | | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | | |
| 5E/3894 | † | CABLE , uniersil 20 | | | | | | | QR | — | C | |
| 5E/3893 | † | CABLE , uniersil 22 | | | | | | | QR | — | C | |
| 5X/2787 | Z.22432 | GROMMET , Helsyn No. 4 | | | | | | | 1 | — | C | |
| | EEAS.146/2 | SLEEVE , 1" long | | | | | | | QR | — | — | |
| | EEAS.146/2 | SLEEVE , 1 1/4" long | | | | | | | QR | — | — | |
| | EEAS.146/6 | SLEEVE , 3/4" long | | | | | | | QR | — | — | |
| | EEAS.146/6 | SLEEVE , 1 1/2" long | | | | | | | QR | — | — | |
| | EEAS.146/12 | SLEEVE , 1/2" long | | | | | | | QR | — | — | |
| | EEAS.146/12 | SLEEVE , 3/4" long | | | | | | | QR | — | — | |
| | EEAS.146/20 | SLEEVE , 1/2" long | | | | | | | QR | — | — | |
| | EEAS.146/22 | SLEEVE , 1/4" long | | | | | | | QR | — | — | |
| | EEAS.146/22 | SLEEVE , 3/4" long | | | | | | | QR | — | — | |
| 5K/5939 | RAYCHEM TC.4003.CRN-G | SLEEVE , termination cap, red | | | | | | | 4 | — | C | |
| | 5F/2301 NY.18007 | STRAP , nylon | | | | | | | QR | — | C | |
| | 5F/9138823 NY.3255 | STUD , nylon | | | | | | | QR | — | C | |
| | 5X/9462956 HC.294 | TAG , ring tongue | | | | | | | 2 | — | C | |
| | 5X/9450396 HC.490 | TAG , quick release | | | | | | | 12 | — | C | |
| | E.B.2.81.9365 | CABLE , assembly, S16, from J.B.8 to 5-way terminal board, trailing edge flaps, group | | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | | |
| | 5E/3893 † | CABLE , uniersil 22 | | | | | | | QR | — | C | |
| | 5X/2786 Z.22431 | GROMMET , Helsyn No. 3 | | | | | | | 1 | — | C | |
| | 8898 EEAS.146/O | SLEEVE , 3/4" long | | | | | | | QR | — | C | |
| | EEAS.146/D | SLEEVE , 1" long | | | | | | | QR | — | — | |
| | EEAS.146/D | SLEEVE , 1 1/2" long | | | | | | | QR | — | — | |
| | 5F/2279 HV.3254 | STRAP , helvin | | | | | | | QR | — | C | |
| | 5F/2250 OP.3255 | STUD , helvin | | | | | | | QR | — | C | |
| | 5X/9450396 HC.490 | TAG , terminal, quick release | | | | | | | 10 | — | C | |
| | E.B.2.81.9366 | CABLE , assembly, S21, S31, from J.B.8 to No. 4 fuel pump terminal board and 3-way terminal block at trailing edge flap, group (Mk. 2 A/c) | | | | | | | 1 | — | — | |
| | | Consisting of:— | | | | | | | | | | |
| | 5E/3898 † | CABLE , uniersil 12 | | | | | | | QR | — | C | |
| | 5E/3893 † | CABLE , uniersil 22 | | | | | | | QR | — | C | |
| | 5X/2786 Z.22431 | GROMMET | | | | | | | 1 | — | C | |
| | 8898 EEAS.146/C | SLEEVE , 3/4" long | | | | | | | QR | — | — | |
| | EEAS.146/O | SLEEVE , 3/4" long | | | | | | | QR | — | C | |
| | EEAS.146/C | SLEEVE , 1" long | | | | | | | QR | — | — | |
| | EEAS.146/D | SLEEVE , 1" long | | | | | | | QR | — | — | |
| | EEAS.146/E | SLEEVE , 1" long | | | | | | | QR | — | — | |
| | EEAS.146/E | SLEEVE , 1 1/2" long | | | | | | | QR | — | — | |
| | 5F/2279 HV.3254 | STRAPPING , P.V.C., 3/16" wide | | | | | | | QR | — | C | |
| | 5F/2250 OP.3255 | STUD , polythene | | | | | | | QR | — | C | |
| | 5X/9462951 HC.294 | TAG , terminal, ring tongue | | | | | | | 3 | — | C | |
| | 5X/9462956 HC.314 | TAG , terminal, ring tongue | | | | | | | 2 | — | C | |
| | 5X/9450396 HC.490 | TAG , terminal, quick release | | | | | | | 3 | — | C | |
| | 5X/9450224 HC.510 | TAG , terminal, quick release | | | | | | | 2 | — | C | |

ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|------------|---------------|---|---------|-------------|-------------------------|----------------|
| | | | | | | |
| | E.F4.81.4595 | CABLE, assembly, S21, S31, from J.B.8 to No. 4 fuel pump T/B and T/E flap float switch T/B, group (Mk. 2A A/c) Consisting of:- | 1 | - | - | |
| 5E/2898 | † | CABLE, unitercil 12 | QR | - | C | |
| 5E/3893 | † | CABLE, unitercil 22 | QR | - | C | |
| 5X/2786 | Z.22431 | GROMMET, Helsyn No. 3 | 1 | - | C | |
| | EEAS.146/2 | SLEEVE, 1-1/4" long | QR | - | - | |
| | EEAS.146/6 | SLEEVE, 3/4" long | QR | - | - | |
| | EEAS.146/12 | SLEEVE, 3/4" long | QR | - | - | |
| | EEAS.146/22 | SLEEVE, 3/4" long | QR | - | - | |
| 5F/9545141 | NY.18007 | STRAP, nylon | QR | - | C | |
| 5F/9138823 | NY.3255 | STUD, nylon | QR | - | C | |
| 5X/9462951 | HC.294 | TAG, ring tongue | 3 | - | C | |
| 5X/9462956 | HC.314 | TAG, ring tongue | 2 | - | C | |
| 5X/9450396 | HC.490 | TAG, quick release | 3 | - | C | |
| 5X/9450224 | HC.510 | TAG, quick release | 2 | - | C | |
| | E.B2.81.9367 | CABLE, assembly, S27, from J.B.8 to earth point E.8, group Consisting of:- | 1 | - | - | |
| 5E/3898 | † | CABLE, unitercil 12 | QR | - | C | |
| 5X/2786 | Z.22431 | GROMMET, Helsyn No. 3 | 1 | - | C | |
| | EEAS.146/C | SLEEVE, 3/4" long | QR | - | - | |
| | EEAS.146/E | SLEEVE, 3/4" long | QR | - | - | |
| | EEAS.146/E | SLEEVE, 1-1/2" long | QR | - | - | |
| 5X/9709524 | HC.310 | TAG, terminal, ring tongue | 2 | - | C | |
| 5X/9450224 | HC.510 | TAG, terminal, quick release | 2 | - | C | |
| | E.B2.81.9369 | CABLE, assembly, S22, from J.B.8 to earth point E.8, group Consisting of:- | 1 | - | - | |
| 5E/3898 | † | CABLE, unitercil 12 | QR | - | C | |
| 5X/2786 | Z.22431 | GROMMET, Helsyn No. 3 | 1 | - | C | |
| | EEAS.146/C | SLEEVE, 1" long | QR | - | - | |
| | EEAS.146/E | SLEEVE, 1" long | QR | - | - | |
| | EEAS.146/E | SLEEVE, 1-1/2" long | QR | - | - | |
| 5X/9709524 | HC.310 | TAG, terminal, ring tongue | 2 | - | C | |
| 5X/9450224 | HC.510 | TAG, terminal, quick release | 2 | - | C | |
| | E.B2.81.9372 | CABLE, assembly, 2S33, between taxiing lamp terminal board, spar 4, and terminal board at undercarriage fixed fairing, group Consisting of:- | 1 | - | - | |
| 5E/3896 | † | CABLE, unitercil 16 | QR | - | C | |
| | EEAS.146/A1 | SLEEVE, 3/4" long | QR | - | - | |
| | EEAS.146/C | SLEEVE, 1" long | QR | - | - | |
| | EEAS.146/C | SLEEVE, 1-1/2" long | QR | - | - | |
| 5X/9462745 | HC.304 | TAG, terminal, ring tongue | 4 | - | C | |
| | E.B2.81.9373 | CABLE, assembly, 2S16, from 5-way terminal board to flap position transmitter, trailing edge, group Consisting of:- | 1 | - | - | |
| 5E/3893 | † | CABLE, unitercil 22 | QR | - | C | |
| 8898 | EEAS.146/O | SLEEVE, 3/4" long | QR | - | C | |
| | EEAS.146/D | SLEEVE, 1" long | QR | - | - | |
| | EEAS.146/D | SLEEVE, 1-1/2" long | QR | - | - | |
| 5X/9450396 | HC.490 | TAG, terminal, quick release | 3 | - | C | |
| | E.F3.81.15553 | CABLE, assembly, 2534A, from brake pressure transmitter to 3-way T.B. (Mk. 2A A/c) (Mod. 4437) Consisting of:- | 1 | - | - | |
| 6A/5301 | FD.766 | CABLE, Sangamo-Weston, 14" long | 1 | - | C | |
| | EEAS.146/6 | SLEEVE, 1" long | QR | - | - | |
| | EEAS.146/20 | SLEEVE, 1" long | QR | - | - | |
| | EEAS.146/20 | SLEEVE, 3/4" long | QR | - | - | |
| 5X/9462951 | HC.294 | TAG, ring tongue | 3 | - | C | |

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|-------------|-----------------------|---|---------|-------------|-------------------------|----------------|
| | | | | | | |
| | E.B2.81.9374 | CABLE, assembly, 3S33, between taxiing lamp terminal board and taxiing lamp, group | 1 | — | — | |
| 5E/3896 | † | Consisting of:— | | | | |
| | EEAS.146/A1 | CABLE, unifersil 16 | QR | — | C | |
| | EEAS.146/C | SLEEVE, 3/4" long | QR | — | — | |
| | EEAS.146/C | SLEEVE, 1" long | QR | — | — | |
| 5X/9462745 | HC.304 | SLEEVE, 1-1/2" long | QR | — | — | |
| | E.B2.81.14509 | TAG, terminal, ring tongue | 2 | — | C | |
| | | CABLE, assembly, S34, S35, from J.B.8 to fuel flow sensing valve connection and cable box plug, group (Mk. 2 A/c) | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/3894 | † | CABLE, unifersil 20 | QR | — | C | |
| 5X/2785 | Z.22430 | GROMMET, Helsen No. 2 | 1 | — | C | |
| | EEAS.146/O | SLEEVE, 1/2" long | QR | — | — | |
| | EEAS.146/C | SLEEVE, 3/4" long | QR | — | — | |
| 8898 | EEAS.146/O | SLEEVE, 3/4" long | QR | — | C | |
| | EEAS.146/C | SLEEVE, 1" long | QR | — | — | |
| | EEAS.146/D | SLEEVE, 1" long | QR | — | — | |
| | EEAS.146/D | SLEEVE, 1-1/2" long | QR | — | — | |
| 5X/1010324 | HC.296 | TAG, terminal, ring tongue | 2 | — | C | |
| 5X/9450396 | HC.490 | TAG, terminal, quick release | 4 | — | C | |
| | E.F.4.81.5123 | CABLE, assembly, S34, S35, from JB8 to T/E storage and cable box, group (Mk. 2A A/c) (Mod. 4437) | 1 | — | — | |
| | | Consisting of:— | | | | |
| 5E/3894 | — | CABLE, unifersil 20 | QR | — | C | |
| 5X/2785 | Z.22430 | GROMMET, tension, No. 2 | 1 | — | C | |
| | EEAS.146/6 | SLEEVE, 1" long | QR | — | — | |
| | EEAS.146/12 | SLEEVE, 3/4" long | QR | — | — | |
| | EEAS.146/20 | SLEEVE, 3/4" long | QR | — | — | |
| | EEAS.146/20 | SLEEVE, 1" long | QR | — | — | |
| | EEAS.146/20 | SLEEVE, 1/2" long | QR | — | — | |
| 5X/9450396 | HC.490 | TAG, quick release | 4 | — | C | |
| 5X/9450393 | HC.292 | TAG, ring tongue | 1 | — | C | |
| 5X/9462951 | HC.294 | TAG, ring tongue | 3 | — | C | |
| 6A/5555 | SMITH-WAYMOUTH C.G.6 | CABLE, assembly, interconnection, between fuel contents junction and terminal boxes | 1 | — | B | |
| 6A/6457 | SMITH-WAYMOUTH C.G.8 | CABLE, assembly, interconnection, between fuel contents connector and terminal box | 1 | — | B | |
| 6A/4473 | SMITH-WAYMOUTH C.R.51 | CABLE, assembly, between cable box plug and fuel contents terminal | 1 | — | B | |
| 10H/0970292 | 508/1/07776/003 | CLAMP, cable | 1 | — | C | |
| 10H/0970293 | 508/1/07777/003 | CLAMP, cable | 1 | — | C | |
| | 508/1/07776/001 | CLAMP, cable | 2 | — | — | |
| 10046 | EEAS.274 | FERRULE, assembly | 1 | — | C | |
| 10H/0970058 | 508/2/07705/200 | GASKET, outlet | 1 | — | C | |
| 10H/23742 | 508/2/07705/300 | GASKET, outlet | 2 | — | C | |
| 10H/0970107 | 508/2/07721/200 | GASKET, union | 1 | — | C | |
| 10H/0970108 | 508/2/07719/200 | GASKET, union | 1 | — | C | |
| 10H/9504381 | 508/2/07719/300 | GASKET, union | 2 | — | C | |
| 5X/7548 | 2CZ.84914A | GASKET, socket, ferrule | 1 | — | C | |
| | 508/2/07648/001 | OUTLET, angle | 2 | — | — | |
| 10H/0970068 | 508/2/07631/003 | OUTLET, angle | 2 | — | C | |
| 10H/0970087 | 508/2/07710/200 | RING, sealing | 1 | — | C | |
| 10H/0970088 | 508/2/07708/200 | RING, sealing | 1 | — | C | |

ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|-------------|-----------------|-------------|---|---|---|---|---|---|---------|-------------|-------------------------|----------------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | |
| 10H/23763 | 508/2/07708/300 | | | | | | | | 2 | — | C | |
| 10H/0970095 | 508/2/07754/007 | | | | | | | | 1 | — | C | |
| 10H/0970096 | 508/2/07752/007 | | | | | | | | 3 | — | C | |
| 5X/7039 | 2CZ.84873 | | | | | | | | 1 | — | C | |
| 10H/23322 | 2CZ.84991 | | | | | | | | 1 | — | C | |
| | 508/1/07002/320 | | | | | | | | 2 | — | — | |
| | — | | | | | | | | — | — | — | |
| | — | | | | | | | | — | — | — | |
| | E.F2.81.2676 | | | | | | | | 1 | — | — | |
| | | | | | | | | | | | | |
| 5E/3893 | † | | | | | | | | QR | — | C | |
| 10H/0970295 | 508/1/07779/003 | | | | | | | | 1 | — | C | |
| 5K/4024 | NL.8140 | | | | | | | | 12 | — | C | |
| 10H/0970059 | 508/2/07706/200 | | | | | | | | 1 | — | C | |
| 10H/0970109 | 508/2/07722/200 | | | | | | | | 1 | — | C | |
| 10H/0970063 | CZ.51528 | | | | | | | | 1 | — | C | |
| 10H/0970091 | 508/2/07709/200 | | | | | | | | 1 | — | C | |
| 10H/0970097 | 508/07757/007 | | | | | | | | 1 | — | C | |
| | EEAS.146/O | | | | | | | | QR | — | — | |
| 8898 | EEAS.146/O | | | | | | | | QR | — | C | |
| | EEAS.146/F | | | | | | | | QR | — | — | |
| | EEAS.146/F | | | | | | | | QR | — | — | |
| 10H/23281 | 2CZ.84976 | | | | | | | | 1 | — | B | |
| 5X/7310 | HC.1290 | | | | | | | | 12 | — | C | |
| 5F/9454141 | NY.18007 | | | | | | | | QR | — | C | |
| 5F/9138823 | NY.3255 | | | | | | | | QR | — | C | |
| | E.F2.81.2682 | | | | | | | | 1 | — | — | |
| | | | | | | | | | | | | |
| 5E/3893 | † | | | | | | | | QR | — | C | |
| 10H/0970295 | 508/2/07779/003 | | | | | | | | 1 | — | C | |
| 10H/0970059 | 508/2/07706/200 | | | | | | | | 1 | — | C | |
| 10H/0970109 | 508/2/07722/200 | | | | | | | | 1 | — | C | |
| 10H/0970063 | CZ.51528 | | | | | | | | 1 | — | C | |
| 10H/0970091 | 508/2/07709/200 | | | | | | | | 1 | — | C | |
| 10H/0970097 | 508/2/07757/007 | | | | | | | | 1 | — | C | |
| | EEAS.146/O | | | | | | | | QR | — | — | |
| 8898 | EEAS.146/O | | | | | | | | QR | — | C | |
| | EEAS.146/F | | | | | | | | QR | — | — | |
| | EEAS.146/F | | | | | | | | QR | — | — | |
| 10H/23296 | 2CZ.84970/4 | | | | | | | | 1 | — | B | |
| 5F/9454141 | NY.18007 | | | | | | | | QR | — | C | |
| 5F/9138823 | NY.3255 | | | | | | | | QR | — | C | |
| | — | | | | | | | | — | — | — | |
| | — | | | | | | | | — | — | — | |
| | E.F4.81.4473 | | | | | | | | 1 | — | — | |
| | | | | | | | | | | | | |
| | E.F4.81.5039 | | | | | | | | 1 | — | — | |
| | | | | | | | | | | | | |
| 5E/3896 | † | | | | | | | | QR | — | C | |
| 5E/3894 | † | | | | | | | | QR | — | C | |
| 10H/0970297 | CZ.69737 | | | | | | | | 1 | — | C | |
| 5X/7843 | 508/1/04585/002 | | | | | | | | 16 | — | C | |
| 5X/7645 | 508/1/05602/002 | | | | | | | | 8 | — | C | |
| 10H/0970120 | Z.49075 | | | | | | | | 1 | — | C | |
| | 2CZ.111478 | | | | | | | | 1 | — | C | |

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|-------------|--------------------------------|-------------|---|---|---|---|---|---|---------|-------------|-------------------------|----------------|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | |
| | EEAS.146/00 | | | | | | | | QR | — | — | |
| | EEAS.146/6 | | | | | | | | QR | — | — | |
| | EEAS.146/16 | | | | | | | | QR | — | — | |
| | EEAS.146/16 | | | | | | | | QR | — | — | |
| | EEAS.146/20 | | | | | | | | QR | — | — | |
| | EEAS.146/20 | | | | | | | | QR | — | — | |
| | EEAS.146/20 | | | | | | | | QR | — | — | |
| 5X/9138835 | 2Z.139623 | | | | | | | | 8 | — | C | |
| 5K/5939 | RAYCHEM | | | | | | | | 4 | — | C | |
| | TC.4003-CRN-G | | | | | | | | | | | |
| | RAYCHEM | | | | | | | | 4 | — | — | |
| | TC.4003-CRN | | | | | | | | | | | |
| 5K/ | RAYCHEM | | | | | | | | 4 | — | C | |
| | TC.4005-CRN-G | | | | | | | | | | | |
| | RAYCHEM | | | | | | | | 6 | — | — | |
| | TC.4005-CRN | | | | | | | | | | | |
| 5F/9133797 | HT.20 | | | | | | | | QR | — | C | |
| | | | | | | | | | | | | |
| 5F/9133798 | HT.30 | | | | | | | | QR | — | C | |
| | | | | | | | | | | | | |
| 5F/9133802 | HT.150 | | | | | | | | QR | — | C | |
| | | | | | | | | | | | | |
| 5X/10559 | 508/1/00509/311 | | | | | | | | 1 | — | B | |
| 5F/2301 | NY.18007A | | | | | | | | QR | — | C | |
| 5F/9545141 | NY.18007 | | | | | | | | QR | — | C | |
| 5F/9138823 | NY.3255 | | | | | | | | QR | — | C | |
| 5F/9138822 | NY.3342 | | | | | | | | QR | — | C | |
| 5X/9450393 | HC.292 | | | | | | | | 1 | — | C | |
| 5X/9462951 | HC.294 | | | | | | | | 8 | — | C | |
| 5X/9718094 | HC.295 | | | | | | | | — | — | C | |
| | | | | | | | | | | | | |
| 5X/1010324 | HC.296 | | | | | | | | 4 | — | C | |
| 5X/9462745 | HC.304 | | | | | | | | 16 | — | C | |
| | — | | | | | | | | — | — | — | 65/1 |
| | — | | | | | | | | — | — | — | |
| | | | | | | | | | | | | |
| 5CZ/7592 | WARD BROOKE | | | | | | | | 1 | — | C | |
| | WB/UN/1146/S/ | | | | | | | | | | | |
| | 3/200 | | | | | | | | | | | |
| 5CZ/430 | SIS.1564 | | | | | | | | 5 | — | B | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 28S/999531 | A.33/A24 | | | | | | | | 8 | — | C | |
| 28S/1200061 | A.33/A18 | | | | | | | | 2 | — | C | |
| 28M/10326 | AGS.2002/A/1 | | | | | | | | 4 | — | C | |
| | | | | | | | | | | | | |
| 5CZ/432 | SIS.1565 | | | | | | | | 1 | — | B | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 28S/1200061 | A.33/A18 | | | | | | | | 2 | — | C | |
| 28M/10326 | AGS.2002/A/1 | | | | | | | | 2 | — | C | |
| | | | | | | | | | | | | |
| 5X/3268 | CZ.50207 | | | | | | | | 1 | — | B | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 28M/9636 | AGS.2003/B/1 | | | | | | | | 2 | — | C | |
| 28S/1200033 | A.31/B24 | | | | | | | | 2 | — | C | |
| | | | | | | | | | | | | |
| 1504918 | E.F3.81.1399 | | | | | | | | 1 | — | C | |
| 6A/6546 | SMITH- WAYMOUTH BT.20/26 | | | | | | | | 1 | — | B | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 28S/1200047 | A.31/C24 | | | | | | | | 4 | — | C | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| 4741 | E.B2.81.1941 | | | | | | | | 3 | — | C | |
| 9992 | E.B2.81.7567 | | | | | | | | 1 | — | C | |
| | E.F4.81.4855 | | | | | | | | 1 | — | — | |
| 28E/1201809 | AS.3180/6B | | | | | | | | 1 | — | C | |
| 28E/1009753 | AS.3180/3E | | | | | | | | 2 | — | C | |

ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|-------------|-------------------|--|---------|-------------|-------------------------|----------------|
| | | | | | | |
| 28E/8018279 | AS.3180/4C | CLIP, cable, "P" type | 2 | — | C | 65/2 |
| | AS.3181/16C | CLIP, cable, "P" type (Mk. 2 A/c) | 1 | — | C | |
| 12043 | HELLERMANN | CLIP, cable, "P" type (2 off on Mk. 2A A/c) | 4 | — | C | 65/3 |
| | HT.0813/5C | | | | | |
| 12065 | HELLERMANN | CLIP, cable, "P" type | 1 | — | C | 65/4 |
| | HT.0813/8C | | | | | |
| 12045 | HELLERMANN | CLIP, cable, "P" type (1 off on Mk. 2A A/c) | — | — | C | 65/5 |
| | HT.0813/10C | | | | | |
| 12067 | HELLERMANN | CLIP, cable, "P" type (Mk. 2 A/c) | 4 | — | C | 65/6 |
| | HT.0813/11C | | | | | |
| 12046 | HELLERMANN | CLIP, cable, "P" type (Mk. 2A A/c) | 1 | — | C | 65/7 |
| | HT.0813/12C | | | | | |
| 8008 | HELLERMANN | CLIP, cable, "P" type (Mk. 2A A/c) | 1 | — | C | 65/8 |
| | HT.0813/14C | | | | | |
| 12048 | HELLERMANN | CLIP, cable, "P" type (1 off on Mk. 2 A/c) | 6 | — | C | 65/9 |
| | HT.0813/16C | | | | | |
| 12049 | HELLERMANN | CLIP, cable, "P" type (Mk. 2A A/c) | 1 | — | C | 65/10 |
| | HT.0813/18C | | | | | |
| 5CZ/7910 | WARD BROOKE | COVER, T.B. (Mod. 4437) | 1 | — | C | |
| | WB/EP/1110/B/3 | | | | | |
| 8756 | E.B2.81.7607 | FAIRLEAD, bush, assembly, at rib 12A | 1 | L44 | C | 65/11 |
| | | Attachments:— | | | | |
| 28D/1008149 | A.25/2B | Bolt, 4 BA, hex. head | 2 | — | C | 65/12 |
| 28M/1278189 | AGS.2002/B/1 | Nut, stiff, 4 BA | 2 | — | C | 65/13 |
| | — | PANEL, armament safety break, installation (E.F4.81.4741) (Mk. 2A A/c) (Pre-Mod. 4354) | — | — | — | 66/1 |
| | | Consisting of:— | | | | |
| | E.F4.81.4743 | PANEL, armament safety break, assembly | 1 | — | — | 66/2 |
| | | Consisting of:— | | | | |
| | E.F4.20.89 | BRACKET, mounting, assembly | 1 | — | — | 66/3 |
| | | Spares for:— | | | | |
| | E.F4.20.87 | BRACKET, mounting | 1 | L72 | — | 66/4 |
| | E.F3.20.2281 | BOX, stowage | 1 | L72 | — | 66/5 |
| 1440721 | E.F3.20.1593 | FLAP | 1 | — | C | 66/6 |
| | | Attachments:— | | | | |
| 28D/1008147 | A.25/1A | Bolt, 6 BA, hex. head | 3 | — | C | 66/7 |
| 28M/10326 | AGS.2002/A/1 | Nut, stiff, 6 BA | 3 | — | C | 66/8 |
| | | | | | | |
| | E.F3.20.2283 | STRIP | 1 | — | — | 66/9 |
| 29G/4074 | CARR FASTENER 680 | STUD, ".80 long | 1 | — | — | 66/10 |
| | | Attachments:— | | | | |
| 28M/1006473 | A.27/CT | Nut, thin, 2 BA | 1 | — | C | 66/11 |
| | | | | | | |
| 23732 | E.F3.80.3381 | GUARD, switch, assembly | 1 | — | C | 66/12 |
| | E.F3.81.2273 | PLUG, shorting and lanyard, assembly | 1 | — | — | 66/13 |
| | | Consisting of:— | | | | |
| | A.M.P. 34138 | CONNECTOR, parallel, 12-10 | 2 | — | — | 66/14 |
| 28G/6731 | AGS.797/B | EYE-BOLT | 1 | — | C | 66/15 |
| | † | LINE, nylon, monofilament | QR | — | — | 66/16 |
| 10769 | E.B2.81.14311 | PENNANT, armament safety break | 1 | — | C | 66/17 |
| 18988 | E.F3.81.2271 | PLUG, shorting, assembly | 1 | — | C | 66/18 |
| | EEAS.146/20 | SLEEVE | 1 | — | — | 66/19 |
| | | Attachments:— | | | | |
| 28M/9433473 | AGS.2002/C/1 | Nut, stiff, 2 BA | 1 | — | C | 66/20 |
| 28W/9419475 | SP.15/C | Washer, 2 BA, plain | 1 | — | C | 66/21 |

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|-------------|------------------------|---|---------|-------------|-------------------------|----------------|
| | | | | | | |
| 5CZ/6424 | WARD BROOKE WB/1114/28 | PILLAR, fixing (Mod. 4437) | 2 | - | C | |
| 34479 | EEAS.550/3 | PLATE, ident (Mod. 4437) | 1 | - | C | |
| | EEAS.146/12 | SLEEVE, 3/4" long | 2 | - | - | 65/14 |
| 5F/9545141 | NY.18007 | STRAPPING, nylon | QR | - | C | 65/15 |
| 5F/9138823 | NY.3255 | STUD, nylon | QR | - | C | 65/16 |
| 5X/9462956 | HC.314 | TERMINAL, ring tongue | 2 | - | C | 65/17 |
| 7871 | EEAS.237/7A | WASHER, "D" | 9 | L72 | C | 65/18 |
| 9852 | EEAS.238/1A | WASHER, "D" | 1 | L72 | C | 65/19 |
| 9340 | EEAS.238/2A | WASHER, "D" | 8 | L72 | C | 65/20 |
| 9206 | EEAS.237/11A | WASHER, "D" | 4 | L72 | C | 65/21 |
| 1504920 | E.F4.81.5149 | WASHER, ident (Mod. 4437) | 1 | - | C | |
| | B.A.C. | WRAPPING, spiral (Mk. 2A A/c) | QR | - | - | 65/22 |
| | SP2/C/30 | | | | | |
| | - | WIRING, on spar 1, assembly (E.F2.81.6108) | - | - | - | 68/1 |
| | - | (Mod. 2053) (Mk. 2 A/c) | | | | |
| | - | WIRING, on spar 1, assembly (E.F4.81.4348) | - | - | - | 68/2 |
| | - | (Mk. 2A A/c) | | | | |
| | - | Spares for:- | | | | |
| | E.F2.81.439 | BOX, junction, No. 8, wiring and equipment, | 1 | - | - | 67/1 |
| | - | assembly (Mk. 2 A/c) | | | | |
| | E.F4.81.5127 | BOX, junction, No. 8, wiring and equipment, | 1 | - | - | 67/2 |
| | - | assembly (Mk. 2A A/c) (Mod. 4437) | | | | |
| | - | Spares for:- | | | | |
| | EEAS.27/77DR | BLANK, circular | 2 | L72 | - | 67/3 |
| | E.B2.81.1589/1 | BLANK, circular, plug (large) | 1 | L72 | - | 67/4 |
| 9322 | E.B3.81.2419 | CLAMP, relay, assembly | 1 | - | C | 67/5 |
| | - | Spares for:- | | | | |
| 9759 | E.B4.81.269 | BOLT, 4 BA, special | 4 | S91 | C | 67/6 |
| | E.B3.81.2427 | PAD, rubber | 1 | Sorbocel | LM | 67/7 |
| 7410 | EEAS.232 | WASHER, retaining | 4 | L72 | C | 67/8 |
| 9323 | E.B3.81.2392 | COVER, A.C., assembly | 1 | - | C | 67/9 |
| | - | Spares for:- | | | | |
| 9707 | EEAS.250/4 | BOLT, special, 4 BA | 3 | S21 | C | 67/10 |
| | † | BOSTIK, "C" | QR | - | - | |
| | AS2807/4/022 | PIECE, distance | 3 | - | - | 67/11 |
| | † | SEAL, synthetic rubber, ".14 dia. x 23" long | 1 | DTD552 | - | 67/12 |
| 7410 | EEAS.232 | WASHER, tapped | 3 | L72 | C | 67/13 |
| 28W/9419474 | SP15/B | WASHER, 4 BA, plain | 3 | - | C | 67/14 |
| | S.T.C. LTD. | HOLDER, relay | 2 | - | - | 67/15 |
| | LP.736720 | | | | | |

ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|-------------|----------------------------------|---|---------|-------------|-------------------------|----------------|
| | | | | | | |
| 9319 | E.B3.81.2409 | LID, lower, assembly ... | 1 | — | C | 67/16 |
| | | Spares for :— | | | | |
| 4696 | E.B2.81.9339 | BOLT, special, 4 BA ... | 2 | S21 | C | 67/17 |
| 33H/ | † | BOSTIK, "C" ... | QR | — | C | |
| | † | SEAL, synthetic rubber, ".14 dia. x 2 ft. | 1 | DTD552 | — | 67/18 |
| 7410 | EEAS.232 | WASHER, tapped ... | 2 | L72 | C | 67/19 |
| 26FZ/15492 | EEAS.28/2DR | WASHER ... | 2 | L72 | C | 67/20 |
| 9320 | E.B4.81.859 | PILLAR, spacer, assembly ... | 1 | — | C | 67/21 |
| 9324 | E.B3.81.2423 | PILLAR, spacer... ... | 4 | S92 | C | 67/22 |
| 9325 | E.B3.81.2421 | PLATE, relay mounting ... | 1 | L72 | C | 67/23 |
| | | Attachments :— | | | | |
| 28M/1086618 | AGS.2002/B/1 | Nut, stiff, 4 BA ... | 4 | — | C | 67/24 |
| 10F/0530473 | S.T.C. 4190.HD or CLARE | RELAY (Pre Mod. 4049) ... | 2 | — | A | 67/25 |
| | A-24-NR | RELAY (Pre-Mod. 4049) ... | 2 | — | — | 67/26 |
| 10F/9522409 | CLARE A-24-NR/1 | RELAY (Mod. 4049) ... | 2 | — | A | 67/27 |
| | | Attachments :— | | | | |
| 28M/10286 | AGS.2001/A/1 | Nut, stiff, 6 BA ... | 2 | — | C | 67/28 |
| 28S/1200058 | A32/A12 | Screw, 6 BA, c'sk head ... | 2 | — | C | 67/29 |
| | E.B3.81.2356 | SHELL, box, assembly (Mk. 2 A/c) ... | 1 | — | — | 67/30 |
| | E.F4.81.4714 | SHELL, box, assembly (Mk. 2A A/c) ... | 1 | — | — | 67/31 |
| | | Spares for :— | | | | |
| 9326 | E.B3.81.2364 | LID, lower, hinged, assembly ... | 1 | — | C | 67/32 |
| | | Spares for :— | | | | |
| 9759 | E.B4.81.269 | BOLT, special, 4 BA ... | 1 | S91 or S21 | C | 67/33 |
| 4696 | E.B2.81.9339 | BOLT, special, 4 BA ... | 2 | S91 or S21 | C | 67/34 |
| 33H/ | † | BOSTIK, "C" ... | QR | — | C | |
| | E.B3.81.2379 | HINGE (Make from AS.1877/100) ... | 1 | — | LM | 67/35 |
| | † | SEAL, synthetic rubber, ".14 dia. x 8" long ... | 1 | DTD552 | — | 67/36 |
| 7410 | EEAS.232 | WASHER, tapped ... | 3 | L72 | C | 67/37 |
| 28W/9419474 | SP15/B | WASHER, 4 BA, plain ... | 2 | — | C | 67/38 |
| 28W/9416642 | SP47/B | WASHER, 4 BA, spring ... | 1 | — | C | 67/39 |
| 4737 | E.B2.81.9183 | WASHER, ident., F.70 ... | 1 | L72 | C | 67/40 |
| 4739 | E.B2.81.9187 | WASHER, ident., F.120 ... | 1 | — | C | 67/41 |
| 9976 | E.B2.81.14769 | WASHER, ident., F.124 ... | 1 | — | C | 67/42 |
| 4738 | E.B2.81.12209 | WASHER, ident., F.220 ... | 1 | L72 | C | 67/43 |
| | E.B3.81.2493 | BRACKET, clip attachment ... | 1 | L72 | LM | 68/3 |
| | E.B2.81.6233 | BRACKET, clip attachment ... | 1 | L72 | — | 68/4 |
| | | Attachments :— | | | | |
| 28D/1008147 | A25/1A | Bolt, 6 BA, hex. head ... | 1 | — | C | 68/5 |
| 28M/10286 | AGS.2001/A/1 | Nut, stiff, 6 BA ... | 1 | — | C | 68/6 |
| | E.F3.81.10977 | BRACKET, clip attachment ... | 1 | L72 | LM | 68/7 |
| | | Attachments :— | | | | |
| 28D/1010658 | A25/1B | Bolt, 4 BA, hex. head ... | 1 | — | C | 68/8 |
| 28M/1278189 | AGS.2001/B/1 | Nut, stiff, 4 BA ... | 1 | — | C | 68/9 |
| | E.F2.73.2529 | CHANNEL, fairlead backing ... | 1 | L72 | C | 68/10 |

**ELECTRICAL
ELECTRICAL EQUIPMENT IN STARBOARD WING**

| Ref. No. | Part No. | Description | 1 2 3 4 5 6 7 | | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|-------------|------------------------|--|---------------|---|---|---|---|---|---|---------|-------------|-------------------------|----------------|
| | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | | | |
| 12070 | HELLERMANN HT.0813/16B | CLIP , "P", cable | | | | | | | 2 | — | C | 68/11 | |
| 28D/1008149 | A25/2B | Attachments :— Bolt, 4 BA, hex. head | | | | | | | 2 | — | C | 68/12 | |
| 28M/1278189 | AGS.2001/B/1 | Nut, stiff, 4 BA | | | | | | | 2 | — | C | 68/13 | |
| 10561 | EEAS.237/6A | Washer, "D" | | | | | | | 2 | L72 | C | 68/14 | |
| 12048 | HELLERMANN HT.0813/16C | CLIP , "P", cable (3 off on Mk. 2 A/c) | | | | | | | 4 | — | C | 68/15 | |
| 28M/1278190 | AGS.2001/C/1 | Attachments :— Nut, stiff, 2 BA | | | | | | | 4 | — | C | 68/16 | |
| 28S/1200047 | A31/C24 | Screw, 2 BA, cheese head | | | | | | | 4 | — | C | 68/17 | |
| 7871 | EEAS.237/7A | Washer, "D" | | | | | | | 8 | L72 | C | 68/18 | |
| 12049 | HELLERMANN HT.0813/18C | CLIP , "P", cable | | | | | | | 1 | — | C | 68/19 | |
| 28D/1212940 | A61/2C | Attachments :— Bolt, 2 BA, hex. head | | | | | | | 1 | — | C | 68/20 | |
| 28M/10281 | AGS.2001/C/3 | Nut, stiff, 2 BA | | | | | | | 1 | — | C | 68/21 | |
| 7871 | EEAS.237/7A | Washer, "D" | | | | | | | 1 | — | C | 68/22 | |
| | E.F2.81.5865 | CLIP , cable | | | | | | | 1 | L72 | — | 68/23 | |
| 28M/1278189 | AGS.2001/B/1 | Attachments :— Nut, stiff, 4 BA | | | | | | | 2 | — | C | 68/24 | |
| 28S/120034 | A31/B16 | Screw, 4 BA, cheese head | | | | | | | 2 | — | C | 68/25 | |
| 10561 | EEAS.237/6A | Washer, "D" | | | | | | | 2 | L72 | C | 68/26 | |
| 10557 | E.B2.81.8523 | CLIP , special | | | | | | | 4 | L72 | C | 68/27 | |
| 10558 | E.B2.81.8541 | CLIP , special | | | | | | | 2 | L72 | C | 68/28 | |
| 12038 | HELLERMANN HT.0813/3/B | CLIP , "P" type | | | | | | | 2 | — | C | 68/29 | |
| 28D/1010658 | A25/1B | Attachments :— Bolt, 4 BA, hex. head | | | | | | | 2 | — | C | 68/30 | |
| 28M/1278189 | AGS.2001/B/1 | Nut, stiff, 4 BA | | | | | | | 2 | — | C | 68/31 | |
| 9852 | EEAS.238/1A | Washer | | | | | | | 2 | L72 | C | 68/32 | |
| 12062 | HT.0813/20B | CLIP , "P" type | | | | | | | 1 | — | C | 68/33 | |
| 28D/1010658 | A25/1B | Attachments :— Bolt, 4 BA, hex. head | | | | | | | 1 | — | C | 68/34 | |
| 28M/1086618 | AGS.2002/B/1 | Nut, stiff, 4 BA | | | | | | | 1 | — | C | 68/35 | |
| 10561 | EEAS.237/6/A | Washer, "D" | | | | | | | 1 | — | C | 68/36 | |
| 12050 | HELLERMANN HT.0813/20C | CLIP , cable, "P" type | | | | | | | 2 | — | C | 68/37 | |
| 28D/9133011 | A25/2C | Attachments :— Bolt, 2 BA, hex. head | | | | | | | 1 | — | C | 68/38 | |
| 28D/1212940 | A61/2C | Bolt, 2 BA, hex. head | | | | | | | 1 | — | C | 68/39 | |
| 28M/1278190 | AGS.2001/C/1 | Nut, stiff, 2 BA | | | | | | | 1 | — | C | 68/40 | |
| 28M/10281 | AGS.2001/C/3 | Nut, stiff, 2 BA | | | | | | | 1 | — | C | 68/41 | |
| 7871 | EEAS.237/7A | Washer, "D" | | | | | | | 2 | L72 | C | 68/42 | |
| 9924 | E.B3.73.1219 | FAIRLEAD , for hydraulic pipes | | | | | | | 1 | — | C | 68/43 | |
| 28D/1212807 | AS.1248/7C | Attachments :— Bolt, 2 BA, mushroom head | | | | | | | 1 | — | C | 68/44 | |
| 28D/8346 | AS.1248/8C | Bolt, 2 BA, mushroom head | | | | | | | 1 | — | C | 68/45 | |
| 28M/1278190 | AGS.2001/C/1 | Nut, stiff, 2 BA | | | | | | | 2 | — | C | 68/46 | |
| 28W/9419475 | SP15/C | Washer, 2 BA, plain | | | | | | | 2 | — | C | 68/47 | |

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | 1 2 3 4 5 6 7 | | | | | | | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|-------------|---------------|---|---------------|--|--|--|--|--|----|---------|-------------|-------------------------|----------------|
| | | | | | | | | | | | | | |
| | | WIRING, spar 1, rib 11B, assembly (E.B3.81.1184) | | | | | | | | | | | |
| | AS.3180/13C | Spares for:— | | | | | | | | | | | |
| | E.B3.73.6713 | CLIP, cable, "P" type | | | | | | | 1 | | | C | 65/24 |
| | | FAIRLEAD, half, spar 1 (Mod. 2053) | | | | | | | 2 | | | C | 65/25 |
| 28D/1010030 | A25/7C | Attachments:— | | | | | | | | | | | |
| 28W/9419475 | SP15/C | Bolt, 2 BA hex. head | | | | | | | 4 | | | C | 65/26 |
| | | Washer, 2 BA plain | | | | | | | 4 | | | C | 65/27 |
| | E.B2.73.6721 | FAIRLEAD, half (Mod. 2053) | | | | | | | 1 | | | C | 65/28 |
| 28D/1010030 | A25/7C | Attachments:— | | | | | | | | | | | |
| 28W/9419475 | SP15/C | Bolt, 2 BA hex. head | | | | | | | 2 | | | C | 65/29 |
| | | Washer, 2 BA plain | | | | | | | 2 | | | C | 65/30 |
| | E.B2.73.6717 | FAIRLEAD, half (Mod. 2053) | | | | | | | 1 | | | C | 65/31 |
| 28D/1010030 | A25/7C | Attachments:— | | | | | | | | | | | |
| 28W/9419475 | SP15/C | Bolt, 2 BA hex. head | | | | | | | 2 | | | C | 65/32 |
| | | Washer, 2 BA plain | | | | | | | 2 | | | C | 65/33 |
| | 4720 | PIECE, distance | | | | | | | 1 | | | C | 65/34 |
| | AS.2810/8/055 | STRAPPING, nylon, cable | | | | | | | QR | | | C | 65/35 |
| 5F/9454141 | NY.18007 | STUD, nylon, cable | | | | | | | QR | | | C | 65/36 |
| 5F/9138823 | NY.3255 | WASHER, "D" | | | | | | | 1 | L72 | | C | 65/37 |
| | 7771 | EEAS.237/7A | | | | | | | | | | C | 65/38 |
| | | WIRING, main undercarriage "down" lock switch (E.F2.81.434) | | | | | | | | | | | |
| | | Spares for:— | | | | | | | | | | | |
| | SIS.1564 | BLOCK, terminal, type "B" | | | | | | | 1 | | | B | 65/39 |
| | A33/A18 | Attachments:— | | | | | | | | | | | |
| | | Screw, 6 BA csk. head | | | | | | | 2 | | | C | 65/40 |
| | 10562 | PERFECT CLIP CO. BRADFORD | | | | | | | 2 | | | C | 65/41 |
| | | CLIP, perfect, 18" long | | | | | | | 2 | | | C | 65/42 |
| | 37582 | or E.F3.73.8955 | | | | | | | | | | | |
| | | PIN (May be made from B.1031/2A) | | | | | | | 2 | | | C | |
| | 37583 | or E.F3.73.8957 | | | | | | | | | | | |
| | | CLIP (May be made from B.1031/1) | | | | | | | 2 | | | C | |
| | 37584 | or E.F3.73.8959/A | | | | | | | | | | | |
| | 10563 | PERFECT CLIP CO. BRADFORD | | | | | | | 2 | | | C | 65/42 |
| | | CLIP, perfect, 42" long | | | | | | | 1 | | | C | |
| | 37585 | or E.F3.73.8959/B | | | | | | | | | | | |
| | | STRAP, 42" (May be made from B.1031/3) | | | | | | | 1 | | | C | |
| | 5L/9952511 | LAMP, filament | | | | | | | 1 | | | B | 65/43 |
| | 5CX/3863 | LAMP, taxi, type "A" | | | | | | | 1 | | | A | 65/44 |
| | | Attachments:— | | | | | | | | | | | |
| 28D/1011030 | A25/2E | Bolt, 1/4" BSF, hex. head | | | | | | | 2 | | | C | 65/45 |
| | 10761 | E.B2.81.7483 | | | | | | | | | | | |
| | 10762 | E.B2.81.7485 | | | | | | | 2 | | | C | 65/46 |
| | | SUPPORT, flexible, cable | | | | | | | 1 | | | C | 65/47 |
| | | SUPPORT, flexible, cable | | | | | | | | | | | |
| | | WIRING, outboard of leading edge, rib 13, assembly (E.F2.81.6328) (Mod. 2206) (Mk. 2 A/c) | | | | | | | | | | | 66/34 |
| | | Spares for:— | | | | | | | | | | | |
| | 5CX/430 | BLOCK, terminal, type "B" | | | | | | | 1 | | | B | 66/35 |
| | A33/A20 | Attachments:— | | | | | | | | | | | |
| | | Screw, 6 BA csk. head | | | | | | | 2 | | | C | 66/36 |
| | E.F2.81.6324 | CABLE, assembly, 2S9, navigation light, group | | | | | | | 1 | | | | 66/37 |
| | | Consisting of:— | | | | | | | | | | | |
| | 5E/3893 | 2466 | | | | | | | QR | | | C | 66/38 |
| | 5K/4410 | E.F2.81.6313 | | | | | | | 1 | | | C | 66/39 |
| | | EEAS.146/12 | | | | | | | 1 | | | | 66/40 |
| | | EEAS.146/22 | | | | | | | QR | | | | 66/41 |
| | | SLEEVE, 3/4" long | | | | | | | QR | | | | 66/42 |
| | | SLEEVE, 3/4" long | | | | | | | QR | | | | 66/42 |

ELECTRICAL

ELECTRICAL EQUIPMENT IN STARBOARD WING

| Ref. No. | Part No. | Description | No. off | Matl. Spec. | Cl. of Equip. M.R. L.M. | Fig. and Index |
|-----------------|------------------------------|---|---------|-------------|-------------------------|----------------|
| | | | | | | |
| 5X/9462951 | HC.294 | TAG, ring tongue | 2 | - | C | 66/43 |
| | | Attachments:- | 3 | S1 | - | 66/44 |
| 24085 | E.F.2.81.6319 | Bolt, special | 2 | Jablex | - | 66/45 |
| 34257 | E.F.2.81.6603 | Packing | 1 | L72 | C | 66/46 |
| 24087 | E.F.2.81.6315 | Washer, top | 1 | L72 | C | 66/47 |
| 24088 | E.F.2.81.6317 | Washer, base | 1 | - | - | - |
| 12038 | HELLERMANN HT.0813/3B | CLIP, "P" | 3 | - | C | 66/48 |
| 5340/99/9469180 | HELLERMANN HT.0813/7B | CLIP, "P" | 1 | - | C | 66/49 |
| 12064 | HELLERMANN HT.0813/7C | CLIP, "P" | 13 | - | C | 66/50 |
| 11529 | EEAS.143/20H | CLIP, "P" | 1 | - | C | 66/51 |
| 5L/9952431 | † | LAMP, filament, 28v. 24w. | 1 | - | B | 66/52 |
| | AS.2810/5/040 | PIECE, distance | 2 | - | - | 66/53 |
| 5F/9454141 | NY.18007 | STRAP, nylon | QR | - | C | 66/54 |
| 5F/9138823 | NY.3255 | STUD, nylon | QR | - | C | 66/55 |
| 7871 | EEAS.237/7A | WASHER, "D" | 7 | L72 | C | 66/56 |
| 9852 | EEAS.238/1A | WASHER, "D" | 4 | L72 | C | 66/57 |
| 9340 | EEAS.238/2A | WASHER, "D" | 13 | L72 | C | 66/58 |
| | | WIRING, outboard of L/E rib 13, assembly (E.F.4.81.4346) (Mk. 2A A/c) Consisting of:- | - | - | - | 66/59 |
| 5CZ/7120 | WARD BROOKE WB/UN/1146/S/2/W | BLOCK, terminal, 2-way | 1 | - | B | 66/60 |
| 5CZ/7125 | WARD BROOKE WB/NY/1110/B/2 | Attachments:- | 1 | - | C | 66/61 |
| 28M/1278189 | AGS.2001/B/1 | Cover | 2 | - | C | 66/62 |
| 5CZ/6424 | WARD BROOKE WB/1114/28 | Nut, stiff, 4 BA | 2 | - | C | 66/63 |
| | EEAS.550/2 | Pillar, fixing | 1 | - | - | 66/64 |
| | | Plate, identification | 1 | - | - | 66/64 |
| 23665 | E.F.3.81.11327 | CLIP, assembly | 1 | - | C | 66/65 |
| 1485979 | E.F.3.81.13811 | CLIP, assembly | 1 | - | C | 66/66 |
| 11529 | EEAS.143/20H | CLIP, "P" | 1 | - | C | 66/67 |
| 12038 | HELLERMANN HT.0813/3B | CLIP, "P" | 2 | - | C | 66/68 |
| 12063 | HELLERMANN HT.0813/3C | CLIP, "P" | 1 | - | C | 66/69 |
| 12064 | HELLERMANN HT.0813/7C | CLIP, "P" | 7 | - | C | 66/70 |
| 10317 | HELLERMANN EE.11/2 | EXTRUSION, Helsyn | QR | - | C | 66/71 |
| 5F/2301 | HELLERMANN NY.18007 | STRAP, nylon | QR | - | C | 66/54 |
| 5F/9138823 | HELLERMANN NY.3255 | STUD, nylon | QR | - | C | 66/55 |
| 23666 | E.F.3.81.11349 | WASHER, "D" | 1 | - | C | 66/72 |
| 7871 | EEAS.237/7A | WASHER, "D" | 4 | L72 | C | 66/73 |
| 9852 | EEAS.238/1A | WASHER, "D" | 2 | L72 | C | 66/74 |
| 9340 | EEAS.238/2A | WASHER, "D" | 8 | L72 | C | 66/75 |

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

