

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7			
	-	PILOT'S INSTRUMENTS AND CONTROLS, ASSEMBLY (E.F2.80.1) (MK. 2 A/C)										
	-	PILOT'S INSTRUMENTS AND CONTROLS, ASSEMBLY (E.F4.80.1001) (MK. 2A A/C)										
R	-	Compass, E2B, and canopy unlocked warning lamps, installation (E.F2.80.999) (Pre-Mod. 4663)										1/1
R	-	Compass, E2B, and accelerometer with canopy warning lights installation (E.F4.80.1429) (Mod. 4663) (Mk. 2A A/c)										
		Consisting of:-										
R	6A/5418	KELVIN & HUGHES ACCELEROMETER, Mk. 3 (Mod. 4633)	1								A	
	10890	BRACKET, compass and warning lamps, mounting	1					L44			C	1/2
R		BRACKET, upper, assembly (Mod. 4663)	1									
		Attachments:-										
R	28D/1212938	A61/ 1/2C Bolt, 2 BA, hex. head	1								C	1/3
R	28D/1212939	A61/1C Bolt, 2 BA, hex. head	2								C	
	8886	H'DON Washer, crinkle	3								C	1/4
	or	& STOKES										
	5103-99-943-6079	DP.1004										
R		E.F3.80.5287	1									
	6B/2754	↑ BRACKET, lower, assembly (Mod. 4633)	1									
		Compass, E2B, type KCA-0103C	1								A	1/5
		Attachments:-										
	28D/1212966	A61/3B Bolt, 4 BA, hex. head	2								C	1/6
	28M/1956039	AGS.2001/B/3 Nut, stiff, 4 BA	2								C	1/7
	28W/9419474	SP15/B Washer, 4 BA, plain	2								C	1/8
	28W/9419486	SP16/B Washer, 4 BA, plain	2								C	1/9
		↑										
	5L/9959118	FILAMENT, lamp, 28v. .04a	2								B	1/10
	5CY/5415	PAGE ENG. LAMP, warning	2								A	1/11
		CO. A915/C/5										
	28S/9131787	A43/A6 SCREW, 6 BA, cheese head	2								C	1/12
		E.B4.80.2151 SHROUD, 20 SWG (Mod. 1971)	1					L72			LM	1/13
R	5CX/5570	THORN ELEC. TAB, earth	2								C	1/14
		80/10/0644										
	8887	H'DON WASHER, crinkle	2								C	1/15
	or	& STOKES										
	5310-99-943-6082	DP.1007										
	28W/9419490	SP/16L WASHER, warning lamp, packing	2								C	1/16
	28W/9137412	AGS.2037/A WASHER, shakeproof	4								C	1/17
		EQUIPMENT, to rack, installation (E.F2.80.19)										1/18
		Consisting of:-										
	6A/8045	DISPLAY, altitude and rate climb, type "D"	1								A	1/19
		KELVIN & HUGHES ID-98										
	6B/3650	KELVIN & HUGHES DISPLAY, navigation, type "C" (Mod. 2269)	1								A	1/20
	6A/6579	KELVIN & HUGHES INDICATOR, attitude, type F4 (Pre-Mod. 1963)	1								A	1/21
		HUGHES Z.100-762										
	6A/7287	↑ INDICATOR, type F4 (Mod. 1963)	1								A	1/22
	10891	E.F2.80.317 STRAP, rate of climb and altitude indicator	1					Phosphor Bronze			C	1/23
	10892	E.F2.80.319 STRAP, altitude indicator	1					Phosphor Bronze			C	1/24
	10893	E.F2.80.321 STRAP, navigation display	1					Phosphor Bronze			C	1/25

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	EQUIPMENT, console side, port, installation	—	—	—	2/1
	—	(E.F2.82.439) (Mk. 2 A/c)				
	—	EQUIPMENT, console side, port, installation	—	—	—	2/2
	—	(E.F4.82.469) (Mk. 2A A/c)				
	—	Consisting of:—				
28D/1215320	AS.1246/29C	BOLT, 2 BA, round head	3	—	C	2/3
28D/1215325	AS.1246/40C	BOLT, 2 BA, round head	1	—	C	2/4
5CZ/5962	GLOSTER	BOX, lamp, dimming system	1	—	A	2/5
	TDD/143/6/2					
	—	Attachments:—				
28D/9140202	AS.1246/1C	Bolt, 2 BA, round head	4	—	C	2/6
	—	Attachments:—				
5X/6630	PLESSEY	BLOCK, terminal, miniature, 5-way	2	—	B	2/7
	CZ.72441					
	—	Attachments:—				
28S/1011486	A32/A24	Screw, 6 BA, round head	4	—	C	2/8
28E/9144901	AS.3180/10/C	CLIP, cable connectors, securing	2	—	C	2/9
	—	Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	1	—	C	2/10
	7871	EEAS.237/7A	1	L72	C	2/11
	—	Washer, "D"				
	—	Attachments:—				
9553	E.B2.81.10967	CONNECTOR, assembly	2	—	C	2/12
10894	E.F2.82.193	PANEL, access	1	L44	C	2/13
	—	Attachments:—				
28S/1012450	A32/B10	Screw, 4 BA, round head	5	—	C	2/14
	7324	H'DON	5	—	C	2/15
	or	& STOKES				
5310-99-943-	DP.1003	Washer, crinkle				
	6077					
	—	Attachments:—				
8883	EEAS.265	PIECE, insulating	2	L44	C	2/16
7823	EEAS.256	PLATE, terminal ident.	2	L72	C	2/17
10356	UNBRAKO	SCREW, dome head socket	2	—	C	2/18
	2 BA x 1/2"					
	EEAS.146/C	SLEEVE, 3/8" long	10	—	—	2/19
	EEAS.146/K	SLEEVE, 3/8" long	4	—	—	2/20
	E.F2.82.673	UNIT, tacan/I.L.S. control, assembly (Mod. 2175)	1	—	—	2/21
	—	(Mk. 2 A/c)				
	—	Consisting of:—				
5X/6630	PLESSEY	BLOCK, terminal, miniature, 5-way	1	—	B	2/22
	CZ.72441					
	—	Attachments:—				
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	2	—	C	2/23
28S/1200081	A32/A18	Screw, 3 BA, round head	2	—	C	2/24
	—	Attachments:—				
21296	E.F2.82.671	BOX, tacan/I.L.S. control, sub-assembly	1	—	B	2/25
	—	Spares for:—				
	E.F2.82.679	BOX	1	L44	—	2/26
28N/5805291	AS.4736/14	INSERT, wire thread	1	—	C	2/27
28N/9143896	AS.4736/25	INSERT, wire thread	9	—	C	2/28
28FP/9492814	SX-560	SPRING, dzus fastener	4	—	C	2/29
	5CX/	THORN ELEC.	4	—	—	2/30
	80/10/0059	CAP, lampholder, grey/red				
28E/9144901	AS.3180/10C	CLIP, "P" cable connectors securing	2	—	C	2/31
	—	Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	1	—	C	2/32
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	1	—	C	2/33
	7871	EEAS.237/7A	2	L72	C	2/34
	—	Washer, "D"				

INSTRUMENTS
PILOT'S INSTRUMENT PANEL AND CONTROLS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
9553 5K/9144534 21408	E.B2.81.10967	CONNECTOR , 14-way							2	—	C	2/35
	SP40/C14	GROMMET , rubber							1	—	C	2/36
	E.F2.80.1677	GUARD , switch, assembly (Mod. 2127)							1	—	C	2/37
	E.F2.80.1683	Spares for :— BODY , switch guard							1	S514	—	2/38
E.F2.80.1679 E.B2.80.381		FLAP							1	S514	—	2/39
		SPRING							1	DTD214	—	2/40
		Attachments :— Ring, locking							1	Nylon	C	2/41
5836	EEAS.200	LAMPHOLDER							4	—	—	2/42
THORN ELEC. 80/10/0064		LAMP , filament, 28V. .04A							2	—	B	2/43
	5L/9959118 †	PANEL , plasteck (Mod. 2127)							1	—	C	2/44
21409	E.F2.82.565	PANEL , access							1	L44	C	2/45
10898	E.F2.82.453	Attachments :— Screw, 4 BA, round head							4	—	C	2/46
28S/1012450	A32/B10	Washer, crinkle							4	—	C	2/47
7324	H'DON											
or	& STOKES											
5310-99-943-6077	DP.1003											
8883	EEAS.265	PECE , insulating							1	L44	C	2/48
7823	EEAS.256	PLATE , terminal ident.							1	—	C	2/49
5CW/5839	N.S.F.	SWITCH , toggle (Mod. 2127)							1	—	B	2/50
8810/B104												
	5CX/	THORN ELEC. 80/10/0644	TAG , earth							4	—	—
	—	WIRING , control box (E.F2.81.6277) (Mod. 2127)							—	—	—	3/1
	E.B3.81.1127	Spares for :— LOOP , cable, group							1	—	LM	3/2
		Consisting of :— CABLE , unitersil 22							QR	—	C	
5E/3893	†	PIN , taper							2	—	C	3/3
5X/7226	HC.1281											
or												
5X/7430	A.M.P. 41667	PIN , taper							2	—	C	3/4
8898	EEAS.146/O	SLEEVE , 3/4" long							2	—	C	3/5
	EEAS.146/O	SLEEVE , 1 1/2" long							2	—	—	3/6
	E.F4.82.471	UNIT , tacan/I.L.S. control, assembly (Pre Mod. 4290) (Mk. 2A A/c)							1	—	—	3/7
	E.F4.82.493	UNIT , tacan/I.L.S. control, assembly (Mod. 4290) (Mk. 2A A/c)							1	—	—	3/8
		Consisting of :—										
5X/6630	PLESSEY CZ.72441	BLOCK , terminal, miniature, 5-way							1	—	B	3/9
		Attachments :—										
28M/10286	AGS.2001/A/1	Nut, stiff, 6 BA							2	—	C	3/10
28S/1200081	A32/A18	Screw, 6 BA, round head							2	—	C	3/11
5CZ/7263	WARD BROOKE WB/UN/1146/D/3W	BLOCK , terminal, 3-way							1	—	C	3/12
1439797	E.F4.82.473	BOX , tacan/I.L.S. control, sub-assembly							1	—	B	3/13
		Spares for :—										
28N/9143896	E.F4.82.477	BOX							1	Glasscloth	—	3/14
5K/	AS.4736/25	INSERT , wire thread							10	—	C	3/15
5K/	SP93/C14	GROMMET							2	—	C	3/16
28FP/9492814	SP93/C18	GROMMET							1	—	C	3/17
	SX-560	SPRING , dzus fastener							4	—	C	3/18

**INSTRUMENTS
PILOT'S INSTRUMENTS AND CONTROLS**

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7			
5CX/5561	THORN ELEC. 80/10/0751 or LITEFLO PANELS LF.1011-GR E.F3.48.635	CAP , lampholder, grey/red or CAP , flush filter assembly, red CLIP , assembly, t/b securing Attachments :—	4	—	C	3/19
28S/1212705	A40/B10	Screw, 4 BA, round head	2	—	C	3/22
28W/1200328	AGS.2037/B	Washer, 4 BA, shakeproof	2	—	C	3/23
28W/9419474	SP15/B	Washer, 4 BA, plain	2	—	C	3/24
28E/9144901	AS.3180/10C	CLIP , " P ", cable connector securing Attachments :—	2	—	C	3/25
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	1	—	C	3/26
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA	1	—	C	3/27
7871	EEAS.237/7A	Washer, " D "	2	L72	C	3/28
9553	E.B2.81.10967	CONNECTOR , assembly	2	—	C	3/29
21283	E.F2.48.233	COVER , assembly	1	—	C	3/30
28S/9992525	A32/B12	Attachments :— Screw, 4 BA, round head	5	—	C	3/31
19592	E.F3.81.5707	COVER , protective	4	—	C	3/32
1439799	E.F4.80.1109	GUARD , switch, assembly	1	—	C	3/33
21408	E.F2.80.1677	GUARD , switch, assembly	1	—	C	3/34
23528	E.F3.80.3375	GUARD , switch, assembly (Pre Mod. 4290)	1	—	C	3/35
1484467	E.F4.82.505	GUARD , switch (Mod. 4290)	1	L72	C	3/36
	E.B2.48.1351	LABEL , terminal block cover	1	—	—	3/37
5L/9959118	†	LAMP , filament, 28v 0.04A	4	—	B	3/38
5CX/	THORN ELEC. 02-0282	LAMPHOLDER , base	4	—	C	3/39
10898	E.F2.82.453	PANEL , access	1	L44	C	3/40
28S/1012450	A32/B10	Attachments :— Screw, 4 BA, round head	4	—	C	3/41
10AC/9436077	†	Washer, crinkle	4	—	C	3/42
1439798	E.F4.82.475	PANEL , trans-illuminated (Pre Mod. 4290)	1	—	C	3/43
1484464	E.F4.82.491	PANEL , trans-illuminated, assembly (Mod. 4290)	1	—	C	3/44
1484465	E.F4.82.495	Spares for :— GUARD , switch, assembly...	1	—	C	3/45
28S/1200058	A33/A12	Attachments :— Screw, 6 BA, c'sk head	2	—	C	3/46
1484466	E.F4.82.499	GUARD , switch, assembly...	1	—	C	3/47
28S/1200057	A33/A8	Attachments :— Screw, 6 BA, c'sk head	2	—	C	3/48
5CZ/6424	E.F4.82.489 WARD BROOKE WB/1114/28	PANEL , trans-illuminated PILLAR , terminal block	1 2	— —	— C	3/49 3/50
8883	EEAS.265	PIECE , insulating	1	L44	C	3/51
7823	EEAS.256	PLATE , terminal ident	1	L72	C	3/52
5836	EEAS.200	RING , locking	2	Nylon	C	3/53
5CW/5839	N.S.F. 8810/B104	SWITCH , toggle	1	—	B	3/54
5CW/6511	N.S.F. 8810/B101	SWITCH , toggle	1	—	B	3/55

A.P.101B-1002/2A-3A		INSTRUMENTS					Page F5			
PILOT'S INSTRUMENTS AND CONTROLS										
Ref. No.	Part No.	Description					No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5				
5930-99-1095788	PAGE ENG. C.9950/01						1	-	C	3/56
5CX/5570	THORN ELEC. 80/10/0644						4	-	C	3/57
	-						-	-	-	3/58
	-						-	-	-	3/59
5E/3893	† E.B3.81.1127						QR	-	C	
							1	-	LM	3/60
5X/7226	HELLERMANN HC.1281						2	-	C	3/61
5X/7430	A.M.P. Ltd. 41667						2	-	C	3/62
8898	EEAS.146/0						2	-	C	3/63
	EEAS.146/0						2	-	-	3/64
5X/7430	A.M.P. LTD.						6	-	C	3/65
23687	EEAS.563						2	-	C	3/66
23688	EEAS.566						1	-	C	3/67
5CZ/6638	PAGE ENG. CO. C.1950						1	-	B	2/52
28D/9137409	AS.1246/2C						4	-	C	2/53
	-						-	-	-	
6T/620	ELLIOT 3D.5612						1	-	A	4/1
28D/1218384	AS.1248/1B						4	-	C	4/2
	E.F.2.80.1827						1	L44	-	4/3
	E.F.2.80.1833						1	-	-	4/4
	E.F.2.80.1921						1	-	-	4/39
	E.F.2.80.1927						1	-	-	
6A/4245	MECHANISM LTD.						1	-	A	4/5
5X/6630	CZ.72441						1	-	B	4/6
28S/1011484	A32/A20						2	-	C	4/7
6A/3823	S.I.S.6116						1	-	C	4/8
10900	E.F.2.80.1163						1	-	C	4/9
	E.F.2.80.1161						1	-	-	4/10
5K/1200724	SP40/B8						1	-	C	4/11
28D/9128739	AS.1248/ 1/2B						2	-	C	4/12
28D/1213729	AS.1248/12B						1	-	C	4/13
10902	E.F.2.80.1039						1	-	C	4/14
10759	E.F.2.80.1085						2	-	C	4/15

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
10901	E.F.2.80.1483	GUARD, switch, fuel pump, assembly (Mod. 1933) . Spares for:—							1	—	C	4/16	
12296	E.B4.80.2117	SPRING, torsion							1	—	C	4/17	
12297	E.B4.80.2118	SPRING, torsion							1	—	C	4/18	
21092	E.F.2.80.1583	GUARD, switch, instrument master, assembly (Pre Mod. 4380)							1	—	C	4/19	
6102616	E.F.2.80.1887	GUARD, switch (Mod. 4380)							1	—	C	4/40	
6A/8268	SMITHS	INDICATOR, jet pipe nozzle (Mod. 2104)							1	—	B	4/20	
		Attachments:—											
28D/9130082	AS.1246/3B	Bolt, 4 BA, round head							2	—	C	4/21	
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	—	C	4/22	
5CX/5414	PAGE ENG. CO. A915/B5	LAMP, warning							1	—	B	4/23	
5CX/5415	PAGE ENG. CO. A915/C5	LAMP, warning							1	—	B	4/24	
5L/9959118	† E.F.2.80.65	LAMP, filament, 28v. 1w.							3	—	B	4/25	
		PANEL, access							1	L72	—	4/26	
		Attachments:—											
28D/1214297	AS.1242/ 1/2B	Bolt, 4 BA, c'sk head							4	—	C	4/27	
	E.F.2.80.143	PANEL, gauge mounting, assembly							1	—	—	4/28	
		Spares for:—											
5CZ/5404	FHK/A/22	CONTROLLER, temperature							1	—	B	4/29	
		Attachments:—											
28S/1012450	A32/B10 or	Screw, 4 BA, round head							4	—	C	4/30	
28S/1201330	A205/B10	Screw, No. 6 UNC, pan head							4	—	C	4/31	
28W/9419448	AGS.2035/B	Washer, shakeproof							4	—	C	4/32	
	E.F.2.80.845	LABEL, brake pressure							1	L72	—	4/33	
10904	E.F.2.80.145	PANEL, gauge mounting							1	L72	C	4/34	
		Attachments:—											
28D/1007979	AS.1246/1B	Bolt, 4 BA, round head							3	—	C	4/35	
28D/1007981	AS.1248/ 1/2C	Bolt, 2 BA, mushroom head							1	—	C	4/36	
	E.F.2.80.1603	PANEL, console, starboard (Pre-Mod. 4380)							1	—	—	5/1	
	E.F.2.80.1925	PANEL, console, starboard (Mod. 4380)							1	—	—	5/38	
		Attachments:—											
8904	E.B2.80.263	Bolt, special							4	S95	C	5/2	
30B/3055	†	Wire, locking							QR	DTD189	C	5/3	
	E.F.2.80.695	PANEL, control, sub-assembly (Pre-Mod. 4648)							1	L44	C	5/4	
		Spares for:—											
28N/5805287	AS.4736/13	INSERT, wire thread							12	—	C	5/5	
8883	EEAS.265	PIECE, insulating							1	L44	C	5/6	
7823	EEAS.256	PLATE, terminal ident							1	L72	C	5/7	
	E.F.2.81.1685	RESISTOR, assembly							1	—	—	5/8	
		Consisting of:—											
10905	E.F.2.81.1687	BLOCK, resistor							1	—	C	5/9	
5905-99-011-3360	†	RESISTOR, 30 ohms, 6w.							2	—	B	5/10	
		Attachments:—											
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA							2	—	C	5/11	
28S/1006979	A32/A10	Screw, 6 BA, round head							2	—	C	5/12	
5836	EEAS.200	RING, switch locking							22	Nylon	C	5/13	

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5CW/5060	S.I.S.6256	SHROUD, switch	2	-	C	5/14
28M/9403517	A47/Z	Attachments:- Nut, 8 BA, plain	4	-	C	5/15
28S/9135420	A32/Z12	Screw, 8 BA, round head	4	-	C	5/16
7323	HADDON & STOKES	Washer, crinkle	4	-	C	5/17
or 5310-99-943-6075	DP.1001					
5CW/10053	A.E.I. LHA.BG.206D5	SWITCH, tumbler (Mod. 4648)	1	-	B	
10906	E.B2.81.4207	SWITCH, toggle, jet pipe nozzle control	2	-	B	5/18
5CW/6293	N.S.F. 7662/B101	SWITCH, toggle fuel pumps	2	-	B	5/19
5CW/5856	N.S.F.8396/B102	SWITCH, toggle, I.F.F. master	1	-	B	5/20
5CW/5773	N.S.F.8800/B103	SWITCH, toggle, engine, anti-ice	1	-	B	5/21
5CW/5839	N.S.F.8810/B104	SWITCH, toggle	6	-	B	5/22
5CW/5771	N.S.F.8812/B101	SWITCH, toggle, seat elevating	1	-	B	5/23
5CW/6291	N.S.F.8820/B103	SWITCH, toggle	3	-	B	5/24
5CW/5772	N.S.F.8824/B101	SWITCH, toggle	3	-	B	5/25
5CW/8818	N.S.F.7694/B101	SWITCH, toggle, instrument master (Pre-Mod. 4380)	1	-	B	5/26
5CW/9916	A.E.I. LHA.3BG.201	SWITCH, toggle (Mod. 4380)	1	-	B	5/39
5CW/10053	A.E.I. LHA.28G.206D5	SWITCH, tumbler (Mod. 4673)	1	-	B	
R 5CW/4400222	PAGE ENG. C.180/C5	SWITCH, push button (Pre-Mod. 4737)	1	-	B	
R 5CW/6772	C.180/B5	SWITCH, push button (Mod. 4737)	1	-	B	
R 5CW/5057	SIS.6256	SWITCH, push button	2	-	B	
8921	E.B2.81.8509	TAG, earth	2	BS267	C	5/27
	-	WIRING, control panel, starboard (E.F2.81.6819) (Pre-Mod. 4380)	-	-	-	5/28
	-	WIRING, control panel, starboard (E.F2.81.7013) (Mod. 4380)	-	-	-	5/40
		Spares for:-				
8908	EEAS.270	SCREW, special	20	-	C	5/29
5CX/5569	80/10/0300	SHROUD, terminal	2	-	C	5/30
23687	EEAS.563	SLEEVE, special	9	-	C	5/31
R 23688	EEAS.566	SLEEVE, special	8	-	C	5/32
R 23689	EEAS.568	SLEEVE, special	3	-	C	5/33
5CW/6635	PAGE ENG. CO. A258	SLEEVE, cable	1	-	C	5/34
5CW/6636	PAGE ENG. CO. B.186	SOCKET, connector	1	-	B	5/35
5310-99-9010-239	BARBER & COLEMAN 1905	WASHER, shakeproof	92	-	C	5/36
28N/9995407	SP25/A	WASHER, 6 BA	11	-	C	5/37
		Attachments:-				
28D/1214260	AS.1248/31B	Bolt, 4 BA, mushroom head	5	-	C	4/37
28D/1212365	AS.1248/31C	Bolt, 2 BA, mushroom head	4	-	C	4/38
	-	EQUIPMENT, console, top, starboard, installation (E.F4.80.1087) (MK. 2A A/c)	-	-	-	6/3
	-	Spares for:-				
	-	CONTROL UNIT, I.F.F./S.S.R.1520 (E.F4.80.1327) (Mod. 4248)	-	-	-	
		Spares for:-				
6T/120	ELLIOT BROS. 3D.5612	CONTROLLER, flight control system	1	-	A	6/4
		Attachments:-				
28D/1218384	AS.1248/1B	Bolt, 4 BA, mushroom head	4	-	C	6/5

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F2.80.1827	COVER	1	L44	-	6/6
28D/9436920	A25/1C	Attachments:-				
28D/1007982	AS.1248/1C	Bolt, 2 BA, hex. head	2	-	C	6/7
		Bolt, 2 BA, hex. head	2	-	C	6/8
	E.F4.80.1319	PANEL, control, starboard, assembly	1	-	-	6A/37
		(Mod. 4248)				
		Spares for:-				
6A/4245	MECHANISMS LTD.	ALTIMETER, cabin, Mk. 21	1	-	A	6A/2
		Attachments:-				
6A/3823	S.I.S.6116	Clamp, instrument	1	-	C	6A/3
5X/6630	CZ.72441	BLOCK, terminal, miniature, 5-way	1	-	B	6A/4
		Attachments:-				
28S/1011484	A32/A20	Screw, 6 BA, round head	2	-	C	6A/5
	10900	E.F2.80.1163				
		COVER, switch, seat elevating	1	-	C	6/9
		Attachments:-				
28D/9128739	AS.1248/ 1/2B	Bolt, 4 BA, mushroom head	2	-	C	6/10
28D/1213729	AS.1248/12B	Bolt, 4 BA, mushroom head	1	-	C	6/11
	6A/6302	SMITHS A6.127				
		GAUGE, fuel contents	2	-	A	6/12
		Attachments:-				
28S/1007817	A32/B24 or	Screw, 4 BA, round head	8	-	C	6/13
28S/1008161	A205/B24	Screw, No. 6 UNC, pan head	8	-	C	6/14
	10902	E.F2.80.1039				
	10759	E.F2.80.1085				
	1504097	E.F4.80.1329				
	1504096	E.F4.80.1291				
		PAGE ENG. LTD.				
	5CX/5415	A915/C5				
	5L/9959118	†				
		LAMP, warning	1	-	B	
		LAMP, filament, 28V. 04A	2	-	B	6A/10
		E.F4.80.1079				
		PANEL, gauge mounting, assembly	1	-	-	6/15
		Consisting of:-				
	5CZ/5404	FHK/A/22				
		E.F4.80.1201				
		CONTROLLER, temperature	1	-	B	6/16
		COVER, assembly	1	L59	-	6/17
		Attachments:-				
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	4	-	C	6/18
	1441485	E.F4.80.1203				
		or				
	1441486	E.F4.80.1205				
	28S/9992522	A32/B16				
		or				
	28S/1201335	A205/B16				
	28W/9419448	AGS.2035/B				
	28W/9419475	SP15/B				
		Washer, shakeproof	4	-	C	6/21
		Washer, 4 BA, plain	4	-	C	6/22
	1439851	E.F4.80.1075				
		GUARD, switch, assembly	1	-	C	6/23
		Attachments:-				
28S/1200055	A33/A6	Screw, 6 BA 90°, c'sk head	2	-	C	6/24
	1439852	E.F4.80.1077				
		GUARD, switch, assembly	1	-	C	6/25
		Attachments:-				
28S/1200055	A33/A6	Screw, 6 BA 90°, c'sk head	2	-	C	6/26
	5L/9959118	†				
		LAMP, filament, 28v. .04A	1	-	B	6/27

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F.2.80.761	PLATE, indicator	1	L72	-	7/22
		Attachments:-				
28S/9419437	A31/A16	Screw, 6 BA, cheese head	1	-	C	7/23
28S/1200060	A33/A16	Screw, 6 BA, c'sk head	2	-	C	7/24
	7322	Washer, crinkle	1	-	C	7/25
	or					
5310-99-943-	H'DON & STOKES DP.1002					
	6076					
5CX/5474	THORN ELEC. 80/10/0055	LAMPHOLDER, grey/red	2	-	B	7/26
5CX/1144130	THORN ELEC. 01/0498/32805	LAMPHOLDER, pillar	2	-	B	7/27
	32805	PANEL, plastek	1	-	B	7/28
	10910	PLATE, stop, rotary switch	1	L72	C	7/29
		Attachments:-				
28S/1200057	A33/A8	Screw, 6 BA, c'sk head	4	-	C	7/30
	7823	PLATE, terminal ident	2	-	C	7/31
5CW/5060	EEAS.256 S.I.S.6256	SHROUD	1	-	C	7/32
		Attachments:-				
28S/9135420	A32/Z12	Screw, 8 BA, round head	2	-	C	7/33
	E.F.2.80.1095	SWITCH, to adaptor plate, assembly	1	-	-	7/34
		Consisting of:-				
5L/9959118	†	FILAMENT, lamp, 28v. .04a	1	-	B	7/35
	10911	PLATE, adaptor	1	-	C	7/36
R 5CW/1095293	PAGE ENG. CO. C.181/C/5	SWITCH, button, pull	1	-	B	7/37
		Attachments:-				
28S/9132084	A33/Z.12	Screw, 8 BA, c'sk head	1	-	C	7/38
	5CW/5057	SWITCH, push button	1	-	B	7/39
	5CW/6377	SWITCH, rotary, type 10B	1	-	A	7/40
		Attachments:-				
28S/1200057	A33/A8	Screw, 6 BA, c'sk head	4	-	C	7/41
	14A/5488	SWITCH, recorder unit, Mk. 1	1	-	B	7/42
		Attachments:-				
28S/9995326	A32/B20	Screw, 4 BA, round head	4	-	C	7/43
	7324	Washer, crinkle	4	-	C	7/44
	or					
5310-99-943-	H'DON & STOKES DP.1003					
	6077					
5CX/5570	THORN ELEC. 80/10/0644	TAG, earth	2	-	C	7/45
		Attachments:-				
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head	2	-	C	7/46
28S/1013284	AS.1248/2C	Bolt, 2 BA, mushroom head	2	-	C	7/47
28D/1212358	AS.1248/25C	Bolt, 2 BA, mushroom head	2	-	C	7/48
	13680	CLIP, assembly (Mod. 1969)	1	-	C	8/4
		Attachments:-				
28D/1013301	AS.1248/4C	Bolt, 2 BA, mushroom head	1	-	C	8/5
	7871	Washer, "D"	1	-	C	8/6
	9553	CONNECTOR, 14-way	5	-	C	8/7
	23711	COUPLING, and knob, assembly	1	-	C	8/8
	23709	COUPLING, and knob, assembly	1	-	C	8/9
	23710	COUPLING, and knob, assembly	1	-	C	8/10

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5CZ/6111	WARD BROOKE WB/1110/5	COVER, terminal block	1	—	C	8/11
10915	E.F.2.80.957	DIAPHRAGM, support, assembly	1	—	C	8/12
	E.F.2.80.949	Spares for:— DIAPHRAGM, assembly	1	—	—	8/13
	E.F.2.80.953	Spares for:— BEARING, and spring, assembly	1	—	—	8/14
28D/9133011	A25/2C	Attachments:—				
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	2	—	C	8/15
	E.F.2.80.907	Bolt, 2 BA, hex. head	2	—	C	8/16
	E.F.4.80.1011	PANEL, lower, starboard, assembly (Mk. 2 A/c)	1	—	—	8/17
	10916	PANEL, lower, starboard, assembly (Mk. 2A A/c)	—	—	—	8/18
	E.F.2.80.125	Spares for:— BEARING, and spring, assembly	1	—	C	8/19
10918	E.F.2.80.91	Attachments:—				
28W/9416648	SP47/N	Nut, special	1	S92	C	8/20
	10917	Washer, 1/2" BSF, spring	1	—	C	8/21
	E.F.2.80.895	BEARING, and spring, assembly	2	—	C	8/22
10918	E.F.2.80.91	Attachments:—				
28W/9129584	AGS.2035/N	Nut, special	2	—	C	8/23
	5CX/1143230	Washer, shakeproof	2	—	C	8/24
	28S/1007817	BRIDGE, lighting, type D (Mk. 2 A/c)	1	—	B	8/25
	A32/B24	Attachments:—				
	or	Screw, 4 BA, round head	2	—	C	8/26
	28S/9129541	Screw, No. 6 UNC, pan head	2	—	C	8/27
	26FZ/15496	Washer, crinkle	2	—	C	8/28
	EEAS.28/7/ER					
	5CX/6639	CAP, retainer (1 off on Mk. 2A A/c)	2	—	C	8/29
	02-0289	(Pre-Mod. 4359)				
R	5CX/1989385	CAP, retainer (1 off Mk. 2A A/c) (Mod. 4359)	2	—	C	8/50
	01-0383	(Pre-Mod. 4805)				
	5CX/7866	CAP, retainer (Mod. 4805)	2	—	C	
	01-0749					
	5L/9959118	FILAMENT, lamp, 28v. .04a	2	—	B	8/30
	6A/11708	GAUGE, fuel, ventral (Mod. 4288) (Mk. 2A A/c) ...	1	—	A	8/31
	GE.40					
	23824	Attachments:— Clamp, instrument (Mk. 2A A/c)	1	—	C	8/32
	KING A/C C.12956					
	5K/4346706	GROMMET (Mk. 2A A/c)	1	—	C	8/33
	6D/2605	INDICATOR, oxygen contents (Mod. 2085)	1	—	A	8/34
	803161	(Mk. 2 A/c)				
	28S/1011488	Attachments:— Screw, 4 BA, round head	2	—	C	8/35
	A32/B28					
	or					
	28S/9998415	Screw, No. 6 UNC, pan head	2	—	C	8/36
	A205/B28	Washer, crinkle	2	—	C	8/37
	7324					
	or					
	5310-99-943-					
	6077					
	DP.1003					
	5CX/1144130	LAMPHOLDER, single pillar (Mk. 2A A/c)	2	—	B	8/38
	THORN ELEC. 01-0498					
	E.F.2.80.903	PANEL, lower, starboard (Mk. 2 A/c)	1	—	—	8/39
	1439800	PANEL, lower, starboard (Mk. 2A A/c)	1	—	C	8/40
	E.F.4.80.1013					
	28D/9133011	Attachments:—				
	A25/2C	Bolt, 2 BA, hex. head	2	—	C	8/41
	28D/1007981	Bolt, 2 BA, mushroom head	1	—	C	8/42
	AS.1248/ 1/2C					
	28M/1278190	Nut, stiff, 2 BA	1	—	C	8/43

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
8883	EEAS.265	PIECE, insulating	6	L44	C	8/44
13642	E.F2.81.5851	PILLAR, fixing	2	-	C	8/45
33480	EEAS.550/10	PLATE, identification, 10-way	1	L73	C	8/46
	E.F2.81.5847	PLATE, terminal identification	6	-	-	8/47
7823	EEAS.256	PLATE, terminal indent	6	-	C	8/48
13643	E.F2.81.5849	STUD, special	2	-	C	8/49
	E.F2.80.1787	SWITCHES, dimmer, assembly (Mk. 2 A/c)	1	-	-	9/1
	E.F4.80.1183	SWITCHES, dimmer, assembly (Mk. 2A A/c)	1	-	-	9/2
		Spares for:-				
	E.F2.80.941	BRACKET, switch mounting	1	-	-	9/3
	E.F2.80.85	COUPLING	1	S1	-	9/4
		Attachments:-				
28D/9140635	A25/3A	Bolt, 6 BA, hex. head	1	-	C	9/5
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	1	-	C	9/6
	E.F2.80.899	COUPLING	1	S1	-	9/7
		Attachments:-				
28D/9140635	A25/3A	Bolt, 6 BA, hex. head	1	-	C	9/8
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	1	-	C	9/9
	E.F2.80.901	COUPLING	1	S1	-	9/10
		Attachments:-				
28D/9140635	A25/3A	Bolt, 6 BA, hex. head	1	-	C	9/11
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	1	-	C	9/12
	E.F2.80.945	DIAPHRAGM, assembly	1	-	-	9/13
		Attachments:-				
28D/9137408	AS.1246/ 1/2B	Bolt, 4 BA, round head	6	-	C	9/14
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	6	-	C	9/15
5K/4346706	SP93/A6	GROMMET (Mk. 2A A/c)	1	-	C	9/16
5CW/6695	THORN ELEC. 01-0012	SWITCH, dimmer	2	-	B	9/17
		Attachments:-				
8887	H'DON & STOKES	Washer, crinkle	2	-	C	9/18
or	DP.1007					
5310-99-943-6082						
5CZ/7285	GLOSTER AWE/149-4	UNIT, pilot's control	1	-	A	9/19
		Attachments:-				
8887	D. POWIS DP.1007	Washer, crinkle	1	-	C	9/20
		Attachments:-				
28D/1007979	AS.1246/1B	Bolt, 4 BA, round head	6	-	C	9/21
28D/1214865	AS.1246/2B	Bolt, 4 BA, round head	1	-	C	9/22
	E.F2.81.1681	SWITCH, dimmer, assembly	1	-	-	9/23
		Spares for:-				
	E.F2.81.1669	BRACKET, switch mounting	1	-	-	9/24
3799	E.F2.80.85	COUPLING	-	S1	C	9/25
		Attachments:-				
28D/9140635	A25/3A	Bolt, 6 BA, hex. head	1	-	C	9/26
28M/1987493	AGS.2001/A/1	Nut, stiff, 6 BA	1	-	C	9/27

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
10919	E.F.2.81.5017								1	—	—	9/28
	E.F.2.81.5019								1	—	C	9/29
10H/23491	E.F.2.81.5021								1	L72	—	9/30
	OXLEY DEV. CO. 093/50/20P								4	—	C	9/31
RWV3-75905- Z.113239	†								1	—	C	9/32
RWV3-J5905 Z.113255	†								1	—	C	9/33
8898	EEAS.146/A1								2	—	—	9/34
	EEAS.146/O								4	—	C	9/35
5X/1010324	HELLERMANN HC.296								4	—	C	9/36
5E/ 5CX/8316	†								QR	—	C	9/37
	THORN ELEC. 80/10/1238 or 01-0052								1	—	B	9/38
8887 or 5310-99-943- 6082	H'DON & STOKES DP.1007								1	—	C	9/39
28D/9137409	AS.1246/2C								2	—	C	9/40
28D/9140203	AS.1246/3C								1	—	C	9/41
5CZ/2742	S.I.S.1909								2	—	B	9/42
28S/1200062	A33/A20								2	—	C	9/43
7871	EEAS.237/7A								3	L72	C	9/44
10920	—								—	—	—	10/1
	E.F.2.80.1159								1	L44	C	10/2
28D/9436920	A25/1C								6	—	C	10/3
	E.F.2.80.827								1	—	—	10/4
28D/1008982	AS.1248/1C								7	—	C	10/5
	—								—	—	—	10/6
10921	—								—	—	—	10/7
	E.F.2.80.841								3	L73	C	10/8
28M/1278190 28S/1011490	AGS.2001/C/1								6	—	C	10/9
	A32/C16								6	—	C	10/10

PILOT'S INSTRUMENT AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F.4.80.1147	BRACKET, lamp (Mk. 2A A/c)	1	L72	-	10/11
28M/1278190	AGS.2001/C/1	Attachments:- Nut, stiff, 2 BA	2	-	C	10/12
28S/1011490	A32/C16	Screw, 2 BA, round head	2	-	C	10/13
	E.F.4.80.1309	BRACKET, lamp (Mk. 2A A/c) (Mod. 4248)	1	L72	-	10/14
10922	E.F.2.80.1033	BRACKET, lamp	1	L73	C	10/15
5CX/	THORN ELEC. 80/10/0576	CAP, red (Mk. 2 A/c)	1	-	-	10/16
	-	COMPASS, dimmer, assembly (E.F.2.80.1217) (Mk. 2 A/c)	-	-	-	10/17
	-	COMPASS, dimmer, assembly (E.F.4.80.1239) (Mod. 4248) (Mk. 2A A/c)	1	-	-	10/18
	-	Spares for:-				
5CX/	THORN ELEC. 02-0282	BASE (Mk. 2 A/c)	1	-	-	10/19
10923	E.F.280.1075	BRACKET, compass dimmer (Mk. 2 A/c)	1	L44	C	10/20
	E.F.4.80.1241	BRACKET, compass dimmer (Mk. 2A A/c) (Mod.4248)	1	L44	-	10/21
5CX/5864	THORN ELEC. 80/10/0101	CAP, amber (Mk. 2 A/c)	1	-	-	10/22
5CW/6809	THORN ELEC. 01-0021	DIMMER, compass (Mk. 2 A/c)	1	-	B	10/23
5CW/11503	THORN ELEC. 01-0014	DIMMER, compass (Mk. 2A A/c)	1	-	B	10/24
5L/9959118	†	FILAMENT, lamp, 28v. .04a	2	-	B	10/25
10925	E.F.2.81.4647	KNOB	1	-	C	10/26
	-	Attachments:-				
28S/9446737	A55/A10	Screw, grub, 6 BA	1	-	C	10/27
5CX/5524	THORN ELEC. 80/10/0071	LAMPHOLDER, red (Mk. 2 A/c)	1	-	B	10/28
28S/1006981	A31/Z.4	SCREW, 8 BA, cheese head (fitted instead of screw supplied with base) (Mk. 2 A/c)	1	-	C	10/29
	-	Attachments:-				
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA (Mk. 2 A/c)	4	-	C	10/30
19818	E.F.2.80.1207	Plate, assembly (Mk. 2 A/c)	1	-	C	10/31
10924	E.F.2.80.1105	COVER, cable	1	L44	C	10/32
5L/9951282	†	FILAMENT, lamp, 28v. 12w.	2	-	B	10/33
5L/9951283	†	FILAMENT, lamp, 28v. 3.5w., red (2 off on Mk. 2 A/c)	3	-	B	10/34
5L/9959118	†	FILAMENT, lamp, 28v. .04a (3 off on Mk. 2A A/c)	5	-	B	10/35
	-	FLOODLIGHT, pilot's knee pad, starboard windscreen longeron, installation (E.F.2.80.1715) (Mod. 2200)	-	-	-	11/1
	-	Consisting of:-				
	E.F.3.80.3465	FLOODLIGHT, assembly	1	-	-	11/2
	-	Spares for:-				
22479	E.F.3.80.3469	ARM	1	S514	C	11/3
22478	E.F.3.80.3477	BRACKET, switch mounting	1	L72	C	11/4
24759	E.F.3.80.3467	FLOODLIGHT	1	-	C	11/5
	-	Attachments:-				
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA	2	-	C	11/6
28S/9419435	A31/B12	Screw, 4 BA, cheese head	1	-	C	11/7
28W/9419465	SP13/B	Washer, 4 BA, plain	2	-	C	11/8

INSTRUMENTS
PILOT'S INSTRUMENT AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
22480	E.F.3.80.3473	HINGE	1	EEDX265	C	11/9
24084	E.F.3.80.4257	HINGE	1	L40	C	11/10
		Attachments:—				
28D/5808473	A25/7A	Bolt, 6 BA, hex. head	1	—	C	11/11
28M/9418829	AGS.2002/A/1	Nut, stiff, 6 BA	1	—	C	11/12
28W/1011086	SP14/A	Washer, 6 BA, plain	2	—	C	11/13
5L/	THORN ELEC. V1.35CR.	LAMP, filament, 28v. 3.5w.	1	—	—	11/14
22482	E.F.3.80.3471	PLATE, bearing	1	S97	—	11/15
		Attachments:—				
28M/5808571	A27/GS	Nut, 5/16" BSF, slotted	1	—	C	11/16
28P/9527619	SP90/C7	Pin, split	1	—	C	11/17
28W/9419488	SP16/G	Washer, 5/16" BSF, plain	1	—	C	11/18
28W/9128199	SP55/G	Washer, 5/16" BSF, spring	1	—	C	11/19
5CW/	E.F.3.80.4343 HONEYWELL 2TM1-TN1	PLATE, hinge stop	1	L72	LM	11/20
		SWITCH	1	—	—	11/21
		Attachments:—				
28W/1006945	AGS.2035/E	Washer, shakeproof	2	—	C	11/22
		Attachments:—				
28D/1214091	AS.1242/2C	Bolt, 2 BA, c'sk head	3	—	C	11/23
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	11/24
28W/9419402	SP13/C	Washer, 2 BA, plain	3	—	C	11/25
	—	WIRING, floodlight, assembly (E.F.2.81.6557)	—	—	—	11/26
		(Mod. 2200)				
		Spares for:—				
	E.F.2.81.6555	CABLE, assembly, C621, from taper pin block ...	1	—	—	11/27
		to floodlight				
		Consisting of:—				
5E/3744	†	CABLE, uniflexpren 6	QR	—	C	11/28
5K/1200724	SP40/B8	GROMMET	1	—	C	11/29
5X/7430	AMP.41667	PIN, taper	2	—	C	11/30
	EEAS.146/6	SLEEVE, 3/4" long	QR	—	—	11/31
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	11/32
	EEAS.146/22	SLEEVE, 1/2" long	QR	—	—	11/33
	EEAS.146/22	SLEEVE, 3/4" long	QR	—	—	11/34
5X/9462951	HC.294	TAG, ring tongue	1	—	C	11/35
	†	TUBING, P.V.C. 5 m/m i/d x 1/2 m/m wall ...	QR	—	—	11/36
23398	EEAS.561	CONNECTOR, 4-way taper pin	2	—	C	11/37
5CX/5562	THORN ELEC. 80/10/0064	LAMPHOLDER	1	—	B	10/36
5CX/5524	THORN ELEC. 80/10/0071	LAMPHOLDER, red (2 off on Mk. 2A A/c)	3	—	B	10/37
5CX/5527	THORN ELEC. 80/10/0071	LAMPHOLDER, amber	1	—	B	10/38
23699	E.F.2.80.1727	LAMP, cockpit, assembly	1	—	C	11/38
		Consisting of:—				
	E.F.2.80.1729	DISC, perspex, 1/16", amber	1	—	—	11/39
5CX/4058	S.I.S.3008	LAMP, cockpit, type C	1	—	B	11/40
5L/9951278	†	LAMP, filament, 28v. 3.5w., amber	1	—	B	11/41
5CX/3413	S.I.S.3008	SCREEN, with aperture	1	—	B	11/42

PILOT'S INSTRUMENTS AND CONTROLS

R

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
5CX/4058	—	LAMP, cockpit, type C						2	—	B	10/39
5CX/5128	—	LAMP, cockpit, high intensity						2	—	B	10/40
28D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex. head						4	—	C	10/41
10926	E.F.2.81.3103	PLATE, mounting, port (Mod. 4783)						1	L72	C	10/42
28S/9419435	A31/B12	Attachments:— Screw, 4 BA, cheese head						2	—	C	10/43
28W/9416642	SP47/B	Washer, 4 BA, spring						2	—	C	10/44
13687	E.F.2.07.33	PLATE, mounting, starboard (E.F.2.10.3107)						1	L72	C	10/45
		(Mod. 1984) Attachments:—									
28S/1200034	A31/B16	Screw, 4 BA, cheese head						2	—	C	10/46
28W/9416642	SP47/B	Washer, 4 BA, spring						2	—	C	10/47
5CX/3414	E.F.4.80.1151	SCREEN, special, aperture (Mk. 2A A/c)						1	—	—	10/48
5CX/3430	—	SCREEN, end aperture						1	—	C	10/49
1504368	E.F.4.80.1317	SCREEN, side aperture						1	—	C	10/50
19782	E.F.2.80.1657	SHROUD (Mk. 2A A/c) (Mod. 4248)						1	—	C	10/51
	THORN ELEC. 80/10/0753	SHROUD (Mod. 2080)						1	L59	C	10/51
5CX/5570	THORN ELEC. 80/10/0644	SHROUD (Mk. 2 A/c)						1	—	—	10/52
	—	TAG, earth						1	—	C	10/53
	—	GUARD, leg, port, installation (E.F.2.80.13)						—	—	—	12/1
	—	Consisting of:—									
10928	E.F.2.80.1107	BRACKET, leg guard support						1	—	C	12/2
	—	Attachments:—									
28D/9133011	A25/2C	Bolt, 2 BA, hex. head						2	—	C	12/3
10929	E.F.2.80.811	FAIRING						1	—	C	12/4
	—	Attachments:—									
28D/914202	AS.1246/1C	Bolt, 2 BA, round head						1	—	C	12/5
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head						6	—	C	12/6
	—	GUARD, leg, starboard, installation (E.F.2.80.17)						—	—	—	12/7
	—	Consisting of:—									
	E.F.2.80.871	GUARD, leg, assembly						1	—	—	12/8
	—	Consisting of:—									
10930	E.F.2.80.873	GUARD, leg						1	—	C	12/9
10931	E.F.2.80.875	PANEL, access						1	L44	C	12/10
	—	Attachments:—									
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head						2	—	C	12/11
	—	Attachments:—									
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head						13	—	C	12/12
28D/1013284	AS.1248/2C	Bolt, 2 BA, mushroom head						1	—	C	12/13
	—	INDICATOR, direction stand-by, installation						—	—	—	12/14
	—	(E.F.2.80.1027) Consisting of:—									
10932	E.F.2.80.1029	BRACKET, mounting						1	L59	C	12/15
	—	Attachments:—									
28D/9436920	A25/1C	Bolt, 2 BA, hex. head						2	—	C	12/16
28W/9416643	SP47/C	Washer, 2 BA, spring						2	—	C	12/17

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6B/3104	FERRANTI LTD.	INDICATOR, direction, stand-by	1	—	A	12/18
		Attachments:—				
28D/1008149	A25/2B	Bolt, 4 BA hex. head	2	—	C	12/19
28M/1278189	AGS.2001/B/1	Nut, stiff, 3 BA	2	—	C	12/20
28W/9419465	SP13/B	Washer, 4 BA plain	2	—	C	12/21
	—	INDICATOR, temperature, ram air, installation	—	—	—	11/43
		(E.F4.80.1153) (Mk. 2A A/c)				
		Spares for:—				
	E.F3.80.5065	BRACKET, assembly	1	—	—	11/44
5CX/6639	THORN ELEC. 02-0289	CAP. retainer (Pre-Mod. 4359)	1	—	C	11/45
5CX/1989385	THORN ELEC. 01-0383	CAP. retainer (Mod. 4359)	1	—	C	11/50
5L/9959118	†	FILAMENT, 28v. .04 amps	1	—	B	11/46
	SANGAMO WESTON S.149-1-552	INDICATOR, ram air temperature	1	—	—	11/47
5CX/5491	THORN ELEC. 80/10/1594 E.F4.80.1159	LAMPHOLDER, pillar	1	—	B	11/48
	—	SHROUD, indicator	1	L72	—	11/49
		LIGHTING, acquisition, installation (E.F4.80.59)	—	—	—	
		(Mk. 2A A/c) (Mod. 4483)				
		Spares for:—				
28D/1010658	A25/1B	BOLT, 4 BA hex. head	2	—	C	
28D/1008149	A25/2B	BOLT, 4 BA hex. head	2	—	C	
28M/1278189	AGS.2001/B/1	NUT, stiff, 4 BA	4	—	C	
	E.F4.80.63	SCREEN, day-night	1	—	—	
28S/1200049	A31/A12	SCREW, 6 BA cheese head	1	—	C	
	E.F4.80.67	STABILISER	1	—	—	
28W/9471274	SP124/B	WASHER, 4 BA	2	—	C	
28W/9128182	SP55/B	WASHER, 4 BA spring	2	—	C	
	—	WIRING, acquisition light, assembly (E.F4.82.559) ...	—	—	—	
		Spares for:—				
	E.F4.80.61	LAMP, indicator, assembly	1	—	—	
		Spares for:—				
8B/3755	†	LAMP, indicator	1	—	B	
	—	INSTALLATION OF STOP WATCH (E.F3.80.5259)	—	—	—	
		(Pre-Mod. 4783)				
		Spares for:—				
	E.F3.80.5225	PLATE, mounting assembly	1	—	—	
		Spares for:—				
	E.F3.80.5227	PLATE, mounting	1	—	—	
6B/5209604	—	WATCH, stop assembly	1	—	B	
		Attaching parts for 6B/5209604:—				
28M/1278190	AGS.2001/C1	Nut, stiff, 2 BA	4	—	C	
28S/9435718	A33/C24	Screw, csk. head, 2 BA	4	—	C	
28W/9457834	SP124/D	Washer, 2 BA	4	—	C	
		Attaching parts for E.F3.80.5225:—				
28S/9419435	A31/B12	Screw, cheese head, 4 BA	2	—	C	
28W/9416642	SP47/B	Washer, spring	2	—	C	

A.P.101B-1002/2A-3A

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-								-	-	-	13/1
	-								-	-	-	13/2
	-								-	-	-	13/3
8892	E.B2.80.1191								1	-	C	13/3
									1	DTD239	-	13/4
									1	DTD215	-	13/5
									1	-	C	13/6
28S/9995326	A32/B20								1	S514	C	13/7
8893	E.B2.80.1195								1	-	C	13/8
28W/9416642	SP47/B								1	-	-	13/9
	E.F2.80.1489								1	-	-	13/10
	E.F4.80.1355								1	-	-	13/11
5CX/6639	THORN ELEC. 02-0289								9	-	C	13/11
R 5CX/1989385	THORN ELEC. 01-0383								9	-	C	13/70
R 5CX/7866	THORN 01-0749								9	-	C	13/12
	6T/615								1	-	C	13/12
	6A/3823								1	-	C	13/13
	13703								1	-	C	13/13
	E.F2.81.5911								1	L73	-	13/14
	E.F2.81.5913								1	-	C	13/15
28D/1013284	AS.1248/2C								1	-	C	13/16
28M/9433473	AGS.2002/C/1								1	-	C	13/16
28E/9144901	AS.3180/12C								2	-	C	13/17
	28M/9433473								3	-	C	13/18
	28M/1006473								2	-	C	13/19
	28S/1011491								1	-	C	13/20
	E.F2.81.5707								1	-	-	13/21
	E.B2.81.10967								2	-	C	13/22
	E.F2.80.1533								2	-	-	13/23
	EEAS.146/K								4	-	-	13/24
	EEAS.21A/4FR								2	-	C	13/25
12262	SP15/C								2	-	C	13/26
28W/9419475	†								9	-	B	13/27
5L/9951286	†								12	-	B	13/28
5L/9959118	†								2	-	A	13/29
6A/6302	SMITH AG.127								2	-	A	13/29
	E.F2.80.1535								4	-	C	13/30
13705	E.F2.80.1537								4	-	C	13/31
6A/4744	563/4/721								1	-	A	13/32
6A/8871	S.214.1.45								1	-	A	13/32
	A32/B16								4	-	C	13/33
28S/9992522	or								4	-	C	13/33
28S/1201335	A205/B16								4	-	C	13/34

A.P.101B-1002/2A-3A

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
1439878	E.F4.80.1047								1	-	C	13/35
28S/1200055	A33/A16								2	-	C	13/36
6A/4429	SMITH 561FL								1	-	A	13/37
28S/9995326	A32/B20								2	-	C	13/38
28M/1278189 6A/5255	AGS.2001/B/1 SANGAMO WESTON S.193.6.12B								2	-	C	13/39
28S/9995326	A32/B20								1	-	A	13/40
28S/9995326	A32/B20 or A205/B20								4	-	C	13/41
28S/1008262	A205/B20								4	-	C	13/42
5CX/5164	DOWTY								1	-	B	13/43
28S/9995326	A32/B20 or A205/B20								4	-	C	13/44
5CX/5074 5CX/7563	† PLESSEY 7CZ.107626/76								1	-	B	13/46
6TD/631 6TD/7091	ELLIOTT BROS. ELLIOTT BROS.								1	-	B	13/47
5CX/1143868	01-0496								1	-	A	13/48
5CX/1144130	01-0498								1	-	A	13/49
5CX/5415	PAGE ENG. A915/C/5 E.F2.80.1491 E.F4.80.1357								2	-	B	13/50
1504917 5CX/5995	E.F4.80.1363 PAINTON CV.2/250								9	-	B	13/51
10W/0119487	COLVERN CLR.1231/268								1	-	B	13/52
5CX/5997	PAINTON CV.2/3500								1	-	-	13/53
5CX/8735	COLVERN CLR.1206/9S								1	-	-	13/54
28W/1006941	AGS.2034/G								1	-	C	13/55
10672	AS.2811/5/040								3	-	B	13/56
									1	-	B	13/57
									4	-	C	13/57
									3	-	C	13/58

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
1484378	E.F2.80.1871	PANEL, sub-assembly	1	-	C	14/26
	E.B3.80.529	Spares for:- BLOCK, tapped, assembly	2	-	-	14/27
	AS.4921/2	Spares for:- INSERT, wire thread, 2 BA	1	-	-	14/28
28N/20158	AS.4921/13	INSERT, wire thread, 4 BA	1	-	C	14/29
	E.B3.80.541	BLOCK, tapped, assembly	3	-	-	14/30
	AS.4921/13	Spares for:- INSERT, wire thread, 4 BA	1	-	C	14/31
28N/20158	E.B2.80.539	BRACKET, rectifier mounting	1	-	-	14/32
22844	E.F3.80.3705	CONTACT, 26 SWG	22	-	C	14/33
	A47/Z	Attachments:- Nut, 8 BA, plain	22	-	C	14/34
28M/9403517	A32/Z8	Screw, 8 BA, round head	22	-	C	14/35
28S/1006960	E.B4.80.1211	Tag, 30 SWG	22	-	C	14/36
9499	DP.1001	Washer, crinkle	22	-	C	14/37
10AC/9436075	E.F2.80.1845	PANEL	1	L44	-	14/38
	E.F2.80.797	PANEL, plastek (Mk. 2 A/c)	1	-	C	14/39
10937	E.F4.80.1267	PANEL, trans-illuminated (Mk. 2A A/c)	1	Plastek	C	14/40
1484481	E.F2.80.1883	PLATE, caption and card holder, assembly	1	-	C	14/41
1485430	E.F2.80.1165	PLATE, shield	1	-	C	14/45
10939	AS.1246/7C	Attachments:- Bolt, 2 BA, round head	3	-	C	14/46
28D/1215080	CV.7038	RECTIFIER	23	-	B	14/47
10CV/7038	E.F2.80.1709	SHIELD, caption plate	1	L44	C	14/48
22068	E.B3.80.533	Attachments:- Screw, knurled	2	S114	C	14/49
1484373	DP.1003	Washer, crinkle	2	-	C	14/50
10AC/9436077	A236	SHROUD, 12-way switch	1	-	C	14/51
5CW/6751	N.S.F.	SWITCH, toggle	1	-	C	14/52
5CW/6511	8810/B101	Attachments:- Ring, switch locking	1	Nylon	C	14/53
	EEAS.200	SWITCH, push button, 12-way	1	-	B	14/54
5836	C.1104/C5	SWITCH, push button	1	-	B	14/55
5CW/6508	C.675/C5	SWITCH, (Mk. 2A A/c)	1	-	B	14/56
5CW/7024	S.I.S.6256	SWITCH, push button	1	-	B	14/57
5CW/6893	E.F2.81.4899	TAG, earth	1	BS267	C	14/58
5CW/5057	80/10/0644	TAG, earth	4	-	C	14/59
5CW/5057	10942	Attachments:- Bolt, 2 BA, mushroom head	2	-	C	14/60
10942	AS.1248/ 1/2C					
5CX/5570						
28D/1007981						

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	—											
	—											
	E.F.2.10.3051											
28N/5805288	AS.4736/1											
28D/1007971 7324 or 5310-99-943- 6077	A25/ 1/2B H'DON & STOKES DP.1003											
	E.F.2.80.1543 E.F.4.80.1257											
5CX/5478 5CX/6639	† THORN ELEC. 02.0289											
R 5CX/1989385	THORN ELEC. 01.0383											
R 5CX/7866	THORN 01-0749											
5K/4346709 5K/1058171 75BB/33	SP93/A4 SP93/A12 †											
28S/9995326	A32/B20 or											
28S/1008262	A205/B20											
28S/1007817	A32/B24 or											
28S/9129541 28W/9419486	A205/B24 SP16/B											
5CZ/7304	PLESSEY 7CZ.107626/23											
5L/9959118 5CX/1144130 5CX/1143868 5836	† 01-0498 01-0496 EEAS.200 E.F.2.03.32											
	E.F.4.80.1261											
5CW/5839	N.S.F. LTD. 8810/B104											
5CW/6893	PAGE ENG. C.675/C/5											
5CW/7124	PAGE ENG. C.1104/E/5											
28D/1011006 28M/1278189 26FZ/4861	A25/5B AGS.2001/B/1 EEAS.31/5R											
	E.F.2.10.318											
5CX/6639	THORN ELEC. 02.0289											
5CX/1989385	THORN ELEC. 01-0383											
5L/9959118 5K/2877	† SP40/A8											

A.P.101B-1002/2A-3A

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5CX/5414	PAGE ENG. CO. A915/B/5							LAMP, warning	1	-	B	15/36
5CX/1144130	THORN ELEC. 01-0498 E.F.2.03.31							PILLAR, lampholder	2	-	B	15/37
	E.F.2.80.1473							SHROUD, extension, assembly (E.F.2.80.1693) Spares for:-	1	-	-	15/38
								BRACKET, assembly	1	-	-	15/39
28D/1007982	AS.1248/1C							Attachments:- Bolt, 2 BA, mushroom head	3	-	C	15/40
	AS.2809/4/023							Piece, distance	3	-	-	15/41
28W/9419475	SP15/C							Washer, 2 BA, plain	3	-	C	15/42
28W/9416643	SP47/C							Washer, 2 BA, spring	3	-	C	15/43
10945	E.F.2.82.181							HOLDER, hinged card, assembly	1	-	C	15/44
								(Pre-Mod. 2077)				
	E.F.2.82.561							HOLDER, hinged card, assembly (Mod. 2077) ...	1	-	-	15/45
								Spares for:-				
	E.F.2.82.183							CARDHOLDER, hinged	1	DTD634	-	15/46
28FP/4069678	AW3-30							FASTENER, dzus, wing-type	1	-	C	15/47
28FP/9138002	GA3-175							GROMMET, dzus	1	-	C	15/48
	E.B.2.82.1401							PIN, wire hinge, 16 SWG, 2".87 long	1	DTD239	-	15/49
28FP/9434091	S3-175							SPRING, dzus	1	-	C	15/50
	E.F.2.80.1695							STRIP, sealing, rubber, 1".94, 1".25 x 1/16"	1	-	C	15/51
								thick				
	E.F.2.80.1697							STRIP, retaining	1	L59	-	15/52
5CW/9009	PAGE ENG. C.751/F/20							SWITCH (Mod. 2077)	1	-	C	15/53
5Q/107	S.I.S.5479							VOLTMETER	1	-	A	15/54
								Attachments:-				
28S/9992522	A32/B16							Screw, 4 BA, round head	4	-	C	15/55
								WIRING, starboard, extension shroud	-	-	-	15/56
								(E.F.3.81.5885)				
								Consisting of:-				
5X/7339	HC.1280							PIN, taper	4	-	C	15/57
	or											
5X/7429	A.M.P.41664							SLEEVE, 3/4" long	4	-	C	15/58
8898	EEAS.146/O							SLEEVE, 1" long	4	-	-	15/59
	EEAS.146/C							SLEEVE, 1-1/2" long	4	-	-	15/60
	EEAS.146/C							Attachments:-				
28D/1007971	A25/ 1/2B							Bolt, 4 BA, hex. head	3	-	C	15/61
7324	H'DON							Washer, crinkle	6	-	C	15/62
or	& STOKES											
5310-99-943-6007	DP.1003							SHROUD, extension, starboard, assembly	1	-	-	15/63
	E.F.4.80.1053							(Mk. 2A A/c)				
								Spares for:-				
	E.F.4.80.1055							BRACKET, voltmeter, assembly	1	-	-	15/64
								Spares for:-				
	E.F.4.80.1197							BRACKET, sub-assembly	1	-	-	15/65
5CX/6639	THORN ELEC. 02-0289							CAP, retainer (Pre-Mod. 4359)	2	-	C	15/66
R 5CX/1989385	THORN ELEC. 01-0383							CAP, retainer (Mod. 4359) (Pre-Mod. 4805)	2	-	C	15/89
R 5CX/7866	THORN 01-0749							CAP, retainer (Mod. 4805)	2	-	C	
5L/9959118	† PAGE ENG. B.4900/0032							FLAMENT, lamp, 28v., 0.04 amp.	3	-	B	15/67
								GAUGE, oxygen contents	1	-	-	15/68
								Attachments:-				
1441482	E.F.4.80.1193							Screw, special	1	S114	C	15/69

Restricted

Page F24

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
5CX/5414	PAGE ENG. CO. A915/B5						LAMP, warning, armed time	1	—	B	15/70
5CX/1144130	THORN ELEC. 01-0498						LAMPHOLDER, pillar	2	—	B	15/71
5CX/5570	THORN ELEC. 80/10/0644						TAG, earth	1	—	C	15/72
	PAGE ENG. CO. B.3300/0056						VOLTMETER	1	—	A	15/73
	ELLIOT BROS. 3B.1351						Attachments:— Clamp, unit	1	—	—	15/74
28D/1007982	AS.1248/1C						Attachments:— Bolt, 2 BA, mushroom head	3	—	C	15/75
28W/9419475	SP15/C						Washer, 2 BA, plain	3	—	C	15/76
28W/9416643	SP47/C						Washer, 2 BA, spring	3	—	C	15/77
5CX/6639	THORN ELEC. 02-0289						CAP, retainer (Pre-Mod. 4359)	2	—	C	15/78
R 5CX/1989385	THORN ELEC. 01-0383						CAP, retainer (Mod. 4359) (Pre-Mod. 4805)	2	—	C	15/90
R 5CX/7866	THORN 01-0749						CAP, retainer (Mod. 4805)	2	—	C	
5L/9959118	†						FILAMENT, lamp, 28v. 0.04a	2	—	C	15/79
5K/2887	SP40/A4						GROMMET, rubber	1	—	C	15/80
5CX/1144130	THORN ELEC. 01-0498						LAMPHOLDER, pillar	2	—	B	15/81
1439801	E.F.4.80.1059						SHROUD, extension, assembly	1	—	C	15/82
	E.F.2.82.561						Spares for:— HOLDER, hinged card, assembly	1	—	—	15/83
	E.F.4.80.1125						STRIP, sealing, natural rubber	1	S/H34	—	15/84
	E.F.4.80.1127						STRIP, retaining	1	L59	—	15/85
5CW/9009	PAGE ENG. CO. C.751/F/20						SWITCH	1	—	B	15/86
	—						PANEL, instrument, starboard, installation (E.F.2.80.31) (Mk. 2 A/c)	—	—	—	16/1
	—						PANEL, instrument, starboard, installation (E.F.4.80.1039) (Mk. 2A A/c)	—	—	—	16/2
	—						Spares for:—				
10946	E.F.2.80.357						FITTING, panel support, top	1	—	C	16/3
10947	E.F.2.80.359						FITTING, panel support, bottom outboard	1	—	C	16/4
10948	E.F.2.80.361						FITTING, panel support, bottom inboard	1	—	C	16/5
5K/3390	AS.3360/B/3B						LEAD, bonding	—	—	C	16/6
27H/2952	S.I.S.5675						MOUNTING, A.V., 4lb. rating	6	—	B	16/7
	E.F.2.80.1257						PANEL, instrument, starboard, assembly (Mk. 2 A/c)	1	—	—	16/8
	E.F.4.80.1035						PANEL, instrument, starboard, assembly (Mk. 2A A/c)	1	—	—	16/9
	—						Consisting of:—				
5CX/6639	THORN ELEC. 02-0289						CAP, retainer (Pre-Mod. 4359)	9	—	C	16/10
R 5CX/1989385	THORN ELEC. 01-0383						CAP, retainer (Mod. 4359) (Pre-Mod. 4805)	9	—	C	16/46
R 5CX/7866	THORN 01-0749						CAP, retainer (Mod. 4805)	10	—	C	
6A/3823	S.I.S.6116						CLAMP, instrument securing	4	—	C	16/11
5L/9959118	†						FILAMENT, lamp, 28v. .04a	10	—	B	16/12
6A/5548	SANGAMO WESTON S.149.3.101						GAUGE, jet pipe temperature	2	—	B	16/13
6A/8268	SMITHS PW.895.FL						INDICATOR, jet pipe nozzle (Mk. 2A A/c)	1	—	B	16/14
	—						Attachments:—				
28D/9130082	AS.1246/3B						Bolt, 4 BA, round head	2	—	C	16/15
18W/9419465	SP13/B						Washer, 4 BA, plain	2	—	C	16/16
5CX/1144130	01-0498						LAMPHOLDER, single pillar	10	—	B	16/17
	E.F.3.80.1253						PANEL, instrument, starboard (Mk. 2 A/c)	1	L72	—	16/18

Restricted

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5836 5CW/6848	E.F4.80.1037	PANEL, instrument, starboard (Mk. 2A A/c)	1	—	—	16/19
	EEAS.200	RING, switch locking	1	Nylon	C	16/20
	N.S.F. LTD. 8824/B113	SWITCH, emergency lights (Mk. 2 A/c)	1	—	B	16/21
5CW/5515	ROTAX D.5431/1/L	SWITCH, change over, 20 amps. (Mk. 2 A/c)	1	—	B	16/22
28S/1201448 7324 or 5310-99-943- 6077	A31/B10	Attachments:— Screw, 4 BA, cheese head	2	—	C	16/23
	H'DON & STOKES DP.1003	Washer, crinkle	2	—	C	16/24
6A/3251	S.I.S.6119	TACHOMETER, indicating, Mk. 11	2	—	A	16/25
	—	WIRING, instrument panel, starboard (E.F2.81.5525) (Mk. 2 A/c)	—	—	—	16/26
	—	WIRING, instrument panel, starboard (E.F4.81.4505) (Mk. 2A A/c) Consisting of:—	—	—	—	16/27
28D/1215078 33H/10	AS.1246/5C †	BOLT, 2 BA, round head	1	—	C	16/28
	—	BOSTIK, No. 1775	QR	DTD900/ 4419	C	16/29
28E/9144091 8755* 23398 9553 5K/3687	AS.3180/10C	CLIP, "P"	1	—	C	16/30
	E.B2.81.7595	CONNECTOR, taper pin	1	—	C	16/31
	EEAS.561	CONNECTOR, taper pin	1	—	C	16/32
	E.B2.81.10967	CONNECTOR, 14 way	1	—	C	16/33
	HELLERMANN NL.8143	COVER, insulating	1	—	C	16/34
4716	NATIONAL PLASTICS X.114	EXTRUSION, P.V.C.	QR	—	C	16/35
28M/9433473 5X/7339	AGS.2002/C/1	NUT, stiff, 2 BA	1	—	C	16/36
	HELLERMANN HC.1280	PIN, taper	12	—	C	16/37
5X/7430 8896	AMP.41667	SLEEVE, special	1	—	C	16/38
	E.B2.81.8211	SLEEVE, 1" long	QR	—	—	16/39
	EEAS.146/C	SLEEVE, 1" long	QR	—	—	16/40
	EEAS.146/D	SLEEVE, 1" long	QR	—	—	16/41
	EEAS.146/K	SLEEVE, 3/8" long	2	—	—	16/41
12944	E.F2.81.5561	SPACER	1	BS2572 Type F3	C	16/42
7871	EEAS.237/7A	WASHER, "D"	1	L72	C	16/43
28M/9480017	AGS.2001/E/1	Attachments:— Nut, stiff, 1/4" BSF	3	—	C	16/44
10951	EEAS.27/46ER	WASHER, special, A.V. mountings	9	—	C	16/45
10934	E.F2.80.819	PANEL, centralised warning, installation (E.F2.80.37) Spares for:—	—	—	—	12/22
28D/1007982	AS.1248/1C	CLIP, harness stowage	1	—	C	12/23
10952	E.B2.81.10521	Attachments:— Bolt, 2 BA, mushroom head	1	—	C	12/24
	PACKING	1	LFS26	C	12/25	
28D/9133011	A25/2C	Attachments:— Bolt, 2 BA, hex. head	2	—	C	12/26
28W/1006946	AGS.2035/C	Washer, shakeproof	2	—	C	12/27

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
6111	E.B2.81.11857	PACKING							1	LFS26	C	12/28	
28D/9133011	A25/2C	Attachments:— Bolt, 2 BA, hex. head							2	—	C	12/29	
28W/1006946	AGS.2035/C	Washer, shakeproof							2	—	C	12/30	
5CZ/6255	PAGE ENG. C1970	UNIT, indicator (Pre-Mod. 2158)							1	—	A	12/31	
5CZ/7323	PAGE ENG. C3840	UNIT, indicator (Mod. 2158)							1	—	A	12/32	
28D/9138768	A25/-1/2C	Attachments:— Bolt, 2 BA, hex. head							1	—	C	12/33	
28D/9436920	A25/1C	Bolt, 2 BA, hex. head							1	—	C	12/34	
28D/1010030	A25/7C	Bolt, 2 BA, hex. head							2	—	C	12/35	
28W/1006946	AGS.2035/C	Washer, shakeproof							4	—	C	12/36	
	E.F2.80.1611	PANEL, switch, console, port, assembly (Mod. 2101) (Mk. 2 A/c)							1	—	—	17/1	
	E.F4.80.1027	PANEL, switch, console, port, assembly (Mk. 2A A/c) Consisting of:—							1	—	—	17/2	
5X/6630	PLESSEY CZ.72441	BLOCK, terminal, miniature, 5-way (Mk. 2 A/c)							3	—	C	17/3	
28M/1987493	AGS.2001/A/1	Attachments:— Nut, stiff, 6 BA							6	—	C	17/4	
28S/1200081	A32/A18	Screw, 6 BA, round head							6	—	C	17/5	
5CX/5289	THORN ELEC. 80/10/0059	CAP, lampholder, grey/red							6	—	C	17/6	
5L/9959118	†	FILAMENT, lamp, 28v. .04a.							6	—	B	17/7	
5K/2887	SP40/A4	GROMMET, rubber							1	—	C	17/8	
5K/2932	SP40/A22	GROMMET, rubber							1	—	C	17/9	
5K/1200715	SP40/B6	GROMMET, rubber (Mk. 2 A/c)							2	—	C	17/10	
5CX/5562	THORN ELEC. 80/10/0064	LAMPHOLDER							6	—	B	17/10	
	E.F2.80.1617	PANEL, switch, console, port (Mk. 2 A/c)							1	L44	C	17/11	
1439880	E.F4.80.1029	PANEL, switch, console, port (Mk. 2A A/c)							1	L44	B	17/12	
10953	E.F2.80.803	PANEL, plastek							1	—	C	17/13	
10954	E.F2.80.807	PANEL, plastek (Mk. 2 A/c)							1	—	C	17/14	
1439877	E.F4.80.1031	PANEL, trans-illuminated, 3/16" thick (Mk. 2A A/c)							1	Plastic	C	17/15	
8883	EEAS.265	PIECE, insulating (Mk. 2 A/c)							3	L44	C	17/16	
	E.F2.80.1441	PLATE, blanking (Mod. 2005) (Mk. 2 A/c)							1	L72	LM	17/17	
28S/9506990	4101/2-1/4"	Attachments:— Screw, self tapping							3	L73	C	17/18	
	E.F4.80.1303	PLATE, key, assembly							1	—	—	—	
1503803	E.F3.88.2555	Spares for:— KEY, operating, assembly Consisting of:—							1	—	C	—	
	E.F3.88.2513	BAR, tommy							1	—	—	—	
	E.F3.88.2557	BODY, key							1	—	—	—	
	E.F3.88.2511	PEG, driving							1	—	—	—	
7823	EEAS.256	PLATE, terminal ident. (Mk. 2 A/c)							3	L73	C	17/19	
5836	EEAS.200	RING, switch locking							3	Nylon	C	17/20	
8942	E.B2.80.1123	SWITCH, rudder trim, group Consisting of:—							1	—	B	17/21	
9493	E.B2.81.6473	KEY							1	DTD166	C	17/22	
9494	E.B2.80.1129	KNOB, switch							1	L65	C	17/23	
9495	E.B2.81.6475	NUT, special							1	B11	C	17/24	
5CW/6512	E.B2.81.6477	SWITCH							1	—	B	17/25	
28W/9419447	SP41/C	WASHER, tab							1	—	C	17/26	
8943	E.B2.80.1125	SWITCH, rudder trim, group Consisting of:—							1	—	B	17/27	
9493	E.B2.81.6473	KEY							1	DTD166	C	17/22	
9496	E.B2.80.1127	KNOB, switch							1	L65	C	17/28	
9495	E.B2.81.6475	NUT, special							1	B11	C	17/24	

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5CW/6512	E.B2.81.6477	SWITCH	1	-	B	17/25
28W/9419447	SP41/C	WASHER, tab	1	-	C	17/26
5CW/5515	ROTAX D.5431-1	SWITCH, toggle (Mk. 2A A/c)	1	-	B	17/29
		Attachments:-				
28S/9995325	A33/B8	Screw, 4 BA, c'sk head	2	-	C	17/30
5CW/5056	S.I.S.6256	SWITCH, push	2	-	B	17/31
		Attachments:-				
28M/9403517	A47/Z	Nut, 8 BA, plain	4	-	C	17/32
28S/1011493	A32/Z.10	Screw, 8 BA, round head	4	-	C	17/33
5CW/5060	S.I.S.6256	Shroud	2	-	C	17/34
28W/1007779	AGS.2035/AA	Washer, shakeproof	4	-	C	17/35
5CX/5570	THORN ELEC. 80/10/0644	TAG, earth	6	-	C	17/36
		WIRING, console, port (E.F2.6257) (Mk. 2 A/c)	-	-	-	17/37
		WIRING, console, port (E.F4.81.4507) (Mk. 2A A/c)	-	-	-	17/38
		Spares for:-				
	E.B3.81.1879	CABLE, assembly, C24 (Pre-Mod. 4673)	1	-	-	
	E.F4.81.5185	CABLE, assembly, C24 (Mod. 4673)	1	-	-	
5960-99-037- 2036	TEXAS INSTS. IS.111	RECTIFIER, silicone (Mk. 2 A/c)	5	-	B	17/39
8908	EEAS.270	SCREW, special	2	-	C	17/40
5CX/5569	THORN ELEC. 80/10/0300	SHROUD, terminal	6	-	C	17/41
8909*	E.B2.81.8209	SLEEVE, special	2	-	C	17/42
23687	EEAS.563	SLEEVE (Mk. 2A A/c)	2	-	C	17/43
		Attachments:-				
28D/1007982	AS.1248/1C	Bolt, 2 BA, mushroom head	2	-	C	17/44
28D/1212796	AS.1248/13C	Bolt, 2 BA, mushroom head	1	-	C	17/45
28D/1011026	A25/26C	Bolt, 2 BA, hex. head	1	-	C	17/46
	E.F2.80.1651	PANELS, indicator, below gunsight, group (Mod. 2101) (Mk. 2 A/c)	1	-	-	18/1
	E.F4.80.1067	PANELS, indicator, below gunsight, group (Mk. 2A A/c)	1	-	-	18/2
		Spares for:-				
19813	E.F2.80.1631	BRACKET, lamp, port	1	L72	C	18/3
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	1	-	C	18/4
19814	E.F2.80.1655	BRACKET, lamp, starboard	1	L72	C	18/5
5X/	THORN ELEC. 80/10/0069	CAP, lampholder, amber	2	-	-	18/6
5L/9959118	†	LAMP, filament, 28v. .04A	2	-	B	18/7
5X/	THORN ELEC. 80/10/0064	LAMPHOLDER	2	-	-	18/8
	E.F2.80.1633	PANEL, indicator, centre, assembly (Mk. 2 A/c)	1	-	-	18/9
	E.F4.80.1065	PANEL, indicator, centre, assembly (Mk. 2A A/c)	1	-	-	18/10
		Spares for:-				
	E.F2.80.1639	BLOCK, screen retaining	1	L59	-	18/11
	WARD BROOKE WB.1148/S/3Y	BLOCK, terminal, 3-way	2	-	-	18/12
		Attachments:-				
28M/1006504	A27/BT	Nut, 4 BA, thin	4	-	C	18/13
28W/9419474	SP15/B	Washer, 4 BA, plain	4	-	C	18/14
28W/1200328	AGS.2037/B	Washer, 4 BA, shakeproof	4	-	C	18/15

R
R

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
33704 5CX/5320	E.F2.80.1799	BRACKET, spigot	1	—	C	18/16
	THORN ELEC. 80/10/0282	COLLET	5	—	C	18/17
R 5CZ/4340073	WARD BROOKE WB.1148/B3	COVER, terminal block	2	—	C	18/18
		Attachments:—				
19811	E.F2.80.1671	Pillar, fixing	4	—	C	18/19
28S/1212705	A40/B10	Screw, 4 BA, round head	4	—	C	18/20
28W/9419474	SP15/B	Washer, 4 BA, plain	4	—	C	18/21
28W/1200328	AGS.2037/B	Washer, 4 BA, shakeproof	4	—	C	18/22
5K/2871	SP40/A12	GROMMET, rubber	1	—	C	18/23
5L/9959118	†	LAMP, filament, 28v. .04A	5	—	B	18/24
	THORN ELEC. 80/10/0281	LAMPHOLDER, multiple, 6-way	1	—	—	18/25
	E.F2.80.1797	LAMPHOLDER, multiple, 2-way	2	—	—	18/26
	E.F2.80.1689	MOUNTING, block, assembly	1	—	—	18/27
		Attachments:—				
28M/1006504	A27/BT	Nut, 4 BA, thin	4	—	C	18/28
28S/1007817	A32/B24	Screw, 4 BA, round head	4	—	C	18/29
28W/1200328	AGS.2037/B	Washer, 4 BA, shakeproof	4	—	C	18/30
	E.F2.80.1691	PIECE, insulating, .020 thick	1	Micaplate	—	18/31
19812	E.F2.80.1641	SCREEN, assembly	1	—	C	18/32
		Spares for:—				
	E.F2.80.1647	KNOB, dimming	1	S21	—	18/33
		Attachments:—				
28S/1200057	A33/A8	Screw, 6 BA, c'sk head	1	—	C	18/34
	E.F2.80.1643	SCREEN, caption, green	1	Perspex	—	18/35
	E.F2.80.1687	SCREEN, dimming, sub-assembly	1	—	—	18/36
		Spares for:—				
	E.F2.80.1645	SCREEN, dimming, clear	1	Perspex	—	18/37
	E.F2.80.1685	SCREEN, dimming, green	1	Dymo tape 110G	—	18/38
	E.F2.80.1635	SHIELD, identification (Mk. 2 A/c)	1	L72	—	18/39
	E.F4.80.1069	SHIELD, identification (Mk. 2A A/c)	1	—	—	18/40
	E.F2.80.1653	PANEL, indicator, starboard, assembly	1	—	—	18/41
		Spares for:—				
5X/	THORN ELEC. 80/10/0059	CAP, lampholder, grey/red	2	—	—	18/42
	PLESSEY LTD. 7CZ.143684/18	INDICATOR, electro-magnetic	1	—	—	18/43
	PLESSEY LTD. 7CZ.143684/37	INDICATOR, electro-magnetic	1	—	—	18/44
5L/9959118	†	LAMP, filament, 28v. .04A	2	—	B	18/45
R 5CX/5562	THORN ELEC. 80/10/0064	LAMPHOLDER	2	—	C	18/46
	10508	PACKING	1	LFS26	C	18/47
	10510	PANEL, plastek	1	—	C	18/48
	E.F2.80.1663	PANEL, indicator	1	L72	—	18/49
R 5CX/5570	THORN ELEC. 80/10/0644	TAG, earth	1	—	C	18/50
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	1	—	C	18/51
18070	E.F2.80.1579	SCREEN, lamp	2	—	C	18/52

A.P.101B-1002/2A-3A

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		PANEL, coaming and extension shroud, port installation (E.B2.80.1091) (Mk. 2 A/c)	1			19/1
		PANEL, coaming and extension shroud, port installation (E.F4.80.1017) (Mk. 2A A/c)	1			19/2
		Spares for:—				
	E.F2.80.1811	PANEL, coaming, port, assembly (Mod. 2532) (Mk. 2 A/c)	1			19/3
	E.F4.80.1019	PANEL, coaming, port, assembly (Mk. 2A A/c) (Pre-Mod. 4517)	1			19/4
	E.F4.80.1369	PANEL, coaming, port, assembly (Mk. 2A A/c) (Mod. 4517) (Pre-Mod. 4663)	1			
	E.F4.80.1425	PANEL, coaming, port, assembly (Mk. 2A A/c) (Mod. 4663)	1			
		Spares for:—				
	6A/5418	Accelerometer, Mk. 3 (Pre-Mod. 4663)	1		A	19/5
		Attachments:—				
	28S/1011488	Screw, 4 BA round head	3		C	19/6
	28S/9998415	Screw, No. 6 UNC, pan head	3		C	19/7
	6A/8978	ALTIMETER, standby, Mk. 26	1		A	19/8
	28S/1008158	Attachments:— Screw, No. 8 UNC, pan head	3		C	19/9
	10511	BUSH	2	L34	C	19/10
	5CX/6639	CAP, retainer (Mk. 2A A/c) (Pre-Mod. 4359)	5		C	19/11
	5CX/1989385	CAP, retainer (Mk. 2A A/c) (Mod. 4359)	5		C	19/41
	26DK/23824	CLAMP, securing (Mod. 4663)	1		C	19/12
	13769	CONNECTOR, electrical, assembly	1			
		Spares for:—				
		CLIP, special	1	L73		19/13
	E.F2.81.5703	CLIP, special	1			19/14
	E.F2.81.5707	CLIP, special	1		C	19/15
	E.B2.81.10967	CONNECTOR, 14-way	5		B	19/16
	9553	FILAMENT, lamp, 28v. .04A	5		A	19/17
	5L/9959118	HORIZON, artificial, Mk. 6H	1			
	6A/6819	Attachments:—				
	28S/1200040	Screw, 4 BA cheese head	3		C	19/18
	6A/12667	INDICATOR, ram air temp. (Mod. 4663)	1			
	5CX/1143868	LAMPHOLDER, single pillar	2		B	19/19
	5CX/1144130	LAMPHOLDER, single pillar	3		B	19/20
	5CX/5414	LAMP, warning (Mk. 2A A/c) (Pre-Mod. 4517)	1		B	19/21
	5CW/6461	LAMP, warning (Mk. 2A A/c) (Mod. 4517)	1		C	19/22
	E.F2.80.1813	PANEL, coaming, port (Mk. 2 A/c)	1			19/23
	E.F4.80.1021	PANEL, coaming, port (Mk. 2A A/c) (Pre-Mod. 5417)	1			
	E.F4.80.1371	PANEL, coaming, port, assembly (Mk. 2A A/c) (Mod. 4517)	1			
	E.F4.80.1431	PLATE, fixing (Mod. 4663)	1			
	28DU/9480226	Attachments:—				
	28M/94801031	Bolt, No. 6 UNC, pan head	2		C	
	28W/9419465	Nut, stiff, UNC 2B	2		C	
		Washer, 4 BA plain	2		C	
	5CW/4400499	SWITCH, push button (Mod. 4725)	1		B	
	10942	TAG, earth (Mk. 2A A/c) (Pre-Mod. 4517)	1		C	19/24
		WIRING, panel, port coaming, assembly (E.F2.81.6621) (Mod. 2532) (Mk. 2 A/c)	1			19/25
		WIRING, panel, port coaming, assembly (E.F4.81.4501) (Mk. 2A A/c)	1			19/26
		Consisting of:—				
	5E/3893	CABLE, Unitercil No. 22	QR		C	19/27
	5X/7339	PIN, taper (4 off on Mk. 2 A/c)	5		C	19/28
	5X/7226	PIN, taper	2		C	19/29
	5X/7429	PIN, taper (4 off Mk. 2 A/c)	5		C	19/30
	5X/7430	PIN, taper	2		C	19/31
		SLEEVE, 1" long	QR			19/32
		SLEEVE, 3/8" long	QR			19/33
		SLEEVE, 3/4" long	QR			19/34
	5X/1010324	TERMINAL, ring tongue	8		C	19/35

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5E/	-	WIRE, equipment, type B/19/0076, blue							QR	EL1930	-	19/36
28D/1007981	AS.1248/-1/2C	Attachments:-										
28D/9133012	A25/3C	Bolt, 2:BA mushroom head							1	-	C	19/37
28W/9419402	SP13/C	Bolt, 2:BA hex. head							1	-	C	19/38
28W/9419404	SP16/C	Washer, 2:BA plain							1	-	C	19/39
		Washer, 2:BA plain							1	-	C	19/40
	E.F.2.80.1837	SHROUD, extension, port, assembly (Mod. 4203)							1	-	-	20/1
1441479	E.F.4.80.1117	SHROUD, extension, port, assembly (Mk. 2A A/c)							1	-	C	20/2
		Spares for:-										
7315	E.B.2.80.1101	ATTENTION-GETTER							1	-	C	21/1
5CZ/7402	WARD BROOKE WB/1110/D/3B	BLOCK, terminal							1	-	B	20/3
		Attachments:-										
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	-	C	20/4
28S/1213962	A41/B28	Screw, 4 BA csk. head							2	-	C	20/5
28W/9419474	SP15/B	Washer, 4 BA plain							2	-	C	20/6
5CZ/7142	WARD BROOKE WB/1110/S/3B	BLOCK, terminal							1	-	B	20/7
		Attachments:-										
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA							2	-	C	20/8
28S/1213961	A41/B24	Screw, 4 BA csk. head							2	-	C	20/9
28W/9419474	SP15/B	Washer, 4 BA plain							2	-	C	20/10
	E.F.2.80.1839	BRACKET, and switches, AC and GEN, assembly							1	-	-	21/2
		(Mod. 4203)										
		Consisting of:-										
5CX/1989385	E.F.2.80.1841 THORN ELEC. 01-0383	BRACKET, switch							1	L72	-	21/3
		CAP, retainer (Mod. 4359)							1	-	C	21/56
5L/9959118	†	LAMP, filament, 28v. .04 amp							1	-	B	21/4
5CX/1143868	THORN ELEC. 01-0496	LAMPHOLDER, pillar							1	-	B	21/5
	E.F.2.80.1867	PLATE, mounting, lamp							1	S515	-	21/6
28S/9135420	A32/Z12	Attachments:-										
		Screw, 8 BA round head							2	-	C	21/7
5CW/8317	DOWTY C.5162Y Mk. 12	SWITCH, push button							2	-	B	21/8
		Attachments:-										
28M/9403517	A47/Z	Nut, 8 BA plain							4	-	C	21/9
28S/9135420	A32/Z12	Screw, 8 BA, round head							4	-	C	21/10
5CW/5060	D.5194Y	Shroud, switch							2	-	C	21/11
28W/1206039	AGS.2035/AA	Washer, 8 BA shakeproof							5	-	C	21/12
		Attachments:-										
28D/1010658	A25/1B	Bolt, 4:BA hex. head							1	-	C	21/13
28D/1008149	A25/2B	Bolt, 4:BA hex. head							2	-	C	21/14
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA							3	-	C	21/15
28W/9419474	SP15/B	Washer, 4 BA plain							3	-	C	21/16
5CX/6639	THORN ELEC. 02-0289	CAP, retainer (Pre-Mod. 4359)							2	-	C	21/17
R 5CX/1989385	THORN ELEC. 01-0383	CAP, retainer (Mod. 4359) (Pre-Mod. 4805)							2	-	C	21/57
R 5CX/7866	THORN 01-0749	CAP, retainer (Mod. 4805)							2	-	-	
12249	E.F.2.10.3067	CLIP, forward							1	-	C	21/18
		Attachments:-										
28S/1011490	A32/C14	Screw, 2 BA round head							1	-	C	21/19
28S/1200053	A33/C16	Screw, 2 BA csk. head							1	-	C	21/20
28W/1006946	AGS.2035/C	Washer, 2 BA shakeproof							2	-	C	21/21

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5CW/7080	N.S.F. 8832/B102											
	12578	AS.2809/4/025										
	10672	AS.2811/5/040										
R 6B/5209604	—											
	E.F.4.80.1437											
R 28D/9436120	A25/1C											
R 28M/1278190	AGS.2001/C1											
R 28W/9129655	SP122/B											
	7316	UNBRAKO										
	7317	UNBRAKO										
	—											
	10517	E.F.2.80.431										
	28S/1200047	A31/C24										
	28W/1009699	SP55/C										
	E.F.2.82.539											
	10519	E.F.2.B2.427										
	28N/16834	AS.4601/50										
	19779	E.F.2.82.549										
	10521	E.F.2.82.417										
	E.F.2.82.413											
	28N/9143897	AS.4736/26										
	10522	E.F.2.82.419										
	28D/9436920	A25/1C										
	28W/9419475	SP15/C										
	E.F.2.82.459											
	10524	E.F.2.82.469										
	28S/1200059	A33/A14										
	28M/1987493	AGS.2001/A1										
	10525	E.F.2.82.461										
	—											
	—											
	E.F.2.80.1307											
	5X/6630	PLESSEY CZ.72441										
	28S/1011484	A32/A30										
	E.F.2.80.1305											

**INSTRUMENTS
PILOT'S INSTRUMENTS AND CONTROLS**

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
	E.F2.80.1275	Spares for :—									
		BACK-PLATE , assembly						1	—	—	23/7
		Attachments :—									
28D/8337	AS.1248/1B	Bolt, 4 BA, mushroom head						7	—	C	23/8
28D/1218385	AS.1248/2B	Bolt, 4 BA, mushroom head						2	—	C	23/9
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA						9	—	C	23/10
28W/9419474	SP15/B	Washer, 4 BA, plain						7	—	C	23/11
28W/9419486	SP16/B	Washer, 4 BA, plain						2	—	C	23/12
	E.F2.80.353 or E.F2.80.1251	BOX , instrument mounting						1	—	—	23/13
10527	E.F2.80.547	BRACKET , instrument box mounting						1	L65	C	23/14
		Attachments :—									
28D/9131782	AS.1242/2B	Bolt, 4 BA, c'sk head						3	—	C	23/15
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA						1	—	C	23/16
28M/1086618	AGS.2002/B/1	Nut, stiff, 4 BA						2	—	C	23/17
28W/9419474	SP15/B	Washer, 4 BA, plain						3	—	C	23/18
10528	E.F2.80.611	COUPLING , pipe, flanged						1	—	C	23/19
		Attachments :—									
28D/1008149	A25/2B	Bolt, 4 BA, hex. head						2	—	C	23/20
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA						2	—	C	23/21
28W/9419486	SP16/B	Washer, 4 BA, plain						2	—	C	23/22
10529	E.F2.80.615	COUPLING , pipe, special						1	L65	C	23/23
		Attachments :—									
28D/1008419	A25/2B	Bolt, 4 BA, hex. head						2	—	C	23/20
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA						2	—	C	23/21
28W/9419486	SP16/B	Washer, 4 BA, plain						2	—	C	23/22
	E.F2.80.1303	PLATE , tie						1	L72	LM	23/24
		Attachments :—									
28D/1010658	A25/1B	Bolt, 4 BA, hex. head						4	—	C	23/25
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA						4	—	C	23/26
28W/9419474	SP15/B	Washer, 4 BA, plain						4	—	C	23/27
10530	E.F2.80.617	BUSH , rubber, mounting bracket						4	Shore Hardness 40-45	C	23/28
5L/9959125	†	LAMP , filament, 4v. 26a.						4	—	B	23/29
6A/5967	SMITH 181.AS/PC	INDICATOR , airspeed, Mk. 15B						1	—	A	23/30
		Attachments :—									
28S/1200033	A31/B24 or	Screw, 4 BA, cheese head						4	—	C	23/31
28S/1012446	A205/B32	Screw, 6 UNC, pan head						4	—	C	23/32
5CX/5490	80/10/1593	LAMPHOLDER , pillar						2	—	B	23/33
5CX/5491	80/10/1594	LAMPHOLDER , pillar						2	—	B	23/34
6A/6767	M.1934	MACHMETER , Mk. 4						1	—	A	23/35
		Attachments :—									
28S/1201335	A205/B16	Screw, 6 UNC, pan head						4	—	C	23/36
8883	EEAS.265	PIECE , insulating						1	Glasscloth	C	23/37

**INSTRUMENTS
PILOT'S INSTRUMENTS AND CONTROLS**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F2.70.419											
19729	E.F2.70.209											
	E.F2.70.421											
36104	E.F2.70.205											
	E.F2.80.553											
	E.F2.80.589											
	E.F2.80.1309											
	E.F2.80.1313											
7823	EEAS.256											
28D/1010658	A25/1B											
28D/9419397	A25/12C											
28W/9419474	SP15/B											
	E.F2.80.1375											
5X/6630	PLESSEY CZ/72441											
28S/1011484	A32/A20											
10526	E.F2.80.1371											
	E.F2.80.1275											
28D/8337	AS.1248/1B											
28D/1218385	AS.1248/2B											
28M/1278189	AGS.2001/B/1											
28W/9419474	SP15/B											
28W/9419486	SP16/B											
	E.F2.80.353											
	or											
	E.F2.80.1251											
10527	E.F2.80.547											
28D/9131782	AS.1242/2B											
28M/1278189	AGS.2001/B/1											
28M/1086618	AGS.2002/B/1											
28W/9419474	SP15/B											
10528	E.F2.80.611											
28D/1008149	A25/B											
28M/1278189	AGS.2001/B/1											
28W/9419486	SP16/B											

A.P.101B-1002/2A-3A		INSTRUMENTS					Page F35			
PILOT'S INSTRUMENTS AND CONTROLS										
Ref. No.	Part No.	Description					No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5				
10529	E.F.2.80.615	COUPLING, pipe, special					1	L65	C	24/21
28D/1008149	A25/2B	Attachments:— Bolt, 4 BA, hex. head					2	—	C	24/22
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA					2	—	C	24/23
28W/9419486	SP16/B	Washer, 4 BA, plain					2	—	C	24/24
	E.F.2.80.1373	PLATE, tie					1	L72	—	24/25
28D/1010685	A25/1B	Attachments:— Bolt, 4 BA, hex. head					4	—	C	24/26
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA					4	—	C	24/27
28W/9419474	SP15/B	Washer, 4 BA, plain					4	—	C	24/28
10530	E.F.2.80.617	BUSH, rubber, mounting bracket					4	SH40-45	C	24/29
5CX/6639	THORN ELEC. 02.0289	CAP, retainer (Pre-Mod. 4359)					4	—	C	
5CX/1989385	THORN ELEC. 01-0383	CAP, retainer (Mod. 4359)					4	—	C	24/55
6A/8976	SMITH	INDICATOR, air speed, Mk. 20 (Mod. 2579)					1	—	A	24/30
28S/9129541	A205/B24	Attachments:— Screw, 6 UNC, pan head					3	—	C	24/31
5L/9959125	†	LAMP, filament, 4v. 26a.					4	—	B	24/32
5L/9951282	†	LAMP, filament, 28v, 1.2w., spare for attack sight ..					1	—	B	24/33
5CX/1143868	01-0496	LAMPHOLDER, pillar					2	—	B	24/34
5CX/1144130	01-0498	LAMPHOLDER, pillar					4	—	B	24/35
6A/6767	SMITH M.1934	MACHMETER, Mk. 4					1	—	A	24/36
28S/1201335	A205/B16	Attachments:— Screw, 6 UNC, pan head					4	—	C	24/37
8883	EEAS.265	PIECE, insulating					1	—	C	24/38
	E.F.2.70.419	PIPE, flexible, pitot, from instrument box coupling to frame 8, assembly Spares for:—					1	—	—	24/39
19729	E.F.2.70.209	CONNECTION, pitot end					2	—	C	24/40
	E.F.2.70.421	PIPE, flexible, static, from instrument box coupling to frame 8, assembly Spares for:—					1	—	—	24/41
36104	E.F.2.70.205	CONNECTION, static end					2	—	C	24/42
10534	E.F.2.80.1377	PIPE, static, from A.S.I. tee to machmeter elbow ... union, 5/16" o/d x 22 SWG					1	L54	C	24/43
6102543	E.F.2.80.1379	PIPE, pitot, from A.S.I. tee to machmeter elbow ... union, 5/16" o/d x 22 SWG					1	L54	C	24/44
10533	E.F.2.80.1381	PIPE, static, from instrument box coupling to A.S.I. tee, 5/16" o/d x 22 SWG					1	L54	C	24/45
10535	E.F.2.80.1383	PIPE, pitot, from instrument box coupling to A.S.I. tee, 5/16" o/d x 22 SWG					1	L54	C	24/46
7823	EEAS.256	PLATE, terminal ident					1	—	C	24/47
28D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex. head					2	—	C	24/48
28D/9419397	A25/12C	Bolt, 2 BA, hex. head (1 off on Mk. 2A A/c)					2	—	C	24/49
28D/9140647	A25/14C	Bolt, 2 BA, hex. head (Mk. 2A A/c)					1	—	C	24/50
28W/9419474	SP15/B	Washer, 4 BA, plain					2	—	C	24/51
9340	EEAS.238/2A	Washer, "D" (Mk. 2A A/c)					1	L72	C	24/52
10537	E.F.2.80.667	BRACKET, angle, instrument box mounting					1	EEDX43	C	24/53
33513	UNBRAKO Series K	Attachments:— Screw, 2 BA x 1/2" long					4	—	C	24/54

INSTRUMENTS
PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
20676	E.F.2.80.1131								1	—	B	25/1
33385	E.F.2.80.1755								1	—	B	25/2
	E.F.2.80.621								1	—	—	25/3
	E.F.2.80.1757								1	—	—	25/4
10538	E.F.2.80.543								1	L65	C	25/5
10539	E.F.2.80.623								1	S96	C	25/6
33386	E.F.2.80.1759								1	—	C	25/7
28M/1006473	A27/CT								1	—	C	25/8
28W/9419475	SP15/C								1	—	C	25/9
28D/9133011	A25/2C								2	—	C	25/10
28M/9403520	A27/CP								2	—	C	25/11
10540	E.F.2.80.639								1	—	C	25/12
10541	E.F.2.80.407								2	—	C	25/13
10542	E.F.2.80.491								1	—	C	25/14
28D/9133011	A25/2C								2	—	C	25/15
28W/9419402	SP13/C								2	—	C	25/16
	E.F.2.80.689								1	—	—	25/17
10543	E.F.2.80.497								1	—	C	25/18
28D/9133011	A25/2C								1	—	C	25/15
28W/9419402	SP13/C								1	—	C	25/16
10544	E.F.2.80.1137								1	—	C	25/19
28D/9133011	A25/2C								2	—	C	25/20
28W/9419402	SP13/C								2	—	C	25/21
9189	EEAS.222/2C								2	HTS	C	25/22
28D/7002428	A25/6C								2	—	C	25/23
	E.F.2.80.633								1	S515	—	25/24
28W/9419475	SP15/C								2	—	C	25/9
30A/	†							QR	DTD189	—	—	25/25
	—								—	—	—	
	E.F.2.80.1391								1	L73	—	22/19
13702	E.F.2.80.1393								1	—	C	22/20
	E.F.2.80.1395								1	L73	—	22/21
	E.F.2.80.1397								1	L73	—	22/22
28Q/1999	AS.455/314								1	—	C	22/23
	E.B.2.80.381								1	DTD215	—	22/24
28W/9419473	SP14/A								2	—	C	22/25
5836	EEAS.200								1	Nylon	C	22/26
	N.S.F.											
5CW/5772	8824/B101								1	—	B	22/27

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F.2.80.1675	SWITCH, mute, audio, assembly (Mod. 2068)							1	-	-	22/28
		Spares for:-										
5K/1201019	SP40/A8	GROMMET							1	-	C	22/29
	E.F.2.80.1011	LABEL, audio alarm switch							1	-	-	22/30
5L/9959118	†	LAMP, filament, 28v. 04a							1	-	B	22/31
5CX/1144130	THORN ELEC. 01-0498	LAMPHOLDER, pillar							1	-	B	22/32
	E.F.2.80.1673	PLATE, switch mounting							1	L59	-	22/33
10547	EEAS.200/1	RING, switch locking							1	Nylon	C	22/34
5CW/6634	PAGE ENG. A257	SLEEVE, cable							1	-	C	22/35
5CW/7302	PAGE ENG. C.1006/A21	SWITCH							1	-	-	22/36
		Attachments:-										
28D/9128739	AS.1248/ 1/2B	Bolt, 4 BA, hex. head							1	-	C	22/37
28D/1218384	AS.1248/1B	Bolt, 4 BA, hex. head							2	-	C	22/38
28W/1007776	AGS.2034/B	Washer, 4 BA, shakeproof							1	-	C	
	-	WIRING, 4v. and 28v., internal lighting (E.F.2.81.73)							-	-	-	
	-	(Mk. 2 A/c)										
	-	WIRING, 4v. and 28v., internal lighting (E.F.4.81.4073) ..							-	-	-	
	-	(Mk. 2A A/c)										
	-	Consisting of:-										
	E.F.2.81.2254	CABLE, assembly, C325, from starboard console							1	-	-	
		forward cockpit lighting terminal block, to port and starboard high intensity lights and starboard instrument panel, group (Mk. 2 A/c)										
	E.F.4.81.4445	CABLE, assembly, C325 (Routing is identical with E.F.2.81.2254) (Mk. 2A A/c)							1	-	-	
		Consisting of:-										
5E/3893	†	CABLE, unitercil 22							-	-	C	
	EEAS.146/C	SLEEVE, 1" long							QR	-	-	
	EEAS.146/C	SLEEVE, 1-1/2" long							QR	-	-	
	EEAS.146/D	SLEEVE, 1" long							QR	-	-	
8898	EEAS.146/O	SLEEVE, 3/4" long							QR	-	C	
8899	EEAS.146/O	SLEEVE, 1" long							QR	-	C	
	HELLERMANN HC.294E	TAG, ring tongue							1	-	-	
5X/1010324	HELLERMANN HC.296	TAG, ring tongue							5	-	C	
5X/7316	HELLERMANN HC.1187	TERMINAL, cranked. R.H.							2	-	C	
	†	TUBING, P.V.C., 3 m/m i/d x 1/2 m/m wall							QR	EL659	-	
	E.F.2.81.5311	CABLE, assembly, C.327 from console flood, emergency flood, and compass dimmer to cockpit lighting terminal and taper pin blocks, starboard console, group (Mk. 2 A/c)							1	-	-	
	E.F.4.81.5087	CABLE, assembly, C327 from console flood, emergency flood and compass dimmer to cockpit lighting terminal and taper pin blocks, starboard console, group (Mk. 2A A/c) (Mod. 4248)							-	-	-	
		Consisting of:-										
5E/3893	†	CABLE, unitercil 22							QR	-	C	
5K/3688	N.L.8144	COVER, insulating							1	-	C	
5X/4491660	H.C.1281 or	PIN, taper (4 off on Mk. 2 A/c)							3	-	C	
5X/7430	A.M.P.41667											
	EEAS.146/6	SLEEVE, 1" long							QR	-	-	
	EEAS.146/6	SLEEVE, 1-1/2" long							QR	-	-	
	EEAS.146/22	SLEEVE, 3/4" long							QR	-	-	
5X/1010324	HELLERMANN HC.296	TERMINAL, ring tongue (7 off on Mk. 2A A/c)							10	-	C	
	EEAS.146/6	SLEEVE, 1/2" long (Mod. 4248)							QR	-	-	

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F.2.81.2216								1	—	—	
5E/3893	†								QR	—	C	
5X/7430	A.M.P. 41667								2	—	C	
	or											
5X/4491660	HC.1281											
	EEAS.146/C								QR	—	—	
	EEAS.146/C								QR	—	—	
8898	EEAS.146/O								QR	—	C	
	†								QR	EL659	—	
	E.F.2.81.2218								1	—	—	
5E/3893	†								QR	—	C	
5X/9726815	HC.1350								3	—	C	
5X/7430	A.M.P.41667								3	—	C	
	or											
5X/4491660	HC.1281											
	EEAS.146/C								QR	—	—	
	EEAS.146/C								QR	—	—	
8898	EEAS.146/O								QR	—	C	
8899	EEAS.146/O								QR	—	C	
	E.F.2.81.2219								1	—	—	
5E/3893	†								QR	—	C	
5X/7430	A.M.P. 41667								1	—	C	
	or											
5X/4491660	HC.1281											
	EEAS.146/C								QR	—	—	
	EEAS.146/C								QR	—	—	
	EEAS.146/D								QR	—	—	
8898	EEAS.146/O								QR	—	C	
8899	EEAS.146/O								QR	—	C	
5X/1010324	HC.296								5	—	C	
	†								QR	EL6529	C	
	E.F.2.81.2220								1	—	—	
5E/3893	†								QR	—	C	
5X/7430	A.M.P. 41667								1	—	C	
	or											
5X/4491660	HC.1281											
5X/5569	THORN ELEC.								2	—	C	
	80/10/0300											
	EEAS.146/C								QR	—	—	
	EEAS.146/D								QR	—	—	
	EEAS.146/D								QR	—	—	
	EEAS.146/A								QR	—	—	
8898	EEAS.146/O								QR	—	C	

**INSTRUMENTS
PILOT'S INSTRUMENTS AND CONTROLS**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5X/1010324 5F/	HC.296 † E.F2.81.6586	TAG , ring tongue TUBING , P.V.C., black, 3 m/m i/d x 1/2" m/m wall CABLE , assembly, C.321, from port console lighting control box to starboard console terminal block, group Consisting of :-	7 QR 1	— E & I 659 —	C C —	
5E/3893 5X/7430 or 5X/7226	† A.M.P. 41667 or HC.1281 EEAS.146/6 EEAS.146/22 EEAS.146/6 EEAS.146/22	CABLE , unifersil 22 PIN , taper	QR 4	— —	C C	
5X/1010324	HC.296 E.F2.81.2252	SLEEVE , 1" long SLEEVE , 3/4" long SLEEVE , 1/2" long SLEEVE , 1/4" long TERMINAL , ring tongue	QR QR QR QR	— — — —	— — — —	
5E/3893	† EEAS.146/D EEAS.146/D 8898 EEAS.146/O 8899 EEAS.146/O	CABLE , unifersil 22 SLEEVE , 1" long SLEEVE , 1 1/2" long SLEEVE , 1" long SLEEVE , 1" long	QR QR QR QR	— — — —	C — — C C C	
5X/1010324 5X/7316	HC.296 HC.1187 E.F2.81.5835	TAG , ring tongue TERMINAL , CABLE , assembly, C.534, from emergency switch, starboard instrument panel, to cockpit lighting terminal block, starboard console, group (Mk. 2 A/c) Consisting of :-	3 4 1	— — —	C C C —	
5E/3893	† EEAS.146/D EEAS.146/D 8898 EEAS.146/O	CABLE , unifersil 22 SLEEVE , 1" long SLEEVE , 1 1/2" long SLEEVE , 1" long	QR QR QR QR	— — — —	C — — C	
5X/9718094 5X/1010324	HC.295 HC.296 E.F2.81.2224	TAG , ring tongue TAG , ring tongue CABLE , assembly, C.535, from starboard console forward lighting terminal block, to port and starboard console dimmers and starboard side panel dimmer, group Consisting of :-	4 4 1	— — —	C C C —	
5E/3893 5X/7430 or 5X/7226	† A.M.P. 41667 or HC.1281 EEAS.146/C EEAS.146/D EEAS.146/F EEAS.146/F	CABLE , unifersil 22 PIN , taper	QR 2	— —	C C	
8898 5X/1010324	EEAS.146/O HELLERMANN HC.296	SLEEVE , 1" long SLEEVE , 1" long SLEEVE , 1" long SLEEVE , 1 1/2" long SLEEVE , 3/4" long TAG , ring tongue	QR QR QR QR QR 18	— — — — — —	— — — — C C	

INSTRUMENTS
PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F2.81.2225	CABLE , assembly, C.536, from tacan panel taper pin connectors, to port dimmer, at frame 9 Starboard, group Consisting of :—	1	—	—	
5E/3893	†	CABLE , unisersil 22	QR	—	C	
5X/7226	A.M.P. 41667 or HC.1281	PIN , taper	4	—	C	
	EEAS.146/C	SLEEVE , 1" long	QR	—	—	
	EEAS.146/C	SLEEVE , 1½" long	QR	—	—	
8898	EEAS.146/O	SLEEVE , ¾" long	QR	—	C	
5X/1010324	HC.296	TAG , ring tongue	2	—	C	
	E.F2.81.2226	CABLE , assembly, C.537, from starboard instrument panel taper pin connectors, to lighting terminal block, starboard console side, group Consisting of :—	1	—	—	
5E/3893	†	CABLE , unisersil 22	QR	—	C	
5X/7430	A.M.P. 41667 or HC.1281	PIN , taper	4	—	C	
	EEAS.146/C	SLEEVE , 1" long	QR	—	—	
	EEAS.146/C	SLEEVE , 1½" long	QR	—	—	
8898	EEAS.146/O	SLEEVE , ¾" long	QR	—	C	
5X/1010324	HC.296	TAG , ring tongue	2	—	C	
	E.F2.81.2227	CABLE , assembly, C.538, from port instrument panel to U.H.F. panel and port coaming panel, group Consisting of :—	1	—	—	
5E/3893	†	CABLE , unisersil 22	QR	—	C	
5X/7430	A.M.P. 41667 or HC.1281	PIN , taper	9	—	C	
	EEAS.146/C	SLEEVE , 1" long	QR	—	—	
	EEAS.146/C	SLEEVE , 1½" long	QR	—	—	
	EEAS.146/D	SLEEVE , 1" long	QR	—	—	
	EEAS.146/E	SLEEVE , 1" long	QR	—	—	
8898	EEAS.146/O	SLEEVE , ¾" long	QR	—	C	
5X/1010324	HC.296	TAG , ring tongue	7	—	C	
	E.F2.81.5833	CABLE , assembly, C.539, from instrument rack 7-way pin connectors, to starboard instrument panel 7-way pin connectors, group Consisting of :—	1	—	—	
5E/3893	†	CABLE , unisersil 22	QR	—	C	
5X/7430	A.M.P. 41667 or HC.1281	PIN , taper	6	—	C	
	EEAS.146/C	SLEEVE , 1" long	QR	—	—	
	EEAS.146/C	SLEEVE , 1½" long	QR	—	—	
8898	EEAS.146/O	SLEEVE , ¾" long	QR	—	C	
	E.F2.81.2229	CABLE , assembly, C.403, from port shroud extension, to instrument tack 7-way pin connectors, group Consisting of :—	1	—	—	
5E/3893	†	CABLE , unisersil 22	QR	—	C	
5X/7430	A.M.P. 41667 or HC.1281	PIN , taper	3	—	C	
	EEAS.146/C	SLEEVE , 1" long	QR	—	—	
	EEAS.146/C	SLEEVE , 1½" long	QR	—	—	

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F.2.81.6587	CABLE, assembly, 2C.321, from port console lighting control box to starboard console dimming control, group Consisting of:—	1	—	—	
5E/3893	†	CABLE, unitercil 22	QR	—	C	
5X/7430	A.M.P. 41667	PIN, taper	2	—	C	
	EEAS.146/22	SLEEVE, 3/8" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/12	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/22	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/12	SLEEVE, 1" long	QR	—	—	
5X/1010324	HC.296	TERMINAL, ring tongue	4	—	C	
5X/9718093	HC.296B	TERMINAL, ring tongue	6	—	C	
	E.F.2.81.5943	CABLE, assembly, C.561, from emergency light to . . . port shroud extension terminal, block, group (Mod. 2021) Consisting of:—	1	—	—	
5E/5893	†	CABLE, unitercil No. 22	QR	—	C	
	EEAS.146/D	SLEEVE, 1" long	QR	—	—	
	EEAS.146/D	SLEEVE, 1-1/2" long	QR	—	—	
8898	EEAS.146/O	SLEEVE, 3/4" long	QR	—	C	
5X/1010324	HC.296	TERMINAL, ring tongue	2	—	C	
	†	TUBING, P.V.C., black, 5 m/m i/d x 1/2 m/m wall . . .	QR	E & I 1659	—	
	E.F.2.81.6469	CABLE, assembly, C.552, from starboard console . . . frames 7-9 taper pins to windscreen longeron frames 11-12, starboard taper pins, and starboard shroud, group (Mod. 2077) Consisting of:—	1	—	—	
5E/3893	†	CABLE, unitercil No. 22	QR	—	C	
5755*	E.B.2.81.7595	CONNECTOR, taper pin, 4-way	2	BS249	C	
23398	EEAS.561	CONNECTOR, 4-way	2	—	C	
8452*	E.B.2.81.7593	CONNECTOR, taper pin, 6-way	1	BS249	C	
23399	EEAS.562	CONNECTOR, 4-way	1	—	C	
5K/3685	NL.8141	COVER, insulating	2	—	C	
5K/3689	NL.8143	COVER, insulating	1	—	C	
5X/7430	A.M.P. 41667	PIN, taper	4	—	C	
5CW/6635	PAGE A.258	SLEEVE	1	—	—	
	EEAS.146/6	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/6	SLEEVE, 1" long	QR	—	—	
	EEAS.146/22	SLEEVE, 1/2" long	QR	—	—	
	EEAS.146/22	SLEEVE, 3/4" long	QR	—	—	
5CW/6636	PAGE B.186	SOCKET, connection	1	—	C	
5X/1010324	HC.296	TERMINAL, ring tongue	2	—	C	
	†	TUBING, P.V.C., 4 m/m x 1/2 m/m wall	QR	E & I 1659	—	
	†	TUBING, P.V.C., 5 m/m x 1/2 m/m	QR	E & I 1659	—	
	E.F.2.81.6553	CABLE, assembly, C.620, from starboard console . . . terminal block to taper pin blocks at frame 11 longeron, group (Mod. 2200) Consisting of:—	1	—	—	
5E/3893	†	CABLE, unitercil No. 22	QR	—	C	
5X/7430	A.M.P. 41667	PIN, taper	3	—	C	
	EEAS.146/12	SLEEVE, 3/4" long	QR	—	—	
	EEAS.146/12	SLEEVE, 1" long	QR	—	—	
	EEAS.146/22	SLEEVE, 3/4" long	QR	—	—	
5X/1010324	HELLERMANN	TAG, ring tongue	1	—	C	
	HC.296					

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	† E.F.2.81.6559	TUBING, P.V.C. black, 5 m/m i/d x 1/2 m/m wall ...	QR	EL.659	-	
		CABLE, assembly, C.408, from starboard console ...	1	-	-	
	E.F.4.81.4611	forward cockpit lighting terminal block to starboard console floods, aft, upper and lower, group (Mod. 2200) (Mk. 2 A/c)				
		CABLE, assembly, C.408, from starboard console ...	1	-	-	
		cockpit lighting terminal board to starboard console flood, aft, upper, group (Mk. 2A A/c)				
		Consisting of:-				
	5E/3893	CABLE, unifersil No. 22	QR	-	C	
	5X/7430	PIN, taper (2 off on Mk. 2A A/c)	3	-	C	
	5CX/5569	SHROUD, terminal (Mk. 2 A/c)	2	-	C	
		80/10/0300				
	EEAS.146/6	SLEEVE, 1" long	QR	-	-	
	EEAS.146/6	SLEEVE, 1" long	QR	-	-	
	EEAS.146/12	SLEEVE, 1/2" long	QR	-	-	
	EEAS.146/12	SLEEVE, 1" long	QR	-	-	
	EEAS.146/22	SLEEVE, 3/4" long	QR	-	-	
	5X/1010324	HC.296	1	-	C	
		TAG, ring tongue (Mk. 2 A/c)	1	-	C	
	†	TUBING, P.V.C. black, 4 m/m x 1/2 m/m wall	QR	E.L.659	-	
	†	TUBING, P.V.C. black, 3 m/m x 1/2 m/m wall	QR	E.L.659	-	
		(Mk. 2 A/c)				
	E.F.2.81.6585	CABLE, assembly, 2C.27, from starboard control panel terminal block to cockpit lighting block, starboard console, side, group	1	-	-	
		Consisting of:-				
	†	CABLE, unifersil No. 22	QR	-	-	
	EEAS.146/22	SLEEVE, 3/4" long	QR	-	C	
	EEAS.146/22	SLEEVE, 1" long	1	-	C	
	5X/1010324	HC.296	2	-	C	
	5E/3893	TAG, ring tongue	2	-	C	
	†	CABLE, unifersil No. 22	QR	-	C	
	-	CONNECTOR, windscreen longeron, starboard, installation (E.F.2.81.5559)	-	-	-	
		Consisting of:-				
	28E/1201810	AS.3180/10B	2	-	C	
		CLIP, "P"				
		Attachments:-				
	28D/1011006	A25/5B	2	-	C	
		Bolt, 4 BA, hex. head				
	9553	E.B2.81.10967	2	-	C	
		CONNECTOR				
	AS.2810/4/01	PIECE, distance	2	-	-	
	EEAS.146/K	SLEEVE, 3/4" long	QR	-	-	
	10561	EEAS.237/6A	2	-	C	
		WASHER, "D"				
	5X/4024	NL.8140	4	-	C	
		COVER, insulating (2 off on Mk. 2 A/c)				
	9817	EEAS.273/1	7	-	C	
		LINK, commoning, 2-way (Pre-Mod. 5663) (Mk. 2A A/c)				
	10548	EEAS.273/2	2	-	C	
		LINK, commoning, 2-way				
	10549	EEAS.273/3	3	-	C	
		LINK, commoning, 2-way				
		LOOP, cable, group (2 off on Mk. 2 A/c)	8	-	LM	
		Consisting of:-				
	5E/3893	CABLE, unifersil No. 22	QR	-	C	
	5X/7226	HC.1281	2	-	C	
		PIN, taper				
		or				
	5X/7430	A.M.P. 41667				
	8898	EEAS.146/O	QR	-	C	
		SLEEVE, 3/4" long				
		EEAS.146/O	QR	-	-	
		SLEEVE, 1-1/2" long				
	5X/7226	HC.1281	2	-	C	
		PIN, taper				
		or				
	5X/7430	A.M.P. 41667				

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
							1
R	8908	EEAS.270	SCREW, 2 BA	1	-	C	
	28S/9148119	A43/A10	SCREW, 6 BA, cheese head	12	-	C	
		EEAS.146/16	SLEEVE, 3/4" long	QR	-	-	
		EEAS.146/20	SLEEVE, 3/4" long	QR	-	-	
	5X/9465014	HC.1290	SPLICE, compression (2 off on Mk. 2 A/c)	4	-	C	
			(Pre-Mod. 4663) (Mk. 2A A/c)				
	5X/1010324	HC.296	TAG, ring tongue (12 off on Mk. 2 A/c)	14	-	C	
	5X/9718094	HC.295	TAG, ring tongue	2	-	C	
	9627	EEAS.272	WASHER, special	12	-	C	
	28W/9137412	AGS.2037/A	WASHER, shakeproof	22	-	C	
28W/9495407	SP25/A	WASHER, 6 BA, tin plated	34	-	C		

INSTRUMENTS

PILOT'S INSTRUMENTS AND CONTROLS

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

