

A.P.101B-1002/2A-3A

EQUIPMENT ANCILLARY

Page G1

GROUND EQUIPMENT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	-	GROUND EQUIPMENT, ASSEMBLY	-	-		
		(E.F2.88.1) (MK. 2 A/C)				
	-	GROUND EQUIPMENT, ASSEMBLY	-	-		
		(E.F4.88.15) (MK. 2A A/C)				
		Consisting of:-				
	-	DISCONNECTION, auto, ground electrics, assembly	-	-		1/1
		(E.B3.88.51)				
		Consisting of:-				
95222	E.B2.88.4357	CABLE, drag-off, assembly	1	-	B	1/2
		Spares for:-				
28D/1011019	A25/8C	BOLT, 2 BA, hex. head, cable clamp securing	4	-	C	1/3
95535	E.B2.88.4673	CLAMP	1	-	C	1/4
95536	E.B2.88.4675	CLAMP	1	-	C	1/5
28M/1278190	AGS.2001/C/1	NUT, stiff, 2 BA, cable clamp securing	4	-	C	1/6
28FP/9485292	AVIA'N DEVEL'S A405	PIN; "pip", quick release	4	-	C	1/7
28FP/681	AVIA'N DEVEL'S A408 or A409	PIN; "pip", quick release	4	-	C	1/8
or						
28FP/9469299	SP13/C	WASHER, 2 BA, plain, cable clamp, securing	2	-	C	1/9
28W/9419402	E.B2.88.4355	FRAME, cable support	1	-	C	1/10
95223	-	EQUIPMENT, siinging, assembly (E.F2.88.3)	-	-		
		Consisting of:-				
95434	E.F2.88.219	BAG, turbo generator handling	1	Duckcloth	C	2/1
95435	E.F2.88.221	BEAM, upper engine hatch lifting, assembly	1	-	B	2/2
		Spares for:-				
95717	E.F2.88.235	BRACKET, L.H., assembly	1	-	C	2/3
		Spares for:-				
	E.F2.88.245	LEVER	1	EN3A	-	2/4
		Attachments:-				
28D/1011247	A25/13E	Bolt, 1/4" BSF, hex. head	1	-	C	2/5
28M/1011475	A27/EP	Nut, 1/4" BSF, plain	1	-	C	2/6
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	1	-	C	2/7
	E.F2.88.247	PAD, bearing	1	BS2572	-	2/8
				Type F3		
	E.F2.88.249	PAD, bearing	1	BS2572	-	2/9
				Type F3		
	E.F2.88.251	PAD, bearing	1	BS2572	-	2/10
				Type F3		
28FP/1200982	AVIA'N DEVEL'S A415	PIN; "pip", quick release	1	-	C	2/11
		Attachments:-				
R 28D/1202326	A25/14J	Bolt, 3/8" BSF, hex. head	1	-	C	2/12
R 28M/1011473	A27/JP	Nut, 3/8" BSF, plain	1	-	C	2/13
	AS.2808/8/045	Tube, distance	2	-	-	2/14
R 28W/9419466	SP13/J	Washer, 3/8" BSF, plain	1	-	C	2/15
	95718	BRACKET, R.H., assembly	1	-	C	2/16
		Spares for:-				
	E.F2.88.245	LEVER	1	EN3A	-	2/4
		Attachments:-				
28D/1011247	A25/13E	Bolt, 1/4" BSF, hex. head	1	BS1083	C	2/5
28M/1011475	A27/EP	Nut, 1/4" BSF, plain	1	BS1083	C	2/6
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	1	-	C	2/7

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F.2.88.247								1	BS2572	—	2/8
	E.F.2.88.249								1	Type F3 BS2572	—	2/9
	E.F.2.88.251								1	Type F3 BS2572	—	2/10
28FP/1200982	AVIA'N DEVEL'S A415								1	Type F3 —	C	2/11
28D/1202326	A25/14J								1	—	C	2/12
28M/1011475	A27/EP								1	—	C	2/13
	AS.2808/8/045								2	—	—	2/14
28W/9419466	SP13/J								1	—	C	2/15
95719	E.F.2.88.237								1	—	C	2/17
28D/1011238	A25/3E								1	—	C	2/18
28M/1011475	A27/EP								1	—	C	2/19
28W/9418921	SP13/E								1	—	C	2/20
95720	E.F.2.88.239								2	—	C	2/21
28D/9133013	A25/5C								2	—	C	2/22
28M/9403520	A27/CP								2	—	C	2/23
28W/9419402	SP13/C								2	—	C	2/24
4GC/5429	DIDSBURY ENG. A/41/76								1	—	C	2/25
95721	BS.825-FIG.7								1	—	C	2/26
95722	E.F.2.88.241								1	—	C	2/27
28D/1212761	A25/32J								1	—	C	2/28
28M/1011476	A27/JS								1	—	C	2/29
28P/9527619	SP90/C7								1	—	C	2/30
28W/9419466	SP13/J								1	—	C	2/31
95723	BS.825-FIG.4								1	—	C	2/32
95028	E.B.2.88.693								1	—	B	3/1
95266	E.B.2.88.4263								1	—	B	3/2
4062332	E.B.2.88.4267								1	—	—	
95472	E.B.2.88.5807								2	—	C	3/3
95473	SP4Y/M9								2	—	C	3/4
28P/19176	SP90/G6								2	—	C	3/5
28W/9419468	SP13/N								2	—	C	3/6
95474	E.B.2.88.4269								4	EN2A	—	3/7
28P/1002	SP4Y/M8								2	—	C	3/8
28P/19176	SP4Y/M16								2	—	C	3/9
	SP90/G6								4	—	C	3/10
	E.B.2.07.975								1	—	—	
28W/9419468	SP13/N								4	—	C	3/11
95263	E.B.2.88.5941								1	—	B	3/12
	34318AMP8W								6	—	—	
95471	E.B.2.88.5953								3	BS870 EN3	C	3/13
	CSP/23/K5								3	—	—	
28FP/4062332	AVIA'N DEVEL'S A609								3	—	C	3/14

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
95022	E.B2.88.5943	SLING , canopy, group							1	—	—	3/15
	Consisting of :—											
	E.B2.88.6009	RING , lifting, nylon, 3" i/d							1	—	—	3/16
	E.B2.88.5945	ROPE							2	—	—	3/17
	E.B2.88.5947	ROPE							1	—	—	3/18
	E.B1.88.41	SLINGING , fin and rudder, group							1	—	B	3/19
	Spares for :—											
	E.B1.88.1037	CABLE , assembly							2	—	—	3/20
	E.B1.88.1033	YOKE							1	Comm. M/S	—	3/21
	95021	E.B2.88.289	SLINGING , rear fuselage, group							1	—	B
Spares for :—												
E.B2.88.305		BOBBIN							2	Comm. M/S	—	3/23
E.B2.88.333	BOBBIN , lifting ring							4	Comm. M/S	—	3/24	
E.B2.88.335	CABLE , assembly							1	—	—	3/25	
Spares for :—												
BS.463	PIN , cable attachment, $\frac{7}{8}$ " dia. \times $2\frac{1}{8}$ " long, proof load 6 tons							1	Galvanised	—	3/26	
Attachments :—												
BS.463	Pin, split, $\frac{5}{16}$ " dia. \times $1\frac{1}{4}$ " long							1	Galvanised	—	3/27	
E.B2.88.339	CABLE , assembly							1	—	—	3/28	
Spares for :—												
BS.463	PIN , cable attachment, $\frac{7}{8}$ " dia. \times $2\frac{1}{8}$ " long, proof load 6 tons							1	Galvanised	—	3/29	
Attachments :—												
BS.463	Pin, split, $\frac{5}{16}$ " dia. \times $1\frac{1}{4}$ " long							1	Galvanised	—	3/30	
E.B2.88.343	CABLE , assembly							1	—	—	3/31	
Spares for :—												
BS.463	PIN , cable attachment, $\frac{7}{8}$ " dia. \times $2\frac{1}{2}$ " long, proof load 4 tons							1	—	—	3/32	
Attachments :—												
BS.463	Pin, split, $\frac{5}{16}$ " dia. \times $1\frac{1}{2}$ " long							1	Galvanised	—	3/33	
E.B2.88.287	CRADLE , assembly							1	—	—	3/34	
Spares for :—												
E.B2.88.291	BOLT , special, attachment... ..							1	S95	—	3/35	
E.B2.88.293	BOLT , special, attachment... ..							1	S95	—	3/36	
BS.825	PIN , screwed, type A, $\frac{7}{8}$ " dia. \times $2\frac{3}{8}$ " long							4	Galvanised	—	3/37	
E.B2.88.331	RING , lifting							1	—	—	3/38	
BS.1290	RING , 3" i/d \times $\frac{7}{8}$ " dia. \times 1 ton $10\frac{3}{8}$ cwts.							4	Galvanised	—	3/39	
E.B2.88.301	SHACKLE , lifting (To be made from BS.825 type 4)							2	—	LM	3/40	
BS.825	SHACKLE , type 5, 2 tons 5 cwts.... ..							4	Galvanised	—	3/41	
E.B2.88.299	SHAFT , cable and shackle coupling							2	S95	—	3/42	
Attachments :—												
28P/19267	SP31/L20	Pin, taper, $\frac{3}{16}$ " dia. \times $2\frac{1}{2}$ " long							4	—	C	3/43
95020	E.B2.88.303	WASHER , distance							4	Comm. M/S	—	3/44
	E.B2.88.685	SLINGING , nose fuselage, group							1	—	B	4/1
	Spares for :—											
	E.B2.88.841	CABLE , assembly							1	—	—	4/2
	E.B2.88.5891	SLEEVE , felt, detachable, 215" \times 6" \times $\frac{1}{4}$ " thick							1	DTD590	—	4/3
	E.B2.88.843	SLING , assembly							2	—	—	4/4
	Spares for :—											
	E.B2.88.5893	SLEEVE , leather, 48" \times 3" \times $\frac{1}{8}$ " thick							1	FR/L5/TG3A1	—	4/5
	E.B2.88.967	SLING , assembly							1	—	—	4/6

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	—	SLINGING , tailplane, assembly (E.B2.88.3247) ...							—	—	—	4/7
95102	E.B2.88.3249	Spares for :—										
95347	E.B2.88.5823	SLING , assembly ...							1	—	B	4/8
	E.B2.88.5753	SLINGING , wing, assembly ...							1	—	A	4/9
	E.B2.88.5755	Spares for :—										
	E.B2.88.5725	BOLT , cross beam sling to half wing sling attachment							2	BS970 EN6 or 8	—	4/10
	E.B2.88.5731	NUT , cross beam sling to half wing sling attachment							2	BS970 EN6 or 8	—	4/11
	E.B2.88.5733	SLING , crossbeam, assembly ...							1	—	—	4/12
	E.B2.88.5731	Spares for :—										
	E.B2.88.5733	BOBBIN , main ring ...							2	BS970 EN3A	—	4/13
	E.B1.88.333	BOLT , special ...							2	BS470 EN3A	—	4/14
	E.B2.88.5743	CABLE , assembly ...							2	—	—	4/15
	E.B2.88.5729	LINK ...							2	BS970 EN3A	—	4/16
29A/	BS.1083	LINK , suspension, group ...							2	—	—	4/17
	E.B2.88.5745	Consisting of :—										
	E.B2.88.5741	BOLT , hex. head, 401F, $\frac{3}{8}$ " x 2 $\frac{3}{4}$ " R ...							1	UTS	—	4/18
29A/	BS.1083	BUSH , flanged ...							1	BS970 EN3A	—	4/19
	E.B2.88.5741	FORK ...							1	BS970 EN3A	—	4/20
	BS.463	NUT , slotted, 409F $\frac{3}{8}$ " P ...							1	UTS	—	4/21
	E.B2.88.5739	PIN , split, $\frac{3}{16}$ " x 2" long ...							1	UTS	—	4/22
	E.B2.88.5735	SHACKLE ...							1	—	—	4/23
	BS.463	NUT , special ...							2	BS970 EN6 or 8	—	4/24
	E.B1.88.335	PIN , $\frac{1}{16}$ " dia. x 2 $\frac{1}{16}$ " long ...							4	—	—	4/25
	E.B2.88.5821	PIN , split, $\frac{3}{16}$ " dia. x 2" long ...							4	—	—	4/26
	95724	RING , main ...							1	—	—	4/27
	E.B2.88.4625	SLINGING , half wing, port, group ...							1	—	—	5/1
	E.B2.88.4625/B	Spares for :—										
95725	E.B1.88.127	PAD , assembly ...							1	—	C	5/2
	E.B1.88.127/A	Spares for :—										
	E.B1.88.129	PAD , felt, 3" x 4" x $\frac{1}{4}$ " thick ...							1	DTD590	—	5/3
28D/7002413	A25/14E	ROD , main slinging, group ...							1	—	C	5/4
28M/1011467	A27/ES	Spares for :—										
28P/1007741	SP9/C8	PAD , felt, 1 $\frac{1}{2}$ " x 2" x $\frac{1}{4}$ " thick ...							1	DTD590	—	5/5
28M/9446651	A27/SP	ROD , main slinging ...							1	S97	—	5/6
28W/9419471	SP13/S	Attachments :—										
	E.B2.88.5651	Bolt, $\frac{1}{4}$ " BSF, hex. head ...							2	—	C	5/7
	E.B2.88.5657	Nut, $\frac{1}{4}$ " BSF, slotted ...							2	—	C	5/8
	BS.463	Pin, split ...							2	—	C	5/9
	BS.463	Attachments :—										
	BS.463	Nut, $\frac{3}{8}$ " BSF, plain ...							1	—	C	5/10
	BS.463	Washer, $\frac{3}{8}$ " BSF, plain ...							1	—	C	5/11
	E.B2.88.5651	SLING , assembly ...							1	—	—	5/12
	E.B2.88.5657	Spares for :—										
	BS.463	CABLE , assembly ...							1	—	—	5/13
	BS.463	Attachments :—										
	BS.463	Pin, $\frac{3}{8}$ " dia. x 2 $\frac{1}{8}$ " long ...							1	—	—	5/14
	BS.463	Pin, split, $\frac{1}{8}$ " dia. ...							1	—	—	5/15

A.P.101B-1002/2A-3A

EQUIPMENT ANCILLARY

Page G5

GROUND EQUIPMENT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.88.5659	CABLE, assembly	1	—	—	5/16
	BS.463	Attachments:— Pin, 5/8" dia. x 2-1/8" long	1	—	—	5/17
	BS.463	Pin, split, 1/8" dia.	1	—	—	5/18
	E.B1.88.573	LINK, special	1	Comm. M/S	—	5/19
	BS.463	Attachments:— Pin, 5/8" dia. x 2-1/8" long	1	—	—	5/20
	BS.463	Pin, split, 1/8" dia.	1	—	—	5/21
	E.B1.88.571	LUG, attachment, assembly	1	—	—	5/22
	E.B1.88.571/B	Spares for:— PAD, felt, 1-1/2" x 2."35 x 1/4" thick	1	DTD590	—	5/23
	E.B2.88.5675	LUG, attachment, assembly	1	—	—	5/24
	E.B2.88.5675/B	Spares for:— PAD, felt, 3" x 1-1/2" x 1/4" thick	1	DTD590	—	5/25
	E.B2.88.5885	Attachments:— Pin, special	1	BS970	—	5/26
	BS.463	Pin, split, 1/8" dia.	1	EN6-8 or 9	—	5/27
	E.B1.88.353	RING, hoist	1	—	—	5/28
95726	BS.825 FIG. 5	SHACKLE, type 5 (Narrow jaw dee type)	1	—	—	5/29
	E.B2.88.5653	STRUT, assembly	1	—	C	5/30
	E.B2.88.5661	Spares for:— COUPLING, swivel, group	1	—	—	5/31
	28D/1212775	Consisting of:— BOLT, 1/2" BSF, hex. head	1	—	C	5/32
	E.B2.88.5665	FORK	1	BS970	—	5/33
	28M/13259	NUT, 1/2" BSF, slotted	1	EN3A	C	5/34
28P/9429652	SP9/E10	PIN, split	1	—	C	5/35
	E.B2.88.5667	SLEEVE	1	BS970	—	5/36
	E.B2.88.5669	WASHER, thrust	1	EN3A	BS970	5/37
	28D/1011304	Attachments:— Bolt, 3/8" BSF, hex. head	1	—	C	5/38
28M/1007404	A27/JT	Nut, 3/8" BSF, thin	1	—	C	5/39
	E.B1.88.587	Piece, distance	1	Comm. M/S	—	5/40
28W/9419489	SP16/J	Washer, 3/8" BSF, plain	1	—	C	5/41
	29A/ 28D/ 28M/13809 28W/9419429	Attachments:— Bolt, 1/2" BSW, 1-3/4" long, hex. head Bolt, 7/8" BSF, hex. head Nut, 7/8" BSF, thin Washer, 7/8" BSF, plain	1 1 1 1	— — — —	C — C C	5/42 5/43 5/44 5/45
	E.B2.88.5822	SLINGING, half wing, starboard, group	1	—	—	5/46
	1503965	Spares for this group are identical with those for group Pt. No. E.B2.88.5821 on page G4 SLINGING, complete aircraft, assembly (Mod. 8037)	1	—	A	
	E.B2.88.6509	Consisting of:— BEAM, port, assembly	1	—	—	6/1
	E.B2.88.7219	Spares for:— BRACKET, pivot (Mod. 8037)	1	L40	—	6/2
	1504109 28D/1208083	Attachments:— Bolt, 3/8" BSF, hex. head (Mod. 8037) Bolt, 3/8" BSF, hex. head (Mod. 8037)	8 8	— —	C C	6/3 6/4

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
29A/ 28W/9419502	E.B2.88.6537	PAD, front							1	L65	-	6/5
	400F/024/104R SP41/J	Attachments:-										
		Bolt, 3/8" BSW, hex. head							4	-	-	6/6
		Washer, tab, 3/8" dia.							4	-	C	6/7
1504109 28D/1203083	E.B2.88.6510	BEAM, starboard, assembly							1	-	-	6/8
	E.B2.88.7219	Spares for:-										
		BRACKET, pivot (Mod. 8037)							1	L40	-	6/2
		Attachments:-										
E.B2.88.7227 A25/3J	Bolt, 3/8" BSF, hex. head (Mod. 8037)							8	-	C	6/3	
	Bolt, 3/8" BSF, hex. head (Mod. 8037)							8	-	C	6/4	
29A/ 28W/9419502	E.B2.88.6537	PAD, front							1	L65	-	6/5
	400F/024/104R SP41/J	Attachments:-										
		Bolt, 3/8" BSW, hex. head							4	-	-	6/6
		Washer, tab, 3/8" dia.							4	-	C	6/7
1504103	E.B2.88.6511	BEAM, sling steady, assembly							1	-	-	6/9
	E.B2.88.6607 E.B2.88.6608	Spares for:-										
		EYE-PLATE							2	01/005 or DTD5040	-	6/10
		EYE-PLATE							2	01/005 or DTD5040	-	6/11
E.B2.88.7215	BOLT, slinging, port, group (Mod. 8037)							1	-	C	6/27	
	Consisting of:-											
1504105	E.B2.88.7213	LUG, shackle, assembly							1	BS970 EN3A	-	6/12
		Spares for:-										
		BUSH							1	BS970	C	6/29
1504104	E.B2.88.7216	PAD, rubber							1	BAC.M572	-	6/30
		ROD, main slinging (Mod. 8037)							1	EN30B or 30/172	-	6/29
		BOLT, slinging, starboard, group (Mod. 8037)							1	-	C	6/28
1504105	E.B2.88.7214	Consisting of:-										
		LUG, shackle, assembly							1	BS970 EN3A	-	6/17
		Spares for:-										
28D/1010031	A25/8E	BUSH							1	BS970	C	6/29
		PAD, rubber							1	BAC.M572	-	6/30
		ROD, main slinging (Mod. 8037)							1	EN30B or 30/17225-6	-	6/29
28D/1011244	A25/9E	BOLT, special, 3/4" BSF, hex. head, rope to beam .. attachment, port and starboard							2	S94	-	6/18
		BOLT, 1/4" BSF, hex. head, levelling pad to							2	-	C	6/19
wing attachment at spar 1, in 9th bolt hole from skin joint, port and starboard												
BOLT, 1/4" BSF, hex. head, levelling pad to							2	-	C	6/20		
wing attachment at spar 1, 5th bolt hole from skin joint, port and starboard												

A.P.101B-1002/2A-3A

EQUIPMENT ANCILLARY

Page G7

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
1504107	E.B2.88.7225								1	—	C	6/21
28D/1212779	A25/19N								1	—	C	6/22
28M/9508679	AGS.2001/N/1								1	—	C	6/23
1504108	E.B2.88.7226								1	—	C	6/24
28D/1212779	A25/19N								1	—	C	6/22
28M/9508679	AGS.2001/N/1								1	—	C	6/23
28M/13590	A27/SS								2	—	C	6/25
1504106	E.B2.88.7223								2	DEF13	C	6/31
										Grp. 5A		
	E.B2.88.6515								1	—	—	7/1
28M/1213639	A25/45N								1	—	C	7/2
28M/9508679	AGS.2001/N/1								1	—	C	7/3
28W/9419479	SP15/N								2	—	C	7/4
	E.B2.88.6516								1	—	—	7/5
28D/1213639	A25/45N								1	—	C	7/2
28M/9508679	AGS.2001/N/1								1	—	C	7/3
28W/9419479	SP15/N								2	—	C	7/4
29E/9420391	BS.1574								2	—	C	6/26
29E/9420399	BS.1574								2	—	C	7/6
29E/9420409	BS.1574								4	—	C	7/7
29E/9420633	BS.1574								4	—	C	7/8
	E.B2.88.6517								1	BS15	—	7/9
	E.B2.88.6523								2	—	—	7/10
	E.B2.88.6525								2	—	—	7/11
	E.B2.88.6527								2	—	—	7/12
	E.B2.88.6513								1	—	—	7/13
	E.B2.88.6587								1	S94	—	7/14
	E.B2.88.6807								1	—	—	7/15
	E.B2.88.6801								1	BS970	—	7/16
										EN3A		
	E.B2.88.6803								2	BS970	—	7/17
										EN3A		
	E.B3.88.6805								1	BS970	—	7/18
										EN3A		
	E.B2.88.6581								1	—	—	7/19
	E.B2.88.6579								1	BS970	—	7/20
										EN3A		
	E.B2.88.6585								1	BS970	—	7/21
										EN3A		
	E.B2.88.6583								1	L65	—	7/22

Restricted

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index										
							1	2	3	4	5	6	7			
28M/13590	A27/SS	NUT, 3/4" BSF, slotted, link to shackle attachment	1	-	C	7/23										
28P/13143	SP9/G14	PIN, split, 1/8" dia., link to shackle attachment	1	-	C	7/24										
	E.B1.88.153	WASHER, link to shackle attachment	1	Comm. M/S	-	7/25										
	E.B2.88.6514	SHACKLE, starboard, group	1	-	-	7/26										
		Spares for this group are identical with those for group Pt. No. E.B2.88.6513 on page G7, except for the following deletion and addition														
		Delete:-														
	E.B2.88.6807	FORK, shackle	1	-	-	7/15										
		Add:-														
	E.B2.88.6808	FORK, shackle, assembly	1	-	-	7/27										
		Spares for this assembly are identical with those for assembly Pt. No. E.B2.88.6807 on page G7														
	E.B1.88.153	WASHER, link to shackle attachment	2	Comm. M/S	-	7/28										
28W/9419405	SP15/E	WASHER, 1/4" BSF, plain, levelling pad to wing attachment, port and starboard	4	-	C	7/29										
	-	EQUIPMENT, appendix "A", assembly (E.F2.88.5) (Mk. 2 A/c)	-	-	-	1/11										
	-	EQUIPMENT, appendix "A", assembly (E.F4.88.17) (Mk. 2A A/c)	-	-	-	1/12										
		Consisting of:-														
1439551	E.F3.88.2427	BAR, safety, arrester hook, assembly (Mk. 2A A/c)	1	-	B	1/13										
		Spares for:-														
	EEAS.315/9	LANYARD	1	-	-	1/14										
	E.F3.88.2505	PENNANT, assembly	1	-	-	1/15										
	E.F3.88.2431	PLATE, inner, assembly	1	DEF13 Group 2 or 3	-	1/16										
		Spares for:-														
	E.F3.88.2429	PLATE, outer, assembly	1	-	-	1/17										
		Spares for:-														
1439619	SEEGAR	CIRCLIP, 5/16" external	1	-	C	1/18										
1439618	E.F3.88.2433	STUD, knurled	1	DEF13 Group 2 or 3	C	1/19										
		Spares for:-														
	-	RING, split, 1" dia. x 1/8"	2	Spring Steel	-	1/20										
	-	COVERS, aircraft, assembly (E.F2.88.171) (Mk. 2 A/c)	-	-	-	1/21										
	-	COVERS, aircraft, assembly (E.F4.88.19) (Mk. 2A A/c)	-	-	-	1/22										
		Consisting of:-														
27D/3217	E.B3.88.57	COVER, canopy and windscreen	1	DTD790	B	1/23										
27D/3218	E.B3.88.59	COVER, engine duct	1	DTD790	B	1/24										
27D/3221	E.B3.88.65	COVER, inward vent pipe, port	1	DTD790	B	1/25										
27D/3222	E.B3.88.66	COVER, inward vent pipe, starboard	1	DTD790	B	1/26										
27D/3242	E.B3.88.81	COVER, spine	1	DTD790	B	1/27										
95785	E.B3.88.85	COVER, I.F.F. and Tacan aerials, assembly (Mod. 8004)	2	-	C	1/28										
		Spares for:-														
95392	E.B1.88.2191	PENNANT	1	-	C	1/29										
27D/3276	E.F2.88.173	COVER, jet pipe, assembly	1	DTD790	B	1/30										
		Consisting of:-														
	E.F2.88.173A	COVER, jet pipe	1	DTD790	-	1/31										
95408	E.B3.88.71	EYE-BOLT, jet pipe cover tie-up at datum points	2	DTD483 or L65	C	1/32										
95409	E.B3.88.73	EYE-BOLT, jet pipe cover tie-up at tail picketting point	1	DTD423 or L65	C	1/33										
27D/3092	E.B2.88.799	COVER, nose wheel	1	DTD790	B	1/34										
27D/3091	E.B1.88.1055	COVER, main wheel	2	DTD790	B	1/35										
27D/3224	E.B2.88.5121	COVER, pitot head	1	DTD790	B	1/36										
27D/3220	E.B3.88.63	PLUG, generator, reheat and air turbine ducts (Mk. 2 A/c)	1	DTD790	B	1/37										
27D/3359	E.F3.88.1807	PLUG, generator, reheat pipes, turbine and telescopic exhaust ducts (Mk. 2A A/c)	1	DTD790	C	1/38										

GROUND EQUIPMENT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
95129	E.B2.88.2133	GUARD, canopy seal, port	1	-	C	1/39
95130	E.B2.88.2135	GUARD, canopy seal, starboard	1	-	C	1/40
95032	E.B1.88.2171	LOCK, ground, main undercarriage, assembly	2	-	C	1/41
28FP/9433677	AVIA'N DEVEL'S A619	Spares for:- PIN, "pip", quick release	1	-	C	1/42
95033	E.B2.88.4061	LOCK, ground, nose u/c, assembly (Pre-Mod. 8051) ...	1	-	B	1/43
6102487	E.B2.88.7239	LOCK, ground, nose u/c, assembly (Mod. 8051)	1	-	B	
1485937	E.B2.88.2017	Spares for:- BOLT, special knurled	1	S95	C	1/44
95392	E.B1.88.2191	PENNANT, red cotton canvas	1	DTD429	C	1/45
1440913	E.B2.88.2019	PLATE, locating (Pre-Mod. 8051)	1	S1	C	1/46
6102573	E.B2.88.7233	PLATE, locating (Mod. 8051)	1	-	C	
6102113	E.B2.88.2015	WASHER, spherical	1	S1	C	1/47
	-	PICKETING, aircraft, assembly (E.F2.88.275)	-	-	-	1/48
		Consisting of:-				
95042	E.B2.88.3745	EYE-BOLT, tail picketing filling	1	S95	C	1/49
95041	E.B2.88.2471	SHACKLE, "D", wing picketing, group	2	-	C	1/50
28FP/978	AS.2438/36	Spares for:- PIN, quick release	1	-	C	1/51
95040	E.B2.88.5643	SHACKLE, nose wheel picketing, group	1	-	C	1/52
	E.B2.88.5887	Spares for:- PIN, shackle	1	BS970 EN3B	-	1/53
95056	E.B2.88.961	PLATE, engine air duct entry blanking, group	1	-	B	8/1
		Consisting of:-				
95872	E.B2.88.1259	BRACKET, cable and bungee cord attachment	4	Comm. M/S	C	8/2
28D/7002428	A25/6C	Attachments:- Bolt, 2 BA, hex. head	4	-	C	8/3
28M/9403520	A27/CP	Nut, 2 BA, plain	4	-	C	8/4
28W/9419402	SP13/C	Washer, 2 BA, plain	4	-	C	8/5
28S/5444	AGS.894/37	Wood, screw	4	-	C	8/6
95382	E.B2.88.1267	CABLE, blanking plate retaining	2	-	C	8/7
28P/7002435	SP4Y/A3	Attachments:- Pin, shackle	4	-	C	8/8
28P/1021104	SP90/C3	Pin, split	4	-	C	8/9
1441107	EEAS.28.7DU	Washer	4	S515	C	8/10
95383	E.B2.88.4627	CORD, bungee	2	-	C	8/11
95475	E.B2.88.6393	EYE-BOLT, 6" BSF, L.H. thread	2	S95	C	8/12
95476	E.B2.88.5883	EYE-BOLT, turnbuckle to thumbscrew attachment .	2	S95	C	8/13
28P/865	SP4Y/D7	Attachments:- Pin, shackle	2	-	C	8/14
28P/9710567	SP90/C4	Pin, split	2	-	C	8/15
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	-	C	8/16
5K/1200718	SP40/B14	GROMMET, for turnbuckle	2	-	C	8/17
	E.B2.88.1261	HANDLE, lifting	2	-	-	8/18
		Attachments:-				
28D/7002428	A25/6C	Bolt, 2 BA, hex. head	12	-	C	8/19
28M/9403520	A27/CP	Nut, 2 BA, plain	12	-	C	8/20
28W/9419402	SP13/C	Washer, 2 BA, plain	12	-	C	8/21

R

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.88.1253	PLATE, 1/2" plywood							1	U35	-	8/22
	E.B2.88.2859	PLATE, identification							1	BS265	-	8/23
28S/5439	AGS.894/20	Attachments:- Woodscrew							4	-	C	8/24
95799	E.B2.88.1263	SEAL, inner, 3/16" white felt							1	DTD590	-	8/25
	E.B2.88.1265	SEAL, outer, 1/4" white felt							1	DTD590	C	8/26
	E.B2.88.1257	STRIP, seal retaining							6	Comm. M/S	-	8/27
28S/2867	AGS253/38	Attachments:- Woodscrew							48	-	C	8/28
95386	E.B2.88.351	THUMBSCREW, retaining cable to fuselage							2	-	C	8/29
95477	E.B2.88.5837	TURNBARREL, cable adjustment							2	S1	C	8/30
	-	EQUIPMENT, engine, and E.C.U. handling, assembly (E.F2.88.7) Consisting of:-							-	-	-	
95432	E.F2.88.273	DRAIN, starter exhaust, No. 2 engine							1	-	C	11/1
	-	ENGINES, and jet pipe change, operation sequence ... (E.F2.88.15) Consisting of:-							-	-	-	
4GC/5714	†	ADAPTOR, plate, front pickup (comprising shackle . J53566 and adaptor J53939)							1	-	B	13/1
4L/2014	†	BLOCK, pulley, 30 cwt.							1	-	A	13/2
40B/1148	†	BOLT, trunnion							QR	-	C	
95430	E.F2.88.47	CRADLE, jet pipe, assembly							1	-	A	9/1
	E.F2.88.265	Spares for:- BEARING, oilite, at rail attachment points							16	Oilite Bronze	-	9/2
95455	E.F2.88.113	BRACKET, pickup, L.H., assembly							1	-	B	9/3
	E.F2.88.261	Spares for:- BRACKET, assembly							1	-	-	9/4
28FP/9432063	AVIA'N DEVEL'S A809	Spares for:- PIN, "pip", quick release							1	-	C	9/5
	E.F2.88.225	PLATE, bracing							1	-	-	9/6
95855	E.B2.88.123	ROPE, assembly							1	-	C	9/7
95456	E.F2.88.114	BRACKET, pickup, R.H., assembly							1	-	B	9/8
	E.F2.88.262	Spares for:- BRACKET, assembly							1	-	-	9/9
28FP/9432063	AVIA'N DEVEL'S A809	Spares for:- PIN, "pip", quick release							1	-	C	9/5
	E.F2.88.226	PLATE, bracing							1	-	-	9/10
95855	E.B2.88.123	ROPE, assembly							1	-	C	9/7
95867	E.F2.88.111	CLAMP, stop, assembly							6	-	C	10/1
28FP/4069641	AVIA'N DEVEL'S 5134/524	Spares for:- PIN, quick release							1	-	C	10/2
	E.F2.88.117	EYE-PIN, rear leg pick-up							2	BS970 EN3A	-	11/2
28P/1279966	SP90/H5	Attachments:- Pin, split							2	-	C	11/3
28W/9419468	SP13/N	Washer, 1/2" BSF, plain							4	-	C	11/4

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
1440851 28P/1279966 28W/9419468	E.B2.88.125								2	S92	-	10/3
	E.B2.88.117								4	S91	C	10/4
	SP90/H5								4	-	C	10/5
	SP13/N								4	-	C	10/6
1440851 28P/1279966 28W/9419468	E.B2.88.401								2	S92	-	10/7
	E.B2.88.117								4	S91	C	10/8
	SP90/H5								4	-	C	10/9
	SP13/N								4	-	C	10/10
28D/9133012 28M/1006473	E.F2.88.53								1	-	-	11/5
	E.B2.88.323								2	S15	-	11/6
	E.B2.88.417								2	S3	-	11/7
	A25/3C								2	-	C	11/8
28M/1011477 28P/1279966 28W/9419468	A27/CT								2	-	C	11/9
	E.B2.88.421								2	S1	-	11/10
	E.B2.88.321								1	S91	-	11/11
	A27/NP								2	-	C	11/12
28FP/9489648	SP90/H5								2	-	C	11/13
	SP13/N								2	-	C	11/14
	AVIA'N DEVEL'S A811								2	-	C	11/15
	95391	FLEXELLO							2	-	B	11/16
95388	RTC.8RB											
	E.F2.88.51								2	-	-	9/11
	M.B. & BRASS FCT.39								1	-	-	9/12
	M.B. & BRASS FGH.138								1	-	-	9/13
28D/9143793 28M/10303 28W/9419468	FLEXELLO								1	-	C	9/14
	KV8.RTB											
	A25/6N								4	-	C	9/15
	AGS.2001/N/2								4	-	C	9/16
28M/1011473	SP13/N								4	-	C	9/17
	E.F2.88.67								2	BS970 EN3A	-	9/18
	A27/JP								2	-	C	9/19
	E.B2.88.393								2	S1	-	9/20
	E.B2.88.399								2	S1	-	9/21

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
95891	E.F.2.88.229								1	BS970 EN3A	C	9/22
28M/1006939	A27/GP EEAS.28/31EU								1	—	C	9/23
									1	S515	—	9/24
28D/1011318	A25/10N								2	—	C	9/25
28M/13259	A27/NS								2	—	C	9/26
28P/9560929	SP90/E8								2	—	C	9/27
28W/9419468	SP13/N								2	—	C	9/28
28FP/9489648	AVIA'N DEVEL'S A811								2	—	C	9/29
28FP/4069720	AS.2434/16								16	—	C	9/30
28FP/1209461	AS2436/48								3	—	—	9/31
1439671	E.F.2.88.83								1	—	C	9/32
95732	E.F.2.88.291								1	BS14761 HE15/WP	—	9/33
28D/1212835	AS.1242/4E								1	—	C	9/34
28M/1011467	A27/ES								1	—	C	9/35
28P/9486478	SP90/C5								1	—	C	9/36
28W/9418921	SP13/E								1	—	C	9/37
	E.F.2.88.285								4	BS970 EN3A	—	9/38
28D/1212313	A25/15E								4	—	C	9/39
28M/1011475	A27/EP EEAS.28/22/1B								4	—	C	9/40
									8	Laminated Aluminium	—	9/41
28W/9418921	SP13/E								4	—	C	9/42
1439670	E.F.2.88.84								1	—	C	9/43
95733	E.F.2.88.292								1	BS1476	C	9/44
28D/1212835	AS.1242/4E								1	—	C	9/34
28M/1011467	A27/ES								1	—	C	9/35
28P/9486478	SP90/C5								1	—	C	9/36
28W/9418921	SP13/E								1	—	C	9/37
	E.F.2.88.285								4	BS970 EN3A	—	9/38
28D/1212313	A25/15E								4	—	C	9/39
28M/1011475	A27/EP EEAS.28/22/1B								4	—	C	9/40
									8	Laminated Aluminium	—	9/41
28W/9418921	SP13/E								4	—	C	9/42

A.P.101B-1002/2A-3A

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
1504871	E.F2.88.227								2	-	C	10/11
	E.F2.88.285								4	BS970 EN3A	-	10/12
28D/1212313	A25/15E								4	-	C	10/13
28M/1011475	A27/EP								4	-	C	10/14
	EEAS.28/22/1B								8	Laminated Aluminium	-	10/15
28W/9418921	SP13/E								4	-	C	10/16
	E.F2.88.89								2	LFS26	-	10/17
28D/9706306	A25/17E								2	-	C	10/18
28M/1011475	A27/EP								2	-	C	10/19
28W/9418921	SP13/E								2	-	C	10/20
	E.F2.88.129								4	EN3A	-	10/21
95390	E.B2.88.3043								3	BS1667/4	B	9/45
28D/1212811	A25/42J								3	-	C	9/46
28M/1011476	A27/JS								3	-	C	9/47
28P/9527619	SP90/C7								3	-	C	9/48
28W/9419466	SP13/J								2	-	C	9/49
	E.F2.88.295								2	-	-	11/17
	E.B2.88.419								1	BS15	-	11/18
28D/9133012	A25/3C								1	-	C	11/19
28M/9403520	A27/CP								1	-	C	11/20
	E.B2.88.421								1	S1	-	11/21
28FP/9489648	AVIA'N DEVEL'S A811								1	-	C	11/22
28D/1011318	A25/10N								2	-	C	11/23
28M/13259	A27/NS								2	-	C	11/24
28P/9560929	SP90/E8								2	-	C	11/25
28W/9419468	SP13/N								2	-	C	11/26
	E.F2.88.59								1	-	-	10/22
	E.F2.88.115								1	NYS Angle	-	11/27
R	E.F2.88.59/D								1	-	-	
R	E.F2.88.59/C								1	-	-	
28D/1213312	AS.2923/6E								2	-	C	11/28
28D/1213313	AS.2923/9E								6	-	C	
28M/1011475	A27/EP								8	-	C	11/29
	EEAS.28/30DU								14	S515	-	11/30
28W/9418921	SP13/E								2	-	C	11/31

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
95734	E.F2.88.59/B or B.T.R. LEYLAND							MATTING, rubber pipped	1	—	C	11/32
								RUBBER, hycar, 22" x 125" x 1/8" thick	1	S/H60	—	11/33
								Attachments:—			M43/R	
33H/9436957	EVODE LTD. EVOSTICK or							Adhesive	QR	—	C	11/34
33H/126	M.M.M. EC.776							Attachments:—				
28D/7002413	A25/14E							Bolt, 1/4" BSF, hex. head	2	—	C	11/35
	AS.2923/18E							Bolt, 1/4" BSF, mushroom head	14	—	—	11/36
28M/1011475	A27/EP							Nut, 1/4" BSF, plain	14	—	C	11/37
28M/1007403	A27/ET							Nut, 1/4" BSF, thin	2	—	C	11/38
	E.F2.88.103							Tube, distance, 3/8" o/d x 18 SWG	12	BS980	LM	10/23
								(May be made from AS.2808/8/125)		CDS		
	E.F2.88.107							Tube, distance, 3/8" o/d x 18 SWG	2	BS980	LM	9/50
								(May be made from AS.2808/8/120)		CDS2		
	E.F2.88.119							Tube, distance, 3/8" o/d x 18 SWG	2	BS980	LM	11/39
								(May be made from AS.2808/8/135)		CDS2		
	E.F2.88.105							Washer, saddle	14	BS970	—	11/40
										EN3A		
	EEAS.28/30DU							Washer	14	S515	—	11/41
28W/9418921	SP13/E							Washer, 1/4" BSF, plain	2	—	C	11/42
4GC/6100	DIDSBURY ENG.D/43/80							END, ball	4	—	B	13/3
4GC/5743	DIDSBURY ENG.C/41/77							HANDLE, 9", 10 cwt. and 2-1/2 cwt. hoist	4	—	A	13/4
4GC/5752	DIDSBURY ENG.A/43/1							HOIST, minilift, 10 cwt.	4	—	A	13/5
	95014							LINK, upper jet pipe handling	1	—	C	12/1
	95148							Pin, locking, rear fuselage doors	2	—	C	12/2
40B/1168	†							SETS, adaptor	QR	—	A	
4GC/6099	DIDSBURY ENG.B/43/111							SHEATH, top	4	—	A	6/3
	95431							SLING, jet pipe cradle	1	—	A	12/3
								Spares for:—				
	E.F2.07.105							CABLE, assembly (E.F2.88.137)	2	—	—	
4L/2592	†							SLING, jet pipe crate upper half lifting	1	—	B	13/7
	95159							SLING, jet pipe	1	—	B	13/8
4GC/5348	ROLLS ROYCE CP.1693							SLING, Avon engine lifting	1	—	A	13/9
4GC/5377	ROLLS ROYCE J.47623							SLING, engine and stand	1	—	A	13/10
	J.52962											
40B/1030	†							STAND, engine transit (Alternative 40B/1166)	1	—	A	13/11
	95349							STAND, transition pipe, rear mounting	1	—	B	12/4
	95302							STAND, reheat and transition jet pipe	3	—	B	12/5
	95348							STAND, reheat pipe, rear	2	—	B	12/6
	95768							STRUT, jury, jet pipe cradle transit	1	—	B	12/7
	—							TROLLEY, and hoisting, cradle, lower engine,	—	—	—	14/1
								assembly (E.B2.88.85)				
								Spares for:—				
	95010							BEAM, rear, hoist support	2	M/S	B	14/2
	95011							BEAM, forward, hoist support	2	M/S	B	14/3
	95009							CRADLE, hoisting, group	1	—	C	14/4
								Consisting of:—				
	E.B2.88.43							BEAM, forward, group	1	—	—	14/5
								Spares for:—				
	95352							BEARING, flanged	2	—	C	14/6

R

A.P.101B-1002/2A-3A		EQUIPMENT ANCILLARY							Page G15			
GROUND EQUIPMENT												
Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
36830	E.B2.88.41	LINK, steel rope attachment							2	DTD215	C	14/7
28FP/10	AVIA'N DEVEL'S A.417	PIN, "pip", quick release							2	-	C	14/8
95855	E.B2.88.123	ROPE, steel, "pip", pin attachment							2	-	C	14/9
	E.B2.88.53	BEAM, rear, group							1	-	-	14/10
		Spares for:-										
36830	E.B2.88.41	LINK, steel rope attachment							2	DTD215	C	14/7
28FP/10	AVIA'N DEVEL'S A.417	PIN, "pip", quick release							2	-	C	14/8
95855	E.B2.88.123	ROPE, steel, "pip", pin attachment							2	-	C	14/9
	E.B2.88.55	PEDESTAL, rear support, group							2	-	-	14/11
		Spares for:-										
	E.B2.88.41	LINK, steel rope attachment							1	DTD215	-	14/7
95478	AVIA'N DEVEL'S A.711	PIN, "pip", quick release							1	-	C	14/12
95855	E.B2.88.123	ROPE, steel, "pip", pin attachment							1	-	C	14/9
		Attachments:-										
28D/1011301	A25/8J	Bolt, 3/8" BSF, hex. head							8	-	C	14/13
28M/1011473	A27/JP	Nut, 3/8" BSF, plain							8	-	C	14/14
	E.B2.88.87	Washer, special taper							8	S21	-	14/15
1439669	E.B2.88.51	PLATFORM, front support, group							1	-	C	14/16
		Consisting of:-										
28D/	AS.1242/34N	BOLT, 1/2" BSF, hex. head							1	-	-	14/17
	E.B2.88.47	BUSH, spherical							1	DTD197	-	14/18
	E.B2.88.49	HOUSING, spherical							1	M/S	-	14/19
28M/9452621	A27/NT	NUT, 1/2" BSF, thin							1	-	C	14/20
	E.B2.88.7121	PIECE, distance (Mod. 8006)							1	-	-	14/21
		Attachments:-										
	G.K.N.	Screw socket cap hex., 1/4" BSF x 1/2" ... long							2	-	-	14/22
	E.B2.88.45	PLATFORM							1	M/S	-	14/23
95855	E.B2.88.123	ROPE, steel, assembly							1	-	C	14/9
		Attachments:-										
	G.K.N.	Bolt, wedglok hex. head, 1/4" BSF x 3/4" long							2	-	-	14/24
28D/1008151	A25/4E	Washer, 1/4" BSF, plain							2	-	C	14/25
28W/9418921	SP13/E											
28W/9419468	SP13/N	WASHER, 1/2" BSF, plain							1	-	C	14/26
		Attachments:-										
28D/1011257	A25/7G	Bolt, 5/16" BSF, hex. head							4	-	C	14/27
28M/1006939	A27/GP	Nut, 5/16" BSF, plain							4	-	C	14/28
	E.B2.88.91	Washer, special taper							4	-	-	14/29
28W/9419403	SP13/G	Washer, 5/16" BSF, plain							4	-	C	14/30
	E.B1.88.247	PLATE, reference							1	BS265	-	14/31
		Attachments:-										
28D/9137408	AS.1246/ 1/2B	Bolt, 4 BA, round head							4	-	C	14/32
	E.B2.88.93	SPINDLE, platform, front and rear beam bearing							1	S95	-	14/33
		Attachments:-										
28M/13705	A27/ST	Nut, 3/4" BSF, thin							1	-	C	14/34
95353	E.B2.88.59	Shim 1".2 dia. x 1/8" thick							1	Laminated Aluminium	C	14/35
	E.B2.88.57	Washer, special							2	S3	-	14/36

Restricted

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
95008	E.B2.88.63	TROLLEY, handling, group	1	—	A	14/37
		Spares for:—				
95165*	FLEXELLO SV.8.RXB	CASTOR, super duty	4	—	C	14/38
1503645	FLEXELLO KV.8.RXB	CASTOR	4	—	C	14/39
		Attachments:—				
28D/1212774	A25/7N	Bolt, 1/2" BSF, hex. head	16	—	C	14/40
28M/1011477	A27/NP	Nut, 1/2" BSF, plain	16	—	C	14/41
28W/9419468	SP13/N	Washer, 1/2" BSF, plain	16	—	C	14/42
4G/4858	†	TROLLEY, E.C.U. servicing, for use with transit stand	1	—	A	13/12
4GC/6093	DIDSBURY ENG. D/43/64	TUBE, extension, 12"	4	—	B	13/13
	—	GEARBOX, air turbine, installation (E.F2.88.269)	—	—	—	15/1
		Consisting of:—				
4GC/	DIDSBURY ENG. A.50/64	CHASSIS, aircraft services	1	—	A	15/2
95137	E.B2.88.4939	CRADLE, air turbine gearbox handling, group	1	—	B	15/3
		Spares for:—				
95834	E.B2.88.5981	CABLE, cradle lifting	2	—	C	15/4
95479	AS.2436/69	PIN, quick release, gearbox support	1	—	C	15/5
95480	AS.2436/74	PIN, quick release, gearbox support	1	—	C	15/6
95481	E.B2.88.273	ROLLER, cradle	4	DTD197	C	15/7
95482	E.B2.88.279	ROLLER, gearbox	2	DTD197	C	15/8
95876	E.B2.88.271	SPINDLE, cradle roller	4	S1	C	15/9
		Attachments:—				
28M/1011476	A27/JS	Nut, 3/8" BSF, slotted	4	—	C	15/10
28P/1007741	SP9/C8	Pin, split	4	—	C	15/11
4GC/5743	DIDSBURY ENG. C/41/77	HANDLE, 9", 10 cwt. and 2-1/2 cwt. hoist	1	—	A	
4GC/5699	DIDSBURY ENG. A41/5	HOIST, minilift, 2-1/2 cwt.	1	—	A	
4GC/5429	DIDSBURY ENG. A41/76	HOOK, detachable	1	—	C	
4GC/6673	DIDSBURY ENG. C/50/126	JIB, minilift	1	—	A	
4GC/5700	DIDSBURY ENG. C/41/63	SHEATH, top hook, 17" reach	1	—	A	
4GC/5427	†	TUBE, extension, 24"	1	—	B	
95012	E.B2.88.173	GUARD, debris, group	1	—	B	15/12
		Spares for:—				
95483	E.B3.88.2109	CABLE, guard	2	W9	C	15/13
95476	E.B2.88.5883	EYE-BOLT, screwed, fuselage thumb screw	2	EN24T or S95	C	15/14
		Attachments:—				
28P/7000186	SP4Y/D11	Pin, shackle	2	—	C	15/15
28P/9419619	SP9/C5	Pin, split	2	—	C	15/16
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	2	—	C	15/17
32B/	†	FELT, sealing, 3/16" thick	QR	DTD590	—	15/18
95819	E.B2.88.2119	FORK-END, cable pulley mounting	2	S95	C	15/19
5K/1200718	SP40/B14	GROMMET	2	—	C	15/20
	E.B2.88.357	MESH, wire, 18 SWG, No. 4	1	Stainless Steel	—	15/21
95837	E.B2.88.2125	PULLEY, cable guide	2	S1	C	15/22
95838	E.B2.88.2113	SCREW, thumb	2	S1	C	15/23

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	EEAS.38/2A E.B2.88.5867								QR	S96	LM	16/24
									1	BS980	—	16/25
										CDS1 or 2		
4762	EEAS.20/3DU								1	S515	C	16/35
28W/9419469	SP13/P								1	—	C	16/36
95301	E.B2.88.1278								1	—	B	16/37
	BUCK & HICKMAN								1	Brass	—	16/2
28N/18531	SP121/J								2	—	C	16/3
R 28FP/9243487	AVIA'N DEVEL'S A.613								1	—	C	16/4
28P/9513991	SP113/J8-1/2								1	—	C	16/5
28P/1220955	SP113/J14								1	—	C	16/6
R 28P/9506679	SP90/G4								1	—	C	16/7
R 28P/19176	SP90/G6								1	—	C	16/8
	BUCK & HICKMAN								1	—	—	16/9
	E.B2.88.7096								1	—	—	16/38
	E.B2.88.7099								1	BS970	—	16/11
										EN3A or 3B		
	E.B2.88.7103								1	BS970	—	16/12
										EN3A or 3B		
	E.B2.88.5278								1	BS970	—	16/39
										EN3 or 3A		
26FZ/1087	EEAS.37/2A								16	S96	C	16/14
28M/9457500	A27/QT								1	—	C	16/15
28M/9517566	A27/QTL								1	—	C	16/16
R 26FZ/1571	EEAS.38/2A								QR	—	C	16/17
	E.B2.88.7097								1	BS980	—	16/18
										CDS1 or 2		
	E.B2.88.7101								1	BS970	—	16/19
										EN3A or 3B		
	E.B2.88.5860								1	—	—	16/40
	E.B2.88.5273								1	BS970	—	16/21
										EN3 or 3A		
	E.B2.88.5865								1	BS970	—	16/22
										EN3 or 3A		
26FZ/1087	EEAS.37/2A								16	S96	C	16/23
	EEAS.38/2A								QR	S96	LM	16/24
	E.B2.88.5863								1	BS980	—	16/25
										CDS1 or 2		
	E.B2.88.5861								1	—	—	16/26
95783	E.B2.88.5135								1	—	C	16/27
	E.B2.88.5869								1	BS970	—	16/28
										EN3 or 3A		
	E.B2.88.5871								1	BS970	—	16/29
										EN3 or 3A		
R 1504361	E.B2.88.5873								1	BS970	C	16/30
										EN3 or 3A		
26FZ/1087	EEAS.37/2A								16	S96	C	16/23
R 1504362	E.B2.88.5875								1	EN14A or 2A	C	16/31

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28S/7002444	A33/C14	SCREW, 2 BA, c'sk head								4	-	C	16/32
R 26FZ/1571	†	SCREW, grub, 4 BA x 7/16" long								1	BS768	-	16/33
	EEAS.38/2A	SPOKE (Make from 28R/6124)								QR	S96	C	16/24
	E.B2.88.5867	TUBE, hinged stay, 1" o/d x 16 SWG								1	BS980	-	16/34
												CDS1 or 2	
4762	EEAS.20/3DU	WASHER, tab								1	S515	C	16/35
28W/9419469	SP13/P	WASHER, 9/16" BSF, plain								1	-	C	16/36
95112	E.B2.88.1753	WALKWAY, upper engine hatch servicing								1	-	B	17/1
95192	E.B2.88.2363	WALKWAY, upper engine bay, assembly								1	-	B	17/2
		Spares for:-											
95735	B.T.R. LEYLAND HYCAR	RUBBER, 1/8" x 12" x 97"								1	M43R	C	17/3
		Attachments:-										S/H 62	
33H/18	M.M.M. LTD. EC.776	Adhesive								QR	-	C	17/4
95055	E.B2.88.3943	WALKWAY, rear fuselage ground servicing, group								1	-	B	17/5
		Consisting of:-											
95618	E.B2.88.3947	WALKWAY, rear fuselage, section 1, assembly								1	-	C	17/6
		Spares for:-											
32B/950	†	FELT, 1/4" thick								QR	DTD590	C	17/7
32C/	B.T.R. LEYLAND HYCAR	RUBBER, 1/8" x 12" x 58"								1	M43R S/H 60	-	17/8
		Attachments:-											
33H/18	M.M.M. LTD. EC.776	Adhesive								QR	-	C	17/4
95619	E.B2.88.3949	WALKWAY, rear fuselage, section 2, assembly								1	-	C	17/9
		Spares for:-											
32B/950	†	FELT, 1/4" thick								AR	DTD590	C	17/7
32C/	B.T.R. LEYLAND HYCAR	RUBBER, 1/8" x 12" x 34"								1	M43R S/H 60	-	17/10
		Attachments:-											
33H/18	M.M.M. LTD. EC.776	Adhesive								QR	-	C	17/4
95620	E.B2.88.3951	WALKWAY, rear fuselage, section 3, assembly								1	-	C	17/11
		Spares for:-											
32B/950	†	FELT, 1/4" thick								QR	DTD590	C	17/7
32C/	B.T.R. LEYLAND HYCAR	RUBBER, 1/8" x 11" x 36-1/2"								1	M43R S/H 60	-	17/12
		Attachments:-											
33H/18	M.M.M. LTD. EC.776	Adhesive								QR	-	C	17/4
95621	E.B2.88.3953	WALKWAY, rear fuselage, section 4, assembly								1	-	C	17/13
		Spares for:-											
32B/950	†	FELT, 1/4" thick								QR	DTD590	C	17/7
	E.B2.88.3997	GUARD								1	M/S	-	17/14
		Attachments:-											
28S/9434796	SP64/C	Woodscrew, round head								8	-	C	17/15
32C/	B.T.R. LEYLAND HYCAR	RUBBER, 1/8" x 11" x 50"								1	M43R SH60	-	17/16
		Attachments:-											
33H/18	M.M.M. LTD. EC.776	Adhesive								QR	-	C	17/4

EQUIPMENT ANCILLARY GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
95622	E.B2.88.3955	WALKWAY , rear fuselage, section 5, assembly...							1	—	C	17/17
		Spares for :—										
32B/ 32C/	† B.T.R. LEYLAND HYCAR	FELT , 1/4" thick							QR 1	DTD590 M43R S/H 60	—	17/7 17/18
		Attachments :—										
33H/18	M.M.M. LTD. EC.776	Adhesive							QR	—	C	17/4
95623	E.B2.88.3957	WALKWAY , rear fuselage, section 6, assembly...							1	—	C	17/19
		Spares for :—										
32B/590 32C/	† B.T.R. LEYLAND HYCAR	FELT , 1/4" thick							QR 1	DTD590 M43R S/H 60	C	17/7 17/20
		Attachments :—										
33H/18	M.M.M. LTD. EC.776	Adhesive							QR	—	C	17/4
	—	EQUIPMENT , servicing, assembly (E.F2.88.13)							—	—	—	8/1
	—	[Mk. 2 A/c]							—	—	—	8/2
	—	EQUIPMENT , servicing, assembly (E.F4.88.25)							—	—	—	8/2
	—	[Mk. 2A A/c]							—	—	—	8/2
	—	Consisting of :—							—	—	—	8/2
95868	E.F3.88.1815	ADAPTOR , special (Mk. 2A A/c)							1	S98	C	8/3
95220	E.B2.88.3407	ADAPTOR , nosewheel shimmy damper accumulator, assembly							1	—	B	8/4
		Spares for :—										
95410	E.B2.88.3409	VALVE , assembly							1	—	B	8/5
4G/11964	E.B2.88.5607	ADAPTOR , nitrogen charging							1	—	C	8/6
95401	E.B2.88.6187	ADAPTOR , cabin pressure test							1	—	C	8/7
4F/1808	†	ADAPTOR , cabin air supply							1	—	B	8/8
4F/2459	†	ADAPTOR , cabin pressure test							1	—	B	8/9
27Q/14103	†	ADAPTOR , charging							1	—	C	8/10
95039	LOCKHEED AVA.550B	ADAPTOR , for use with hydraulic dispenser, J.E.P.1							1	—	C	8/11
95817	LOCKHEED AVA.1486/D	ADAPTOR , water/glycol							1	—	C	8/12
95161	E.B2.88.2881	ATTACHMENT , ISO propyle nitrate tank draining							1	—	C	8/13
95330	E.B2.88.5895	BAG , fabric, aircraft portion of P.E.C.							1	DTD336E	C	8/14
1440961	E.B2.88.5905	BLANKS , engine air inlet, assembly							2	—	B	19/1
		Spares for :—										
95351	E.B2.88.5975	BLANK , engine, segmented, assembly							6	—	B	19/2
		Spares for :—										
	E.B2.88.5975C	FELT , 1/4" thick (Make from 32B/950)							QR	DTD590	LM	19/3
	E.B2.88.5975B	HANDLE							1	Deal	—	19/4
		Attachments :—										
28D/9508529	A26/15C	Bolt, 2 BA, hex. head							2	Stainless Steel	C	19/5
28M/1010996	A24/CP	Nut, 2 BA, plain							2	Stainless Steel	C	19/6
28W/9128924	SP14/C	Washer, 2 BA, plain							2	Stainless Steel	C	19/7
4G/4864	†	CANS , fluid replenishing							2	—	A	
4G/5378	†	CANS , fluid replenishing, 10 galls.							1	—	A	
95402	E.B2.88.5977	CHOCKS , aircraft restraining, engine run-up, installation							1	—	B	19/8
		Consisting of :—										
	E.B2.88.6149	CHOCK , assembly							2	—	—	19/9
		Spares for :—										
	E.B2.88.6125	CHOCK							1	—	—	19/10

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.88.6127											
29A/	FB.108/11A											
29A/	FB.108/38A											
29A/	FN.108/A											
29C/	†											
95874	E.B2.88.6151											
95875	E.B2.88.6401											
	E.F3.88.1147											
	E.F3.88.1383											
28P/7000186	SP4Y/D11											
28P/9429619	SP9/C5											
13154	EEAS.28/9EU											
	E.F3.88.1421											
	AS.2949											
	E.F3.88.1379											
28D/1212412	A25/43C											
28M/9403520	A27/CP											
28W/9419402	SP13/C											
	E.F3.88.1381											
	E.F3.88.1425											
	E.F3.88.1423											
	AS.2961											
28E/9485956	TERRY											
28E/9467497	TERRY											
95228	E.B2.88.5921											
95484	E.B2.88.5933											
	E.F2.88.191											
4G/5719	†											
71A/29	†											
71A/201	†											
71A/202	†											
95191	JUNIPER											
	J.E.P.1											
4G/5720	†											
95419	E.B2.88.6143											
	E.B2.88.6145											
	E.B2.88.6147											

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
95873	E.B3.88.177	FRAME , jury, No. 2 engine bay, assembly (Mod. 8029)							1	—	B	21/1
		Spares for :—										
1440701	E.B3.88.183	BOLT , special, frame attachment, assembly							6	—	C	21/2
		Spares for :—										
95894	E.B3.88.185	BOLT , special							1	BS970 EN95Y	C	21/3
	AS.2949	CHAIN							1	—	—	21/4
	E.B3.88.187	S-RING , 16 SWG							1	MS Wire	—	21/5
	AS.2961	TAB							1	—	—	21/6
	E.B3.88.193	BOLT , "U"							2	BS970 EN2	—	21/7
		Attachments :—										
28M/1011473	A27/JP	Nut, 3/8" BSF, plain							4	—	C	21/8
28W/9419466	SP13/J	Washer, 3/8" BSF, plain							4	—	C	21/9
	—	ELECTRICS , in jury rig (E.B3.88.261)							—	—	—	21A/1
		Spares for :—										
	E.B3.88.259	BRACKET , clamp							2	BS1499 EN2A	—	21A/2
		Attachments :—										
	E.B3.88.215	Bolt, "U"							2	S1	—	21A/3
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							4	—	C	21A/4
	E.B3.88.203	CABLE , assembly, TR.1, group							1	—	—	21A/5
		Consisting of :—										
5E/3878	—	CABLE , unieglas 16							QR	—	C	21A/6
	SUPERFLEXIT SC.001/9/64	CONDUIT , convoluted							1	—	—	21A/7
	SUPERFLEXIT SCF.276D/9	END , conduit							1	—	—	21A/8
	SUPERFLEXIT SCF.1870/SR9	END ...							1	—	—	21A/9
	508/1/14585/002	INSERT , socket							10	—	—	21A/10
5X/9717833	508/2/04367	PLUG , filler, grey							2	—	C	21A/11
	EEAS.146/2	SLEEVE , 1" long							QR	—	—	21A/12
	EEAS.146/2	SLEEVE , 1 1/2" long							QR	—	—	21A/13
	EEAS.146/6	SLEEVE , 1/2" long							QR	—	—	21A/14
	EEAS.146/6	SLEEVE , 1/2" long							QR	—	—	21A/15
	EEAS.146/6	SLEEVE , 1" long							QR	—	—	21A/16
5X/9138835	2Z.139623	SLEEVE , blue							10	—	C	21A/17
	BMS.FREE12S-3S	SOCKET , 2-way							2	—	—	21A/18
	BMS.FREE14S-6S	SOCKET , 6-way							1	—	—	21A/19
	E.B3.88.205	CABLE , assembly, TR.2, group							1	—	—	21A/20
		Consisting of :—										
5E/3878	†	CABLE , unieglas 16							QR	—	C	21A/21
	SUPERFLEXIT SC.001/9/10	CONDUIT , convoluted							1	—	—	21A/22
5X/16741	SUPERFLEXIT SCF.284/SS/9	END ...							1	—	C	21A/23
	SUPERFLEXIT SCF.1871/SR/9	END ...							1	—	—	21A/24
5X/7850	508/2/03547/002	PIN , plug 16							6	—	C	21A/25
5X/9717833	508/2/04367	PLUG , filler, grey							2	—	C	21A/26
	BMS.14S-6P	PLUG , fixed, 6-way							1	—	—	21A/27
	EEAS.146/2	SLEEVE , 1" long							QR	—	—	21A/28
	EEAS.146/2	SLEEVE , 1 1/2" long							QR	—	—	21A/29
	EEAS.146/16	SLEEVE , 1/2" long							QR	—	—	21A/30
5X/9138835	2Z.139623	SLEEVE , blue							4	—	C	21A/31

A.P.101B-1002/2A-3A

EQUIPMENT ANCILLARY

Page G23

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B3.88.269								1	-	-	21A/32
	E.B3.88.267								1	-	-	21A/33
	KING A/C C.18550/ 5/8								1	-	-	21/10
28M/1278190	AGS.2001/C/1								4	-	C	21/11
28S/1200053	A33/C16								4	-	C	21/12
	KING A/C C.18550/ 7/8								1	-	-	21/13
28M/1278190	AGS.2001/C/1								4	-	C	21/14
28S/1200053	A33/C16								4	-	C	21/15
	E.B3.88.263								2	-	-	21/16
28S/1214078	4100/10/ 3/8								4	-	C	21/17
	E.B3.88.265								4	-	-	21/18
28S/1214078	4100/10/ 3/8								8	-	C	21/19
	E.B3.88.207								1	-	-	21/20
95897	E.B3.88.209								2	BS2572 F3	C	21/21
	E.B3.88.211								1	S1	-	21/22
28M/1278190	AGS.2001/C/1								2	-	C	21/23
	E.B3.88.179								1	-	-	21/24
95898	E.B3.88.189								6	BS249	C	21/25
95899	E.B3.88.191								6	-	C	21/26
28D/9133013	A25/5C								12	-	C	21/27
28W/9416643	SP47/C								12	-	C	21/28
95900	E.B3.88.181								6	-	-	21/29
4F/2191	†								1	-	A	20/7
4G/5809	†								1	-	A	
4G/5874	†								1	-	A	22/1
95314	E.B2.88.5139								2	-	B	20/8
1441274	E.B2.88.2581								1	LFS26	C	20/9
28D/1011011	A25/8B								2	-	C	20/10
28M/9403519	A27/BP								2	-	C	20/11
28W/9419465	SP13/B								2	-	C	20/12
95796	E.B3.88.199								1	-	A	22/2
	AS.2944								2	-	-	22/3
21080	E.B2.88.6291								2	BS970 EN14A or S92	C	22/4
R 28FP/4062336	AVIA'N DEVEL'S A617								2	-	C	22/5

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B3.88.149	PLATE , beam end, R.H.	2	BS15 or S1	—	23/20
		Attachments :—				
28D/	A25/10S	Bolt, 3/8" BSF, hex. head	2	—	—	23/21
28M/9446651	A27/SP	Nut, 3/8" BSF, plain	2	—	C	23/22
28W/9419471	SP13/C	Washer, 3/8" BSF, plain	2	—	C	23/23
	E.B3.88.151	SADDLE	1	Hardwood	—	23/24
		Attachments :—				
28D/1011306	A25/23J	Bolt, 3/8" BSF, hex. head	6	—	C	23/25
28M/1011473	A27/JP	Nut, 3/8" BSF, plain	6	—	C	23/26
28W/9419466	SP13/J	Washer, 3/8" BSF, plain	6	—	C	23/27
	HARRIS & WALTON No. 86	SCREW , stretching, 18" body	1	—	—	23/28
		Attachments :—				
1440723	E.B3.88.113	Pin	2	EN16T-24T	C	23/29
28P/1202463	SP9/K12	Pin, split	2	—	C	23/30
28W/9419429	SP13/4	Washer, 3/8" BSF, plain	2	—	C	23/31
1440724	E.B3.88/125	STRAP , restrained, assembly... ..	1	—	C	23/32
		Spares for :—				
1440725	E.B3.88.137	ADJUSTER , strap tension	1	BS15 or S1	C	23/33
1440726	E.B3.88.141	HANDLE	1	BS14 or S1	C	23/34
1440727	E.B3.88.133	PIN , eye-end screw to strap attachment	1	BS15 or S1	C	23/35
1440728	E.B3.88.143	PIN , toggle to adjuster attachment	1	BS15 or S1	C	23/36
1440729	E.B3.88.135	SCREW , eye-end	1	BS15 or S1	C	23/37
1440730	E.B3.88.139	TOGGLE	1	BS15 or S1	C	23/38
95331	E.B2.88.4467	RIG , canopy mechanism test, assembly	1	—	A	24/1
		Spares for :—				
6D/1405J	SIS.576	CYLINDER , Mk. 5D	1	—	A	24/2
FLU6A/2689	SIS.3592	GAUGE , pressure, Mk. 14H	1	—	A	24/3
		Attachments :—				
28S/1200033	A31/B24	Screw, 4 BA, cheese head	4	—	C	24/4
95411*	SUPER OIL SEALS 602/4/501/L66	HOSE , "Aerogrip"	1	—	C	24/5
	SUPER OIL SEALS A2A000/4/06600	HOSE , "Aerogrip"	1	—	—	
6A/2771	SIS.3592	LABEL	1	—	C	24/6
	SAUNDERS A102/3	LEVER , aero valve operating	1	—	—	24/7
28F/1013599	AGS.1142/A	NIPPLE , adaptor	1	—	C	24/8
28F/8011885	AGS.1142/B	NIPPLE , adaptor	3	—	C	24/9
6D/756	SIS.576	PIECE , connecting, 5-way, Mk. 7	1	—	B	24/10
28P/1007741	SP9/C8	PIN , split, trunnion retaining	16	—	C	24/11
95739	E.B2.88.4833	PIPE , assembly, from 5-way connecting piece to high pressure aero valve	1	DTD323	C	24/12
95740	E.B2.88.4835	PIPE , assembly, from reducer connection to 5-way connecting piece	1	DTD323	C	24/13
95741	E.B2.88.4837	PIPE , assembly, from pressure gauge to reducer connection	1	DTD323	C	24/14
28F/1013401	AGS.1107/A	REDUCER	1	—	C	24/15
	E.B2.88.4799	STRAP	1	—	—	24/16
		Attachments :—				
28D/1218385	AS.1248/2B	Bolt, 4 BA, mushroom head	1	—	C	24/17
28M/9403519	A27/BP	Nut, 4 BA, plain	1	—	C	24/18
28W/9419465	SP13/B	Washer, 4 BA, thin	1	—	C	24/19
28W/9419486	SP16/B	Washer, 4 BA, thick	1	—	C	24/20

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.88.4801								1	—	—	24/21
28D/1218385	AS.1248/2B								1	—	C	24/22
28M/9403519	A27/BP								1	—	C	24/23
28W/9419465	SP13/B								1	—	C	24/24
28W/9419486	SP16/B								1	—	C	24/25
	E.B2.88.4827								1	—	—	24/26
	E.B2.88.4831								2	BS970 EN14A	—	24/27
	E.B2.88.4829								1	NF101 or DTD5506	—	24/28
28M/9403520	A27/CP								4	—	C	24/29
28W/9419402	SP13/C								4	—	C	24/30
	E.B2.88.4803								4	BS970 EN25T	—	24/31
	E.B2.88.4807								4	BS970 EN25T	—	24/32
	E.B2.88.4805								4	BS970 EN25T	—	24/33
95413	E.B2.88.4809								1	—	B	24/34
28F/9434306	AGS.949/B								1	—	C	24/35
	E.B2.88.4813								1	BS970 EN6	—	24/36
	E.B2.88.4815								1	BS970 EN6	—	24/37
	E.B2.88.5903								1	BS970 EN3B	—	24/38
	E.B2.88.4811								1	BS369	—	24/39
28W/9419469	SP13/P								1	—	C	24/40
95412	SAUNDERS 102.AB.02								1	—	B	24/41
28D/1008149	A25/2B								4	—	C	24/42
	E.B2.88.4797								2	BS1449 EN14A	—	24/43
28M/9403519	A27/BP								4	—	C	24/44
	E.B2.88.4999								4	BS1449 EN14A	—	24/45
	E.F3.88.2419								1	—	—	25/1
	E.F3.88.2465								2	DEF13 GR2	—	25/2
28D/1212313	A25/15E								4	—	C	25/3
28M/1011475	A27/EP								4	—	C	25/4
28W/1009149	SP122/E								4	—	C	25/5
	E.F3.88.2457								1	—	—	25/6
	E.F3.88.2461								1	DEF13 GR2	—	25/7
	E.F3.88.2463								1	DEF13 GR2	—	25/8

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	ROMAC B.75								2	—	—	25/9
33H/290	BOSCOPENE 2115								QR	DTD900/4690	C	25/10
	E.F3.88.2467								1	BS265	—	25/11
28S/1214065	4101/6/3/8"								4	—	C	25/12
	E.F3.88.2459								1	—	—	25/13
28D/1011302	A25/10J								1	—	C	25/14
28M/10292	AGS.2001/J/1								1	—	C	25/15
	AS.2806/7/10								1	—	—	25/16
28W/9155148	SP122/J								1	—	C	25/17
	FLEXELLO WRX8LRB								2	—	—	25/18
28M/13259	A27/NS								2	—	C	25/19
28P/19234	SP90/EB								2	—	C	25/20
28W/	SP122/W								2	—	—	25/21
	EEAS.28/57EU								2	S515	—	25/22
95781	E.F3.88.1191								1	—	A	26/1
	E.F3.88.1201								1	BS15 or BS970 EN3A	—	26/2
28D/1011238	A25/3E								1	—	C	26/3
28D/1011255	A25/3G								5	—	C	26/4
28W/9416644	SP47/E								1	—	C	26/5
28W/9416645	SP47/G								5	—	C	26/6
	E.F3.88.1231								4	—	—	26/7
	E.F3.88.1241								1	BS970 EN3A	—	26/8
	AS.2944								1	—	—	26/9
	E.F3.88.1243								1	—	—	26/10
	E.F3.88.1245								1	—	—	26/11
	E.F3.88.1221								1	—	—	26/12
12554	KING A/C C.14424/18 AS.2949								1	—	C	26/13
	E.F3.88.1251								1	—	—	26/14
	AS.2961								1	BS970 EN3A	—	26/15
22489	KING A/C C.17320/8								1	—	C	26/16
									1	—	—	26/17
28S/9992525	A32/B12								4	—	C	26/18
28W/9416642	SP47/B								4	—	C	26/19

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F3.88.1249								1	BS1449 EN3A	—	26/20
	E.F3.88.1255								1	or BS15 BS267	—	26/21
28S/9480338	4104/4/3/8"								4	—	C	26/22
	E.F3.88.1225								2	—	—	26/23
	AS.2949								1	—	—	26/24
	E.F3.88.1227								1	—	—	26/25
	E.F3.88.1229								1	—	—	26/26
	E.F3.88.1223								2	BS970 EN3A	—	26/27
26FZ/6217	EEAS.1/1E								8	296	C	26/28
	E.F3.88.1203								1	BS15	—	26/29
	E.F3.88.1195								1	—	—	26/30
	E.F3.88.1205								1	—	—	26/31
12558	KING A/C C.14424/10								1	—	C	26/32
	AS.2949								1	—	—	26/33
	E.F3.88.1251								1	BS970 EN3A	—	26/34
	AS.2961								1	—	—	26/35
	E.F3.88.1213								1	—	—	26/36
23330	KING A/C C.14424/6								1	—	C	26/37
	AS.2949								1	—	—	26/38
	E.F3.88.1251								1	BS970 EN3A	—	26/39
	AS.2961								1	—	—	26/40
22492	KING A/C C.17320/6								1	—	C	26/41
28S/1012450	A32/B10								4	—	C	26/42
28W/9416642	SP47/B								4	—	C	26/43
22493	KING A/C C.17320/10								1	—	C	26/44
28S/1012450	A32/B10								6	—	C	26/45
28W/9416642	SP47/B								6	—	C	26/46
	E.F3.88.1193								1	—	—	26/47
	E.F3.88.1199								1	—	—	26/48
	E.F3.88.1205								1	—	—	26/49
12558	KING A/C C.14424/10								1	—	C	26/50
	AS.2949								1	—	—	26/51
	E.F3.88.1251								1	BS970 EN3A	—	26/52
	AS.2961								1	—	—	26/53

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F3.88.1213								1	—	—	26/54
23330	KING A/C C.14424/6 AS.2949								1	—	C	26/55
	E.F3.88.1251								1	BS970 EN3A	—	26/56
	AS.2961								1	—	—	26/57
	E.F3.88.1221								1	—	—	26/58
									1	—	—	26/59
12554	KING A/C C.14424/8 AS.2949								1	—	C	26/60
	E.F3.88.1251								1	BS970 EN3A	—	26/61
	AS.2961								1	—	—	26/62
22492	KING A/C C.17320/6								1	—	C	26/63
									1	—	—	26/64
									1	—	C	26/65
28S/1012450	A32/B10								4	—	C	26/66
28W/9416642	SP47/B								4	—	C	26/67
22489	KING A/C C.17320/8								1	—	C	26/68
									4	—	C	26/69
28S/1012450	A32/B10								4	—	C	26/70
28W/9416642	SP47/B								4	—	C	26/71
22493	KING A/C C.17320/10								1	—	C	26/72
									6	—	C	26/73
28S/1012450	A32/B10								6	—	C	26/74
28W/9416642	SP47/B								6	—	C	26/75
	E.F3.88.1197								1	—	—	26/76
	E.F3.88.1253								2	BS970 EN3A	—	26/77
26DE/95162	†								1	—	A	27A/1
95303	E.B2.88.6051								1	—	B	27A/2
	†								1	—	—	27A/3
	†								1	—	—	27A/4
	E.B2.88.6051/D								1	Perspex	—	27A/5
	E.B2.88.6051/E								1	Perspex	—	27A/6
	E.B2.88.6051/F								1	Perspex	—	27A/7
95229	E.B2.88.3233								1	—	C	27/1
	E.F3.88.2417								1	—	—	27/2
	AEROFLEX 21175 SHT. 1								1	—	—	27/3
	AEROFLEX F48/3								1	—	—	27/4
	E.F3.88.2447								1	BS970 EN49B or DTD239	—	27/5
									2	—	C	27/6
28D/9133013	A25/5C								2	—	C	27/7
28M/9403520	A27/CP								2	—	C	27/8
28W/9419402	SP13/C								2	—	C	27/9

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
6C/475	†											
95839	E.B3.88.235											
	E.B2.88.5157											
	E.B2.88.5161											
	E.B2.88.5165											
95775	E.B2.88.7147											
	E.B2.88.5169											
28D/9709561	AS.1242/3C											
28M/9403520	A27/CP											
28W/9419402	SP13/C											
28D/1006583	A25/5J											
28M/1011476	A27/JS											
28P/1007741	SP9/C8											
	E.B2.88.5163											
4GB/2451	†											
	E.B2.88.5167											
	E.B2.88.5417											
28D/9133208	A25/20E											
28M/1011467	A27/ES											
28P/1006943	SP9/C6											
28W/9418921	SP13/E											
	E.B2.88.3675											
	FLEXELLO											
	FFL.2134											
28D/1213124	A25/9Q											
28M/9534205	A27/QP											
28W/9416650	SP47/Q											
	E.B2.88.5075											
28D/1200119	A25/4C											
28M/9403520	A27/CP											
	E.B2.88.5051											
	E.B2.88.5001											
	E.B2.88.5005											
28P/1006943	SP9/C6											
28W/9419468	SP13/N											
28W/9419491	SP16/N											

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.88.5003								2	BS1449 EN439 or 44D	—	29/11
28D/1200119	A25/4C								4	—	C	29/12
28M/9403520	A27/CP								4	—	C	29/13
	E.B2.88.3009								1	—	—	28/25
	E.B2.88.2939								1	DTD666 or S21	—	28/26
	E.B2.88.2941								1	DTD666 or S21	—	28/27
	E.B2.88.2999								1	—	—	28/28
	E.B2.88.2407								1	DTD590	—	28/29
	E.B3.88.243								1	—	—	29/14
	E.B2.88.2955								4	EN3B	—	29/15
	E.B2.88.2959								2	S95	—	29/16
28D/	A59/37N								2	—	—	29/17
	E.B2.88.2939								1	DTD666 or S21	—	29/18
	E.B2.88.2941								1	DTD666 or S21	—	29/19
	E.B2.88.2949								1	EN3B or S92	—	29/20
	E.B3.88.245								1	—	—	29/21
	E.B3.88.237								2	—	—	29/22
28D/12638	A25/32E								8	—	C	29/23
28M/12928	A27/EP								8	—	C	29/24
	AS.2808/6/325								4	—	—	29/25
	95844								2	S/H60	C	29/26
	E.B2.88.2957								1	S91 or S21	—	29/27
28M/13259	A27/NS								2	—	C	29/28
28M/9129449	A27/LS								2	—	C	29/29
28M/13590	A27/SS								2	—	C	29/30
	E.B2.88.2967								2	S95	—	29/31
28P/9429652	SP9/E10								4	—	C	29/32
28P/12464	SP9/G10								2	—	C	29/33
28P/1011084	SP9/H14								2	—	C	29/34
	E.B2.88.2951								1	EN3B	—	29/35
	†								1	BS450	—	29/36
	E.B2.88.2943								4	—	—	29/37
28W/9419468	SP13/N								2	—	C	29/38
28W/9419471	SP13/S								2	—	C	29/39
	E.B2.88.3369								2	DTD610 or L72	—	28/30
	E.B2.88.3371								2	DTD610 or L72	—	28/31
28S/	A34/C14								4	—	—	28/32

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.88.3367											
28E/9129562	AGS.605/3											
	E.B2.88.3375											
95845	E.B3.88.239											
	E.B2.88.2383											
28FP/48	AVIA'N DEVEL'S A.916											
	†											
28E/9467497	TERRY 169-1											
	E.B2.88.2383/J											
95813	E.F3.88.1009											
	E.F3.88.1067											
28FP/53	AVIA'N DEVEL'S A.1031											
	E.B2.88.4857											
28D/9446936	A25/24B											
28M/9403519	A27/BP											
	E.B2.88.3371											
28S/1008081	A33/C10											
	E.B2.88.4851											
	E.F3.88.1015											
	FLEXELLO FFL.2134											
28D/1213133	A25/15Q											
28M/9534205	A27/QP											
	E.F3.88.1033											
28VV/9416650	SP47/Q											
	E.F3.88.1023											
	E.F3.88.1035											
28VV/9446650	A27/WP											
	E.F3.88.1065											
	E.B2.88.2939											
	E.B2.88.2941											

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F3.88.1075								1	-	-	30/22
	E.F3.88.1081								1	DTD590	-	30/23
	E.B2.88.3371								1	-	-	30/24
28S/7002444	A33/C14								2	-	C	30/25
	E.F3.88.1653								4	M.S.	-	30/26
	E.B2.88.3369								1	L72	-	30/27
	E.F3.88.1011								1	-	-	30/28
4G/2451	†								2	-	A	30/29
	E.F3.88.1049								4	-	-	30/30
	E.F3.88.1051								4	-	-	30/31
	E.B2.88.3367								2	-	-	30/32
28E/9129562	AGS.605/3								2	-	C	30/33
	E.B3.88.3375								2	BS980	-	30/34
	E.F3.88.1055								4	M.S.	-	30/35
28D/1213122	A25/6Q								4	-	C	30/36
28D/1213123	A25/7Q								4	-	C	30/37
28D/1213132	A25/14Q								2	-	C	30/38
	E.F3.88.1085								1	BS4A	-	30/39
	E.F3.88.1086								1	BS4A	-	30/40
28M/9534205	A27/QP								10	-	C	30/13
28W/9416650	SP47/Q								10	-	C	30/15
	E.F3.88.1013								1	-	-	30/41
4G/2451	†								2	-	A	30/42
	E.B2.88.3367								2	-	-	30/32
28E/9129562	AGS.605/3								2	-	C	30/33
	E.B2.88.3375								2	BS980	-	30/34
28D/1213122	A25/6Q								4	-	C	30/36
28D/1213123	A25/7Q								4	-	C	30/37
28D/1213132	A25/14Q								2	-	C	30/38
	E.F3.88.1087								1	BS4A	-	30/43
	E.F3.88.1088								1	BS4A	-	30/44
28M/9534205	A27/QP								10	-	C	30/13
28W/9416650	SP47/Q								10	-	C	30/15
	E.B2.88.2383								1	-	-	30/45
28FP/4062347	AVIA'N DEVEL'S								2	-	C	30/46
	A916								2	Chrome Steel	-	30/47
28E/9467497	TERRY 169-1/2								4	-	C	30/48
	E.B2.88.2383/J								2	Hardwood	-	30/49

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	1 2 3 4 5 6 7													
95288	E.B2.88.4685	TROLLEY, aileron storage, assembly	1	-	A	31/1														
		Spares for:-																		
	E.B2.88.4723	BLOCK, wood, assembly	2	-	-	31/2														
		Spares for:-																		
95396	E.B2.88.4723/B FLEXELLO 361.RHGV or 361.NYGV	PAD, felt, 1/4" thick	QR	DTD590	-	31/3														
		CASTOR	4	-	C	31/4														
		Attachments:-																		
28D/1202771	A25/4G	Bolt, 5/16" BSF, hex. head	12	-	C	31/5														
28M/1006939	A27/GP	Nut, 5/16" BSF, plain	12	-	C	31/6														
28W/9419403	SP13/G	Washer, 5/16" BSF, plain	12	-	C	31/7														
95289	E.B2.88.4687	TROLLEY, tailplane storage, assembly	1	-	A	32/1														
		Spares for:-																		
	E.B2.88.4883	BLOCK, wood, group	2	-	-	32/2														
		Consisting of:-																		
	E.B2.88.4883/A	BLOCK, wood, 1" thick	1	Comm. Plywood	-	32/3														
	E.B2.88.4883/B	PAD, felt, 1/4" thick	QR	DTD590	-	32/4														
		Attachments:-																		
28D/1011245	A25/10E	Bolt, 1/4" BSF, hex. head	8	-	C	32/5														
28D/1010132	A25/12E	Bolt, 1/4" BSF, hex. head	16	-	C	32/6														
28M/1011475	A27/EP	Nut, 1/4" BSF, plain	24	-	C	32/7														
28W/9418921	SP13/E	Washer, 1/4" BSF, plain	24	-	C	32/8														
95396	FLEXELLO 361.RHGV or 361.NYGV	CASTOR	4	-	C	32/9														
		Attachments:-																		
28D/1011255	A25/3G	Bolt, 5/16" BSF, hex. head	12	-	C	32/10														
28M/1006939	A27/GP	Nut, 5/16" BSF, plain	12	-	C	32/11														
28W/9419403	SP13/G	Washer, 5/16" BSF, plain	12	-	C	32/12														
95290	E.B2.88.4689	TROLLEY, trailing edge tank storage, assembly	1	-	A	32/13														
		Spares for:-																		
95396	FLEXELLO 361.RHGV or 361.NYGV	CASTOR	4	-	C	32/14														
		Attachments:-																		
28D/1213177	A26/2G	Bolt, 5/16" BSF, hex. head	12	-	C	32/15														
28M/1006939	A27/GP	Nut, 5/16" BSF, plain	12	-	C	32/16														
28W/9419403	SP13/G	Washer, 5/16" BSF, plain	12	-	C	32/17														
	E.B2.88.4713	PAD, felt, 1/4" thick	2	DTD590	-	32/18														
95350	E.B2.88.5633	TROLLEY, leading edge fuel tank storage, assembly	1	-	A	31/8														
		Spares for:-																		
	E.B2.88.5679	BLOCK, rear, 1".25 thick ply	1	Comm. Plywood	-	31/9														
	E.B2.88.5681	BLOCK, forward, 1".25 thick ply	1	Comm. Plywood	-	31/10														
95396	FLEXELLO 361.RHGV or 361.NYGV	CASTOR	4	-	C	31/11														
	E.B2.88.5691	PAD, felt, 1/4" thick	2	DTD590	-	31/12														

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				

A.P.101B-1002/2A-3A

EQUIPMENT ANCILLARY

Page G35

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
		1	2	3	4	5	6	7					
4F/1912 or 4F/2002 4F/2196	†	TROLLEY, air cooling radar bullet, c/w hose and 2" breakaway coupling							1	—	A		
	†	TROLLEY, air supply ventilated suit, c/w hose and 1" breakaway coupling							1	—	A		
95423	E.E. Co. B'FORD AE.7729	TROLLEY, test, Mks. 1 and 2 (Mod. 8034)							1	—	A		
95024	E.B1.88.613	TROLLEY, mobile frame, port and starboard wing, assembly Spares for:—							1	—	A		
	E.B2.88.7049	BOLT, slave							40	BS970 EN32A, B or M	—	33/1	
	E.B2.88.7051	BOLT, slave							8	BS970 EN32A, B or M	—	33/2	
	E.B2.88.7053	BOLT, slave							8	BS970 EN32A, B or M	—	33/3	
	E.B2.88.7055	BOLT, slave							40	BS970 EN32A, B or M	—	33/4	
	E.B2.88.7057	BOLT, slave							4	BS970 EN32A, B or M	—	33/5	
	E.B2.88.7059	BOLT, slave							40	BS970 EN32A, B or M	—	33/6	
	E.B2.88.7061	BOLT, slave							4	BS970 EN32A, B or M	—	33/7	
	E.B2.88.7063	BOLT, slave							8	BS970 EN32A, B or M	—	33/8	
	E.B2.88.7065	BOLT, slave							16	BS970 EN32A, B or M	—	33/9	
	E.B1.88.2445	BRACKET, hinge, port							1	—	—	34/1	
	E.B1.88.2446	BRACKET, hinge, starboard							1	—	—	34/2	
	E.B1.88.2447	BRACKET, hinge							2	—	—	34/3	
	E.B1.88.2449	BRACKET, hinge, aft							4	—	—	35/1	
95889	SLINGSBY 1541/A	CASTOR, 8" dia. x 3" wide							8	—	C	34/4	
	†	Attachments:— Bolt, 1/2" BSW x 2-1/2" long, hex. head							32	—	—	34/5	
	†	Nut, 1/2" BSW							32	—	—	34/6	
28W/9416648	SP47/N	Washer, 1/2" BSF, spring							32	—	C	34/7	
	E.B1.88.2443	HOUSING, location, pin and slave bolt							1	—	—	33/10	
	E.B1.88.2431	PEDESTAL, front, assembly Spares for:—							1	—	—	34/8	
R	1439676	E.B1.88.2465	CAP, location							4	BS970 EN25T	C	34/9
	E.B1.88.2463	PIN, location							4	BS970 EN25T	—	34/10	
	E.B1.88.2467	PIN, retaining							4	BS970 EN25T	—	34/11	

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B1.88.2433	PEDESTAL, rear, assembly							1	-	-	35/2
	E.B1.88.2479	Spares for:- NUT, location							4	BS970 EN25T	-	35/3
	E.B1.88.2477	PIN, location							4	BS970 EN25T	-	35/4
	E.B2.88.6927	SCREW, adjusting, assembly							1	-	-	35/5
	E.B2.88.6937	Spares for:- BLOCK, thrust							1	BS970 EN3A	-	35/6
	E.B1.88.2489	HOUSING, thrust block							1	-	-	35/7
	UNBRAKO SERIES C	Attachments:- Screw, cap, 1/4" BSF x ".75 long							4	-	-	35/8
	E.B2.88.6935	PAD, felt, 1".25 x ".875 x 1/4" thick							1	DTD590	-	35/9
	E.B2.88.6939	PAD, thrust							1	BS265	-	35/10
	UNBRAKO SERIES K	Attachments:- Screw, c'sk socket, 1/4" BSF x ".75 long							2	-	-	35/11
	E.B2.88.6931	SCREW, adjusting							1	BS970 EN3A	-	35/12
	E.B1.88.2495	SCREW, special, thrust block retaining							1	-	LM	35/13
	E.B2.88.6941	(Make from Unbrako series K, 1/4" BSF c'sk head) STRIP, bearing							1	BS970 EN3A	-	35/14
33140	UNBRAKO SERIES K	Attachments:- Screw, c'sk socket, 1/4" BSF x 1" long							2	-	C	35/15
	E.B2.88.6928	SCREW, adjusting, assembly							1	-	-	35/16
	E.B2.88.6938	Spares for:- BLOCK, thrust							1	BS970 EN3A	-	35/17
	E.B1.88.2490	HOUSING, thrust block							1	-	-	35/18
	UNBRAKO SERIES C	Attachments:- Screw, cap, 1/4" BSF x ".75 long							4	-	-	35/8
	E.B2.88.6935	PAD, felt, 1".25 x ".875 x 1/4" thick							1	DTD590	-	35/9
	E.B2.88.6940	PAD, thrust							1	BS265	-	35/19
	UNBRAKO SERIES K	Attachments:- Screw, c'sk socket, 1/4" BSF x ".75 long							2	-	-	35/11
	E.B2.88.6931	SCREW, adjusting							1	BS970 EN3A	-	35/12
	E.B1.88.2495	SCREW, special, thrust block retaining							1	-	LM	35/13
	E.B2.88.6942	(Make from Unbrako series K, 1/4" BSF c'sk head) STRIP, bearing							1	BS970 EN3A	-	35/20
33140	UNBRAKO SERIES K	Attachments:- Screw, c'sk socket, 1/4" BSF x 1" long							2	-	C	35/15

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B1.88.2575								8	BS970 EN3A	—	34/12
	E.B2.88.7067								8	BS970 EN32A, B or M	—	33/11
	E.B2.88.7069								2	BS970 EN32A, B or M	—	33/12
	E.B2.88.7071								2	BS970 EN32A, B or M	—	33/13
	E.B2.88.7073								4	BS970 EN3A, B or M	—	33/14
	E.B2.88.7075								4	BS970 EN3A, B or M	—	33/15
	E.B1.88.2579								1	—	—	35/21
	E.B1.88.2581								1	—	—	34/13
	E.B2.88.7077								1	BS1449 EN2A	—	33/16
	404/F032A/096A								Attachments :—			
	408F032A								2	—	—	33/17
	BS865								2	—	—	33/18
	TABLE 2								2	—	—	33/19
	E.B2.88.7079								1	BS1449 EN2	—	33/20
	404/F032A/096A								Attachments :—			
	408/F032A								2	—	—	33/17
	BS856								2	—	—	33/18
	TABLE 2								2	—	—	33/19
	E.B1.88.2435								1	—	—	34/14
	E.B1.88.2519								2	BS970 EN14A	—	34/15
	†								Attachments :—			
	†								6	M.S.	—	34/16
	E.B1.88.2517								6	M.S.	—	34/17
	E.B1.88.2517								1	—	—	34/18
	†								Spares for :—			
	E.B1.88.2533								1	Silver Steel	—	34/19
	E.B1.88.2533/C								1	—	—	34/20
	E.B1.88.2535								Spares for :—			
	E.B1.88.2531								1	—	—	34/21
	E.B1.88.2529								1	—	—	34/22
	E.B1.88.2527								1	—	LM	34/23
28W/9416648	SP47/N								1	BS970 EN14A	—	34/24
	†								1	BS970 EN14A	—	34/25
	†								1	Phos Bronze	—	34/26
	†								1	—	C	34/26
	†								Attachments :—			
	†								4	M.S.	—	34/27

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B1.88.2436	UNIT , jacking, forward, starboard, assembly ...							1	—	—	34/28
	E.B1.88.2519	BLOCK , hinge							2	BS970 EN14A	—	34/15
	†	Attachments :— Bolt, $\frac{3}{8}$ " BSW \times 1"-5 long, hex. head							6	M.S.	—	34/16
	†	Nut, $\frac{3}{8}$ " BSW							6	M.S.	—	34/17
	E.B1.88.2517	UNIT , winding, assembly							1	—	—	34/18
	†	Attachments :— DOWEL , $\frac{3}{8}$ " dia. \times $\frac{5}{8}$ " long							1	Silver Steel	—	34/19
	E.B1.88.2533	PAD , spindle, assembly							1	—	—	34/20
	E.B1.88.2533/C	Attachments :— PAD , felt, 6" \times 6" \times $\frac{1}{2}$ " thick							1	—	—	34/21
	E.B1.88.2535	SCREW , special (Make from $\frac{1}{2}$ " BSW bolt)							1	—	—	34/22
	E.B1.88.2531	SPINDLE							1	BS970 EN14A	—	34/23
	E.B1.88.2529	UNIT , winding							1	BS970 EN14A	—	34/24
28W/9416648	E.B1.88.2527	WASHER , thrust... ..							1	Phos. Bronze	—	34/25
	SP47/N	WASHER , $\frac{1}{2}$ " BSF, spring							1	—	C	34/26
	E.B1.88.2437	UNIT , jacking, aft, port, assembly							1	—	—	35/22
	E.B1.88.2541	Attachments :— BLOCK , hinge							2	BS970 EN14A	—	35/23
	†	Attachments :— Bolt, $\frac{3}{8}$ " BSW \times 1"-5 long, hex. head							6	M.S.	—	35/24
	†	Nut, $\frac{3}{8}$ " BSW							6	M.S.	—	35/25
	E.B1.88.2539	JACK , assembly							1	—	—	35/26
	E.B1.88.2551	Attachments :— CAP , location							1	BS970 EN14A	—	35/27
	†	DOWEL , $\frac{3}{8}$ " dia. \times $\frac{5}{8}$ " long							1	Silver Steel	—	35/28
	UNBRAKO SERIES K	SCREW , 0 BA \times $\frac{3}{4}$ " long							1	—	—	35/29
	E.B1.88.2535	SCREW , special (Make from $\frac{1}{2}$ " BSW bolt)							1	—	LM	35/30
	E.B1.88.2549	SPINDLE							1	BS970 EN14A	—	35/31
	E.B1.88.2529	UNIT , warning							1	BS970 EN14A	—	35/32
	E.B1.88.2553	WASHER							1	BS1449 EN14A	—	35/33
28W/9416648	SP47/N	WASHER , $\frac{1}{2}$ " BSF, spring							1	—	C	35/34
	E.B1.88.2527	WASHER , thrust... ..							1	Phos. Bronze	—	35/35
	E.B1.88.2543	Attachments :— Clamp							4	BS970 EN14A	—	35/36
	†	Nut, $\frac{3}{8}$ " BSW							4	M.S.	—	35/37
	E.B1.88.2438	UNIT , jacking, aft, starboard, assembly							1	—	—	35/38
	E.B1.88.2541	Attachments :— BLOCK , hinge							2	BS970 EN14A	—	35/23
	†	Attachments :— Bolt, $\frac{3}{8}$ " BSW \times 1"-5 long, hex. head							6	M.S.	—	35/24
	†	Nut, $\frac{3}{8}$ " BSW							6	M.S.	—	35/25

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B1.88.2539								1	—	—	35/26
	E.B1.88.2551								1	BS970 EN14A	—	35/27
	† UNBRAKO SERIES K								1	Silver Steel	—	35/28
	E.B1.88.2535								1	—	—	35/29
	E.B1.88.2549								1	—	LM	35/30
	E.B1.88.2529								1	BS970 EN14A	—	35/31
	E.B1.88.2553								1	BS970 EN14A	—	35/32
	E.B1.88.2529								1	BS970 EN14A	—	35/32
	E.B1.88.2553								1	BS1449 EN14A	—	35/33
28W/9416648	SP47/N								1	—	C	35/34
	E.B1.88.2527								1	Phos. Bronze	—	35/35
	E.B1.88.2543								4	BS970 EN14A	—	35/36
	†								4	M.S.	—	35/37
	E.B1.88.2439								1	—	—	—
	E.B1.88.2439/E								1	—	—	—
	E.B1.88.2440								1	—	—	—
	E.B1.88.2439/E								1	—	—	—
4G/5970	NA/1600/2								1	—	A	—
	—								—	—	—	36/1
	—								—	—	—	36/2
	95004	E.B2.88.407							2	—	B	36/3
	95166	E.B2.88.2177							2	S95	C	36/4
	95797	E.B3.88.217							1	S/H60	C	36/5
	95850	E.F3.88.2005							2	DEF13 Group 3	C	36/6
	95005	E.B2.88.509							1	—	B	36/7
	95890	E.B2.88.983							1	S95	C	36/8
R	28P/20244	SP90/G22							1	—	C	36/9
	E.B2.88.981								1	—	—	36/10
	E.B2.88.989								1	Comm. M.S.	—	36/11
	28D/1212388	A25/16G							2	—	C	36/12
	28M/1006939	A27/GP							2	—	C	36/13

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
95833	E.B2.88.931							PILLAR	2	Comm. M.S.	C	36/14
95832	E.B2.88.985							Attachments:— Nut, special	1	Comm. M.S. or EN3A	C	36/15
28M/9534205	A27/QP							Nut, 5/8" BSF, plain	1	—	C	36/16
28M/9457500	A27/QT							Nut, 5/8" BSF, thin	1	—	C	36/17
28W/9416650	SP47/Q							Washer, 5/8" BSF, spring	1	—	C	36/18
95287	E.B2.88.4847							BEAM, attachment, No. 1 engine trunnion, assembly	1	—	B	36/19
R 28FP/4062352	AVIA'N DEVEL'S A1031 E.B2.88.4857							Spares for:— PIN, "pip", quick release	4	—	C	36/20
								RING, shaft, retaining	2	BS980 CDS1	—	36/21
28D/9446536	A25/24B							Attachments:— Bolt, 4 BA, hex. head	2	—	C	36/22
28M/9403519	A27/BP							Nut, 4 BA, plain	2	—	C	36/23
	TERRY 169-3/4 E.B2.88.4851							RING, split	4	—	—	36/24
4G/7	†							SHAFT	2	—	—	36/25
								TRESTLE, universal jacking (See AP.1464G, Vol. 1, pt. 2, section 5, chapter 12)	1	—	A	36/26
95006	E.B2.88.435							BRACKET, nose, undercarriage jacking, group	1	—	B	37/1
95486	E.B2.88.4717							Spares for:— BOLT, special, nose, undercarriage to bracket, attachment	1	EN165	C	37/2
95167	E.B2.88.457							Attachments:— Nut, special	1	Comm. M.S.	C	37/3
95706	E.B2.88.459							Nut, special locking	1	Comm. M.S.	C	37/4
	E.B2.88.4787							BRACKET, nose, undercarriage jacking, group	1	—	—	37/5
	E.B2.88.439							Spares for:— BLOCK, tapped	1	Comm. M.S.	—	37/6
28D/1011301	A25/8J							Attachments:— Bolt, 3/8" BSF, hex. head	8	—	C	37/7
28W/9416646	SP47/J							Washer, 3/8" BSF, spring	8	—	C	37/8
	E.B2.88.453							SCREW	1	—	—	37/9
95695	E.F3.88.575							BRACKET, main wheel jacking, group (Pre-Mod. 8041)	1	—	B	37/10
1503984	E.F3.88.2672							BRACKET, main wheel jacking, group (Mod. 8041)	1	—	B	37/39
	E.F3.88.659							Spares for:— BAR, tommy, 3/8" dia.	1	M.S.	—	37/11
	E.F3.88.655							BOLT, special, undercarriage to bracket, attachment	1	S97	—	37/12
	E.F3.88.661							BUTTON, tommy bar ends	2	M.S.	—	37/13
	E.F3.88.657							COLLAR, special bolt retaining	1	S97	—	37/14
26FZ/1091	EEAS.37/8A							Attachments:— Nipple	2	S96	C	37/15
26FZ/1571	EEAS.38/2A							Spoke (Make from 28R/6124)	1	S96	C	37/16
	E.B2.88.505							PAD, jacking	1	M.S.	—	37/17
28M/13809	A27/UT							Attachments:— Nut, 7/8" BSF, thin	1	—	C	37/18

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
95140	E.B2.88.2261	BOLT, wing slinging, group							2	-	B	38/19	
	E.B2.88.2253	Spares for:-											
	E.B2.88.2219	CHAIN, retaining							1	-	-	38/20	
	E.B2.88.2217	HAND-NUT							1	S92	-	38/21	
	E.B2.88.3401	NUT, self aligning, pad, retaining							1	-	-	38/22	
	E.B2.88.2205	PAD, standard packing							1	-	-	38/23	
	E.B2.88.2221	ROD, slinging							1	-	-	38/24	
95139	E.B2.88.2479	TOOL, internal nut, fitting							1	-	-	38/25	
95110	E.B2.88.2481	PAD, fuselage, nose, jacking							1	S92C	C	38/26	
4L/95715	E.F3.88.1493	PAD, wing, packing							2	S92C	C	38/27	
4L/6102714	E.F3.88.2701	SLING, nose, salvage, assembly (Pre-Mod. GE8052) ...							1	-	C	38/28	
		SLING, nose, salvage, assembly (Mod. GE8052)							1	-	C		
		Spares for:-											
	E.B2.88.4791	LABEL, sling, standard							1	BS267	-	38/29	
	-	EQUIPMENT, towing and steering, assembly							-	-	-	39/1	
		(E.B3.88.27)											
		Consisting of:-											
95400	E.B2.88.6011	ADAPTOR, towing and steering attachment,							1	-	B	39/2	
		assembly											
		Spares for:-											
95504	E.B2.88.6221	SPIGOT							2	BS970	C	39/3	
		Attachments:-											
28D/1212757	A25/21J	Bolt, 3/8" BSF, hex. head							4	-	C	39/4	
28M/1011473	A27/JP	Nut, 3/8" BSF, plain							4	-	C	39/5	
28W/9419466	SP13/J	Washer, 3/8" BSF, plain							4	-	C	39/6	
95002	E.B1.88.605	ARM, nosewheel steering, group							1	-	A	39/7	
	†	Spares for:-											
		CHAIN, "pip", pin, safety							QR	Comm. Steel	-	39/8	
28FP/9482447	AVIA'N DEVEL'S A1218	PIN, "pip", quick release							2	-	C	39/9	
	AS.1905/E15	WASHER, saddle							2	-	-	39/10	
4G/2792	†	ARM, towing							1	-	A	39/11	
95001	E.B2.88.307	Attachment, nosewheel towing, assembly							1	-	B	39/12	
		Spares for:-											
95791	E.B2.88.309	PIN, location							2	S95	C	39/13	
95354	E.B2.88.5449	PLUNGER, locking, assembly							2	-	C	39/14	
95003	E.B1.88.607	BRIDLE-EYE, towing, group							2	S95	B	39/15	
		Spares for:-											
95392	E.B1.88.2191	PENNANT, red cotton canvas							1	DTD429	B	39/16	
27QA/253	DOWTY SP900/24	RING, "O" type, sealing							1	-	C	39/17	
4G/4138	†	BRIDLE, 35' towing (includes shackle and pins)							1	-	A	39/18	
4G/4426	†	EXTENSION, towing arm							1	-	A	39/19	
95711	E.B3.88.155	LOCK, ground, nose, undercarriage, assembly							1	-	B	39/20	
		(Mod. 8012)											
		Spares for:-											
	E.B2.88.7139	BOLT, clamp							1	S98	-	39/21	
	E.B2.88.7137	CLAMP, half, rear							1	DTD705	-	39/22	
	E.B2.88.7141	CLAMP, half, front							1	DTD705	-	39/23	
	E.B2.88.7135	HANDLE							1	EN1A or 1B	-	39/24	
95392	E.B1.88.2191	PENNANT, assembly							1	-	C	39/25	
	E.B2.88.7149	PIN, shear, clamp hinge							1	S99	-	39/26	
	E.B2.88.7133	PLATE, clamp, bolt, retaining							2	EN1A or 1B	-	39/27	
		Attachments:-											
28D/1007975	AS.1242/1C	Bolt, 2 BA, c'sk head							4	-	C	39/28	

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
28D/1007973	E.B2.88.7167								1	EN3A	-	39/29
	AS.1224/2B								3	-	C	39/30
	-								-	-	-	
95298	E.B2.88.4839								1	-	B	40/1
	E.B2.88.4841								1	-	-	40/2
	BS.825								1	-	-	40/3
95052	E.B2.88.955								1	-	A	40/4
	E.B2.88.1527								1	Spruce Laminal	-	40/5
	E.B2.88.1555								1	DTD590	-	40/6
	E.B2.88.1528								1	Spruce Laminal	LM	40/7
	E.B2.88.1556								1	DTD590	LM	40/8
	E.B2.88.1529								1	Spruce Laminal	-	40/9
	E.B2.88.1557								1	DTD590	-	40/10
	E.B2.88.1530								1	Spruce Laminal	-	40/11
95366	E.B2.88.1558								1	DTD590	-	40/12
	FLEXELLO 661-RT								4	-	C	40/13
R	or 95948								4	-	C	
	FLEXELLO 6-61RN								4	-	C	
	95487								1	-	C	40/14
28D/1212758	A25/22J								2	-	C	40/15
	E.B2.88.1545								2	M.S.	-	40/16
28M/1011473	A27/JP								2	-	C	40/17
28W/9419466	SP13/J								2	-	C	40/18
95104	E.B2.88.1661								1	-	A	41/1
	E.B2.88.1909								1	-	-	41/2
95366	FLEXELLO 661-RT								4	-	C	41/3
R	or 95948								4	-	C	
	FLEXELLO 6-61RN								4	-	C	
95488	AS.2436/16								4	-	C	41/4
	E.B2.88.1911								1	-	-	41/5
	E.B2.88.1927								2	Spruce Laminal	-	41/6
	E.B2.88.1949								1	DTD590	-	41/7
95489	E.B2.88.1939								2	M.S.	B	41/8
	E.B2.88.1953								1	S15	C	41/9
	E.B2.88.1957								1	S15	-	41/10
	E.B2.88.1959								1	S1	-	41/11
	E.B2.88.1961								1	DTD239	-	41/12

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.88.1937								2	S1	-	41/13
	E.B2.88.1943								4	S1	-	41/14
	BUCK & HICKMAN G.P.1.								2	-	-	41/15
95707	E.B2.88.1941								2	S1	-	41/16
95135	E.B2.88.1945								2	S1	C	41/17
	E.B2.88.3245								1	-	A	
28F/9433239	AGS.1132/C								2	-	C	42/1
28F/9140977	AGS.1213/C								2	-	C	42/2
	E.B2.88.3901								2	EN3A	-	42/3
28P/1128499	SP90/K8								4	-	C	42/4
	†								4	-	-	42/5
	E.B2.88.3931								4	EN3A	-	42/6
28P/1128499	SP90/K8								8	-	C	42/7
	†								8	-	-	42/8
	E.B2.88.3907								2	EN3A	-	43/1
28M/9153386	A27/WS								2	-	C	43/2
28P/1072012	SP90/K13								2	-	C	43/3
	†								2	-	-	43/4
	E.B2.88.3909								2	EN3A	-	44/1
	E.B2.88.3913								2	EN3A	-	44/2
28M/13590	A27/SS								2	-	C	44/3
28P/19244	SP90/K11								2	-	C	44/4
	†								2	-	-	44/5
	E.B2.88.3933								2	EN3A	-	44/6
28M/13590	A27/SS								2	-	C	44/7
28P/19244	SP90/K11								2	-	C	44/8
	†								2	-	-	44/9
	E.B2.88.3911								4	BS369	-	44/10
	E.B2.88.3919								1	BS369	-	44/11
	E.B2.88.3927								2	BS369	-	44/12
95460	E.B2.88.3825								2	-	C	43/5
95464	E.B2.88.3849								1	EN3A	C	43/6
28P/9534222	SP90/H7								2	-	C	43/7
28W/9419471	SP13/S								2	-	C	43/8
95463	E.B2.88.3851								1	EN3A	C	43/9
28P/9534222	SP90/H7								2	-	C	43/10
28W/9419429	SP13/U								2	-	C	43/11
2A/9500503	HOFFMANN W.1								1	-	B	43/12

A.P.101B-1002/2A-3A		EQUIPMENT ANCILLARY							Page G45			
		GROUND EQUIPMENT										
Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.88.4049	COVER, race, thrust bearing							1	EN3A	—	43/13
95466	E.B2.88.3845	NUT, special							1	EN3A	C	43/14
95467	E.B2.88.3839	SHAFT, assembly							1	—	C	43/15
		Attachments:—										
95462	E.B2.88.3853	Bolt, special							2	EN3A	C	43/16
28W/9419429	SP13/U	Washer, 7/8" BSF, plain							2	—	C	43/17
	E.B2.88.4051	SPRING							1	DTD215	—	43/18
95465	E.B2.88.3847	WASHER, spherical							1	EN3A	C	43/19
	†	WASHER, spring seating, 1" to BS.1083							1	—	—	43/20
95461	FLEXELLO	WHEEL, roller bearing							1	—	C	43/21
	REX.6RB											
	FLEXELLO	CASTOR, 2-ton							1	—	—	43/22
	FFL.2441											
	—	CHASSIS, assembly (E.B2.88.3599)							—	—	—	42/9
		Spares for:—										
	E.B2.88.5811	CLIP, spring							2	BS1449 EN435 or 44D	—	42/10
		Attachments:—										
28D/9138768	A25/ 1/2C	Bolt, 2 BA, hex. head							4	—	C	42/11
28W/9416643	SP47/C	Washer, 2 BA, spring							4	—	C	42/12
	E.B2.88.5812	CLIP, spring							2	BS1149 EN4361 or 44D	—	42/13
		Attachments:—										
28D/9138768	A25/ 1/2C	Bolt, 2 BA, hex. head							4	—	C	42/11
28W/9416643	SP47/C	Washer, 2 BA, spring							4	—	C	42/12
	E.B2.88.3781	CRADLE, top, assembly							1	—	—	44/13
		Spares for:—										
	E.B2.88.3787	BUSH							2	BS369	—	44/14
	E.B2.88.3791	FRAME, lifting, assembly							1	—	—	44/15
		Spares for:—										
2A/9501516	HOFFMANN	BEARING, ZIFOF							2	—	C	44/16
	RL.13-1/2LL											
	E.B2.88.3793	BUSH							2	EN3A	—	44/17
	E.B2.88.3799	FRAME, radius, assembly							1	—	—	44/18
		Spares for:—										
	E.B2.88.3807	BUSH							8	BS369	—	44/19
	E.B2.88.3809	FRAME, rear suspension, assembly							1	—	—	44/20
		Spares for:—										
	E.B2.88.3815	LINING, 6" x 15" x 3/8" thick							2	Hycar S/H 62	—	44/21
		Attachments:—										
33H/18	M.M.M. LTD. EC.776	Adhesive							QR	—	C	44/22
	E.B2.88.3817	FRAME, front suspension, assembly							1	—	—	44/23
		Spares for:—										
	E.B2.88.3823	LINING, 5" x 36" x 3/8" thick							1	Hycar S/H 62	—	44/24
		Attachments:—										
33H/18	M.M.M. LTD. EC.776	Adhesive							QR	—	C	44/25

Restricted

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
95848 95849	E.B2.88.3923	KEY, lateral adjustment hand wheel retainer	1	—	—	44/26
	E.B2.88.4783	LOCK, jack safety, front	1	—	—	42/14
	E.B2.88.4785	LOCK, jack safety, rear	1	—	—	42/15
	E.B2.88.3903	PIPE, assembly	1	—	C	42/16
	E.B2.88.3905	PIPE, assembly	1	—	C	42/17
	E.B2.88.3929	PIN, strap tension lever pivot	4	EN3B	—	45/1
		Attachments:—				
28P/12464	SP9/G10	Pin, split	4	—	C	45/2
28W/9419470	SP13/Q	Washer, 5/8" BSF, plain	4	—	C	45/3
28FP/9489648	AVIA'N DEVEL'S A.811	PIN, "pip", quick release	2	—	C	43/23
28FP/9482442	AVIA'N DEVEL'S A.419	PIN, "pip", quick release	2	—	C	44/27
	E.B2.88.4093	PLATE, retaining, castor	2	EN3A	—	43/24
	—	PUMP, hand, assembly (E.B2.88.4099)	—	—	—	42/18
		Spares for:—				
95393	DOWTY HP.5	PUMP, hand, hydraulic	2	—	A	42/19
95885	DOWTY E.1585A	RAM, front (Pre-Mod. 8036)	1	—	B	42/20
1503783	DOWTY 8843	RAM, front (Mod. 8036)	1	—	B	42/23
		Spares for:—				
28F/9423239	AGS.1132/C	BANJO	1	—	C	
28F/9140977	AGS.1213/C	BANJO	1	—	C	
27Q/5519	SP267-17	CIRCLIP, 2" external	1	—	C	
95795	DOWTY TE.202-10	PAD, nylon	1	—	C	
95758	DOWTY TE.202-13	PLATE, retaining	1	—	C	
95757	DOWTY DHU/U/137 or 5400127	RING, "U"	1	—	C	
95756	DOWTY TE.212-15	RING, wiper	1	—	C	
95759	DOWTY TE.202-14	RING, piston	1	—	C	
28F/9429532	AGS.1186/C	SEAL, bonded	2	—	C	
95755	DOWTY SP.228-50	SCREW, grub, 2 BA x 1/4" long	1	—	C	
95886	DOWTY E.1585B	RAM, rear (Pre-Mod. 8036)	1	—	B	42/21
1503759	DOWTY 8844	RAM, rear (Mod. 8036)	1	—	B	42/24
		Spares for:—				
27Q/5519	SP267-17	CIRCLIP, 2" external	1	—	C	
95795	DOWTY TE.202-10	PAD, nylon	1	—	C	
95758	DOWTY TE.202-13	PLATE, retaining	1	—	C	
95756	DOWTY TE.212-15	RING, wiper	1	—	C	
95757	DOWTY DHU/U/137 or 5400127	RING, "U"	1	—	C	
1503890	DOWTY TE.202-14	RING, piston	1	—	C	
95759	DOWTY TE.202-14	RING, piston	1	—	C	
28F/9429532	AGS.1186/C	SEAL, bonded (Pre-Mod. 8036)	4	—	C	42/22
	E.B2.88.3915	SHAFT, radius arm attachment	2	EN3A	—	44/28
		Attachments:—				
28M/13590	A27/SS	Nut, 3/4" BSF, slotted	2	—	C	44/29
28P/14888	SP9/K14	Pin, split	2	—	C	44/30
	†	Washer, 3/4" to BS3410	2	—	—	44/31

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index	
		1	2	3	4	5	6	7					
95902 6102188	E.B2.88.3917								1	EN3A	-	44/32	
	E.B2.88.3925								1	EN3A	-	44/33	
	E.B2.88.3937								2	Laminated Steel	-	44/34	
	E.B2.88.4055								2	EN3A	-	42/23	
	E.B2.88.3859								1	-	C	45/4	
	E.B2.88.3873								1	EN3A	LM	45/5	
	W. WHITELEY HUDDERSFIELD								1	-	-	45/6	
	E.B2.88.3861								1	-	-	45/7	
	E.B2.88.3869								1	EN3A	-	45/8	
	E.B2.88.3870								1	EN3A	-	45/9	
	E.B2.88.3875								1	EN3B	-	45/10	
	28P/9527619 28P/9560929	SP90/C7								2	-	C	45/11
	SP90/E8								2	-	C	45/12	
	E.B2.88.3871								1	EN3A	-	45/13	
	E.B2.88.3877								1	-	-	45/14	
E.B2.88.3885								1	Hycar M43R S/H 62	-	45/15		
33H/18	M.M.M. LTD. EC.776								QR	-	C	45/16	
E.B2.88.5601								1	Hycar M43R S/H 62	-	45/17		
22H/18	M.M.M. LTD. EC.776								QR	-	C	45/18	
28W/9419466 28W/9419468 6102189	SP13/J								2	-	C	45/19	
SP13/N								2	-	C	45/20		
E.B2.88.3860								1	-	C	45/21		
E.B2.88.3873								1	EN3A	LM	45/5		
W. WHITELEY HUDDERSFIELD								1	-	-	45/6		
E.B2.88.3861								1	-	-	45/7		
E.B2.88.3869								1	EN3A	-	45/8		
E.B2.88.3870								1	EN3A	-	45/9		
E.B2.88.3875								1	EN3B	-	45/10		
28P/9527619 28P/9560929	SP90/C7								2	-	C	45/11	
SP90/E8								2	-	C	45/12		
E.B2.88.3871								1	EN3A	-	45/13		
E.B2.88.3878								1	-	-	45/22		
E.B2.88.3885								1	Hycar M43R S/H 62	-	45/15		
33H/18	M.M.M. LTD. EC.776								QR	-	C	45/16	

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.88.5601	STRIP , facing, 1".2 x 1".5 x 1/8" thick							1	Hycar M43R S/H 62	—	46/14	
33H/18	M.M.M. LTD. EC.776	Attachments :— Adhesive							QR	—	C	46/15	
28W/9419466	SP13/J	WASHER , 3/8" BSF, plain							2	—	C	46/16	
28W/9419468	SP13/N	WASHER , 1/2" BSF, plain							2	—	C	46/17	
	E.B2.88.3935	WASHER , special							3	EN3A	—	44/35	
	E.B2.88.3939	WASHER , shim							1	Laminated Shim Steel	—	44/36	
95905	DUNLOP WO.56297	WHEEL							2	—	A	43/25	
	—	EQUIPMENT , alternator handling, assembly (E.B3.88.39) Consisting of :—							—	—	—	47/1	
95209	E.B2.88.3151	ARM , handling, assembly							1	—	A	47/2	
	E.B2.88.3165	Spares for :— ARM , outer, assembly							1	—	—	47/3	
	E.B2.88.3121	Spares for :— BOSS , assembly							1	—	—	47/4	
	E.B2.88.3167	ARM , inner, assembly							1	—	—	47/5	
	E.B2.88.4073	Spares for :— LUG , lifting							1	—	—	47/6	
	E.B2.88.3149	PLATE , end							1	S515	—	47/7	
95764	E.B2.88.6119	ROLLER , assembly							4	—	A	47/8	
	—	Consisting of :— BEARING , ball, 1/4" dia.							2	—	C	47/9	
2A/9501175	HOFFMANN S.1	ROLLER							1	—	—	47/10	
	E.B2.88.6121	TUBE , distance							1	—	—	47/11	
	AS.2806/5/076	Attachments :— Bolt, 1/2" UNF							4	—	—	47/12	
28DU/1276759	A112/17E	Nut, 1/2" UNF, thin							4	—	C	47/13	
28M/9416088	A105/ET	Washer, special							8	S510	—	47/14	
	E.B2.88.6123												
	E.B2.88.3159	BUSH							2	DTD900	—	47/15	
	E.B2.88.4081	BUSH , oilite							1	DTD900	—	47/16	
	E.B2.88.4079	CAP , retaining							1	S92	—	47/17	
	E.B2.88.3163	FITTING , hinge							1	—	—	47/18	
	E.B2.88.3161	PLATE , support							1	—	—	47/19	
16813	UNBRAKO SERIES SF	SCREW , set, 2 BA x 1/4" long							1	—	C	47/20	
	E.B2.88.4077	TUBE							1	—	—	47/21	
95296	E.B2.88.4215	CRADLE , handling							1	—	A	47/22	
	DIDSBURY ENG.												
4GC/5743	C/41/77	HANDLE , 9" (10 cwt. and 2 1/2 cwt. hoist)							1	—	A	47/23	
	DIDSBURY ENG.												
4GC/5699	A/41/5	HOIST , minilift, 2 1/2 cwt.							1	—	A	47/24	
	DIDSBURY ENG.												
4GC/5432	C/30/14	SHEATH , top							1	—	A	47/25	
4GC/5443	†	TUBE , extension, 36"							1	—	B	47/26	

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	EQUIPMENT , rigging, assembly (E.F2.88.17) ...	—	—	—	48/1
	—	(Mk. 2 A/c)				
	—	EQUIPMENT , rigging, assembly (E.F4.88.23) ...	—	—	—	48/2
	—	(Mk. 2A A/c)				
	—	Consisting of :—				
95189	E.B2.88.3549	BOX , levelling gauges and pins stowage ...	1	—	B	48/3
95294	E.B2.88.4557	BOX , radar bullet harmonisation gear stowage, group	1	—	B	48/4
	E.B2.88.4605	Spares for :—				
		BUSH	2	BS970 EN3 or 3A	—	48/5
		Attachments :—				
28S/1215862	SP63/C4	Woodscrew, c'sk head	2	—	C	48/6
	†	PAD , felt, 1/8" thick	QR	DTD590	—	48/7
	E.B2.88.4607	SPIGOT	2	—	—	48/8
		Attachments :—				
28S/1215186	SP63/D6	Woodscrew, c'sk head	4	—	C	48/9
95300	E.B2.88.5101	BOX , wing incidence platform stowage, assembly	1	—	B	48/10
		Spares for :—				
32B/950	†	PAD , felt, 1 1/2" x 1/4" thick	QR	DTD590	C	48/11
95772	E.F2.88.309	GAUGE , aileron rigging, port, assembly	1	—	A	49/1
		Spares for :—				
	E.F2.88.315	ANGLE , assembly	1	—	—	49/2
		Spares for :—				
95490	E.B2.88.4859	SPRING , leaf, 22 SWG	1	BS1449 EN43G, 44D or 42F	C	49/3
	E.B2.88.4983	BOLT , special (Make from AS.1242/6C)	1	S95	LM	49/4
	E.F2.88.335	BRACKET , indicator stowage	1	EEDX208	—	49/5
95803	E.F2.88.321	INDICATOR , assembly	1	—	C	49/6
		Spares for :—				
	E.F2.88.323	BRACKET , assembly	1	—	—	49/7
	E.F2.88.331	INDICATOR	1	BS1449 EN14A	—	49/8
	E.F2.88.333	PAD , felt	2	DTD590	—	49/9
	E.F2.88.327	PIN , clamping plate guide	4	BS970 EN14A	—	49/10
	E.F2.88.325	PLATE , clamping	2	BS1449 EN14A	—	49/11
	E.F2.88.329	SCREW , knurled	2	BS970 EN14A	—	49/12
95805	E.F2.88.317	PACKING , taper	1	Vulcanised Fibre	C	49/13
95773	E.F2.88.310	GAUGE , aileron rigging, starboard, assembly	1	—	A	49/14
		Spares for :—				
	E.F2.88.316	ANGLE , assembly	1	—	—	49/15
		Spares for :—				
95490	E.B2.88.4859	SPRING , leaf, 22 SWG	1	BS1449 EN43G, 44D or 42F	C	49/3
	E.B2.88.4983	BOLT , special (Make from AS.1242/6C)	1	S95	LM	49/4
	E.F2.88.336	BRACKET , indicator stowage	1	EEDX208	—	49/16
95804	E.F2.88.322	INDICATOR , assembly	1	—	C	49/17
		Spares for :—				
	E.F2.88.323	BRACKET , assembly	1	—	—	49/7

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F2.88.332								1	BS1449 EN14A	—	49/18
	E.F2.88.333								2	DTD590	—	49/9
	E.F2.88.327								4	BS970	—	49/10
	E.F2.88.325								2	EN14A BS1449 EN14A	—	49/11
	E.F2.88.329								2	BS970 EN14A	—	49/12
95806	E.F2.88.318								1	Vulcanised Fibre	C	49/19
95099	E.B2.88.2185								1	Comm. M.S.	A	48/12
95100	E.B2.88.2187								1	Comm. M.S.	A	48/13
95273	E.B2.88.4779								1	—	A	49/20
95864	E.F3.88.2085								1	—	A	49/21
	E.B2.88.4331								1	—	—	49/22
	E.F3.88.1933								1	—	—	49/23
28D/1011242	A25/7E								2	—	C	49/24
28W/9418921	SP13/E								2	—	C	49/25
	AVIATION DEVELS.								1	—	—	49/26
95491	E.B2.88.4337								1	—	C	49/27
95274	E.B2.88.4780								1	—	A	49/28
95865	E.F3.88.2086								1	—	A	49/29
	E.B2.88.4332								1	—	—	49/30
	E.F3.88.1934								1	—	—	49/31
28D/1011242	A25/7E								2	—	C	49/24
28W/9418921	SP13/E								2	—	C	49/25
	AVIATION DEVELS.								1	—	—	49/26
95492	E.B2.88.4338								1	—	C	49/32
95286	E.B2.88.5649								1	—	A	13/31
95098	E.B2.88.1873								1	M.S.	A	48/14
95087	E.B1.88.99								1	BS970	C	
95029	E.B2.88.3279								1	—	B	48/15
	E.B2.88.5115								4	BS970 EN6	—	48/16
95503	E.B2.88.7013								1	—	B	49/33
	E.B2.88.7023								1	—	—	49/34
95392	E.B1.88.2191								1	—	C	49/35

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.B2.88.6449	PLATFORM , group							1	—	—	49/36	
		Consisting of :—											
	E.B2.88.6453	BLOCK , clamping							1	EN3A or BS15	—	49/37	
95808	E.B2.88.6455	BOLT , retaining							2	EN3B	—	49/38	
	AUTOMOTIVE ENG.	CIRCLIP , external, 1/2"							2	—	C	49/39	
	E.B2.88.6451	PLATFORM							1	BS15	—	49/40	
	E.B2.88.7015	RIG , setting, rudder bar, neutral, assembly							1	—	—	49/41	
		Spares for :—											
	E.B2.88.7017	BLOCK , locating							1	EN3A or BS15	—	49/42	
95809	E.B2.88.7021	NUT , knurled							2	EN3B	C	49/43	
95810	E.B2.88.7019	SCREW , adjusting							2	EN3B	C	49/44	
95414	E.B2.88.6065	SPIGOT , cockpit levelling gauge, port, group							1	—	C	18/15	
		Consisting of :—											
	E.B2.88.6069	RING , pull							1	BS970 EN14A	—	18/16	
	E.B2.88.6067	SPIGOT							1	S96	—	18/17	
95415	E.B2.88.6066	SPIGOT , cockpit levelling gauge, starboard, group							1	—	C	18/18	
		Consisting of :—											
	E.B2.88.6069	RING , pull							1	BS970 EN14A	—	18/16	
	E.B2.88.6068	SPIGOT							1	S96	—	18/19	
95345	E.B2.88.5759	TESTER , tailplane feel, group							1	—	A	50/1	
		Consisting of :—											
	E.B2.88.4599	GAUGE , assembly							1	—	—	50/2	
		Spares for :—											
	E.B2.88.4603	PEG , locating							1	BS970 EN14A	—	50/3	
28M/1011475	A27/EP	Attachments :— Nut, 1/2" BSF, plain							1	—	C	50/4	
28W/9418921	SP13/E	Washer, 1/2" BSF, plain							1	—	C	50/5	
	E.B2.88.4731	SCREW , locating							1	BS970 EN14A	—	50/6	
28P/12364	SP9/G6	Attachments :— Pin, split							1	—	C	50/7	
28W/9419466	SP13/J	Washer, 3/8" BSF, plain							1	—	C	50/8	
	HELLERMANN 2899	STUD							2	—	—	50/9	
	E.B2.88.4545	TESTER , control column, feel, assembly							1	—	—	50/10	
		Spares for :—											
	E.B2.88.6837	BLADE , spring, 12 SWG							1	EN42F	—	50/11	
	E.B2.88.6829	BLOCK , pivot							1	EN3A	—	50/12	
	E.B2.88.6831	BLOCK , mounting							1	EN3A	—	50/13	
	E.B2.88.6833	BLOCK , attachment							1	EN3A	—	50/14	
	E.B2.88.6827	BOLT , shouldered							1	EN3A or 3B	—	50/15	
	E.B2.88.6997	HANDLE , group							1	—	—	50/16	
		Consisting of :—											
	W. WHITELEY HUDDERSFIELD	KNOB , 1 1/2" dia., 3/8" BSW insert							1	Plastic	—	50/17	
	E.B2.88.6999	SHAFT , handle							1	BS970 24V	—	50/18	

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
28D/1013177	AS.1242/2E								2	—	C	52/4
	E.F3.88.2263								2	—	—	52/5
	E.F3.88.2273								1	Hycar M43R	—	52/6
	E.F3.88.2367								1	—	—	52/7
28S/9480338	4101/4/3/8"								4	—	C	52/8
	EEAS.315/12								2	—	—	52/9
	E.F3.88.2259								2	—	—	52/10
95913	E.F3.88.2261								2	S80	C	52/11
28M/1011473	A27/JP								2	—	C	52/12
28W/9419466	SP13/J								2	—	C	52/13
28M/1011475	A27/EP								2	—	C	52/14
	28FP/ AVIA'N DEVEL'S Z.605/50 AS.2961								2	—	C	52/15
95880	E.F3.88.2251								2	—	—	52/16
									1	—	C	52/17
	E.F3.88.2295								1	—	—	52/18
28D/1013177	AS.1242/2E								2	—	C	52/19
	E.F3.88.2265								1	—	—	52/20
	E.F3.88.2279								1	Hycar B.T.R.	—	52/21
	E.F3.88.2266								1	—	—	52/22
	E.F3.88.2280								1	Hycar B.T.R.	—	52/23
	E.F3.88.2367								1	—	—	52/24
28S/9480338	4101/4/3/8"								4	—	C	52/25
	EEAS.315/12								2	—	—	52/26
	E.F3.88.2259								2	—	—	52/27
95913	E.F3.88.2261								2	—	C	52/28
28M/1011473	A27/JP								2	—	C	52/29
28W/9419466	SP13/J								2	—	C	52/30
28M/1011475	A27/EP								2	—	C	52/31
	28FP/ AVIA'N DEVEL'S Z.605/50 AS.2961								2	—	C	52/32
95882	E.F3.88.2253								2	—	—	52/33
									1	—	C	52/34
	E.F3.88.2295								1	—	—	52/18
28D/1013177	AS.1242/2E								2	—	C	52/19
	E.F3.88.2267								1	—	—	52/35
	E.F3.88.2285								1	Hycar B.T.R.	—	52/36
	E.F3.88.2367								1	—	—	52/24
28S/9480338	4101/4/3/8"								4	—	C	52/25

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	AS.2961											
28D/1011324	A25/30N											
28M/13259	A27/NS											
28P/9429652	SP9/E10											
	E.F3.88.2317											
	—											
	DIDSBURY ENG. C/41/63											
4GC/5700	DIDSBURY ENG. C/41/64											
4GC/5701	95108 E.B2.88.3671											
	E.B2.88.3657											
	E.B2.88.3661											
	E.B2.88.3663											
	DIDSBURY ENG. C/41/77											
4GC/5743	DIDSBURY ENG. A/41/5											
4GC/5699	95433 E.F2.88.179											
	E.F2.88.187											
	3709 UNBRAKO SERIES "C"											
	E.B2.88.1763											
	3709 UNBRAKO SERIES "C"											
	E.F2.88.183											
	E.F2.88.181											
	E.F2.88.185											
4GC/5443	† —											
	DIDSBURY ENG. D25/41											
4GC/5433	95043 E.B2.88.567											
2A/9501298	HOFFMANN MS.7											
2A/9500366	HOFFMANN MS.7/ACD											
	95923 E.B2.88.1409											
	M.B. & BRASS BSI. No. 0608/10											

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
95390	E.B2.88.1413								2	-	C	54/8
	E.B2.88.7199								1	-	-	54/9
28N/13015	AGS.2030/44								2	-	C	54/10
	E.B2.88.4697								1	EN6	-	54/11
28M/10292	AGS.2001/J/1								1	-	C	54/12
26FZ/12281	EEAS.27/46FU								1	S515	C	54/13
	E.B2.88.7161								1	-	-	54/14
28M/1011476	A27/JS								1	-	C	54/15
28P/9527619	SP90/C7								1	-	C	54/16
28W/9149468	SP13/N								1	S92	C	54/17
	E.B2.88.1411								1	S1	-	54/18
28FP/9469299	AVIA'N DEVEL'S A409								1	-	C	54/19
	E.B2.88.1415								1	S1	-	54/20
28M/1011476	A27/JS								1	-	C	54/21
28P/9527619	SP90/C7								1	-	C	54/22
26FZ/12281	EEAS.27/46FU								1	S515	C	54/23
	E.B2.88.1465								1	S514	-	54/24
	E.B2.88.1407								2	S1	-	54/25
26FZ/1095	EEAS.37/14A								8	S96	C	54/26
26FZ/1571	EEAS.38/2A								4	S96	C	54/27
4GC/5743	DIDSBURY ENG. C/41/77								2	-	A	54/28
4GC/5699	A/41/5								2	-	A	54/29
4GC/5976	C/41/116								2	-	A	54/30
4GC/5444	†								2	-	B	54/31
	-								-	-	-	55/1
95185	E.B2.88.773								2	-	A	55/2
95355*	FLEXELLO 461.ACBG								4	-	C	55/3
1485944	FLEXELLO 461.NYBG								4	-	C	55/9
95371	E.B2.88.5025								2	-	B	56/1
	E.B2.88.5031								1	-	-	56/2
28FP/1200982	AVIA'N DEVEL'S A415								1	-	C	56/3
	E.B2.88.5033								1	BS970 EN2	-	56/4
28N/1046381	SP121/E								1	-	C	56/5
28P/9435558	SP113/E14								1	-	C	56/6
28P/9710567	SP90/C4								1	-	C	56/7

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
95046	E.B2.88.5037 E.B2.88.561	STUD (Make from A25/12E)	1	—	—	56/8
		PALLET, armament pack, group	1	—	A	55/4
		Spares for:—				
32B/950 28FP/9485292	† AVIA'N DEVEL'S A405	PAD, felt, 4" x 3/4" strip (Cut to suit)	QR	DTD590	C	55/5
		PIN, "pip", hoist attachment	5	—	C	55/6
95047	E.B2.88.563	PALLET, ammunition box, group	1	—	B	55/7
		Spares for:—				
32B/950 4G/5561	† LANSING BAGNALL 26FX/95200	PAD, felt, 1/4" x 3/4" strip (Cut to suit)	QR	DTD590	C	55/8
		TROLLEY, "Hunter" transporting	1	—	A	62/1
	—	INSTALLATION, rocket pack and rocket launchers, assembly (E.F3.88.27) (Mk. 2A A/c) Consisting of:—	—	—	—	57/1
95185	E.B2.88.1773	BASE, trolley, group	1	—	A	57/2
		Spares for:—				
95355*	FLEXELLO 461.ACBG	CASTOR, 4" dia. wheel	4	—	C	57/3
1484144	FLEXELLO 461.NYBG	CASTOR, 4" dia. wheel	4	—	C	57/18
95851	E.F3.88.2161	LOCK, safe, rocket pack missiles, group	1	—	A	57/4
		Spares for:—				
	E.F3.88.2165	FITTING, end, sliding	1	—	—	57/5
		Attachments:—				
	E.F3.88.2171	Bolt, special	1	—	—	57/6
28M/9403520	A27/CP	Nut, 2 BA, plain	1	—	C	57/7
	E.F3.88.2173	Washer, special	2	—	—	57/8
	E.F3.88.2167	FITTING, end	1	—	—	57/9
		Attachments:—				
28D/9419397 28M/9403520	A25/12C A27/CP	Bolt, 2 BA, hex. head	2	—	C	57/10
		Nut, 2 BA, plain	2	—	C	57/11
	E.F3.88.2175	LABEL	1	—	—	57/12
95392	E.B1.88.2191	PENNANT	1	—	C	57/13
	E.F3.88.2169	SPRING	1	—	—	57/14
95046	E.B2.88.561	PALLET, armament pack, group	1	—	A	57/15
		Spares for:—				
32B/950 28FP/9485292	† AVIA'N DEVEL'S A405	PAD, felt, 4" x 3/4" strip (Cut to suit)	QR	DTD590	C	57/16
		PIN, "pip", hoist attachment	5	—	C	57/17
95271	E.B2.88.4219	TROLLEY, rocket launcher, group	2	—	A	58/1
		Spares for:—				
	E.B2.88.5383	BRACKET, bearing	4	—	—	58/2
		Attachments:—				
28D/1011240 28M/1011475 28W/9418921	A25/5E A27/EP SP13/E	Bolt, 1/4" BSF, hex. head	8	—	C	58/3
		Nut, 1/4" BSF, plain	8	—	C	58/4
		Washer, 1/4" BSF, plain	8	—	C	58/5
	E.B2.88.5387	BRACKET, assembly	1	—	—	58/6
		Spares for:—				
	E.B2.88.5391	BUSH	1	BS369	—	58/7
		Attachments:—				
28D/1011240 28M/1011475 28W/9418921	A25/5E A27/EP SP13/E	Bolt, 1/4" BSF, hex. head	8	—	C	58/3
		Nut, 1/4" BSF, plain	8	—	C	58/4
		Washer, 1/4" BSF, plain	8	—	C	58/5
95355*	FLEXELLO 461.ACBG	CASTOR, 4" dia. wheel	4	—	C	58/8
1485944	FLEXELLO 461.NYBG	CASTOR, 4" dia. wheel	4	—	C	58/28

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
95493	REYNOLDS 110500 E.B2.88.5427								4	—	C	58/9
									4	BS970 EN14A	—	58/10
	UNBRAKO SERIES "SP"								12	—	—	58/11
	E.B2.88.1663								1	—	—	58/12
	E.B2.88.1667								8	M/S	—	58/13
	E.B2.88.3499								2	—	—	58/14
28D/20411 28M/1011475 28W/9318921	A59/24E A27/EP SP13/E								2	—	C	58/15
									2	—	C	58/16
									2	—	C	58/17
95494	E.B2.88.5459								1	—	C	58/18
	E.B2.88.5461								1	—	—	58/19
	E.B2.88.3539								1	—	—	58/20
95495	E.B2.88.5429								2	—	C	59/1
	E.B2.88.5589								1	—	—	59/2
28D/1008145	A25/6E								1	—	C	59/3
	E.B2.88.6015								1	BS970 EN14A	—	59/4
	E.B2.88.5597								1	Beech	—	59/5
28M/9403520 28M/7000211	A27/CP AGS.120/A								1	—	C	59/6
	E.B2.88.5595								1	—	C	59/7
									1	BS970 EN14A	—	59/8
28W/9418921	EEAS.27/20HU SP13/E								1	S515	—	59/9
									1	—	C	59/10
28M/1006939 28W/9416645	A27/GP SP47/G								2	—	C	59/11
									2	—	C	59/12
	E.B2.88.5379								4	—	—	58/21
28D/1008151 28M/1011475 28W/9418921	A25/4E A27/EP SP13/E								8	—	C	58/22
									8	—	C	58/23
									8	—	C	58/24
	E.B2.88.5451								2	—	—	59/13
	E.B2.88.1709								1	Comm. Steel	—	59/14
	E.B2.88.5423								1	DEF13B Group 6D	—	59/15
	E.B2.88.5393								1	BS970 EN14A	—	59/16
28P/9528015	E.B2.88.1707 SP90/G8								1	M/S	—	59/17
	E.B2.88.1711								1	—	C	59/18
	E.B2.88.1703								1	M/S	—	59/19
28W/9419466	SP13/J								1	M/S	—	59/20
									1	—	C	59/21

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.B2.88.5452	JACK, screw, L.H., group							2	—	—	59/22
	E.B2.88.1709	Consisting of:— FORK-END, cradle pick-up							1	Comm. Steel	—	59/14
	E.B2.88.5424	GEAR, bevel, L.H.							1	DEF13B	—	59/23
	E.B2.88.5393	NUT, special							1	Group 6D BS970	—	59/16
	E.B2.88.1707	PIN, for end plate							1	EN14A	—	59/17
28P/9528015	SP90/G8	PIN, split							1	M/S	—	59/18
	E.B2.88.1711	PLATE, end							1	—	C	59/19
	E.B2.88.1704	SHAFT, threaded, L.H.							1	M/S	—	59/24
28W/9419466	SP13/J	WASHER, 3/8" BSF, plain							1	—	C	59/21
	E.B2.88.1715	SADDLE, group							1	—	—	59/25
	E.B2.88.1723	Spares for:— BUSH, oilite, for rubber roller							20	—	—	59/26
	†	CHAIN, oval link, 7" long, pin safety							1	—	—	59/27
28FP/9482442	AVIA'N DEVEL'S A419	PIN, "pip", rocket launcher cradle locking							1	—	C	59/28
	†	RING, split							1	M/S	—	59/29
95496	E.B2.88.1721	ROLLER, rubber							10	S/H 60-65	C	59/30
	E.B2.88.1725	SPACER, ".5 o/d x 17 SWG x ".55 long							5	M/S	—	59/31
	E.B2.88.1727	SPINDLE, rubber roller bearing and frame							5	S96	—	59/32
	A27/EP	tee Attachments:— Nut, 1/4" BSF, plain							10	—	C	59/33
28M/1011475	SP13/E	Washer, 1/4" BSF, plain							10	—	C	59/34
28W/9418921	SP13/J	Washer, 3/8" BSF, plain							10	—	C	59/35
28W/9419466	E.B2.88.1729	SPINDLE, screw jack attachment to saddle							1	S114	—	59/36
	AGS.899/12	Attachments:— Collar							4	—	C	59/37
28N/9513425	SP90/G8	Pin, split							4	—	C	59/38
28P/9528015	E.B2.88.1731	SADDLE, group							1	—	—	59/39
	E.B2.88.1723	Spares for:— BUSH, oilite, for rubber roller							20	—	—	59/26
	†	CHAIN, oval link, 7" long, pin safety							1	—	—	59/27
28FP/9482442	AVIA'N DEVEL'S A419	PIN, "pip", rocket launcher cradle locking							1	—	C	59/28
	†	RING, split, 3/4" dia.							1	M/S	—	59/29
95496	E.B2.88.1721	ROLLER, rubber							10	S/H 60-65	C	59/30
	E.B2.88.1725	SPACER, ".5 o/d x 17 SWG x ".55 long							5	M/S	—	59/31
	E.B2.88.1727	SPINDLE, rubber roller bearing and frame tee							5	S96	—	59/32
	A26/EP	Attachments:— Nut, 1/4" BSF, plain							10	—	C	59/33
28M/1011475	SP13/E	Washer, 1/4" BSF, plain							10	—	C	59/34
28W/9418921	SP13/J	Washer, 3/8" BSF, plain							10	—	C	59/35
28W/9419466	E.B2.88.1733	SPINDLE, screw jack attachment to saddle							1	S114	—	59/40
	AGS.899/12	Attachments:— Collar							4	—	C	59/37
28N/9513425	SP90/G8	Pin, split							4	—	C	59/38
28P/9528015	E.B2.88.5425	SHAFT, bevel							4	BS970	—	58/25
	E.B2.88.6001	SHAFT							2	EN25T BS970	—	58/26
	E.B2.88.5453	SPROCKET							8	—	—	58/27

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	E.F3.88.507								1	—	—	62/18
	E.F3.88.519								2	—	—	62/19
28D/1215332	AS.1246/6E								6	—	C	62/20
28D/1215334	AS.1246/8E								2	—	C	62/21
28M/1007403	A.27/ET								8	—	C	62/22
28W/9419405	SP.15/E								8	—	C	62/23
	E.F3.88.525								1	EN14A	—	62/24
28M/1007403	A.27/ET								1	—	C	62/25
28W/9419405	SP.15/E								1	—	C	62/26
1439583	E.F3.88.2407								1	—	B	62/27
28D/1212758	A.25/22J								2	—	C	62/28
28M/10292	AGS.2001/J1								2	—	C	62/29
	AS.2808/8/195								2	—	—	62/30
28W/9419466	SP.13/J								2	—	C	62/31
	M.L. AVIATION CO.								1	—	—	61/18
4GC/7247	—								1	—	B	61/19
	FX1095-390C								1	—	—	61/20
4GC/5703	—								1	—	A	61/21
1504020	E.B3.88.281								1	—	B	61/22
	E.B3.88.271								1	—	—	61/23
R 28D/1212306	A.25/22E								1	—	C	61/24
	E.B3.88.275								1	—	—	61/25
	E.B3.88.275								1	—	—	61/26
	E.B3.88.277								1	—	C	61/27
28M/1007403	A.27/ET								1	—	C	61/28
28M/1011475	A.27/EP								1	—	C	61/29
28M/1011476	A.27/JS								1	T35	—	61/30
	AS.2808/6/19								1	—	C	61/31
R 28P/9560929	SP.90/E8								1	—	C	61/32
1504115	E.B3.88.273								3	—	C	61/33
28W/1009149	SP.122/E								1	—	C	61/34
28W/9155148	SP.122/J								1	—	—	61/35
4GE/1227581	—								1	—	B	61/36
4GC/5730	—								1	—	B	61/37
	—								1	—	—	61/38
	—								—	—	—	63/1
	—								1	—	A	63/2
4GC/6648	DIDSBURY ENG. A/50/64								1	—	A	63/3
4GC/5703	†								1	—	A	63/3

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-	INSTALLATION, firebreak pack, handling							-	-	-	60/1
		(E.B3.88.285) (Mod.8040)										
		Consisting of:-										
95185	E.B2.88.1773	BASE, trolley, group							1	-	A	60/2
		Spares for:-										
95355*	FLEXELLO 461ACBG	CASTOR, 4" dia. wheel							4	-	B	60/3
1485944	FLEXELLO 461NYBG	CASTOR, 4" dia. wheel							4	-	B	60/20
95218	E.B2.88.3189	COVER, Firebreak pack							1	-	B	60/4
95217	E.B2.88.3187	GUARD, Firebreak pack pylons leading and trailing ..							2	-	B	61/17
		edge, assembly										
		Spares for:-										
	E.B2.88.3183	GUARD, leading edge							1	L44	-	61/18
	E.B2.88.3185	GUARD, trailing edge							1	L44	-	61/19
95046	E.B2.88.561	PALLET, armament pack, group							1	-	A	60/5
		Spares for:-										
		PAD, felt, 4" x 3/4" strip (cut to suit)							QR	DTD590	C	60/6
28FP/9485292	AVIA'N DEVEL'S A.405	PJN, "pip", hoist attachment							5	-	C	60/7
95214	E.B2.88.3621	PLUG, sealing, Firebreak pack air intake,							1	-	B	60/8
		assembly										
		Spares for:-										
95363	E.B2.88.3623	PLUG, synthetic rubber							1	Neoprene S/H 60-70	C	60/9
95313	E.B2.88.4559	PLUG, safety, Firebreak pack ejector release,							1	-	B	60/10
		group										
		Consisting of:-										
	M.L. AVIATION DL.617/334B	BLANK, plug							1	-	-	60/11
95835	E.B2.88.4561	LANYARD, group							1	-	C	60/12
		Consisting of:-										
	E.B2.88.4563	LANYARD							1	-	-	60/13
	BUCK & HICKMAN FIG. 1754	RING, split, 3/4" dia.							2	-	-	60/14
95392	E.B1.88.2191	PENNANT							1	-	C	60/15
	E.B2.88.5441	PLATE, name							1	BS267	-	60/16
95370	E.B2.88.5695	STOWAGE, Firebreak pack cover							1	-	B	60/19
4G/5561	LANSING BAGNALL 26FX/95200	TROLLEY, "Hunter" transporter							1	-	A	62/1
		INSTALLATION, nose radar bullet, assembly							-	-	-	63/1
		(E.B3.88.77)										
		Consisting of:-										
4GC/6648	DIDSBURY ENG. A/50/64	CHASSIS, aircraft servicer							1	-	A	63/2
4GC/5703	†	HOIST, minilift, 5 cwt.							1	-	A	63/3

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
4GC/6650	DIDSBURY ENG. C/50/123	JIB , No. 1	1	—	A	63/4
95245	PORTSMOUTH AVIATION RRE/835670	SLING , radar bullet (Pt. No. X12014)	1	—	A	63/5
95184	E.B2.88.2627	STAND , radar bullet storage, group Spares for :—	1	—	A	64/1
28FP/9432062	AVIA'N DEVEL'S A.413	PIN , "pip," quick release	1	—	C	64/2
95244	PORTSMOUTH AVIATION RRE/835607	TROLLEY , radar servicing Spares for :—	1	—	A	63/6
4F/2301	TR/C783206/1	CASTOR , front	2	—	B	63/7
4F/2300	TR/C783206/2	CASTOR , rear	2	—	B	63/8
	—	TOOLS , special (E.F2.88.9) (Mk. 2 A/c)	—	—	—	—
	—	TOOLS , special (E.F4.88.21) (Mk. 2A A/c) Consisting of :—	—	—	—	—
27KC/2778	HOBSON CH.105732	ADAPTOR , "C" type, used with "Acratork" wrench B6	1	—	B	—
27KC/2779	HOBSON CHA.107621	ADAPTOR , torque	1	—	B	—
27KC/2780	HOBSON CHA.107623	ADAPTOR , torque	1	—	B	—
27KC/2753	HOBSON CHA.107625	ADAPTOR , torque, rudder	1	—	B	—
95232	E.B2.88.4007	BOX , containing setting pins, for nosewheel undercarriage, undercarriage door, and main undercarriage, group Spares for :—	1	—	B	64/3
95497	E.B2.88.4009	PIN , setting, for override undercarriage jack ...	1	EN110T or 111T	C	64/4
95498	E.B2.88.4011	PIN , setting, for undercarriage door jack override	1	EN110T or 111T	C	64/5
95499	E.B2.88.4013	PIN , setting, nosewheel undercarriage jack ...	1	EN110T or 111T	C	64/6
95123	E.B2.88.4095	BRACE , for built-in aircraft hoist, assembly ... Spares for :—	2	—	B	65/1
	E.B2.88.1609	FRAME , assembly Spares for :—	1	—	—	65/2
95358	E.B2.88.1629	HANDLE , in two halves	1	—	C	65/3
95356	E.B2.88.1339	KNOB	1	Hardwood	C	65/4
		Attachments :—				
28S/2169	AGS.250/19	Woodscrew	4	—	C	65/5
	E.B2.88.1619	PLATE , retaining	1	M/S	—	65/6
	†	SCREW , grub, 2 BA × $\frac{5}{16}$ " socketed head, pointed	2	—	—	65/7
95357	E.B2.88.4129	SPIGOT , fork-end	1	—	C	65/8
1440958	E.B3.88.219	BRUSH , cleaning, upper gun removable blast tube	1	—	C	63/1
1440959	E.B3.88.221	BRUSH , cleaning, upper gun fixed blast tube ...	1	—	C	63/2
95250	E.B2.88.4147	BULLET , lead-in, wing to fuselage rear attachment ...	1	BS970 EN3A	C	65/29
95818	E.B3.88.197	BULLET , lead-in, wing to fuselage forward attachment	1	BS970 EN3A	C	63/3
95315	E.B2.88.4929	CASE , stowage, for rudder damper check gauge and adaptor	1	Leather	B	56/9
95177	E.B2.88.2975	CRADLE , clamping, for assembly of hydraulic reservoir, bench work	1	—	C	66/1

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
7R/803	DUNLOP ACO.29360	EXTENSION , cocking unit adaptor	1	—	B	
95078	E.B1.88.13	EXTRACTOR , main undercarriage pivot pin, group Consisting of :—	1	—	B	66/2
	E.B1.88.2083	ROD	1	EN110R	—	66/3
	E.B1.88.2085	SLEEVE	1	EN110R	—	66/4
95088	E.B1.88.951	EXTRACTOR , "pip," pin	1	EN14A	B	66/5
95079	E.B2.88.1209	EXTRACTOR , nose undercarriage pivot pin ...	1	EN110S	B	65/10
95172	E.B1.88.2321	EXTRACTOR , tapered bush, rudder to pintle attachment	1	—	C	70/1
95282	E.B2.88.4483	EXTRACTOR , airbrake jack to fuselage attachment pin	1	—	B	65/11
95297	E.B2.88.4915	EXTRACTOR , internal taper pin, engine trunnion mounting	2	Steel	B	65/12
95405	E.B2.88.6079	EXTRACTOR , flying control rod bolts, general use, group Consisting of :—	1	—	B	65/13
95500	E.B2.88.6087	BOLT , knurled	1	BS970 EN14	C	65/14
	E.B2.88.6081	BRACKET , tapped	1	BS970 EN14	—	65/15
	†	CORD , distance piece attachment, 12" long ...	1	Nylon DTD5502	—	65/16
28M/1011475	A27/EP	NUT , 1/2" BSF, plain, extractor spindle securing ...	1	—	C	65/17
	E.B2.88.6089	PIECE , distance	1	BS1449 EN14A	—	65/18
	E.B2.88.6083	SCREW , extractor	1	BS970 EN14A	—	65/19
	E.B2.88.6085	SPINDLE , extractor	1	BS970 EN14A	—	65/20
28W/9418921	SP13/E	WASHER , 1/2" BSF, plain, extractor spindle securing ...	1	—	C	65/21
95081	DUNLOP A.10262	EXTRACTOR , main wheel	1	—	B	
95786	E.F2.88.341	GAUGE , rudder damper check, group Spares for :—	1	—	B	56/10
	E.F2.88.343	PLATE , gauge	1	EN14A or S514	—	56/11
	E.F2.88.345	PROBE	1	EN14A or S514	—	56/12
95406	E.B2.88.6019	GAUGE , canopy hook locking link	1	BS1449 EN14A	B	65/22
27G/6170	DUNLOP AO.102424	GAUGE , tenon wear, routine service and bench tool	1	—	B	
27G/6171	DUNLOP AO.103398	GAUGE , pad wear	1	—	B	
95539	HOBSON CHA.121084	GAUGE , pilot's input lever (Mk. 2A A/c) ...	1	—	B	
95116	E.B2.88.1867	GUARD , thread, nose undercarriage pivot pin ...	1	EN3A	B	66/6
95128	E.B2.88.1523	HANDLE , ammunition box lifting	1	S21	B	65/23
95183	E.B2.88.3693	HANDLE , for installation and removal of fuel booster pumps on spar 1, group Spares for :—	2	—	B	65/24
26FZ/13048	ROMAC B.79	GRIP , handle bar	1	—	C	65/25
	E.B2.88.3701	NUT , knurled	2	—	—	65/26
	SAUNDERS 10754	HANDLE , fuel cock operating	1	—	—	

GROUND EQUIPMENT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
95118	E.B1.88.47	KEY, parachute door locking	2	EN14A	B	65/27
1485984	E.F3.88.2553	KEY, operating, assembly (Mk. 2A A/c)	1	—	B	
		Consisting of:—				
	E.F3.88.2513	BAR, tommy	1	BS1407	—	
	E.F3.88.2557	BODY	1	Steel	—	
36505	EEAS.315/6	LANYARD	1	—	C	
	E.F3.88.2511	PEG, driving	2	Steel	—	
95392	E.B1.88.2191	PENNANT, assembly	1	—	C	
95063	E.B2.88.2993	KEY, splined, tailplane operating mechanism,	1	—	B	65/28
		group				
		Spares for:—				
	E.B2.88.2995	HANDLE	1	Hardwood	—	65/29
95095	E.B2.88.3737	KEY, female trunnion cone, top and bottom	1	S95	B	66/7
		engine mounting, starboard				
95241	E.B2.88.4169	KEY, engine air intake seal	1	EN33 or S15	C	65/30
95242	E.B2.88.4171	KEY, jet pipe roller adjustment	1	EN33	C	65/31
95311	E.B2.88.5401	NIPPLE, grease, aft flap actuating link	1	—	B	65/32
95127	E.B1.88.1093	PIN, locating, controls, general use	8	—	B	70/2
95131	E.B2.88.4001	PIN, air brake synchronisation setting	1	—	B	65/33
95285	E.B2.88.4507	PIN, setting, main undercarriage door lock	1	BS970	C	65/34
		mechanism				
95134	HOBSON CHA.109215	PIN, auto-stabiliser setting, general use	6	—	C	
95240	DOWTY ROTOL MT.1435	PLUNGER, nose undercarriage lock	1	—	B	
95375	E.B2.88.6041	RIG, tailplane inner bearing, group	1	—	A	67/1
		Consisting of:—				
	E.B3.88.6043	BASE	1	—	—	67/2
	E.B2.88.6157	BOLT, special	1	BS970	—	67/3
28D/1212986	AS.1242/14G	BOLT, 5/16" BSF, c'sk head, base attachment	2	—	C	67/4
	E.B2.88.6045	SPIGOT	1	BS970 EN3	—	67/5
27G/6099	DUNLOP A.10263	RIG, brake alignment, high pressure tyres	1	—	B	
4G/6212	DUNLOP AM.20695	RING, tyre removal, 33.0 x 6.75/20	1	—	A	
4G/6811	DUNLOP AM.20749	RING, tyre removal, 22.0 x 5.50/12 used with rig	2	—	A	
95277	E.B2.88.3677	SCISSORS, safety lock, assembly	1	—	B	67/6
		Spares for:—				
95501	E.B2.88.3683	SPRING	1	DTD215	C	67/7
95096	E.B1.88.943	SCREWDRIVER, special, for EEAS.99 and EEAS.100	QR	—	B	70/3
		bolts, general use				
95336	E.B2.88.5783	SCREWDRIVER, special, for EEAS.99 3/8" dia.	QR	—	B	67/8
		and EEAS.100 3/8" x 7/16" dia.				
		bolts, general use				
95335	E.B2.88.5787	SCREWDRIVER, special, for EEAS.196, bolts,	QR	—	B	67/9
		2 BA, general use				
95338	E.B2.88.5907	SCREWDRIVER, special forked, for retained shear	1	—	B	67/10
		fasteners in wing structure				
95337	E.B2.88.5963	SCREWDRIVER, trimmer box adjustment, fuel	2	—	B	66/8
		system, group				
		Consisting of:—				
	E.B2.88.5959	HEAD	1	EN56A	—	66/9
10840	UNBRAKO SERIES "SP"	SCREW, set, 6 BA x 3/16"	1	—	C	66/10
	E.B2.88.5957	SLIDE	1	EN56A	—	66/11
	E.B2.88.5961	SPINDLE	1	EN56A	—	66/12
	TERRY No. T62	SPRING, 3/16" dia. x 3/4" long x 24 SWG	1	—	—	66/13
4G/6269	DUNLOP A.10444	SEPARATOR, tyre screw type	1	—	A	63/18

EQUIPMENT ANCILLARY

GROUND EQUIPMENT

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index										
							1	2	3	4	5	6	7			
95374	E.B2.88.6047	SOCKET, bearing, used with "Acratork" wrench B3	1	EN32A	B	67/11										
95814	E.B3.88.159	SPANNER, auxiliary hydraulic reservoir banjo bolt . . . (Mk. 2 A/c)	1	EN25V	B	68/4										
95816	E.B3.88.163	SPANNER, peg, slotnut, auxiliary hydraulic reservoir (Mk. 2 A/c)	1	EN25V	B	56/13										
95094	E.B2.88.741	SPANNER, tube, engine trunnion bolt	2	Steel	B	66/14										
95080	E.B2.88.977	SPANNER, peg, for main undercarriage pivot pin adjustment	1	EN110R	B	66/15										
95782	E.F3.88.1485	SPANNER, auxiliary hydraulic reservoir banjo coupling (Mk. 2A A/c)	1	—	B	68/5										
95117	E.B2.88.1865	SPANNER, peg, nose undercarriage pivot pin and nut	2	—	B	67/12										
95061	E.B2.88.1871	SPANNER, box, for assembly of outer tailplane bearing to fuselage	1	BS970	B	67/13										
95114	E.B2.88.2009	SPANNER, "C" type, aileron power control tailpiece retaining nut	1	BS970 EN32A	B	67/14										
95910	E.F3.88.2025	SPANNER, double "C", ventral pack fuel connections (Mk. 2A A/c)	1	—	B	68/6										
95150	E.B2.88.2031	SPANNER, box, for assembly of bolt and operating lever to tailplane	1	BS970 EN3A	B	67/15										
95149	E.B2.88.2033	SPANNER, box, for assembly of inner tailplane bearing to fuselage	1	BS980	B	67/16										
95911	E.F3.88.2037	SPANNER, "C", ventral pack fuel connections (Mk. 2A A/c)	1	—	B	68/7										
95909	E.F3.88.2041	SPANNER, double "C", ventral pack fuel connections (Mk. 2A A/c)	1	—	B	68/8										
95072	E.B1.88.2055	SPANNER, "C" type, hydraulic reservoir outer sleeve	1	BS970 EN3A	B	66/16										
95158	E.B2.88.2265	SPANNER, "C", non-return valve nut, No. 1 engine	1	BS970 S91	B	56/14										
95169	E.B2.88.2359	SPANNER, for tailplane outer bearing	1	EN33	B	67/17										
95170	E.B2.88.2361	SPANNER, peg, tailplane outer bearing	1	S92	B	67/18										
	E.F3.88.2551	SPANNER, for fin attachment bolts	1	—	—	68/9										
95084	E.B2.88.2719	SPANNER, brace, for engine hatch side bolts and armament packs, assembly Spares for:—	2	—	B	69/1										
95365	E.B2.88.1837	HANDLE, half rotating	2	Hardwood	C	69/2										
95364	E.B2.88.4347	KEY	1	S82	C	69/3										
95356	E.B2.88.1339	KNOB	1	Hardwood	C	69/4										
95176	E.B2.88.2987	SPANNER, special socket, for hydraulic reservoir unit	1	—	B	69/5										
95175	E.B2.88.2997	SPANNER, special, for hydraulic reservoir	1	EN3A	B	69/6										
95173	E.B2.88.3195	SPANNER, for gun harmonisation gear, horizontal . . . adjustment	1	EN110S or 111S	B	69/7										
95174	E.B2.88.3197	SPANNER, for gun harmonisation gear, vertical movement	1	—	B	69/8										
95171	E.B2.88.3547	SPANNER, box, for micronic filters in hydraulic system	1	BS970 S15	B	69/9										
95186	E.B2.88.3665	SPANNER, for gun purging	1	S96	B	69/10										
95235	E.B2.88.4035	SPANNER, special, wing to fuselage upper attachment at spar 5	1	EN110S	B	69/11										
95249	E.B2.88.4359	SPANNER, for fire extinguisher bottle union nut	1	EN110S	B	69/12										

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
95118	E.B1.88.47	KEY , parachute door locking	2	EN14A	B	65/27
1485984	E.F3.88.2553	KEY , operating, assembly (Mk. 2A A/c)	1	—	B	
		Consisting of :—				
	E.F3.88.2513	BAR , tommy	1	BS1407	—	
	E.F3.88.2557	BODY	1	Steel	—	
36505	EEAS.315/6	LANYARD	1	—	C	
	E.F3.88.2511	PEG , driving	2	Steel	—	
95392	E.B1.88.2191	PENNANT , assembly	1	—	C	
95063	E.B2.88.2993	KEY , splined, tailplane operating mechanism, group	1	—	B	65/28
		Spares for :—				
	E.B2.88.2995	HANDLE	1	Hardwood	—	65/29
95095	E.B2.88.3737	KEY , female trunnion cone, top and bottom engine mounting, starboard	1	EN.110S or 111S or S95	B	66/7
95241	E.B2.88.4169	KEY , engine air intake seal	1	EN33 or S15	B	65/30
95242	E.B2.88.4171	KEY , jet pipe roller adjustment	1	EN33	B	65/31
95311	E.B2.88.5401	NIPPLE , grease, aft flap actuating link	1	—	B	65/32
95127	E.B1.88.1093	PIN , locating, controls, general use	8	—	B	70/2
95131	E.B2.88.4001	PIN , air brake synchronisation setting	1	—	B	65/33
95285	E.B2.88.4507	PIN , setting, main undercarriage door lock mechanism	1	BS970	B	65/34
95134	HOBSON	PIN , auto-stabiliser setting, general use	6	—	C	
	CHA.109215					
95240	DOWTY ROTOL MT.1435	PLUNGER , nose undercarriage lock	1	—	B	
95375	E.B2.88.6041	RIG , tailplane inner bearing, group	1	—	A	67/1
		Consisting of :—				
	E.B3.88.6043	BASE	1	—	—	67/2
	E.B2.88.6157	BOLT , special	1	BS970	—	67/3
28D/1212986	AS.1242/14G	BOLT , $\frac{5}{16}$ " BSF, c'sk head, base attachment	2	—	C	67/4
	E.B2.88.6045	SPIGOT	1	BS970 EN3	—	67/5
27G/6099	DUNLOP A.10263	RIG , brake alignment, high pressure tyres	1	—	B	
4G/6212	DUNLOP AM.20695	RING , tyre removal, 33.0 × 6.75/20	1	—	A	
4G/6811	DUNLOP AM.20749	RING , tyre removal, 22.0 × 5.50/12 used with rig	2	—	A	
95277	E.B2.88.3677	SCISSORS , safety lock, assembly	1	—	B	67/6
		Spares for :—				
95501	E.B2.88.3683	SPRING	1	DTD215	C	67/7
95096	E.B1.88.943	SCREWDRIVER , special, for EEAS.99 and EEAS.100 bolts, general use	QR	—	B	70/3
95336	E.B2.88.5783	SCREWDRIVER , special, for EEAS.99 $\frac{3}{8}$ " dia. and EEAS.100 $\frac{3}{8}$ " × $\frac{7}{16}$ " dia. bolts, general use	QR	—	B	67/8
95335	E.B2.88.5787	SCREWDRIVER , special, for EEAS.196 bolts, 2 BA, general use	QR	—	B	67/9
95338	E.B2.88.5907	SCREWDRIVER , special forked, for retained shear fasteners in wing structure	1	—	B	67/10
95337	E.B2.88.5963	SCREWDRIVER , trimmer box adjustment, fuel system, group	2	—	B	66/8
		Consisting of :—				
	E.B2.88.5959	HEAD	1	EN56A	—	66/9
10840	UNBRAKO SERIES "SP"	SCREW , set, 6 BA × $\frac{3}{16}$ "	1	—	C	66/10
	E.B2.88.5957	SLIDE	1	EN56A	—	66/11
	E.B2.88.5961	SPINDLE	1	EN56A	—	66/12
	TERRY No. T62	SPRING , $\frac{3}{16}$ " dia. × $\frac{3}{4}$ " long × 24 SWG	1	—	—	66/13
4G/6269	DUNLOP A.10444	SEPARATOR , tyre screw type	1	—	A	63/18

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
95374	E.B2.88.6047	SOCKET , bearing, used with "Acratork" wrench B3	1	EN32A or 32B or 32C or 32M	B	67/11
95814	E.B3.88.159	SPANNER , auxiliary hydraulic reservoir banjo bolt (Mk. 2 A/c)	1	EN25V	B	68/4
95816	E.B3.88.163	SPANNER , peg, slotnut, auxiliary hydraulic reservoir (Mk. 2 A/c)	1	EN25V	B	56/13
95094	E.B2.88.741	SPANNER , tube, engine trunnion bolt	2	Steel	B	66/14
95080	E.B2.88.977	SPANNER , peg, for main undercarriage pivot pin adjustment	1	EN110R	B	66/15
95782	E.F3.88.1485	SPANNER , auxiliary hydraulic reservoir banjo coupling (Mk. 2A A/c)	1	—	B	68/5
95117	E.B2.88.1865	SPANNER , peg, nose undercarriage pivot pin and nut	2	—	B	67/12
95061	E.B2.88.1871	SPANNER , box, for assembly of outer tailplane bearing to fuselage	1	BS970	B	67/13
95114	E.B2.88.2009	SPANNER , "C" type, aileron power control tail-piece retaining nut	1	BS970 EN32A	B	67/14
95910	E.F3.88.2025	SPANNER , double "C", ventral pack fuel connections (Mk. 2A A/c)	1	—	B	68/6
95150	E.B2.88.2031	SPANNER , box, for assembly of bolt and operating lever to tailplane	1	BS970 EN3A	B	67/15
95149	E.B2.88.2033	SPANNER , box, for assembly of inner tailplane bearing to fuselage	1	BS980	B	67/16
95911	E.F3.88.2037	SPANNER , "C", ventral pack fuel connections (Mk. 2A A/c)	1	—	B	68/7
95909	E.F3.88.2041	SPANNER , double "C", ventral pack fuel connections (Mk. 2A A/c)	1	—	B	68/8
95072	E.B1.88.2055	SPANNER , "C" type, hydraulic reservoir outer sleeve	1	BS970 EN3A	B	66/16
95158	E.B2.88.2265	SPANNER , "C", non-return valve nut, No. 1 engine	1	BS970 EN3A, S91 or S92	B	56/14
95169	E.B2.88.2359	SPANNER , for tailplane outer bearing	1	EN33	B	67/17
95170	E.B2.88.2361	SPANNER , peg, tailplane outer bearing	1	S92	B	67/18
	E.F3.88.2551	SPANNER , for fin attachment bolts	1	—	—	68/9
95084	E.B2.88.2719	SPANNER , brace, for engine hatch side bolts and armament packs, assembly Spares for :—	2	—	B	69/1
95365	E.B2.88.1837	HANDLE , half rotating	2	Hardwood	C	69/2
95364	E.B2.88.4347	KEY	1	EN36A or S82	C	69/3
95356	E.B2.88.1339	KNOB	1	Hardwood	C	69/4
95176	E.B2.88.2987	SPANNER , special socket, for hydraulic reservoir unit	1	—	B	69/5
95175	E.B2.88.2997	SPANNER , special, for hydraulic reservoir ...	1	EN3A	B	69/6
95173	E.B2.88.3195	SPANNER , for gun harmonisation gear, horizontal adjustment	1	EN110S or 111S	B	69/7
95174	E.B2.88.3197	SPANNER , for gun harmonisation gear, vertical movement	1	—	B	69/8
95171	E.B2.88.3547	SPANNER , box, for micronic filters in hydraulic system	1	BS970 EN32 or S15	B	69/9
95186	E.B2.88.3665	SPANNER , for gun purging	1	EN110S or 11S or S96	B	69/10
95235	E.B2.88.4035	SPANNER , special, wing to fuselage upper attachment at spar 5	1	EN110S or 111S	B	69/11
95249	E.B2.88.4359	SPANNER , for fire extinguisher bottle union nut	1	EN110S or 111S	B	69/12

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
95280	E.B2.88.4377	SPANNER , for control rods forward of pressure bulkhead	1	EN36 or 38	B	69/13
95316	E.B2.88.4911	SPANNER , for hydraulic connection at sequence valve, rib 11A	1	BS970 EN32M	B	66/17
95340	E.B2.88.5795	SPANNER , special, $\frac{3}{8}$ " dia. Avery coupling (Mk. 2 A/c)	1	—	B	69/14
95341	E.B2.88.5797	SPANNER , special, $\frac{1}{2}$ " dia. Avery coupling (Mk. 2 A/c)	1	—	B	69/15
95342	E.B2.88.5799	SPANNER , special, $\frac{3}{8}$ " dia. Avery coupling (Mk. 2 A/c)	1	—	B	69/16
95397	E.B2.88.5801	SPANNER , special, for engine trunnion mountings engine	2	EN110S or 111S	B	69/17
95373	E.B2.88.5997	SPANNER , control column collar, group ... Consisting of :—	1	—	B	71/1
	E.B2.88.5993	LEVER , spanner ...	1	BS15	—	71/2
	E.B2.88.5995	PEG , screwed ...	2	BS970 EN32A or 36A	—	71/3
95403	E.B2.88.6017	SPANNER , auxiliary air connection, port side, No. 1 engine	1	EN110S or 111S	B	71/4
95407	E.B2.88.6073	SPANNER , 'C', pitot probe special nut, assembly Spares for :—	1	—	B	71/5
	E.B2.88.6077	DOWEL ...	1	EN14A	—	71/6
95420	E.B2.88.6163	SPANNER , plug, No. 2 engine ignition leads	1	BS970 EN14A or 14B	B	66/18
95440	E.B2.88.6409	SPANNER , upper blast tube ...	1	—	B	70/4
95441	E.B2.88.6411	SPANNER , lower blast tube ...	1	—	B	70/5
95438	E.B2.88.6507	SPANNER , Al.23 plugs ...	1	S514	B	70/6
27BM/4578	DOWTY ROTOL MT.1295	SPANNER , protection unit ...	1	—	B	
95082	DOWTY ROTOL MT.1381	SPANNER , peg, main wheel retaining nut ...	1	—	B	
27G/6165	DUNLOP AM.20668	SPANNER , brake unit ring nut ...	1	—	B	
95425	LEYTONSTONE A.1677	SPANNER , ratchet, engine hatch bolts ...	1	—	B	
95089	E.B2.88.21	TOOL , retractor, reheat pipe cooling, air inlet ...	1	Steel Tube	B	66/19
95788	E.B3.88.175	TOOL , starter pump setting, group ... Consisting of :—	1	—	B	63/9
	E.B3.88.171	FAIRLEAD , half ...	1	BS2572 Type F3	—	63/10
	E.B3.88.173	FAIRLEAD , half, group Consisting of :—	1	—	—	63/11
	E.B3.88.167	FAIRLEAD , half ...	1	BS2572 Type F3	—	63/12
28M/5808573	A27/CS	NUT , 2 BA, slotted ...	1	—	C	63/13
	E.B3.88.169	PLATE , bolt ...	1	—	—	63/14
28M/802	AGS.113/C	NUT , wing, 2 BA, fairlead attachment ...	3	—	C	63/15
95071	E.B2.88.735	TOOL , spring retaining, ventral tank rear attachment pivots, group (Mk. 2 A/c) Spares for :—	1	—	B	71/7
	E.B2.88.3555	SLEEVE , protective P.V.C. tubing ...	2	EL659 LSS.Z6587	—	71/8
95762	E.F3.88.1233	TOOL , withdraw, exhaust gas outlet (Mk. 2A A/c)	1	—	B	63/16
95763	E.F3.88.1235	TOOL , withdraw, exhaust gas outlet (Mk. 2A A/c)	2	—	B	63/17
95062	E.B1.88.2161	TOOL , tailplane withdrawal, group ... Consisting of :—	1	EN110T	B	31/14
	E.B1.88.2159	CONE , extractor ...	1	EN110T	—	31/15
28M/9446650	A27/WP	NUT , 1" BSF, plain ...	1	—	C	31/16
95502	E.B1.88.2165	PLUG ...	1	EN110T	C	31/17
	E.B1.88.2163	SCREW , special ...	1	EN110T	—	31/18

**EQUIPMENT ANCILLARY
GROUND EQUIPMENT**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
95178	E.B2.88.3561	TOOL , tailplane installation, group	1	BS970 EN3A	B	70/7
		Consisting of:—				
	E.B2.88.3563	BAR , screwed	1	BS970 EN3A	—	70/8
	E.B2.88.3565	NUT , special	1	BS970 EN3A	—	70/9
95234	E.B2.88.4185	TOOL , fuel sampling, group	1	—	B	71/9
		Consisting of:—				
	E.B2.88.4183	BODY , fuel sampling tool	1	—	—	71/10
	E.B2.88.4203	CAP , protection	1	L44	—	71/11
28E/9128961	AGS.605/1	CLIP , hose, type J	1	—	C	71/12
	EEAS.164/16/90	HOSE , rubber, 1" i/d x 1 3/8" o/d x 9" long (Make from 32C/376)	1	DTD625 Type 1	LM	71/13
	E.B2.88.4191	LABEL , identity	1	L59	—	71/14
95283	E.B2.88.4493	TOOL , setting, main undercarriage door lock mechanism, group	1	—	B	71/15
		Consisting of:—				
28D/8308	AS.1242/3C	BOLT , 2 BA, c'sk head	1	—	C	71/16
28M/12929	A27/CP	NUT , 2 BA, plain	1	—	C	71/17
	E.B2.88.4497	PLATE	1	BS1449	—	71/18
	E.B2.88.4503	PLATE , locating	1	BS1449	—	71/19
	E.B2.88.4499	PLATE , tapped	1	BS1449	—	71/20
28S/9129439	A31/C10	SCREW , 2 BA, cheese head	1	—	C	71/21
95284	E.B2.88.4495	TOOL , setting, main undercarriage door lock mechanism, group	1	—	B	71/22
		Consisting of:—				
28D/9709461	AS.1242/3C	BOLT , 2 BA, c'sk head	1	—	C	71/23
28M/9403520	A27/CP	NUT , 2 BA, plain	1	—	C	71/24
	E.B2.88.4501	PLATE	1	BS1449	—	71/25
	E.B2.88.4503	PLATE , locating	1	BS1449	—	71/26
	E.B2.88.4505	PLATE , tapped	1	BS1449	—	71/27
28S/9129439	A31/C10	SCREW , 2 BA, cheese head	1	—	C	71/28
95421	E.B2.88.6131	TOOLS , tailplane spigot seals, group	1	—	B	70/10
		Consisting of:—				
	E.B2.88.6133	BOLT , draw	1	EN3	—	70/11
	FN.108/A	NUT , 1/2" dia., BSF	1	BS1083	—	70/12
	E.B2.88.6135	PLATE , inserting, outer seal	1	EN3	—	70/13
	E.B2.88.6137	PLATE , inserting, inner seal	1	EN3	—	70/14
	E.B2.88.6139	WASHER , spigot	1	EN3A	—	70/15
	DUNLOP	TOOL , lock ring removal	1	—	—	—
	AO.101984					
95152	E.B2.88.2857	UNION , special body for recharging rudder flutter damper	1	L65	C	71/29
95815	E.B3.88.161	WRENCH , for use with ped spanner, auxiliary hydraulic reservoir (Mk. 2 A/c)	1	EN25X	B	56/15

This file was downloaded
from the RTFM Library.

Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

