

**SERVICES**  
**AIR SYSTEM FOR AUXILIARY SERVICES**

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	—	<b>AIR SYSTEM FOR AUXILIARY SERVICES, ASSEMBLY (E.F2.75.7) (MK. 2 A/C)</b>								—	—	—	
	—	<b>AIR SYSTEM FOR AUXILIARY SERVICES, ASSEMBLY (E.F4.75.35) (MK. 2 A/C)</b>								—	—	—	
	—	Spares for :—											
	—	<b>AIR SYSTEM, high pressure auxiliary services, assembly (E.F2.75.65) (Mk. 2 A/c)</b>								—	—	—	
	—	<b>AIR SYSTEM, high pressure auxiliary services, assembly (E.F4.75.37) (Mk. 2A A/c)</b>								—	—	—	
	—	Spares for :—											
8031	BRITISH REFRASIL CO. ARF.59/61/8	<b>CLIP, pipe support</b> ... ..								5	—	C	2/1
	—	<b>DUCT, air cooling, assembly (E.B2.75.2253)</b> ... ..								—	—	—	1/1
	—	<b>DUCT, air cooling, assembly (E.F4.75.31)</b> ... ..								—	—	—	1/2
	—	Spares for :—											
5369	E.B2.75.1731	<b>AIR-DUCT, from joint at frame 50 to joint at frame 51 (Mk. 2 A/c)</b>								1	L44	C	1/3
5366	E.B2.75.2255	<b>AIR-DUCT, cooling, between equipment compartment connection at frame 51 and joint forward of frame 50</b>								1	—	C	1/4
5367	E.B2.75.2257	<b>AIR-DUCT, cooling, from joint forward of frame 50 to equipment compartment connection</b>								1	—	C	1/5
5362	E.B2.75.2263	<b>AIR-DUCT, forward side of heat exchanger at frame 47 (Mk. 2 A/c)</b>								1	L44	C	1/6
18617	E.F3.75.611	<b>AIR-DUCT, forward side of heat exchanger at frame 47 (Mk. 2A A/c)</b>								1	L44	C	1/7
5363	E.B2.75.2265	<b>AIR-DUCT, from aft side of heat exchanger to joint aft of frame 50</b>								1	L44	C	1/8
5365	E.B2.75.2267	<b>AIR-DUCT, from joint between frames 52 and 55 to joint between frames 54 and 55</b>								1	L44	C	1/9
5364	E.B2.75.3345	<b>AIR-DUCT, from joint at frame 51 to joint between frames 52 and 53</b>								1	L44	C	1/10
11464	E.B2.75.3897	<b>AIR-DUCT, from joint aft of frame 54 to joint aft of frame 55 (Mk. 2 A/c)</b>								1	L44	C	1/11
33620	E.F3.75.2625	<b>AIR-DUCT, from joint aft of frame 55 to air turbine gearbox connection (Mk. 2A A/c)</b>								1	L44	C	1/12
11465	E.B2.75.3899	<b>AIR-DUCT, from joint aft of frame 55 to air turbine gearbox connection (Mk. 2 A/c)</b>								1	L44	C	1/13
18620	E.F3.75.993	<b>AIR-DUCT, from joint aft of frame 54 to joint aft of frame 55 (Mk. 2A A/c)</b>								1	L44	C	1/14
	E.F4.75.479	<b>BRACKET, clip, forward of frame 55 (Mk. 2A A/c)</b>								1	L59	—	1/15
		Attachments :—											
	28D/9436920	A25/1C Bolt, 2 BA, hex. head ... ..								3	—	C	1/16
	28M/1278190	AGS.2001/C/1 Nut, stiff, 2 BA ... ..								3	—	C	1/17
	28W/9419475	SP15/C Washer, 2 BA, plain ... ..								3	—	C	1/18
	5370	E.B2.55.329 <b>FAIRLEAD, at frame 50</b> ... ..								1	LFS21	C	1/19
		Attachments :—											
	28D/9133011	A25/2C Bolt, 2 BA, hex. head ... ..								6	—	C	
	28W/9419402	SP13/C Washer, 2 BA, plain ... ..								6	—	C	

R

**SERVICES**  
**AIR SYSTEM FOR AUXILIARY SERVICES**

Ref. No.	Part No.	Description	No. off							Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7			
5373	E.B2.75.589	<b>FAIRLEAD</b> , at frame 51 ... ..							2	LFS21	C	1/22
		Attachments :—										
28D/9133011	A25/2C	Bolt, 2 BA, hex. head ... ..							6	—	C	1/23
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ... ..							6	—	C	1/24
28W/9419402	SP13/C	Washer, 2 BA, plain ... ..							6	—	C	1/25
5371	E.B2.75.1649	<b>FAIRLEAD</b> , at frame 53 ... ..							1	LFS21	C	1/26
5372	E.B2.75.1650		Attachments :—									
28D/9133011	A25/2C	Bolt, 2 BA, hex. head ... ..							6	—	C	1/27
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ... ..							6	—	C	1/28
28W/9419402	SP13/C	Washer, 2 BA, plain ... ..							6	—	C	1/29
5374	E.B2.75.2999	<b>FAIRLEAD</b> , at frame 50 ... ..							2	—	C	1/30
		Attachments :—										
28D/	A25/4½C	Bolt, 2 BA, hex. head ... ..							6	—	—	1/31
5368	DUNLOP	<b>HOSE</b> , silicone glass fabric, at frame 50 ... ..							1	—	C	1/32
	DAS.393/24/2	(Mk. 2 A/c)										
11466	DUNLOP	<b>HOSE</b> , silicone glass fabric, forward of frame 53 ... ..							1	—	C	1/33
	DAS.393/40/3	(Mk. 2 A/c)										
5375	DUNLOP	<b>HOSE</b> , silicone rubber (Mk. 2A A/c) ... ..							1	—	C	1/34
	DAS.582/40/3											
	E.B2.75.5751	<b>JOINT</b> , air duct ... ..							8	L44	—	1/35
10814	E.B2.55.443	<b>PIPE</b> , assembly, from branch pipe connector at ram air valve hose connection at frame 55 (Mk. 2 A/c)							1	L54	C	1/36
5376	E.B2.75.1503	<b>VALVE</b> , ram air, assembly (Mk. 2 A/c) ... ..							1	—	A	1/37
		Consisting of :—										
	E.B2.75.1509	<b>CAP</b> , valve ... ..							1	L65	—	1/38
	E.B2.75.1507	<b>CYLINDER</b> , valve ... ..							1	L65	—	1/39
	E.B2.75.1505	<b>PISTON</b> , assembly ... ..							1	—	—	1/40
		Spares for :—										
5377	E.B2.75.1521	<b>FILTER</b> ... ..							1	—	C	1/41
		Attachments :—										
28P/1011031	SP9/C10	Pin, split ... ..							1	—	C	1/42
27UA/1050	MARSTON D555/2A	<b>EXCHANGER</b> , heat ... ..							1	—	A	2/2
5301	E.B2.75.3325	<b>FAIRLEAD</b> , at frames 36 and 39 ... ..							4	LA4	C	2/3
		Attachments :—										
28D/1008149	A25/2B	Bolt, 4 BA, hex. head ... ..							8	—	C	2/4
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA ... ..							8	—	C	2/5
28W/9419474	SP15/B	Washer, 4 BA, plain ... ..							8	—	C	2/6
27VB/5313	HYMATIC TYPE LF1	<b>FILTER</b> , air ... ..							1	—	B	2/7
2811	E.B2.75.3361	<b>FITTING</b> , pipe joint to air filter, at frame 48 ... ..							1	—	C	2/8
5328	E.B2.75.3363	<b>FITTING</b> , end, pipe joint to hymatic reducing valve at frame 47 (Mk. 2 A/c)							1	L65	C	2/9
18623	E.F3.75.659	<b>FITTING</b> , end, pipe connections to reducing valves (Mk. 2A A/c)							2	L65	C	2/10
11467	DUNLOP DAS.393/40/2.8	<b>HOSE</b> , at connections between air ducts and heat exchanger, between frames 47 and 48							2	—	C	2/11
11468	E.B2.75.1081	<b>NIPPLE</b> , pipe coupling adaptor ... ..							13	BAC.M37	C	2/12
2812	E.B2.75.1083	<b>NIPPLE</b> , expansion joint pipe coupling ... ..							2	BAC.M37	C	2/13

AIR SYSTEM FOR AUXILIARY SERVICES

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
2813	E.B.2.75.1429							1	L64	C	2/14
18627	E.F.3.75.661							2	L64	C	2/15
11469	E.B.2.75.507							1	T55	C	2/16
11470	E.B.2.75.509							1	T55	C	2/17
11471	E.B.2.75.511							1	T55	C	2/18
33711	E.F.3.75.2045							1	T55	C	2/19
11472	E.B.2.75.533							1	T55	C	2/20
11473	E.F.2.73.613							1	T55	C	2/21
33710	E.F.3.75.2043							1	T55	C	2/22
11474	E.F.2.75.631							1	T55	C	2/23
11475	E.F.2.75.1227							1	-	C	2/24
11476	E.B.2.75.2745							1	T55	C	2/25
11477	E.B.2.75.2781							1	T55	C	2/26
5329	E.B.2.75.3367							1	L56	C	2/27
18628	E.F.3.75.657							1	T55	C	2/28
11478	E.B.2.75.3369							1	L56	C	2/29
5949	E.B.2.75.4415							1	-	C	2/30
11479	E.B.2.75.4425							1	T55	C	2/31
26FZ/980	EEAS.20/1/DR							6	L72	C	2/32
26FZ/981	EEAS.20/2/DR							2	L72	C	2/33
26FZ/3412	EEAS.20/3/DR							1	L72	C	2/34
	E.B.2.75.3437							1	-	LM	
33709	E.F.3.75.2037							1	BA		
28D/9133011	A25/2C							4			
28W/9128924	SP14/C							4			

SERVICES

AIR SYSTEM FOR AUXILIARY SERVICES

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
6102	E.B2.75.4419	UNION, special bulkhead at frame 34	1	BAC.M37	C	2/39
10792	E.B2.75.5917	UNION, 3-way tee coupling piece, No. 1 and 2 engine delivery at frame 47	1	T55	C	2/40
27F/5188	SAUNDERS 706AA11/B or M.10295	VALVE, 3/4" non-return, at tee of union coupling at frame 47 (2 off on Mk. 2A A/c)	1	—	A	2/41
27VB/5326	HYMATIC PS.48/42	VALVE, reducing, at frame 47	1	—	A	2/42
18590	E.F3.75.613	WASHER, shim, reducing valves (Mk. 2A A/c)	2	—	C	2/43
18591	E.F3.75.623	WASHER, shim (Mk. 2A A/c)	4	—	C	2/44
2821	E.B2.75.1431	WASHER, sealing, reducing valve distance piece (7 off on Mk. 2A A/c)	4	DTD416	C	2/45
2824	E.B2.75.2783	WASHER, sealing, pipe connection at frame 34	2	DTD416	C	2/46
5330	E.B2.75.3371	WASHER, spacing, filter connection	1	L64	C	2/47
6103	E.B2.75.4435	WASHER, sealing, pipe joint at frame 48	1	DTD416	C	2/48
26FZ/12030	EEAS.21/2/ER	WASHER, "D" (Mk. 2 A/c)	1	L72	C	2/49
	—	AIR SYSTEM, auxiliary, ventral tank (E.F2.75.67) (Mk. 2 A/c) Spares for:—	—	—	—	3/1
7796	E.B2.75.5161	ADAPTOR, vent valve datum pressure pipe	1	L65	C	3/2
11480	E.B3.75.343	BLOCK, mounting, solenoid valve union tee connector at frame 47 Attachments:—	1	LFS21	C	3/3
28D/9140644	A25/9C	Bolt, 2 BA, hex. head	2	—	C	3/4
28W/9419402	SP13/C	Washer, 2 BA, plain	2	—	C	3/5
2805	E.B2.75.2555	BLOCK, mounting, for P.S.I. reducing valve between frames 47 and 48 Attachments:—	1	LFS21	C	3/6
28D/9133014	A25/13C	Bolt, 2 BA, hex. head	1	—	C	3/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	3/8
2809	EEAS.162	Washer, clip	2	—	C	3/9
2806	E.B2.75.2557	BLOCK, mounting, for P.S.I. reducing valve between frames 47 and 48	1	—	C	3/10
7982	E.B2.75.5081	BLOCK, mounting, for elbow connection at frame 47 Attachments:—	1	—	C	3/11
28D/9435710	A25/11C	Bolt, 2 BA, hex. head	2	—	C	3/12
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA, hex. head	2	—	C	3/13
28W/9419402	SP13/C	Washer, 2 BA, plain	2	—	C	3/14
11481	E.B3.75.959	CAP, blanking, solenoid valve	1	—	C	3/15
37406	E.B2.07.801	CLIP, half, mounting, for reducing valve between frames 47 and 48 (E.B2.75.815) Attachments:—	2	L72	C	3/16
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	1	—	C	3/17
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	3/8
2809	EEAS.162	Washer, clip	2	—	C	3/9
28E/18739	AGS.2081/16	CLIP, pipe, single, 1" o/d	2	—	C	3/18
28E/9128961	AGS.605/1	CLIP, hose, relief, valve outlet (Mod. 1813)	1	—	C	3/19
27FR/30695	F. R. LTD. FRS.1107/H	COUPLING, at heat shield	3	—	B	3/20
27FR/	F. R. LTD. FRS.380/HT	COUPLING, at heat shield	3	—	B	3/21
27ZA/59	EXACTOR LTD. C.17512	COUPLING, 1", drop tank, at aircraft centre line Attachments:—	1	—	B	3/22
FZ/1468	EEAS.1/2C	Screw, 2 BA, 120° c'sk head	6	S96	C	3/23

AIR SYSTEM FOR AUXILIARY SERVICES

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
13614	E.F2.75.1761							1	—	C	3/24
18571	E.B2.75.1967							1	L44	C	3/25
18572	E.B2.75.4407							1	L44	C	3/26
11482	E.B3.75.267							1	L56	C	3/27
11483	E.B3.75.271							1	T55 or DTD743	C	3/28
11484	E.B3.75.349							1	L56	C	3/29
11485	E.B3.75.351							1	L56	C	3/30
11486	E.B2.75.521							1	L54	C	3/31
11487	E.B2.75.529							1	L56	C	3/32
2814	E.B2.75.613							1	601/F	C	3/33
11488	E.F2.75.1607							1	L56	C	3/34
11489	E.B2.75.1751							1	L54	C	3/35
13613	E.F2.75.1751							1	L56	C	3/36
7441	E.B2.75.4613							1	T55 or DTD743	C	3/37
28R/10162	AGS.566/C							1	—	C	3/38
8028	PIONEER							1	—	C	3/39
	3/187-MP802										
27FR/30143	F. R. LTD.							3	—	C	3/40
	FRS.54/H										
27FR/3013	F. R. LTD.							3	—	C	3/41
	FRS.185/H										
27FR/	F. R. LTD.							3	—	—	3/42
	FRS.630/H										
11490	E.F2.75.625							1	—	C	3/43
28D/1214569	AS.2920/4C							16	—	C	3/44
28M/1278190	AGS.2001/C/1							16	—	C	3/45
28W/9419402	SP13/C							16	—	C	3/46
26FZ/981	EEAS.20/2/DR							6	L72	C	3/47
7983	E.B2.75.5079							1	L65	C	3/48
11491	E.B3.75.339							1	L65	C	3/49
27FR/3497	F. R. LTD.							1	—	A	3/50
	A.9811075										
27FR/32287	F. R. LTD.							1	—	A	3/51
	9811385										
27VB/5357	HYMATIC							1	—	A	3/52
	PS.43/2 Mk. 2										
27V/5764	TEDDINGTON							1	—	A	
	FAW/A/520										
27F/5186	SELF PRIMING							1	—		
	SPE.2300										

SERVICES

AIR SYSTEM FOR AUXILIARY SERVICES

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
2822	E.B2.75.1667	WASHER, sealing, between non-return and reducing valves	1	L34	C	3/35
11492	E.F2.75.627	WASHER, sealing, vent valve, on frame 47	2	Neo-K-Tex	C	3/56
11506	EEAS.28/38/4B	WASHER, shim, between solenoid valve and union tee connector	1	—	C	3/57
28F/1202393	AGS.1138/C	WASHER, joint, relief valve housing plug (Mod. 1813)	1	Alum.	C	3/58
	—	AIR SYSTEM, auxiliary, ventral tank assembly (E.F4.75.39) (Mk. 2A A/c) Spares for:—	—	—	—	4/1
34243	E.F3.75.3497	ADAPTOR, special, 3/4" BSF	1	L65	C	4/2
	E.F3.75.2025	BRACKET, support	1	EEDX249	—	4/3
	E.F3.75.669	BRACKET, pipe clip support at stringer 17, starboard, aft of frame 46	1	L72	—	4/4
11176	KING A/C C.13674/12B	CLAMP, pipe, on, flexible pipe from drop tank coupling aft of frame 46	2	—	C	5/1
18566	E.F3.75.665	CLIP, saddle, pipe at stringer 19, aft of frame 47, starboard	1	L72	C	5/2
		Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	—	C	5/3
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	5/4
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	5/5
21527	E.F3.75.2013	CONNECTION, reducing valve drain, frame 46	1	—	C	5/6
21526	E.F3.75.2023	CONNECTION, from valve to drain pipe forward of frame 47	1	—	C	5/7
21528	E.F3.75.2009	CONNECTION, valve	4	L65	C	5/8
18567	E.F3.75.625	CONNECTOR, vent, pipe from multi-way valve aft of frame 46	1	L65	C	5/9
		Attachments:—				
28D/9137409	AS.1246/2C	Bolt, 2 BA, round head	2	—	C	5/10
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	5/11
26FZ/1468	EEAS.1/2C	Screw, 2 BA, 120° c'sk head	2	S96	C	5/12
26FZ/980	EEAS 20/1/DR	Tab, locking	1	L72	C	5/13
28W/9419404	SP16/C	Washer, 2 BA, plain	4	—	C	5/14
27ZA/98	EXACTOR C.19172	COUPLING, 1", drop tank, aft of frame 46 at centre line	1	—	B	5/15
		Attachments:—				
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120° c'sk head	8	S96	C	5/16
5328	E.B2.75.3363	FITTING, end, branch pipe to reducing valves attachment	2	L65	C	5/17
11179	KING A/C C.11604/10B	GASKET, pipe clamp	2	—	C	5/18
19848	BELLS BAS.16/2/E 10/3-1/2/A	JOINT, rubber, drain pipe connecting, frame 47	1	—	C	5/19
19852	BELLS BAS.16/2/E 14/2-1/4/A E.F3.75.907	JOINT, rubber, relief valve drain pipes	4	—	C	5/20
		LABEL, wing tank test gauge connection aft of frame 47	1	L72	—	4/5
	E.B2.75.5099	LABEL, ventral tank test gauge connection between frames 47 and 48, starboard	1	L72	—	4/6
	E.F3.75.2015	OUTLET, drain	2	L59 or 34	—	4/7
18570	E.F3.75.667	PACKING, pipe at saddle clip, stringer 19, frames 46, starboard	1	Sindanyo	C	5/21
18571	E.B2.75.1967	PACKING, tapered, flanged coupling between frames 47 and 48, port	1	L44	C	4/8

AIR SYSTEM FOR AUXILIARY SERVICES

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
18572	E.B2.75.4407							1	L44	C	4/9
	E.F3.75.2021							2	LF3	-	4/10
21530	E.F3.75.2007							2	Linatex	-	4/11
2813	E.B2.75.1429							2	L64	C	5/22
22842	E.F3.75.2067							1	L56	C	4/12
18574	E.F3.75.663							1	-	C	5/23
18575	E.F3.75.671							1	L54	C	5/24
18576	E.F3.75.675							1	L56	C	4/13
18577	E.F3.75.681							1	L65	C	4/14
18578	E.F3.75.855							1	L56	C	4/15
18579	E.F3.75.887							1	L56	C	5/25
18580	E.F3.75.889							1	L65	C	4/16
18581	E.F3.75.891							1	L65	C	4/17
18582	E.F3.75.893							1	L56	C	4/18
18583	E.F3.75.895							1	L56	C	4/19
18584	E.F3.75.897							1	L56	C	5/26
18585	E.F3.75.909							1	L54	C	4/20
21532	E.F3.75.2011							1	-	C	4/21
19846	E.F3.75.2017							1	-	C	4/22
19849	E.F3.75.2029							1	-	C	4/23
19850	E.F3.75.2031							1	-	C	5/27
1440686	E.F3.75.971							1	L56	C	

SERVICES

AIR SYSTEM FOR AUXILIARY SERVICES

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
	E.F3.75.767	PLATE, top, valve support structure aft of frame 46 . . .	1	L73	-	4/25
28D/9436920	A25/1C	Attachments:- Bolt, 2 BA, hex. head . . . . .	14	-	C	4/26
19851	E.F3.75.2033	SUPPORT, pipe, drain pipe frame 46 . . . . .	1	LFS	C	4/27
19847	E.F3.75.2027	SUPPORT, pipe, at drain outlet, frame 47 . . . . .	1	LFS	C	4/28
27FZ/981	EEAS.20/2DR	TAB, locking . . . . .	2	L72	C	4/29
	AS.2811/5/030	TUBE, distance . . . . .	2	-	-	4/30
	AS.2811/5/050	TUBE, distance . . . . .	1	-	-	4/31
18588	E.F3.75.615	UNION, special coupling, relief and reducing valves . . .	6	-	C	4/32
27F/	SAUNDERS 206/BM/60/A/2	VALVE, multi-way, aft of frame 46 . . . . .	1	-	A	5/28
		Attachments:-				
28D/9140649	A25/23C	Bolt, 2 BA, hex. head . . . . .	2	-	C	5/29
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA . . . . .	2	-	C	5/30
28W/9419404	SP16/C	Washer, 2 BA, plain . . . . .	2	-	C	5/31
18589	EEAS.28/8/9B	Washer, shim . . . . .	2	-	C	5/32
27FR/30805	F.R. LTD. B.9811245/B	VALVE, non-return, 1/4" BSF . . . . .	1	-	A	5/33
27VB/6250	HYMATIC PAS.148/093	VALVE, reducing . . . . .	2	-	A	5/34
27VB/5957	HYMATIC PAS.148/083	VALVE, reducing . . . . .	2	-	A	5/35
27VB/1444449	HYMATIC NRAV.137/033	VALVE, relief . . . . .	2	-	A	4/33
27VB/6251	HYMATIC RAV.137/040	VALVE, relief . . . . .	2	-	A	5/36
27VB/5388	HYMATIC RV.37/23	VALVE, relief . . . . .	2	-	A	4/34
18590	E.F3.75.623	WASHER, shim, reducing valve at support bracket . . . . .	2	Alum.	C	5/37
18591	E.F3.75.623	WASHER, shim, special, union to valves . . . . .	12	Alum.	C	4/35
2821	E.B2.75.1431	WASHER, sealing, reducing valves distance pieces . . . . . aft of frame 47	6	DTD416	C	5/38
	-	AIR SYSTEM, auxiliary (wing tanks) (E.F2.75.69) . . . . . (Mk. 2 A/c)	-	-	-	6/1
	-	AIR SYSTEM, auxiliary (wing tanks) (E.F4.75.41) . . . . . (Mk. 2A A/c) (Mod. 4740) Spares for:-	-	-	-	6/2
34243	E.F3.75.3497	ADAPTOR, pipe connection aft of frame 46 . . . . . (Mk. 2A A/c)	1	L65	C	6/3
11481	E.B3.75.959	CAP, blanking, solenoid valve at frame 31 . . . . .	1	-	C	6/4
11493	E.B3.75.791	CLIP, securing solenoid valve at frame 31, 22 SWG . . . . . (Mk. 2 A/c)	1	S521	C	6/5
		Attachments:-				
28D/9419397	A25/12C	Bolt, 2 BA, hex. head . . . . .	2	-	C	6/6
13378	E.F2.75.1611	Piece, distance, special . . . . .	1	Ferobestos LF3 or 4	C	6/7
13379	E.F2.75.1613	Piece, distance, special . . . . .	1	Ferobestos LF3 or 4	C	6/8
27FZ/20453	EEAS.20/1CR	Tab, locking . . . . .	1	L72	C	6/9
11906	EEAS.239/4A	Washer, "D" . . . . .	2	L72	C	6/10
26FZ/5183	EEAS.143/25	CLIP, securing, relief valve at frame 47 (Mk. 2 A/c) . . . . . Attachments:-	1	L72	C	6/11
28D/9436920	A25/1C	Bolt, 2 BA, hex. head . . . . .	1	-	C	6/12
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA . . . . .	1	-	C	6/13
28W/9419475	SP15/C	Washer, 2 BA, plain . . . . .	1	-	C	6/14

AIR SYSTEM FOR AUXILIARY SERVICES

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
27FR/	F.R. LTD.	COUPLING, union .....	3	-	-	6/15
4884	FRS.132/F7 E.B2.11.9181	FAIRLEAD, half, at frame 44 .....	2	LA4	C	6/16
28D/9133011	A25/2C	Attachments:-				
28M/1278190	AGS.2001/C/1	Boit, 2 BA, hex. head .....	4	-	C	6/17
28W/9419475	SP15/C	Nut, stiff, 2 BA .....	4	-	C	6/18
		Washer, 2 BA, plain .....	4	-	C	6/19
11494	E.B3.75.809	PACKING, assembly, between frame 31 and solenoid valve (Mk. 2 A/c)	1	-	C	6/20
11496	E.B2.75.569	PIPE, assembly, from coupling forward of frame 39 to union (3-way) at firefloor between frames 44 and 45, 1/4" o/d x 22 SWG	1	L56	C	6/21
R 11499	E.F2.75.817	PIPE, assembly, from non-return valve to series 7 coupling aft of frame 43, 3/4" o/d x 22 SWG	1	L56	C	6/22
11502	E.B2.75.1463	PIPE, assembly, from reducing valve to relief valve forward of frame 47, 3/4" o/d x 22 SWG (Mk. 2 A/c)	1	L56	C	6/23
11503	E.F2.75.1515	PIPE, assembly, from union at firefloor to coupling forward of frame 44, 3/4" o/d x 22 SWG	1	L56	C	6/24
23624	E.F2.75.1825					
R 11504	E.F2.75.1555	PIPE, assembly, between non-return valve and special coupling aft of frame 43, port, 3/4" o/d x 22 SWG	1	L56	C	6/25
R 11505	E.F2.75.1557	PIPE, assembly, branch, from special coupling to non-return valve aft of frame 43, 3/4" o/d x 22 SWG	1	L56	C	6/26
13377	E.F2.75.1609	PIPE, assembly, from union tee to solenoid valve forward of frame 34, 1/4" o/d x 22 SWG (Mk. 2 A/c)	1	L56	C	6/27
13372	E.F2.75.1631	PIPE, assembly, from union cone tee aft of frame 29 to union tee for solenoid valve aft of frame 31, 1/4" o/d x 22 SWG (Mk. 2 A/c)	1	L56	C	6/28
13371	E.F2.75.1633	PIPE, assembly, from solenoid valve special union tee aft of frame 31 to coupling forward of frame 39, 1/4" o/d x 22 SWG (Mk. 2 A/c)	1	L56	C	6/29
11498	E.F2.75.1805	PIPE, assembly, from coupling aft of frame 45 to relief valve union block forward of frame 47, 3/4" o/d x 22 SWG (Mk. 2 A/c)	1	L54	C	6/30
13352	E.F2.75.1807	PIPE, assembly, from union (3-way) at firefloor between frames 44 and 45 to coupling aft of frame 45, 3/4" o/d x 22 SWG (Mk. 2 A/c)	1	L56	C	6/31
22465	E.F2.75.1855	PIPE, assembly, from union cone tee at frame 29 to wing root connection, 1/4" o/d x 22 SWG (Mod. 2053)	1	L56	C	6/32
R 23344	E.F2.75.1329	PIPE, assembly, from F.R. coupling to non-return valve aft of frame 43, starboard, 3/4" o/d x 22 SWG (Mk. 2 A/c)	1	L56	C	6/33
1440688	E.F4.75.57	PIPE, assembly, from coupling aft of frame 34 to coupling forward of frame 39, 1/4" o/d x 22 SWG (Mk. 2A A/c)	1	L56	C	6/34
1440689	E.F4.75.361	PIPE, assembly, from coupling aft of frame 45 to special adaptor between frames 46 and 47, 3/4" o/d x 22 SWG (Mk. 2A A/c)	1	L54	C	6/35

## AIR SYSTEM FOR AUXILIARY SERVICES

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
1440690	E.F.4.75.363								1	L54	C	6/36
1440687	E.F.4.75.377								1	L56	C	6/37
R 18596	E.F.3.75.631								1	L56	C	6/38
R 18597	E.F.3.75.635								1	L56	C	6/39
18600	E.F.3.75.781								1	L56	C	6/40
18602	E.F.3.75.905								1	L54	C	6/41
R	E.F.2.75.1329								1	L56	-	6/42
27FR/30528	F.R. LTD. FRS.135/F/7								3	-	C	6/43
27FR/	F.R. LTD. FRS.54/F/7								3	-	C	6/44
11507	E.B.3.75.331								1	L65	C	6/45
11508	E.B.2.75.537								1	L65	C	6/46
13351	E.F.2.75.1795								1	-	C	6/47
R 27FR/30699	F.R. LTD. B.9811245F								2	-	A	6/48
R 27FR/30805	F.R. LTD. B.9811245/B								1	-	A	6/49
27VB/5388	HYMATIC RV.37/23								1	-	A	6/50
27V/5746	TEDDINGTON FAW/A/520								1	-	A	6/51
11510	E.B.2.75.557								2	DTD416	C	6/52
2820	E.B.2.75.1411								1	DTD416	C	6/53
10303	EEAS.240/A								2	L72	C	6/54
-	-								-	-	-	6/55
7625	BRIT. REFRASIL ARF.59/61/2								3	-	C	6/56
28D/9436920	A25/1C								3	-	C	6/57
28D/9133011	A25/2C								1	-	C	6/58
28M/1278190	AGS.2001/C/1								3	-	C	6/59
28W/9128924	SP14/C								3	-	C	6/60
11511	E.F.2.75.637								1	T55	C	6/61

**SERVICES**  
**AIR SYSTEM FOR AUXILIARY SERVICES**

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11512	E.F2.75.1577	<b>PIPE</b> , datum, assembly, from connector at datum forward of frame 47 to air turbine shut off valve, 1/4" o/d x 22 SWG	1	T55	C	6/62
4851	EEAS.20/1ER	<b>TAB</b> , locking, at connector forward of frame 47 ...	2	L72	C	6/63
11513	E.F2.75.641	<b>WASHER</b> , sealing, connector forward of frame 47 ...	1	DTD416	C	6/64
	—	<b>PIPES</b> , datum, 3" shut-off valve, assembly (E.F3.75.709) (Mk. 2A A/c) Spares for :—	—	—	—	6/65
28E/2001120	AGS.2104/2	<b>CLIP</b> , pipe bonding, frame 47 ...	2	—	C	6/66
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head ...	2	—	C	6/67
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA ...	2	—	C	6/68
28W/9128924	SP14/C	Washer, 2 BA, plain ...	2	—	C	6/69
	7625	<b>CLIP</b> , pipe support, frame 47 ...	1	—	C	6/70
		Attachments :—				
18604	EEAS.286/1C	Bolt, 2 BA, hex. head ...	1	HTS Chrome	C	6/71
18380	EEAS.288/C	Nut, stiff, 2 BA ...	1	HTS Chrome	C	6/72
28W/9128924	SP14/C	Washer, 2 BA, plain ...	1	—	C	6/73
18635	E.F3.75.645	<b>PIPE</b> , assembly, from coupling forward of frame 47 to pipe tapping at heat exchanger aft of frame 47, 1/4" o/d x 22 SWG	1	T55	C	6/74
11512	E.F2.75.1577	<b>PIPE</b> , assembly, from 3" isolator valve connection aft of frame 46 to coupling forward of frame 47, 1/4" o/d x 22 SWG	1	T55	C	6/75
11513	E.F2.75.641	<b>WASHER</b> , sealing, frame 47 connection ...	1	DTD416	C	6/76
4851	EEAS.20/1ER	<b>WASHER</b> , tab, frame 47 connection ...	2	L72	C	6/77

Ref. No.	Part No.	1	2	3	4	5	6	7	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index

This file was downloaded from the RTFM Library.

Link: [www.scottbouch.com/rtfm](http://www.scottbouch.com/rtfm)

Please see site for usage terms, and more aircraft documents.

