

A.P. 101B-1002/2A-3A

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		AIR SYSTEM IN FRONT FUSELAGE, ASSEMBLY (E.F2.75.3) (MK. 2A/C)	—	—	—	7/1
		AIR SYSTEM IN FRONT FUSELAGE, ASSEMBLY (E.F4.75.403) (MK. 2A A/C)	—	—	—	7/2
		Spares for :—				
		ANTI-G and A.V.S., assembly (E.F2.75.25)	—	—	—	7/3
		Spares for :—				
5746	E.B2.75.4563	BOLT , special banjo, vent suit pipe to non-return valve banjo attachment	1	L65	C	7/4
	E.B2.75.5845	CHANNEL , support	1	L72	—	7/5
28D/9436920	A25/1C	Attachments :—	4	—	C	7/6
28W/9419475	SP15/C	Bolt, 2 BA, hex. head	4	—	C	7/7
		Washer, 2 BA	—	—	—	—
5747	E.B2.75.3961	CLIP , saddle, 3/4" dia., ground pressure pipe at frame 16 shear web	1	L72	C	7/8
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA hex. head	2	—	C	7/9
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	7/10
28W/9419475	SP15/C	Washer, 2 BA	2	—	C	7/11
5751	E.B2.75.3945	COUPLING , pipe, 3/4" to 1/2" BSP, breakaway coupling to non-return valve connection	1	L65	C	7/12
7275	E.B2.75.4535	COUPLING , 3/4" elbow, flanged elbow between frames 14 and 15	1	L65	C	7/13
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	—	C	7/14
28M/1278190	AGS.2001/C1	Nut, stiff, 2 BA	3	—	C	7/15
28W/9419475	SP15/C	Washer, 2 BA	2	—	C	7/16
5748	E.B2.75.4937	COUPLING , breakaway, 1", ground pressure connection, assembly	1	—	C	7/17
		Spares for :—				
5749	E.B2.75.2681	SPRING , blanking valve loading	1	DTD215	C	7/18
		Attachments :—				
26FZ/1025	EEAS.1/1C	Screw, 2 BA, 120° c'sk head	4	S96	C	7/19
11165	E.F2.75.569	ELBOW , flanged, at starboard gun beam	1	L54	C	7/20
5753	E.B2.75.3941	ELBOW , special, reducing valve, 1/2" to 3/4" BSP	1	L65	C	7/21
5754	E.B2.75.3943	ELBOW , special, reducing valve and datum pipe attachment 1/2" BSP	1	L65	C	7/22
11166	E.F2.75.573	FAIRLEAD , at starboard gun beam	1	BS2572 Type 1	C	7/23
		Attachments :—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	4	—	C	7/24
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	7/25
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	7/26
5527	E.B2.75.4163	GASKET , A.V.S. pipe, bulkhead sealing	1	DTD416	C	7/27
	EEAS.164/4/1.7	HOSE , rubber, type 1, 1/4" i/d x 3/8" o/d x 1".7 long	3	DTD625	C	7/28
5760	DUNLOP	HOSE , silicone	2	—	C	7/29
	DAS.393/10/2.25					
11167	E.F2.75.561	PIPE , assembly, ground pressure and vent suit line from reducing valve and hose connection at frame 15	1	—	C	7/30

SERVICES AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
11168	E.F2.75.571	PIPE, assembly, datum from pressure bulkhead to hose connection at starboard gun beam							1	—	C	7/31	
11169	E.F2.75.579	PIPE, assembly, from flanged elbow at starboard gun beam to reducing valve							1	—	C	7/32	
	E.F2.75.1281	PIPE, assembly, from water trap to air heat exchanger branch pipe connection							1	—	—	7/33	
32793	E.F2.75.1283	PIPE, assembly, from pressure bulkhead to reducing valve							1	—	C	7/34	
	E.F2.75.1285	PIPE, assembly, branch from water trap to pressure bulkhead and flanged elbow at starboard gun beam							1	—	—	7/35	
	E.F2.75.1439	PIPE, assembly, anti-G suit between connection aft of frame 20 to connection aft of frame 22							1	—	—	7/36	
30740	E.B2.75.2641	PIPE, assembly, anti-G suit between connection aft of frame 22 to connection forward of frame 23							1	—	C	7/37	
5770	E.B2.75.3933	PIPE, assembly, branch, anti-G and bullet pressurisation from air heat exchanger							1	—	C	7/38	
5771	E.B2.75.3935	PIPE, assembly, from hose connection at frame 6 to ground pressure connection							1	—	C	7/39	
7278	E.B2.75.4313	PIPE, assembly, water trap drain							1	—	C	7/40	
11170	E.B2.75.6147	PIPE, assembly, branch, ground pressure and vent suit line, from pressure bulkhead connection to hoses at frames 15 and 16							1	—	C	7/41	
9664	E.B2.75.6149	PIPE, assembly, from air heat exchanger to connection aft of frame 17							1	—	C	7/42	
9663	E.B2.75.6151	PIPE, assembly, anti-G and bullet pressurisation from connection aft of frame 20 to connection forward of frame 18							1	—	C	7/43	
12235	E.B2.75.6423	PIPE, assembly, anti-G suit between connection forward of frame 23 to connection on frame 23 at nose datum line							1	—	C	7/44	
5775	E.B2.75.3959	SEAL, datum pipe at pressure bulkhead							1	DTD415	C	7/45	
28D/9133011	A25/2C	Attachments :—											
28M/1278190	AGS.2001/C1	Bolt, 2 BA, hex. head							3	—	C	7/46	
28W/9419475	SP15/C	Nut, stiff, 2 BA							3	—	C	7/47	
		Washer, 2 BA, plain							3	—	C	7/48	
26FZ/980	EEAS.20/1DR	TAB, jocking							2	L72	C	7/49	
7277	E.B2.75.4211	TRAP, A.V.S. and anti-G water, assembly							1	—	B	7/50	
		TEST-POINT, for A.V.S. bullet and anti-G systems, assembly (E.B2.75.6405)							—	—	—	7/51	
	E.B2.75.6407	Spares for :—											
		MANIFOLD, assembly							1	—	—	7/52	
		Spares for :—											
12237	E.B2.75.6429	LINK, wire							1	—	C	7/53	
12236	E.B2.75.6431	MANIFOLD, sub-assembly							1	—	C	7/54	
28P/1006943	SP9/C6	PIN, split							1	—	C	7/55	
28F/9439950	AGS.1140/B	PLUG, nipple							1	—	C	7/56	
28F/9439527	AGS.954/B	SLEEVE, outer							1	—	C	7/57	
12239	E.B2.75.6413	SLEEVE, screwed							1	—	C	7/58	
27FR/30182	F.R. LTD.	VALVE, non-return, 3/8" BSP							1	—	A	7/59	
	B.9811155-E	WASHER, sealing							4	—	C	7/60	
28F/1201324	AGS.1139/E	WASHER, shim							2	—	C	7/61	
12238	E.B2.75.6411												

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
27VB/5400	HYMATIC TYPE 60/31	VALVE , reducing	1	—	A	7/62
7741	E.B3.50.75	Attachments :—				
28W/9419475	SP15/C	Bolt, special... ..	2	DTD416	C	7/63
		Washer, 2 BA, plain	2	—	C	7/64
27FR/30182	F.R. LTD 9811155/E	VALVE , non-return, 3/8" BSP	2	—	A	7/65
11171	E.F2.75.1505	WASHER , sealing, pipe joint at starboard gun beam	2	—	C	7/66
11172	EEAS.239/1A	WASHER , "D", 2 BA	4	L72	C	7/67
9842	EEAS.240/2A	WASHER , "D"	16	L72	C	7/68
	—	EQUIPMENT , cooling, assembly (E.F2.75.33) (Mk. 2 A/c)	—	—	—	8/1
	—	EQUIPMENT , cooling, assembly (E.F4.75.413) (Mk. 2A A/c)	—	—	—	8/2
		Spare for :—				
5428	E.F2.75.417	ADAPTOR (Mk. 2 A/c)	1	30/158	—	8/3
11226	E.B2.75.2887	ADAPTOR , tacan unit pipe and hex. connection ...	1	L54	C	8/4
	KING A/C	CLAMP , pipe, Mk. 45, at frame 23 (Mk. 2 A/c) ...	1	—	C	8/5
	C.13674/22B	Attachments :—				
28D/9133012	A25/3C	Bolt, 2 BA, hex, head	6	—	C	8/6
9299	E.B3.75.299	CLIP , cooling pipe support at frame 19	1	L72	C	8/7
		Attachments :—				
28D/1008149	A25/2B	Bolt, 4 BA, hex. head	2	—	C	8/8
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	2	—	C	8/9
28W/9419465	SP13/B	Washer, 4 BA	2	—	C	8/10
5432	E.B2.75.3449	CLIP , cooling pipe support	2	L72	C	8/11
		Attachments :—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	4	—	C	8/12
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	8/13
28W/9419402	SP13/C	Washer, 2 BA, plain	4	—	C	8/14
5433	E.B2.75.3737	CLIP , cooling pipe at frame 21	1	L72	C	8/15
		Attachments :—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	1	—	C	8/16
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	1	—	C	8/17
28M/1278190	AGS.2001/C1	Nut, stiff, 2 BA, aerotight	2	—	C	8/18
5434	E.B2.75.2121	Washer, packing	1	EEDX160	C	8/19
28W/9419402	SP13/C	Washer, 2 BA, plain	1	—	C	8/20
	E.B2.75.6375	CLIP , hose, special, flanged pipe at frame 23 (Mk. 2A A/c)	1	—	—	8/21
9300	E.B3.75.301	FAIRLEAD , cooling pipe at frame 19... ..	1	Ferobestos LA3	C	8/22
10569	KING A/C	GASKET , for clamp at frame 23 (Mk. 2 A/c) ...	1	—	C	8/23
	C.11604/20/B					
7591	E.B2.75.5825	GUARD , debris, ram air cooling valve (Mk. 2 A/c)	1	—	C	8/24
	EEAS.164/4/60	HOSE , rubber, 1/4" i/d x 3/8" o/d x 6" long, from pressurisation pipe connection at frame 21 to tacan unit pipe connection (Make from 32C/427)	1	—	LM	8/25
5435	DUNLOP DAS.393/15/2.25	HOSE , coupling silicone (Mk. 2 A/c)	1	—	C	8/26
	DUNLOP DAS.393/16/2.25	HOSE , coupling silicone (Use Ref. 27VA/4135) ...	1	—	—	8/27

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5436	DUNLOP DAS.393/28/2.5	HOSE , coupling silicone	1	—	C	8/28
5780	DUNLOP DAS.393/32/2.25	HOSE , coupling silicone	1	—	C	8/29
9296	E.B3.75.293	PIPE , flanged, between frames 23 and 24	1	—	C	8/30
9297	E.B3.75.295	PIPE , branch, tacan unit and U.H.F. standby unit cooling	1	—	C	8/31
9298	E.B3.75.297	PIPE , U.H.F. standby unit cooling	1	—	C	8/32
5441	E.B2.75.2409	PIPE , from flanged joint at frame 20 to flanged joint at frame 19, gun cavity cooling	1	—	C	8/33
5442	E.B2.75.2455	PIPE , from branch pipe hose connection at frame 23 to hose connection at frame 22	1	—	C	8/34
5443	E.B2.75.2457	PIPE , flanged, from cooling air pipe hose connection to diaphragm flanged joint, gun cavity cooling	1	—	C	8/35
5444	E.B2.75.2459	PIPE , from diaphragm flanged joint to flanged joint at frame 20, gun cavity cooling	1	—	C	8/36
5446	E.B2.75.2885	PIPE , assembly, from cabin air pipe tapping aft of frame 20 to tacan unit hose connection at frame 21 pressurisation line	1	—	C	8/37
5447	E.B2.75.3415	PIPE , flanged housing, between elbow connection at frame 24 and branch pipe	1	L54	C	8/38
5449	E.B2.75.3451	PIPE , flanged elbow at frame 24	1	—	C	8/39
5450	E.B2.75.3453	PIPE , between housing pipe and elbow aft of frame 24	1	L54	C	8/40
5451	E.B2.75.3455	PIPE , from spill valve housing connection to pipe connection aft of frame 24	1	—	C	8/41
5452	E.B2.75.3457	PIPE , spill valve pipe connection housing	1	—	C	8/42
5448	E.B2.75.4573	PIPE , flexible, from branch pipe to tacan unit cooling connection	1	Silicone Glass	C	8/43
5440	E.B2.75.5045	PIPE , branch, assembly, at frame 23 (Mk. 2 A/c) ...	1	—	C	8/44
	E.F3.75.2087	PIPE , flanged, assembly, at frame 23 (Mk. 2A A/c) ...	1	—	—	8/45
36667	E.F3.75.3523	PIPE , assembly, U.H.F. cooling (Mk. 2A A/c) ...	1	—	B	8/46
18364	E.F2.75.411	VALVE , ram air, assembly (Mk. 2 A/c)	1	—	B	9/1
		Consisting of:—				
11175	E.F2.75.419	ADAPTOR	1	30/158	C	9/2
		Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA	6	—	C	9/3
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	6	—	C	9/4
7588	E.B2.75.5047	HOUSING , ram air valve, assembly	1	—	C	9/5
4838	PIONEER PO/27525013	RING , "O", sealing	1	—	C	9/6
5376	E.B2.75.1503	VALVE , ram air cooling	1	—	B	9/7
		Consisting of:—				
	E.B2.75.1509	CAP , valve	1	L65	—	9/8
	E.B2.75.1507	CYLINDER , valve	1	L65	—	9/9
	E.B2.75.1505	PISTON , assembly	1	—	—	9/10
		Spares for:—				
5377	E.B2.75.1521	FILTER	1	—	C	9/11
		Attachments:—				
28P/1011031	SP9/C10	Pin, split	1	—	C	9/12
5455	E.B2.75.4055	WASHER , pipe flange packing at frame 24 ...	2	DTD546	C	8/47

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-	EQUIPMENT, cabin pressure, frames 22 to 25,							-	-	-	
	-	assembly (E.F.2.75.39) (Mk. 2 A/c)										
	-	EQUIPMENT, cabin pressure, frames 22 to 25,							-	-	-	
	-	assembly (E.F.4.75.409) (Mk. 2A A/c)										
	E.F.2.75.43	Spares for:-										
		EXCHANGER, heat, installation							-	-	-	23/1
		Consisting of:-										
5584	E.B.2.75.415	BOLT, special, forward mounting							2	S94	C	23/2
5585	E.B.2.75.4059	BOLT, special, rear mounting							2	S94	C	23/3
27UA/2068	MARSTON	PRE-COOLER							1	-	A	23/4
	D.158/130A											
	PR1221BT	SEALANT, P.R.C.							QR	-	C	23/5
	-	PIPES, cabin air, assembly (E.F.2.75.45) (Mk. 2 A/c) ..							-	-	-	10/1
	-	PIPES, cabin air, assembly (E.F.4.75.437) (Mk. 2A A/c)							-	-	-	10/2
		Spares for:-										
11176	KING A/C	CLAMP, conoseal							2	-	C	10/3
	C.13674/12/B											
11177	KING A/C	CLAMP, conoseal (5 off on Mk. 2A A/c)							4	-	C	10/4
	C.13674/18/B											
11178	KING A/C	CLAMP, conoseal							1	-	C	10/5
	C.13674/18/H											
11173	KING A/C	CLAMP, conoseal							4	-	C	10/6
	C.13674/22/H											
1441492	E.F.4.75.441	CLIP, saddle, frame 23 (Mk. 2A A/c)							1	S521	C	10/7
		Attachments:-										
28D/9133011	A25/2C	Bolt, 2 BA, hex. head							2	-	C	10/8
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA							2	-	C	10/9
	E.F.4.75.443	STRIP, rubbing							1	BS2572.F3	-	10/10
		Attachments:-										
1441493	EEAS.21A/8EQ	Washer, "D"							2	S520	C	10/11
28W/9457834	SP124/D	Washer, packing							2	-	C	10/12
	5578	CLIP, saddle, reducing valve at frame 25							1	DTD124	C	10/13
		Attachments:-										
28D/9133012	A25/3C	Bolt, 2 BA, hex. head							2	-	C	10/14
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	10/15
	5434	Washer, packing							2	EEDX160	C	10/16
28W/9128924	SP14/C	Washer, 2 BA, plain							2	-	C	10/17
	5K/4345974	CLIP, bonding							1	-	C	10/18
		Attachments:-										
28D/9133011	A25/2C	Bolt, 2 BA, hex. head							1	-	C	10/19
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							1	-	C	10/20
	5K/4345975	CLIP, bonding							2	-	C	10/21
		Attachments:-										
28D/9133011	A25/2C	Bolt, 2 BA, hex. head							2	-	C	10/22
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	-	C	10/23
	7869	CLIP, bonding							2	-	C	10/24
	BRIT. REFRASIL											
	ARF.59/405/15											
	or											
28E/2001133	AGS.2104/15	Attachments:-										
		Bolt, 2 BA, hex. head							2	-	C	10/26
28D/9133012	A25/3C	Nut, stiff, 2 BA							2	-	C	10/27
28M/1278190	AGS.2001/C/1											

SERVICES

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
7870	BRIT. REFRASIL ARF.59/405/19								1	—	C	10/28
28E/2001137	or AGS.2104/19											
28D/9133012	A25/3C								1	—	C	10/30
28M/1278190	AGS.2001/C/1								1	—	C	10/31
5587	E.B2.75.2039								1	L17	C	10/32
11179	KING A/C								2	—	C	10/33
10568	C.11604/10/B								4	—	C	10/34
11174	KING A/C								4	—	C	10/35
11180	C.11604/20/L72								1	—	C	10/36
24440	KING A/C								1	—	C	10/37
	C.11604/16/L72											
	BELLS								1	—	C	10/37
	BAS16/2/F24/3											
28E/9129092	AGS.605/2								2	—	C	10/38
32B/1260	BELLS								QR	—	C	10/39
	BAS23/2/J26/2											
	E.F2.75.511								1	—	—	10/40
32781	E.F2.75.513								1	—	C	10/41
	E.F2.75.515								1	—	—	10/42
32783	E.F2.75.517								1	—	C	10/43
32784	E.F2.75.519								1	—	C	10/44
32785	E.F2.75.521								1	—	C	10/45
32786	E.F2.75.523								1	—	C	10/46
1441490	E.F4.75.439								1	—	C	10/47
1441491	E.F4.75.445								1	—	C	10/48
11181	PIONEER 3/167/S4/60								1	—	C	10/49
7351	PIONEER 3/183/S4/60								1	—	C	10/50
9352	E.B2.75.5181								1	—	C	10/51
34208	E.B5.75.5519								1	—	C	10/52
	AS.2809/5/05								1	—	—	10/53
11182	E.F2.75.159								1	—	A	11/1
	E.F2.75.163								1	—	—	11/2
	E.B2.75.3993								1	—	—	11/3
	E.B2.75.3995								1	S110	—	11/4
	E.B2.75.3703								1	S110	—	11/5
12324	E.B2.75.3729								1	No. 344NM	C	11/6
	E.B2.75.3997								1	S110	—	11/7
28P/12587	SP9/C4								1	—	C	11/8
30A/3055	†								QR	DTD189	C	11/9

SERVICES

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	-								-	-	-	12/1
	-								-	-	-	12/2
	E.F.4.75.291								1	-	-	12/3
28D/9133013	A25/4C								2	-	C	12/4
28M/1278190	AGS.2001/C/1								2	-	C	12/5
35092	E.F.3.75.3489								1	LA3	C	12/6
28W/9128924	SP14/C								2	-	C	12/7
35093	E.F.3.75.3487								1	L73	C	12/8
28D/9133011	A25/2C								2	-	C	12/9
28M/1278190	AGS.2001/C/1								2	-	C	12/10
28W/9128924	SP14/C								2	-	C	12/11
9206	EEAS.237/11A								2	L72	C	12/12
7221	E.B.2.75.4521								2	L72	C	12/13
28D/9133011	A25/2C								2	-	C	12/14
28D/7002428	A25/6C								1	-	C	12/15
28D/9140645	A25/10C								1	-	C	12/16
28M/1278190	AGS.2001/C/1								4	-	C	12/17
7222	E.B.2.75.4517								1	Ferobestos	C	12/18
	AS.2300/030								1	-	-	12/19
28W/9128924	SP14/C								4	-	C	12/20
5590	E.B.2.75.3305								1	-	C	12/21
7223	E.B.2.75.4509								1	T55	C	12/22
7224	E.B.2.75.4511								1	-	C	12/23
7225	E.B.2.75.4519								1	S110	C	12/24
32B/	†								QR	-	C	12/25
	-								-	-	-	14/1
	-								-	-	-	14/2
7226	E.B.2.75.3145								1	L65	C	14/3
22569	SMITH & DAVIS LTD. K.267/4								4	-	C	13/1
7806	E.B.2.75.5463								1	L65	C	14/4
5576	E.B.2.75.4027								1	-	C	14/5
26FZ/6217	EEAS.1/1E								2	S96	C	14/6
26FZ/1032	EEAS.1/2E								2	S96	C	14/7
5577	E.B.2.75.4053								1	-	C	14/8
26FZ/6217	EEAS.1/1E								1	S96	C	14/9
26FZ/1032	EEAS.1/2E								1	S96	C	14/10
27BA/	LOCKHEED AVA.1559/D								1	-	C	14/11
11183	SMITH & DAVIS K266/4								2	-	C	13/2

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
9536	E.B2.75.2303								1	—	C	14/12
27BA/13013	LOCKHEED AVA.1485/D								1	—	C	14/13
	—								—	—	—	13/3
9357	E.B2.73.3793								1	L65	C	13/4
	DUNLOP								QR	N1014/4	—	13/5
11184	E.B2.75.3833								1	L54	C	13/6
22464	E.F2.75.1863								1	L54	C	13/7
26FZ/980	EEAS.20/1DR								1	L72	C	13/8
	—								—	—	—	13/9
9357	E.B2.73.3793								1	L65	C	13/10
1439857	E.F4.75.305								1	L54	C	13/11
23511	E.F3.75.951								1	L54	C	13/12
26FZ/980	EEAS.20/1DR								1	L72	C	13/13
5582	E.B2.75.3549								1	L65	C	14/10
1439576	E.F3.75.3583								1	L85	C	14/11
5583	E.B2.75.3805								1	L65	C	14/12
5586	E.B2.75.2299								1	24 Mesh	C	14/13
	EEAS.164/8/19								3	DTD625	LM	14/14
	EEAS.164/6/62								1	DTD625	LM	14/15
18393	E.B2.73.4497								1	L72	C	14/16
	E.B2.75.4089								1	—	—	13/14
9360	E.B2.75.4091								1	EEDX301	C	13/15
28D/9133011	A25/2C								2	—	C	13/16
28D/1213598	A59/21E								1	—	C	13/17
28M/1278190	AGS.2001/C/1								2	—	C	13/18
28M/9480017	AGS.2001/E/1								1	—	C	13/19
28W/9418921	SP13/E								1	—	C	13/20
9361	E.B2.75.4092								1	EEDX301	C	13/21
28D/9133011	A25/2C								2	—	C	13/16
28D/1213598	A59/21E								1	—	C	13/17
28M/1278190	AGS.2001/C/1								2	—	C	13/18
28M/9480017	AGS.2001/E/1								1	—	C	13/19
28W/9418921	SP13/E								1	—	C	13/20
9362	E.B2.75.4097								2	—	C	13/22
5588	E.B2.10.5053								2	L44	C	13/23
28D/1215679	A59/23C								4	—	C	13/24
28M/1278190	AGS.2001/C/1								4	—	C	13/25
28W/9419402	SP13/C								4	—	C	13/26

SERVICES

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
32B/	†								QR	Asbestos	C	13/27
9363	E.B3.75.61								1	L65	C	14/17
5598	E.B2.75.2289								1	L56	C	14/18
4608	E.B2.75.3841								1	L56	C	14/19
5599	E.B2.75.4395								1	—	C	14/20
5600	E.B2.75.4401								1	—	C	14/21
5596	E.B2.75.5447								1	L56	C	13/28
5597	E.B2.75.5449								1	L56	C	14/22
5604	E.B2.75.5451								1	—	C	14/23
1439577	E.F3.75.3585								1	—	C	14/24
5611	E.B2.75.2099								2	L65	C	13/29
28FP/9432062	AVIATION DEVELS. A413								2	—	C	13/30
27UA/2063	SIR G. GODFREY 103999								1	—	A	13/31
5613	DALTON E.B2.75.5005								QR	—	—	13/32
18414	E.B2.75.5009								1	S514	C	13/34
18413	E.B2.75.5011								1	S514	C	13/35
18412	E.B2.75.5013								1	S92	C	13/36
2868	E.B2.57.39								2	S1	C	13/37
28M/1278190	AGS.2001/C/1								2	—	C	13/38
28W/9128924	SP14/C								2	—	C	13/39
22005	E.F2.75.1189								1	—	B	13/40
32B/	†								QR	—	C	13/41
18040	E.B2.75.6469								1	L65	C	14/25
6102904	E.B3.75.1215								1	—	C	15/1
5632	E.B2.75.2301								1	—	A	15/1
2940	E.B2.75.2403								1	L65	—	15/2
28M/10338	E.B2.53.33								1	L72	C	15/3
28M/10338	AGS.2002/B2								1	—	C	15/4
28W/9143227	E.B2.75.2377								1	DTD326A	—	15/5
21441	E.B2.75.4431								1	DTD525	—	15/6
28W/9143227	SP14/B								1	—	C	15/7
21441	E.B2.75.6467								1	—	A	15/8
2940	E.B2.75.2403								1	L65	—	15/2
28M/10338	E.B2.53.33								1	L72	C	15/3
28M/10338	AGS.2002/B/2								1	—	C	15/4
28W/9143227	SP14/B								1	—	C	15/7
28M/10338	E.B2.75.2377								1	DTD326A	—	15/5
28W/9143227	E.B2.75.6475								1	S124	—	15/9

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5615	E.B2.75.3511	VALVE, float, assembly							1	—	B	15/10
		Consisting of:—										
5616	E.B2.75.2157	BLANK, sealing, spindle access hole							2	Neo-K-Tex	C	15/11
		Attachments:—										
5725	UNBRAKO SERIES SF	Screw, grub, 3/16" x 1/4" BSF							2	—	C	15/12
	E.B2.75.2139	CAP, float chamber							1	L65	—	15/13
		Attachments:—										
28D/1010658	A25/1B	Bolt, 4 BA, hex. head							6	—	C	15/14
28M/1278189	AGS.2001/B1	Nut, stiff, 4 BA							6	—	C	15/15
28W/9143227	SP14/B	Washer, 4 BA, plain							6	—	C	15/16
	E.B2.75.3505	CHAMBER, float							1	L65	—	15/17
5617	E.B2.75.3509	FLOAT, assembly							1	—	C	15/18
		Spares for:—										
33H/111	†	COMPOUND, sealing							QR	Bostik No. 1754	C	15/19
		PLUG, rubber							1	Hycar	C	15/20
5618	E.B2.75.2151	GASKET, cap sealing							1	Neo-K-Tex	C	15/21
5619	E.B2.75.2155	HOUSING, filter							1	L65	C	15/22
5620	E.B2.75.3495	RING, "O"							1	—	C	15/23
5621	PIONEER 3-110	SPINDLE, float assembly pivot							1	S91	C	15/24
		Attachments:—										
28M/6510	AGS.957/C	Nut, lock, R.H., 3/8" BSF							1	—	C	15/25
		WIRE, locking, 22 SWG							QR	DTD189	C	15/26
30A/3055	†	VALVE, drain, aft of frame 23, assembly							1	—	B	15/27
5623	E.B2.75.4127	(Pre Mod. 2227)										
		Consisting of:—										
5624	E.B2.75.4135	CONE							1	S91	C	15/28
5625	E.B2.75.4187	END, flanged, assembly							1	L65	C	15/29
5626	E.B2.75.2241	END, stub							1	L65	C	15/30
5627	E.B2.75.2251	GASKET							1	DTD416	C	15/31
5628	E.B2.75.4137	PIN, locking							1	S110	C	15/32
5629	E.B2.75.4133	PLATE, pressure							1	S521	C	15/33
5630	E.B2.75.4131	SPRING, loading							1	DTD326A	C	15/34
20711	E.B2.75.6507	VALVE, drain, aft of frame 23, assembly (Mod. 2227)							1	—	B	15/35
		Spares for this assembly are identical with those for Pt. No. E.B2.75.4127 on page MA11 except for the following deletions and additions										
		Delete:—										
5624	E.B2.75.4135	CONE							1	S91	C	16/28
5629	E.B2.75.4133	PLATE, pressure							1	S21	C	15/33
		Add:—										
21455	E.B2.75.6497	COLLAR, half							2	L59	C	15/36
33H/242	PR.1431	COMPOUND, sealing							QR	DTD900/4611	C	15/37
		CONE							1	L65	C	15/38
21454	E.B2.75.6505	PLATE, pressure							1	Ferobestos	C	15/39
21453	E.B2.75.6495	Attachments:—										
28D/9133011	A25/2C	Bolt, 2 BA, hex. head							4	—	C	14/30
28D/9133012	A25/3C	Bolt, 2 BA, hex. head							4	—	C	14/31
5631	E.B2.75.2189	Washer, packing							1	L72	C	14/32

SERVICES

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
27FR/4788	F.R. LTD. B.9811240C								1	—	A	13/42
27FR/31389	F.R. LTD. B.19811245C								1	—	A	13/43
	—								—	—	—	14/29
27UE/2067	MARSTON D.695/4A								1	—	A	14/30
8811	EEAS.222/1C								2	HTS	C	14/31
28D/1213591	A59/11E								2	—	C	14/32
	E.B2.75.2321								1	L72	LM	14/33
7697	E.B2.75.5491								1	L65	C	14/34
9634	E.B2.75.2341								2	DTD124	C	14/35
18386	E.B2.75.5267								1	L65	c	14/36
28D/9133012	A25/3C								3	—	C	14/37
28M/9403520	A27/CP								3	—	C	14/38
8015	E.B2.55.579								1	L72	C	14/39
28D/1008149	A25/2B								1	—	C	14/40
28M/1278189	AGS.2001/B/1								1	—	C	14/41
18387	E.B2.75.6331								1	—	C	14/42
28D/1008149	A25/2B								1	—	C	14/43
28M/1278189	AGS.2001/B/1								1	—	C	14/44
27FR/3571	F.R. LTD. FRS.495/Q/5								1	—	C	14/45
27FR/3572	F.R. LTD. FRS.495/S/5								1	—	B	14/46
9365	E.B2.75.2191								1	L59	C	14/47
9366	E.B2.75.2209								1	L54	C	14/48
7240	E.B2.75.3713								1	Neoprene	C	14/49
18388	E.B2.75.5231								1	S96	C	14/50
7940*	GEO. ANGUS R.173/P60								1	—	C	14/51
	GEO. ANGUS R.173/P5								1	—	—	14/52
11186*	GEO. ANGUS R.182/P60								1	—	C	14/53
	GEO. ANGUS R.182/P5								1	—	C	14/54
18389	E.B2.75.5269								1	Lam. Alum.	C	14/55
27UA/1731	DE HAVILLAND RU-45-04								1	—	A	14/56
2691	E.B2.55.113								4	L72	C	14/57
	—								—	—	—	16/1
27VB/5741	HYMATIC RES.4 Mk. 1								1	—	A	16/2
27VB/2246104	HYMATIC BAT.216-001								1	—	A	
28E/9130610	AS.5419/3								1	—	C	16/3
28D/1011019	A25/8C								1	—	C	16/4
28M/1278190	AGS.2001/C/1								1	—	C	16/5
	AS.2811/5/048								1	—	—	16/6
11172	EEAS.239/1A								1	L72	C	16/7
28W/9419404	SP16/C								1	—	C	16/8

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
28N/9130611	AS.5419/4	CLIP, pipe support	4	-	C	16/9
		Attachments:-				
28D/9133011	A25/2C	Bolt, 2 BA	2	-	C	16/10
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	1	-	C	16/11
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	-	C	16/12
11172	EEAS.239/1A	Washer, tab	3	L72	C	16/13
28W/9419404	SP16/C	Washer, 2 BA, plain	3	-	C	16/14
		CONNECTION, special elbow	1	L65	C	16/15
11187	E.F2.75.1223	COUPLING, pipe, 1/4" BSP	1	BAC.M37	C	16/16
11188	E.F2.75.255	COUPLING, pipe	1	-	C	16/17
28F/9129085	AGS.1102/A	COUPLING, pipe	1	-	C	16/18
28F/8011809	AGS.1104/B	COUPLING, pipe	1	-	A	16/19
27VA/5212	DUNLOP	FILTER, line	2	-		
	AMC.18302	GAUGE, pressure (0.300 lb.)	1	-	B	16/20
6D/2486	SMITH'S BIRMINGHAM EU.13 LN/K006					
8828	E.B3.75.841	PIPE, assembly, from non-return valve to tee-piece forward of frame 16	1	-	C	16/21
8833	E.B3.75.843	PIPE, assembly, from tee-piece forward of frame 16 to four-way piece at frame 15	1	-	C	16/22
8829	E.B3.75.845	PIPE, assembly, from non-return valve aft of frame 16 in de-icing pipe tapping line to tee-piece forward of frame 16	1	-	C	16/23
8830	E.B3.75.847	PIPE, assembly, from de-icing pipe tapping line filter to non-return valve	1	-	C	16/24
8832	E.B3.75.849	PIPE, assembly, de-icing, from gun purging valve hot air pipe to line filter	1	-	C	16/25
8837	E.B3.75.851	PIPE, assembly, from four-way piece at frame 15 to air bottle	1	-	C	16/26
8834	E.B3.75.853	PIPE, assembly, from four-way piece at frame 15 to bulkhead connection	1	-	C	16/27
11189	E.F2.75.1233	PIPE, assembly, from line filter to connection aft of frame 15	1	-	C	16/28
11190	E.F2.75.1435	PIPE, assembly, from pipe coupling forward of frame 15 to four-way piece aft of frame 15	1	-	C	16/29
11191	E.F2.75.1437	PIPE, assembly, from pressure gauge connection to coupling forward of frame 15	1	-	C	16/30
26FZ/980	EEAS.20/1DR	TAB, locking	3	L72	C	16/31
95381	SCHRADER 645	VALVE, 1/8" BSP, taper thread	1	-	C	16/32
27VB/5397	HYMATIC NAR.131.002	VALVE, non-return	2	-	A	16/33
10303	EEAS.240/1A	WASHER, "D"	1	L72	C	16/34
	-	PIPES, between frame 1 and pressure bulkhead, assembly (E.F2.75.13) (Mk. 2 A/c)	-	-	-	17/1
	-	PIPES, between frame 1 and pressure bulkhead, assembly (E.F4.75.415) (Mk. 2A A/c)	-	-	-	17/2
	-	Spares for:-				
	-	A.V.S. and anti-G system, starboard console (E.B3.75.19)	-	-	-	17/3
	-	Spares for:-				
11192	E.B2.75.4067	BRACKET, stop valve mounting	1	L65	C	17/4
		Attachments:-				
28D/9133012	A25/2C	Bolt, 2 BA, hex. head	3	-	C	17/5
28W/9128924	SP14/C	Washer, 2 BA, plain	3	-	C	17/6

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
11193	E.B2.75.4069	BRACKET , anti-G valve mounting ...								1	L65	C	17/7
28D/9133011	A25/2C	Attachments:—											
28W/9128924	SP14/C	Bolt, 2 BA, hex. head ...								3	—	C	17/8
		Washer, 2 BA, plain ...								3	—	C	17/9
5520	E.B2.75.4139	CLIP , pipe, anti-G stop valve at frame 13								1	L72	C	17/10
28D/1200119	A25/4C	Attachments:—											
	E.B2.75.4161	Bolt, 2 BA, hex. head ...								2	—	C	17/11
		Packing ...								1	LFS21	LM	17/12
5521	E.B2.75.4169	CLIP , pipe, flow valve								3	L72	C	17/13
28D/9133012	A25/3C	Attachments:—											
28D/1010030	A25/7C	Bolt, 2 BA, hex. head ...								2	—	C	17/14
30787	E.B2.75.4171	Bolt, 2 BA, hex. head ...								4	—	C	17/15
	E.B2.75.4179	Packing, for clips between frames 12 and 13								2	LFS21	C	17/16
28W/9128924	SP14/C	Packing, for clip at pressure bulkhead								1	L72	LM	17/17
		Washer, 2 BA, plain ...								2	—	C	17/18
11194	E.B2.75.5893	CONNECTION , pressure bulkhead, anti-G valve pipe								1	L40	C	17/19
28D/9133011	A25/2C	Attachments:—											
11195	E.B2.75.4177	Bolt, 2 BA, hex. head ...								6	—	C	17/20
28M/1278190	AGS.2001/C/1	Gasket ...								1	DTD416	C	17/21
28W/9128924	SP14/C	Nut, stiff, 2 BA ...								6	—	C	17/22
		Washer, 2 BA, plain ...								6	—	C	17/23
5525	E.B2.75.3445	CONNECTION , air vent suit seat breakaway, on pressure bulkhead								1	—	C	17/24
28D/1200119	A25/4C	Attachments:—											
28M/1278190	AGS.2001/C/1	Bolt, 2 BA, hex. head ...								2	—	C	17/25
28W/9128924	SP14/C	Nut, stiff, 2 BA ...								2	—	C	17/26
		Washer, 2 BA, plain ...								2	—	C	17/27
5526	E.B2.75.4175	CONNECTION , bulkhead, air vent suit inlet pipe								1	—	C	17/28
28D/1200119	A25/4C	Attachments:—											
5527	E.B2.75.4163	Bolt, 2 BA, hex. head ...								3	—	C	17/29
28M/1278190	AGS.2001/C/1	Gasket, sealing ...								1	DTD415	C	17/30
28W/9128924	SP14/C	Nut, stiff, 2 BA ...								3	—	C	17/31
		Washer, 2 BA, plain ...								3	—	C	17/32
27VB/5576	HYMATIC D11181	CONNECTION , outlet (Use with 27VB/5963) ...								1	—	C	17/33
5532	E.B2.75.3443	COUPLING , 3/4" BSF, stop valve to anti-G valve								1	L65	C	17/34
5535	E.B2.75.4165	FAIRLEAD , half, for pipes aft of frame 12								2	LFS21	C	17/35
28D/9140645	A25/10C	Attachments:—											
28D/9435710	A25/11C	Bolt, 2 BA, hex. head ...								1	—	C	17/36
28W/9128924	SP14/C	Bolt, 2 BA, hex. head ...								1	—	C	17/37
		Washer, 2 BA, plain ...								2	—	C	17/38
18313	DUNLOP DAS.393/10/2	HOSE , silicone								2	—	C	17/39
5541	E.B2.75.3441	NIPPLE , between anti-G valve and stop valve ...								1	S110	C	17/40
9302	E.B3.75.259	PIPE , assembly, from flow control valve outlet aft of frame 12 to hose connection between frames 13 and 14, air vent suit line								1	—	C	17/41

SERVICES

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
5408	E.B2.75.3347							2	LFS21	C	18/8
28D/9435710	A25/11C							2	—	C	18/9
6413	E.B2.73.3267							1	S95	C	18/10
	E.B2.73.7087							1	—	—	
27KD/42	NORMALAIR							1	—	C	18/11
	505690										
26FZ/5835	EEAS.69/1							1	Neo-K-Tex	C	18/12
11200	KING AIRCRAFT							1	—	C	18/13
	C.11604/24/L72										
11201	KING AIRCRAFT							1	—	C	18/14
	C.11604/40/L72										
5409	E.B2.75.269							1	—	C	18/15
	E.B2.75.271							1	Stainless Steel	—	18/16
	E.B2.75.273							2	DTD124	—	18/17
	E.B2.75.2627							1	—	—	18/18
2381	†							1	Nylon	C	18/19
5410	E.B2.75.2629							1	L72	C	18/20
26FZ/20778	EEAS.20/2ER							1	L72	C	18/21
24543	E.F3.75.2169							4	S1	C	19/10
33725	E.F3.75.3359							1	LA4	C	19/11
5412	E.B2.75.277							1	L65	C	18/22
5414	E.B2.75.281							1	L65	C	18/23
11202	E.F2.70.355							1	—	C	18/24
24536	E.F2.70.395							1	L54	C	18/25
11203	E.B3.75.643							1	L65	C	18/26
11204	E.B3.75.721							1	L54	C	18/27
5415	E.B2.75.1733							1	L65	C	18/28
24537	E.F2.75.1821							1	L65	C	18/29
5417	E.B2.75.3343							1	L56	C	18/30
5418	E.B2.75.3351							1	L65	C	18/31
	E.F3.75.3445							1	L73	—	19/12
	E.F3.75.3447							1	L73	—	19/13
5419	AS.6689							1	—	C	18/32

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
11205	E.F.2.75.549							1	L65	C	18/33
28D/9133012	A25/3C							13	-	C	18/34
28D/1200119	A25/4C							1	-	C	18/35
28M/1278190	AGS.2001/C/1							14	-	C	18/36
28W/9419475	SP15/C							14	-	C	18/37
24549	G.K.N. LTD. ART.2027							10	-	C	19/14
22339	E.F.3.75.2133							1	S/H 50	C	19/15
	-							-	-	Rubber	19/16
	E.F.3.75.3465							1	-	-	19/17
35985	E.F.3.75.3461							1	S514	C	19/18
										or 95	
28D/9133012	A25/3C							1	-	C	19/19
28M/9403520	A27/CP							1	-	C	19/20
28W/9419475	SP15/C							1	-	C	19/21
34128	E.F.3.75.3439							1	-	-	19/22
9084	E.B.2.71.685							1	S1	C	19/23
28M/9436836	AGS.2001/C/2							1	-	C	19/24
28W/9419402	SP13/C							1	-	C	19/25
35984	E.F.3.75.3463							1	S95	-	19/26
28D/9419452	A25/3B							1	-	C	19/27
28D/9140638	A25/4B							1	-	C	19/28
28M/9403519	A27/BP							2	-	C	19/29
28W/9419473	SP15/B							2	-	C	19/30
34345	E.F.3.75.3453							1	-	C	19/31
24546	E.F.3.75.2149							2	S1	C	19/32
36632	E.F.4.75.59							14	L72	-	19/33
35986	E.F.3.75.3451							1	DTD215	-	19/34
24544	E.F.3.75.2131							1	LA3	C	19/35
11206	E.F.2.75.547							1	-	A	18/38
5CZ/5494	TEDDINGTON FHG/A/35							1	-	A	18/39
28D/9133011	A25/2C							4	-	C	18/40
9243	E.B.2.75.347							1	S/H60-65	C	18/41
18415	E.F.2.75.557							1	-	C	18/42
5423	E.B.2.75.1899							1	L65	C	18/43
18416	E.B.2.75.5359							2	Silicone Rubber	C	18/44
26FZ/980	EEAS.20/1DR							3	L72	C	18/45
5425	E.B.2.75.3085							1	L65	C	18/46
28D/1008149	A25/2B							3	-	C	18/47
28M/1278189	AGS.2001/B/1							3	-	C	18/48
28W/9419474	SP15/B							3	-	C	18/49

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5424	E.B2.75.3087	UNION, and test pressure gauge connection	1	L65	C	18/50
28D/1010658	A25/1B	Attachments:— Bolt, 4 BA, hex. head	3	—	C	18/51
28M/1278189	AGS.2001/B/1	Nut, stiff, 4 BA	3	—	C	18/52
28W/9419474	SP15/B	Washer, 4 BA, plain	3	—	C	18/53
5426	E.B2.75.3349	UNION, cone body, static pipe drain line	1	L65	C	18/54
27KD/1784	NORMALAIR 520200	UNIT, combined valve (Pre-Mod. 4447)	1	—	A	18/55
27KD/1784	NORMALAIR 520200	UNIT, combined valve (Mod. 4447)	1	—	A	18/56
5427	E.B2.75.3095	WASHER, special pad, for shroud retaining valve ...	4	L73	C	18/57
	—	LINKAGE, de-mist, assembly (E.F2.75.29)	—	—	—	20/1
		Spares for:—				
11207	E.F2.75.93	BRACKET, mounting, de-misting linkage	1	L65	C	20/2
		Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	3	—	C	20/3
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	20/4
28W/9419475	SP15/C	Washer, 2 BA, plain	3	—	C	20/5
11208	E.F2.75.109	BRACKET, bearing, assembly	1	—	C	20/6
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	3	—	C	20/7
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	20/8
28W/9419475	SP15/C	Washer, 2 BA, plain	3	—	C	20/9
11176	KING A/C C.13674/12/B E.F2.75.349	CLAMP	2	—	C	20/10
		COCK, 3/4" shut-off, windscreen de-misting,	1	—	—	20/11
		assembly				
		Consisting of:—				
28D/1007975	AS.1242/1C	BOLT, 2 BA, c'sk head	1	—	C	20/12
11209	E.F2.75.347	LEVER, assembly	1	—	C	20/13
27KD/2399	NORMALAIR 521800	VALVE, 3/4" shut-off	1	—	A	20/14
		(For Spares see AP4515R Vol. 3, Part 1)				
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	—	C	20/15
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	20/16
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	20/17
	E.F2.75.1423	COCK, 3/4" shut-off, canopy de-misting,	1	—	—	20/18
		assembly				
		Consisting of:—				
28D/1007975	AS.1242/1C	BOLT, 2 BA, c'sk head	1	—	C	20/19
27KD/2399	NORMALAIR 521800	VALVE, 3/4" shut-off	1	—	A	20/20
		(For spares see AP4515R Vol. 3 Part1)				
11210	E.F2.75.1305	LEVER, assembly	1	—	C	20/21
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	2	—	C	20/22
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	20/23
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	20/24
11179	KING A/C C.11604/10/B	GASKET	2	—	C	20/25
11211	E.F2.75.107	KEY, shut-off cocks control lever retaining	1	S1 or S93	C	20/26
11212	E.F2.75.581	KEY, taper, de-misting lever	2	S1 or S93	C	20/27
11213	E.F2.75.97	LEVER, de-misting valve operating	1	L65	C	20/28

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
11231	E.B3.75.191								2	DTD416	C	21/23
11232	E.B3.75.601								1	Attlewell LS1	C	21/24
12898	E.B3.75.1007								2	Sindanyo	C	21/25
13054	E.F2.75.1553								1	Bell's Asbestos	C	21/26
10569	KING A/C C.11604/20/B								4	—	C	21/27
12896	E.B3.75.1003								2	Sindanyo	C	21/28
12897	E.B3.75.1005								1	Sindanyo	C	21/29
11234	E.F2.75.1359								1	L72	C	21/30
11235	E.F2.75.1371								1	LA4	C	21/31
11236	E.F2.75.1373								1	LA4	C	21/32
11238	BRIT. REFRASIL ARF.59/62/19								1	—	C	21/33
11239	E.B3.75.597								1	Sindanyo or Bestobel	C	21/34
11240	E.F2.75.1375								2	Attlewell LS1	C	21/35
11241	E.F2.75.1377								2	Attlewell LS1	C	21/36
11243	E.B3.75.967								1	—	C	21/37
1439879	E.F4.75.299								1	—	C	21/38
11244	E.F2.75.1205								1	—	C	21/39
11245	E.F2.75.1207								1	—	C	21/40
11246	E.F2.75.1351								1	—	C	21/41
11247	E.F2.75.1355								1	—	C	21/42
11242	E.F2.75.1519								1	—	C	21/43
12899	E.B3.75.997								1	S521	C	21/44
12900	E.B3.75.1001								2	—	C	21/45
13052	E.F2.75.1537								1	S520	C	21/46
28D/7002428	A25/6C								2	—	C	21/47
	or											
28D/1011019	A25/8C								2	—	C	21/48
	or											
28D/9140644	A25/9C								2	—	C	21/49
28W/9128924	SP14/C								2	—	C	21/50

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
13053	E.F2.75.1539								1	S520	C	21/51
28D/7002428	A25/6C								2	—	C	21/52
	or											
28D/1011019	A25/8C								2	—	C	21/53
	or											
28D/9140644	A25/9C								2	—	C	21/54
28W/9128924	SP14/C								2	—	C	21/55
5560	E.B2.75.1091								4	DTD719	C	21/56
27V/5414	TEDDINGTON FGB.A16								1	—	A	21/57
28D/9133014	A25/13C								2	—	C	21/58
28M/9436836	AGS.2001/C/1								2	—	C	21/59
	E.B3.75.241								2	L65	LM	21/60
27V/5416	TEDDINGTON FMP/A/175								1	—	A	21/61
27V/6567	TEDDINGTON FMP/A/298								1	—	A	21/62
	or											
27V/6568	FMP/A/299											21/63
	—											22/1
	—											22/2
11250	E.B3.75.633								1	L65	C	22/3
28D/9133011	A25/2C								2	—	C	22/4
1439860	E.F4.75.293								1	S130	C	22/5
1439861	E.F4.75.295								1	S130	C	22/6
11251	E.B3.75.645								1	—	C	22/7
11226	KING A/C								4	—	C	22/8
	C.13674/22B											
11254	E.F2.75.1335								1	30/158	C	22/9
5CW/6889	TEDDINGTON FHO/A/583								1	—	A	22/10
	5534											
	E.B2.75.2429								1	LA4	C	22/11
28D/9133011	A25/2C								4	—	C	22/12
28M/1278190	AGS.2001/C/1								4	—	C	22/13
28W/9128924	SP14/C								4	—	C	22/14
27V/5674	TEDDINGTON FGB.SA.462								1	—	B	22/15
11255	E.B3.75.125								1	Sindanyo	C	22/16
11256	E.B3.75.223								1	Sindanyo	C	22/17
5734	E.B2.75.1361								2	DTD416	C	22/18
10569	KING A/C								4	—	C	22/19
	C.11604/20/B											
11257	DUNLOP								4	—	C	22/20
	DAS.582/14/2.2											
33905	DUNLOP								4	—	C	22/21
	DAS.582/32/2.5											

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
36919	BELLS BAS160/5/4/32/10								4	—	C	22/22
11259	E.F2.75.1361								1	30/158	C	22/23
11260	E.B3.75.659								1	LA3	C	22/24
11261	E.B3.75.689								1	Attlewell LS1	C	22/25
11262	E.F2.75.1379								2	Attlewell LS1	C	22/26
11263	E.F2.75.1381								2	LA4	C	22/27
	E.B3.75.241								1	L65	LM	22/28
11264	E.B3.75.119								1	—	C	22/29
11265	E.B3.75.127								1	—	C	22/30
11266	E.F2.75.167								1	—	C	22/31
24752	E.F2.75.1517								1	—	C	22/32
11268	E.B3.75.225								1	—	C	22/33
11269	E.F2.75.317								1	—	C	22/34
11270	E.B3.75.683								1	—	C	22/35
11271	E.B3.75.685								1	—	C	22/36
11272	E.B3.75.687								1	T55	C	22/37
11273	E.F2.75.1347								1	—	C	22/38
11274	E.F2.75.1365								1	—	C	22/39
5741	E.B2.75.2899								1	—	C	22/40
5560	E.B2.75.1091								4	DTD719	C	22/41
5742	E.B2.75.1829								2	L73	C	22/42
28D/9133011	A25/2C								2	—	C	22/43
28D/9133012	A25/3C								2	—	C	22/44
28M/1278190	AGS.2001/C/1								4	—	C	22/45
8262	EEAS.21/9FX								4	L73	C	22/46
5743	EEAS.21/9GX								2	L73	C	22/47
28W/9419475	SP15/C								4	—	C	22/48
5744	E.B2.75.1863								1	L72	C	22/49
28D/9133012	A25/3C								2	—	C	22/50
28M/1278190	AGS.2001/C/1								2	—	C	22/51
8262	EEAS.21/9FX								2	L73	C	22/52
28W/9419475	SP15/C								2	—	C	22/53
5CW/6890	TEDDINGTON FRJ/A/6								1	—	A	22/54
5CW/10602	TEDDINGTON FRJ/A/47								1	—	A	22/55
28D/9140644	A25/9C								2	—	C	22/56
11275	E.B3.75.121								2	L65	C	22/57

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
12340	BELL'S ASBESTOS TYPE E6A								QR	—	C	22/58
36920	BELLS BAS184/2								QR	—	C	22/59
27V/5414	TEDDINGTON FGB/A/16								1	—	A	22/60
27V/5415	TEDDINGTON FMP/A/174								1	—	A	22/61
27V/6567	TEDDINGTON FMP/A/298								1	—	A	22/62
	—								—	—	—	23/6
11276	E.B2.75.3319								1	LFS21	C	23/7
28D/1011019	A25/8C								2	—	C	23/8
28M/1278190	AGS.2001/C/1								2	—	C	23/9
28W/9419475	SP15/C								2	—	C	23/10
11277	E.B2.75.1587								1	S110	C	23/11
28D/9133011	A25/2C								3	—	C	23/12
28M/1278190	AGS.2001/C/1								3	—	C	23/13
28W/9419475	SP15/C								3	—	C	23/14
5515	E.B2.75.1929								1	S94	C	23/15
11176	KING A/C C.13674/12/B								4	—	C	23/16
11278	E.F2.75.543								1	S521	C	23/17
5530	E.B2.75.3563								1	—	C	23/18
28D/9133011	A25/2C								3	—	C	23/19
28M/1278190	AGS.2001/C/1								3	—	C	23/20
28W/9128924	SP14/C								3	—	C	23/21
11179	KING A/C C.11604/10/B								4	—	C	23/22
11279	E.B2.75.1661								1	S1	C	23/23
28F/9128915	AGS.1148/C								1	—	C	23/24
11287	BRIT. REFRASIL ARF.59/62/9								2	—	C	23/25
11288	E.F2.75.535								1	—	C	23/26
11289	E.F2.75.537								1	—	C	23/27
11290	E.F2.75.539								1	—	C	23/28
11291	E.F2.75.541								1	—	C	23/29
11292	E.F2.75.545								1	—	C	23/30
11293	E.F2.75.1289								1	—	C	23/31
11294	E.F2.75.1291								1	—	C	23/32
5548	E.B2.75.1915								1	T55	C	23/33

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
33903	E.F2.75.1645								1	T55	C	23/34
5550	E.B2.75.6187								1	T55	C	23/35
10737	E.B2.75.6189								1	T55	C	23/36
26FZ/980	EEAS.20/1DR								2	L72	C	23/37
27VB/5955	HYMATIC								1	—	A	23/38
	PS.48/73 Mk.2											
27F/5188	SAUNDERS								2	—	A	23/39
	706AA11/B											
5570	E.B2.75.1963								1	BS1433	C	23/40
	—								—	—	—	24/1
	E.B3.75.1135								1	—	—	24/2
	E.B3.75.693								1	—	—	24/3
11295	E.B2.75.2487								1	L65	C	24/4
28F/9140973	AGS.1129/C								2	—	C	24/5
28F/9423229	AGS.1135/C								2	—	C	24/6
5641	E.B2.75.2527								1	—	C	24/7
5642	E.B2.75.2489								1	L65	C	24/8
28F/1202393	AGS.1138/C								4	—	C	24/9
21442	E.B2.75.6489								1	—	B	24/10
28N/13732	AGS.2030/101								1	—	C	24/11
27VA/5911	†								QR	—	C	24/12
	or											
33C/790												
9447	E.B2.75.6305								1	—	C	24/13
9448	E.B2.75.6307								1	—	C	24/14
1440733	PIONEER								1	—	C	24/15
	BS113/MP5018											
27QA/1293	GD.2398/2								1	—	C	24/16
28D/9133014	A25/13C								2	—	C	24/17
28M/1278190	AGS.2001/C/1								2	—	C	24/18
28W/9419402	SP13/C								2	—	C	24/19
11296	E.B3.75.691								1	—	C	24/20
11297	E.B3.75.723								1	L72	C	24/21
5419	AS.6689								1	—	C	24/22
5640	E.B2.75.3531								1	S515	C	24/23
28D/1200119	A25/4C								2	—	C	24/24
28M/1278190	AGS.2001/C/1								2	—	C	24/25
4761	EEAS.21/2GR								2	L72	C	24/26
18486	E.F2.75.177								1	S515	—	24/27
28D/9133012	A25/3C								2	—	C	24/28
28M/1278190	AGS.2001/C/1								2	—	C	24/29
4761	EEAS.21/2GR								2	L72	C	24/30
28W/9419402	SP13/C								2	—	C	24/31

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Mati. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
11298	E.B3.75.159								1	L65	C	24/32
28F/9489323	AGS.1120/10								1	—	C	24/33
5531	E.B2.75.2799								1	L65	C	24/34
5689	E.B2.75.3529								1	LFS21	C	24/35
1484416	E.F3.75.3639								1	—	C	19/36
	E.F3.75.3641								1	—	—	19/37
	E.F3.75.3649								1	L65	—	19/38
	SPIROL PINS LTD.								1	—	—	19/39
	062-0250-MDP								1	L65	C	19/40
1484417	E.F3.75.3643								1	L65	C	19/40
1484444	E.F3.75.3653								1	Klingerite 400	C	19/41
1484418	E.F3.75.3647								1	L65	C	19/42
1484419	E.F3.75.3645								1	L65	C	19/43
	AVDEL								8	—	—	19/44
	2133-0503								8	—	—	19/44
112299	E.B3.75.163								1	—	C	24/36
8847	E.B3.73.1651								1	S1	C	24/37
27VB/5374	HYMATIC								1	—	A	24/38
	LF.7/4								1	—	A	24/38
11300	E.B3.75.145								1	—	C	24/39
11301	E.B3.75.147								1	—	C	24/40
11302	E.B3.75.149								1	—	C	24/41
11303	E.B3.75.649								1	—	C	24/42
11304	E.B3.75.651								1	—	C	24/43
35366	E.F3.75.3513								1	—	C	24/44
36361	E.F3.75.3177								1	L65	C	24/45
11306	E.B3.75.719								1	—	C	24/46
11307	E.B3.75.827								1	—	C	24/47
1484431	E.F2.75.1931								1	—	C	24/48
11309	E.F2.75.1215								1	—	C	24/49
11310	E.F2.75.1221								1	—	C	24/50
5693	E.B2.75.3533								1	—	C	24/51
1484430	E.F2.75.1929								1	L54	C	24/52
1484432	E.F2.75.1933								1	L54	C	24/53

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	1 2 3 4 5 6 7							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
			1	2	3	4	5	6	7				
5423	E.B2.75.1899	SLEEVE, outer, test point union								1	L65	C	24/54
26FZ/980	EEAS.20/1DR	TAB, locking								2	L72	C	24/55
11311	E.B3.75.157	UNION, test point and airdrier								1	L65	C	24/56
5424	E.B2.75.3087	UNION, and test pressure gauge connection								1	L65	C	24/57
27VB/5709	HYMATIC PAS.160/043	VALVE, reducing (E.B2.75.6261)								1	—	A	24/58
27VB/5398	HYMATIC RV.50/2	VALVE, relief (E.B2.75.2525)								1	—	A	24/59
27FR/573	F.R. LTD. B.9811000C	VALVE, non-return								1	—	A	24/60
11312	E.F2.75.179	WASHER, "D" for saddle clip								2	L72	C	24/61
11313	E.F2.75.1425	WASHER, sealing, flanged connector and elbow at frame 6								2	Neo-K-Tex	C	24/62
11314	E.B2.75.2801	WASHER, sealing, pressure bulkhead reducing coupling								1	—	C	24/63
	—	PIPES, air, in pressure cabin, assembly (E.B3.75.25)								—	—	—	17/42
		Spares for :—											
11315	E.B3.75.279	BRACKET, pipe clip mounting at frame 10 ...								1	L72	C	17/43
		Attachments :—											
28D/9133013	A25/5C	Bolt, 2 BA, hex. head								2	—	C	17/44
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA								2	—	C	17/45
11316	AS.2809/4/035	Tube, distance								2	—	C	17/46
28W/9419475	SP15/C	Washer, 2 BA, plain								2	—	C	17/47
11317	E.B3.75.281	BRACKET, pipe clip mounting at frame 11 ...								1	L72	C	17/48
		Attachments :—											
28D/9133013	A25/5C	Bolt, 2 BA, hex. head								3	—	C	17/49
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA								3	—	C	17/50
11316	AS.2809/4/035	Tube, distance								3	—	C	17/51
28W/9419475	SP15/C	Washer, 2 BA, plain								3	—	C	17/52
11318	E.B2.75.6191	BRACKET, pipe clip mounting at frame 13, assembly								1	—	C	17/53
		Attachments :—											
28D/9133013	A25/5C	Bolt, 2 BA, hex. head								2	—	C	17/54
11316	AS.2809/4/035	Tube, distance								2	—	C	17/55
28W/9419475	SP15/C	Washer, 2 BA, plain								2	—	C	17/56
2449	E.B2.57.335	CLIP, pipe, at frames 9, 11 and 13... ..								3	L72	C	17/57
		Attachments :—											
28D/9436920	A25/1C	Bolt, 2 BA, hex. head								6	—	C	17/58
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA								6	—	C	17/59
11319	EEAS.22/2ER	Washer, "D"								6	L72	C	17/60
5536	E.B2.75.3383	GASKET, starboard spray pipe bulkhead connection sealing								2	DTD416	C	17/61
5540	DUNLOP DAS.393/20/2.35	HOSE, silicone, for 1 1/2" pipe								3	—	C	17/62
9306	E.B3.75.283	PIPE, cabin air, between pipe joints aft of frame 9								1	—	C	17/63
9305	E.B3.75.285	PIPE, cabin air, from pipe joint aft of frame 9 to hose coupling aft of frame 10								1	—	C	17/64
9304	E.B3.75.287	PIPE, cabin air, from hose coupling aft of frame 10 to hose coupling aft of frame 11								1	—	C	17/65
9307	E.B3.75.289	PIPE, cabin air, aft of frame 9								1	—	C	17/66
11320	E.B2.75.1633	PIPE, cabin air, at frame 12								1	L54	C	17/67

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
5552	E.B2.75.4085	PIPE , from pressure bulkhead flanged joint to hose connection aft of frame 12, cabin air line						1	—	C	17/68
5556	E.B2.75.5207	PIPE , spray, starboard, on pressure bulkhead, cabin air line, assembly						1	—	C	25/1
7800	E.B2.75.5215	Spares for :— CAP , deflector						1	L72	C	25/2
28D/1011027	A25/27C	Attachments :— Bolt, 2 BA, hex. head						1	—	C	25/3
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA						1	—	C	25/4
	AS.2809/4/2.5	Tube, distance						1	—	—	25/5
28W/9419402	SP13/C	Washer, 2 BA, plain						1	—	C	25/6
5557	E.B2.75.5209	PIPE , spray, port, on pressure bulkhead, cabin air line, assembly						1	—	B	25/7
7800	E.B2.75.5215	Spares for :— CAP , deflector						1	L72	C	25/8
28D/1011027	A25/27C	Attachments :— Bolt, 2 BA, hex. head						1	—	C	25/9
28M/9433473	AGS.2002/C/1	Nut, stiff, 2 BA						1	—	C	25/10
	AS.2809/4/2.5	Tube, distance						1	—	—	25/11
28W/9419402	SP13/C	Washer, 2 BA						1	—	C	25/12
32B/	BELL'S ASBESTOS	TAPE , asbestos, 1/8" x 1".5						QR	—	C	25/13
5776	E.B2.75.1275	WASHER , sealing, top panel air pipe at pressure bulkhead						1	DTD416	C	25/14
5571	E.B2.75.2415	WASHER , sealing, port spray pipe at pressure bulkhead						1	DTD416	C	25/15
—	—	PRESSURISATION , group, radar cooling, assembly (E.B2.75.5883) Consisting of :—						—	—	—	12/26
28D/9436920	A25/1C	BOLT , 2 BA, hex. head						1	—	C	12/27
28D/9133011	A25/2C	BOLT , 2 BA, hex. head						1	—	C	12/28
	E.B2.75.6375	CLIP , special hose (Make from AGS.605/2)						1	—	LM	12/29
5K/3049	AS.4526/24	CLIP , bonding						1	—	C	12/30
28E/9129092	AGS.605/2	CLIP , hose, type "J"						1	—	C	12/31
28E/9129562	AGS.605/3	CLIP , hose, type "J"						2	—	C	12/32
27KD/12	NORMALAIR 504300	COUPLING , ground, aircraft, 2" dia.						1	—	B	12/33
5779	DUNLOP DAS.393/24/2 1/4	HOSE , silicone						1	—	C	12/34
5780	DUNLOP DAS.393/32/2 1/4	HOSE , silicone						1	—	C	12/35
5K/3389	AS.3360/C/4C	LEAD , bonding						1	—	C	12/36
28M/11957	AGS.2007/C/1	NUT , stiff, 2 BA						1	—	C	12/37
5781	E.B2.75/5915	PIPE , connecting, ground pressurisation coupling and valve unit, 1 1/2" o/d						1	—	C	12/38
7842	EEAS.239/3B	WASHER , "D"						1	S531	C	12/39
28W/9419402	SP13/C	WASHER , 2 BA, plain						1	—	C	12/40
—	—	VALVE , emergency air, assembly (E.F2.75.827)						—	—	—	25/16
	E.B2.75.2751	Spares for :— BLOCK , emergency air valve operating mechanism guide						1	L65	—	25/17
28D/9133011	A25/2C	Attachments :— Bolt, 2 BA, hex. head						4	—	C	25/18
28D/9133012	A25/3C	Bolt, 2 BA, hex. head						2	—	C	25/19
28W/9419475	SP15/C	Washer, 2 BA, plain						6	—	C	25/20

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description						No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6				
5516	E.B2.75.2765							1	S96	C	25/21
5533	E.B2.75.2795							1	L44	C	25/22
28D/9133011	A25/2C							2	—	C	25/23
28W/9419475	SP15/C							2	—	C	25/24
	E.F2.75.829							1	L65	—	25/25
	E.B2.75.2763							1	—	—	25/26
	E.B2.75.2787							1	—	—	25/27
	E.B2.75.2767							1	S96	—	25/28
5542	E.B2.75.2797							1	S91	C	25/29
	E.B1.75.651							1	L72	—	25/30
	E.B2.75.2753							1	S80	—	25/31
	E.B2.75.2757							1	L65	—	25/32
11321	E.B1.75.935							1	DTD215	C	25/33
5563	E.B2.75.1375							1	—	C	25/34
28D/9140638	A25/4B							3	—	C	25/35
5564	E.B2.75.1689							1	—	B	25/36
5565	E.B2.75.1691							1	—	C	25/37
11322	E.B1.75.609							1	L65	C	25/38
28D/	AS.1243/1B							1	—	—	25/39
11323	E.B1.75.625							1	S96	C	25/40
5566	E.B1.75.629							2	S96	C	25/41
11324	E.B1.75.659							1	S96	C	25/42
11325	E.B2.75.3061							1	S96	C	25/43
28P/12262	SP9/E6							1	—	C	25/44
11326	E.B1.75.621							1	L40	C	25/45
5567	E.B1.75.631							2	L72	C	25/46
11327	E.B1.75.605							1	L40	C	25/47
5568	GEO. SALTER 5008/315							1	—	C	25/48
11328	E.B2.75.3059							2	S96	C	25/49
28S/1008078	A39/B16							4	—	C	25/50
28S/1932919	A41/B14							4	—	C	25/51
11329	E.B1.75.611							1	L65	C	25/52
11330	E.B1.75.603							1	S96	C	25/53
11331	E.B1.75.633							1	DTD215	C	25/54
5569	E.B1.75.619							1	Formapex	C	25/55
28W/9418921	SP13/E							3	—	C	25/56
28W/9416642	SP47/B							4	—	C	25/57
26FZ/1026	EEAS.1/1 1/2 C							12	S96	C	25/58
11332	E.B1.75.657							2	Rubazote	C	25/59
5572	E.B2.75.2789							2	LA3	C	25/60
5573	E.B2.75.2791							2	LA3	C	25/61
5697	E.B2.75.1785							1	LA4	C	26/2

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description	No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
5699	E.B2.75.2665	BRACKET , upper gun purging pipe support on port beam	1	LA4	C	26/3
		Attachments:—				
28D/9133011	A25/2C	Bolt, 2 BA, hex. head	2	—	C	26/4
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	26/5
5700	E.B2.75.2669	Washer, "D"	1	—	C	26/6
5701	E.B2.75.2671	Washer, "D"	1	—	C	26/7
28W/9128924	SP14/C	Washer, 2 BA, plain	1	—	C	26/8
5702	E.B2.75.3435	BRACKET , pipe clip mounting at frame 16...	1	L59	C	26/9
		Attachments:—				
28D/9436920	A25/1C	Bolt, 2 BA, hex. head	3	—	C	26/10
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	3	—	C	26/11
28W/9128924	SP14/C	Washer, 2 BA, plain	3	—	C	26/12
11177	KING A/C C.13674/18/B	CLAMP , pipe, Mk. 45	3	—	C	26/13
11333	KING A/C C.13674/20/B	CLAMP , pipe, Mk. 45, at gun purging valve pipe ...	2	—	C	26/14
5703	E.B2.75.5059	CLAMP , half, pipe clip mounting at frame 13, port and starboard	2	L65	C	26/15
5705	E.B2.75.1791	CLIP , saddle, at frame 16	1	DTD124	C	26/16
		Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	—	C	26/17
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	26/18
4847	E.B2.57.259	Washer, special corner	2	EEDX160	C	26/19
28W/9128924	SP14/C	Washer, 2 BA, plain	2	—	C	26/20
5706	E.B2.75.1867	CLIP , saddle	2	DTD124	C	26/21
		Attachments:—				
28D/1200119	A25/4C	Bolt, 2 BA, hex. head	2	—	C	26/22
28D/9133013	A25/5C	Bolt, 2 BA, hex. head	2	—	C	26/23
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	4	—	C	26/24
4847	E.B2.57.259	Washer, special corner	4	EEDX160	C	26/25
28W/9419475	SP15/C	Washer, 2 BA, plain	4	—	C	26/26
5707	E.B2.75.1869	CLIP , saddle, at frame 14	1	DTD124	C	26/27
		Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	—	C	26/28
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	26/29
4847	E.B2.57.259	Washer, special corner	2	EEDX160	C	26/30
28W/9419475	SP15/C	Washer, 2 BA, plain	2	—	C	26/31
5708	E.B2.75.2667	CLIP , upper gun purging pipe support, on port beam	1	DTD124	C	26/32
		Attachments:—				
28D/9140645	A25/10C	Bolt, 2 BA, hex. head	1	—	C	26/33
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	1	—	C	26/34
8445	E.B2.75.5571	CLIP , mounting, pressure switch	1	L72	C	26/35
		Attachments:—				
28D/9133012	A25/3C	Bolt, 2 BA, hex. head	2	—	C	26/36
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA	2	—	C	26/37
4847	E.B2.57.259	Washer, special corner	2	EEDX160	C	26/38
28W/9128924	SP14/C	Washer, 2 BA, plain	2	—	C	26/39
10568	KING A/C C.11604/16/B	GASKET	3	—	C	26/40

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5492	E.B2.75.237								2	LA4	C	27/1
28D/7002428	A25/6C								4	—	C	27/2
28M/1278190	AGS.2001/C/1								4	—	C	27/3
	AS.2811/5/025								4	—	—	27/4
28W/9128924	SP14/C								4	—	C	27/5
5493	E.B2.75.255								1	LA4	C	27/6
28D/1200119	A25/4C								2	—	C	27/7
28W/9128924	SP14/C								2	—	C	27/5
5494	E.B2.75.257								1	LA4	C	27/8
28D/1200119	A25/4C								2	—	C	27/7
28W/9128924	SP14/C								2	—	C	27/5
28E/	AS.488/18								1	—	—	28/7
28D/9133013	A25/5C								2	—	C	28/8
11344	E.F2.75.425								1	Linatex	C	28/9
	E.B2.75.35								1	—	—	27/9
27KD/614	NORMALAIR 505560								1	—	B	28/10
	E.B2.75.57								10	—	C	28/11
28M/1278189	AGS.2001/B/1								10	—	C	28/12
26FZ/981	EEAS.20/2DR								1	—	C	28/13
28W/9419465	SP13/B								10	—	C	28/14
27VA/4135	DUNLOP DAS.393/16/2½								1	—	C	27/10
5495	E.B2.75.45								1	—	C	27/11
5497	E.B2.75.55								1	DTD378A	C	28/15
5CZ/5494	TEDDINGTON FHG/A/35								1	—	A	27/12
28D/9133012	A25/3C								4	—	C	27/13
5752	E.B1.75.1899								1	DTD416	C	27/14
28W/9128924	SP14/C								4	—	C	27/15
27UA/2066	MARSTON D.934/3A								1	—	A	27/16
11345	E.F2.75.125								1	—	C	27/17
28D/9133012	A25/3C								6	—	C	27/18
28M/1278190	AGS.2001/C/1								6	—	C	27/19
28W/9128924	SP14/C								6	—	C	27/20
5756	E.B2.75.1571								2	DTD378	C	28/16
5536	E.B2.75.3383								1	DTD416	C	27/21
5499	E.B2.75.3977								1	DTD416	C	28/17
11174	KING A/C								4	—	C	28/18
	C.11604/20/L72											
5759	EEAS.164/4/1.8								1	DTD625	C	27/22

SERVICES
AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
	DUNLOP											
	DAS.393/20/2.2											
5761	DUNLOP											
	DAS.393/24/2.5											
5498	DUNLOP											
	DAS.393/32/2.75											
11346	E.F2.75.147											
	E.F2.75.423											
11347	E.F2.75.1431											
	E.F2.75.1649											
	E.F2.75.1647											
11348	E.F2.75.143											
11349	E.F2.75.145											
11350	E.F2.75.149											
11351	E.F2.75.151											
5507	E.B2.75.3115											
5766	E.B2.75.3723											
5769	E.B2.75.3931											
5506	E.B2.75.4013											
5774	E.B2.75.4061											
5502	E.B2.75.4335											
7281	E.B2.75.4963											
7695	E.B2.75.5243											
7696	E.B2.75.5245											
26FZ/980	EEAS.20/1DR											
5510	E.B2.75.2693											
	E.B2.75.2695											
	E.B2.75.2697											
28M/9436836	AGS.2001/C/2											
	E.B2.75.3327											
	E.B2.75.2699											
28W/9128924	SP14/C											
27KD/968	NORMALAIR											
	504390											
28D/9133011	A25/2C											
28D/1200119	A25/4C											
28M/1278190	AGS.2001/C/1											
28W/9128924	SP14/C											
28W/9416643	SP47/C											

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
27KD/1785	NORMALAIR 520290								1	—	A	28/36
5776	E.B2.75.1275								1	DTD416	C	27/41
5778	E.B2.75.2543								1	DTD416	C	27/42
7842	EEAS.239/3B								11	S521	C	27/43
	—								—	—	—	29/1
11352	E.F2.75.1113								1	30/158	C	29/2
11226	KING A/C								9	—	C	29/3
	C.13674/22/B											
5490	E.B2.75.233								1	LA4	C	29/4
28D/1200119	A25/4C								2	—	C	29/5
28W/9128924	SP14/C								2	—	C	29/6
5491	E.B2.75.235								1	LA4	C	29/7
28D/1200119	A25/4C								1	—	C	29/5
28W/9128924	SP14/C								1	—	C	29/6
10569	KING A/C								9	—	C	29/8
	C.11604/20/B											
33H/	KENILWORTH MFG. CO. LTD. 1326/B								QR	—	C	29/9
11238	BRIT. REFRASIL ARF.59.62.19								1	—	C	29/10
11353	E.F2.75.181								1	—	C	29/11
11354	E.F2.75.183								1	—	C	29/12
11355	E.F2.75.185								1	—	C	29/13
11356	E.F2.75.187								1	—	C	29/14
19800	E.F2.75.1839								1	—	C	29/15
11358	E.F2.75.191								1	—	C	29/16
11359	E.F2.75.195								1	—	C	29/17
11360	E.F2.75.197								1	—	C	29/18
11361	E.F2.75.1111								1	—	C	29/19
19801	E.F2.75.1841								1	—	C	29/20
11363	E.F2.75.463								1	Sindanyo	C	29/21
5560	E.B2.75.1091								2	DTD719	C	29/22

SERVICES

AIR SYSTEM IN FRONT FUSELAGE

Ref. No.	Part No.	Description							No. off	Matl. Spec.	Cl. of Equip. M.R. L.M.	Fig. and Index
		1	2	3	4	5	6	7				
5612	E.B2.75.2371	STRAP, pipe securing at frame 23, starboard beam . . .							1	DTD124	C	29/23
		Attachments:—										
28D/9133012	A25/3C	Bolt, 2 BA, hex. head							2	—	C	29/24
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							2	—	C	29/25
5434	E.B2.75.2121	Washer, special packing							2	EEDX160	C	29/26
28W/9128924	SP14/C	Washer, 2 BA, plain							2	—	C	29/27
11364	E.F2.75.1521	VALVE, gun purging, group (Pre-Mod. 4047)							1	—	A	30/1
		Consisting of:—										
	E.F2.75.497	BODY, gun purging valve, assembly							1	—	—	30/2
	E.F2.75.353	CYLINDER, gun purging valve							1	30/158	—	30/3
		Attachments:—										
	E.F2.75.501	Bolt, special "D"							10	S95	—	30/4
28M/1278190	AGS.2001/C/1	Nut, stiff, 2 BA							10	—	C	30/5
28W/9419402	SP13/C	Washer, 2 BA, plain							10	—	C	30/6
	E.F2.75.395	END, 2" dia. flange valve							1	30/158	—	30/7
	E.B1.75.1751	FILTER, assembly							1	—	—	30/8
9398	E.B2.75.6343	PISTON							1	S110	C	30/9
	E.F2.75.499	PLATE, gun purging valve mounting							2	S520	—	30/10
	WELWORTHY	RING, piston							2	—	—	30/11
	4571.SL.4394											
	UNBRAKO											
	SERIES S											
	E.F2.75.385	SCREW, socket set, 4 BA, 3/16" long							1	—	—	30/12
		SOLENOID, gun purging valve, assembly							1	—	—	30/13
		Consisting of:—										
5723	E.B1.75.1889	CORE, solenoid, assembly							1	—	C	30/14
	E.B1.75.1701	COVER, top							1	L65	—	30/15
		Attachments:—										
28D/1007285	AS.1242/1B	Bolt, 4 BA, c'sk head							3	—	C	30/16
	E.B1.75.1721	COVER, solenoid top and outer, assembly							1	—	—	30/17
		Spares for:—										
	E.B1.75.1759	COIL, assembly							1	—	—	30/18
	E.B1.75.1719	COVER, solenoid outer, assembly							1	DTD330	—	30/19
5X/7551	2Z.84912/A	GASKET, plug mounding							1	—	—	30/20
	PRESSPAN	INSULATION, ".015 thick							1	—	—	30/21
5X/6001	2CZ.108906	PLUG, high temperature							1	—	B	30/22
5X/3148	Z.49428	SLEEVE, 4-7 AMP							2	—	C	30/23
	E.B2.75.3135	COVER, solenoid bottom, assembly							1	—	—	30/24
		Attachments:—										
28D/1017157	A25/25C	Bolt, 2 BA, hex. head							3	—	C	30/25
28W/9128924	SP14/C	Washer, 2 BA, plain							3	—	C	30/26
30A/3055	†	Wire, locking, 22 SWG							QR	DTD189	C	30/27
	E.F2.75.355	HEAD, solenoid							1	30/158	—	30/28
5724	G. ANGUS	RING, "O"							1	—	C	30/29
	R.110.SIL.80											
5725	UNBRAKO	SCREW, socket, 1/4" BSF x 3/16"							2	—	C	30/30
	SERIES SF											
	E.B1.75.1717	SEATING, valve							1	DTD187	—	30/31
	E.B1.75.1891	SPRING							1	DTD215	—	30/32
	E.B1.75.1733	WASHER, sealing, ".02 thick							1	DTD378	—	30/33
	E.B1.75.2289	WASHER, shim laminated							1	—	LM	30/34
		(Make from EEAS.27/90/6)										
9400	E.B2.75.6341	THROTTLE, valve							1	S110	C	30/35
	E.B2.75.3131	VALVE							1	S110	—	30/36



This file was downloaded
from the RTFM Library.
Link: www.scottbouch.com/rtfm

Please see site for usage terms,
and more aircraft documents.

